




**Summary**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 4	Pass	PK	45.52M	35.23	40.00	-4.77	Vertical

Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	45.52M	35.23	40.00	-4.77	-14.88	3	Vertical	358	1.00	"Worst"	50.11	16.34	0.95	32.17
PK	65.89M	30.54	40.00	-9.46	-18.67	3	Vertical	149	3.00	-	49.21	12.32	1.12	32.11
PK	70.74M	32.98	40.00	-7.02	-18.56	3	Vertical	202	1.50	-	51.54	12.33	1.14	32.03
PK	101.78M	30.07	43.50	-13.43	-13.90	3	Vertical	158	1.25	-	43.97	16.91	1.34	32.15
PK	106.63M	30.21	43.50	-13.29	-13.28	3	Vertical	202	1.25	-	43.49	17.41	1.39	32.08
PK	137.67M	32.68	43.50	-10.82	-13.18	3	Vertical	217	1.00	-	45.86	17.30	1.52	32.00

Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	65.89M	27.82	40.00	-12.18	-18.67	3	Horizontal	245	3.00	-	46.49	12.32	1.12	32.11
PK	70.74M	31.07	40.00	-8.93	-18.56	3	Horizontal	97	2.00	-	49.63	12.33	1.14	32.03
PK	137.67M	34.75	43.50	-8.75	-13.18	3	Horizontal	259	2.00	"Worst"	47.93	17.30	1.52	32.00
PK	165.8M	32.10	43.50	-11.40	-14.45	3	Horizontal	272	1.50	-	46.55	15.88	1.70	32.03
PK	199.75M	31.26	43.50	-12.24	-14.94	3	Horizontal	185	1.50	-	46.20	15.22	1.82	31.98
PK	205.57M	32.47	43.50	-11.03	-14.81	3	Horizontal	220	1.50	-	47.28	15.31	1.85	31.97




5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

5955MHz\_TX

26/12/2022

CF Freq  
5.955GHz  
Span  
100MHz  
RBW  
300kHz  
VBW  
1MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9579G	-10.25	6G	-66.59	-50.25	-16.34	1
5.96019G	-9.51	5.9857G	-64.61	-47.29	-17.32	2
5.9587G	-9.70	5.9856G	-64.77	-47.47	-17.30	3
5.96249G	-10.46	5.9856G	-64.40	-48.32	-16.08	4


5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

6175MHz\_TX



26/12/2022



CF Freq  
6.175GHz  
Span  
100MHz  
RBW  
300kHz  
VBW  
1MHz  
Sweep Time  
20ms  
Detector Type  
RMS





Port 1  
Port 2  
Port 3  
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1734G	-11.02	6.1251G	-67.08	-51.02	-16.06	1
6.1755G	-10.18	6.2057G	-65.15	-48.15	-17.00	2
6.1736G	-10.22	6.1443G	-64.86	-48.33	-16.53	3
6.1763G	-10.55	6.2056G	-64.77	-48.22	-16.55	4








6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX  
6855MHz\_TX

MASK

26/12/2022

CF Freq  
6.855GHz  
Span  
100MHz  
RBW  
300kHz  
VBW  
1MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8562G	-10.64	6.8133G	-66.14	-50.64	-15.50	1
6.84961G	-11.05	6.8133G	-66.32	-51.05	-15.27	2
6.8537G	-10.57	6.8132G	-66.36	-50.57	-15.79	3
6.8575G	-10.43	6.8243G	-64.09	-48.68	-15.41	4

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX  
6875MHz Straddle 6.525-6.875GHz\_TX

MASK

26/12/2022

CF Freq  
6.875GHz  
Span  
100MHz  
RBW  
300kHz  
VBW  
1MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8709G	-9.93	6.8397G	-65.09	-49.93	-15.16	1
6.8745G	-10.41	6.8443G	-63.79	-48.47	-15.32	2
6.8737G	-9.64	6.8443G	-63.42	-47.52	-15.90	3
6.8723G	-9.68	6.8422G	-65.13	-49.68	-15.45	4

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX  
6895MHz\_TX

MASK

26/12/2022

CF Freq  
6.895GHz  
Span  
100MHz  
RBW  
300kHz  
VBW  
1MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8936G	-11.67	6.8616G	-66.54	-51.67	-14.87	1
6.8945G	-11.70	6.8643G	-64.84	-49.67	-15.17	2
6.894G	-11.20	6.8643G	-64.42	-48.94	-15.48	3
6.8924G	-11.51	6.8618G	-66.31	-51.51	-14.80	4

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX  
6995MHz\_TX

MASK

26/12/2022

CF Freq  
6.995GHz  
Span  
100MHz  
RBW  
300kHz  
VBW  
1MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.00109G	-11.17	6.9599G	-66.41	-51.17	-15.24	1
6.98951G	-12.18	6.9599G	-67.26	-52.18	-15.08	2
6.994G	-10.57	6.9642G	-64.93	-48.70	-16.23	3
7.00019G	-11.18	6.9599G	-59.86	-51.18	-8.68	4

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX  
7095MHz\_TX

MASK

26/12/2022

CF Freq  
7.095GHz  
Span  
100MHz  
RBW  
300kHz  
VBW  
1MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0913G	-10.33	7.0643G	-64.38	-48.02	-16.36	1
7.0945G	-11.24	7.0643G	-65.48	-49.07	-16.41	2
7.09G	-10.50	7.0643G	-64.78	-48.38	-16.40	3
7.08711G	-10.44	7.0643G	-64.43	-48.32	-16.11	4

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX  
5965MHz\_TX

MASK

26/12/2022

CF Freq  
5.965GHz  
Span  
200MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.97019G	-9.73	6.0262G	-63.06	-49.73	-13.33	1
5.97019G	-9.02	6.0262G	-63.83	-49.02	-14.81	2
5.9688G	-9.42	6.0264G	-63.49	-49.42	-14.07	3
5.9688G	-9.23	6.0262G	-62.93	-49.23	-13.70	4

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX  
6165MHz\_TX

MASK

26/12/2022

CF Freq  
6.165GHz  
Span  
200MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.17039G	-6.55	6.1036G	-61.28	-46.55	-14.73	1
6.1602G	-6.72	6.1036G	-62.02	-46.72	-15.30	2
6.1686G	-6.76	6.1038G	-61.99	-46.76	-15.23	3
6.17239G	-6.79	6.1038G	-61.21	-46.79	-14.42	4

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX  
6405MHz\_TX

MASK

26/12/2022

CF Freq  
6.405GHz  
Span  
200MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4086G	-8.89	6.3198G	-62.90	-48.89	-14.01	1
6.4G	-8.91	6.3434G	-64.12	-48.91	-15.21	2
6.4088G	-8.99	6.4662G	-63.47	-48.99	-14.48	3
6.4074G	-9.25	6.3198G	-62.09	-49.25	-12.84	4








6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX  
6445MHz\_TX

MASK

26/12/2022

CF Freq  
6.445GHz  
Span  
200MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1   
Port 2   
Port 3   
Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.441G	-8.06	6.3836G	-62.33	-48.06	-14.27	1
6.44G	-7.69	6.3834G	-63.32	-47.69	-15.63	2
6.4486G	-7.88	6.3836G	-63.12	-47.88	-15.24	3
6.4424G	-8.33	6.3838G	-62.70	-48.33	-14.37	4





6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX  
6485MHz\_TX

MASK

26/12/2022

CF Freq  
6.485GHz  
Span  
200MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1   
Port 2   
Port 3   
Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4808G	-8.79	6.4238G	-62.71	-48.79	-13.92	1
6.49G	-8.60	6.4236G	-63.59	-48.60	-14.99	2
6.489G	-8.67	6.4238G	-63.19	-48.67	-14.52	3
6.4824G	-8.94	6.4236G	-62.76	-48.94	-13.82	4

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX  
6525MHz Straddle 6.425-6.525GHz\_TX

MASK

26/12/2022

CF Freq  
6.525GHz  
Span  
200MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5286G	-8.67	6.5862G	-62.54	-48.67	-13.87	1
6.53G	-8.66	6.5862G	-63.80	-48.66	-15.14	2
6.5288G	-8.31	6.4636G	-63.07	-48.31	-14.76	3
6.527G	-8.81	6.4638G	-62.79	-48.81	-13.98	4

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX  
6565MHz\_TX

MASK

26/12/2022

CF Freq  
6.565GHz  
Span  
200MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.561G	-8.61	6.6266G	-62.55	-48.61	-13.94	1
6.56G	-7.87	6.5036G	-62.96	-47.87	-15.09	2
6.55901G	-7.99	6.5034G	-62.83	-47.99	-14.84	3
6.5624G	-8.78	6.64G	-60.39	-48.78	-11.61	4

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX  
6685MHz\_TX

MASK

26/12/2022

CF Freq  
6.685GHz  
Span  
200MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6886G	-8.61	6.7462G	-62.13	-48.61	-13.52	1
6.68G	-8.46	6.7462G	-63.09	-48.46	-14.63	2
6.67881G	-7.96	6.7462G	-62.85	-47.96	-14.89	3
6.6898G	-8.36	6.6236G	-62.46	-48.36	-14.10	4

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX  
6845MHz\_TX

MASK

26/12/2022

CF Freq  
6.845GHz  
Span  
200MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8486G	-9.07	6.7836G	-62.43	-49.07	-13.36	1
6.84G	-8.85	6.7838G	-63.12	-48.85	-14.27	2
6.84G	-8.53	6.7836G	-62.54	-48.53	-14.01	3
6.85G	-9.42	6.7832G	-62.73	-49.42	-13.31	4

**6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX**  
**6885MHz Straddle 6.525-6.875GHz\_TX**

**MASK**

26/12/2022

CF Freq  
6.885GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8808G	-8.80	6.8236G	-62.23	-48.80	-13.43	1
6.88G	-8.49	6.8238G	-62.51	-48.49	-14.02	2
6.87901G	-8.54	6.8236G	-62.14	-48.54	-13.60	3
6.8812G	-9.08	6.96G	-59.54	-49.08	-10.46	4

**6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX**  
**6925MHz\_TX**

**MASK**

26/12/2022

CF Freq  
6.925GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.93099G	-9.82	6.9862G	-62.96	-49.82	-13.14	1
6.92G	-9.68	6.8638G	-63.34	-49.68	-13.66	2
6.929G	-9.23	6.8634G	-63.04	-49.23	-13.81	3
6.9274G	-9.25	6.8634G	-62.76	-49.25	-13.51	4





6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX  
7005MHz\_TX

MASK

26/12/2022

CF Freq  
7.005GHz  
Span  
200MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1   
Port 2   
Port 3   
Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.001G	-8.61	6.9436G	-62.79	-48.61	-14.18	1
7.0002G	-9.36	6.9436G	-63.29	-49.36	-13.93	2
7G	-8.77	6.9436G	-63.18	-48.77	-14.41	3
7.0076G	-8.23	6.9436G	-62.28	-48.23	-14.05	4





6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX  
7085MHz\_TX

MASK



26/12/2022

CF Freq  
7.085GHz  
Span  
200MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1   
Port 2   
Port 3   
Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0812G	-8.93	7.0236G	-63.21	-48.93	-14.28	1
7.08G	-8.79	7.0238G	-63.97	-48.79	-15.18	2
7.07961G	-8.65	7.0236G	-63.66	-48.65	-15.01	3
7.0802G	-8.44	7.0238G	-62.53	-48.44	-14.09	4








5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX  
6385MHz\_TX

MASK

26/12/2022

CF Freq  
6.385GHz  
Span  
400MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1   
Port 2   
Port 3   
Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37341G	-6.52	6.2622G	-59.69	-46.52	-13.17	1
6.36982G	-6.37	6.2622G	-60.16	-46.37	-13.79	2
6.37341G	-6.29	6.2626G	-60.33	-46.29	-14.04	3
6.37861G	-6.40	6.5362G	-59.70	-46.40	-13.30	4





6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX  
6465MHz\_TX

MASK

26/12/2022

CF Freq  
6.465GHz  
Span  
400MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1   
Port 2   
Port 3   
Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45621G	-5.47	6.5882G	-58.69	-45.44	-13.25	1
6.45541G	-5.71	6.3422G	-59.38	-45.67	-13.71	2
6.45861G	-5.79	6.587G	-59.46	-45.67	-13.79	3
6.47619G	-5.74	6.6402G	-57.88	-45.74	-12.14	4

**6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX**  
**6545MHz Straddle 6.425-6.525GHz\_TX**

**MASK**

26/12/2022

CF Freq  
6.545GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53381G	-5.27	6.689G	-57.71	-45.27	-12.44	1
6.53461G	-5.09	6.4226G	-58.98	-45.04	-13.94	2
6.53381G	-4.89	6.6674G	-59.12	-44.78	-14.34	3
6.53821G	-5.13	6.4226G	-58.02	-45.08	-12.94	4

**6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX**  
**6625MHz\_TX**

**MASK**

26/12/2022

CF Freq  
6.625GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.61341G	-6.12	6.7478G	-58.04	-46.12	-11.92	1
6.61501G	-5.46	6.5022G	-58.88	-45.31	-13.57	2
6.61381G	-5.73	6.5022G	-59.30	-45.73	-13.57	3
6.61341G	-5.63	6.8002G	-57.61	-45.63	-11.98	4




6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX  
6705MHz\_TX

MASK

26/12/2022

CF Freq  
6.705GHz  
Span  
400MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.71619G	-5.02	6.827G	-57.51	-44.80	-12.71	1
6.71539G	-4.78	6.8282G	-58.86	-44.78	-14.08	2
6.69381G	-4.53	6.5826G	-58.79	-44.37	-14.42	3
6.69581G	-4.39	6.8274G	-57.43	-44.13	-13.30	4

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX  
6785MHz\_TX

MASK

26/12/2022

CF Freq  
6.785GHz  
Span  
400MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.79579G	-5.62	6.9082G	-58.86	-45.62	-13.24	1
6.77461G	-5.31	6.6622G	-59.15	-45.27	-13.88	2
6.77861G	-5.25	6.6626G	-58.85	-45.25	-13.60	3
6.77341G	-5.57	6.6398G	-57.41	-45.57	-11.84	4





**6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX**  
**6865MHz Straddle 6.525-6.875GHz\_TX**

**MASK**

26/12/2022

CF Freq  
6.865GHz  
Span  
400MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1   
 Port 2   
 Port 3   
 Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85341G	-5.98	6.743G	-58.51	-45.97	-12.54	1
6.85381G	-5.95	6.7422G	-58.90	-45.95	-12.95	2
6.85381G	-5.78	6.743G	-58.77	-45.72	-13.05	3
6.85741G	-5.91	6.7426G	-58.53	-45.91	-12.62	4





**6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX**  
**6945MHz\_TX**

**MASK**

26/12/2022

CF Freq  
6.945GHz  
Span  
400MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1   
 Port 2   
 Port 3   
 Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.93621G	-6.75	6.813G	-58.89	-46.75	-12.14	1
6.93981G	-6.76	6.8222G	-59.02	-46.76	-12.26	2
6.93381G	-6.63	6.823G	-58.70	-46.51	-12.19	3
6.93261G	-6.16	6.7998G	-58.32	-46.16	-12.16	4





6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX  
7025MHz\_TX

MASK

26/12/2022

CF Freq  
7.025GHz  
Span  
400MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1   
Port 2   
Port 3   
Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.01581G	-6.15	6.9026G	-59.10	-46.15	-12.95	1
7.01421G	-6.20	6.849G	-59.19	-46.20	-12.99	2
7.01341G	-5.75	6.9026G	-58.54	-45.64	-12.90	3
7.01701G	-5.62	6.9026G	-57.78	-45.62	-12.16	4





5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX  
6025MHz\_TX

MASK

26/12/2022

CF Freq  
6.025GHz  
Span  
800MHz  
RBW  
3MHz  
VBW  
10MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1   
Port 2   
Port 3   
Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.04898G	1.53	6.2698G	-48.41	-37.85	-10.56	1
6.05137G	1.80	6.2682G	-48.72	-37.34	-11.38	2
6.05137G	1.83	6.2754G	-49.37	-38.17	-11.20	3
6.05217G	1.52	6.2682G	-48.29	-37.68	-10.61	4

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX  
6185MHz\_TX

MASK

26/12/2022

CF Freq  
6.185GHz


Span  
800MHz


RBW  
3MHz


VBW  
10MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.20818G	1.02	6.4346G	-49.25	-38.98	-10.27	1
6.16182G	0.50	6.5826G	-50.06	-39.50	-10.56	2
6.20898G	0.69	6.4338G	-49.83	-39.31	-10.52	3
6.21137G	0.77	6.4346G	-49.44	-39.23	-10.21	4

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX  
6345MHz\_TX

MASK

26/12/2022

CF Freq  
6.345GHz


Span  
800MHz


RBW  
3MHz


VBW  
10MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37137G	-0.31	6.7442G	-48.99	-40.31	-8.68	1
6.31943G	-0.11	6.0626G	-49.60	-40.11	-9.49	2
6.36978G	-0.51	6.593G	-49.41	-40.50	-8.91	3
6.36978G	-0.21	6.6402G	-49.16	-40.21	-8.95	4

6.425-6.525GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX  
6505MHz Straddle 6.425-6.525GHz\_TX

MASK

26/12/2022

CF Freq  
6.505GHz


Span  
800MHz


RBW  
3MHz


VBW  
10MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.47783G	0.36	6.793G	-48.27	-39.64	-8.63	1
6.47783G	0.27	6.753G	-48.94	-39.67	-9.27	2
6.52818G	0.56	6.7538G	-48.90	-39.44	-9.46	3
6.48022G	0.71	6.7538G	-48.69	-39.24	-9.45	4

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX  
6665MHz\_TX

MASK

26/12/2022

CF Freq  
6.665GHz


Span  
800MHz


RBW  
3MHz


VBW  
10MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.68978G	-0.17	6.9962G	-48.66	-40.17	-8.49	1
6.63463G	0.04	6.9962G	-49.09	-39.96	-9.13	2
6.68898G	0.02	6.9986G	-49.19	-39.98	-9.21	3
6.64182G	-0.27	6.9602G	-49.05	-40.27	-8.78	4

**6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX**  
**6825MHz Straddle 6.525-6.875GHz\_TX**

**MASK**

27/12/2022

CF Freq  
6.825GHz


Span  
800MHz


RBW  
3MHz


VBW  
10MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.80102G	0.37	6.5746G	-49.21	-39.61	-9.60	1
6.80182G	0.66	6.5746G	-48.90	-39.34	-9.56	2
6.79943G	0.57	6.5786G	-48.67	-39.09	-9.58	3
6.79863G	0.52	6.5762G	-48.99	-39.48	-9.51	4

**6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX**  
**6985MHz\_TX**

**MASK**

27/12/2022

CF Freq  
6.985GHz


Span  
800MHz


RBW  
3MHz


VBW  
10MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.00738G	-1.18	6.7354G	-48.60	-41.18	-7.42	1
6.95943G	-0.91	6.7362G	-48.47	-40.91	-7.56	2
6.90988G	-0.98	6.7346G	-48.55	-40.98	-7.57	3
6.95943G	-0.26	6.737G	-48.33	-40.20	-8.13	4

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX  
6105MHz\_TX

MASK

27/12/2022

CF Freq  
6.105GHz


Span  
1.6GHz


RBW  
5MHz


VBW  
10MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.0714G	4.13	6.601G	-44.31	-35.87	-8.44	1
6.0794G	3.82	6.6042G	-45.15	-36.18	-8.97	2
6.0746G	3.84	6.5978G	-44.61	-36.03	-8.58	3
6.0746G	3.65	6.6042G	-44.40	-36.35	-8.05	4

6.425-6.525GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX  
6425MHz\_TX

MASK

27/12/2022

CF Freq  
6.425GHz


Span  
1.6GHz


RBW  
5MHz


VBW  
10MHz


Sweep Time  
20ms


Detector Type  
RMS




Port 1 

Port 2 



Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4554G	2.13	6.9978G	-44.97	-37.87	-7.10	1
6.3802G	2.10	6.9978G	-45.79	-37.90	-7.89	2
6.4586G	2.37	6.9882G	-45.78	-37.63	-8.15	3
6.3898G	1.84	6.9994G	-45.53	-38.16	-7.37	4








5.925-6.425GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX  
6415MHz\_TX

MASK

06/02/2023

CF Freq  
6.415GHz  
Span  
100MHz  
RBW  
300kHz  
VBW  
1MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4163G	-7.97	6.4565G	-52.23	-47.97	-4.26	1
6.4187G	-8.10	6.4508G	-52.29	-48.10	-4.19	2
6.413G	-8.31	6.3743G	-52.48	-48.31	-4.17	3
6.4124G	-8.85	6.4604G	-52.37	-48.85	-3.52	4

6.425-6.525GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX  
6435MHz\_TX

MASK

06/02/2023

CF Freq  
6.435GHz  
Span  
100MHz  
RBW  
300kHz  
VBW  
1MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4336G	-9.13	6.48G	-52.09	-49.13	-2.96	1
6.4318G	-9.25	6.3941G	-52.30	-49.25	-3.05	2
6.4336G	-9.63	6.4689G	-52.41	-49.63	-2.78	3
6.4311G	-9.38	6.4723G	-52.22	-49.38	-2.84	4

6.425-6.525GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX  
6475MHz\_TX

MASK

06/02/2023

CF Freq  
6.475GHz  
Span  
100MHz  
RBW  
300kHz  
VBW  
1MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4781G	-9.31	6.4323G	-52.25	-49.31	-2.94	1
6.4757G	-9.20	6.4348G	-52.28	-49.20	-3.08	2
6.4765G	-10.03	6.426G	-52.43	-50.03	-2.40	3
6.4785G	-10.33	6.4322G	-52.34	-50.33	-2.01	4

6.425-6.525GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX  
6515MHz\_TX

MASK

06/02/2023

CF Freq  
6.515GHz  
Span  
100MHz  
RBW  
300kHz  
VBW  
1MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5157G	-9.39	6.4799G	-52.14	-49.39	-2.75	1
6.5137G	-9.17	6.4674G	-52.28	-49.17	-3.11	2
6.5136G	-10.13	6.479G	-52.36	-50.13	-2.23	3
6.5122G	-10.00	6.4724G	-52.24	-50.00	-2.24	4

6.525-6.875GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX  
6535MHz\_TX

MASK

06/02/2023

CF Freq  
6.535GHz  
Span  
100MHz  
RBW  
300kHz  
VBW  
1MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5374G	-9.27	6.4971G	-52.17	-49.27	-2.90	1
6.5375G	-9.41	6.4951G	-52.26	-49.41	-2.85	2
6.5375G	-9.95	6.4851G	-52.33	-49.95	-2.38	3
6.5324G	-10.09	6.4856G	-52.20	-50.09	-2.11	4

6.525-6.875GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX  
6695MHz\_TX

MASK

06/02/2023

CF Freq  
6.695GHz  
Span  
100MHz  
RBW  
300kHz  
VBW  
1MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6989G	-10.00	6.7341G	-51.62	-50.00	-1.62	1
6.6958G	-10.51	6.7321G	-51.72	-50.51	-1.21	2
6.6967G	-10.68	6.7304G	-51.85	-50.68	-1.17	3
6.6999G	-10.60	6.7385G	-51.67	-50.60	-1.07	4

6.525-6.875GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX  
6855MHz\_TX

MASK

06/02/2023

CF Freq  
6.855GHz  
Span  
100MHz  
RBW  
300kHz  
VBW  
1MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.86G	-8.53	6.892G	-51.58	-48.53	-3.05	1
6.8555G	-8.60	6.8999G	-51.58	-48.60	-2.98	2
6.8564G	-8.92	6.9009G	-51.70	-48.92	-2.78	3
6.8559G	-8.72	6.896G	-51.52	-48.72	-2.80	4

6.525-6.875GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX  
6875MHz Straddle 6.525-6.875GHz\_TX

MASK

06/02/2023

CF Freq  
6.875GHz  
Span  
100MHz  
RBW  
300kHz  
VBW  
1MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8763G	-9.31	6.917G	-51.43	-49.31	-2.12	1
6.8737G	-9.93	6.9182G	-51.38	-49.93	-1.45	2
6.8711G	-10.19	6.9179G	-51.73	-50.19	-1.54	3
6.8761G	-9.24	6.922G	-51.43	-49.24	-2.19	4

6.875-7.125GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX  
6895MHz\_TX

MASK

06/02/2023

CF Freq  
6.895GHz  
Span  
100MHz  
RBW  
300kHz  
VBW  
1MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8973G	-8.79	6.9421G	-50.96	-48.79	-2.17	1
6.8939G	-8.54	6.9385G	-51.03	-48.54	-2.49	2
6.8936G	-9.03	6.941G	-51.22	-49.03	-2.19	3
6.8912G	-8.48	6.9367G	-51.09	-48.48	-2.61	4

6.875-7.125GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX  
6995MHz\_TX

MASK

06/02/2023

CF Freq  
6.995GHz  
Span  
100MHz  
RBW  
300kHz  
VBW  
1MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9975G	-8.58	6.9599G	-50.75	-48.58	-2.17	1
6.9957G	-8.76	6.9566G	-50.73	-48.76	-1.97	2
6.9961G	-9.26	6.9539G	-51.05	-49.26	-1.79	3
6.994G	-8.72	6.9617G	-50.97	-48.72	-2.25	4

6.875-7.125GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX  
7095MHz\_TX

MASK

06/02/2023

CF Freq  
7.095GHz  
Span  
100MHz  
RBW  
300kHz  
VBW  
1MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0913G	-10.47	7.0481G	-54.87	-50.47	-4.40	1
7.0919G	-10.39	7.0506G	-54.94	-50.39	-4.55	2
7.0912G	-11.06	7.1278G	-54.88	-51.06	-3.82	3
7.0976G	-10.63	7.0516G	-54.98	-50.63	-4.35	4

5.925-6.425GHz\_802.11be EHT40-BF\_Nss2,(MCS0)\_4TX  
5965MHz\_TX

MASK

06/02/2023

CF Freq  
5.965GHz  
Span  
200MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.97099G	-4.63	5.8712G	-49.54	-44.63	-4.91	1
5.9686G	-5.24	5.868G	-49.66	-45.24	-4.42	2
5.968G	-4.76	5.8656G	-49.78	-44.76	-5.02	3
5.9614G	-5.01	5.8986G	-49.67	-45.01	-4.66	4

5.925-6.425GHz\_802.11be EHT40-BF\_Nss2,(MCS0)\_4TX  
6165MHz\_TX

MASK

06/02/2023

CF Freq  
6.165GHz  
Span  
200MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1676G	-5.45	6.1036G	-50.29	-45.45	-4.84	1
6.1682G	-5.85	6.0668G	-50.42	-45.85	-4.57	2
6.1672G	-5.65	6.0972G	-50.63	-45.65	-4.98	3
6.1612G	-5.54	6.0912G	-50.34	-45.54	-4.80	4

5.925-6.425GHz\_802.11be EHT40-BF\_Nss2,(MCS0)\_4TX  
6405MHz\_TX

MASK

06/02/2023

CF Freq  
6.405GHz  
Span  
200MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.41G	-4.92	6.4668G	-50.00	-44.92	-5.08	1
6.4026G	-5.19	6.47G	-50.06	-45.19	-4.87	2
6.4024G	-5.07	6.4788G	-50.27	-45.07	-5.20	3
6.4076G	-4.95	6.4668G	-50.04	-44.95	-5.09	4




6.425-6.525GHz\_802.11be EHT40-BF\_Nss2,(MCS0)\_4TX  
6445MHz\_TX

MASK

06/02/2023

CF Freq  
6.445GHz  
Span  
200MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.43981G	-5.94	6.3784G	-50.08	-45.94	-4.14	1
6.4426G	-6.40	6.3834G	-50.11	-46.40	-3.71	2
6.43981G	-6.27	6.3634G	-50.31	-46.27	-4.04	3
6.43941G	-6.24	6.3704G	-50.13	-46.24	-3.89	4

6.425-6.525GHz\_802.11be EHT40-BF\_Nss2,(MCS0)\_4TX  
6485MHz\_TX

MASK

06/02/2023

CF Freq  
6.485GHz  
Span  
200MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4892G	-7.49	6.4222G	-49.97	-47.49	-2.48	1
6.4822G	-7.70	6.4238G	-50.08	-47.70	-2.38	2
6.49119G	-7.70	6.424G	-50.24	-47.70	-2.54	3
6.49G	-7.76	6.4144G	-50.10	-47.76	-2.34	4

**6.425-6.525GHz\_802.11be EHT40-BF\_Nss2,(MCS0)\_4TX**  
**6525MHz Straddle 6.425-6.525GHz\_TX**

**MASK**

06/02/2023

CF Freq  
6.525GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5292G	-6.58	6.4474G	-49.94	-46.58	-3.36	1
6.51961G	-6.71	6.4276G	-50.01	-46.71	-3.30	2
6.521G	-6.44	6.4318G	-50.25	-46.44	-3.81	3
6.5222G	-6.76	6.4632G	-49.98	-46.76	-3.22	4

**6.525-6.875GHz\_802.11be EHT40-BF\_Nss2,(MCS0)\_4TX**  
**6565MHz\_TX**

**MASK**

06/02/2023

CF Freq  
6.565GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5608G	-5.84	6.6642G	-49.69	-45.84	-3.85	1
6.5602G	-5.72	6.652G	-49.77	-45.72	-4.05	2
6.5626G	-6.05	6.663G	-49.95	-46.05	-3.90	3
6.55981G	-5.78	6.662G	-49.76	-45.78	-3.98	4

6.525-6.875GHz\_802.11be EHT40-BF\_Nss2,(MCS0)\_4TX  
6685MHz\_TX

MASK

06/02/2023

CF Freq  
6.685GHz  
Span  
200MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69079G	-6.48	6.7482G	-49.50	-46.48	-3.02	1
6.6884G	-6.68	6.7628G	-49.57	-46.68	-2.89	2
6.6872G	-6.72	6.7498G	-49.73	-46.72	-3.01	3
6.6884G	-6.91	6.762G	-49.52	-46.91	-2.61	4

6.525-6.875GHz\_802.11be EHT40-BF\_Nss2,(MCS0)\_4TX  
6845MHz\_TX

MASK

06/02/2023

CF Freq  
6.845GHz  
Span  
200MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85019G	-5.38	6.9428G	-49.14	-45.38	-3.76	1
6.8486G	-5.70	6.9398G	-49.20	-45.70	-3.50	2
6.8488G	-5.60	6.9378G	-49.33	-45.60	-3.73	3
6.8476G	-5.45	6.9406G	-49.21	-45.45	-3.76	4

**6.525-6.875GHz\_802.11be EHT40-BF\_Nss2,(MCS0)\_4TX**  
**6885MHz Straddle 6.525-6.875GHz\_TX**

**MASK**

06/02/2023

CF Freq  
6.885GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.89G	-6.47	6.98G	-48.87	-46.47	-2.40	1
6.8802G	-6.75	6.9692G	-49.05	-46.75	-2.30	2
6.87981G	-6.38	6.983G	-49.15	-46.38	-2.77	3
6.8824G	-6.70	6.9812G	-49.00	-46.70	-2.30	4

**6.875-7.125GHz\_802.11be EHT40-BF\_Nss2,(MCS0)\_4TX**  
**6925MHz\_TX**

**MASK**

06/02/2023

CF Freq  
6.925GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.93119G	-6.08	6.986G	-48.44	-46.08	-2.36	1
6.9208G	-6.11	6.9966G	-48.56	-46.11	-2.45	2
6.922G	-6.05	6.9906G	-48.70	-46.05	-2.65	3
6.921G	-6.32	6.9864G	-48.62	-46.32	-2.30	4





6.875-7.125GHz\_802.11be EHT40-BF\_Nss2,(MCS0)\_4TX  
7005MHz\_TX

MASK

06/02/2023

CF Freq  
7.005GHz  
Span  
200MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1   
Port 2   
Port 3   
Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99921G	-8.15	6.9422G	-48.90	-48.15	-0.75	1
6.99901G	-8.63	6.9362G	-48.90	-48.63	-0.27	2
7.009G	-8.62	6.9442G	-49.03	-48.62	-0.41	3
6.99881G	-8.51	6.9426G	-48.97	-48.51	-0.46	4





6.875-7.125GHz\_802.11be EHT40-BF\_Nss2,(MCS0)\_4TX  
7085MHz\_TX

MASK

06/02/2023

CF Freq  
7.085GHz  
Span  
200MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1   
Port 2   
Port 3   
Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0872G	-6.42	7.024G	-52.50	-46.42	-6.08	1
7.09119G	-6.74	7.0232G	-52.52	-46.74	-5.78	2
7.09119G	-6.76	7.0238G	-52.74	-46.76	-5.98	3
7.081G	-6.91	7.0238G	-52.68	-46.91	-5.77	4

5.925-6.425GHz\_802.11be EHT80-BF\_Nss2,(MCS0)\_4TX

MASK

5985MHz\_TX

06/02/2023

CF Freq  
5.985GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.99659G	-1.58	5.8006G	-46.57	-41.58	-4.99	1
5.99659G	-2.36	5.7978G	-46.54	-42.36	-4.18	2
5.99579G	-1.82	5.7974G	-46.72	-41.82	-4.90	3
5.99699G	-2.14	5.8218G	-46.69	-42.14	-4.55	4

5.925-6.425GHz\_802.11be EHT80-BF\_Nss2,(MCS0)\_4TX

MASK

6145MHz\_TX

06/02/2023

CF Freq  
6.145GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15539G	-2.94	5.9488G	-46.85	-42.94	-3.91	1
6.13381G	-3.09	5.961G	-47.00	-43.09	-3.91	2
6.13501G	-3.21	5.9566G	-47.14	-43.21	-3.93	3
6.13501G	-2.94	6.0098G	-47.03	-42.94	-4.09	4





5.925-6.425GHz\_802.11be EHT80-BF\_Nss2,(MCS0)\_4TX  
6385MHz\_TX

MASK

06/02/2023

CF Freq  
6.385GHz  
Span  
400MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1   
Port 2   
Port 3   
Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.39499G	-3.50	6.5234G	-47.27	-43.50	-3.77	1
6.39659G	-3.64	6.5078G	-47.21	-43.64	-3.57	2
6.39219G	-3.83	6.507G	-47.51	-43.83	-3.68	3
6.39699G	-3.49	6.513G	-47.32	-43.49	-3.83	4





6.425-6.525GHz\_802.11be EHT80-BF\_Nss2,(MCS0)\_4TX  
6465MHz\_TX

MASK

06/02/2023

CF Freq  
6.465GHz  
Span  
400MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1   
Port 2   
Port 3   
Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45341G	-3.88	6.6602G	-46.87	-43.88	-2.99	1
6.47539G	-4.25	6.6622G	-46.94	-44.25	-2.69	2
6.45461G	-3.66	6.6602G	-47.14	-43.66	-3.48	3
6.47619G	-3.81	6.6598G	-46.98	-43.81	-3.17	4

**6.425-6.525GHz\_802.11be EHT80-BF\_Nss2,(MCS0)\_4TX**  
**6545MHz Straddle 6.425-6.525GHz\_TX**

**MASK**

06/02/2023

CF Freq  
6.545GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53261G	-3.94	6.7106G	-46.59	-43.94	-2.65	1
6.53381G	-3.96	6.7314G	-46.73	-43.96	-2.77	2
6.53581G	-3.80	6.7174G	-46.84	-43.80	-3.04	3
6.53661G	-3.79	6.7018G	-46.66	-43.79	-2.87	4

**6.525-6.875GHz\_802.11be EHT80-BF\_Nss2,(MCS0)\_4TX**  
**6625MHz\_TX**

**MASK**

06/02/2023

CF Freq  
6.625GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63339G	-2.90	6.753G	-46.47	-42.90	-3.57	1
6.63379G	-3.21	6.7574G	-46.59	-43.21	-3.38	2
6.63299G	-3.43	6.7718G	-46.75	-43.43	-3.32	3
6.63739G	-3.18	6.7506G	-46.43	-43.18	-3.25	4




6.525-6.875GHz\_802.11be EHT80-BF\_Nss2,(MCS0)\_4TX  
6705MHz\_TX

MASK

06/02/2023

CF Freq  
6.705GHz  
Span  
400MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.71619G	-4.45	6.8934G	-46.56	-44.45	-2.11	1
6.69341G	-4.78	6.9022G	-46.60	-44.78	-1.82	2
6.71579G	-4.59	6.8934G	-46.76	-44.59	-2.17	3
6.71739G	-4.89	6.8902G	-46.57	-44.89	-1.68	4

6.525-6.875GHz\_802.11be EHT80-BF\_Nss2,(MCS0)\_4TX  
6785MHz\_TX

MASK

06/02/2023

CF Freq  
6.785GHz  
Span  
400MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.77261G	-2.54	6.9602G	-45.90	-42.54	-3.36	1
6.77421G	-2.38	6.9694G	-46.08	-42.38	-3.70	2
6.77381G	-2.63	6.9786G	-46.25	-42.63	-3.62	3
6.77621G	-2.69	6.9514G	-45.97	-42.69	-3.28	4

**6.525-6.875GHz\_802.11be EHT80-BF\_Nss2,(MCS0)\_4TX**  
**6865MHz Straddle 6.525-6.875GHz\_TX**

**MASK**

06/02/2023

CF Freq  
6.865GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85541G	-2.60	6.9906G	-45.78	-42.60	-3.18	1
6.85261G	-2.42	6.9998G	-45.89	-42.42	-3.47	2
6.85421G	-2.45	6.9878G	-46.07	-42.45	-3.62	3
6.85341G	-2.30	6.9946G	-45.84	-42.30	-3.54	4

**6.875-7.125GHz\_802.11be EHT80-BF\_Nss2,(MCS0)\_4TX**  
**6945MHz\_TX**

**MASK**

06/02/2023

CF Freq  
6.945GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.93341G	-3.07	6.7682G	-46.13	-43.07	-3.06	1
6.93381G	-3.18	6.771G	-46.09	-43.18	-2.91	2
6.93461G	-2.91	6.7546G	-46.37	-42.91	-3.46	3
6.93541G	-3.39	6.7662G	-46.34	-43.39	-2.95	4

6.875-7.125GHz\_802.11be EHT80-BF\_Nss2,(MCS0)\_4TX  
7025MHz\_TX

MASK

06/02/2023

CF Freq  
7.025GHz  
Span  
400MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.01261G	-3.79	6.8846G	-46.13	-43.79	-2.34	1
7.01301G	-3.89	6.9014G	-46.14	-43.89	-2.25	2
7.01181G	-3.87	6.8974G	-46.34	-43.87	-2.47	3
7.01541G	-3.97	6.9022G	-46.26	-43.97	-2.29	4

5.925-6.425GHz\_802.11be EHT160-BF\_Nss2,(MCS0)\_4TX  
6025MHz\_TX

MASK

06/02/2023

CF Freq  
6.025GHz  
Span  
800MHz  
RBW  
3MHz  
VBW  
10MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.04898G	3.98	6.2714G	-41.94	-35.94	-6.00	1
6.04898G	3.67	6.2738G	-42.32	-36.33	-5.99	2
6.04898G	4.09	6.2722G	-42.05	-35.84	-6.21	3
6.04978G	4.11	6.2746G	-42.11	-35.89	-6.22	4

5.925-6.425GHz\_802.11be EHT160-BF\_Nss2,(MCS0)\_4TX  
6185MHz\_TX

MASK

06/02/2023

CF Freq  
6.185GHz  
Span  
800MHz  
RBW  
3MHz  
VBW  
10MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.20978G	6.08	6.4346G	-40.47	-33.92	-6.55	1
6.21057G	5.29	6.4346G	-40.70	-34.68	-6.02	2
6.20898G	5.84	6.433G	-40.66	-34.00	-6.66	3
6.20978G	5.82	6.4346G	-40.42	-34.09	-6.33	4

5.925-6.425GHz\_802.11be EHT160-BF\_Nss2,(MCS0)\_4TX  
6345MHz\_TX

MASK

06/02/2023

CF Freq  
6.345GHz  
Span  
800MHz  
RBW  
3MHz  
VBW  
10MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.32262G	4.08	6.7234G	-42.07	-35.92	-6.15	1
6.32182G	3.63	6.7002G	-42.20	-36.37	-5.83	2
6.32342G	4.48	6.0954G	-42.20	-35.52	-6.68	3
6.32022G	4.22	6.7186G	-42.08	-35.78	-6.30	4

**6.425-6.525GHz\_802.11be EHT160-BF\_Nss2,(MCS0)\_4TX**  
**6505MHz Straddle 6.425-6.525GHz\_TX**

**MASK**

06/02/2023

CF Freq  
6.505GHz


Span  
800MHz


RBW  
3MHz


VBW  
10MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.47863G	2.64	6.7594G	-41.99	-37.36	-4.63	1
6.48022G	2.12	6.7554G	-42.20	-37.88	-4.32	2
6.48102G	2.46	6.7538G	-42.29	-37.54	-4.75	3
6.52978G	2.31	6.7634G	-42.03	-37.69	-4.34	4

**6.525-6.875GHz\_802.11be EHT160-BF\_Nss2,(MCS0)\_4TX**  
**6665MHz\_TX**

**MASK**

06/02/2023

CF Freq  
6.665GHz


Span  
800MHz


RBW  
3MHz


VBW  
10MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63943G	4.80	6.9962G	-41.29	-35.20	-6.09	1
6.64102G	4.36	6.9978G	-41.41	-35.64	-5.77	2
6.63943G	4.79	6.9986G	-41.53	-35.21	-6.32	3
6.63863G	4.38	6.9906G	-41.21	-35.62	-5.59	4

**6.525-6.875GHz\_802.11be EHT160-BF\_Nss2,(MCS0)\_4TX**  
**6825MHz Straddle 6.525-6.875GHz\_TX**

**MASK**

06/02/2023

CF Freq  
6.825GHz


Span  
800MHz


RBW  
3MHz


VBW  
10MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.80102G	3.17	6.4266G	-42.23	-36.83	-5.40	1
6.76346G	3.10	6.4586G	-42.30	-36.90	-5.40	2
6.79863G	3.58	6.4266G	-42.45	-36.42	-6.03	3
6.85137G	3.06	6.4354G	-42.35	-36.94	-5.41	4

**6.875-7.125GHz\_802.11be EHT160-BF\_Nss2,(MCS0)\_4TX**  
**6985MHz\_TX**

**MASK**

06/02/2023

CF Freq  
6.985GHz


Span  
800MHz


RBW  
3MHz


VBW  
10MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.96262G	3.03	6.7346G	-41.35	-36.97	-4.38	1
6.96022G	3.00	6.7186G	-41.39	-37.00	-4.39	2
6.95943G	3.24	6.7314G	-41.62	-36.76	-4.86	3
7.00898G	3.13	6.7298G	-41.65	-36.87	-4.78	4

5.925-6.425GHz\_802.11be EHT320-BF\_Nss2,(MCS0)\_4TX  
6105MHz\_TX

MASK

06/02/2023

CF Freq  
6.105GHz  
Span  
1.6GHz  
RBW  
5MHz  
VBW  
10MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.0698G	6.80	6.5978G	-40.58	-33.12	-7.46	1
6.073G	6.68	6.5994G	-40.28	-33.30	-6.98	2
6.0714G	6.91	6.601G	-40.97	-33.09	-7.88	3
6.0698G	6.90	6.5978G	-40.19	-32.97	-7.22	4

5.925-6.425GHz\_802.11be EHT320-BF\_Nss2,(MCS0)\_4TX  
6265MHz\_TX

MASK

22/02/2023

CF Freq  
6.265GHz  
Span  
1.6GHz  
RBW  
5MHz  
VBW  
10MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2298G	3.51	6.9962G	-41.83	-36.49	-5.34	1
6.2202G	3.79	6.9978G	-42.09	-36.21	-5.88	2
6.2202G	4.14	6.9994G	-41.82	-35.86	-5.96	3
6.2298G	4.35	6.9994G	-41.89	-35.65	-6.24	4


6.425-6.525GHz\_802.11be EHT320-BF\_Nss2,(MCS0)\_4TX





MASK

6425MHz\_TX

06/02/2023

CF Freq  
6.425GHz  
Span  
1.6GHz  
RBW  
5MHz  
VBW  
10MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1   
Port 2   
Port 3   
Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3914G	6.65	6.9194G	-41.34	-33.35	-7.99	1
6.3898G	5.83	6.9258G	-42.09	-34.17	-7.92	2
6.393G	6.39	6.921G	-41.99	-33.61	-8.38	3
6.3914G	6.34	6.921G	-41.21	-33.65	-7.56	4


6.425-6.525GHz\_802.11be EHT320-BF\_Nss2,(MCS0)\_4TX





MASK

6585MHz\_TX

22/02/2023

CF Freq  
6.585GHz  
Span  
1.6GHz  
RBW  
5MHz  
VBW  
10MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1   
Port 2   
Port 3   
Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6186G	3.09	5.9162G	-42.14	-36.91	-5.23	1
6.537G	3.67	5.9226G	-42.15	-36.33	-5.82	2
6.5498G	3.46	5.9162G	-41.96	-36.54	-5.42	3
6.5514G	4.18	5.9034G	-42.01	-35.82	-6.19	4



6.525-6.875GHz\_802.11be EHT320-BF\_Nss2,(MCS0)\_4TX  
6745MHz\_TX

MASK

06/02/2023

CF Freq  
6.745GHz


Span  
1.6GHz


RBW  
5MHz


VBW  
10MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7114G	7.01	6.2442G	-41.15	-32.99	-8.16	1
6.7098G	6.50	6.2458G	-41.70	-33.50	-8.20	2
6.7114G	6.79	6.2506G	-41.27	-33.14	-8.13	3
6.7786G	6.85	6.2474G	-42.05	-33.15	-8.90	4

6.525-6.875GHz\_802.11be EHT320-BF\_Nss2,(MCS0)\_4TX  
6905MHz\_TX

MASK

22/02/2023

CF Freq  
6.905GHz


Span  
1.6GHz


RBW  
5MHz


VBW  
10MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8698G	2.69	6.4058G	-42.30	-37.31	-4.99	1
6.8602G	3.30	6.4074G	-41.97	-36.70	-5.27	2
6.8107G	2.97	6.4026G	-41.86	-37.03	-4.83	3
6.8698G	3.51	6.4106G	-41.80	-36.49	-5.31	4