## Lenovo

## IdeaPad Flex 5 CB 13IML05 82B8000YGE

Product

IdeaPad Flex 5 CB 13IML05

Region

WE

Country/Region

Germany

Machine Type

82B8

Processor

Intel Core i3-10110U (2C / 4T, 2.1 / 4.1GHz, 4MB)

Graphics

Integrated Intel UHD Graphics

Chipset

Intel SoC Platform

Memory

4GB Soldered DDR4-2666

Storage

64GB eMMC 5.1

Display

13.3" FHD (1920x1080) IPS 250nits Glossy

Touchscreen

10-point Multi-touch

Pen

None

Optical

None

Media Reader

MicroSD Card Reader

Ethernet

None

WLAN + Bluetooth

11ax, 2x2 + BT5.0

**Bundled Accessories** 

None

Camera

720p

Microphone

2x, Array

Color

Graphite Grey

Keyboard

Backlit, German

Fingerprint Reader

None

NFC

None

TPM

Google Security Chip H1

Batterv

Integrated 51Wh

Power Adapter

45W USB-C

Operating System

Chrome OS

**Bundled Software** 

None

Base Warranty

2-year, Depot

**Bundled Service** 

None

EAN/UPC/JAN

195042386370

**End of Support** 

2026-05-27

Announce Date

2020-04-27

WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. Lenovo provides this publication "as is" without warranty

Lenovo provides this publication "as is" without warran of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



https://psref.lenovo.com

Visit psref website for the latest version of Product specifications Reference.

© Lenovo, 2020. All rights reserved.



## IdeaPad Flex 5 CB 13IML05 Intel Platform Specifications

								1	
Processor	Intel® Celeron® Processor or 10th Generation Intel Core™i3 / i5 Processor							Dimensions	WxDxH: 12.20" x 8.34" x 0.70"; 310mm x 212mm x 17.95mm
	Processor # of Number Cores	# of Threads	Base Frequency	Max Turbo Frequency	Cache	Memory Types	Processor Graphics	Weight Case color Case material	1.35 kg / 2.97 lb Graphite Grey Display cover: Aluminum Bottom: PC/ABS plastic  HD720p, fixed focus HD Audio, Dialog Semiconductor™ DA7219 codec / stereo speakers, 2W x 2 / dual-array microphones, 3.5mm (0.14inch) combo audio / microphone jack (CTIA)
	Celeron 5205U 2	2	1.9 GHz	-	2MB	DDR4-2400	Intel UHD Graphics Camera		
	i3-10110U i5-10210U 4	8	2.1 GHz 1.6 GHz	4.1 GHz 4.2 GHz	4MB 6MB	DDR4-2666		Audio support	
Graphics	Intel UHD Graphics in processor; supports external digital monitor via USB Type-C; supports three independent displays; Max resolution: 4096x2160@60Hz (USB Type-C)  Intel SoC (System on Chip) platform 4GB or 8GB / 2400MHz DDR4 or 2666MHz DDR4, soldered to systemboard, no sockets							Keyboard Touchpad	6-row, optional LED backlight Buttonless Mylar® (BoPET) surface multi-touch touchpad
Chipset								Security Security chip Fingerprint reade	Security keyhole Google Security Chip H1 rNone
Memory								Light sensor -G-sensor	None Accelerometer sensor
Display	Size	Resolution	n Surfa	се Туре	Brightne	ess Ratio Ga	olor amut	TV tuner E-Compass	E-Compass None Gyroscope Yes  Battery Integrated Li-Polymer 51Wh battery
	13.3" (337mm) FH	D (1920x1	080) Glos	sy IPS	250 ni 300 ni	16.9 ├──	.5% '2%	Battery	
Multi-touch Multi-mode	OGS (One Glass Solution) or GF2 (DITO film), supports 10-finger gesture 4 modes: notebook, tablet, stand and tent; 360° hinge Lenovo USI Pen  eMMC 5.1 (embedded Multi Media Card) flash memory on board or M.2 2242 SSD / PCIe NVMe, PCIe 3.0						esture	Max battery life Google power load test® 2014: 10 hrs  * Battery life varies significantly with hardware configurations, settings, usage, & other factor  AC adapter 45W USB-C AC adapter	
Pen (Optional)								Preload Preload	Google Chrome OS™
Storage								Limited warranty	One of the following, configurable by model:  1-year depot repair service 1-year depot with 2-year system board repair service
Optical Ethernet	None None								
WLAN Bluetooth™							ır	Environment	2-year/1-yr battery depot repair service     ENERGY STAR® 8.0; ErP lot3; RoHS-compliant
Media reader Ports	MicroSD™ Card reader One USB 3.1 Type-A Gen 1, two USB 3.1 Gen 1 Type-C™ (with the function of Power Delivery 2.0, data transfer and DisplayPort 1.2), 3.5mm (0.14inch) headphone / microphone combo jack (CTIA), MicroSD™ Card reader * Depending on many factors, actual data transfer speed may be lower than theoretical speed								

Note: The specifications above may not be available in all regions.











