



BOSCH

Invented for life

Oven and Compact Range.

Bosch ovens and compact appliances bring style and elegance to your kitchen.



Bosch Ovens and Compact appliances.

Ovens.

Our ovens combine high quality stainless steel and glass for a sleek finish on all models. Multiple cooking and cleaning options offer great convenience.

Combination Microwave Ovens.

All our combination microwave ovens help you maintain perfect control over your menu and your schedule. Whether you're heating up pre-cooked meals or frozen foods, you'll get outstanding results quickly and without compromising on taste. They can also be used as a conventional oven.

Combination Steam Oven.

With our combination steam oven, you can bake, steam or combine both. With the benefits of pure steam cooking functions of a conventional oven, you can discover the results of giving your roasts and home-made bread a crispy finish.

Coffee Machine.

Whether your preference is a latte, a double shot cappuccino or a delicious hot chocolate, our built-in coffee machine brings cafe-style drinks to your home.

Warming Drawer.

Our warming drawer can do much more than just keep food and plates warm; it is also perfect for slow-cooking meat, defrosting frozen foods and proving dough. It can be installed either separately or in combination with Series 8 ovens, compact ovens and our built-in automatic coffee machine.

Built-in Ovens

60cm Ovens



Series 8 Pyrolytic Oven with Added Steam & Microwave HNG6764S1A

Heating Functions

16 functions
Added Steam function
Microwave

Capacity

67 litres cavity volume
5 shelf positions

Convenience

TFT Touch Graphic display
Bosch Assist
PerfectRoast meat probe
PerfectBake sensor
1-level fully extendable telescopic rail
Temperature display
Electronic clock/timer with end-time programming
SoftMove door
LED lighting

Cleaning

Pyrolytic self-cleaning
with compatible trays and shelf racking
Drying function

Safety

Residual heat indicator
Quadruple-glazed door
Child lock

Dimensions (HxWxD)

595 x 594 x 548mm



Series 8 Pyrolytic Oven with Added Steam HRG6767S2A

Heating Functions

17 functions
Added Steam function

Capacity

71 litres cavity volume
5 shelf positions

Convenience

TFT Touch Graphic display
Bosch Assist
PerfectRoast meat probe
PerfectBake sensor
2-level fully extendable telescopic rails
Temperature display
Electronic clock/timer with end-time programming
SoftMove door
LED lighting

Cleaning

Pyrolytic self-cleaning
with compatible trays and shelf racking
Drying function

Safety

Residual heat indicator
Quadruple-glazed door
Child lock

Dimensions (HxWxD)

595 x 594 x 548mm



Series 8 Pyrolytic Oven HBG6767S1A

Heating Functions

13 functions

Capacity

71 litres cavity volume
5 shelf positions

Convenience

TFT Touch Graphic display
Bosch Assist
PerfectRoast meat probe
PerfectBake sensor
2-level fully extendable telescopic rails
Temperature display
Electronic clock/timer with end-time programming
SoftMove door
Halogen lighting

Cleaning

Pyrolytic self-cleaning
with compatible trays and shelf racking

Safety

Residual heat indicator
Quadruple-glazed door
Child lock

Dimensions (HxWxD)

595 x 594 x 548mm



Series 8 Pyrolytic Oven HBG6753B1A

Heating Functions

13 functions

Capacity

71 litres cavity volume
5 shelf positions

Convenience

TFT Touch Symbol display
AutoPilot 10: 10 automatic programs
2-level fully extendable telescopic rails
Temperature display
Electronic clock/timer with end-time programming
SoftMove door
Halogen lighting

Cleaning

Pyrolytic self-cleaning
with compatible trays and shelf racking

Safety

Residual heat indicator
Quadruple-glazed door
Child lock

Dimensions (HxWxD)

595 x 594 x 548mm



60cm Double Oven



Series 8 Pyrolytic Oven

HBG6753S1A

Heating Functions

13 functions

Capacity

71 litres cavity volume
5 shelf positions

Convenience

TFT Touch Symbol display
AutoPilot 10: 10 automatic programs

2-level fully extendable telescopic rails

Temperature display

Electronic clock/timer with end-time programming

SoftMove door

Halogen lighting

Cleaning

Pyrolytic self-cleaning with compatible trays and shelf racking

Safety

Residual heat indicator

Quadruple-glazed door

Child lock

Dimensions (HxWxD)

595 x 594 x 548mm

Series 8 EcoClean Direct Oven

HBG655HW1A

Heating Functions

13 functions

Capacity

71 litres cavity volume
5 shelf positions

Convenience

TFT Touch Symbol display
AutoPilot 10: 10 automatic programs

2-level fully extendable telescopic rails

Temperature display

Electronic clock/timer with end-time programming

SoftMove door

Halogen lighting

Cleaning

EcoClean Direct: rear, sides and ceiling

Safety

Residual heat indicator

Triple-glazed door

Child lock

Dimensions (HxWxD)

595 x 594 x 548mm

Series 6 Pyrolytic Oven

HBT578FS1A

Heating Functions

10 functions

Capacity

71 litres cavity volume
5 shelf positions

Convenience

Retractable control knobs with LCD display

Single point meat probe

AutoPilot 30: 30 automatic programs

1-level partly extendable telescopic rail

Temperature display

Electronic clock/timer with end-time programming

SoftClose door

Halogen lighting

Half trays

Cleaning

Pyrolytic self-cleaning

Safety

Residual heat indicator

Quadruple-glazed door

Child lock

Dimensions (HxWxD)

595 x 594 x 548mm

Series 4 EcoClean Direct Oven

HBA534ES0A

Heating Functions

7 functions

Capacity

71 litres cavity volume
5 shelf positions

Convenience

Retractable control knobs with LED display

1-level partly extendable telescopic rail

Electronic clock/timer with end-time programming

Halogen lighting

Cleaning

EcoClean Direct: rear wall

Safety

Triple-glazed door

Child lock

Dimensions (HxWxD)

595 x 594 x 548mm

Series 6 Pyrolytic Double Oven

MBG578S0A

Heating Functions

4 functions - top oven

10 functions - bottom oven

Capacity

34 litres cavity volume - top oven

71 litres cavity volume - bottom oven

3 shelf positions - top oven

5 shelf positions - bottom oven

Convenience

Retractable control knobs with LCD display

Single point meat probe

AutoPilot 30: 30 automatic programs

1-level fully extendable telescopic rail

1 ClipRail telescopic rail

Temperature display

Electronic clock/timer with end-time programming

SoftClose door

Halogen lighting

Cleaning

Pyrolytic self-cleaning

Safety

Residual heat indicator

Quadruple-glazed door

Child lock

Dimensions (HxWxD)

888 x 594 x 550mm

Put a new spin on your cooking with the Bosch Oven Range.

Each Bosch control panel is simple and intuitive, making cooking easier than ever.



Series 8: TFT Touch Graphic display.

The iconic control ring and TFT screen display, combined with the DirectSelect TouchControl buttons, make operating the Series 8 ovens simpler than ever before. Food images and helpful prompts guide you through each step, giving you total flexibility and control of cooking functions.



Series 8: TFT Touch Symbol display.

The intuitive control ring and TFT display with DirectSelect icons make it easy to operate your oven. Shortcuts to the two most commonly used heating functions, helpful icons and descriptions inside the control ring provide all the information you need to keep track of your cooking.



Series 6: LCD display.

Series 6 ovens are equipped with a LCD display and retractable knobs. The temperature appears in the display and can be set using the +/- knob. During preheating, the rising temperature is indicated by the lengthening of the red light line.



Series 4: LED display.

The LED display is equipped with pop-out knobs for easier cleaning. Up to 10 AutoPilot programs, cleaning functions and temperature adjustments are controlled via the display.

Built-in Compact Appliances

90cm Ovens



Series 6 Pyrolytic Oven

VBD578FS0

Heating Functions

10 functions

Capacity

112 litres cavity volume
5 shelf positions

Convenience

Retractable control knobs with LCD display
1 ClipRail telescopic rail
Rotary Spit
Temperature display
Electronic clock/timer with end-time programming
Halogen lighting

Cleaning

Pyrolytic self-cleaning

Safety

Residual heat indicator
Quadruple-glazed door
Child lock

Dimensions (HxWxD)

594 x 896 x 572mm

Series 6 Pyrolytic Oven

VBC578FS0

Heating Functions

10 functions

Capacity

85 litres cavity volume
4 shelf positions

Convenience

Retractable control knobs with LCD display
1 ClipRail telescopic rail
Rotary Spit
Temperature display
Electronic clock/timer with end-time programming
Halogen lighting

Cleaning

Pyrolytic self-cleaning

Safety

Residual heat indicator
Quadruple-glazed door
Child lock

Dimensions (HxWxD)

475 x 896 x 572mm

Series 8 Combination Microwave Oven

CMG676BS1A

Heating Functions

12 functions
5 microwave power levels up to 900W
Conventional cooking combined with microwave

Capacity

45 litres cavity volume
3 shelf positions

Convenience

TFT Touch Graphic display
Bosch Assist
Temperature display
Electronic clock/timer with end-time programming
SoftMove door
LED lighting

Cleaning

Pyrolytic self-cleaning with compatible trays and shelf racking

Safety

Residual heat indicator
Quadruple-glazed door
Child lock

Dimensions (HxWxD)

455 x 594 x 548mm

Series 8 Combination Microwave Oven

CMG633BB1A

Heating Functions

7 functions
5 microwave power levels up to 900W
Conventional cooking combined with microwave

Capacity

45 litres cavity volume
3 shelf positions

Convenience

TFT Touch Symbol display
AutoPilot 14: 14 automatic programs
Temperature display
Electronic clock/timer with end-time programming
SoftMove door
LED lighting

Safety

Residual heat indicator
Triple-glazed door
Child lock

Dimensions (HxWxD)

455 x 594 x 548mm

Series 8 Combination Microwave Oven

CMG633BS1B

Heating Functions

7 functions
5 microwave power levels up to 900W
Conventional cooking combined with microwave

Capacity

45 litres cavity volume
3 shelf positions

Convenience

TFT Touch Symbol display
AutoPilot 14: 14 automatic programs
Temperature display
Electronic clock/timer with end-time programming
SoftMove door
LED lighting

Safety

Residual heat indicator
Triple-glazed door
Child lock

Dimensions (HxWxD)

455 x 594 x 548mm



**60cm Combination
Oven with Steam**

60cm Coffee Machine

60cm Warming Drawer



**Series 8
Combination
Microwave Oven
CMG633BW1**

Heating Functions
7 functions
5 microwave power levels up to 900W
Conventional cooking combined with microwave

Capacity
45 litres cavity volume
3 shelf positions

Convenience
TFT Touch Symbol display
AutoPilot 14: 14 automatic programs
Temperature display
Electronic clock/timer with end-time programming
SoftMove door
LED lighting

Safety
Residual heat indicator
Triple-glazed door
Child lock

Dimensions (HxWxD)
455 x 594 x 548mm

**Series 6
Combination
Microwave Oven
CMA585MS0A**

Heating Functions
5 functions
5 microwave power levels up to 900W
Grill function

Capacity
44 litres cavity volume

Convenience
Retractable control knobs with LCD display
AutoPilot 15: 15 automatic programs
Electronic clock/timer with end-time programming
LED lighting

Safety
Triple-glazed door
Child lock

Dimensions (HxWxD)
454 x 594 x 570mm

**Series 8
Combination Steam Oven
CSG656BS2B**

Heating Functions
16 functions
Pure Steam function

Capacity
47 litres cavity volume
1 litre water tank
3 shelf positions

Convenience
TFT Touch Graphic display
Bosch Assist
Temperature display
Electronic clock/timer with end-time programming
SoftMove door
LED lighting

Cleaning
EcoClean Direct: rear, sides and ceiling
Drying function
Descaling program

Safety
Residual heat indicator
Triple-glazed door
Child lock

Dimensions (HxWxD)
455 x 594 x 548mm

**Series 8
Built-in
Coffee Machine
CTL636ES6**

Key Features
One-touch preparation
AromaPro Concept: optimal aroma extraction
SensoFlow System
TFT Touch Graphic Display

Convenience
MyCoffee function
CoffeeSensor Pro: automatically adjusts grinding unit to bean variety
SilentCeram Drive: quiet, premium non-wearing ceramic

Cleaning
Removable brewing unit
AutoMilk Clean

Safety
Child lock

Dimensions (HxWxD)
455 x 594 x 375mm

**Series 8
Warming Drawer
BIC630NS1A**

Key Features
40°C - 80°C temperature control

Capacity
20 litres cavity volume

Convenience
Fully extendable drawer
Ceramic glass base element
Suitable for: plate warming, keep food warm, slow cooking, defrost and proving dough
Practical "push and pull" technology for easy opening

Dimensions (HxWxD)
140 x 594 x 548mm

Advanced features and functions for everyday use.*

Bosch Assist.*

The advanced sensor technology found in PerfectRoast and PerfectBake offers an extensive menu of food categories that help create your perfect meal. Simply select the desired dish, press start and your oven automatically sets the ideal heating mode, temperature and length of time, monitoring and modifying the cooking as required for the best results. Of course, you can also select these settings yourself.

PerfectBake*: Baking has never been easier.

This function constantly measures the precise moisture level of your dishes and automatically adjusts the settings, which means you'll never have to set the heating mode, length of time or temperature ever again. Simply choose the type of dish, such as 'Cake in Tin', press start and let your oven bake it to perfection.ˆ

ˆOnly works from a cold start. Do not open the door during the cooking process or you will have to continue manually.

PerfectRoast meat probe*: Achieve the perfect roast, stuffed meals and fish.

The PerfectRoast meat probe features three sensitive measuring points and uses the lowest temperature reading to determine the core temperature before calculating the residual cooking time. The results are simply perfect. Used manually or with Bosch Assist, you can modify the suggested core temperature (within a recommended range).

AutoPilot automatic programs*: Make every dish a success with very little effort.

Just insert your dish, enter its weight and select the desired program from the menu. AutoPilot then determines the cooking mode, temperature and cooking duration.



Pyrolytic self-cleaning*: The oven that cleans itself.

During the pyrolytic cleaning function, the oven heats up to 480°C to burn off grease and food residue.*

Simply follow these 3 steps:

1. Activate the pyrolytic cleaning function.
2. Choose from three different cleaning levels, depending on the degree of residue that has accumulated.
3. Once the program is finished, wipe off the thin layer of ash in the base of the oven.

*Metal racks may show slight discolouration after prolonged use of the pyrolytic function. To prevent this you may choose to remove the wire racks during the pyrolytic cycle.

EcoClean Direct*: Makes cleaning easier.

While your dishes bake or roast, the special direct coating of porous microscopic ceramic spherules on the oven cavity walls absorbs grease and residue and breaks them down through oxidation.

Simply follow these 3 stepsˆ:

1. Activate the EcoClean Direct cleaning program.
2. Once completed, clean remaining surfaces that don't have the special coating.
3. Wipe the base of the oven and inside of the glass door.

The direct coating also cleans itself while the oven is in use. No additional, manual cleaning of the coated area is necessary. It is a long lasting coating.

ˆPlease remove all accessories when activating the specific EcoClean Direct program.

SoftMove* and SoftClose.*

SoftMove on Series 8 and SoftClose on Series 6 models is a special damping mechanism. Oven doors open and close softer and quieter than ever. This convenient feature not only offers a premium finish, it also protects the oven and door during the life of the oven.

Lighting.

Depending on the model, Bosch ovens and compact appliances feature one of the following lighting solutions:

- The multi-level LED lighting* offers illumination on each level, which is exceptionally convenient when baking on multiple levels.
- The energy-efficient LED ceiling lighting* offers vibrant illumination and longevity.
- The integrated halogen lighting* ensures the interior cavity is brightly lit. More efficient than standard lights, they are durable and are designed to last longer.



*Features vary depending on model. Please check individual product specifications.



There's no healthier or tastier way to prepare food than steaming.

Preserving vitamins and minerals.

Dishes that are cooked in hot steam not only retain their vitamins and minerals, but also their full, natural flavour. So you can use much less salt when cooking, vegetables stay crisp, meat and fish become juicy and tender. In short, healthy food has never tasted better.

Added steam function.*

Enhance your cooking results by adding a little bit of moisture from time to time, thanks to the added steam function. Whether you're reheating dishes, proving dough, baking or roasting, you can set the oven to automatically add bursts of steam, or you can add steam manually to regulate the intensity. Create succulent roasts and perfectly browned bread crusts with ease.

*Features vary depending on model. Please check individual product specifications.

Integrated water tank.*

No direct water connection is needed, giving you much more flexibility in deciding where to place your oven.

Precise temperature control.*

Electronic thermostats monitor the oven cavity temperature to maintain temperature consistency during the cooking process.

CoolTouch doors.*

Bosch ovens meet the highest safety standards: The best Bosch CoolTouch oven doors reach a maximum temperature of only 30°C*. This means that curious children are even better protected against burns. The extra measure of safety is made possible by 30% better ventilation.

*Measured at the centre of the window after 1 hour with a 180°C oven temperature / top and bottom heat.

Bosch Coffee Machine: Your favourite café is now open 24/7.

SensoFlow System for a perfect aroma.

The optimal brewing temperature for an espresso is between 90°C and 95°C. If the temperature is any higher or lower, the flavour of the beans is only partially released or the coffee is bitter. Our smart SensoFlow System heats the water to just the right temperature, for a full-bodied espresso aroma from the first to the last cup.

Your choice of coffee at the touch of a button.

With the MyCoffee function, save your 8 favourite beverages with individual names. Innovative technology regulates the release of coffee, hot milk and foam to deliver the beverage of your choice at the touch of a button.

Automatic cleaning of the milk system.

Now you can clean your coffee maker as easily as you prepare your morning pick-me-up. Each time you make a coffee drink with milk, the milk system is automatically rinsed out with a blast of steam. The coffee machine takes total charge of the milk system's daily maintenance.

Why choose Bosch?



Quality comes from experience.

All Bosch products are manufactured to highest possible standards, using only premium quality materials. We undertake quality and endurance tests for our products under continuous usage conditioning. Not a single appliance leaves our factory until it has been proven to meet our high standards.



Sustainability.

Bosch products have been manufactured with the aim of minimising their impact on the environment. The signet stands for the resource-efficiency of our products – quite simply, for their 'Green Technology'.



Extensive Customer Service Network.

Our friendly Bosch Customer Care team is on-hand to provide competent, reliable assistance. Before or after purchase, the Bosch team will be happy to advise you on products, their use and special functions. To get in contact with our Bosch team, call us on 0800 245 700 or email us at aftersales.nz@bshg.com.



Reliability Guaranteed.



We offer a 2 year manufacturer warranty on all our appliances. The appliance must be registered with the warranty card or online at www.bosch-home.co.nz/mybosch.

BSH Home Appliances Ltd
 Level 3, Air New Zealand Building
 Smales Farm
 74 Taharoto Road
 Takapuna
 Auckland 0622
 PO Box 33-1033
 Takapuna
 Auckland 0740
 Phone: 0800 807 723

Customer Service
 Phone: 0800 245 700
 Email: aftersales.nz@bshg.com

www.bosch-home.co.nz

Accessories and spare parts
www.bosch-home.co.nz/shop

Follow us at
 **BoschHomeNZ**
 **BoschHomeNZ**

Discover our Bosch home appliance range.



Washing Machine Range.



Dryer Range.



Floorcare Range.




Dishwasher Range.



Refrigeration Range.



Cooktop Range.



Rangehood Range.



Freestanding Cooker Range.

Whilst every care has been taken in the preparation of this publication, BSH does not warrant the accuracy or completeness of the information in this publication and BSH reserves the right to alter specifications without notice. To the extent permitted by law, BSH excludes all liability, including negligence, for any loss incurred in reliance on the contents of this publication.

Printed in New Zealand
September 2019