




# ThinkSystem SR530 Platform Specifications

Product Specifications Reference (PSREF)

Components	Specification
Form factor	1U rack
Dimensions	Height: 43 mm (1.7 in). Width: 482 mm (19.0 in) with rack latches. Depth: 778.3 mm (30.64 in)
Weight	Maximum configuration: 35.27 lb (16 kg)
Processor	Up to two 125W Intel Xeon Scalable family processors, Bronze, Silver, Gold, or Platinum. Up to 20 cores at 2.0GHz, up to 3.6GHz with 4 cores. Two processors are connected with two UPI (Ultra Path Interconnect) links up to 10.4GT/s
Chipset	Intel C622 Platform Controller Hub
Memory	Up to 12 DIMM sockets. Each processor supports up to 6 DIMM sockets with 6 channels. DDR4-2666. RDIMMs and LRDIMMs are supported, but memory types cannot be intermixed
Memory capacity	With RDIMMs: Up to 384GB with 12 x 32 GB RDIMMs and two processors With LRDIMMs: Up to 768GB with 12 x 64 GB LRDIMMs and two processors
Memory protection	ECC, memory mirroring, and memory sparing
Storage controllers	Supports the following RAID/HBA adapters:
Disk drive bays	Support 4 front 3.5" SATA simple-swap bays, or 4 front 3.5" SATA/SAS HS bays, or 8 front 2.5" SATA/SAS HS bays. Optional one or two internal M.2 SSD for boot, dual M.2 SSD supports mirroring
Internal storage	For 3.5" SS bay
Optical	No internal optical bay. Optional USB DVD±RW optical drive
Network interfaces	Integrated one dedicated management port plus two GbE ports. One LOM slot for customized LOM with two RJ-45 or SFP+ ports, up to 10GbE. Optional ML2 or PCIe adapters are supported. ML2 adapter requires riser card with ML2 slot. Up to two ports supports Wake-on-LAN and NC-SI (see right)
Security features	Power-on and admin password. Trusted Platform Module, TCG 1.2 compliant, upgrade to 2.0 via UEFI setting. Optional TCM in China only. Optional lockable security bezel
Operating systems supported	Microsoft Windows Server 2016/2012 R2. Red Hat Enterprise Linux 7.4/7.3/6.9. SUSE Linux Enterprise Server 12 SP3/12 SP2/11 SP4. VMware ESXi 6.5U1/6.5/6.0 U3
Systems management	XClarity Controller Standard, optional upgrades to Advanced or Enterprise are available. Energy Manager. XClarity Administrator. Lenovo Capacity Planner. Provisioning Manager. Essentials. Light Path Diagnostics
GPU support	None

Components	Specification	
Base warranty	MT 7X07: 1-year limited onsite service with 9x5/NBD MT 7X08: 3-year limited onsite service with 9x5/NBD	
Power supply	Up to two redundant hot-swap 550W and 750W 80 PLUS Platinum qualified AC power supplies. Or up to two redundant hot-swap 750W Titanium qualified AC power supplies. 750W Titanium is 200V - 240V, others are 100V - 240V	
Video	Integrated Matrox G200 in XClarity Controller	
Cooling	Four fans (3+1) for single processor model, six fans (5+1) for dual processor model	
Front ports	One XClarity Controller USB, one USB 3.0, one optional VGA	
Rear ports	One VGA, two USB 3.0, two ethernet (RJ-45), one XClarity Controller connector. Optional COM port	
Environmental specification	Supports ASHRAE A4 with limitations.	
	Temperature - operating	A4: 5°C to 45°C (41°F to 113°F) A3: 5°C to 40°C (41°F to 104°F) A2: 10°C to 35°C (50°F to 95°F)
	Temperature - non operating (no package)	-10°C to 60°C (-14°F to 140°F)
	Temperature - non operating (with package)	-40°C to 70°C (-40°F to 158°F)
	Altitude - operating	(Unpressurized): 0-10000ft (0-3048m)
Humidity - operating, non-condensing	A4: 8%-90%. A3:8%-85%. A2:20%-80%	
Humidity - storage (with package), non-condensing	8%-90%	
	Models should meet the following requirements to support A3 and A4: • Redundant power supplies required • No system fan fails	
Environmental certification	Energy Star Server 2.1 certified. More environmental information please see: <a href="http://www.lenovo.com/social_responsibility/us/en/environment/">www.lenovo.com/social_responsibility/us/en/environment/</a>	



Note: GbE port 1 and LOM port 1 support Wake-on-LAN and NC-SI. Riser cards, expansion cards, and LOM adapters are optional.

Expansion slots	
Slot 1-2 (riser card 1)	Supports one of the following for riser card 1: Option 1: PCIe 3.0 x8/x16 (slot 1-2). Low profile for x8, low profile or full height half length for x16 Option 2: PCIe 3.0 x8/x8 ML2 (slot 1-2). Low profile
Slot 3 (riser card 2)	Option 1: PCIe 3.0 x 8, low profile, for single processor model Option 2: PCIe 3.0 x 16, low profile, for dual processor model When slot 2 is full height, slot 3 cannot be used

System unique options	
Option	Description
7XH7A05892	ThinkSystem SR530/SR570 x8/x8ML2 PCIe LP+LP Riser 1 kit
7XH7A02682	ThinkSystem SR530/SR570/SR630 x8/x16 PCIe LP+LP Riser 1 Kit
7XH7A05893	ThinkSystem SR530/SR570/SR630 x8/x16 PCIe LP+FH Riser 1 Kit
7XH7A05891	ThinkSystem SR530/SR570 x8 PCIe LP Riser 2 kit
7XH7A02685	ThinkSystem SR530/SR570/SR630 x16 PCIe LP Riser 2 Kit
7Z17A02579	ThinkSystem SR530/SR570/SR630 Front VGA Connector Upgrade Kit
7Z17A02581	ThinkSystem 1U Security Bezel
7Z17A02577	ThinkSystem COM Port Upgrade Kit
7XH7A05896	ThinkSystem SR530/SR630 2.5" SATA/SAS 8-Bay Backplane Kit

Model	Region	Processor	Memory	Storage Controller	Chassis	Disk Bays	Disks	M.2 Drives	Networking (LOM/ML2/PCIe)	Available PCIe Slots	Front VGA	Security	System Management	Power Supply	Warranty	Ann Date (mm/yy)
7X08A02RAU	ANZ	1x Xeon Silver 4110 8C/2.1GHz/11MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Advanced	1x 750W Platinum	3-year	07/17
7X08A030AU	ANZ	1x Xeon Bronze 3104 6C/1.7GHz/8.25MB/85W/DDR4-2133	1x16GB RDIMM DDR4-2666	Onboard SATA	4x 3.5"	4x 3.5" SATA SS	Open	None	None	None	Front VGA	TPM 1.2	XClarity Standard	1x 550W Platinum	3-year	07/17
7X08A032AU	ANZ	1x Xeon Silver 4110 8C/2.1GHz/11MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	4x 3.5"	4x 3.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Advanced	1x 750W Platinum	3-year	07/17
7X08A034AU	ANZ	1x Xeon Silver 4110 8C/2.1GHz/11MB/85W/DDR4-2400	2x32GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	2x600GB HDD 10K 2.5" SAS12Gbps	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Advanced	2x 750W Platinum	3-year	07/17
7X08A035AU	ANZ	1x Xeon Silver 4114 10C/2.2GHz/13.75MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	2x300GB HDD 10K 2.5" SAS12Gbps	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Advanced	2x 750W Platinum	3-year	07/17
7X08A03AAU	ANZ	1x Xeon Silver 4108 8C/1.8GHz/11MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Advanced	1x 750W Platinum	3-year	07/17
7X08A038AU	ANZ	1x Xeon Silver 4108 8C/1.8GHz/11MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Advanced	1x 750W Platinum	3-year	07/17
7X08A03MAU	ANZ	1x Xeon Bronze 3104 6C/1.7GHz/8.25MB/85W/DDR4-2133	1x16GB RDIMM DDR4-2666	1x 530-8i	4x 3.5"	4x 3.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 550W Platinum	3-year	07/17
7X08A03JAU	ANZ	1x Xeon Silver 4116 12C/2.1GHz/16.5MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Advanced	1x 750W Platinum	3-year	07/17
7X08A03QAU	ANZ	1x Xeon Bronze 3104 6C/1.7GHz/8.25MB/85W/DDR4-2133	1x16GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Advanced	1x 750W Platinum	3-year	07/17
7X08A03RAU	ANZ	1x Xeon Silver 4114 10C/2.2GHz/13.75MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Advanced	1x 750W Platinum	3-year	07/17
7X08A03TAU	ANZ	1x Xeon Gold 5118 12C/2.3GHz/16.5MB/105W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Enterprise	1x 750W Platinum	3-year	07/17
7X08A03ZAU	ANZ	1x Xeon Gold 6130 16C/2.1GHz/22MB/125W/DDR4-2666	1x32GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17

Model	Region	Processor	Memory	Storage Controller	Chassis	Disk Bays	Disks	M.2 Drives	Networking (LOM/ML2/PCIe)	Available PCIe Slots	Front VGA	Security	System Management	Power Supply	Warranty	Ann Date (mm/yy)
7X08A01HEA	EMEA	1x Xeon Gold 6130 16C/2.1GHz/22MB/125W/DDR4-2666	1x32GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A04GEA	EMEA	1x Xeon Silver 4110 8C/2.1GHz/11MB/85W/DDR4-2400	4x32GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	3x600GB HDD 10K 2.5" SAS12Gbps	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Enterprise	2x 750W Platinum	3-year	07/17
7X08A04TEA	EMEA	1x Xeon Gold 5115 10C/2.4GHz/13.75MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Enterprise	1x 750W Platinum	3-year	07/17
7X08A01UEA	EMEA	1x Xeon Silver 4108 8C/1.8GHz/11MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Advanced	1x 750W Platinum	3-year	07/17
7X08A01VEA	EMEA	1x Xeon Silver 4110 8C/2.1GHz/11MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	4x 3.5"	4x 3.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Advanced	1x 750W Platinum	3-year	07/17
7X08A01XEA	EMEA	1x Xeon Silver 4116 12C/2.1GHz/16.5MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Advanced	1x 750W Platinum	3-year	07/17
7X08A020EA	EMEA	1x Xeon Silver 4108 8C/1.8GHz/11MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Advanced	1x 750W Platinum	3-year	07/17
7X08A022EA	EMEA	1x Xeon Bronze 3104 6C/1.7GHz/8.25MB/85W/DDR4-2133	1x16GB RDIMM DDR4-2666	Onboard SATA	4x 3.5"	4x 3.5" SATA SS	Open	None	None	None	Front VGA	TPM 1.2	XClarity Standard	1x 550W Platinum	3-year	07/17
7X08A024EA	EMEA	1x Xeon Silver 4114 10C/2.2GHz/13.75MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Advanced	1x 750W Platinum	3-year	07/17
7X08A025EA	EMEA	1x Xeon Bronze 3104 6C/1.7GHz/8.25MB/85W/DDR4-2133	1x16GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Advanced	1x 750W Platinum	3-year	07/17
7X08A027EA	EMEA	1x Xeon Silver 4110 8C/2.1GHz/11MB/85W/DDR4-2400	2x32GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	2x600GB HDD 10K 2.5" SAS12Gbps	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Advanced	2x 750W Platinum	3-year	07/17
7X08A028EA	EMEA	1x Xeon Bronze 3104 6C/1.7GHz/8.25MB/85W/DDR4-2133	1x16GB RDIMM DDR4-2666	1x 530-8i	4x 3.5"	4x 3.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 550W Platinum	3-year	07/17
7X08A029EA	EMEA	1x Xeon Silver 4110 8C/2.1GHz/11MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Advanced	1x 750W Platinum	3-year	07/17
7X08A02BEA	EMEA	1x Xeon Silver 4114 10C/2.2GHz/13.75MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	2x300GB HDD 10K 2.5" SAS12Gbps	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Advanced	2x 750W Platinum	3-year	07/17
7X08A00XEA	EMEA	1x Xeon Gold 6138 20C/2.0GHz/27.5MB/125W/DDR4-2666	1x32GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17

Model	Region	Processor	Memory	Storage Controller	Chassis	Disk Bays	Disks	M.2 Drives	Networking (LOM/ML2/PCIe)	Available PCIe Slots	Front VGA	Security	System Management	Power Supply	Warranty	Ann Date (mm/yy)	
7X08A009EA	EMEA	1x Xeon Gold 5118 12C/2.3GHz/16.5MB/105W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5"	SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Enterprise	1x 750W Platinum	3-year	07/17

## ThinkSystem SR530 - TopSeller - JAPAN

Product Specifications Reference (PSREF)

Model	Region	Processor	Memory	Storage Controller	Chassis	Disk Bays	Disks	M.2 Drives	Networking (LOM/ML2/PCIe)	Available PCIe Slots	Front VGA	Security	System Management	Power Supply	Warranty	Ann Date (mm/yy)
7X08A04UJP	JAPAN	1x Xeon Silver 4110 8C/2.1GHz/11MB/85W/DDR4-2400	1x8GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Advanced	1x 550W Platinum	3-year	07/17
7X08A04VJP	JAPAN	1x Xeon Bronze 3104 6C/1.7GHz/8.25MB/85W/DDR4-2133	1x8GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Advanced	1x 550W Platinum	3-year	07/17
7X08A04YJP	JAPAN	1x Xeon Silver 4112 4C/2.6GHz/8.25MB/85W/DDR4-2400	1x8GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Advanced	1x 550W Platinum	3-year	07/17
7X08A04ZJP	JAPAN	1x Xeon Bronze 3104 6C/1.7GHz/8.25MB/85W/DDR4-2133	1x8GB RDIMM DDR4-2666	1x 530-8i	4x 3.5"	4x 3.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Advanced	1x 550W Platinum	3-year	07/17
7X08A050JP	JAPAN	1x Xeon Bronze 3106 8C/1.7GHz/11MB/85W/DDR4-2133	1x8GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Advanced	1x 550W Platinum	3-year	07/17

ThinkSystem SR530 - TopSeller - LA

Product Specifications Reference (PSREF)

Model	Region	Processor	Memory	Storage Controller	Chassis	Disk Bays	Disks	M.2 Drives	Networking (LOM/ML2/PCIe)	Available PCIe Slots	Front VGA	Security	System Management	Power Supply	Warranty	Ann Date (mm/yy)
7X08A051LA	LA	1x Xeon Bronze 3104 6C/1.7GHz/8.25MB/85W/DDR4-2133	1x8GB RDIMM DDR4-2666	1x 530-8i	4x 3.5"	4x 3.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 550W Platinum	3-year	07/17
7X08A053LA	LA	1x Xeon Silver 4108 8C/1.8GHz/11MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 530-8i	4x 3.5"	4x 3.5" SATA/SAS HS	2x600GB HDD 15K 3.5" SAS12Gbps	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Advanced	2x 750W Platinum	3-year	07/17
7X08A054LA	LA	1x Xeon Bronze 3104 6C/1.7GHz/8.25MB/85W/DDR4-2133	1x8GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 550W Platinum	3-year	07/17
7X08A059LA	LA	1x Xeon Silver 4108 8C/1.8GHz/11MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 530-8i	4x 3.5"	4x 3.5" SATA/SAS HS	2x2TB HDD 7.2K 3.5" SAS12Gbps	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Advanced	2x 750W Platinum	3-year	07/17
7X08A05ALA	LA	1x Xeon Silver 4108 8C/1.8GHz/11MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 530-8i	4x 3.5"	4x 3.5" SATA/SAS HS	2x2TB HDD 7.2K 3.5" SAS12Gbps	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Advanced	2x 750W Platinum	3-year	07/17
7X08A05CLA	LA	1x Xeon Silver 4110 8C/2.1GHz/11MB/85W/DDR4-2400	1x8GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 550W Platinum	3-year	07/17
7X08A05FLA	LA	1x Xeon Bronze 3106 8C/1.7GHz/11MB/85W/DDR4-2133	1x8GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 550W Platinum	3-year	07/17
7X08A05GLA	LA	1x Xeon Silver 4108 8C/1.8GHz/11MB/85W/DDR4-2400	1x8GB RDIMM DDR4-2666	1x 530-8i	4x 3.5"	4x 3.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 550W Platinum	3-year	07/17
7X08A05HLA	LA	1x Xeon Silver 4108 8C/1.8GHz/11MB/85W/DDR4-2400	1x8GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 550W Platinum	3-year	07/17
7X08A05JLA	LA	1x Xeon Silver 4114 10C/2.2GHz/13.75MB/85W/DDR4-2400	1x8GB RDIMM DDR4-2666	1x 530-8i	4x 3.5"	4x 3.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 550W Platinum	3-year	07/17
7X08A05LLA	LA	1x Xeon Silver 4114 10C/2.2GHz/13.75MB/85W/DDR4-2400	2x16GB RDIMM DDR4-2666	1x 530-8i	4x 3.5"	4x 3.5" SATA/SAS HS	3x600GB HDD 15K 3.5" SAS12Gbps	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Advanced	2x 750W Platinum	3-year	07/17
7X08A05QLA	LA	1x Xeon Silver 4110 8C/2.1GHz/11MB/85W/DDR4-2400	2x16GB RDIMM DDR4-2666	1x 530-8i	4x 3.5"	4x 3.5" SATA/SAS HS	2x2TB HDD 7.2K 3.5" SAS12Gbps	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Advanced	2x 750W Platinum	3-year	07/17
7X08A05ULA	LA	1x Xeon Silver 4114 10C/2.2GHz/13.75MB/85W/DDR4-2400	1x8GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 550W Platinum	3-year	07/17
7X08A05VLA	LA	1x Xeon Silver 4110 8C/2.1GHz/11MB/85W/DDR4-2400	1x8GB RDIMM DDR4-2666	1x 530-8i	4x 3.5"	4x 3.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 550W Platinum	3-year	07/17
7X08A05YLA	LA	1x Xeon Bronze 3106 8C/1.7GHz/11MB/85W/DDR4-2133	1x8GB RDIMM DDR4-2666	1x 530-8i	4x 3.5"	4x 3.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 550W Platinum	3-year	07/17

# ThinkSystem SR530 - TopSeller - NA

Product Specifications Reference (PSREF)

Model	Region	Processor	Memory	Storage Controller	Chassis	Disk Bays	Disks	M.2 Drives	Networking (LOM/ML2/PCIe)	Available PCIe Slots	Front VGA	Security	System Management	Power Supply	Warranty	Ann Date (mm/yy)
7X08A04FNA	NA	1x Xeon Bronze 3106 8C/1.7GHz/11MB/85W/DDR4-2133	1x16GB RDIMM DDR4-2666	1x 530-8i	4x 3.5"	4x 3.5" SATA/SAS HS	Open	None	None	1x LP x8/1x FHHL x16	Front VGA	TPM 1.2	XClarity Enterprise	1x 750W Platinum	3-year	07/17
7X08A03SNA	NA	1x Xeon Silver 4110 8C/2.1GHz/11MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 530-8i	4x 3.5"	4x 3.5" SATA/SAS HS	Open	None	None	1x LP x8/1x FHHL x16	Front VGA	TPM 1.2	XClarity Enterprise	1x 750W Platinum	3-year	07/17
7X08A045NA	NA	1x Xeon Silver 4116 12C/2.1GHz/16.5MB/85W/DDR4-2400	1x32GB RDIMM DDR4-2666	1x 530-8i	4x 3.5"	4x 3.5" SATA/SAS HS	Open	None	None	1x LP x8/1x FHHL x16	Front VGA	TPM 1.2	XClarity Enterprise	1x 750W Platinum	3-year	07/17



Model	Region	Processor	Memory	Storage Controller	Chassis	Disk Bays	Disks	M.2 Drives	Networking (LOM/ML2/PCIe)	Available PCIe Slots	Front VGA	Security	System Management	Power Supply	Warranty	Ann Date (mm/yy)
7X08A006AU	ANZ	1x Xeon Gold 5120 14C/2.2GHz/19.25MB/105W/DDR4-2400	1x8GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x8 ML2	Front VGA	TPM 1.2	XClarity Standard	1x 550W Platinum	3-year	07/17
7X08A00DAU	ANZ	1x Xeon Gold 5120 14C/2.2GHz/19.25MB/105W/DDR4-2400	1x8GB RDIMM DDR4-2666	1x 530-8i	4x 3.5"	4x 3.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x8 ML2	Front VGA	TPM 1.2	XClarity Standard	1x 550W Platinum	3-year	07/17
7X08A00YAU	ANZ	1x Xeon Gold 5120 14C/2.2GHz/19.25MB/105W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 550W Platinum	3-year	07/17
7X08A010AU	ANZ	1x Xeon Gold 6126 12C/2.6GHz/19.25MB/125W/DDR4-2666	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A01NAU	ANZ	1x Xeon Gold 5118 12C/2.3GHz/16.5MB/105W/DDR4-2400	1x8GB RDIMM DDR4-2666	Onboard SATA	4x 3.5"	4x 3.5" SATA SS	Open	None	None	None	Front VGA	TPM 1.2	XClarity Standard	1x 550W Platinum	3-year	07/17
7X08A01PAU	ANZ	1x Xeon Gold 5118 12C/2.3GHz/16.5MB/105W/DDR4-2400	1x8GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x8 ML2	Front VGA	TPM 1.2	XClarity Standard	1x 550W Platinum	3-year	07/17
7X08A01QAU	ANZ	1x Xeon Gold 6138 20C/2.0GHz/27.5MB/125W/DDR4-2666	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A01RAU	ANZ	1x Xeon Gold 6126 12C/2.6GHz/19.25MB/125W/DDR4-2666	1x16GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x8 ML2	Front VGA	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A01SAU	ANZ	1x Xeon Gold 6130 16C/2.1GHz/22MB/125W/DDR4-2666	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A01EAU	ANZ	1x Xeon Gold 5118 12C/2.3GHz/16.5MB/105W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x8 ML2	Front VGA	TPM 1.2	XClarity Standard	1x 550W Platinum	3-year	07/17
7X08A01JAU	ANZ	1x Xeon Gold 5118 12C/2.3GHz/16.5MB/105W/DDR4-2400	1x8GB RDIMM DDR4-2666	1x 530-8i	4x 3.5"	4x 3.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x8 ML2	Front VGA	TPM 1.2	XClarity Standard	1x 550W Platinum	3-year	07/17
7X08A01KAU	ANZ	1x Xeon Gold 5118 12C/2.3GHz/16.5MB/105W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x8 ML2	Front VGA	TPM 1.2	XClarity Standard	1x 550W Platinum	3-year	07/17
7X08A02SAU	ANZ	1x Xeon Silver 4110 8C/2.1GHz/11MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A02XAU	ANZ	1x Xeon Silver 4110 8C/2.1GHz/11MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A033AU	ANZ	1x Xeon Silver 4114 10C/2.2GHz/13.75MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17

Model	Region	Processor	Memory	Storage Controller	Chassis	Disk Bays	Disks	M.2 Drives	Networking (LOM/ML2/PCIe)	Available PCIe Slots	Front VGA	Security	System Management	Power Supply	Warranty	Ann Date (mm/yy)
7X08A037AU	ANZ	1x Xeon Bronze 3106 8C/1.7GHz/11MB/85W/DDR4-2133	1x16GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A03FAU	ANZ	1x Xeon Silver 4108 8C/1.8GHz/11MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A03LAU	ANZ	1x Xeon Silver 4116 12C/2.1GHz/16.5MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A03NAU	ANZ	1x Xeon Bronze 3104 6C/1.7GHz/8.25MB/85W/DDR4-2133	1x16GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A03HAU	ANZ	1x Xeon Silver 4108 8C/1.8GHz/11MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 530-8i	4x 3.5"	4x 3.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A03JAU	ANZ	1x Xeon Gold 6138 20C/2.0GHz/27.5MB/125W/DDR4-2666	1x32GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A03VAU	ANZ	1x Xeon Gold 5118 12C/2.3GHz/16.5MB/105W/DDR4-2400	1x32GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A041AU	ANZ	1x Xeon Gold 5120 14C/2.2GHz/19.25MB/105W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A04MAU	ANZ	1x Xeon Gold 5118 12C/2.3GHz/16.5MB/105W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17

ThinkSystem SR530 - Non TopSeller - ASEAN

Product Specifications Reference (PSREF)

Model	Region	Processor	Memory	Storage Controller	Chassis	Disk Bays	Disks	M.2 Drives	Networking (LOM/ML2/PCIe)	Available PCIe Slots	Front VGA	Security	System Management	Power Supply	Warranty	Ann Date (mm/yy)
7X08A02CSG	ASEAN	1x Xeon Gold 5118 12C/2.3GHz/16.5MB/105W/DDR4-2400	1x8GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	2x GbE RJ-45 LOM	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 550W Platinum	3-year	07/17
7X08A02DSG	ASEAN	1x Xeon Gold 5120 14C/2.2GHz/19.25MB/105W/DDR4-2400	1x8GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	2x GbE RJ-45 LOM	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 550W Platinum	3-year	07/17
7X08A02ESG	ASEAN	1x Xeon Gold 5122 4C/3.6GHz/16.5MB/105W/DDR4-2400	1x8GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	2x GbE RJ-45 LOM	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 550W Platinum	3-year	07/17
7X08A02FSG	ASEAN	1x Xeon Gold 6130 16C/2.1GHz/22MB/125W/DDR4-2666	1x8GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	2x GbE RJ-45 LOM	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 550W Platinum	3-year	07/17
7X08A02GSG	ASEAN	1x Xeon Gold 6138 20C/2.0GHz/27.5MB/125W/DDR4-2666	1x8GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	2x GbE RJ-45 LOM	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 550W Platinum	3-year	07/17
7X08A02HSG	ASEAN	1x Xeon Gold 5122 4C/3.6GHz/16.5MB/105W/DDR4-2400	1x8GB RDIMM DDR4-2666	1x 530-8i	4x 3.5"	4x 3.5" SATA/SAS HS	Open	None	2x GbE RJ-45 LOM	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 550W Platinum	3-year	07/17
7X08A02JSG	ASEAN	1x Xeon Silver 4110 8C/2.1GHz/11MB/85W/DDR4-2400	1x8GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 550W Platinum	3-year	07/17
7X08A02KSG	ASEAN	1x Xeon Silver 4112 4C/2.6GHz/8.25MB/85W/DDR4-2400	1x8GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 550W Platinum	3-year	07/17
7X08A02LSG	ASEAN	1x Xeon Bronze 3104 6C/1.7GHz/8.25MB/85W/DDR4-2133	1x8GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 550W Platinum	3-year	07/17
7X08A02MSG	ASEAN	1x Xeon Bronze 3106 8C/1.7GHz/11MB/85W/DDR4-2133	1x8GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 550W Platinum	3-year	07/17
7X08A02NSG	ASEAN	1x Xeon Silver 4114 10C/2.2GHz/13.75MB/85W/DDR4-2400	1x8GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 550W Platinum	3-year	07/17
7X08A02PSG	ASEAN	1x Xeon Silver 4116 12C/2.1GHz/16.5MB/85W/DDR4-2400	1x8GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 550W Platinum	3-year	07/17
7X08A02QSG	ASEAN	1x Xeon Silver 4112 4C/2.6GHz/8.25MB/85W/DDR4-2400	1x8GB RDIMM DDR4-2666	1x 530-8i	4x 3.5"	4x 3.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 550W Platinum	3-year	07/17

Model	Region	Processor	Memory	Storage Controller	Chassis	Disk Bays	Disks	M.2 Drives	Networking (LOM/ML2/PCIe)	Available PCIe Slots	Front VGA	Security	System Management	Power Supply	Warranty	Ann Date (mm/yy)
7X08A04NBR	Brazil	1x Xeon Gold 6130 16C/2.1GHz/22MB/125W/DDR4-2666	1x16GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	1x600GB HDD 10K 2.5" SAS12Gbps	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A04PBR	Brazil	1x Xeon Gold 5120 14C/2.2GHz/19.25MB/105W/DDR4-2400	1x8GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	1x600GB HDD 10K 2.5" SAS12Gbps	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A04QBR	Brazil	1x Xeon Gold 5118 12C/2.3GHz/16.5MB/105W/DDR4-2400	1x32GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A04RBR	Brazil	1x Xeon Gold 5120 14C/2.2GHz/19.25MB/105W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	1x600GB HDD 10K 2.5" SAS12Gbps	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A040BR	Brazil	1x Xeon Gold 5118 12C/2.3GHz/16.5MB/105W/DDR4-2400	1x64GB DDR4-2666 LRDIMM	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A04HBR	Brazil	1x Xeon Gold 5118 12C/2.3GHz/16.5MB/105W/DDR4-2400	1x64GB DDR4-2666 LRDIMM	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	1x600GB HDD 10K 2.5" SAS12Gbps	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A04JBR	Brazil	1x Xeon Gold 5118 12C/2.3GHz/16.5MB/105W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A04KBR	Brazil	1x Xeon Gold 6130 16C/2.1GHz/22MB/125W/DDR4-2666	1x64GB DDR4-2666 LRDIMM	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A04LBR	Brazil	1x Xeon Gold 5118 12C/2.3GHz/16.5MB/105W/DDR4-2400	1x8GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	1x600GB HDD 10K 2.5" SAS12Gbps	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A046BR	Brazil	1x Xeon Gold 6130 16C/2.1GHz/22MB/125W/DDR4-2666	1x8GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A047BR	Brazil	1x Xeon Gold 5120 14C/2.2GHz/19.25MB/105W/DDR4-2400	1x64GB DDR4-2666 LRDIMM	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	1x600GB HDD 10K 2.5" SAS12Gbps	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A048BR	Brazil	1x Xeon Gold 5120 14C/2.2GHz/19.25MB/105W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A049BR	Brazil	1x Xeon Gold 5120 14C/2.2GHz/19.25MB/105W/DDR4-2400	1x8GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A04ABR	Brazil	1x Xeon Gold 5120 14C/2.2GHz/19.25MB/105W/DDR4-2400	1x64GB DDR4-2666 LRDIMM	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A04BBR	Brazil	1x Xeon Gold 6130 16C/2.1GHz/22MB/125W/DDR4-2666	1x32GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17

Model	Region	Processor	Memory	Storage Controller	Chassis	Disk Bays	Disks	M.2 Drives	Networking (LOM/ML2/PCIe)	Available PCIe Slots	Front VGA	Security	System Management	Power Supply	Warranty	Ann Date (mm/yy)
7X08A04CBR	Brazil	1x Xeon Gold 6130 16C/2.1GHz/22MB/125W/DDR4-2666	1x32GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5"	1x600GB HDD SATA/SAS HS SAS12Gbps	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A04DBR	Brazil	1x Xeon Gold 6130 16C/2.1GHz/22MB/125W/DDR4-2666	1x8GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5"	1x600GB HDD SATA/SAS HS SAS12Gbps	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A04EBR	Brazil	1x Xeon Gold 6130 16C/2.1GHz/22MB/125W/DDR4-2666	1x64GB DDR4-2666 LRDIMM	1x 530-8i	8x 2.5"	8x 2.5"	1x600GB HDD SATA/SAS HS SAS12Gbps	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A042BR	Brazil	1x Xeon Gold 5118 12C/2.3GHz/16.5MB/105W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5"	1x600GB HDD SATA/SAS HS SAS12Gbps	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A043BR	Brazil	1x Xeon Gold 5118 12C/2.3GHz/16.5MB/105W/DDR4-2400	1x8GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5"	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A044BR	Brazil	1x Xeon Gold 5118 12C/2.3GHz/16.5MB/105W/DDR4-2400	1x32GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5"	1x600GB HDD SATA/SAS HS SAS12Gbps	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A03WBR	Brazil	1x Xeon Gold 5120 14C/2.2GHz/19.25MB/105W/DDR4-2400	1x32GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5"	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A03XBR	Brazil	1x Xeon Gold 6130 16C/2.1GHz/22MB/125W/DDR4-2666	1x16GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5"	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A03YBR	Brazil	1x Xeon Gold 5120 14C/2.2GHz/19.25MB/105W/DDR4-2400	1x32GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5"	1x600GB HDD SATA/SAS HS SAS12Gbps	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17

Model	Region	Processor	Memory	Storage Controller	Chassis	Disk Bays	Disks	M.2 Drives	Networking (LOM/ML2/PCIe)	Available PCIe Slots	Front VGA	Security	System Management	Power Supply	Warranty	Ann Date (mm/yy)
7X08A04SEA	EMEA	1x Xeon Gold 5115 10C/2.4GHz/13.75MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A01TEA	EMEA	1x Xeon Bronze 3106 8C/1.7GHz/11MB/85W/DDR4-2133	1x16GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A01WEA	EMEA	1x Xeon Silver 4108 8C/1.8GHz/11MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A01YEA	EMEA	1x Xeon Silver 4114 10C/2.2GHz/13.75MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A01ZEA	EMEA	1x Xeon Silver 4108 8C/1.8GHz/11MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 530-8i	4x 3.5"	4x 3.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A021EA	EMEA	1x Xeon Silver 4116 12C/2.1GHz/16.5MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A023EA	EMEA	1x Xeon Silver 4110 8C/2.1GHz/11MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A026EA	EMEA	1x Xeon Bronze 3104 6C/1.7GHz/8.25MB/85W/DDR4-2133	1x16GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A02AEA	EMEA	1x Xeon Silver 4110 8C/2.1GHz/11MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A00JEA	EMEA	1x Xeon Gold 5120 14C/2.2GHz/19.25MB/105W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A018EA	EMEA	1x Xeon Gold 6138 20C/2.0GHz/27.5MB/125W/DDR4-2666	1x32GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A00NEA	EMEA	1x Xeon Gold 6126 12C/2.6GHz/19.25MB/125W/DDR4-2666	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A00PEA	EMEA	1x Xeon Gold 5118 12C/2.3GHz/16.5MB/105W/DDR4-2400	1x32GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A003EA	EMEA	1x Xeon Gold 5118 12C/2.3GHz/16.5MB/105W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17

Model	Region	Processor	Memory	Storage Controller	Chassis	Disk Bays	Disks	M.2 Drives	Networking (LOM/ML2/PCle)	Available PCIe Slots	Front VGA	Security	System Management	Power Supply	Warranty	Ann Date (mm/yy)
7X08A00SCN	HTK	1x Xeon Gold 6130 16C/2.1GHz/22MB/125W/DDR4-2666	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	4x 3.5"	4x 3.5" SATA/SAS HS	Open	None	2x GbE RJ-45 LOM	1x LP x8/1x FHHL x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A00TCN	HTK	1x Xeon Gold 6126 12C/2.6GHz/19.25MB/125W/DDR4-2666	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	4x 3.5"	4x 3.5" SATA/SAS HS	Open	None	2x GbE RJ-45 LOM	1x LP x8/1x FHHL x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A00UCN	HTK	1x Xeon Gold 5122 4C/3.6GHz/16.5MB/105W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	4x 3.5"	4x 3.5" SATA/SAS HS	Open	None	2x GbE RJ-45 LOM	1x LP x8/1x FHHL x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A00WCN	HTK	1x Xeon Gold 5120 14C/2.2GHz/19.25MB/105W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	4x 3.5"	4x 3.5" SATA/SAS HS	Open	None	2x GbE RJ-45 LOM	1x LP x8/1x FHHL x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A01DCN	HTK	1x Xeon Gold 6130 16C/2.1GHz/22MB/125W/DDR4-2666	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	2x GbE RJ-45 LOM	1x LP x8/1x FHHL x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A016CN	HTK	1x Xeon Gold 6126 12C/2.6GHz/19.25MB/125W/DDR4-2666	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	2x GbE RJ-45 LOM	1x LP x8/1x FHHL x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A00ZCN	HTK	1x Xeon Gold 5118 12C/2.3GHz/16.5MB/105W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	4x 3.5"	4x 3.5" SATA/SAS HS	Open	None	2x GbE RJ-45 LOM	1x LP x8/1x FHHL x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A014CN	HTK	1x Xeon Gold 5122 4C/3.6GHz/16.5MB/105W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	2x GbE RJ-45 LOM	1x LP x8/1x FHHL x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A02TCN	HTK	1x Xeon Bronze 3106 8C/1.7GHz/11MB/85W/DDR4-2133	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	2x GbE RJ-45 LOM	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A02UCN	HTK	1x Xeon Silver 4114 10C/2.2GHz/13.75MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	2x GbE RJ-45 LOM	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A02VCN	HTK	1x Xeon Gold 5115 10C/2.4GHz/13.75MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	4x 3.5"	4x 3.5" SATA/SAS HS	Open	None	2x GbE RJ-45 LOM	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A02WCN	HTK	1x Xeon Silver 4116 12C/2.1GHz/16.5MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	4x 3.5"	4x 3.5" SATA/SAS HS	Open	None	2x GbE RJ-45 LOM	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A01LCN	HTK	1x Xeon Gold 5118 12C/2.3GHz/16.5MB/105W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	2x GbE RJ-45 LOM	1x LP x8/1x FHHL x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A01GCN	HTK	1x Xeon Gold 5120 14C/2.2GHz/19.25MB/105W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	2x GbE RJ-45 LOM	1x LP x8/1x FHHL x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A03KCN	HTK	1x Xeon Silver 4108 8C/1.8GHz/11MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	4x 3.5"	4x 3.5" SATA/SAS HS	Open	None	2x GbE RJ-45 LOM	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17

Model	Region	Processor	Memory	Storage Controller	Chassis	Disk Bays	Disks	M.2 Drives	Networking (LOM/ML2/PCIe)	Available PCIe Slots	Front VGA	Security	System Management	Power Supply	Warranty	Ann Date (mm/yy)
7X08A03PCN	HTK	1x Xeon Silver 4110 8C/2.1GHz/11MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	2x GbE RJ-45 LOM	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A03GCN	HTK	1x Xeon Silver 4110 8C/2.1GHz/11MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	4x 3.5"	4x 3.5" SATA/SAS HS	Open	None	2x GbE RJ-45 LOM	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A039CN	HTK	1x Xeon Silver 4108 8C/1.8GHz/11MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	2x GbE RJ-45 LOM	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A03BCN	HTK	1x Xeon Bronze 3104 6C/1.7GHz/8.25MB/85W/DDR4-2133	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	2x GbE RJ-45 LOM	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A03CCN	HTK	1x Xeon Silver 4112 4C/2.6GHz/8.25MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	4x 3.5"	4x 3.5" SATA/SAS HS	Open	None	2x GbE RJ-45 LOM	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A03DCN	HTK	1x Xeon Silver 4112 4C/2.6GHz/8.25MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	2x GbE RJ-45 LOM	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A03ECN	HTK	1x Xeon Gold 5115 10C/2.4GHz/13.75MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	2x GbE RJ-45 LOM	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A036CN	HTK	1x Xeon Silver 4114 10C/2.2GHz/13.75MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	4x 3.5"	4x 3.5" SATA/SAS HS	Open	None	2x GbE RJ-45 LOM	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A031CN	HTK	1x Xeon Bronze 3106 8C/1.7GHz/11MB/85W/DDR4-2133	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	4x 3.5"	4x 3.5" SATA/SAS HS	Open	None	2x GbE RJ-45 LOM	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A02YCN	HTK	1x Xeon Silver 4116 12C/2.1GHz/16.5MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	2x GbE RJ-45 LOM	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A02ZCN	HTK	1x Xeon Bronze 3104 6C/1.7GHz/8.25MB/85W/DDR4-2133	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	4x 3.5"	4x 3.5" SATA/SAS HS	Open	None	2x GbE RJ-45 LOM	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17



Model	Region	Processor	Memory	Storage Controller	Chassis	Disk Bays	Disks	M.2 Drives	Networking (LOM/ML2/PCIe)	Available PCIe Slots	Front VGA	Security	System Management	Power Supply	Warranty	Ann Date (mm/yy)
7X08A015SG	INDIA	1x Xeon Gold 6130 16C/2.1GHz/22MB/125W/DDR4-2666	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	2x GbE RJ-45 LOM	1x LP x8/1x LP x8 ML2	Front VGA	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A011SG	INDIA	1x Xeon Gold 6126 12C/2.6GHz/19.25MB/125W/DDR4-2666	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	2x GbE RJ-45 LOM	1x LP x8/1x LP x8 ML2	Front VGA	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A013SG	INDIA	1x Xeon Gold 6126 12C/2.6GHz/19.25MB/125W/DDR4-2666	1x16GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	2x GbE RJ-45 LOM	1x LP x8/1x LP x8 ML2	Front VGA	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A01BSG	INDIA	1x Xeon Gold 6138 20C/2.0GHz/27.5MB/125W/DDR4-2666	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	2x GbE RJ-45 LOM	1x LP x8/1x LP x8 ML2	Front VGA	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A00FSG	INDIA	1x Xeon Gold 5120 14C/2.2GHz/19.25MB/105W/DDR4-2400	1x8GB RDIMM DDR4-2666	1x 530-8i	4x 3.5"	4x 3.5" SATA/SAS HS	Open	None	2x GbE RJ-45 LOM	1x LP x8/1x LP x8 ML2	Front VGA	TPM 1.2	XClarity Standard	1x 550W Platinum	3-year	07/17
7X08A00GSG	INDIA	1x Xeon Gold 5120 14C/2.2GHz/19.25MB/105W/DDR4-2400	1x8GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	2x GbE RJ-45 LOM	1x LP x8/1x LP x8 ML2	Front VGA	TPM 1.2	XClarity Standard	1x 550W Platinum	3-year	07/17
7X08A00ASG	INDIA	1x Xeon Gold 5118 12C/2.3GHz/16.5MB/105W/DDR4-2400	1x8GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	2x GbE RJ-45 LOM	1x LP x8/1x LP x8 ML2	Front VGA	TPM 1.2	XClarity Standard	1x 550W Platinum	3-year	07/17
7X08A00BSG	INDIA	1x Xeon Gold 5120 14C/2.2GHz/19.25MB/105W/DDR4-2400	1x8GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	2x GbE RJ-45 LOM	1x LP x8/1x LP x8 ML2	Front VGA	TPM 1.2	XClarity Standard	1x 550W Platinum	3-year	07/17
7X08A00CSG	INDIA	1x Xeon Gold 5118 12C/2.3GHz/16.5MB/105W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	2x GbE RJ-45 LOM	1x LP x8/1x LP x8 ML2	Front VGA	TPM 1.2	XClarity Standard	1x 550W Platinum	3-year	07/17
7X08A004SG	INDIA	1x Xeon Gold 5118 12C/2.3GHz/16.5MB/105W/DDR4-2400	1x8GB RDIMM DDR4-2666	1x 530-8i	4x 3.5"	4x 3.5" SATA/SAS HS	Open	None	2x GbE RJ-45 LOM	1x LP x8/1x LP x8 ML2	Front VGA	TPM 1.2	XClarity Standard	1x 550W Platinum	3-year	07/17
7X08A007SG	INDIA	1x Xeon Gold 5118 12C/2.3GHz/16.5MB/105W/DDR4-2400	1x8GB RDIMM DDR4-2666	Onboard SATA	4x 3.5"	4x 3.5" SATA SS	Open	None	2x GbE RJ-45 LOM	None	Front VGA	TPM 1.2	XClarity Standard	1x 550W Platinum	3-year	07/17
7X08A008SG	INDIA	1x Xeon Gold 5118 12C/2.3GHz/16.5MB/105W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	2x GbE RJ-45 LOM	1x LP x8/1x LP x8 ML2	Front VGA	TPM 1.2	XClarity Standard	1x 550W Platinum	3-year	07/17

# ThinkSystem SR530 - Non TopSeller - JAPAN

Product Specifications Reference (PSREF)

Model	Region	Processor	Memory	Storage Controller	Chassis	Disk Bays	Disks	M.2 Drives	Networking (LOM/ML2/PCIe)	Available PCIe Slots	Front VGA	Security	System Management	Power Supply	Warranty	Ann Date (mm/yy)	
7X08A04WJP	JAPAN	1x Xeon Gold 6138 20C/2.0GHz/27.5MB/125W/DDR4-2666	1x8GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5"	SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Advanced	1x 550W Platinum	3-year	07/17
7X08A04XJP	JAPAN	1x Xeon Gold 5122 4C/3.6GHz/16.5MB/105W/DDR4-2400	1x8GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5"	SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Advanced	1x 550W Platinum	3-year	07/17

## ThinkSystem SR530 - Non TopSeller - LA

Product Specifications Reference (PSREF)

Model	Region	Processor	Memory	Storage Controller	Chassis	Disk Bays	Disks	M.2 Drives	Networking (LOM/ML2/PCIe)	Available PCIe Slots	Front VGA	Security	System Management	Power Supply	Warranty	Ann Date (mm/yy)
7X08A00HLA	LA	1x Xeon Gold 6130 16C/2.1GHz/22MB/125W/DDR4-2666	1x8GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A01CLA	LA	1x Xeon Gold 6130 16C/2.1GHz/22MB/125W/DDR4-2666	1x8GB RDIMM DDR4-2666	1x 530-8i	4x 3.5"	4x 3.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A017LA	LA	1x Xeon Gold 5118 12C/2.3GHz/16.5MB/105W/DDR4-2400	1x8GB RDIMM DDR4-2666	1x 530-8i	4x 3.5"	4x 3.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A019LA	LA	1x Xeon Gold 5120 14C/2.2GHz/19.25MB/105W/DDR4-2400	1x8GB RDIMM DDR4-2666	1x 530-8i	4x 3.5"	4x 3.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A00KLA	LA	1x Xeon Gold 5120 14C/2.2GHz/19.25MB/105W/DDR4-2400	1x8GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A00MLA	LA	1x Xeon Gold 5118 12C/2.3GHz/16.5MB/105W/DDR4-2400	1x8GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A05DLA	LA	1x Xeon Gold 5115 10C/2.4GHz/13.75MB/85W/DDR4-2400	1x8GB RDIMM DDR4-2666	1x 530-8i	4x 3.5"	4x 3.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 550W Platinum	3-year	07/17
7X08A05NLA	LA	1x Xeon Gold 5115 10C/2.4GHz/13.75MB/85W/DDR4-2400	1x8GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 550W Platinum	3-year	07/17

## ThinkSystem SR530 - Non TopSeller - NA

Product Specifications Reference (PSREF)

Model	Region	Processor	Memory	Storage Controller	Chassis	Disk Bays	Disks	M.2 Drives	Networking (LOM/ML2/PCIe)	Available PCIe Slots	Front VGA	Security	System Management	Power Supply	Warranty	Ann Date (mm/yy)
7X08A05WNA	NA	1x Xeon Bronze 3106 8C/1.7GHz/11MB/85W/DDR4-2133	1x16GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A05XNA	NA	1x Xeon Silver 4108 8C/1.8GHz/11MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A05RNA	NA	1x Xeon Gold 5120 14C/2.2GHz/19.25MB/105W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A05SNA	NA	1x Xeon Gold 5118 12C/2.3GHz/16.5MB/105W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A05TNA	NA	1x Xeon Silver 4108 8C/1.8GHz/11MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 530-8i	4x 3.5"	4x 3.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A05PNA	NA	1x Xeon Gold 6126 12C/2.6GHz/19.25MB/125W/DDR4-2666	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A05MNA	NA	1x Xeon Silver 4114 10C/2.2GHz/13.75MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A05KNA	NA	1x Xeon Silver 4116 12C/2.1GHz/16.5MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A05ENA	NA	1x Xeon Gold 5115 10C/2.4GHz/13.75MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A055NA	NA	1x Xeon Silver 4110 8C/2.1GHz/11MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A056NA	NA	1x Xeon Bronze 3104 6C/1.7GHz/8.25MB/85W/DDR4-2133	1x16GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A057NA	NA	1x Xeon Silver 4110 8C/2.1GHz/11MB/85W/DDR4-2400	1x16GB RDIMM DDR4-2666	1x 530-8i	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	None	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A058NA	NA	1x Xeon Gold 5118 12C/2.3GHz/16.5MB/105W/DDR4-2400	1x32GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17
7X08A052NA	NA	1x Xeon Gold 6138 20C/2.0GHz/27.5MB/125W/DDR4-2666	1x32GB RDIMM DDR4-2666	1x 930-8i 2GB Flash	8x 2.5"	8x 2.5" SATA/SAS HS	Open	None	None	1x LP x8/1x LP x16	Front VGA	TPM 1.2	XClarity Standard	1x 750W Platinum	3-year	07/17