





11AX20MIMO_Ant0_5785



Date: 20.APR.2023 11:55:28


11AX20MIMO_Ant1_5785



Date: 20.APR.2023 11:56:30




11AX20MIMO_Ant2_5785



Date: 20.APR.2023 11:57:36


11AX20MIMO_Ant3_5785



Date: 20.APR.2023 11:58:36




11AX20MIMO_Ant0_5825



Date: 20.APR.2023 11:59:50


11AX20MIMO_Ant1_5825



Date: 20.APR.2023 12:00:50




11AX20MIMO_Ant2_5825



Date: 20.APR.2023 12:01:56


11AX20MIMO_Ant3_5825



Date: 20.APR.2023 12:02:58




11AX40MIMO_Ant0_5755




Date: 20.APR.2023 12:16:10

11AX40MIMO_Ant1_5755




Date: 20.APR.2023 12:17:12






11AX40MIMO_Ant0_5795




Date: 20.APR.2023 12:20:44

11AX40MIMO_Ant1_5795




Date: 20.APR.2023 12:21:43






11AX80MIMO_Ant0_5775




Date: 20.APR.2023 12:31:17

11AX80MIMO_Ant1_5775



Date: 20.APR.2023 12:32:22





Maximum power spectral density

Test Result

TestMode	Antenna	Freq(MHz)	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A-CDD	Ant0	5180	6.2	≤17.00	PASS
	Ant1	5180	6.73	≤17.00	PASS
	Ant2	5180	5.92	≤17.00	PASS
	Ant3	5180	6.36	≤17.00	PASS
	total	5180	12.33	≤12.48	PASS
	Ant0	5220	5.69	≤17.00	PASS
	Ant1	5220	6.58	≤17.00	PASS
	Ant2	5220	6.02	≤17.00	PASS
	Ant3	5220	6.25	≤17.00	PASS
	total	5220	12.17	≤12.48	PASS
	Ant0	5240	5.69	≤17.00	PASS
	Ant1	5240	6.34	≤17.00	PASS
	Ant2	5240	5.95	≤17.00	PASS
	Ant3	5240	6.17	≤17.00	PASS
	total	5240	12.06	≤12.48	PASS
	Ant0	5745	-3.28	≤30.00	PASS
	Ant1	5745	-3.1	≤30.00	PASS
	Ant2	5745	-3.83	≤30.00	PASS
	Ant3	5745	-2.83	≤30.00	PASS
	total	5745	2.78	≤25.51	PASS
	Ant0	5785	-3.48	≤30.00	PASS
	Ant1	5785	-2.96	≤30.00	PASS
	Ant2	5785	-3.6	≤30.00	PASS
	Ant3	5785	-2.8	≤30.00	PASS
	total	5785	2.82	≤25.51	PASS
	Ant0	5825	-2.92	≤30.00	PASS
	Ant1	5825	-2.54	≤30.00	PASS
	Ant2	5825	-2.72	≤30.00	PASS
Ant3	5825	-2.22	≤30.00	PASS	
total	5825	3.43	≤25.51	PASS	
11AX20MIMO	Ant0	5180	6.08	≤17.00	PASS
	Ant1	5180	6.58	≤17.00	PASS
	Ant2	5180	5.93	≤17.00	PASS
	Ant3	5180	6.29	≤17.00	PASS



	total	5180	12.25	≤12.48	PASS
	Ant0	5220	5.59	≤17.00	PASS
	Ant1	5220	6.31	≤17.00	PASS
	Ant2	5220	5.82	≤17.00	PASS
	Ant3	5220	6.32	≤17.00	PASS
	total	5220	12.04	≤12.48	PASS
	Ant0	5240	5.76	≤17.00	PASS
	Ant1	5240	6.34	≤17.00	PASS
	Ant2	5240	5.8	≤17.00	PASS
	Ant3	5240	6.45	≤17.00	PASS
	total	5240	12.12	≤12.48	PASS
	Ant0	5745	-3.2	≤30.00	PASS
	Ant1	5745	-2.63	≤30.00	PASS
	Ant2	5745	-3.27	≤30.00	PASS
	Ant3	5745	-2.6	≤30.00	PASS
	total	5745	3.11	≤25.51	PASS
	Ant0	5785	-3.77	≤30.00	PASS
	Ant1	5785	-3.61	≤30.00	PASS
	Ant2	5785	-3.9	≤30.00	PASS
	Ant3	5785	-3.16	≤30.00	PASS
	total	5785	2.42	≤25.51	PASS
	Ant0	5825	-2.05	≤30.00	PASS
	Ant1	5825	-1.81	≤30.00	PASS
	Ant2	5825	-1.91	≤30.00	PASS
	Ant3	5825	-1.58	≤30.00	PASS
	total	5825	4.19	≤25.51	PASS
11AX40MIMO	Ant0	5190	2.8	≤17.00	PASS
	Ant1	5190	3.32	≤17.00	PASS
	Ant2	5190	3.12	≤17.00	PASS
	Ant3	5190	3.25	≤17.00	PASS
	total	5190	9.15	≤12.48	PASS
	Ant0	5230	5.87	≤17.00	PASS
	Ant1	5230	6.31	≤17.00	PASS
	Ant2	5230	6.29	≤17.00	PASS
	Ant3	5230	6.09	≤17.00	PASS
	total	5230	12.16	≤12.48	PASS
	Ant0	5755	-3.59	≤30.00	PASS
	Ant1	5755	-3.38	≤30.00	PASS
	Ant2	5755	-3.88	≤30.00	PASS




	Ant3	5755	-3.09	≤30.00	PASS
	total	5755	2.55	≤25.51	PASS
	Ant0	5795	5.26	≤30.00	PASS
	Ant1	5795	5.45	≤30.00	PASS
	Ant2	5795	4.95	≤30.00	PASS
	Ant3	5795	5.47	≤30.00	PASS
	total	5795	11.31	≤25.51	PASS
11AX80MIMO	Ant0	5210	1.03	≤17.00	PASS
	Ant1	5210	1.19	≤17.00	PASS
	Ant2	5210	1.14	≤17.00	PASS
	Ant3	5210	1.05	≤17.00	PASS
	total	5210	7.12	≤12.48	PASS
	Ant0	5775	-3.05	≤30.00	PASS
	Ant1	5775	-2.6	≤30.00	PASS
	Ant2	5775	-2.9	≤30.00	PASS
	Ant3	5775	-2.54	≤30.00	PASS
	total	5775	3.25	≤25.51	PASS

Note: 1. The Result and Limit Unit is 30 dBm/500 kHz in the band 5.725–5.85 GHz.
 2. The Duty Cycle Factor and RBW Factor is compensated in the graph.




Test Graphs






11A-CDD_Ant2_5180



Date: 20.APR.2023 10:57:21


11A-CDD_Ant3_5180



Date: 20.APR.2023 10:58:29




11A-CDD_Ant0_5220



Date: 20.APR.2023 11:11:00


11A-CDD_Ant1_5220



Date: 20.APR.2023 11:11:10




11A-CDD_Ant2_5220



Date: 20.APR.2023 11:11:29


11A-CDD_Ant3_5220



Date: 20.APR.2023 11:11:45




11A-CDD_Ant0_5240



Date: 20.APR.2023 11:14:17


11A-CDD_Ant1_5240



Date: 20.APR.2023 11:15:00




11A-CDD_Ant2_5240



Date: 20.APR.2023 11:15:50


11A-CDD_Ant3_5240



Date: 20.APR.2023 11:16:37




11A-CDD_Ant0_5745



Date: 20.APR.2023 11:17:55


11A-CDD_Ant1_5745




Date: 20.APR.2023 11:19:01



11A-CDD_Ant2_5745




11A-CDD_Ant3_5745






11A-CDD_Ant0_5785





Date: 20.APR.2023 11:26:58

11A-CDD_Ant1_5785




Date: 20.APR.2023 11:28:01








11A-CDD_Ant2_5825




11A-CDD_Ant3_5825






11AX20MIMO_Ant0_5180



Date: 20.APR.2023 11:37:34


11AX20MIMO_Ant1_5180



Date: 20.APR.2023 11:38:42




11AX20MIMO_Ant2_5180



Date: 20.APR.2023 11:39:47


11AX20MIMO_Ant3_5180



Date: 20.APR.2023 11:41:00




11AX20MIMO_Ant0_5220



Date: 20.APR.2023 11:42:32


11AX20MIMO_Ant1_5220



Date: 20.APR.2023 11:43:22




11AX20MIMO_Ant2_5220



Date: 20.APR.2023 11:44:10


11AX20MIMO_Ant3_5220



Date: 20.APR.2023 11:44:58




11AX20MIMO_Ant0_5240



Date: 20.APR.2023 11:47:01


11AX20MIMO_Ant1_5240



Date: 20.APR.2023 11:47:49




11AX20MIMO_Ant2_5240



Date: 20.APR.2023 11:48:37


11AX20MIMO_Ant3_5240



Date: 20.APR.2023 11:49:27




11AX20MIMO_Ant0_5745



Date: 20.APR.2023 11:51:12


11AX20MIMO_Ant1_5745



Date: 20.APR.2023 11:52:11




11AX20MIMO_Ant2_5745



Date: 20.APR.2023 11:53:14


11AX20MIMO_Ant3_5745



Date: 20.APR.2023 11:54:22




11AX20MIMO_Ant0_5785



Date: 20.APR.2023 11:55:59


11AX20MIMO_Ant1_5785



Date: 20.APR.2023 11:57:04




11AX20MIMO_Ant2_5785



Date: 20.APR.2023 11:58:10


11AX20MIMO_Ant3_5785



Date: 20.APR.2023 11:59:07




11AX20MIMO_Ant0_5825



Date: 20.APR.2023 12:00:19


11AX20MIMO_Ant1_5825



Date: 20.APR.2023 12:01:24




11AX20MIMO_Ant2_5825



Date: 20.APR.2023 12:02:23


11AX20MIMO_Ant3_5825



Date: 20.APR.2023 12:03:26




11AX40MIMO_Ant0_5190



Date: 20.APR.2023 12:05:10


11AX40MIMO_Ant1_5190



Date: 20.APR.2023 12:06:15




11AX40MIMO_Ant2_5190



Date: 20.APR.2023 12:07:21


11AX40MIMO_Ant3_5190



Date: 20.APR.2023 12:08:23




11AX40MIMO_Ant0_5230



Date: 20.APR.2023 12:12:39


11AX40MIMO_Ant1_5230



Date: 20.APR.2023 12:12:49




11AX40MIMO_Ant2_5230



Date: 20.APR.2023 12:13:08


11AX40MIMO_Ant3_5230




Date: 20.APR.2023 12:13:27



11AX40MIMO_Ant0_5755




11AX40MIMO_Ant1_5755






11AX40MIMO_Ant2_5755



Date: 20.APR.2023 12:18:46


11AX40MIMO_Ant3_5755



Date: 20.APR.2023 12:19:43




11AX40MIMO_Ant0_5795



Date: 20.APR.2023 17:07:10


11AX40MIMO_Ant1_5795



Date: 20.APR.2023 17:07:20




11AX40MIMO_Ant2_5795



Date: 20.APR.2023 17:07:39


11AX40MIMO_Ant3_5795



Date: 20.APR.2023 17:07:58




11AX80MIMO_Ant0_5210



Date: 20.APR.2023 12:25:58


11AX80MIMO_Ant1_5210



Date: 20.APR.2023 12:27:00




11AX80MIMO_Ant2_5210



Date: 20.APR.2023 12:28:02


11AX80MIMO_Ant3_5210



Date: 20.APR.2023 12:29:07




11AX80MIMO_Ant0_5775



Date: 20.APR.2023 12:31:51


11AX80MIMO_Ant1_5775



Date: 20.APR.2023 12:32:50




11AX80MIMO_Ant2_5775



Date: 20.APR.2023 12:33:53

11AX80MIMO_Ant3_5775




Date: 20.APR.2023 12:34:52



Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
 Condition : 15E RSS247-QP LISN-060105-LINE LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.154	43.79	-21.99	65.78	33.29	0.07	10.43	QP
2	0.154	29.99	-25.79	55.78	19.49	0.07	10.43	Average
3	0.171	40.67	-24.23	64.90	30.19	0.05	10.43	QP
4	0.171	24.97	-29.93	54.90	14.49	0.05	10.43	Average
5	0.182	39.36	-25.06	64.42	28.90	0.04	10.42	QP
6	0.182	25.06	-29.36	54.42	14.60	0.04	10.42	Average
7	0.292	38.21	-22.25	60.46	27.80	0.06	10.35	QP
8 *	0.292	33.71	-16.75	50.46	23.30	0.06	10.35	Average
9	0.322	39.28	-20.38	59.66	28.89	0.05	10.34	QP
10	0.322	32.58	-17.08	49.66	22.19	0.05	10.34	Average
11	0.354	36.95	-21.92	58.87	26.60	0.03	10.32	QP
12	0.354	28.95	-19.92	48.87	18.60	0.03	10.32	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
 Condition : 15E RSS247-QP LISN-060105-NEUTRAL NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.161	44.66	-20.77	65.43	34.20	0.03	10.43	QP
2	0.161	27.76	-27.67	55.43	17.30	0.03	10.43	Average
3	0.181	41.07	-23.39	64.46	30.61	0.04	10.42	QP
4	0.181	27.27	-27.19	54.46	16.81	0.04	10.42	Average
5	0.192	40.27	-23.66	63.93	29.80	0.05	10.42	QP
6	0.192	27.77	-26.16	53.93	17.30	0.05	10.42	Average
7	0.297	37.50	-22.82	60.32	27.20	-0.05	10.35	QP
8	0.297	27.50	-22.82	50.32	17.20	-0.05	10.35	Average
9	0.329	39.48	-20.01	59.49	29.21	-0.06	10.33	QP
10 *	0.329	34.08	-15.41	49.49	23.81	-0.06	10.33	Average
11	0.361	36.36	-22.33	58.69	26.10	-0.06	10.32	QP
12	0.361	28.46	-20.23	48.69	18.20	-0.06	10.32	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Carry Xu	Temperature :	21~22℃
		Relative Humidity :	41~42%

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	CDD 1S4T	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	CDD 1S4T	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	CDD 1S4T	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-1	5.15-5.25	CDD 1S4T	802.11ax HE20	36	5180	MCS0	Full RU	-
Mode 5	U-NII-1	5.15-5.25	CDD 1S4T	802.11ax HE20	44	5220	MCS0	Full RU	-
Mode 6	U-NII-1	5.15-5.25	CDD 1S4T	802.11ax HE20	48	5240	MCS0	Full RU	-
Mode 7	U-NII-1	5.15-5.25	CDD 1S4T	802.11ax HE40	38	5190	MCS0	Full RU	-
Mode 8	U-NII-1	5.15-5.25	CDD 1S4T	802.11ax HE40	46	5230	MCS0	Full RU	-
Mode 9	U-NII-1	5.15-5.25	CDD 1S4T	802.11ax HE80	42	5210	MCS0	Full RU	-
Mode 10	U-NII-3	5.725-5.85	CDD 1S4T	802.11a	149	5745	6Mbps	-	-
Mode 11	U-NII-3	5.725-5.85	CDD 1S4T	802.11a	157	5785	6Mbps	-	-
Mode 12	U-NII-3	5.725-5.85	CDD 1S4T	802.11a	165	5825	6Mbps	-	-
Mode 13	U-NII-3	5.725-5.85	CDD 1S4T	802.11ax HE20	149	5745	MCS0	Full RU	-
Mode 14	U-NII-3	5.725-5.85	CDD 1S4T	802.11ax HE20	157	5785	MCS0	Full RU	-
Mode 15	U-NII-3	5.725-5.85	CDD 1S4T	802.11ax HE20	165	5825	MCS0	Full RU	-
Mode 16	U-NII-3	5.725-5.85	CDD 1S4T	802.11ax HE40	151	5755	MCS0	Full RU	-
Mode 17	U-NII-3	5.725-5.85	CDD 1S4T	802.11ax HE40	159	5795	MCS0	Full RU	-
Mode 18	U-NII-3	5.725-5.85	CDD 1S4T	802.11ax HE80	155	5775	MCS0	Full RU	-

Co-location

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 19	2400-2483.5	2400-2483.5	CDD 1S3T	802.11ax HE40	03	2422	MCS0	-	-
Mode 19	U-NII-1	5.15-5.25	CDD 1S4T	802.11a	36	5180	6Mbps	Full RU	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5149.92	53.43	54.00	-0.57	H	AVERAGE	Pass	Band Edge
	802.11a	36	10360.00	46.44	68.30	-21.86	V	PEAK	Pass	Harmonic
2	802.11a	44	5148.00	50.88	54.00	-3.12	H	AVERAGE	Pass	Band Edge
	802.11a	44	15660.00	53.06	54.00	-0.94	V	AVERAGE	Pass	Harmonic
3	802.11a	48	5438.00	50.89	54.00	-3.11	H	AVERAGE	Pass	Band Edge
	802.11a	48	15720.00	52.95	54.00	-1.05	V	AVERAGE	Pass	Harmonic
4	802.11ax HE20	36	5149.76	53.15	54.00	-0.85	V	AVERAGE	Pass	Band Edge
	802.11ax HE20	36	10360.00	45.79	68.30	-22.51	H	PEAK	Pass	Harmonic
5	802.11ax HE20	44	5149.92	52.04	54.00	-1.96	V	AVERAGE	Pass	Band Edge
	802.11ax HE20	44	15660.00	52.92	54.00	-1.08	V	AVERAGE	Pass	Harmonic
6	802.11ax HE20	48	5373.10	50.72	54.00	-3.28	V	AVERAGE	Pass	Band Edge
	802.11ax HE20	48	15720.00	53.34	54.00	-0.66	V	AVERAGE	Pass	Harmonic
7	802.11ax HE40	38	5149.20	52.45	54.00	-1.55	V	AVERAGE	Pass	Band Edge
	802.11ax HE40	38	10380.00	45.88	68.30	-22.42	H	PEAK	Pass	Harmonic
8	802.11ax HE40	46	5148.81	53.17	54.00	-0.83	V	AVERAGE	Pass	Band Edge
	802.11ax HE40	46	10460.00	44.89	68.30	-23.41	H	PEAK	Pass	Harmonic
9	802.11ax HE80	42	5148.89	52.88	54.00	-1.12	V	AVERAGE	Pass	Band Edge
	802.11ax HE80	42	10420.00	45.50	68.30	-22.80	V	PEAK	Pass	Harmonic
10	802.11a	149	5140.00	72.95	74.00	-1.05	V	PEAK	Pass	Band Edge
	802.11a	149	11490.00	45.85	74.00	-28.15	V	PEAK	Pass	Harmonic



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
11	802.11a	157	5200.00	67.34	68.30	-0.96	V	PEAK	Pass	Band Edge
	802.11a	157	11570.00	45.70	74.00	-28.30	V	PEAK	Pass	Harmonic
12	802.11a	165	5936.38	61.05	68.30	-7.25	H	PEAK	Pass	Band Edge
	802.11a	165	11650.00	45.56	74.00	-28.44	H	PEAK	Pass	Harmonic
13	802.11ax HE20	149	5146.00	67.76	74.00	-6.24	V	PEAK	Pass	Band Edge
	802.11ax HE20	149	11490.00	45.29	74.00	-28.71	V	PEAK	Pass	Harmonic
14	802.11ax HE20	157	5606.29	60.63	68.30	-7.67	V	PEAK	Pass	Band Edge
	802.11ax HE20	157	11570.00	45.41	74.00	-28.59	H	PEAK	Pass	Harmonic
15	802.11ax HE20	165	5218.00	66.14	68.30	-2.16	H	PEAK	Pass	Band Edge
	802.11ax HE20	165	11650.00	47.06	74.00	-26.94	V	PEAK	Pass	Harmonic
16	802.11ax HE40	151	6352.00	67.62	68.30	-0.68	H	PEAK	Pass	Band Edge
	802.11ax HE40	151	11510.00	45.47	74.00	-28.53	V	PEAK	Pass	Harmonic
17	802.11ax HE40	159	5651.87	66.08	69.69	-3.61	V	PEAK	Pass	Band Edge
	802.11ax HE40	159	11590.00	42.86	54.00	-11.14	H	AVERAGE	Pass	Harmonic
18	802.11ax HE80	155	5164.00	67.49	68.30	-0.81	H	PEAK	Pass	Band Edge
	802.11ax HE80	155	11550.00	44.92	74.00	-29.08	V	PEAK	Pass	Harmonic

Co-location

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
19	802.11ax HE40	03	2389.97	51.91	54.00	-2.09	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	03	7266.00	44.80	74.00	-29.20	V	PEAK	Pass	Harmonic
19	802.11a	36	2422.00	53.33	54.00	-0.67	V	AVERAGE	Pass	Band Edge
	802.11a	36	10360.00	45.66	68.30	-22.64	H	PEAK	Pass	Harmonic



1																																									
Mode	Band Edge																																								
U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																									
ANT	CDD 1S4T																																								
Pol.	Horizontal																																								
Peak	Fundamental																																								
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.60</td> <td>65.00</td> <td>74.00</td> <td>-9.00</td> <td>56.08</td> <td>35.03</td> <td>10.69</td> <td>36.80</td> <td>0.00</td> <td>368</td> <td>89</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5149.60	65.00	74.00	-9.00	56.08	35.03	10.69	36.80	0.00	368	89	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																	
1	5149.60	65.00	74.00	-9.00	56.08	35.03	10.69	36.80	0.00	368	89	PEAK																													
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>116.66</td> <td>-----</td> <td>-----</td> <td>107.68</td> <td>35.06</td> <td>10.73</td> <td>36.81</td> <td>0.00</td> <td>368</td> <td>89</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5180.00	116.66	-----	-----	107.68	35.06	10.73	36.81	0.00	368	89	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																	
1	5180.00	116.66	-----	-----	107.68	35.06	10.73	36.81	0.00	368	89	PEAK																													
Avg	Horizontal																																								
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.92</td> <td>53.43</td> <td>54.00</td> <td>-0.57</td> <td>44.51</td> <td>35.03</td> <td>10.69</td> <td>36.80</td> <td>0.00</td> <td>368</td> <td>89</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5149.92	53.43	54.00	-0.57	44.51	35.03	10.69	36.80	0.00	368	89	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																	
1	5149.92	53.43	54.00	-0.57	44.51	35.03	10.69	36.80	0.00	368	89	AVERAGE																													
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>109.98</td> <td>-----</td> <td>-----</td> <td>101.01</td> <td>35.06</td> <td>10.72</td> <td>36.81</td> <td>0.00</td> <td>368</td> <td>89</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5180.00	109.98	-----	-----	101.01	35.06	10.72	36.81	0.00	368	89	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																	
1	5180.00	109.98	-----	-----	101.01	35.06	10.72	36.81	0.00	368	89	AVERAGE																													





	1																																																																																	
Mode	Harmonic																																																																																	
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																	
ANT	CDD 1S4T																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg																																																																																		
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10360.00</td> <td>46.05</td> <td>68.30</td> <td>-22.25</td> <td>54.93</td> <td>38.32</td> <td>15.54</td> <td>62.74</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10360.00	46.05	68.30	-22.25	54.93	38.32	15.54	62.74	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10360.00</td> <td>46.44</td> <td>68.30</td> <td>-21.86</td> <td>55.32</td> <td>38.32</td> <td>15.54</td> <td>62.74</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10360.00	46.44	68.30	-21.86	55.32	38.32	15.54	62.74	0.00	---	---
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10360.00	46.05	68.30	-22.25	54.93	38.32	15.54	62.74	0.00	---	---	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1 10360.00	46.44	68.30	-21.86	55.32	38.32	15.54	62.74	0.00	---	---	PEAK																																																																							







		2																																																																																			
Mode	Band Edge - L																																																																																				
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																				
ANT	CDD 1S4T																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak																																																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5143.20</td> <td>62.22</td> <td>74.00</td> <td>-11.78</td> <td>53.32</td> <td>35.02</td> <td>10.68</td> <td>36.00</td> <td>0.00</td> <td>100</td> <td>107</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5143.20	62.22	74.00	-11.78	53.32	35.02	10.68	36.00	0.00	100	107	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5220.00</td> <td>118.62</td> <td>-----</td> <td>-----</td> <td>109.57</td> <td>35.09</td> <td>10.77</td> <td>36.81</td> <td>0.00</td> <td>100</td> <td>107</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5220.00	118.62	-----	-----	109.57	35.09	10.77	36.81	0.00	100	107
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																													
1	5143.20	62.22	74.00	-11.78	53.32	35.02	10.68	36.00	0.00	100	107	PEAK																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																													
1	5220.00	118.62	-----	-----	109.57	35.09	10.77	36.81	0.00	100	107	PEAK																																																																									
Avg																																																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.00</td> <td>50.88</td> <td>54.00</td> <td>-3.12</td> <td>41.96</td> <td>35.03</td> <td>10.69</td> <td>36.00</td> <td>0.00</td> <td>100</td> <td>107</td> <td>AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5148.00	50.88	54.00	-3.12	41.96	35.03	10.69	36.00	0.00	100	107	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5220.00</td> <td>108.94</td> <td>-----</td> <td>-----</td> <td>99.87</td> <td>35.10</td> <td>10.78</td> <td>36.81</td> <td>0.00</td> <td>100</td> <td>107</td> <td>AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5220.00	108.94	-----	-----	99.87	35.10	10.78	36.81	0.00	100	107
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																													
1	5148.00	50.88	54.00	-3.12	41.96	35.03	10.69	36.00	0.00	100	107	AVERAGE																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																													
1	5220.00	108.94	-----	-----	99.87	35.10	10.78	36.81	0.00	100	107	AVERAGE																																																																									



	2																																													
Mode	Band Edge - R																																													
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																													
ANT	CDD 1S4T																																													
Pol.	Horizontal	Fundamental																																												
Peak	 <table border="1" data-bbox="268 1115 794 1234"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5363.28</td> <td>61.65</td> <td>74.00</td> <td>-12.35</td> <td>52.22</td> <td>35.24</td> <td>11.00</td> <td>36.81</td> <td>0.00</td> <td>100</td> <td>107</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5363.28	61.65	74.00	-12.35	52.22	35.24	11.00	36.81	0.00	100	107	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5363.28	61.65	74.00	-12.35	52.22	35.24	11.00	36.81	0.00	100	107	PEAK																																		
Avg	 <table border="1" data-bbox="268 1798 794 1917"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5362.02</td> <td>50.14</td> <td>54.00</td> <td>-3.86</td> <td>40.71</td> <td>35.24</td> <td>11.00</td> <td>36.81</td> <td>0.00</td> <td>100</td> <td>107</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5362.02	50.14	54.00	-3.86	40.71	35.24	11.00	36.81	0.00	100	107	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5362.02	50.14	54.00	-3.86	40.71	35.24	11.00	36.81	0.00	100	107	AVERAGE																																		



		2																																																																																			
Mode	Band Edge - L																																																																																				
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																				
ANT	CDD 1S4T																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak																																																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5126.88</td> <td>60.87</td> <td>74.00</td> <td>-13.13</td> <td>52.00</td> <td>35.01</td> <td>10.66</td> <td>36.80</td> <td>0.00</td> <td>100</td> <td>129</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Loss	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5126.88	60.87	74.00	-13.13	52.00	35.01	10.66	36.80	0.00	100	129	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5220.00</td> <td>111.86</td> <td>-----</td> <td>-----</td> <td>102.78</td> <td>35.10</td> <td>10.79</td> <td>36.81</td> <td>0.00</td> <td>100</td> <td>129</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Loss	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5220.00	111.86	-----	-----	102.78	35.10	10.79	36.81	0.00	100	129
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Level	Loss	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																													
1	5126.88	60.87	74.00	-13.13	52.00	35.01	10.66	36.80	0.00	100	129	PEAK																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Level	Loss	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																													
1	5220.00	111.86	-----	-----	102.78	35.10	10.79	36.81	0.00	100	129	PEAK																																																																									
Avg																																																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5147.04</td> <td>49.44</td> <td>54.00</td> <td>-4.56</td> <td>40.52</td> <td>35.03</td> <td>10.69</td> <td>36.80</td> <td>0.00</td> <td>100</td> <td>129</td> <td>AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Loss	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5147.04	49.44	54.00	-4.56	40.52	35.03	10.69	36.80	0.00	100	129	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5220.00</td> <td>102.59</td> <td>-----</td> <td>-----</td> <td>93.51</td> <td>35.10</td> <td>10.79</td> <td>36.81</td> <td>0.00</td> <td>100</td> <td>129</td> <td>AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Loss	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5220.00	102.59	-----	-----	93.51	35.10	10.79	36.81	0.00	100	129
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Level	Loss	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																													
1	5147.04	49.44	54.00	-4.56	40.52	35.03	10.69	36.80	0.00	100	129	AVERAGE																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Level	Loss	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																													
1	5220.00	102.59	-----	-----	93.51	35.10	10.79	36.81	0.00	100	129	AVERAGE																																																																									







	2																																										
Mode	Band Edge - R																																										
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																										
ANT	CDD 1S4T																																										
Pol.	Vertical	Fundamental																																									
Peak	<table border="1" data-bbox="255 1108 774 1232"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5367.96</td> <td>58.63</td> <td>74.00</td> <td>-15.37</td> <td>49.19</td> <td>35.24</td> <td>11.01</td> <td>36.81</td> <td>0.00</td> <td>100</td> <td>129</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5367.96	58.63	74.00	-15.37	49.19	35.24	11.01	36.81	0.00	100	129	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5367.96	58.63	74.00	-15.37	49.19	35.24	11.01	36.81	0.00	100	129	PEAK																															
Avg	<table border="1" data-bbox="255 1780 774 1904"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5370.30</td> <td>47.40</td> <td>54.00</td> <td>-6.60</td> <td>37.95</td> <td>35.24</td> <td>11.02</td> <td>36.81</td> <td>0.00</td> <td>100</td> <td>129</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5370.30	47.40	54.00	-6.60	37.95	35.24	11.02	36.81	0.00	100	129	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5370.30	47.40	54.00	-6.60	37.95	35.24	11.02	36.81	0.00	100	129	AVERAGE																															







Mode	2																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																																																													
ANT	CDD 1S4T																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10440.00</td> <td>47.70</td> <td>68.30</td> <td>-20.60</td> <td>56.45</td> <td>38.35</td> <td>15.58</td> <td>62.68</td> <td>0.00</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>65.57</td> <td>74.00</td> <td>-8.43</td> <td>70.53</td> <td>41.12</td> <td>18.87</td> <td>64.95</td> <td>0.00</td> <td>0.00</td> <td>337</td> <td>143</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15660.00</td> <td>50.35</td> <td>54.00</td> <td>-3.65</td> <td>55.31</td> <td>41.12</td> <td>18.87</td> <td>64.95</td> <td>0.00</td> <td>0.00</td> <td>337</td> <td>143</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10440.00	47.70	68.30	-20.60	56.45	38.35	15.58	62.68	0.00	0.00	---	---	PEAK	2	15660.00	65.57	74.00	-8.43	70.53	41.12	18.87	64.95	0.00	0.00	337	143	PEAK	3	15660.00	50.35	54.00	-3.65	55.31	41.12	18.87	64.95	0.00	0.00	337	143	AVERAGE	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10440.00</td> <td>45.64</td> <td>68.30</td> <td>-22.66</td> <td>54.39</td> <td>38.35</td> <td>15.58</td> <td>62.68</td> <td>0.00</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>67.11</td> <td>74.00</td> <td>-6.89</td> <td>72.07</td> <td>41.12</td> <td>18.87</td> <td>64.95</td> <td>0.00</td> <td>0.00</td> <td>240</td> <td>147</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15660.00</td> <td>53.06</td> <td>54.00</td> <td>-0.94</td> <td>58.02</td> <td>41.12</td> <td>18.87</td> <td>64.95</td> <td>0.00</td> <td>0.00</td> <td>240</td> <td>147</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10440.00	45.64	68.30	-22.66	54.39	38.35	15.58	62.68	0.00	0.00	---	---	PEAK	2	15660.00	67.11	74.00	-6.89	72.07	41.12	18.87	64.95	0.00	0.00	240	147	PEAK	3	15660.00	53.06	54.00	-0.94	58.02	41.12	18.87	64.95	0.00	0.00	240	147	AVERAGE
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	10440.00	47.70	68.30	-20.60	56.45	38.35	15.58	62.68	0.00	0.00	---	---	PEAK																																																																																																																																	
2	15660.00	65.57	74.00	-8.43	70.53	41.12	18.87	64.95	0.00	0.00	337	143	PEAK																																																																																																																																	
3	15660.00	50.35	54.00	-3.65	55.31	41.12	18.87	64.95	0.00	0.00	337	143	AVERAGE																																																																																																																																	
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	10440.00	45.64	68.30	-22.66	54.39	38.35	15.58	62.68	0.00	0.00	---	---	PEAK																																																																																																																																	
2	15660.00	67.11	74.00	-6.89	72.07	41.12	18.87	64.95	0.00	0.00	240	147	PEAK																																																																																																																																	
3	15660.00	53.06	54.00	-0.94	58.02	41.12	18.87	64.95	0.00	0.00	240	147	AVERAGE																																																																																																																																	



	3																																																																															
Mode	Band Edge																																																																															
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																															
ANT	CDD 1S4T																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a signal level starting at approximately 113.8 dBuV/m at 5240 MHz and decreasing to about 65.0 dBuV/m by 5460 MHz. A red horizontal line indicates the 5G BAND 1-3 limit at approximately 65.0 dBuV/m. A vertical blue line marks the peak at 5432.94 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5432.94</td> <td>62.13</td> <td>74.00</td> <td>-11.87</td> <td>52.57</td> <td>35.30</td> <td>11.07</td> <td>36.81</td> <td>0.00</td> <td>100</td> <td>96 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5432.94	62.13	74.00	-11.87	52.57	35.30	11.07	36.81	0.00	100	96 PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a signal level starting at approximately 32.5 dBuV/m at 1000 MHz and increasing to about 65.0 dBuV/m by 7000 MHz. A red horizontal line indicates the 5G BAND 1-3 limit at approximately 65.0 dBuV/m. A sharp vertical blue line marks the peak at 5240.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5240.00</td> <td>118.89</td> <td>-----</td> <td>-----</td> <td>109.74</td> <td>35.13</td> <td>10.83</td> <td>36.81</td> <td>0.00</td> <td>100</td> <td>96 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5240.00	118.89	-----	-----	109.74	35.13	10.83	36.81	0.00	100	96 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 5432.94	62.13	74.00	-11.87	52.57	35.30	11.07	36.81	0.00	100	96 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 5240.00	118.89	-----	-----	109.74	35.13	10.83	36.81	0.00	100	96 PEAK																																																																						
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) for Average Horizontal polarization. The plot shows a signal level starting at approximately 113.8 dBuV/m at 5240 MHz and decreasing to about 48.8 dBuV/m by 5460 MHz. A red horizontal line indicates the 5G BAND 1-3 (AVG) limit at approximately 48.8 dBuV/m. A vertical blue line marks the average level at 5438.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5438.00</td> <td>50.89</td> <td>54.00</td> <td>-3.11</td> <td>41.32</td> <td>35.30</td> <td>11.00</td> <td>36.81</td> <td>0.00</td> <td>100</td> <td>96 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5438.00	50.89	54.00	-3.11	41.32	35.30	11.00	36.81	0.00	100	96 AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) for Average Fundamental polarization. The plot shows a signal level starting at approximately 32.5 dBuV/m at 1000 MHz and increasing to about 48.8 dBuV/m by 7000 MHz. A red horizontal line indicates the 5G BAND 1-3 (AVG) limit at approximately 48.8 dBuV/m. A sharp vertical blue line marks the average level at 5240.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5240.00</td> <td>109.40</td> <td>-----</td> <td>-----</td> <td>100.27</td> <td>35.12</td> <td>10.82</td> <td>36.81</td> <td>0.00</td> <td>100</td> <td>96 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5240.00	109.40	-----	-----	100.27	35.12	10.82	36.81	0.00	100	96 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 5438.00	50.89	54.00	-3.11	41.32	35.30	11.00	36.81	0.00	100	96 AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 5240.00	109.40	-----	-----	100.27	35.12	10.82	36.81	0.00	100	96 AVERAGE																																																																						







	3																																																																																			
Mode	Band Edge																																																																																			
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																			
ANT	CDD 1S4T																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>5240 5284 5328 5372 5416 5460</p> <p>Frequency (MHz)</p> <p>5G BAND 1---3</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5359.90</td> <td>58.65</td> <td>74.00</td> <td>-15.35</td> <td>49.23</td> <td>35.23</td> <td>11.00</td> <td>36.81</td> <td>0.00</td> <td>100</td> <td>136</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5359.90	58.65	74.00	-15.35	49.23	35.23	11.00	36.81	0.00	100	136	PEAK	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>1000 2200 3400 4600 5800 7000</p> <p>Frequency (MHz)</p> <p>5G BAND 1---3</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5240.00</td> <td>112.42</td> <td>-----</td> <td>-----</td> <td>103.30</td> <td>35.12</td> <td>10.81</td> <td>36.81</td> <td>0.00</td> <td>100</td> <td>136</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	112.42	-----	-----	103.30	35.12	10.81	36.81	0.00	100	136	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5359.90	58.65	74.00	-15.35	49.23	35.23	11.00	36.81	0.00	100	136	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5240.00	112.42	-----	-----	103.30	35.12	10.81	36.81	0.00	100	136	PEAK																																																																								
Avg	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>5240 5284 5328 5372 5416 5460</p> <p>Frequency (MHz)</p> <p>5G BAND 1---3 (AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5433.16</td> <td>47.25</td> <td>54.00</td> <td>-6.75</td> <td>37.69</td> <td>35.30</td> <td>11.07</td> <td>36.81</td> <td>0.00</td> <td>100</td> <td>136</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5433.16	47.25	54.00	-6.75	37.69	35.30	11.07	36.81	0.00	100	136	AVERAGE	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>1000 2200 3400 4600 5800 7000</p> <p>Frequency (MHz)</p> <p>5G BAND 1---3 (AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5240.00</td> <td>102.64</td> <td>-----</td> <td>-----</td> <td>93.52</td> <td>35.12</td> <td>10.81</td> <td>36.81</td> <td>0.00</td> <td>100</td> <td>136</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	102.64	-----	-----	93.52	35.12	10.81	36.81	0.00	100	136	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5433.16	47.25	54.00	-6.75	37.69	35.30	11.07	36.81	0.00	100	136	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5240.00	102.64	-----	-----	93.52	35.12	10.81	36.81	0.00	100	136	AVERAGE																																																																								







Mode	3																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																																			
ANT	CDD 1S4T																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10480.00</td> <td>48.24</td> <td>68.30</td> <td>-20.06</td> <td>56.93</td> <td>38.36</td> <td>15.60</td> <td>62.65</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2 15720.00</td> <td>62.93</td> <td>74.00</td> <td>-11.07</td> <td>67.75</td> <td>41.24</td> <td>18.91</td> <td>64.97</td> <td>0.00</td> <td>261</td> <td>138</td> <td>PEAK</td> </tr> <tr> <td>3 15720.00</td> <td>49.40</td> <td>54.00</td> <td>-4.60</td> <td>54.22</td> <td>41.24</td> <td>18.91</td> <td>64.97</td> <td>0.00</td> <td>261</td> <td>138</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10480.00	48.24	68.30	-20.06	56.93	38.36	15.60	62.65	0.00	---	---	PEAK	2 15720.00	62.93	74.00	-11.07	67.75	41.24	18.91	64.97	0.00	261	138	PEAK	3 15720.00	49.40	54.00	-4.60	54.22	41.24	18.91	64.97	0.00	261	138	AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10480.00</td> <td>44.95</td> <td>68.30</td> <td>-23.35</td> <td>53.64</td> <td>38.36</td> <td>15.60</td> <td>62.65</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2 15720.00</td> <td>66.95</td> <td>74.00</td> <td>-7.05</td> <td>71.77</td> <td>41.24</td> <td>18.91</td> <td>64.97</td> <td>0.00</td> <td>300</td> <td>152</td> <td>PEAK</td> </tr> <tr> <td>3 15720.00</td> <td>52.95</td> <td>54.00</td> <td>-1.05</td> <td>57.77</td> <td>41.24</td> <td>18.91</td> <td>64.97</td> <td>0.00</td> <td>300</td> <td>152</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10480.00	44.95	68.30	-23.35	53.64	38.36	15.60	62.65	0.00	---	---	PEAK	2 15720.00	66.95	74.00	-7.05	71.77	41.24	18.91	64.97	0.00	300	152	PEAK	3 15720.00	52.95	54.00	-1.05	57.77	41.24	18.91	64.97	0.00	300	152	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1 10480.00	48.24	68.30	-20.06	56.93	38.36	15.60	62.65	0.00	---	---	PEAK																																																																																																									
2 15720.00	62.93	74.00	-11.07	67.75	41.24	18.91	64.97	0.00	261	138	PEAK																																																																																																									
3 15720.00	49.40	54.00	-4.60	54.22	41.24	18.91	64.97	0.00	261	138	AVERAGE																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1 10480.00	44.95	68.30	-23.35	53.64	38.36	15.60	62.65	0.00	---	---	PEAK																																																																																																									
2 15720.00	66.95	74.00	-7.05	71.77	41.24	18.91	64.97	0.00	300	152	PEAK																																																																																																									
3 15720.00	52.95	54.00	-1.05	57.77	41.24	18.91	64.97	0.00	300	152	AVERAGE																																																																																																									





		4																																																																																		
Mode	Band Edge																																																																																			
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full RU_5180MHz																																																																																			
ANT	CDD 1S4T																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a signal between 5164 and 5196 MHz. A red line indicates the 5G BAND 1-3 limit at approximately 65.0 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5143.04</td> <td>60.87</td> <td>74.00</td> <td>-13.13</td> <td>51.97</td> <td>35.02</td> <td>10.68</td> <td>36.00</td> <td>0.00</td> <td>316</td> <td>85</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5143.04	60.87	74.00	-13.13	51.97	35.02	10.68	36.00	0.00	316	85	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a signal at 5180 MHz. A red line indicates the 5G BAND 1-3 limit at approximately 65.0 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>104.83</td> <td>-----</td> <td>-----</td> <td>95.85</td> <td>35.06</td> <td>10.73</td> <td>36.81</td> <td>0.00</td> <td>316</td> <td>85</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	104.83	-----	-----	95.85	35.06	10.73	36.81	0.00	316	85	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5143.04	60.87	74.00	-13.13	51.97	35.02	10.68	36.00	0.00	316	85	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5180.00	104.83	-----	-----	95.85	35.06	10.73	36.81	0.00	316	85	PEAK																																																																								
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) for Average Horizontal polarization. The plot shows a signal between 5164 and 5196 MHz. A red line indicates the 5G BAND 1-3 (AVG) limit at approximately 48.8 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.64</td> <td>49.14</td> <td>54.00</td> <td>-4.86</td> <td>40.22</td> <td>35.03</td> <td>10.69</td> <td>36.00</td> <td>0.00</td> <td>316</td> <td>85</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.64	49.14	54.00	-4.86	40.22	35.03	10.69	36.00	0.00	316	85	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) for Average Fundamental polarization. The plot shows a signal at 5180 MHz. A red line indicates the 5G BAND 1-3 (AVG) limit at approximately 48.8 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>96.02</td> <td>-----</td> <td>-----</td> <td>87.02</td> <td>35.07</td> <td>10.74</td> <td>36.81</td> <td>0.00</td> <td>316</td> <td>85</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	96.02	-----	-----	87.02	35.07	10.74	36.81	0.00	316	85	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5148.64	49.14	54.00	-4.86	40.22	35.03	10.69	36.00	0.00	316	85	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5180.00	96.02	-----	-----	87.02	35.07	10.74	36.81	0.00	316	85	AVERAGE																																																																								







	4																																																																																	
Mode	Band Edge																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full RU_5180MHz																																																																																	
ANT	CDD 1S4T																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>5100</p> <p>5132</p> <p>5164</p> <p>5196</p> <p>5228</p> <p>5260</p> <p>Frequency (MHz)</p> <p>5G BAND 1---3</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5147.36</td> <td>67.97</td> <td>74.00</td> <td>-6.03</td> <td>59.05</td> <td>35.03</td> <td>10.69</td> <td>36.00</td> <td>0.00</td> <td>115</td> <td>56 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.36	67.97	74.00	-6.03	59.05	35.03	10.69	36.00	0.00	115	56 PEAK	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>1000</p> <p>2200</p> <p>3400</p> <p>4600</p> <p>5800</p> <p>7000</p> <p>Frequency (MHz)</p> <p>5G BAND 1---3</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>115.19</td> <td>-----</td> <td>-----</td> <td>106.24</td> <td>35.05</td> <td>10.71</td> <td>36.81</td> <td>0.00</td> <td>115</td> <td>56 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	115.19	-----	-----	106.24	35.05	10.71	36.81	0.00	115	56 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5147.36	67.97	74.00	-6.03	59.05	35.03	10.69	36.00	0.00	115	56 PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5180.00	115.19	-----	-----	106.24	35.05	10.71	36.81	0.00	115	56 PEAK																																																																							
Avg	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>5100</p> <p>5132</p> <p>5164</p> <p>5196</p> <p>5228</p> <p>5260</p> <p>Frequency (MHz)</p> <p>5G BAND 1---3 (AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.76</td> <td>53.15</td> <td>54.00</td> <td>-0.85</td> <td>44.23</td> <td>35.03</td> <td>10.69</td> <td>36.00</td> <td>0.00</td> <td>115</td> <td>56 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.76	53.15	54.00	-0.85	44.23	35.03	10.69	36.00	0.00	115	56 AVERAGE	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>1000</p> <p>2200</p> <p>3400</p> <p>4600</p> <p>5800</p> <p>7000</p> <p>Frequency (MHz)</p> <p>5G BAND 1---3 (AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>104.78</td> <td>-----</td> <td>-----</td> <td>95.00</td> <td>35.06</td> <td>10.73</td> <td>36.81</td> <td>0.00</td> <td>115</td> <td>56 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	104.78	-----	-----	95.00	35.06	10.73	36.81	0.00	115	56 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5149.76	53.15	54.00	-0.85	44.23	35.03	10.69	36.00	0.00	115	56 AVERAGE																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5180.00	104.78	-----	-----	95.00	35.06	10.73	36.81	0.00	115	56 AVERAGE																																																																							



Mode	4																																																																																	
	Harmonic																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full RU_5180MHz																																																																																	
ANT	CDD 1S4T																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak																																																																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10360.00</td> <td>45.79</td> <td>68.30</td> <td>-22.51</td> <td>54.67</td> <td>38.32</td> <td>15.54</td> <td>62.74</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10360.00	45.79	68.30	-22.51	54.67	38.32	15.54	62.74	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10360.00</td> <td>45.72</td> <td>68.30</td> <td>-22.58</td> <td>54.60</td> <td>38.32</td> <td>15.54</td> <td>62.74</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10360.00	45.72	68.30	-22.58	54.60	38.32	15.54	62.74	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10360.00	45.79	68.30	-22.51	54.67	38.32	15.54	62.74	0.00	---	---	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10360.00	45.72	68.30	-22.58	54.60	38.32	15.54	62.74	0.00	---	---	PEAK																																																																							







		5																																																																																		
Mode	Band Edge - L																																																																																			
	U-NII-1_5.15-5.25_802.11ax HE20_CH44_Full RU_5220MHz																																																																																			
ANT	CDD 1S4T																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>56 BAND 1-3</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5141.28</td> <td>60.29</td> <td>74.00</td> <td>-13.71</td> <td>51.39</td> <td>35.02</td> <td>10.68</td> <td>36.00</td> <td>0.00</td> <td>120</td> <td>97</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5141.28	60.29	74.00	-13.71	51.39	35.02	10.68	36.00	0.00	120	97	PEAK	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>56 BAND 1-3</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5220.00</td> <td>111.00</td> <td>-----</td> <td>-----</td> <td>102.01</td> <td>35.10</td> <td>10.78</td> <td>36.81</td> <td>0.00</td> <td>120</td> <td>97</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5220.00	111.00	-----	-----	102.01	35.10	10.78	36.81	0.00	120	97	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5141.28	60.29	74.00	-13.71	51.39	35.02	10.68	36.00	0.00	120	97	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5220.00	111.00	-----	-----	102.01	35.10	10.78	36.81	0.00	120	97	PEAK																																																																								
Avg	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>56 BAND 1-3 (AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5144.00</td> <td>48.78</td> <td>54.00</td> <td>-5.22</td> <td>39.88</td> <td>35.02</td> <td>10.68</td> <td>36.00</td> <td>0.00</td> <td>120</td> <td>97</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5144.00	48.78	54.00	-5.22	39.88	35.02	10.68	36.00	0.00	120	97	AVERAGE	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>56 BAND 1-3 (AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5220.00</td> <td>101.38</td> <td>-----</td> <td>-----</td> <td>92.30</td> <td>35.10</td> <td>10.79</td> <td>36.81</td> <td>0.00</td> <td>120</td> <td>97</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5220.00	101.38	-----	-----	92.30	35.10	10.79	36.81	0.00	120	97	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5144.00	48.78	54.00	-5.22	39.88	35.02	10.68	36.00	0.00	120	97	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5220.00	101.38	-----	-----	92.30	35.10	10.79	36.81	0.00	120	97	AVERAGE																																																																								



	5																																																		
Mode	Band Edge - R																																																		
	U-NII-1_5.15-5.25_802.11ax HE20_CH44_Full RU_5220MHz																																																		
ANT	CDD 1S4T																																																		
Pol.	Horizontal	Fundamental																																																	
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5367.42</td> <td>59.19</td> <td>74.00</td> <td>-14.81</td> <td>49.75</td> <td>35.24</td> <td>11.01</td> <td>36.81</td> <td>0.00</td> <td>120</td> <td>97</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB								cm	deg	1	5367.42	59.19	74.00	-14.81	49.75	35.24	11.01	36.81	0.00	120	97	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
							cm	deg																																											
1	5367.42	59.19	74.00	-14.81	49.75	35.24	11.01	36.81	0.00	120	97	PEAK																																							
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5375.88</td> <td>47.07</td> <td>54.00</td> <td>-6.93</td> <td>37.61</td> <td>35.25</td> <td>11.02</td> <td>36.81</td> <td>0.00</td> <td>120</td> <td>97</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB								cm	deg	1	5375.88	47.07	54.00	-6.93	37.61	35.25	11.02	36.81	0.00	120	97	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
							cm	deg																																											
1	5375.88	47.07	54.00	-6.93	37.61	35.25	11.02	36.81	0.00	120	97	AVERAGE																																							



		5																																																																																			
Mode	Band Edge - L																																																																																				
	U-NII-1_5.15-5.25_802.11ax HE20_CH44_Full RU_5220MHz																																																																																				
ANT	CDD 1S4T																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak																																																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.64</td> <td>63.34</td> <td>74.00</td> <td>-10.66</td> <td>54.42</td> <td>35.03</td> <td>10.69</td> <td>36.80</td> <td>0.00</td> <td>122</td> <td>59</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Loss	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5148.64	63.34	74.00	-10.66	54.42	35.03	10.69	36.80	0.00	122	59	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5220.00</td> <td>120.35</td> <td>-----</td> <td>-----</td> <td>111.28</td> <td>35.10</td> <td>10.78</td> <td>36.81</td> <td>0.00</td> <td>122</td> <td>59</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Loss	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5220.00	120.35	-----	-----	111.28	35.10	10.78	36.81	0.00	122	59
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Level	Loss	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																													
1	5148.64	63.34	74.00	-10.66	54.42	35.03	10.69	36.80	0.00	122	59	PEAK																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Level	Loss	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																													
1	5220.00	120.35	-----	-----	111.28	35.10	10.78	36.81	0.00	122	59	PEAK																																																																									
Avg																																																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.92</td> <td>52.04</td> <td>54.00</td> <td>-1.96</td> <td>43.12</td> <td>35.03</td> <td>10.69</td> <td>36.80</td> <td>0.00</td> <td>122</td> <td>59</td> <td>AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Loss	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5149.92	52.04	54.00	-1.96	43.12	35.03	10.69	36.80	0.00	122	59	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5220.00</td> <td>110.83</td> <td>-----</td> <td>-----</td> <td>101.75</td> <td>35.10</td> <td>10.79</td> <td>36.81</td> <td>0.00</td> <td>122</td> <td>59</td> <td>AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Loss	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5220.00	110.83	-----	-----	101.75	35.10	10.79	36.81	0.00	122	59
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Level	Loss	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																													
1	5149.92	52.04	54.00	-1.96	43.12	35.03	10.69	36.80	0.00	122	59	AVERAGE																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Level	Loss	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																													
1	5220.00	110.83	-----	-----	101.75	35.10	10.79	36.81	0.00	122	59	AVERAGE																																																																									



	5																																										
Mode	Band Edge - R																																										
	U-NII-1_5.15-5.25_802.11ax HE20_CH44_Full RU_5220MHz																																										
ANT	CDD 1S4T																																										
Pol.	Vertical	Fundamental																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5381.64</td> <td>62.54</td> <td>74.00</td> <td>-11.46</td> <td>53.07</td> <td>35.25</td> <td>11.03</td> <td>36.81</td> <td>0.00</td> <td>122</td> <td>59</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5381.64	62.54	74.00	-11.46	53.07	35.25	11.03	36.81	0.00	122	59	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5381.64	62.54	74.00	-11.46	53.07	35.25	11.03	36.81	0.00	122	59	PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5377.14</td> <td>50.94</td> <td>54.00</td> <td>-3.06</td> <td>41.47</td> <td>35.25</td> <td>11.03</td> <td>36.81</td> <td>0.00</td> <td>122</td> <td>59</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5377.14	50.94	54.00	-3.06	41.47	35.25	11.03	36.81	0.00	122	59	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5377.14	50.94	54.00	-3.06	41.47	35.25	11.03	36.81	0.00	122	59	AVERAGE																															



Mode	5																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-1_5.15-5.25_802.11ax HE20_CH44_Full RU_5220MHz																																																																																																																									
ANT	CDD 1S4T																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 10440.00</td> <td>46.89</td> <td>68.30</td> <td>-21.41</td> <td>55.64</td> <td>38.35</td> <td>15.58</td> <td>62.68</td> <td>0.00</td> <td>---</td> </tr> <tr> <td>2 15660.00</td> <td>64.62</td> <td>74.00</td> <td>-9.38</td> <td>69.58</td> <td>41.12</td> <td>18.87</td> <td>64.95</td> <td>0.00</td> <td>132 159 PEAK</td> </tr> <tr> <td>3 15660.00</td> <td>50.60</td> <td>54.00</td> <td>-3.40</td> <td>55.56</td> <td>41.12</td> <td>18.87</td> <td>64.95</td> <td>0.00</td> <td>132 159 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 10440.00	46.89	68.30	-21.41	55.64	38.35	15.58	62.68	0.00	---	2 15660.00	64.62	74.00	-9.38	69.58	41.12	18.87	64.95	0.00	132 159 PEAK	3 15660.00	50.60	54.00	-3.40	55.56	41.12	18.87	64.95	0.00	132 159 AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 10440.00</td> <td>44.89</td> <td>68.30</td> <td>-23.41</td> <td>53.64</td> <td>38.35</td> <td>15.58</td> <td>62.68</td> <td>0.00</td> <td>---</td> </tr> <tr> <td>2 15660.00</td> <td>67.47</td> <td>74.00</td> <td>-6.53</td> <td>72.43</td> <td>41.12</td> <td>18.87</td> <td>64.95</td> <td>0.00</td> <td>239 143 PEAK</td> </tr> <tr> <td>3 15660.00</td> <td>52.92</td> <td>54.00</td> <td>-1.08</td> <td>57.88</td> <td>41.12</td> <td>18.87</td> <td>64.95</td> <td>0.00</td> <td>239 143 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 10440.00	44.89	68.30	-23.41	53.64	38.35	15.58	62.68	0.00	---	2 15660.00	67.47	74.00	-6.53	72.43	41.12	18.87	64.95	0.00	239 143 PEAK	3 15660.00	52.92	54.00	-1.08	57.88	41.12	18.87	64.95	0.00	239 143 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																	
1 10440.00	46.89	68.30	-21.41	55.64	38.35	15.58	62.68	0.00	---																																																																																																																	
2 15660.00	64.62	74.00	-9.38	69.58	41.12	18.87	64.95	0.00	132 159 PEAK																																																																																																																	
3 15660.00	50.60	54.00	-3.40	55.56	41.12	18.87	64.95	0.00	132 159 AVERAGE																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																	
1 10440.00	44.89	68.30	-23.41	53.64	38.35	15.58	62.68	0.00	---																																																																																																																	
2 15660.00	67.47	74.00	-6.53	72.43	41.12	18.87	64.95	0.00	239 143 PEAK																																																																																																																	
3 15660.00	52.92	54.00	-1.08	57.88	41.12	18.87	64.95	0.00	239 143 AVERAGE																																																																																																																	