

HD201B PORTABLE BASE STATION TECHNICAL SPECIFICATION PARAMETER TABLE

Especificaciones



Parameter

Operating voltage range	DC4-20V
Power consumption	3W

Physical properties

Size	178mm x 178mm x 74mm
Weight	1.05kg (base station host)
Key	1 power key, 2 up and down keys, 1 confirmation key, 1 return key
Display screen	A 2.5-inch LCD
Indicator Lights	1 power light, 1 radio light
Shell material	Industrial-grade modulated PC

Environmental characteristics

Operating temperature range	-40°C~+70°C
Storage temperature range	-40°C~+85°C
Protection level	IP67
Impact and vibration	Resistance to 1m free drop

GNSS configure

BDS	B1I、B2I、B3I
GPS	L1、L2、L5
GLONASS	L1、L2
Galileo	E1、E5a、E5b
QZSS	L1、L2、L5
Number of channels	1408 channel

Communication configuration

Radio	Power	1W
	Frequency range	450-470MHZ
	Effective transmission distance	>3km
WiFi	Support of 2.4GHZ WIFI, compliant with IEEE 802.11b/g/n/d/e/h/i	

HUIDA TECH

Implementar inteligencia agrícola global

Heilongjiang Huida Technology Co., Ltd.

📍 **Headquarters** : 8F/9F, Building 2, Area A, No.288, Zhigu Street, Songbei District, Harbin
R&D Center : 7F, Building A, Hongqiao Park South Area, E-Link World, Qingpu District, Shanghai
Overseas Business Department : Room 103, Building 6, Haiju Center, Qiantang District, Hangzhou City

☎ 400-888-0787 🌐 www.huidaagtech.com



Web
www.huidaagtech.com



Facebook
"HUIDA TECH"



YouTube
"HUIDA Tech"



TikTok
"Huida tech asia"