

SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 1 of 135

# TEST REPORT

**Application No.:** FYCR2210000414AT **Applicant:** UAB Teltonika Networks

Address of Applicant: K. Barsausko st. 66, LT-51436, Kaunas, Lithuania.

Manufacturer: UAB Teltonika Networks

Address of Manufacturer: K. Barsausko st. 66, LT-51436, Kaunas, Lithuania.

Factory: TELTONIKA EMS UAB

Address of Factory: Ditvos g. 6, LT-02121, Vilnius, Lithuania

**Equipment Under Test (EUT):** 

EUT Name:LTE RouterModel No.:RUT241Trade Mark:TELTONIKA

FCC ID: 2AET4RUT241AF

Standard(s): 47 CFR Part 15, Subpart C 15.247

**Date of Receipt:** 2022-10-21

**Date of Test:** 2022-10-28 to 2022-11-03

**Date of Issue:** 2022-11-10

Test Result: Pass\*

Winkey Wang

Winkey Wang

EMC Technical Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents</a>, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and jurysdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Luness otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: The company of the company of the company of the company

<sup>\*</sup> In the configuration tested, the EUT complied with the standards specified above.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 2 of 135

	Revision Record							
Version	Chapter	Date	Modifier	Remark				
01		2022-11-10		Original				

Authorized for issue by:		
	Tree Zhan	
	Tree Zhan/Project Engineer	
	WinkeyWarg	
	Winkey Wang/Reviewer	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, \*\*Certificate\*\*).



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 3 of 135

# 2 Test Summary

Radio Spectrum Technical Requirement						
Item	Standard	Method	Requirement	Result		
Antenna Requirement	47 CFR Part 15, Subpart C 15.247	N/A	47 CFR Part 15, Subpart C 15.203 & 15.247(b)(4)	Pass		

Radio Spectrum Matter Part						
Item	Standard	Method	Requirement	Result		
Conducted Emissions at AC Power Line (150kHz-30MHz)		ANSI C63.10 (2013) Section 6.2	47 CFR Part 15, Subpart C 15.207	Pass		
Conducted Peak Output Power		ANSI C63.10 (2013) Section 11.9.2	47 CFR Part 15, Subpart C 15.247(b)(3)	Pass		
Minimum 6dB Bandwidth		ANSI C63.10 (2013) Section 11.8.1	47 CFR Part 15, Subpart C 15.247a(2)	Pass		
Power Spectrum Density		ANSI C63.10 (2013) Section 11.10.2	47 CFR Part 15, Subpart C 15.247(e)	Pass		
Conducted Band Edges Measurement	47 CFR Part 15,	ANSI C63.10 (2013) Section 11.13.3.2	47 CFR Part 15, Subpart C 15.247(d)	Pass		
Conducted Spurious Emissions	Subpart C 15.247	ANSI C63.10 (2013) Section 11.11	47 CFR Part 15, Subpart C 15.247(d)	Pass		
Radiated Emissions which fall in the restricted bands		ANSI C63.10 (2013) Section 6.10.5	47 CFR Part 15, Subpart C 15.205 & 15.209	Pass		
Radiated Spurious Emissions Below 1GHz		ANSI C63.10 (2013) Section 6.4,6.5	47 CFR Part 15, Subpart C 15.205 & 15.209	Pass		
Radiated Spurious Emissions Above 1GHz		ANSI C63.10 (2013) Section 6.6	47 CFR Part 15, Subpart C 15.205 & 15.209	Pass		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/T



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 4 of 135

### 3 Contents

		Page
1	1 COVER PAGE	1
2	2 TEST SUMMARY	3
2	3 CONTENTS	,
3		
4	4 GENERAL INFORMATION	6
	4.1 DETAILS OF E.U.T	6
	4.2 DESCRIPTION OF SUPPORT UNITS	6
	4.3 MEASUREMENT UNCERTAINTY	
	4.4 TEST LOCATION	
	4.5 TEST FACILITY	
	4.6 DEVIATION FROM STANDARDS	
	4.7 ABNORMALITIES FROM STANDARD CONDITIONS	7
5	5 EQUIPMENT LIST	8
6	RADIO SPECTRUM TECHNICAL REQUIREMENT	11
	6.1 ANTENNA REQUIREMENT	11
	6.1.1 Test Requirement:	
	6.1.2 Conclusion	
7	7 RADIO SPECTRUM MATTER TEST RESULTS	13
•		
	7.1 CONDUCTED EMISSIONS AT AC POWER LINE (150kHz-30MHz)	12
	7.1.1 E.U.T. Operation	
	7.1.2 Test Mode Description	
	7.1.3 Test Setup Diagram7.1.4 Measurement Procedure and Data	
	7.1.4 Measurement Procedure and Data	
	7.2.1 E.U.T. Operation	
	7.2.2 Test Mode Description	
	7.2.3 Test Node Description	
	7.2.4 Measurement Procedure and Data	
	7.3 MINIMUM 6DB BANDWIDTH	
	7.3.1 E.U.T. Operation	
	7.3.2 Test Mode Description	
	7.3.3 Test Setup Diagram	
	7.3.4 Measurement Procedure and Data	
	7.4 POWER SPECTRUM DENSITY	
	7.4.1 E.U.T. Operation	
	7.4.2 Test Mode Description	
	7.4.3 Test Setup Diagram	
	7.4.4 Measurement Procedure and Data	
	7.5 CONDUCTED BAND EDGES MEASUREMENT	
	7.5.1 E.U.T. Operation	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or amaile CAI. Doccheck@ses.com</a>



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 5 of 135

	7.5.2	Test Mode Description	20
	7.5.3	Test Setup Diagram	21
	7.5.4	Measurement Procedure and Data	21
7.	6 C	CONDUCTED SPURIOUS EMISSIONS	22
	7.6.1	E.U.T. Operation	22
	7.6.2	Test Mode Description	
	7.6.3	Test Setup Diagram	23
	7.6.4	Measurement Procedure and Data	
7.	7 F	RADIATED EMISSIONS WHICH FALL IN THE RESTRICTED BANDS	24
	7.7.1	E.U.T. Operation	24
	7.7.2	Test Mode Description	24
	7.7.3	Test Setup Diagram	25
	7.7.4	Measurement Procedure and Data	25
7.	8 F	RADIATED SPURIOUS EMISSIONS BELOW 1GHZ	58
	7.8.1	E.U.T. Operation	58
	7.8.2	Test Mode Description	58
	7.8.3	Test Setup Diagram	59
	7.8.4	Measurement Procedure and Data	59
7.9	9 F	RADIATED SPURIOUS EMISSIONS ABOVE 1GHZ	62
	7.9.1	E.U.T. Operation	62
	7.9.2	Test Mode Description	62
	7.9.3	Test Setup Diagram	62
	7.9.4	Measurement Procedure and Data	63
8	TEST	SETUP PHOTO	88
9	EUT C	ONSTRUCTIONAL DETAILS (EUT PHOTOS)	88
10	APPE	NDIX	89
-			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Accessible (2012).



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 6 of 135

## 4 General Information

### 4.1 Details of E.U.T.

Power supply:	Power by switching adapter		
	Adapter Model No.: ASSA107A-090100		
	Input: AC 100-240V, 50/60Hz, 0.45A		
	Output: DC 9V, 1.0 A, 9.0W		
Cable(s):	DC cable from Adapter 200cm unshielded;		
	LAN cable 154cm unshielded;		
	1 pcs WiFi antenna 19.5cm shielded;		
	2 pcs Mobile antenna 19.7cm shielded.		
Operation Fraguency:	802.11b/g/n(HT20): 2412MHz to 2462MHz;		
Operation Frequency:	802.11n(HT40): 2422MHz to 2452MHz		
Madulation Type	802.11b: DSSS (CCK, DQPSK, DBPSK);		
Modulation Type:	802.11g/n: OFDM (64QAM, 16QAM, QPSK, BPSK)		
Number of Channels:	802.11b/g/n(HT20):11; 802.11n(HT40):7		
Channel Spacing:	5MHz		
Antenna Type:	Dipole Antenna		
Antenna Gain:	5dBi		

Remark: The information in this section is provided by the applicant or manufacturer, CCS is not liable to the accuracy, suitability, reliability or/and integrity of the information.

### 4.2 Description of Support Units

Description	Manufacturer	Model No.	Serial No.			
The EUT has been tested as an independent unit.						

### 4.3 Measurement Uncertainty

······································	
Test Item	Measurement Uncertainty
Conducted Emissions at AC Power Line (150kHz-30MHz)	± 2.1 dB (9kHz to 30MHz)
Conducted Peak Output Power	± 0.8dB
Minimum 6dB Bandwidth	± 0.3%
Power Spectrum Density	± 0.4dB
Conducted Band Edges Measurement	± 2.7dB
Conducted Spurious Emissions	± 2.7dB
Radiated Emissions which fall in the restricted bands	± 4.4dB (Above 1GHz)
Radiated Spurious Emissions Below 1GHz	± 3.1dB (Below 1GHz)
Radiated Spurious Emissions Above 1GHz	± 4.4dB (Above 1GHz)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or amaile CPA Doccheck@ass.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 7 of 135

#### Remark:

The Ulab (lab Uncertainty) is less than Ucispr/ETSI (CISPR/ETSI Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;
- non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.

### 4.4 Test Location

All tests were performed at:

Compliance Certification Services (Kunshan) Inc. Shenzhen branch.

Fuyong lab. Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China Tel: +86 755 8866 3988 Fax: +86 755 2671 0594

No tests were sub-contracted.

### 4.5 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• A2LA (Certificate No. 6606.01)

Compliance Certification Services (Kunshan) Inc. Shenzhen branch is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6606.01.

• FCC -Designation Number: CN1322

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized as an accredited testing laboratory.

Designation Number: CN1322. Test Firm Registration Number: 718073

• Innovation, Science and Economic Development Canada

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0129.

IC#: 28189.

#### 4.6 Deviation from Standards

None

### 4.7 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Indextoring format documents, subject to Terms and Conditions for Electronic Documents and the This Comment of the Company and the Imitation of Ilability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention: To check the authenticity of lesting finspection report & certificate, please contact us at telephone: (86-755) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 8 of 135

# 5 Equipment List

Conducted Emissions at AC Power Line (150kHz-30MHz)						
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date	
Shielding Room	CRT	N/A	SEM001-14	2021/7/13	2024/7/12	
EMI Test Receiver	Rohde & Schwarz	ESCI	SEM004-01	2022/7/12	2023/7/11	
Two-Line V-Network	Rohde & Schwarz	ENV216	SEM007-16	2022/7/12	2023/7/11	
Two-Line V-Network	Rohde & Schwarz	ESH3-Z5	SEM007-22	2022/1/10	2023/1/9	
Measurement Software	AUDIX	e3 V8.2014-6- 27	N/A	N/A	N/A	

Conducted Peak Output Power					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
MXA Signal Analyzer	KEYSIGHT	N9020A	SEM004-25	2022/5/30	2023/5/29
Power Sensor	Erika Fiedler	U2021XA	SEM009-15	2022/7/12	2023/7/11
Power Sensor	Erika Fiedler	U2021XA	SEM009-16	2022/7/12	2023/7/11
Programmable DC Source	Chroma	62024P-80-60	SEM011-09	2022/7/12	2023/7/11
Attenuator	Huber+Suhner	6620_SMA-50- 1	SEM021-09	2022/7/12	2023/7/11
Measurement Software	TST PASS	TST PASS V2.0	N/A	N/A	N/A

Minimum 6dB Bandwidth						
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date	
MXA Signal Analyzer	KEYSIGHT	N9020A	SEM004-25	2022/5/30	2023/5/29	
Attenuator	Huber+Suhner	6620_SMA-50- 1	SEM021-09	2022/7/12	2023/7/11	
Measurement Software	TST PASS	TST PASS V2.0	N/A	N/A	N/A	

Power Spectrum Densit	у				
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
MXA Signal Analyzer	KEYSIGHT	N9020A	SEM004-25	2022/5/30	2023/5/29
Attenuator	Huber+Suhner	6620_SMA-50- 1	SEM021-09	2022/7/12	2023/7/11
Measurement Software	TST PASS	TST PASS V2.0	N/A	N/A	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Accessible (2012).



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 9 of 135

Conducted Band Edges Measurement							
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date		
MXA Signal Analyzer	KEYSIGHT	N9020A	SEM004-25	2022/5/30	2023/5/29		
Attenuator	Huber+Suhner	6620_SMA-50- 1	SEM021-09	2022/7/12	2023/7/11		
Measurement Software	TST PASS	TST PASS V2.0	N/A	N/A	N/A		

Conducted Spurious Emissions							
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date		
MXA Signal Analyzer	KEYSIGHT	N9020A	SEM004-25	2022/5/30	2023/5/29		
Attenuator	Huber+Suhner	6620_SMA-50- 1	SEM021-09	2022/7/12	2023/7/11		
Measurement Software	TST PASS	TST PASS V2.0	N/A	N/A	N/A		

Radiated Emissions which fall in the restricted bands							
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date		
3m Anechoic Chamber	CRT	N/A	SEM001-13	2021/7/13	2024/7/12		
Broad-Band Horn Antenna	Schwarzbeck	BBHA 9170	SEM003-15	2021/7/11	2024/7/10		
Broad-Band Horn Antenna	Schwarzbeck	BBHA 9120D	SEM003-32	2021/9/26	2024/9/25		
MXA Signal Analyzer	KEYSIGHT	N9020A	SEM004-23	2022/4/24	2023/4/23		
Pre-amplifier	Pre-amplifier Compliance Directions Systems Inc.		SEM005-08	2022/7/12	2023/7/11		
Pre-amplifier	Rohde & Schwarz	CH14-H052	SEM005-17	2022/7/12	2023/7/11		
Coaxial Cable	CCS	N/A	SEM035-02	2022/5/16	2023/5/15		
Coaxial Cable	CCS	N/A	SEM035-03	2022/5/16	2023/5/15		
Pre-amplifier	TST PASS	LNA04080G30	SEM005-27	2022/4/15	2023/4/14		
Pre-amplifier	TST PASS	LNA10180G45	SEM005-28	2022/4/15	2023/4/14		
Measurement Software AUDIX		e3 V8.2014-6- 27	N/A	N/A	N/A		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Accessible (2012).



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 10 of 135

Radiated Spurious Emissions Below 1GHz							
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date		
3m Anechoic Chamber	CRT	N/A	SEM001-13	2021/7/13	2024/7/12		
Trilog-Broadband Antenna	Schwarzbeck	VULB9168	SEM003-33	2021/9/25	2024/9/24		
MXE EMI receiver	Agilent	N9038A	SEM004-05	2022/7/12	2023/7/11		
Pre-amplifier	HP	8447D	SEM005-02	2022/7/12	2023/7/11		
Coaxial Cable	CCS	N/A	SEM035-01	2022/5/16	2023/5/15		
Measurement Software	AUDIX	e3 V8.2014-6- 27	N/A	N/A	N/A		

Radiated Spurious Emissions Above 1GHz							
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date		
3m Anechoic Chamber	CRT	N/A	SEM001-13	2021/7/13	2024/7/12		
Broad-Band Horn Antenna	Schwarzbeck	BBHA 9120D	SEM003-32	2021/9/26	2024/9/25		
MXA Signal Analyzer	KEYSIGHT	N9020A	SEM004-23	2022/4/24	2023/4/23		
Coaxial Cable	CCS	N/A	SEM035-03	2022/5/16	2023/5/15		
Pre-amplifier	TST PASS	LNA04080G30	SEM005-27	2022/4/15	2023/4/14		
Pre-amplifier	TST PASS	LNA10180G45	SEM005-28	2022/4/15	2023/4/14		
Measurement Software AUDIX		e3 V8.2014-6- 27	N/A	N/A	N/A		

General used equipmen	t				
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Humidity/ Temperature Indicator	Mingle	TH607	SEM002-22	2022-07-12	2023-07-11
Humidity/ Temperature Indicator	Mingle	TH607	SEM002-23	2022-07-12	2023-07-11
Barometer	DUMAI	DYM3	SEM002-24	2022-07-12	2023-07-11



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Accessible (2012).



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 11 of 135

# 6 Radio Spectrum Technical Requirement

### 6.1 Antenna Requirement

### 6.1.1 Test Requirement:

47 CFR Part 15, Subpart C 15.203 & 15.247(b)(4)

#### 6.1.2 Conclusion

#### Standard Requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

### 15.247(b) (4) requirement:

The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

### EUT Antenna:

The antenna is integrated on the main PCB and no consideration of replacement. The best case gain of the antenna is 5dBi.

Antenna location: Refer to External photo.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Indextoring format documents, subject to Terms and Conditions for Electronic Documents and the This Comment of the Company and the Imitation of Ilability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention: To check the authenticity of lesting finspection report & certificate, please contact us at telephone: (86-755) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 12 of 135

# 7 Radio Spectrum Matter Test Results

### 7.1 Conducted Emissions at AC Power Line (150kHz-30MHz)

Test Requirement 47 CFR Part 15, Subpart C 15.207 Test Method: ANSI C63.10 (2013) Section 6.2

Limit:

Fraguency of emission/MUT	Conducted limit(dBµV)					
Frequency of emission(MHz)	Quasi-peak	Average				
0.15-0.5	66 to 56*	56 to 46*				
0.5-5	56	46				
5-30 60 50						
*Decreases with the logarithm of the frequency.						
Detector: Peak for pre-scan (9kHz resolution bandwidth) 0.15M to 30MHz						

### 7.1.1 E.U.T. Operation

Operating Environment:

Temperature: 23.2 °C Humidity: 52.4 % RH Atmospheric Pressure: 1020 mbar

#### 7.1.2 Test Mode Description

	The rest mode becompain					
Pre-scan / Final test	Mode Code	Description				
Final test	00	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or amail: CPU Doccheck@ass.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 13 of 135

### 7.1.3 Test Setup Diagram



#### 7.1.4 Measurement Procedure and Data

- 1) The mains terminal disturbance voltage test was conducted in a shielded room.
- 2) The EUT was connected to AC power source through a LISN 1 (Line Impedance Stabilization Network) which provides a  $50\text{ohm}/50\mu\text{H}$  + 5ohm linear impedance. The power cables of all other units of the EUT were connected to a second LISN 2, which was bonded to the ground reference plane in the same way as the LISN 1 for the unit being measured. A multiple socket outlet strip was used to connect multiple power cables to a single LISN provided the rating of the LISN was not exceeded.
- 3) The tabletop EUT was placed upon a non-metallic table 0.8m above the ground reference plane. And for floor-standing arrangement, the EUT was placed on the horizontal ground reference plane.
- 4) The test was performed with a vertical ground reference plane. The rear of the EUT shall be 0.4 m from the vertical ground reference plane. The vertical ground reference plane was bonded to the horizontal ground reference plane. The LISN 1 was placed 0.8 m from the boundary of the unit under test and bonded to a ground reference plane for LISNs mounted on top of the ground reference plane. This distance was between the closest points of the LISN 1 and the EUT. All other units of the EUT and associated equipment was at least 0.8 m from the LISN 2.
- 5) In order to find the maximum emission, the relative positions of equipment and all of the interface cables must be changed according to ANSI C63.10 on conducted measurement.

Remark: Level=Read Level+ Cable Loss+ LISN Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Indeptor Indept




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 14 of 135

Test Mode: 00; Line: Live line



Site : Shielding Room

Condition: Line Job No. : 00414AT

Test mode: 00

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.4837	0.01	0.27	31.95	32.23	46.27	-14.04	Average
2	0.4837	0.01	0.27	41.71	41.99	56.27	-14.28	QP
3	0.5063	0.01	0.27	39.37	39.65	46.00	-6.35	Average
4	0.5063	0.01	0.27	49.36	49.64	56.00	-6.36	QP
5	0.5823	0.04	0.25	18.39	18.68	46.00	-27.32	Average
6	0.5823	0.04	0.25	31.61	31.90	56.00	-24.10	QP
7	0.9331	0.02	0.20	15.84	16.06	46.00	-29.94	Average
8	0.9331	0.02	0.20	28.49	28.71	56.00	-27.29	QP
9	16.2256	0.05	0.15	22.92	23.12	50.00	-26.88	Average
10	16.2256	0.05	0.15	29.47	29.67	60.00	-30.33	QP
11	21.7149	0.07	0.31	17.59	17.97	50.00	-32.03	Average
12	21.7149	0.07	0.31	29.52	29.90	60.00	-30.10	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or applied CPA Descheck/Bose scom.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 15 of 135

Test Mode: 00; Line: Neutral Line



Site : Shielding Room

Condition: Neutral Job No. : 00414AT

Test mode: 00

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.1825	0.02	0.30	16.50	16.82	54.37	-37.55	Average
2	0.1825	0.02	0.30	27.62	27.94	64.37	-36.43	QP
3	0.4837	0.01	0.27	29.53	29.81	46.27	-16.46	Average
4	0.4837	0.01	0.27	37.54	37.82	56.27	-18.45	QP
5	0.5101	0.01	0.26	36.79	37.06	46.00	-8.94	Average
6	0.5101	0.01	0.26	44.76	45.03	56.00	-10.97	QP
7	0.9684	0.02	0.07	15.79	15.88	46.00	-30.12	Average
8	0.9684	0.02	0.07	26.27	26.36	56.00	-29.64	QP
9	16.2256	0.05	0.19	24.40	24.64	50.00	-25.36	Average
10	16.2256	0.05	0.19	31.63	31.87	60.00	-28.13	QP
11	21.7149	0.07	0.34	17.15	17.56	50.00	-32.44	Average
12	21.7149	0.07	0.34	26.47	26.88	60.00	-33.12	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or applied CPA Descheck/Bose scom.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 16 of 135

### 7.2 Conducted Peak Output Power

Test Requirement 47 CFR Part 15, Subpart C 15.247(b)(3)
Test Method: ANSI C63.10 (2013) Section 11.9.2

Limit:

Frequency range(MHz)	Output power of the intentional radiator(watt)		
	1 for ≥50 hopping channels		
902-928	0.25 for 25≤ hopping channels <50		
	1 for digital modulation		
	1 for ≥75 non-overlapping hopping channels		
2400-2483.5	0.125 for all other frequency hopping systems		
	1 for digital modulation		
5725-5850 1 for frequency hopping systems and digital modulation			

### 7.2.1 E.U.T. Operation

Operating Environment:

Temperature: 22.3 °C Humidity: 41.0 % RH Atmospheric Pressure: 1020 mbar

7.2.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	00	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or applied CPA Descheck/Bose scom.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 17 of 135

### 7.2.3 Test Setup Diagram



**Ground Reference Plane** 

### 7.2.4 Measurement Procedure and Data

Note: Since the verify power the same operating range bandwidth and smaller power can be covered by the higher power.

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, \*\*Castili (24) \*\*Doceshock/Pages com.\*\*



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 18 of 135

### 7.3 Minimum 6dB Bandwidth

Test Requirement 47 CFR Part 15, Subpart C 15.247a(2)
Test Method: ANSI C63.10 (2013) Section 11.8.1

Limit:

≥500 kHz

### 7.3.1 E.U.T. Operation


Operating Environment:

Temperature: 22.3 °C Humidity: 41.0 % RH Atmospheric Pressure: 1020 mbar

7.3.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	00	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.

### 7.3.3 Test Setup Diagram



#### 7.3.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or applied CPA Descheck/Bose scom.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 19 of 135

### 7.4 Power Spectrum Density

Test Requirement 47 CFR Part 15, Subpart C 15.247(e)
Test Method: ANSI C63.10 (2013) Section 11.10.2

Limit:

≤8dBm in any 3 kHz band during any time interval of continuous transmission

### 7.4.1 E.U.T. Operation


Operating Environment:

Temperature: 22.3 °C Humidity: 41.0 % RH Atmospheric Pressure: 1020 mbar

### 7.4.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	00	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.

### 7.4.3 Test Setup Diagram



#### 7.4.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, remails CPU Descheck@ass.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 20 of 135

### 7.5 Conducted Band Edges Measurement

Test Requirement 47 CFR Part 15, Subpart C 15.247(d)
Test Method: ANSI C63.10 (2013) Section 11.13.3.2

Limit:

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB. Attenuation below the general limits specified in §15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a) (see §15.205(c).

### 7.5.1 E.U.T. Operation

Operating Environment:

Temperature: 22.3 °C Humidity: 41.0 % RH Atmospheric Pressure: 1020 mbar

#### 7.5.2 Test Mode Description

1.0.2 1 CSt 14		our pulou
Pre-scan / Final test	Mode Code	Description
Final test	00	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Indeptor Indept




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 21 of 135

### 7.5.3 Test Setup Diagram



### 7.5.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authernicity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 22 of 135

### 7.6 Conducted Spurious Emissions

Test Requirement 47 CFR Part 15, Subpart C 15.247(d)
Test Method: ANSI C63.10 (2013) Section 11.11

Limit:

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB. Attenuation below the general limits specified in §15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a) (see §15.205(c).

### 7.6.1 E.U.T. Operation

Operating Environment:

Temperature: 22.3 °C Humidity: 41.0 % RH Atmospheric Pressure: 1020 mbar

#### 7.6.2 Test Mode Description

7.0.2 10001		
Pre-scan / Final test	Mode Code	Description
Final test	00	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To cleck the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 23 of 135

### 7.6.3 Test Setup Diagram



### 7.6.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authernicity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 24 of 135

### 7.7 Radiated Emissions which fall in the restricted bands

Test Requirement 47 CFR Part 15, Subpart C 15.205 & 15.209

Test Method: ANSI C63.10 (2013) Section 6.10.5

Measurement Distance: 3m

Limit:

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30.0	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

Remark: The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector except for the frequency bands 9-90kHz, 110-490kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation.

### 7.7.1 E.U.T. Operation

Operating Environment:

Temperature: 22.3 °C Humidity: 41.0 % RH Atmospheric Pressure: 1020 mbar

#### 7.7.2 Test Mode Description

		•
Pre-scan / Final test	Mode Code	Description
Final test	00	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Document spt. Hittp://www.sgs.com/en/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of lesting finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 25 of 135

### 7.7.3 Test Setup Diagram





30MHz-1GHz

Above 1GHz

#### 7.7.4 Measurement Procedure and Data

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- g. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.
- h. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- j. Repeat above procedures until all frequencies measured was complete.

Remark 1: Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor

Remark 2: For frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. For the emissions whose peak level is lower than the average limit, only the peak measurement is shown in the report.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-an



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 26 of 135



Site : chamber

1 2 3

Condition: 3m HORIZONTAL
Job No : 00414AT/00415AT
Mode : 2412 Band edge
Note : 2.4G WIFI 11B

	Cable	Ant	Preamp	Read		Limit	0ver	
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
2373.083	5.04	27.12	32.50	55.59	55.25	74.00	-18.75	peak
2390.000								•
. 2412.000								•



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Termal-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Termal-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 27 of 135



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00414AT/00415AT
Mode : 2412 Band edge
Note : 2.4G WIFI 11B

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
			•			•			
1	2386.582	5.05	27.15	32.50	41.92	41.62	54.00	-12.38	Average
2	2390.000	5.05	27.16	32.50	41.79	41.50	54.00	-12.50	Average
3	. 2412.000	5.07	27.21	32.50	84.15	83.93	54.00	29.93	Average




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.rems-and-Condition



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 28 of 135



Site : chamber

1

Condition: 3m VERTICAL

Job No : 00414AT/00415AT Mode : 2412 Band edge Note : 2.4G WIFI 11B

	Cable	Ant	Preamp	Read		Limit	0ver	
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
2374.766	5.04	27.12	32.50	54.94	54.60	74.00	-19.40	Peak
2390.000	5.05	27.16	32.50	53.35	53.06	74.00	-20.94	Peak
2412 000	5 07	27 21	32 50	97 37	97 15	74 00	23 15	Peak




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.rems-and-Condition



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 29 of 135



Site : chamber

1

Condition: 3m VERTICAL

Job No : 00414AT/00415AT Mode : 2412 Band edge Note : 2.4G WIFI 11B

_										
		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
										_
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
	2389.484	5.05	27.16	32.50	42.19	41.90	54.00	-12.10	Average	
	2390.000	5.05	27.16	32.50	42.01	41.72	54.00	-12.28	Average	
	2412 000	5 07	27 21	32 50	94 78	94 56	54 00	40 56	Average	




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.rems-and-Condition



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 30 of 135



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00414AT/00415AT
Mode : 2462 Band edge
Note : 2.4G WIFI 11B

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1.	2462.000	5.10	27.32	32.50	87.16	87.08	74.00	13.08	peak
2	2483.500	5.12	27.36	32.50	54.19	54.17	74.00	-19.83	peak
3	2497.880	5.13	27.40	32.50	55.84	55.87	74.00	-18.13	peak






SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 31 of 135



Site : chamber

1 2

Condition: 3m HORIZONTAL
Job No : 00414AT/00415AT
Mode : 2462 Band edge
Note : 2.4G WIFI 11B

		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
	. 2462.000	5.10	27.32	32.50	84.00	83.92	54.00	29.92	Average	
)	2483.500	5.12	27.36	32.50	42.00	41.98	54.00	-12.02	Average	
,	2498.990	5.13	27.40	32.50	42.38	42.41	54.00	-11.59	Average	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits to Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Natural Content or appearance of the company is a state of the sample of a state of the sample of the sample



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 32 of 135



Site : chamber

1 2 3

Condition: 3m VERTICAL

Job No : 00414AT/00415AT Mode : 2462 Band edge Note : 2.4G WIFI 11B

_									
		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
	2462.000	5.10	27.32	32.50	97.51	97.43	74.00	23.43	Peak
	2483.500	5.12	27.36	32.50	54.38	54.36	74.00	-19.64	Peak
	2486.350	5.12	27.37	32.50	55.47	55.46	74.00	-18.54	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 33 of 135



Site : chamber

1 2 3

Condition: 3m VERTICAL

Job No : 00414AT/00415AT Mode : 2462 Band edge Note : 2.4G WIFI 11B

				Preamp						
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	——dB		_
	2462.000	F 40	27.22	72.50	04.00	04.00	F4 00	40.00		
	. 2462.000	5.10	2/.32	32.50	94.88	94.80	54.00	40.80	Average	
	2483.500	5.12	27.36	32.50	42.24	42.22	54.00	-11.78	Average	
3	2494.249	5.13	27.39	32.50	42.61	42.63	54.00	-11.37	Average	




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.rems-and-Condition



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 34 of 135



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00414AT/00415AT
Mode : 2412 Band edge
Note : 2.4G WIFI 11G

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	2311.170	5.00	26.98	32.50	55.49	54.97	74.00	-19.03	peak
2	2390.000	5.05	27.16	32.50	53.59	53.30	74.00	-20.70	peak
3.	2412.000	5.07	27.21	32.50	90.88	90.66	74.00	16.66	peak




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.rems-and-Condition



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 35 of 135



Site : chamber

1 2 3

Condition: 3m HORIZONTAL
Job No : 00414AT/00415AT
Mode : 2412 Band edge
Note : 2.4G WIFI 11G

		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
	2388.032	5.05	27.15	32.50	41.93	41.63	54.00	-12.37	Average	
)	2390.000	5.05	27.16	32.50	41.81	41.52	54.00	-12.48	Average	
;	. 2412.000	5.07	27.21	32.50	81.00	80.78	54.00	26.78	Average	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Termal-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Termal-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 36 of 135



Site : chamber

1

Condition: 3m VERTICAL

Job No : 00414AT/00415AT Mode : 2412 Band edge Note : 2.4G WIFI 11G

Freq						Limit Line		Remark	
MHz	dB	dB/m	——dB	dBuV	dBuV/m	dBuV/m	——dB		-
2380.426									
2390.000									




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.rems-and-Condition



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 37 of 135



Site : chamber

1

Condition: 3m VERTICAL

Job No : 00414AT/00415AT Mode : 2412 Band edge Note : 2.4G WIFI 11G

			Preamp					
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
MHz	dB	dB/m	dB	dBuV	$\overline{\text{dBuV/m}}$	$\overline{\text{dBuV/m}}$	dB	
2387.549	5 05	27 15	32 50	42 96	42 66	54 00	-11 34	Average
2390.000								_
2412 000	5 07	27 21	32 50	92 03	91 81	54 00	37 81	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Termal-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Termal-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 38 of 135



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00414AT/00415AT
Mode : 2462 Band edge
Note : 2.4G WIFI 11G

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1.	2462.000	5.10	27.32	32.50	90.67	90.59	74.00	16.59	peak
2	2483.500	5.12	27.36	32.50	54.04	54.02	74.00	-19.98	peak
3	2495.610	5.13	27.39	32.50	55.48	55.50	74.00	-18.50	peak






SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 39 of 135



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00414AT/00415AT
Mode : 2462 Band edge
Note : 2.4G WIFI 11G

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1.	2462.000	5.10	27.32	32.50	81.36	81.28	54.00	27.28	Average
2	2483.500	5.12	27.36	32.50	42.01	41.99	54.00	-12.01	Average
3	2494.904	5.13	27.39	32.50	42.38	42.40	54.00	-11.60	Average




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.rems-and-Condition



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 40 of 135



Site : chamber

Condition: 3m VERTICAL

Job No : 00414AT/00415AT Mode : 2462 Band edge Note : 2.4G WIFI 11G

		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1.	2462.000	5.10	27.32	32.50	101.34	101.26	74.00	27.26	Peak	
2	2483.500	5.12	27.36	32.50	55.12	55.10	74.00	-18.90	Peak	
3	2491.328	5.12	27.38	32.50	55.82	55.82	74.00	-18.18	Peak	




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.rems-and-Condition



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 41 of 135



Site : chamber

1 2 3

Condition: 3m VERTICAL

Job No : 00414AT/00415AT Mode : 2462 Band edge Note : 2.4G WIFI 11G

	Freq			Preamp Factor					Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		-
	2462.000	5.10	27.32	32.50	92.25	92.17	54.00	38.17	Average	
	2483.500	5.12	27.36	32.50	43.25	43.23	54.00	-10.77	Average	
3	2495.862	5.13	27.39	32.50	43.20	43.22	54.00	-10.78	Average	




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.rems-and-Condition



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 42 of 135



Site : chamber

1 2

Condition: 3m HORIZONTAL
Job No : 00414AT/00415AT
Mode : 2412 Band edge
Note : 2.4G WIFI 11N20

	Cable	Ant	Preamp	Read		Limit	0ver		
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
2341.803	5.02	27.05	32.50	55.42	54.99	74.00	-19.01	peak	
2390.000	5.05	27.16	32.50	53.54	53.25	74.00	-20.75	peak	
. 2412.000								•	




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.rems-and-Condition



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 43 of 135



Site : chamber

1

Condition: 3m HORIZONTAL
Job No : 00414AT/00415AT
Mode : 2412 Band edge
Note : 2.4G WIFI 11N20

	Cable	Ant	Preamp	Read		Limit	0ver		
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
•									
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		_
2386.461	5 05	27 15	32 50	<i>4</i> 1 91	41 61	54 00	-12 39	Average	
								_	
2390.000	5.05	2/.16	32.50	41./3	41.44	54.00	-12.56	Average	
2412 000	5.07	27.21	32.50	81 44	81.22	54.00	27.22	Average	




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.rems-and-Condition



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 44 of 135



Site : chamber

Condition: 3m VERTICAL

Job No : 00414AT/00415AT Mode : 2412 Band edge Note : 2.4G WIFI 11N20

	Fred		Ant						Remark
	1164	2033	ractor	ractor	Level	Level	LINE	LIMIC	Kellidi K
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	2385.857	5.05	27.15	32.50	55.58	55.28	74.00	-18.72	Peak
2	2390.000	5.05	27.16	32.50	54.23	53.94	74.00	-20.06	Peak
3.	2412.000	5.07	27.21	32.50	102.47	102.25	74.00	28.25	Peak




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.rems-and-Condition



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 45 of 135



Site : chamber

1 2 3

Condition: 3m VERTICAL

Job No : 00414AT/00415AT Mode : 2412 Band edge Note : 2.4G WIFI 11N20

	Cable	Ant	Preamp	Read		Limit	0ver		
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
2388.032	5.05	27.15	32.50	43.31	43.01	54.00	-10.99	Average	
2390.000	5.05	27.16	32.50	42.94	42.65	54.00	-11.35	Average	
2412.000	5.07	27.21	32.50	92.70	92.48	54.00	38.48	Average	




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.rems-and-Condition



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 46 of 135



Site : chamber

2

Condition: 3m HORIZONTAL : 00414AT/00415AT Job No Mode : 2462 Band edge : 2.4G WIFI 11N20 Note

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark Freq MHz dB dB/m dB dBuV dBuV/m dBuV/m 1 . 2462.000 5.10 27.32 32.50 91.26 91.18 74.00 17.18 peak 2483.500 5.12 27.36 32.50 54.00 53.98 74.00 -20.02 peak 2499.748 5.13 27.40 32.50 55.50 55.53 74.00 -18.47 peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 47 of 135



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00414AT/00415AT
Mode : 2462 Band edge
Note : 2.4G WIFI 11N20

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
							-		
1.	2462.000	5.10	27.32	32.50	81.81	81.73	54.00	27.73	Average
2	2483.500	5.12	27.36	32.50	41.88	41.86	54.00	-12.14	Average
3	2499.495	5.13	27.40	32.50	42.21	42.24	54.00	-11.76	Average




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.rems-and-Condition



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 48 of 135



Site : chamber

Condition: 3m VERTICAL

Job No : 00414AT/00415AT Mode : 2462 Band edge Note : 2.4G WIFI 11N20

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	2462.000	5.10	27.32	32.50	102.27	102.19	74.00	28.19	Peak
2	2483.500	5.12	27.36	32.50	54.33	54.31	74.00	-19.69	Peak
3	2494.047	5.13	27.39	32.50	56.23	56.25	74.00	-17.75	Peak




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.rems-and-Condition



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 49 of 135



Site : chamber

1 2 3

Condition: 3m VERTICAL

Job No : 00414AT/00415AT Mode : 2462 Band edge Note : 2.4G WIFI 11N20

_	. 2	+C MII	1 1111/2							
		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
										_
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
	2462.000	5.10	27.32	32.50	93.06	92.98	54.00	38.98	Average	
2	2483.500	5.12	27.36	32.50	43.53	43.51	54.00	-10.49	Average	
}	2484.944	5.12	27.37	32.50	43.58	43.57	54.00	-10.43	Average	




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Ferms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Ferms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest ent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 50 of 135



Site : chamber

1 2 3

Condition: 3m HORIZONTAL
Job No : 00414AT/00415AT
Mode : 2422 Band edge
Note : 2.4G WIFI 11N40

	Cable	Ant	Preamp	Read		Limit	0ver	
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
2356.532	5.03	27.08	32.50	55.83	55.44	74.00	-18.56	peak
2390.000	5.05	27.16	32.50	54.29	54.00	74.00	-20.00	peak
2422.000	5.08	27.23	32.50	91.40	91.21	74.00	17.21	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Termal-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Termal-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 51 of 135



Site : chamber

1

Condition: 3m HORIZONTAL
Job No : 00414AT/00415AT
Mode : 2422 Band edge
Note : 2.4G WIFI 11N40

	Cable	Ant	Preamp	Read		Limit	0ver		
Fred	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		_
					•	,			
2389.376	5.05	27.16	32.50	42.96	42.67	54.00	-11.33	Average	
2390.000								_	
. 2422.000								_	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Termal-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Termal-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 52 of 135



Site : chamber

Condition: 3m VERTICAL

Job No : 00414AT/00415AT Mode : 2422 Band edge Note : 2.4G WIFI 11N40

	Freq						Limit Line		Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	2389.526	5.05	27.16	32.50	63.59	63.30	74.00	-10.70	Peak
2	2390.000	5.05	27.16	32.50	60.35	60.06	74.00	-13.94	Peak
3.	2422.000	5.08	27.23	32.50	103.00	102.81	74.00	28.81	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Termal-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Termal-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 53 of 135



Site : chamber

1 2 3

Condition: 3m VERTICAL

Job No : 00414AT/00415AT Mode : 2422 Band edge Note : 2.4G WIFI 11N40

		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
	2389.376	5.05	27.16	32.50	47.73	47.44	54.00	-6.56	Average	
)	2390.000	5.05	27.16	32.50	47.62	47.33	54.00	-6.67	Average	
3	. 2422.000	5.08	27.23	32.50	93.86	93.67	54.00	39.67	Average	




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.rems-and-Condition



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 54 of 135



Site : chamber

1 2 3

Condition: 3m HORIZONTAL
Job No : 00414AT/00415AT
Mode : 2452 Band edge
Note : 2.4G WIFI 11N40

		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
										_
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
	. 2452.000	5.10	27.30	32.50	92.15	92.05	74.00	18.05	peak	
	2483.500	5.12	27.36	32.50	54.36	54.34	74.00	-19.66	peak	
;	2487.112	5.12	27.37	32.50	55.66	55.65	74.00	-18.35	peak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Termal-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Termal-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 55 of 135



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00414AT/00415AT
Mode : 2452 Band edge
Note : 2.4G WIFI 11N40

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
							-		
1.	2452.000	5.10	27.30	32.50	82.53	82.43	54.00	28.43	Average
2	2483.500	5.12	27.36	32.50	42.62	42.60	54.00	-11.40	Average
3	2490.787	5.12	27.38	32.50	43.11	43.11	54.00	-10.89	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Termal-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Termal-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 56 of 135



Site : chamber

Condition: 3m VERTICAL

Job No : 00414AT/00415AT Mode : 2452 Band edge Note : 2.4G WIFI 11N40

				_					
		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1.	2452.000	5.10	27.30	32.50	103.14	103.04	74.00	29.04	Peak
2	2483.500	5.12	27.36	32.50	61.76	61.74	74.00	-12.26	Peak
3	2484.641	5.12	27.37	32.50	63.98	63.97	74.00	-10.03	Peak




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.rems-and-Condition



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 57 of 135



Site : chamber

Condition: 3m VERTICAL

Job No : 00414AT/00415AT Mode : 2452 Band edge Note : 2.4G WIFI 11N40

	Freq						Limit Line		
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
2		5.12	27.36	32.50	47.79	47.77	54.00	-6.23	Average
3	2483.935	5.12	27.37	32.50	47.55	47.54	54.00	-6.46	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.rems-and-Condition



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 58 of 135

## 7.8 Radiated Spurious Emissions Below 1GHz

Test Requirement 47 CFR Part 15, Subpart C 15.205 & 15.209

Test Method: ANSI C63.10 (2013) Section 6.4,6.5

Measurement Distance: 3m

### Limit:

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30.0	30	30
30-88	100	3
88-216	150	3
216-960	200	3
960-1000	500	3

### 7.8.1 E.U.T. Operation

Operating Environment:

Temperature: 22.3 °C Humidity: 41.0 % RH Atmospheric Pressure: 1020 mbar

### 7.8.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	00	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or amail: CAI Doccheck@ss.com





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 59 of 135

## 7.8.3 Test Setup Diagram





Below 30MHz

30MHz-1GHz

### 7.8.4 Measurement Procedure and Data

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- f. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using quasi-peak method as specified and then reported in a data sheet.
- g. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- i. Repeat above procedures until all frequencies measured was complete. Remark:
- 1. Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor
- 2. Scan from 9kHz to 30MHz, the disturbance below 30MHz was very low. The points marked on above plots are the highest emissions could be found when testing, so only above points had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.
- 3. The disturbance below 1GHz was very low and the harmonics were the highest point could be found when testing, so only the above harmonics had been displayed.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request for accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 60 of 135

Test Mode: 00; Polarity: Horizontal



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00414AT

Mode : 00

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz			——dB		dPul//m	dPuV/m	——dB	
	MITZ	ub	ub/III	ub	ubuv	ubuv/III	ubuv/III	ub	
1	30.6379	0.20	15.88	26.03	33.58	23.63	40.00	-16.37	QP
2	58.8185	0.27	16.88	25.93	31.73	22.95	40.00	-17.05	QP
3	110.5687	0.94	15.24	25.58	40.54	31.14	43.50	-12.36	QP
4	143.3261	0.95	17.44	25.53	33.93	26.79	43.50	-16.71	QP
5	195.8220	0.69	15.27	25.48	36.66	27.14	43.50	-16.36	QP
6	354.1831	1.53	19.73	25.43	30.34	26.17	46.00	-19.83	OP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or applied CPA Descheck/Bose scom"




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 61 of 135

Test Mode: 00; Polarity: Vertical



Site : chamber

Condition: 3m VERTICAL Job No : 00414AT

Mode : 00

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	34.6385	0.19	15.54	26.02	44.99	34.70	40.00	-5.30	QP
2	58.8185	0.27	16.88	25.93	45.15	36.37	40.00	-3.63	QP
3	66.2662	0.27	16.47	25.88	44.25	35.11	40.00	-4.89	QP
4	108.6470	0.93	15.22	25.58	49.82	40.39	43.50	-3.11	QP
5	147.9214	0.92	17.43	25.53	40.26	33.08	43.50	-10.42	QP
6	193.7728	0.68	15.35	25.48	41.29	31.84	43.50	-11.66	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or applied CPA Descheck/Bose scom"



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 62 of 135

## 7.9 Radiated Spurious Emissions Above 1GHz

Test Requirement 47 CFR Part 15, Subpart C 15.205 & 15.209

Test Method: ANSI C63.10 (2013) Section 6.6

Measurement Distance: 3m

### Limit:

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)
Above 1000	500	3

## 7.9.1 E.U.T. Operation


Operating Environment:

Temperature: 22.3 °C Humidity: 41.0 % RH Atmospheric Pressure: 1020 mbar

## 7.9.2 Test Mode Description

7.0.2 TOST IV		
Pre-scan / Final test	Mode Code	Description
Final test	00	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.

### 7.9.3 Test Setup Diagram



Above 1GHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Rectronic format documents, subject to Terms and Conditions for Electronic Documents and the This Terms-and-Conditions/Terms-and-Conditions-a



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 63 of 135

#### 7.9.4 Measurement Procedure and Data

- a. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- f. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak or average method as specified and then reported in a data sheet.
- g. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- i. Repeat above procedures until all frequencies measured was complete.

#### Remark:

- 1. Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor
- 2. Scan from 1GHz to 25GHz, the disturbance above 18GHz was very low. The points marked on above plots are the highest emissions could be found when testing, so only above points had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.
- 3. As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. For the emissions whose peak level is lower than the average limit, only the peak measurement is shown in the report.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Indeptor Indept



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 64 of 135



Site : chamber

Condition: 3m HORIZONTAL Job No : 00414AT/00415AT Mode : 2412 TX RSE

: 2.4G WIFI 11B

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1692.231	4.18	24.99	52.96	63.85	40.06	74.00	-33.94	peak
2	4304.400	7.48	29.94	52.90	65.98	50.50	74.00	-23.50	peak
3	4824.000	8.02	30.99	53.05	64.21	50.17	74.00	-23.83	peak
4	6545.263	7.75	34.71	53.19	63.77	53.04	74.00	-20.96	peak
5	7236.000	8.31	36.09	53.52	62.16	53.04	74.00	-20.96	peak
6	9648.000	11.38	37.62	53.54	57.52	52.98	74.00	-21.02	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Termal-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Termal-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 65 of 135



Site : chamber

Condition: 3m VERTICAL

Job No : 00414AT/00415AT

Mode : 2412 TX RSE

: 2.4G WIFI 11B

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1648.778	4.09	24.90	52.93	64.87	40.93	74.00	-33.07	peak
2	4367.058	7.48	30.02	52.92	66.73	51.31	74.00	-22.69	peak
3	4824.000	8.02	30.99	53.05	64.67	50.63	74.00	-23.37	peak
4	6414.167	7.69	34.23	53.10	64.58	53.40	74.00	-20.60	peak
5	7236.000	8.31	36.09	53.52	61.94	52.82	74.00	-21.18	peak
6	9648.000	11.38	37.62	53.54	57.68	53.14	74.00	-20.86	peak




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.rems-and-Condition



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 66 of 135



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00414AT/00415AT

Mode : 2437 TX RSE

: 2.4G WIFI 11B

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1677.621	4.15	24.96	52.95	64.76	40.92	74.00	-33.08	peak
2	4456.315	7.47	30.14	52.95	66.41	51.07	74.00	-22.93	peak
3	4874.000	8.10	31.11	53.07	64.63	50.77	74.00	-23.23	peak
4	6934.778	8.13	35.65	53.46	62.89	53.21	74.00	-20.79	peak
5	7311.000	8.34	36.18	53.53	62.70	53.69	74.00	-20.31	peak
6	9748.000	11.30	37.84	53.44	57.96	53.66	74.00	-20.34	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Termal-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Termal-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 67 of 135



Site : chamber

Condition: 3m VERTICAL

Job No : 00414AT/00415AT

Mode : 2437 TX RSE

: 2.4G WIFI 11B

		TO MILI	1 110						
	Freq			Preamp Factor					
	MHz	dB	dB/m	——dB	dBuV	dBuV/m	dBuV/m	——dB	
1	1702.042	4.20	25.01	52.96	64.40	40.65	74.00	-33.35	peak
2	4417.841	7.47	30.09	52.93	66.42	51.05	74.00	-22.95	peak
3	4874.000	8.10	31.11	53.07	64.64	50.78	74.00	-23.22	peak
4	6954.852	8.15	35.70	53.47	62.50	52.88	74.00	-21.12	peak
5	7311.000	8.34	36.18	53.53	62.46	53.45	74.00	-20.55	peak
6	9748.000	11.30	37.84	53.44	57.85	53.55	74.00	-20.45	peak




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.rems-and-Condition



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 68 of 135



: chamber

Condition: 3m HORIZONTAL Job No : 00414AT/00415AT

Mode : 2462 TX RSE

: 2.4G WIFI 11B

				Preamp					
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1702.042	4.20	25.01	52.96	63.88	40.13	74.00	-33.87	peak
2	4482.150	7.47	30.18	52.95	66.70	51.40	74.00	-22.60	peak
3	4924.000	8.18	31.23	53.08	64.77	51.10	74.00	-22.90	peak
4	6303.890	7.68	33.76	53.02	65.30	53.72	74.00	-20.28	peak
5	7386.000	8.38	36.27	53.54	62.62	53.73	74.00	-20.27	peak
6	9848.000	11.23	38.07	53.35	57.53	53.48	74.00	-20.52	peak




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.rems-and-Condition



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 69 of 135



Site : chamber

Condition: 3m VERTICAL

Job No : 00414AT/00415AT

Mode : 2462 TX RSE

: 2.4G WIFI 11B

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq			Factor					
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	-
1	1702.042	4.20	25.01	52.96	64.79	41.04	74.00	-32.96	peak
2	4367.058	7.48	30.02	52.92	66.92	51.50	74.00	-22.50	peak
3	4924.000	8.18	31.23	53.08	64.89	51.22	74.00	-22.78	peak
4	6679.040	7.88	35.04	53.29	63.50	53.13	74.00	-20.87	peak
5	7386.000	8.38	36.27	53.54	62.03	53.14	74.00	-20.86	peak
6	9848.000	11.23	38.07	53.35	57.33	53.28	74.00	-20.72	peak




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.rems-and-Condition



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 70 of 135



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00414AT/00415AT
Mode : 2412 TX RSE

: 2.4G WIFI 11G

Ant Preamp Read Limit Level Level Loss Factor Factor Line Limit Remark Freq MHz dBuV dBuV/m dBuV/m dB dB/m dB dB 1 1644.019 4.08 24.89 52.93 64.36 40.40 74.00 -33.60 peak 2 4291.977 7.48 29.92 52.89 67.01 51.52 74.00 -22.48 peak 3 4824.000 8.02 30.99 53.05 65.48 51.44 74.00 -22.56 peak 4 7.64 32.41 52.80 65.75 53.00 74.00 -21.00 peak 6001.626 5 7236.000 8.31 36.09 53.52 61.97 52.85 74.00 -21.15 peak 9648.000 11.38 37.62 53.54 57.93 53.39 74.00 -20.61 peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, \*\*Certail College Company of the content of the co



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 71 of 135



Site : chamber

Condition: 3m VERTICAL

Job No : 00414AT/00415AT

Mode : 2412 TX RSE

: 2.4G WIFI 11G

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1677.621	4.15	24.96	52.95	64.07	40.23	74.00	-33.77	peak
2	4109.872	7.49	29.66	52.84	66.11	50.42	74.00	-23.58	peak
3	4824.000	8.02	30.99	53.05	63.99	49.95	74.00	-24.05	peak
4	6526.373	7.73	34.67	53.18	64.07	53.29	74.00	-20.71	peak
5	7236.000	8.31	36.09	53.52	62.25	53.13	74.00	-20.87	peak
6	9648.000	11.38	37.62	53.54	58.06	53.52	74.00	-20.48	peak




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.rems-and-Condition



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 72 of 135



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00414AT/00415AT
Mode : 2437 TX RSE

: 2.4G WIFI 11G

Cable Ant Preamp Read Limit Over

Level Level Loss Factor Factor Line Limit Remark Freq dBuV dBuV/m dBuV/m MHz dB dB/m dB dB 1 1667.951 4.13 24.94 52.94 65.04 41.17 74.00 -32.83 peak 2 4218.186 7.48 29.82 52.87 67.02 51.45 74.00 -22.55 peak 3 4874.000 8.10 31.11 53.07 65.05 51.19 74.00 -22.81 peak 4 6340.436 7.68 33.92 53.05 64.96 53.51 74.00 -20.49 peak 5 7311.000 8.34 36.18 53.53 62.83 53.82 74.00 -20.18 peak 9748.000 11.30 37.84 53.44 57.90 53.60 74.00 -20.40 peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 73 of 135



Site : chamber

Condition: 3m VERTICAL

Job No : 00414AT/00415AT

Mode : 2437 TX RSE

: 2.4G WIFI 11G

		6 1 7		_				~	
		Cable	Ant	Preamp	Kead		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1658.337	4.11	24.92	52.94	64.23	40.32	74.00	-33.68	peak
2	4206.011	7.48	29.80	52.87	66.78	51.19	74.00	-22.81	peak
3	4874.000	8.10	31.11	53.07	64.47	50.61	74.00	-23.39	peak
4	6855.063	8.05	35.46	53.40	62.78	52.89	74.00	-21.11	peak
5	7311.000	8.34	36.18	53.53	62.29	53.28	74.00	-20.72	peak
6	9748.000	11.30	37.84	53.44	57.58	53.28	74.00	-20.72	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Termal-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Termal-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 74 of 135



Site : chamber

1

2

3

4

5

Condition: 3m HORIZONTAL
Job No : 00414AT/00415AT
Mode : 2462 TX RSE

: 2.4G WIFI 11G

Ant Preamp Read Limit Level Level Loss Factor Factor Line Limit Remark Freq MHz dBuV dBuV/m dBuV/m dB dB/m dB dB 1639.274 4.07 24.88 52.93 64.86 40.88 74.00 -33.12 peak 30.11 52.94 67.53 52.17 74.00 -21.83 peak 4430.628 7.47 4924.000 8.18 31.23 53.08 64.73 51.06 74.00 -22.94 peak 6737.207 7.94 35.18 53.33 63.53 53.32 74.00 -20.68 peak 7386.000 8.38 36.27 53.54 62.22 53.33 74.00 -20.67 peak

9848.000 11.23 38.07 53.35 57.81 53.76 74.00 -20.24 peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 75 of 135



Site : chamber

Condition: 3m VERTICAL

Job No : 00414AT/00415AT

Mode : 2462 TX RSE

: 2.4G WIFI 11G

		TO MILI	1 110						
	Freq			Preamp Factor					
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1648.778	4.09	24.90	52.93	65.03	41.09	74.00	-32.91	peak
2	4430.628	7.47	30.11	52.94	67.31	51.95	74.00	-22.05	peak
3	4924.000	8.18	31.23	53.08	65.06	51.39	74.00	-22.61	peak
4	6340.436	7.68	33.92	53.05	65.29	53.84	74.00	-20.16	peak
5	7386.000	8.38	36.27	53.54	61.95	53.06	74.00	-20.94	peak
6	9848.000	11.23	38.07	53.35	57.45	53.40	74.00	-20.60	peak




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.rems-and-Condition



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 76 of 135



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00414AT/00415AT

Mode : 2412 TX RSE

: 2.4G WIFI 11N20

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1702.042	4.20	25.01	52.96	64.66	40.91	74.00	-33.09	peak
2	4267.237	7.48	29.88	52.89	67.20	51.67	74.00	-22.33	peak
3	4824.000	8.02	30.99	53.05	64.83	50.79	74.00	-23.21	peak
4	6995.172	8.19	35.79	53.50	62.89	53.37	74.00	-20.63	peak
5	7236.000	8.31	36.09	53.52	62.85	53.73	74.00	-20.27	peak
6	9648.000	11.38	37.62	53.54	58.30	53.76	74.00	-20.24	peak




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.rems-and-Condition



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 77 of 135



Site : chamber

Condition: 3m VERTICAL

Job No : 00414AT/00415AT

Mode : 2412 TX RSE

: 2.4G WIFI 11N20

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
L	1672.779	4.14	24.95	52.95	63.67	39.81	74.00	-34.19	peak
2	4242.641	7.48	29.85	52.88	65.92	50.37	74.00	-23.63	peak
3	4824.000	8.02	30.99	53.05	65.06	51.02	74.00	-22.98	peak
1	6507.536	7.71	34.62	53.17	64.64	53.80	74.00	-20.20	peak
5	7236.000	8.31	36.09	53.52	62.72	53.60	74.00	-20.40	peak
5	9648.000	11.38	37.62	53.54	58.54	54.00	74.00	-20.00	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Termal-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Termal-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 78 of 135



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00414AT/00415AT

Mode : 2437 TX RSE

: 2.4G WIFI 11N20

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	-
1	1697.129	4.19	25.00	52.96	63.59	39.82	74.00	-34.18	peak
2	4354.454	7.48	30.00	52.91	67.65	52.22	74.00	-21.78	peak
3	4874.000	8.10	31.11	53.07	64.53	50.67	74.00	-23.33	peak
4	6954.852	8.15	35.70	53.47	63.29	53.67	74.00	-20.33	peak
5	7311.000	8.34	36.18	53.53	62.76	53.75	74.00	-20.25	peak
6	9748.000	11.30	37.84	53.44	57.99	53.69	74.00	-20.31	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Termal-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Termal-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 79 of 135



Site : chamber

Condition: 3m VERTICAL

Job No : 00414AT/00415AT

Mode : 2437 TX RSE

: 2.4G WIFI 11N20

		TO MILI		•					
		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	-
1	1634.543	4.06	24.87	52.93	64.09	40.09	74.00	-33.91	peak
2	4392.376	7.47	30.06	52.93	65.89	50.49	74.00	-23.51	peak
3	4874.000	8.10	31.11	53.07	64.61	50.75	74.00	-23.25	peak
4	6377.195	7.69	34.08	53.08	64.90	53.59	74.00	-20.41	peak
5	7311.000	8.34	36.18	53.53	62.03	53.02	74.00	-20.98	peak
6	9748.000	11.30	37.84	53.44	57.54	53.24	74.00	-20.76	peak




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.rems-and-Condition



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 80 of 135



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00414AT/00415AT

Mode : 2462 TX RSE

: 2.4G WIFI 11N20

Cable Ant Preamp Read Limit On

Loss Factor Factor Level Level Line Limit Remark Freq MHz dBuV dBuV/m dBuV/m dB dB/m dB dB 1 1663.137 4.12 24.93 52.94 63.54 39.65 74.00 -34.35 peak 2 4133.699 7.48 29.70 52.84 66.53 50.87 74.00 -23.13 peak 3 4924.000 8.18 31.23 53.08 64.47 50.80 74.00 -23.20 peak 4 6659.763 7.86 34.99 53.27 63.33 52.91 74.00 -21.09 peak 5 7386.000 8.38 36.27 53.54 62.82 53.93 74.00 -20.07 peak 9848.000 11.23 38.07 53.35 57.62 53.57 74.00 -20.43 peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 81 of 135



Site : chamber

Condition: 3m VERTICAL

Job No : 00414AT/00415AT

Mode : 2462 TX RSE

: 2.4G WIFI 11N20

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq			Factor					
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1697.129	4.19	25.00	52.96	63.47	39.70	74.00	-34.30	peak
2	4443.453	7.47	30.12	52.94	67.23	51.88	74.00	-22.12	peak
3	4924.000	8.18	31.23	53.08	63.62	49.95	74.00	-24.05	peak
1	6894.806	8.09	35.55	53.43	62.81	53.02	74.00	-20.98	peak
5	7386.000	8.38	36.27	53.54	62.04	53.15	74.00	-20.85	peak
6	9848.000	11.23	38.07	53.35	57.11	53.06	74.00	-20.94	peak




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.rems-and-Condition



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 82 of 135



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00414AT/00415AT

Mode : 2422 TX RSE

: 2.4G WIFI 11N40

Cable Ant Preamp Read Limit Ov

Loss Factor Factor Level Level Line Limit Remark Freq dBuV dBuV/m dBuV/m MHz dB dB/m dB dB 1 1672.779 4.14 24.95 52.95 63.68 39.82 74.00 -34.18 peak 66.82 51.36 74.00 -22.64 peak 2 4329.354 7.48 29.97 52.91 3 4844.000 8.05 31.04 53.06 65.33 51.36 74.00 -22.64 peak 4 6874.906 35.51 53.42 63.25 53.41 74.00 -20.59 peak 8.07 5 7266.000 8.32 36.12 53.53 62.27 53.18 74.00 -20.82 peak 9688.000 11.35 37.71 53.50 58.40 53.96 74.00 -20.04 peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or applied CPA Descheck/Bose scom.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 83 of 135



Site : chamber

Condition: 3m VERTICAL

Job No : 00414AT/00415AT

Mode : 2422 TX RSE

: 2.4G WIFI 11N40

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1644.019	4.08	24.89	52.93	63.57	39.61	74.00	-34.39	peak
2	4291.977	7.48	29.92	52.89	66.31	50.82	74.00	-23.18	peak
3	4844.000	8.05	31.04	53.06	64.44	50.47	74.00	-23.53	peak
4	6835.278	8.03	35.41	53.39	63.36	53.41	74.00	-20.59	peak
5	7266.000	8.32	36.12	53.53	62.93	53.84	74.00	-20.16	peak
6	9688.000	11.35	37.71	53.50	57.82	53.38	74.00	-20.62	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Termal-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Termal-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 84 of 135



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00414AT/00415AT

Mode : 2437 TX RSE

: 2.4G WIFI 11N40

				Preamp					
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1687.347	4.17	24.98	52.95	63.82	40.02	74.00	-33.98	peak
2	4341.886	7.48	29.99	52.91	67.17	51.73	74.00	-22.27	peak
3	4874.000	8.10	31.11	53.07	64.33	50.47	74.00	-23.53	peak
4	6954.852	8.15	35.70	53.47	63.14	53.52	74.00	-20.48	peak
5	7311.000	8.34	36.18	53.53	62.68	53.67	74.00	-20.33	peak
6	9748.000	11.30	37.84	53.44	58.17	53.87	74.00	-20.13	peak




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.rems-and-Condition



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 85 of 135



Site : chamber

Condition: 3m VERTICAL

Job No : 00414AT/00415AT

Mode : 2437 TX RSE

: 2.4G WIFI 11N40

		TO WILL							
		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	-
1	1663.137	4.12	24.93	52.94	63.88	39.99	74.00	-34.01	peak
2	4329.354	7.48	29.97	52.91	67.53	52.07	74.00	-21.93	peak
3	4874.000	8.10	31.11	53.07	65.29	51.43	74.00	-22.57	peak
4	6583.209	7.78	34.81	53.22	63.97	53.34	74.00	-20.66	peak
5	7311.000	8.34	36.18	53.53	62.89	53.88	74.00	-20.12	peak
6	9748.000	11.30	37.84	53.44	57.44	53.14	74.00	-20.86	peak




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.rems-and-Condition



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 86 of 135



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00414AT/00415AT

Mode : 2452 TX RSE

: 2.4G WIFI 11N40

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	-
1	1697.129	4.19	25.00	52.96	64.45	40.68	74.00	-33.32	peak
2	4443.453	7.47	30.12	52.94	67.54	52.19	74.00	-21.81	peak
3	4904.000	8.15	31.18	53.07	65.52	51.78	74.00	-22.22	peak
4	6303.890	7.68	33.76	53.02	65.25	53.67	74.00	-20.33	peak
5	7356.000	8.36	36.23	53.54	62.20	53.25	74.00	-20.75	peak
6	9808.000	11.26	37.98	53.38	57.83	53.69	74.00	-20.31	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Termal-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Termal-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 87 of 135



Site : chamber

Condition: 3m VERTICAL

Job No : 00414AT/00415AT

Mode : 2452 TX RSE

: 2.4G WIFI 11N40

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1644.019	4.08	24.89	52.93	64.76	40.80	74.00	-33.20	peak
2	4316.859	7.48	29.95	52.90	66.93	51.46	74.00	-22.54	peak
3	4904.000	8.15	31.18	53.07	66.27	52.53	74.00	-21.47	peak
4	6914.763	8.11	35.60	53.44	63.57	53.84	74.00	-20.16	peak
5	7356.000	8.36	36.23	53.54	62.76	53.81	74.00	-20.19	peak
6	9808.000	11.26	37.98	53.38	58.11	53.97	74.00	-20.03	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Termal-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Termal-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 88 of 135

# 8 Test Setup Photo

Refer to Appendix – Setup Photos for FYCR2210000414AT.

# 9 EUT Constructional Details (EUT Photos)

Refer to Appendix - Photographs of EUT Constructional Details for FYCR2210000414AT



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or applie (24) Descheck@ess.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 89 of 135

# 10 Appendix

1. Duty Cycle

1.1 Ant1

#### 1.1.1 Test Result

Ant1									
Mode	TX Type	Frequency (MHz)	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)		
802.11b	SISO	2412	100.000	100.000	100.00	0.00	0.00		
		2437	100.000	100.000	100.00	0.00	0.00		
		2462	100.000	100.000	100.00	0.00	0.00		
802.11g	SISO	2412	100.000	100.000	100.00	0.00	0.00		
		2437	100.000	100.000	100.00	0.00	0.00		
		2462	100.000	100.000	100.00	0.00	0.00		
802.11n (HT20)	SISO	2412	100.000	100.000	100.00	0.00	0.00		
		2437	100.000	100.000	100.00	0.00	0.00		
		2462	100.000	100.000	100.00	0.00	0.00		
802.11n (HT40)	SISO	2422	100.000	100.000	100.00	0.00	0.00		
		2437	100.000	100.000	100.00	0.00	0.00		
		2452	100.000	100.000	100.00	0.00	0.00		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authernicity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 90 of 135

#### 1.1.2 Test Graph





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or amaile CPU Descheck@ses.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 91 of 135





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or applie (24) Descheck@ass.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 92 of 135





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or amaile CPU Descheck@ses.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 93 of 135





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or applie (24) Descheck@ass.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 94 of 135





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or amaile CPU Descheck@ses.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 95 of 135





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or applie (24) Descheck@ass.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 96 of 135

#### 2. Bandwidth

#### 2.1 OBW

#### 2.1.1 Test Result

Mode	TX	Frequency	ANIT	99% Occupied Bandwidth (MHz)	Verdict
	Туре	(MHz)	ANT	Result	
802.11b	SISO	2412	1 14.116		Pass
		2437	2437 1 14.114		Pass
		2462	1	14.117	Pass
802.11g	SISO	2412	1	17.373	Pass
		2437	1	17.269	Pass
		2462	1	17.350	Pass
802.11n (HT20)	SISO	2412	1	18.132	Pass
		2437	1	18.124	Pass
		2462	1	18.096	Pass
802.11n (HT40)	SISO	2422	1	36.547	Pass
		2437	1	36.546	Pass
		2452	1	36.467	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, remails CM Descheck@ass.com"




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 97 of 135

#### 2.1.2 Test Graph





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or amalic CND Descheck@ess.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 98 of 135





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, remails CPD Descheck@ass.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 99 of 135





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, remails CPU Descheck@ass.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 100 of 135





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, remails CPU Descheck@ass.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 101 of 135





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or amalic CND Descheck@ess.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 102 of 135





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or amail: CAD Doccheck@ess.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 103 of 135

#### 2.2 6dB BW

#### 2.2.1 Test Result

Mode	TX Type	Frequency (MHz)	ANT	6dB Bandwidth (MHz)		Vordict
				Result	Limit	Verdict
802.11b	SISO	2412	1	9.578	>=0.5	Pass
		2437	1	9.582	>=0.5	Pass
		2462	1	9.114	>=0.5	Pass
802.11g	SISO	2412	1	16.330	>=0.5	Pass
		2437	1	16.338	>=0.5	Pass
		2462	1	16.324	>=0.5	Pass
802.11n (HT20)	SISO	2412	1	17.589	>=0.5	Pass
		2437	1	17.578	>=0.5	Pass
		2462	1	17.554	>=0.5	Pass
802.11n (HT40)	SISO	2422	1	36.028	>=0.5	Pass
		2437	1	35.962	>=0.5	Pass
		2452	1	35.437	>=0.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, \*\*Canalic Clients of the Company Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, \*\*Canalic Clients of the Company Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, \*\*Canalic Clients of the Company Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, \*\*Canalic Clients of the Company Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, \*\*Canalic Clients of the Company Attention of the Company Atten




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 104 of 135

#### 2.2.2 Test Graph





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or amalic CND Descheck@ess.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 105 of 135





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or amalic CND Descheck@ess.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000041402

Page: 106 of 135





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN Doccheck@ss.com