



# Cynch

**Ambience made easy.**




## FEATURES & SPECS



- 1 1/2" Dia. by 3 7/16" H.
- 7W
- Up to 420Lm; 60Lm/W
- Up to 4,970 CBOP
- Beam spreads 13°–28°
- 0–90° tilt; 360° rotation
- CRI: 83 typ. (2700K, 3000K, 3500K, 4000K)  
92 typ. (2700K, 3000K)
- Binning: 3 MacAdam
- Accent or pendant
- Complete die-cast optical head
- Stamped steel mounting frame with integral mounting bars
- Field cuttable pendant cord
- Finish: matte white, matte black, matte silver
- Dimming: 120V ELV/TRIAC (standard)  
Lutron Hi-Lume  
0–10V

## CONNECTION


- **Magnetic fixture connection allows for infinite rotation, eliminating any mechanical stops. Patent Pending.**
- Quick connect power supply




## ACCENT AND PENDANT



## SINGLE FLUSH AND SEMI-RECESSED TRIM OPTIONS



## MULTIPLE FLUSH AND SEMI-RECESSED TRIM OPTIONS




# Cynch

Cynch creates visual ambience in hotels, restaurants, and retail environments. Cynch's magnetic connection gives it the ability to switch from accent to pendant in the field; a simple pull disconnects the mechanical connection. Cynch is easy to maintain and available in many styles. It's accent lighting in a Cynch.

For most updated performance and ordering information visit us at [amerlux.com](http://amerlux.com).





## You create the perfect setting

---

Cynch's magnetic pulls give you the flexibility to easily mix and match the right combination of accents and pendants, so you can create the perfect mood for any occasion.



#### Company Certifications:



3450 South Sam Houston Pkwy E., Suite 400  
Houston, TX 77047 USA  
T: 281.997.5400 | F: 281.997.5441

**Headquarters**  
178 Bauer Drive, Oakland, NJ 07436  
T: 973.882.5010 | F: 973.882.2605  
[amerlux.com](http://amerlux.com)  
© 2016 Amerlux, LLC

Oxidated Carpark 2nd Floor  
No. 124 Donghuan Road, Donghuan Jie  
Panyu, Guangzhou PRC 511400