

T10 FILAMENT LED BULB

Dimmer Compatibility Guide

Sunco Lighting Inc. ("Sunco") compatibility list is based upon testing conducted by the manufacturer in a lab simulated environment. Actual results may vary.



Brand	Model	
ADORNE	ADPD453LW2	X
	ADTP703TUW4	X
	ADWR703HW4	X
AH	SDM/600/WHTTE 600W	\square
	SDM3/1000/WHTTE 1000W	X
ALMOND	LUXDM600-12 600W	\square
APOLLO	SP-521 E184279-C	X
	CJUL-1D-300A	×
CONFORTO	COMODIDADE DLE-01	X
COOPER	AAL06-C1	X
	AAL06-C2-K	X
	DAL06P-C2-K	X
	SAL06D-PTA	X
	SAL06P-W-K	X
	TAL06P-C2-K	X
CRUS	E236731 120V-60HZ 100W	X
CTL	DM600-12-3/LED/WH 600W	\square
EATON	AAL06-C1	X
	SAL06P3	X
	TAL06P1-C5	X
GE	18024 600W	X
GEN	2.0 AC CONTROL 120VAC 60HZ	X
	2.0 DC CONTROL 120VAC 60HZ	X
	1.9 CONTROL 120VAC 60HZ	X
GLOBAL	CONTROL 100-240VAC 50/60HZ	×
HALO	SAL06P-W-HAL0GF2	×

Brand	Model	
LEGRAND	HCL453PTC	
	HCL453PW	X
	RHCL453PW	\bigvee
LEVITON	06674-002-10W	X
	600W 120VAC 60HZ	X
	603-6631-A 600W	\square
	6631-A 600W	\bigvee
	6631-LA 600W	\square
	6631-LA 600W	\bigvee
	6681	\square
	6683-10Z 600W	\bigvee
	6683-IW 600W	X
	6684 600W	\bigvee
	DDE06-BLZ 600W	\square
	DDL06 600W INC	X
	DDL06-001-1LZ	\square
	DDL06-010-BLZ	\square
	DDMX1-011-BLZ	\square
	DSE06-001-10Z	\bigvee
	DSL06-001-1LZ	\square
	DW6HD-1BZ	\bigvee
	IPE04-1LZ 400VA	X
	IPI06 600W	\bigvee
	IPI06-1LZ 600W	\square
	IPL06-011-10Z	\bigvee
	LIGHT ALMOND NO.6672 600W	\square

Continued...

We highly recommend using an LED dimmer that is also an ELV (electronic low voltage) dimmer. A buzzing or flickering light is typically an indication that the dimmer being used is not compatible with the lights. Please consult dimmer manufacturer for maximum lamps per dimmer capacity.

*May experience "pop-on", lights cannot be turned on immediately to their minimum level. The slider needs to be raised above the minimum light level for the lights to first turn on if they were initially off. Then, the slider can be lowered to get to a lower light level; the dimmer cannot be turned on to just the minimum level.




T10 FILAMENT LED BULB

Dimmer Compatibility Guide

Sunco Lighting Inc. ("Sunco") compatibility list is based upon testing conducted by the manufacturer in a lab simulated environment.

Actual results may vary.



Brand	Model		Brand	Model	
LEVITON	LIGHT ALMOND NO.6681 600W	V	LUTRON	CT-600PR-WH 600W	\square
	NO.6681 600W	X		CTCL-153PDH-WH	×
	NO.6683 600W	X		CTCL-153P-WH 600W	X
	RDL06-001-10Z	\square		D-600PH-3CK 600W	×
	S-600P-WH	V		D-600PH-DK 600W	\square
	SLIDE DIMMER	X		D-600RH-DK 600W	\square
	SLIDE DIMMER 3WAY	×		D-600R-IV 600W	$oxed{oxed}$
	SLIDE DIMMER NO.6672	X		D-600R-WH 600W	\square
	SLIDE DIMMER NO.6674	X		DIVA CL	X
	SLIDE DIMMER SURESLIDE	X		DIVA C-L	X
	SLIDE NO.IPL06 R50-IPL06-10M	X		DIVA DVELV-300P-WH	X
	TSM10-012-1LW	\boxtimes		DV-600PH-WH 600W	\square
	WHITE NO.6631 600W	\square		DV-600P-WH	oxdot
	WHITE NO.6674 600W	V		DV-603P 600W	\square
	WHITE NO.IPL06 600W	\square		DV-603PH-WH 600W	oxdot
	WHITE/LVORY/LIGHT IPI10-1LZ 600W	X		DV-603PH-WH 600W	\square
LNTERTEK	K243111000 120V 60HZ 300W	X		DV-603PR 600W	oxdot
	LUSDM600-15L	X		DVCL-153PH 600W	\square
LUTRON	AY-600PH-WH	\square		DVCL-153PR-WH	X
	AY-600P-WH	\square		DVCL-153P-WH	oxdot
	AYCL-153PH	\square		DVCL-153P-WH-3	oxdot
	AYCL-153P-WH	\square		DVCL-253PH	oxdot
	CASETA WIRELESS	X		DVELV-300P-WH 300W	X
	CL DIMMER TOGGLER	X		DVELV-303P-WH	oxdot
	CLEAR CONNECT WIRELESS	X		DVW-600PH-WH 600W	oxdot
	CT-103P-WH 1000W	\square		DVWCL-153PH-WH 600W	\square

Continued...

We highly recommend using an LED dimmer that is also an ELV (electronic low voltage) dimmer. A buzzing or flickering light is typically an indication that the dimmer being used is not compatible with the lights. Please consult dimmer manufacturer for maximum lamps per dimmer capacity.

*May experience "pop-on", lights cannot be turned on immediately to their minimum level. The slider needs to be raised above the minimum light level for the lights to first turn on if they were initially off. Then, the slider can be lowered to get to a lower light level; the dimmer cannot be turned on to just the minimum level.




T10 FILAMENT LED BULB

Dimmer Compatibility Guide

Sunco Lighting Inc. ("Sunco") compatibility list is based upon testing conducted by the manufacturer in a lab simulated environment.

Actual results may vary.



Brand	Model		Brand	Model	
LUTRON	DVWCL-153PH-WHC	\square	LUTRON	S-600PR-WH 600W	\square
	LECL-153PH-WH	\square		S-600P-WH	\square
	LGCL-153CL 600W	X		S-603PGH-WH 600W	×
	MACL-153MH-WH	\square		S-603PH-WH 600W	\square
	MACL-153MLH-WH	\square		SCL-153PH-WH	V
	MACL-153MLRHW-WH	\square		SCL-153PH-WH	
	MACL-153MR-WH	X		SCL-153P-WH 600W	\square
	MACL-153M-WH	\square		SELV-300P-WH	X
	MAELV-600-WH	\square			+
	MAESTRO	X		SKYLARK 600W	X
	MAESTRO MRF2S-6ND-120-SW	\boxtimes		SKYLARK SLV-600P-WH	X
	MAESTRO WIFI MRF2S-6ND-120-WH	\boxtimes		TG-600PH-IV 600W	\square
	MA-RH	X		TG-600PH-WH 600W	\square
	MAW-600 600W	X		TG-600PNLH-WH	\square
	MAW-600H-AL 600W	X		TG-603PGH-WH	X
	MAW-600H-WH 600W	X		TGCL-153PH-WH	\square
	MIR-600THW-WH	\boxtimes		TGCL-153PH-WH 600W	\square
	MRF2-6CL-WH	X		TGCL-153PLH-WH 600W	\boxtimes
	MSCL-0P153MH-WH	\square		P-PKG1W-WH	M
	NLV-1000-LA	X	MARTIN	JERRY MJ-SD01	X
	PD-6WCL-WH-P	X	MAXXIMA	MEW-DM600	
	P-PKG1W-WH-R	X			X
	RADIORA2 RRD-6CL-WH	\boxtimes	RHINE	UC7067RYE	
	S-10PH 1000W	\boxtimes	SMART	DIMMER MASTER 300W	X
	S-600 600W	\square	TAANCIL	DIM-L13B	X
	S-600-AL 600W	\square	TP-LINK	KASA SMART HS220	\boxtimes
	S-600H-WH 600W	\square	WATTSTOPPER	MICO DETECTOR DCD267-W	X
	S-600-IV 600W	\square	WEMO	F7C059	\square

We highly recommend using an LED dimmer that is also an ELV (electronic low voltage) dimmer. A buzzing or flickering light is typically an indication that the dimmer being used is not compatible with the lights. Please consult dimmer manufacturer for maximum lamps per dimmer capacity.

*May experience "pop-on", lights cannot be turned on immediately to their minimum level. The slider needs to be raised above the minimum light level for the lights to first turn on if they were initially off. Then, the slider can be lowered to get to a lower light level; the dimmer cannot be turned on to just the minimum level.