

Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA

Telephone: 773.869.1234 www.tripplite.com

# USB-A to Lightning Sync/Charge Coiled Cable, MFi Certified - Black, M/M, USB 2.0, 4 ft. (1.22 m)

# MODEL NUMBER: M100-004COIL-BK







Charge and sync your latest-generation iPhone, iPad and iPod using the USB-A port on your charger, laptop or desktop computer.

### Description

The M100-004COIL-BK USB Sync/Charge Coiled Cable connects your latest-generation iPhone, iPad or iPod to the USB-A port on your USB charger, laptop or desktop computer, so you can charge your Apple device and transfer data at the same time. The cable features a reversible Lightning plug that connects to your Apple device in either direction, ensuring a fast, fumble-free connection.

The M100-004COIL-BK is MFi-certified for use with the latest generation of iPhone, iPad and iPod devices

This four-foot cord is specially coiled to take up much less space than a normal cable, and has an effective length of 2-ft. (0.61 m) to 3-ft. (0.91 m) when in use. It also resists tangles and knots, making it convenient to store in your car or carry in your purse, backpack or laptop bag. Nickel-plated connectors ensure excellent conductivity, improving performance.

#### **Features**

Charge and Sync Your Latest-Generation iPhone, iPad and iPodUSB-A male plug connects to charger, laptop or desktop computer's USB portReversible Lightning male plug connects to Apple devices in either direction for fast, fumble-free connection

**MFi-Certified for Device Compatibility**Compatible with iPhone, iPad, iPad mini, iPad mini 2, iPad mini 3, iPad mini 4, iPad Air, iPad Air 2, iPad Pro 12.9 inch, iPad Pro 10.5 inch, iPad Pro 9.7 inch and iPod Touch devices with Lightning port

**Coiled to Take Up Less Space than Regular Cable**Effective length of 2 to 3-ft. (0.61 - 0.91 m) when in useResists tangles and knotsStores perfectly in car, purse, backpack or laptop bagNickel-plated connectors for excellent conductivity

# **Specifications**

OVERVIEW	
UPC Code	037332192110

### **Highlights**

- MFi-certified for use with iPhone, iPad and iPod devices
- Reversible Lightning plug connects in either direction
- Works with any computer or charger with a USB-A port
- 4 ft. cable is coiled to take up less space
- Effective length of 2-3-ft. (0.61 -0.91 m) when in use
- Nickel-plated connectors

## **Applications**

- Charge and sync your Apple iPhone, iPad or iPod using the USB-A port on your computer or a wall charger up to 4-ft. (1.22 m) away
- Transfer photos and other important files between an external hard drive and your Apple device

# **System Requirements**

- Device or charger with USB-A port
- Most current iPhone, iPad and iPod devices

# **Package Includes**

 M100-004COIL-BK USB Sync/Charge Coiled Cable with Lightning Connector (M/M), Black, 4-ft. (1.22 m)



Technology	Lightning; USB; USB 2.0 (High Speed)	
INPUT		
Maximum Input Amps	2	
POWER		
USB Power Delivery (PD) Charging Support	No	
CHARGING		
Total Charging Watts	12	
PHYSICAL		
Color	Black	
Material of Construction	PU, PVC	
Cable Jacket Material	PVC	
Cable Jacket Rating	VW-1	
Cable Outer Diameter (OD)	3.8mm	
Wire Gauge (AWG)	28/22	
Cable Length (ft.)	4	
Cable Length (m)	1.22	
Cable Length (in.)	48	
Shipping Dimensions (hwd / cm)	11.61 x 6.10 x 2.31	
Shipping Dimensions (hwd / in.)	4.57 x 2.40 x 0.91	
Shipping Weight (kg)	0.02	
Shipping Weight (lbs.)	0.05	
Unit Packaging Type	Вох	
ENVIRONMENTAL		
Operating Temperature Range	-4 to 140 F (-20 to 60 C)	
Storage Temperature Range	-4 to 176 F (-20 to 80 C)	
Operating Humidity Range	0% to 90% RH, Non-Condensing	
Storage Humidity Range	0% to 90% RH, Non-Condensing	
Power Provided to Connected Device(s)	12W (5V/2.4A)	
CONNECTIONS		
Side A - Connector 1	USB A (MALE)	
Side B - Connector 1	LIGHTNING (MALE)	



**Tripp Lite**1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234

Connector Plating	Nickel	
Contact Plating	Gold	
FEATURES & SPECIFICATIONS		
Data Transfer Rate	480 Mbps	
USB Specification	USB 2.0 (up to 480 Mbps)	
Angled Plug	No	
STANDARDS & COMPLIANCE		
Certifications	RoHS, CA65, REACH, MFi	
WARRANTY		
Product Warranty Period (Worldwide)	2-year limited warranty	

© 2021 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: <a href="https://www.tripplite.com/products/product-certification-agencies">https://www.tripplite.com/products/product-certification-agencies</a>