

A complete kitchen for your everyday essentials.

The easy way to perfect results




BOSCH

Invented for life



**EUROPE'S
BRAND NO.1***

*For major domestic appliances.
Source: Euromonitor, volume sales, 2018



Designed to make your everyday life easier.

Cooker hoods

A range of designs to suit your dream kitchen. From wall mount to island hoods, our whisper quiet cooker hoods will be a pleasant surprise.

Ovens

High-quality stainless steel combined with sleek black glass offers a timeless design, while sophisticated features deliver the best results meaning less work and more cooking pleasure.

Compact appliances

For lovers of cooking, you can add combination steam, pure steam or combination microwave ovens to your kitchen.

Coffee machine

For lovers of coffee, your favourite café can be right in your kitchen. The coffee machine design matches the Series 8 ovens for a seamless and coordinated look.

Warming drawers

Keep your coffee cups on hand for the morning cappuccino or warm up plates before serving dinner. You can also defrost, prove dough and so much more.

Hobs

Choose a hob to match your cooking style: From our revolutionary FlameSelect® gas hobs, innovative induction or traditional ceramic hobs.



Contents

Ovens	09–18
Series 8 ovens	14–15
Series 6, 4 & 2 ovens	16–18
Compact appliances	21–28
Series 8 compact appliances	24–25
Series 6 compact appliances	26
Series 8 coffee machine	27–28
Hobs	31–46
Gas hobs	35–36
Induction hobs	37–42
Radiant hobs	43–45
Cooker hoods	49–56
Wall-mounted cooker hoods	54–56
Island hoods	56
Reference guides	59–72



Bosch – a brand you can trust.



Design

Bosch is the No. 1 brand in design with over 300 design awards won over the past five years. This is more than any other home appliance brand and our promise to you is that every detail of every appliance has been carefully designed to make your time spent in the kitchen as enjoyable as possible.



Quality

Together with our years of experience in home appliances and latest German engineering, we manufacture quality products that are easy to use and yet deliver perfect results.



Performance

With Bosch Assist and advanced sensor technology found in PerfectBake™ and PerfectRoast™, your Bosch Series 8 ovens and compact appliances will modify the cooking process from start to finish for perfect baking and roasting results.



Convenience

A little peace of mind for your daily life at home with Bosch sensor technology for perfect cooking results. Our FlameSelect® gas hob technology will let you adjust power levels precisely and our self-cleaning functions will save you the trouble of cleaning up.



Sustainability

This signet denotes products that focus on energy and water efficiency while achieving top performance based on Bosch technologies – and, like all Bosch products, have been manufactured with the aim of minimizing their impact on the environment. The signet stands for the resource-efficiency of our products – quite simply, for their 'Green Technology'.

Ovens



Ovens | Design

Put a new spin on your cooking with the Bosch oven range.

Each Bosch control panel is simple and intuitive, making cooking easier than ever.

Series 8 TFT Touch Graphic Display



The iconic control ring and clear TFT screen display, combined with the DirectSelect TouchControl buttons, make operating the Series 8 ovens simpler than ever before. Food images and helpful prompts guide you through each step, giving you total flexibility and control of cooking functions.

Series 8 TFT Touch Symbol Display




The intuitive control ring and clear TFT display with DirectSelect icons make it easy to operate your oven. Shortcuts to the two most commonly used heating functions, helpful icons and clear descriptions inside the control ring provide all the information you need to keep track of your cooking.

Series 6 LCD-display



Series 6 ovens are equipped with a white LCD-display and retractable knobs. The temperature appears in the display and can be set using the +/- knob. During preheating, the rising temperature is indicated by the lengthening of the red light line. When the AutoPilot function is used, this red line becomes shorter as the program progresses.

Series 4 LED-display



The new LED-display is equipped with pop-out knobs for easier cleaning and comes with a red display. Up to 10 AutoPilot programs and cleaning functions as well as temperature adjustments are controlled via the display.

Ovens | Automatic functions

Bosch sensor technology. The oven that cooks by itself.

Series 8



Bosch Assist

The advanced sensor technology found in PerfectRoast™ and PerfectBake™ offers an extensive menu of food categories that help create your perfect meal. Simply select the desired dish, press start and your oven automatically sets the ideal heating mode, temperature and length of time, monitoring and modifying the cooking as required for the best results. Of course, you can also select these settings yourself every bit as easily.

PerfectBake™

Baking has never been easier, thanks to the unique PerfectBake™ sensor. This function constantly measures the precise moisture level of your dishes and automatically adjusts the entire baking process, which means you'll never have to set the heating mode, length of time or temperature ever again. Simply choose the type of dish, such as 'Cake in Tin', press start and let your Bosch oven bake your cake to perfection*.



PerfectRoast™ meat probe with 3 measuring points

Achieve the perfect roast lamb, Christmas turkey, stuffed meats and fish. The PerfectRoast™ meat probe features three sensitive measuring points and uses the lowest temperature reading to determine the core temperature before calculating the residual cooking time. The results are simply perfect. Used manually or with Bosch Assist, you can modify the suggested core temperature (within a recommended range) and combine with steam cooking functions.

AutoPilot with 10 automatic programs

The AutoPilot program helps achieve the best possible results with very little effort. Just insert your dish, enter its weight and select the desired program from the menu.

Series 6



Meat probe with 1 measuring point

A sensor inside the meat probe constantly measures the temperature at the core of the meat. The meat probe is connected to the oven, no manual regulation and interaction with the oven is needed. The oven gives an acoustic signal and switches off automatically as soon as the desired core temperature is reached.



AutoPilot with up to 30 automatic programs

The AutoPilot program will cook your dish to perfection with up to 30 recipes to choose from. Just add the weight of the fish or meat and press "Start" AutoPilot then determines the cooking mode, temperature and cooking duration.

Ovens | Cleaning functions

At last, someone in the house who enjoys cleaning up.

Anyone who has ever cleaned an oven by hand knows how exhausting and time-consuming it can be. This chore is now a thing of the past, thanks to pyrolytic self-cleaning and EcoClean Direct.

Pyrolytic self-cleaning: the oven that cleans itself*

During the pyrolytic cleaning function, the oven heats up to 465°C to burn off grease and food residue. This means you never have to clean your oven again.

Simply follow these 3 steps:

1. Activate the pyrolytic cleaning function.
2. Choose from three different cleaning levels, depending on the degree of residue that has accumulated.
3. Once the program is finished, wipe off the thin layer of ash in the base of the oven.




EcoClean Direct: makes cleaning easier*

While your dishes bake or roast, the special direct coating of microfine ceramic particles on the oven cavity walls absorbs grease and residue and breaks them down through oxidation.

Simply follow the steps below and reduce your cleaning time significantly:

1. Activate the EcoClean Direct cleaning program.
2. Once completed, clean remaining surfaces that don't have the special coating.
3. Wipe the base of the oven and inside of the glass door.



Universal pan and baking tray with ceramic non-stick coating^

In addition to the classic universal pan, Bosch is now offering a new universal pan and baking tray for Series 6 and 4 ovens with a ceramic non-stick coating. This special non-stick coating makes the surface easy to clean. And the ceramic coating has another advantage: You no longer need to use parchment paper or to grease the tray, which makes baking, roasting and cleaning much easier.



Features may vary depending on models. Please check individual product specifications.

*Please remove all accessories when activating the specific EcoClean Direct program.

#Metal racks may show slight discolouration after prolonged use of the pyrolytic function for selected Series 8 ovens. To prevent this you may choose to remove the wire racks during the pyrolytic cycle.

^Available as optional accessory

Ovens | Heating functions

Because there's hot, and then there's hot.

Perfect baking and roasting not only requires the right temperature, but also the appropriate heating function too. From 4D Hotair to slow cooking, Bosch ovens offer heating functions that deliver everything from haute cuisine to everyday feasts.

4D Hotair*

Thanks to 4D Hotair, you can place your food on any shelf from level one to four, and the results will be consistently perfect. The rotating fan alternates its direction during cooking to distribute heat evenly on every level. And for reliable results 'top to bottom', you can also bake and roast on up to four different levels simultaneously*.

3D Hotair

3D Hotair distributes the heat quickly and evenly throughout the entire oven cavity, allowing you to cook on up to three levels simultaneously. It's especially convenient when you need to cook both sweet and savoury dishes simultaneously without intermingling the flavours.

Hotair Eco/Gentle

Hotair Eco/Gentle uses less energy by using a single tray. This energy-efficient function distributes less heat into the oven and uses residual heat to maintain the set temperature.

Top and bottom heating*

Uses both the upper and lower heating elements. Heat travels to the centre of the oven, which is the best position to obtain the selected temperature. Suitable for traditional baking and roasting, and offers best results for cakes with moist toppings.

Top and bottom heat Eco

In addition to the top and bottom heat function, selected Series 8 ovens feature a new eco-friendly mode, which supports cooking on a single shelf for energy-efficient cooking. Prepare perfect sponges, pound cakes, delicate pastries and bread rolls while saving valuable energy.

Bottom heating

For cooking in a bain-marie and for the final baking stage. The heat is emitted from the lower heating element.

Intensive heating

Combines the top element with a more powerful bottom heating element that is perfect for crispy bases and baking in tins.

Hotair grilling*

Achieve rotisserie-style cooking for meat and poultry. The grill and fan alternate, which produces even and crisp cooking results.

Grill, large area

For grilling flat items, such as steaks and sausages, for making toast, and for cooking a gratin.

Grill, small area

For grilling small amounts of steaks or sausages, for making toast or where grilling on a smaller surface is required.

Pizza setting

Create crispy pizzas or give any dish that extra heat that's needed from underneath by using a combination of heating elements.

Keeping warm*

A new feature that keeps cooked food warm.

Slow cooking

For gentle and slow cooking of seared, tender pieces of meat in ovenware without a lid.

Preheat ovenware

A new feature that is useful for preheating ovenware and even dinnerware.

Desiccate

A new function for drying fruits, vegetables and herbs with maximum flavour. This function can also be used for drying out the oven cavity after the use of added steam function.

Sabbath mode

Set a maximum timer of up to 74 hours using the Sabbath function. You can keep the food in the cooking compartment warm without having to switch the oven on or off.

Rapid heating

With rapid heating, you can shorten the heat-up time for selected heating functions, including 4D Hotair and top and bottom heating.

Defrost

Perfect for gentle defrosting of meat, poultry, bread and much more.

Reheating*

For plated meals and baked items. Cooked food is gently reheated. The steam ensures the food does not dry out.

Dough proving*

For yeast dough and sourdough. Dough will rise considerably quicker than at room temperature. The surface of the dough does not dry out.

Features may vary depending on models. Please check individual product specifications.

*Possible to use added steam for this type of heating (operation only possible when the water tank is full).

*To cook on all four levels simultaneously, four wire racks are required for best results. For up to three levels, all accessories are suitable, ie. universal tray or baking tray.

Ovens | Features and functions

Features and functions
for everyday use.



Safety

SoftMove and SoftClose

SoftMove on Series 8 and SoftClose on Series 6 models is a special damping mechanism. Oven doors open and close softer and quieter than ever. This convenient feature not only offers a premium finish, it also protects the oven and door during the life of the oven.

CoolTouch doors

Bosch ovens meet the highest safety standards: The best Bosch CoolTouch oven doors reach a maximum temperature of only 30°C*. This means that curious children are even better protected against burns. The extra measure of safety is made possible by 30% better ventilation. It gives you a good feeling to know that with Bosch ovens nothing can go wrong.

Residual heat indicator

When the appliance is switched off, the display ring shows the residual heat in the cooking compartment. As the residual heat cools down, the display ring becomes darker, then disappears.

Cabinetry cooling fan

The fan circulates cool air around the oven to keep the appliance and the surrounding cabinetry free from the hot air vented by the oven.

Automatic switch-off

If left unattended the oven will switch off after a period of time.

Childproof lock

All Bosch ovens are equipped with a child lock that prevents unwanted changes to settings. The control panel is locked so the appliance can only be switched off using the On/Off button.

Optional door lock function on selected models.



Convenience

Half Trays

The new Series 6 and 4 slim sized universal pans are ideal for preparing two versions of the same dish. They're also perfect for smaller quantities. For example, cook potato wedges on one slim tray and stuffed tomatoes on a second one. Because the trays are separated, the liquid from the tomatoes won't flow into the potatoes. And when dishes need to be refrigerated before or after cooking, they also fit inside Bosch refrigerators – as well as our dishwashers for cleaning.

Telescopic rails system

The Bosch telescopic rails are fully or partially extendable (depending on model) and are ideal for loading and removing trays with ease. Whether you choose a single or double rails option, all shelves are compatible with microwave and steam cooking. Trays are also interchangeable between Series 8 full-sized ovens and compact appliances, excluding the pure steam compact oven.

ClipRail telescopic rails

Standard shelf systems provide no more than three positions for telescopic rails. For Series 6 ovens, Bosch is now offering one telescopic rail system for all levels. These new rails can be installed on any level – including the grill level for more convenient toasting. The level-independent rails are easy to install and uninstall. Therefore they can be easily clicked on a different level.

Oven clock and timer with programming

The electronic clock displays time of day and also acts as a countdown timer with an audible beep to indicate the end of the timer function. Programming adds extra convenience. Simply select the end-time (when you arrive home, eg. 6.30pm), the length of cooking, along with the cooking function and temperature, and the oven will do the rest.



Performance

Added steam function

Enhance your cooking results by adding a little bit of moisture from time to time, thanks to the added steam function. Whether you're reheating dishes, proving dough, baking or roasting, you can set the oven to automatically add bursts of steam, or you can add steam manually to regulate the intensity. Create succulent roasts and perfectly browned bread crusts with ease.

Precise temperature control

Electronic thermostats monitor the oven cavity temperature to maintain temperature consistency during the cooking process.

Extra large cavity

Bosch ovens offer up to 71 usable litres of cooking space and larger baking trays. The increased cavity creates more uniform baking results due to the improved heat circulation between the racks.

Lighting

Depending on the model, Bosch ovens and compact appliances offer our classic halogen lighting, LED ceiling light or the new multi-level LED lighting.

Energy-efficient LED lighting offers vibrant illumination and longevity. The multi-level LED lighting offers illumination on each level, which is exceptionally convenient when baking on multiple levels.

Integrated halogen lighting ensures the interior cavity is brightly lit. More efficient than standard lights, they are durable and are designed to last longer.

Ovens | Overview

Bosch ovens bring style
and elegance to your kitchen.

Series | 8



Series 8 | HRG6769S2B
Built-in 60cm Oven with Added Steam

Design	Cleaning
Stainless steel with black glass door	Pyrolytic self-cleaning function
TFT colour and graphics display with touch control buttons and rotary control ring	Descalc
LED elongated interior light	Drying - for drying the cooking compartment after the use of added steam function
Performance	Safety
Cavity: 71 litres	Quadruple glazed glass door (Max temperature: 30°C)
15 heating functions	Childproof lock
4D Hotair, Top/Bottom heat, Hotair Eco, Top/Bottom Eco, Hotair grilling, Grill - larger area, Grill - small area, Pizza setting, Intensive heat, Slow cooking, Bottom heat, Desiccate, Defrosting, Keep warm, Preheating ovenware	Automatic switch off
Additional heating methods with steam: reheating and dough proving	Residual heat indicator
Steam assisted baking / cooking	Power Rating
Features	Total electric connected load: 3.600 kW
Rapid heating function	Dimensions (HxWxD)
DishAssist programs	Product dimensions (H x W x D): 595 x 594 x 548 mm
PerfectBake sensor and PerfectRoast multipoint meat probe	Cut out dimensions (H x W x D): 585-595 x 560-568 x 550 mm
3 levels telescopic shelf rails	Accessories
SoftMove	2 x Wire rack
	1 x Universal pan
	1 x Multipoint meat probe



Series 8 | HSG636ES1
Built-in 60cm Steam Combination Oven

Design	Safety
Stainless steel with black glass door	Triple glazed glass door (Max temperature: 40°C)
TFT colour and graphics display with touch control buttons and rotary control ring	Childproof lock
LED interior light	Automatic switch off
Performance	Residual heat indicator
Cavity: 71 litres	Power Rating
12 heating functions	Total electric connected load: 3.650 kW
4D Hotair, Top/Bottom heat, Hotair Eco, Top/Bottom Eco, Hotair grilling, Grill - large area, Grill - small area, Pizza setting, Slow cooking, Bottom heat, Keep warm, Preheating ovenware	Dimensions (HxWxD)
Additional heating methods with steam: steaming, reheating, dough proving and defrosting	Product dimensions (H x W x D): 595 x 594 x 548 mm
Steam assisted baking / cooking	Cut out dimensions (H x W x D): 585-595 x 560-568 x 550 mm
Features	Accessories
Rapid heating function	1 x Wire rack
DishAssist programs	1 x Baking tray
PerfectBake sensor and PerfectRoast multipoint meat probe	1 x Universal pan
SoftMove	1 x Steam container, perforated, size XL
Cleaning	1 x Steam container, perforated, size S
EcoClean Direct (rear)	1 x Steam container, unperforated, size S
Descalc	1 x Multipoint meat probe
Drying - for drying the cooking compartment after the use of added steam function	

Features may vary depending on models. Please check individual product specification.
*Measured at the centre of the window after 1 hour with a 180°C oven temperature / top and bottom heat.

All descriptions and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance.

Series | 8



Series 8 HBG6767S1A Built-in 60cm Oven	
Design Stainless steel with black glass door TFT colour and graphics display with touch control buttons and rotary control ring Halogen interior light	Cleaning Pyrolytic self-cleaning function Safety Quadruple glazed glass door (Max temperature: 30°C) Childproof lock Automatic switch off Residual heat indicator
Performance Cavity: 71 litres 13 heating functions 4D Hotair, Top/Bottom heat, Hotair Eco, Top/Bottom Eco, Hotair grilling, Grill - large area, Grill - small area, Pizza setting, Slow cooking, Bottom heat, Defrosting, Keep warm, Preheating ovenware	Power Rating Total electric connected load: 3.600 kW Dimensions (HxWxD) Product dimensions (H x W x D): 595 x 594 x 548 mm Cut out dimensions (H x W x D): 585-595 x 560-568 x 550 mm
Features Rapid heating function DishAssist programs PerfectBake sensor and PerfectRoast multipoint meat probe 2 levels telescopic shelf rails SoftMove	Accessories 2 x Wire rack 1 x Universal pan 1 x Baking tray 1 x Multipoint meat probe

Series 8 HBG655HS1 Built-in 60cm Oven	
Design Stainless steel with black glass door TFT display with direct select buttons and rotary control ring Halogen interior light	Safety Triple glazed glass door (Max temperature: 40°C) Childproof lock Automatic switch off Residual heat indicator
Performance Cavity: 71 litres 13 heating functions 4D Hotair, Top/Bottom heat, Hotair Eco, Top/Bottom Eco, Hotair grilling, Grill - large area, Grill - small area, Pizza setting, Slow cooking, Bottom heat, Defrosting, Keep warm, Preheating ovenware	Power Rating Total electric connected load: 3.600 kW Dimensions (HxWxD) Product dimensions (H x W x D): 595 x 594 x 548 mm Cut out dimensions (H x W x D): 585-595 x 560-568 x 550 mm
Features Rapid heating function 10 automatic programs 2 levels telescopic shelf rails SoftMove	Accessories 1 x Wire rack 1 x Universal pan 1 x Baking tray
Cleaning EcoClean Direct (top, sides, rear)	

Series | 6



Series 6 HBT578FS1A Built-in 60cm Oven	
Design Stainless steel with black glass door LCD white display with retractable rotary knobs Halogen interior light	Safety Quadruple glazed glass door (Max temperature: 30°C) Childproof lock Automatic switch off Residual heat indicator
Performance Cavity: 71 litres 10 heating functions 3D Hotair, Hotair Gentle, Top/Bottom heat, Hotair grilling, Grill - large area, Pizza setting, Slow cooking, Bottom heat, Defrosting, Keep warm	Power Rating Total electric connected load: 3.600 kW Dimensions (HxWxD) Product dimensions (H x W x D): 595 x 594 x 548 mm Cut out dimensions (H x W x D): 585-595 x 560-568 x 550 mm
Features Rapid heating function 30 automatic programs 1 level half extension telescopic shelf rails SoftClosing	Accessories 2 x Wire rack 1 x Universal pan 1 x Baking tray 2 x Slim tray 1 x Single point meat probe
Cleaning Pyrolytic self-cleaning function	

Series 6 HBG5585S0B Built-in 60cm Oven	
Design Stainless steel with black glass door LCD white display with retractable rotary knobs Halogen interior light	Safety Triple glazed glass door (Max temperature: 40°C) Childproof lock Automatic switch off Residual heat indicator
Performance Cavity: 71 litres 10 heating functions 3D Hotair, Hotair Gentle, Top/Bottom heat, Hotair grilling, Grill - large area, Pizza setting, Slow cooking, Bottom heat, Defrosting, Keep warm	Power Rating Total electric connected load: 2.990 kW Dimensions (HxWxD) Product dimensions (H x W x D): 595 x 594 x 548 mm Cut out dimensions (H x W x D): 585-595 x 560-568 x 550 mm
Features Rapid heating function 30 automatic programs 1 level clip rails SoftClosing	Accessories 2 x Wire rack 1 x Universal pan 1 x Single point meat probe
Cleaning EcoClean Direct (top, sides, rear)	

Series | 4



Series 4 HBA574BS0A Built-in 60cm Oven	
Design Stainless steel with black glass door LED red display with retractable rotary knobs Halogen interior light	Safety Quadruple glazed glass door (Max temperature: 30°C) Childproof lock Automatic switch off
Performance Cavity: 71 litres 7 heating functions 3D Hotair, Hotair Gentle, Top/Bottom heat, Hotair grilling, Grill - large area, Pizza setting, Bottom heat	Power Rating Total electric connected load: 3.600 kW
Features Rapid heating function 10 automatic programs	Dimensions (HxWxD) Product dimensions (H x W x D): 595 x 594 x 548 mm Cut out dimensions (H x W x D): 585-595 x 560-568 x 550 mm
Cleaning Pyrolytic self-cleaning function	Accessories 2 x Wire rack 1 x Universal pan 1 x Grill tray



Series 4 HBA534BS0A Built-in 60cm Oven	
Design Stainless steel with black glass door LED red display with retractable rotary knobs Halogen interior light	Safety Triple glazed glass door (Max temperature: 40°C) Childproof lock
Performance Cavity: 71 litres 7 heating functions 3D Hotair, Hotair Gentle, Top/Bottom heat, Hotair grilling, Grill - large area, Pizza setting, Bottom heat	Power Rating Total electric connected load: 3.400 kW
Features Rapid heating function	Dimensions (HxWxD) Product dimensions (H x W x D): 595 x 594 x 548 mm Cut out dimensions (H x W x D): 585-595 x 560-568 x 550 mm
Cleaning EcoClean Direct (rear)	Accessories 2 x Wire rack 1 x Universal pan 1 x Grill tray

Series | 2



Series 2 HBF133BS0A Built-in 60cm Oven	
Design Stainless steel with black glass door LED red display with retractable rotary knobs Halogen interior light	Safety Triple glazed glass door (Max temperature: 50°C) Childproof lock
Performance Cavity: 66 litres 5 heating functions 3D Hotair, Hotair Gentle, Top/Bottom heat, Hotair grilling, Grill - large area	Power Rating Total electric connected load: 3.300 kW
Features Rapid heating function	Dimensions (HxWxD) Product dimensions (H x W x D): 595 x 594 x 548 mm Cut out dimensions (H x W x D): 575-597 x 560-568 x 550 mm
Cleaning EcoClean Direct (rear)	Accessories 1 x Wire rack 1 x Universal pan 1 x Baking tray

Compact appliances





The perfect ingredient for perfect results: steam.

Series 8



Steam oven

With the Series 8 steam oven you can prepare an entire meal on up to three levels at once – for example, cook salmon, asparagus and rosemary potatoes simultaneously – and everything will turn out perfectly. Or perhaps you'd rather cook a sweet dessert at the same time? No problem: The humidity prevents flavours from intermingling so that each dish retains its own authentic flavour.



Combination steam oven

With the Series 8 combination steam oven, you can bake, steam or both. Combine the benefits of pure steam cooking with functions of a conventional oven and discover the results of giving your roasts and home-made bread a crispy finish. The premium combination steam oven also comes with Bosch Assist, the PerfectBake™ sensor and PerfectRoast™ meat probe for perfect cooking and baking results.



Reheating function*

Dishes are gently heated with steam and taste as delicious as if they had been cooked fresh. Reheating or otherwise known as regeneration, even keeps meat wonderfully crisp, so your holiday roast will taste great long after the festive season is over.

Compact appliances | Steamers

Steams so gently that even vitamins stay for dinner.

There's no healthier or tastier way to prepare food than steaming. Cooked in gentle steam, foods retain their original vitamins and aromas while releasing their full natural flavour. Vegetables stay crisp, poultry and fish become juicy and tender. If you prefer, you can even cook without fat. Thanks to an integrated water tank, no direct water connection is needed, giving you much more flexibility in deciding where to place your oven.

Mineral content



Preserving vitamins and minerals

Dishes that are cooked in hot steam not only retain their vitamins and minerals, but also their full, natural flavour. So you can also go easy on the extra seasoning and use much less salt when cooking. In short, healthy food has never tasted better.

Compact appliances | Combination microwave oven and warming drawers

Fits every kitchen.
And every need.

Series 8

Combination microwaves

Sometimes you just can't get the food on the table fast enough. All our microwave ovens help you maintain perfect control over your menu and your schedule. Whether you're heating up baby food, pre-cooked meals or frozen foods, you'll get outstanding results quickly, hygienically and without compromising on taste. So instead of killing time waiting for dinner to be ready, you and your loved ones will have much more time to enjoy it.



Automatic functions to speed up your cooking

Heat, defrost, roast or grill anything, thanks to up to 1000 watts and up to five power levels. The AutoPilot program helps achieve the best possible results with very little effort. Just insert your roast, enter its weight and select the desired program from the menu.



Warming drawers

Our Series 8 warming drawers can do much more than just keep food and plates warm; they're also perfect for slow-cooking meat, defrosting frozen foods and proving dough.

The warming drawer's from Bosch can be installed separately or in combination with Series 8 compact appliances. The practical 'push and pull' technology ensures they are always easy to open, even when you have both hands full.



Compact appliances | Overview

Designed to create perfect
symmetry in your kitchen.

Series | 8



Series 8 | CSG656RS2A
Built-in 45cm Compact Steam Combination Oven

<p>Design</p> <p>Stainless steel with black glass door</p> <p>TFT colour and graphics display with touch-control buttons and rotary control ring</p> <p>LED interior light</p>	<p>Cleaning</p> <p>EcoClean Direct (top, sides, rear)</p> <p>Descalc</p> <p>Drying - for drying the cooking compartment after the use of added steam function</p> <p>Safety</p> <p>Triple glazed glass door (Max temperature: 40°C)</p> <p>Childproof lock</p> <p>Automatic switch off</p> <p>Residual heat indicator</p>
<p>Performance</p> <p>Cavity: 47 litres</p> <p>14 heating functions</p> <p>4D Hotair, Top/Bottom heat, Hotair Eco, Top/Bottom Eco, Hotair grilling, Grill - large area, Grill - small area, Pizza setting, Intensive heat, Slow cooking, Bottom heat, Desiccate, Keep warm, Preheating ovenware</p> <p>Additional heating methods with steam: steaming, reheating, dough proving and defrosting</p> <p>Steam assisted baking / cooking</p>	<p>Power Rating</p> <p>Total electric connected load: 3.300 kW</p> <p>Dimensions (HxWxD)</p> <p>Product dimensions (H x W x D): 455 x 594 x 548 mm</p> <p>Cut out dimensions (H x W x D): 450-455 x 560-568 x 550 mm</p>
<p>Features</p> <p>Rapid heating function</p> <p>DishAssist programs</p> <p>PerfectBake sensor and PerfectRoast multipoint meat probe</p> <p>1 level telescopic rails</p> <p>SoftMove</p>	<p>Accessories</p> <p>1 x Wire rack</p> <p>1 x Universal pan</p> <p>1 x Steam container, perforated, size XL</p> <p>1 x Steam container, perforated, size S</p> <p>1 x Steam container, unperforated, size S</p> <p>1 x Multipoint meat probe</p>



Series 8 | CDG634BS1
Built-in 45cm Pure Steam Oven

<p>Design</p> <p>Stainless steel with black glass door</p> <p>TFT display with direct select buttons and rotary control ring</p> <p>Halogen interior light</p>	<p>Power Rating</p> <p>Total electric connected load: 1.750 kW</p> <p>Dimensions (HxWxD)</p> <p>Product dimensions (H x W x D): 455 x 594 x 548 mm</p> <p>Cut out dimensions (H x W x D): 450-455 x 560-568 x 550 mm</p>
<p>Performance</p> <p>Cavity: 38 litres</p> <p>4 heating functions</p> <p>Steaming, Reheating, Dough proving, Defrosting</p>	<p>Accessories</p> <p>1 x Steam container, perforated, size L</p> <p>1 x Steam container, unperforated, size L</p> <p>1 x Sponge</p>
<p>Features</p> <p>20 automatic programs</p> <p>SoftMove</p>	<p>Safety</p> <p>Triple glazed glass door (Max temperature: 40°C)</p> <p>Childproof lock</p> <p>Automatic switch off</p> <p>Residual heat indicator</p>

All descriptions and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance.

Series | 8



Series 8 CMG633BS1B Built-in 45cm Compact Microwave Combination Oven	
Design Stainless steel with black glass door TFT display with direct select buttons and rotary control ring LED interior light	Safety Triple glazed glass door (Max temperature: 40°C) Childproof lock Automatic switch off Residual heat indicator
Performance Cavity: 45 litres 6 heating functions 4D Hotair, Hotair Eco, Hotair grilling, Grill - large area, Grill - small area, Preheating ovenware 5 microwave power settings: 1000 W, 600 W, 350 W, 180 W, 90 W MicroCombi operation	Power Rating Total electric connected load: 3.600 kW
	Dimensions (HxWxD) Product dimensions (H x W x D): 455 x 594 x 548 mm Cut out dimensions (H x W x D): 450-455 x 560-568 x 550 mm
	Accessories 1 x Wire rack 1 x Universal pan
Features Dry program - for drying the cooking compartment after microwave usage to ensure no moisture remains Rapid heating function 14 automatic programs SoftMove	



Series 8 BIC630NS1B Built-in 14cm Warming Drawer	
Design Stainless steel with black glass	Power Rating Total electric connected load: 0.810 kW
Performance Cavity: 20 litres Suitable for: Plate warming, Keep warm, Slow cooking, Defrosting, Dough proving	Dimensions (HxWxD) Product dimensions (H x W x D): 140 x 595 x 548 mm Cut out dimensions (H x W x D): 140 x 560-568 x 550 mm
Features Glass surface temperature range: 40°C - 80°C Max. loading: 25 kg	

Series | 6



Series 6 BEL554MS0B Built-in Microwave with Grill	
Design Stainless steel with black glass door LED white display with retractable rotary knobs Turntable diameter: 315 mm LED interior light Door opening: touch control	Features 8 automatic programs 1 memory setting
	Power Rating Total electric connected load: 1.450 kW
Performance Cavity: 25 litres 5 microwave power settings: 900 W, 600 W, 360 W, 180 W, 90 W Grill: 1200 W Combination of grill and microwave power levels: 360 W, 180 W, 90 W	Dimensions (HxWxD) Product dimensions (H x W x D): 382 x 594 x 369 mm Cut out dimensions (H x W x D): 380-382 x 560-568 x 550 mm
	Accessories 1 x Grill wire rack

Series | 8

Compact appliances | Built-in coffee machine

Your favourite café
is now open 24/7.

Latte, cappuccino or espresso? With the Series 8 built-in coffee machine, you can treat yourself and your guests to any beverage at the touch of a button. Bosch barista technology guarantees a full-bodied aroma and perfect crema – for coffees as delicious as those brewed by your favourite café.

SensoFlow System for a perfect aroma

The optimal brewing temperature for an espresso is between 90°C and 95°C. If the temperature is any higher or lower, the flavour of the beans is only partially released or the coffee is bitter. Our smart SensoFlow System heats the water to just the right temperature, for a full-bodied espresso aroma from the first to the last cup.

Your choice of coffee at the touch of a button

With MyCoffee function, save your 8 favourite beverages with individual names. Innovative technology regulates the release of coffee, hot milk and foam to deliver the beverage of your choice at the touch of a button.

Automatic cleaning of the milk system

Now you can clean your coffee maker as easily as you prepare your morning pick-me-up. Each time you make a coffee drink with milk, the milk system is automatically rinsed out with a blast of steam. The coffee machine takes total charge of the milk system's daily maintenance, so that you can concentrate on enjoying your cappuccino or latte macchiato instead of cleaning.

Series | 8


Series 8 | CTL636ES1
Built-in 45cm Coffee Machine
Beverages

One-touch preparation:
Ritstretto, Espresso,
Espresso Macchiato, Coffee,
Cappuccino, Latte
Macchiato, Café Latte at the
touch of a button

MyCoffee feature - save 8
favourite beverages

IndividualCup Volume - cup
sizes adjustable individually

OneTouch DoubleCup -
prepare two cups
simultaneously for all coffee
and milk specialties

Features

SilentCeram Drive - quiet
premium grinder made from
non wearing ceramic

CoffeeSensor Pro - the
grinding unit automatically
adjusts to bean variety

AromaDouble
Shot - extra-strong coffee
with less bitterness

SensoFlow System - ideal
constant brewing
temperature

Convenience

TFT display with interactive
menu

Removable water tank
(2.4 litres volume)

Hygiene

AutoMilk clean

Milk frother removable and
dishwasher safe

Automatic rinsing program
when switching off / on

Drip tray and coffee grounds
container removable and
dishwasher safe

Calc'n'Clean - automatic
cleaning and descaling
program

Indicator: time of water filter
change, descaling, cleaning,
including display of
remaining cups

Safety

Childproof lock

Additional Features

Bean container with aroma
protection lid (500 g volume)

Grinding fineness adjustable
(multi-level)

Power Rating

Total electric connected
load: 1.600 kW

Dimensions


Product dimensions

(H x W x D):
455 x 594 x 375 mm

Cut out dimensions
(H x W x D):

449 x 558 x 356 mm

Hobs



Hobs | FlameSelect®

We didn't discover fire, but we've taken it to a new level. Nine, to be precise.


The new gas hobs with FlameSelect® from Bosch are packed with innovative technology. They offer you a completely new level of precision when it comes to adjusting the flame by selecting predefined power levels. But that's not all. Thanks to our timeless design and carefully selected materials, Bosch gas hobs are also a true feast for the eyes.

FlameSelect®

Stop cooking with intuition.
Start cooking with perfection.

At Bosch, we want to make your cooking with gas as easy, safe and enjoyable as possible. That's why we developed FlameSelect® for you. Unlike conventional gas hobs with inaccurate power settings, FlameSelect® and its patented valve technology offer you incremental heat regulation within nine precisely defined power levels. So now, gas hobs with FlameSelect® offer you all the benefits of gas cooking combined with the comfort and precision of an electric hob.

Nine levels of precise power selection



Easy to use. Easy to clean. Easy to love.



Our pan supports

When it comes to design, our continuous pan supports provide high stability of cookware. Both variants are available in cast iron and are extremely robust.



Our gas hob surfaces

Our hobs are available in ceramic glass and stainless steel to perfectly match your kitchen and individual taste.

Hobs | Gas features and functions

Features and functions for everyday use.

Hobs | Gas hobs

Fire that does exactly what you want.

Gas provides fast and instant versatility. Our German-designed gas hobs all feature Bosch flame failure technology fitted to each burner and conveniently come with front mounted controls.



Efficiency

One-hand ignition

Push and turn the ergonomically designed control knobs and the gas ignites automatically. As well as offering the convenience of only using one hand, there is also no separate ignition button to clean.

Easy clean ceramic glass

Premium models with ceramic glass base are easy to clean for total convenience with a frameless finish for a stylish and sleek look.

Cleaning rounded off to perfection

The rounded edges of our gas hobs ensure effortless cleaning – dirt simply doesn't have anywhere to collect.



Simplicity

FlameSelect®

FlameSelect® and its patented valve technology offer you incremental heat regulation within nine precisely defined power levels, making your cooking with gas as easy, safe and enjoyable as possible.

Flame failure device

For added safety, all Bosch gas hobs feature a flame failure device. This feature stops the supply of gas to the burners if the flame is extinguished.

Cast-iron supports

Cast-iron pan supports are both stylish and highly durable, providing solid and robust support for your cooking pans.



Performance

High-power wok-style burner

Selected gas hob models feature a powerful wok-style burner, which provides up to 6.0 kW. Suitable for use with flat-based pans or with a wok using the wok ring provided.

Flexible burners

All our gas hobs feature different burner combinations for greater flexibility. With wok, high-speed, standard and economy burners, you can cook more efficiently with the burner most suited to the size of your pan.

Features may vary depending on models.
Please check individual product specifications.

Gas hobs

Series | 8



FlameSelect®



FlameSelect®



FlameSelect®

Series 8 | PRS9A6D70
92cm 5 Burners Built-in
Gas Hob

Design
SCHOTT® ceramic glass

Performance
Left burner: 0.3-6.0 kW
Center front burner: 0.4-1.9 kW
Center rear burner: 0.3-1.1 kW
Right front burner: 0.4-1.9 kW
Right rear burner: 0.6-2.8 kW

Features
FlameSelect®
Cast-iron pan supports,
dishwasher safe
Digital display
Residual heat indicator

Safety
Flame failure safety device

Technical Information
Electric ignition
Preset gas type: Natural gas
(Alternative gas type: LPG)

Dimensions
Product dimensions (W x D):
916 x 527 mm
Cut out dimensions (W x D):
850-852 x 490-502 mm

Accessories
1 x Wok attachment ring

Series 8 | PRA3A6D70
30cm 1 Burner Built-in
Gas Hob

Design
SCHOTT® ceramic glass

Performance
Burner: 0.3-6.0 kW

Features
FlameSelect®
Cast-iron pan supports,
dishwasher safe
Digital display
Residual heat indicator

Safety
Flame failure safety device

Technical Information
Electric ignition
Preset gas type: Natural gas
(Alternative gas type: LPG)

Dimensions
Product dimensions (W x D):
306 x 527 mm
Cut out dimensions (W x D):
270 x 490-502 mm

Accessories
1 x Wok attachment ring
Optional: HEZ394301
(Connecting rails)

Series 8 | PRB3A6D70
30cm 2 Burners Built-in
Gas Hob

Design
SCHOTT® ceramic glass

Performance
Rear burner: 0.6-2.8 kW
Front burner: 0.4-1.9 kW

Features
FlameSelect®
Cast-iron pan supports,
dishwasher safe
Digital display
Residual heat indicator

Safety
Flame failure safety device

Technical Information
Electric ignition
Preset gas type: Natural gas
(Alternative gas type: LPG)

Dimensions
Product dimensions (W x D):
306 x 527 mm
Cut out dimensions (W x D):
270 x 490-502 mm

Accessories
Optional: HEZ394301
(Connecting rails)

Series | 6



FlameSelect®



FlameSelect®

Series 8 | PBD9351MS
90cm 3 Burners Built-in
Gas Hob

Design
Stainless steel

Performance
Left and right burner: 0.3-4.0 kW
Rear burner: 0.3-1.7 kW

Features
Cast-iron pan supports
Audible automatic timer

Safety
Flame failure safety device

Technical Information
Electric ignition
Preset gas type: LPG
(Alternative gas type: Natural gas)

Dimensions
Product dimensions (W x D):
900 x 480 mm
Cut out dimensions (W x D):
880 x 455 mm

Series 6 | PCS9A5B90
92cm 5 Burners Built-in
Gas Hob

Design
Stainless steel

Performance
Left burner: 0.3-5.0 kW
Center front burner: 0.33-1.0 kW
Center rear burner: 0.29-1.75 kW
Right front burner: 0.29-1.75 kW
Right rear burner: 0.5-3.0 kW

Features
FlameSelect®
Cast-iron pan supports

Safety
Flame failure safety device

Technical Information
Electric ignition
Preset gas type: Natural gas
(Alternative gas type: LPG)

Dimensions
Product dimensions (W x D):
915 x 520 mm
Cut out dimensions (W x D):
850-852 x 490-502 mm

Accessories
1 x Wok attachment ring

Series 6 | PCC6A5B90
60cm 3 Burners Built-in
Gas Hob

Design
Stainless steel

Performance
Left burner: 1.55-4.0 kW
Right front burner: 0.33-1.0 kW
Right rear burner: 0.5-3.0 kW

Features
FlameSelect®
Cast-iron pan supports

Safety
Flame failure safety device

Technical Information
Electric ignition
Preset gas type: Natural gas
(Alternative gas type: LPG)

Dimensions
Product dimensions (W x D):
582 x 520 mm
Cut out dimensions (W x D):
560-562 x 480-492 mm

Accessories
Optional: HEZ298107
(Wok attachment ring)

Hobs | Induction

The best cooking needs just one ingredient: Bosch.

Modern cooking offers so many wonderful new tastes and textures, you need a hob that's flexible enough to keep up.

**Bosch FlexInduction®**

The ultimate Bosch Induction experience. Unique technology provides even heating across the entire FlexZone. The FlexZone can be used as four separate zones or combined into a single 'super-zone' where the entire zone becomes your cooking canvas.

**Bosch Combination®**


Experience the magic of CombiZone - two cooking zones can be linked, making the switch from small to large pans effortless. Plus, the MoveMode function automatically switches from boil to simmer with a simple slide of the saucepan.

**Bosch Induction**

Bosch's benchmark Induction hobs put you in control with 17 power levels plus PowerBoost for each zone, dual function timer with automatic switch-off, residual heat indicators, childproof lock and more.

Induction speeds up your cooking

Induction hobs offer the most efficient way of cooking at lower temperatures, ie. melting chocolate, etc.



Source: BSH Hausgeräte GmbH, Germany (overseas test results)

Old pots, new technology

Most of your old pots will also work with induction if they have a magnetic base. All pots and pans with ferromagnetic bases are suitable for induction. So, if a fridge magnet sticks to your pot, you know it's induction-ready. In general, special stainless steel, iron and enamel are all suitable.


Hobs | FlexInduction®

FlexInduction® hobs

Introducing Bosch FlexInduction®, the result of decades of research and development. Introducing true freedom in the kitchen.



Ideal for small pots, large pots, multiple pots, frying pans or casserole dishes – you name it, thanks to the unique coil shapes you get the ultimate flexibility and heat distribution. At the touch of a button, two induction zones become one large FlexInduction® surface.



MoveMode

Pre-set 3 different power levels and move from boil to simmer in just seconds.

1. Perfect for rapid boiling (Power level 9 – Front FlexZone)
2. Medium heat cooking (Power level 5 – Middle FlexZone)
3. Ideal for simmering (Power level 1.5 – Back FlexZone)



PerfectFry™ sensor – for a steak that is just right

With up to 5 automatic settings, the pan is heated to just the right temperature. Sensors inside the hob continuously measure the temperature and maintain it for perfect results. Works with Bosch PerfectFry™ sensor pans.

Hobs | Induction features and functions

Features and functions for everyday use.



Safety & Cleaning

WipeProtection

Stay in complete cooking control even when you've had a spill or boil-over. Bosch WipeProtection locks the control panel for 20 seconds so you can clean the surface of the control panel easily, without losing your cooking settings.

2-stage residual heat indicators

Provides clear indication of when a zone is still hot after use. Two levels: 'H' means residual heat sufficient to finish off cooking or to keep items warm; 'h' – residual heat insufficient to cook, but zone is still hot enough to advocate caution.

Childproof lock

Maximum safety for tiny hands. Lock your hob's control panel and prevent accidental little chefs from 'helping out' and hurting themselves. Enjoy the reassurance of maximum safety for both you and your loved ones.

Automatic safety switch-off

Never worry again if you have forgotten to turn off the hob. If you've stopped using it, your Bosch Induction hob will automatically shut down.



Convenience

Dual function timer including automatic switch-off for each zone

Use the independent audible timer to set the length of cooking time or set the cooking zone at a specific temperature (e.g. level 5.5) for up to 99 minutes – ideal for busy households. Once the selected time has been reached, the cooking zone is switched off automatically.

QuickStart

Start cooking quicker. Bosch QuickStart functionality automatically detects the location of your pot and displays the cooking zone on the control panel. Just select the power level and you're away.

ReStart

Things happen quickly in the kitchen – spilling something on the control panel or accidentally switching off the hob, ReStart will store your last selected settings. Those settings can be instantly recalled by simply pressing the main power switch within 4 seconds.

Automatic pot detection

Bosch Induction hobs feature automatic pot detection, which recognises the diameter of the cookware and determines the size of the cooking zone accordingly. If the pot is removed, the control panel indicator will flash and remain inactive until the pot is detected.

Keep warm

Ideal setting for keeping food warm before serving at the touch of a button.



Performance

DirectSelect Premium

Taking easy to use, intuitive controls to the next level, new DirectSelect Premium gives you complete cooking control with intermediate levels and unsurpassed accuracy.

DirectSelect

Enjoy total convenience with DirectSelect. Simply select the required power level from the power settings laid out on the hob, without the need to press +/- repeatedly.

TouchSelect

With this control panel, you can regulate the desired cooking zone easily. Select your cooking zone and use the +/- keys to choose the power level you need.

17 power levels

Enjoy total control on every recipe with 17 power levels. This function allows cooking zones to be set in increments of 0.5 (eg. 0.5, 1, 1.5, 2...9).

PowerBoost – now with even more power!

PowerBoost channels increased power to a selected zone to turbocharge the cooking process. With PowerBoost, you can boil 2 litres of water almost three times faster than on a conventional glass-ceramic hob.

Hobs | Induction overview

Induction hobs

Series | 8



Series 8 PXE675DC1E 60cm FlexInduction Built-in Hob
Design SCHOTT® ceramic glass
Performance Left flex zone: 2.2-3.7 kW with PowerBoost Rear right zone: 1.4-2.2 kW with PowerBoost (Ø145 mm) Front right zone: 2.2-3.7 kW with PowerBoost (Ø210 mm)
Features 17-stage power setting DirectSelect Premium touch control 5 levels PerfectFry program MoveMode (3 levels) QuickStart and ReStart function Keep warm function Automatic switch off audible timer, kitchen timer and stopwatch function WipeProtection function
Safety 2-stage residual heat indicator Childproof lock
Power Rating Total electric connected load: 7.400 kW
Dimensions (HxWxD) Product dimensions (W x D): 606 x 527 mm Cut out dimensions (W x D): 560 x 490-500 mm

Series | 6



Series 8 PPI82560MS 78cm Induction Built-in Hob
Design SCHOTT® ceramic glass
Performance Left zone: 1.8-3.1 kW with PowerBoost (Ø180 mm) Right zone: 1.8-3.1 kW with PowerBoost (Ø180 mm)
Features 9-stage power setting DirectSelect touch control Automatic switch off audible timer WipeProtection function
Safety 2-stage residual heat indicator Childproof lock
Power Rating Total electric connected load: 3.500 kW
Dimensions (HxWxD) Product dimensions (W x D): 780 x 450 mm Cut out dimensions (W x D): 700 x 400 mm



Series 6 PVQ611FC5E 60cm CombiZone Induction Built-in Hob
Design SCHOTT® ceramic glass
Performance Rear left zone: 2.2-3.7 kW with PowerBoost Front left zone: 2.2-3.7 kW with PowerBoost Rear right zone: 2.2-3.7 kW with PowerBoost Front right zone: 2.2-3.7 kW with PowerBoost
Features 17-stage power setting DirectSelect touch control 2 CombiZones 4 levels PerfectFry program MoveMode (2 levels) QuickStart and ReStart function Automatic switch off audible timer and kitchen timer WipeProtection function
Safety 2-stage residual heat indicator Childproof lock
Power Rating Total electric connected load: 7.400 kW
Dimensions (HxWxD) Product dimensions (W x D): 592 x 522 mm Cut out dimensions (W x D): 560 x 490-500 mm

Series | 6



Series 6 PIB375FB1E 30cm Induction Built-in Hob
Design SCHOTT® ceramic glass
Performance Rear zone: 1.4-2.2 kW with PowerBoost (Ø145 mm) Front zone: 2.2-3.7 kW with PowerBoost (Ø210 mm)
Features 17-stage power setting DirectSelect touch control QuickStart and ReStart function Automatic switch off audible timer, kitchen timer and stopwatch function
Safety 2-stage residual heat indicator Childproof lock
Power Rating Total electric connected load: 3.700 kW
Dimensions (HxWxD) Product dimensions (W x D): 306 x 527 mm Cut out dimensions (W x D): 270 x 490-500 mm
Accessory Optional: HEZ394301 (Connecting rails)

Series | 4



Series 4 PID631BB1E 60cm Induction Built-in Hob
Design SCHOTT® ceramic glass
Performance Left triple zone: 2.2-5.5 kW with PowerBoost (Ø210, 260, 320 mm) Rear right zone: 1.4-2.2 kW with PowerBoost (Ø145 mm) Front right zone: 2.2-3.7 kW with PowerBoost (Ø210 mm)
Features 17-stage power setting TouchSelect control QuickStart and ReStart function Automatic switch off audible timer and kitchen timer
Safety 2-stage residual heat indicator Childproof lock
Power Rating Total electric connected load: 7.400 kW
Dimensions (HxWxD) Product dimensions (W x D): 592 x 522 mm Cut out dimensions (W x D): 560 x 490-500 mm

Hobs | Radiant

The world of Bosch ceramic hobs.

There is a range of radiant hobs to choose from. As you would expect from Bosch, all are made using high-quality materials, are easy to use and add versatility, style and elegance to any kitchen.

Hobs | Radiant features and functions

Features and functions for everyday use.



Safety & Cleaning

WipeProtection

Stay in complete cooking control even when you've had a spill or boil-over. Bosch WipeProtection locks the control panel for 20 seconds so you can clean the surface of the control panel easily, without losing your cooking settings.

2-stage residual heat indicators

Provides clear indication of when a zone is still hot after use. Two levels: 'H' means residual heat sufficient to finish off cooking or to keep items warm; 'h' – residual heat insufficient to cook, but zone is still hot enough to advocate caution.



Convenience

Dual circuit cooking zone

Available on selected radiant hobs, this energy-saving feature allows you to select a smaller cooking zone for small pans, and a larger zone for larger pans.

ReStart

Things happen quickly in the kitchen – if you spill something on the control panel or accidentally switch off the hob, ReStart will store your last selected settings. Those settings can be instantly recalled by simply pressing the main power switch within 4 seconds.

Energy consumption display

Each time you finish cooking, your energy consumption display shows exactly how much power you've used. So if you wish, you can adapt your cooking style to save energy and money. (For example, placing a lid on a pot can help reduce your energy consumption)



Performance

DirectSelect

Enjoy total convenience with DirectSelect. Simply select the required power level to the power settings laid out on the hob, without the need to press +/- repeatedly.

QuickTherm technology

For improved control and flexibility, heat is delivered to the cooking zone in approximately three seconds. This feature is quicker than standard ceramic zones or electric-sealed plates.

17 power levels

Enjoy total control on every recipe with 17 power levels. This function allows cooking zones to be set in increments of 0.5 (eg. 0.5, 1, 1.5, 2...9).

PowerBoost

PowerBoost now on selected Bosch ceramic hobs lets you heat up large volumes of water even faster than on the highest power level.

Hobs | Radiant overview

Radiant hobs

Series | 6



Series 6 | PKK651FP1E
60cm Radiant
Built-in Hob

Design
SCHOTT® ceramic glass

Performance
Left dual zone:
2.1-3.4 kW with PowerBoost
(Ø210, 275 mm)
Rear right zone:
1.2 kW (Ø145 mm)
Front right dual zone:
1.0-2.3kW with PowerBoost
(Ø120, 180 mm)

Features
17-stage power setting
DirectSelect touch control
ReStart function
Automatic switch off audible timer and kitchen timer
WipeProtection function

Safety
2-stage residual heat indicator
Childproof lock

Power Rating
Total electric connected load: 5.750 kW

Dimensions
Product dimensions (W x D):
592 x 552 mm
Cut out dimensions (W x D):
560 x 490-500 mm

Series 6 | PKF375FP1E
30cm Radiant
Built-in Hob

Design
SCHOTT® ceramic glass

Performance
Rear zone: 1.2 kW (Ø145 mm)
Front dual zone:
1.0-2.3 kW with PowerBoost
(Ø120, 180 mm)

Features
17-stage power setting
DirectSelect touch control
ReStart function
Automatic switch off audible timer, kitchen timer and stopwatch function

Safety
2-stage residual heat indicator
Childproof lock

Power Rating
Total electric connected load: 3.500 kW

Dimensions
Product dimensions (W x D):
306 x 527 mm
Cut out dimensions (W x D):
270 x 490-500 mm

Accessory
Optional: HEZ394301
(Connecting rails)






Cooker hoods

Cooker hoods | Design


A breath of fresh air in hood design.

The right cooker hood can reduce odours and steam and leave your kitchen feeling fresh and clean. And a Bosch hood will do it all with silent efficiency.



Ducted extraction

Ducting out is the most effective method of extraction. Ideally the cooker hood should be sited on an outside wall, or an outside wall can be reached via ducting. Most Bosch extractors are now standardised to facilitate a 150mm diameter outlet for maximum performance, although smaller ducting can be used if required. Please refer to the installation guide for further advice on best practice installation.




Recirculation kit

Odours are extracted and filtered, then purified air is returned to the room. The kit comprises of a carbon filter and all components needed to ensure that odour free air is returned into the kitchen. To maintain performance, the carbon filter should be replaced on a regular basis. A recirculation kit needs to be purchased as a separate accessory.

What extraction rate do I need?

It is recommended that air be extracted (or exchanged) in a room depending on your type of cooking: a minimum of 6 times per hour, and a maximum of 12 times per hour.

Air extraction is measured using room volume. This is calculated by multiplying Length x Width x Height.



Bosch extraction rates are tested in line with EU standards. See page 59 for more information.

Aeroplane

120dB



Road traffic

83dB



Talking

74dB

Cooker hoods | Silence

Relax in a quieter kitchen with family and friends.

A few decibels can make the difference between harmful, loud and pleasant. Operating at 44dB(A)*, our quietest cooker hood means you can have it on while listening to music, enjoying a conversation or while your baby rests.

Silence

Noise is measured in numeric decibels or dB(A). It is important to note that a few decibels can make a huge difference.

EcoSilence Drive® motor

The EcoSilence Drive® motor operates without carbon brushes, eliminating the disadvantages of conventional motors. Instead of energy loss, wear and noise, you get efficiency, durability, and smooth operation. To reduce motor noise even further (1dB(A) noise reduction compared to other motors), we have optimised the airflow inside the hood. The result: low noise levels with high power.

Bosch Island hood

DIB98JQ50B

44dB



30dB Leaves rustling



*DIB98JQ50B at lowest speed power setting of 44dB (150mm ducted).
Features may vary depending on models. Please check individual product specifications.

Cooker hoods | Features and functions

Features and functions
for everyday use.



Cleaning

Automatic power revert

When the intensive setting is selected, it can be set to automatically revert to a pre-defined setting after a short period of time.

LED lighting

The new LED lights offer a longer lifetime and use less energy than conventional halogen lighting. Additional convenience is offered with SoftLight which gently fades lighting in and out with dimmer function.

Halogen Lighting

Integrated halogen lighting ensures that the cooking area is clearly illuminated. They are more efficient than standard lights and are designed to last longer.

Variable power settings

All Bosch cooker hoods feature variable power settings, which can be set to effectively remove odours, smoke and moisture caused by cooking. Many models also feature an intensive extraction setting, which gives an extra boost to the performance when required.



Convenience

Electronic filter saturation indicator

For maximum extraction efficiency, an illuminated light indicates when the filter needs cleaning. For hassle-free cleaning, the one-piece filter can be loaded into your Bosch dishwasher.

Electronic control

3 power levels + 2 additional intensive settings, automatic run-on, filter saturation indicator, automatic power revert and SoftLight with dimmer function; control at your fingertips.

Electronic button control

This control provides you with 3 power levels + 1 intensive setting. There's also a push-button for turning the lights on and off. And to make operation even easier, the buttons are back-lit.

Rocker switch control

It doesn't get any easier: one switch with 3 power levels and one for turning the lights on and off.



Performance

Dishwasher-safe metal filters

For easy cleaning, all Bosch filters can be safely loaded into any Bosch dishwasher for sparkling clean results.

Metal grease filter

Metal grease filters are required for ducted and recirculating systems to filter grease and other solid particles out of the extracted air. To make sure these filters operate at maximum efficiency, they should be cleaned about twice a month.

Stainless steel filter

The stainless steel filter provides an exceptionally high level of grease absorption. It is concealed behind an elegant stainless steel cover with a stainless steel handle.

Rim ventilation filter

With its smooth uninterrupted surface and grease separation of 80–92%, the rim ventilation filter from Bosch has a multi-patented filter sealing system and flow-optimised filter system with 9-layer filter mats.

Extraction rates

Air extraction is measured using room volume. This is calculated by multiplying Length x Width x Height. Bosch cooker hoods offer powerful maximum extraction rates for when you are cooking up a storm in the kitchen. While the variable power settings allow you to navigate just the extraction power you need for each meal.

Cooker hoods | Overview

Wall-mounted Hoods.

Series | 8



Series 8 DWB121K50 120cm Wall-mounted Chimney Hood
Design Stainless steel with black control panel Touch control
Performance Exhaust or recirculation mode Max. extraction rate according to EN 61591: 830 m³/h
Features EcoSilence Drive™ motor 3 speeds + 2 intensive power settings EcoSensor Delay shut-off: 10 mins Saturation display for metal grease filter and activated charcoal filter Stainless steel rim filter, dishwasher safe
Technical Information Max normal use noise level: 63 dB(A) 4 x 3 W LED lights with dimmer function Average annual energy consumption: 36.8 kWh/year Diameter pipe: 120 / 150 mm
Dimensions (HxWxD) Product dimensions exhaust air (H x W x D): 628-954 x 1200 x 500 mm Product dimensions recirculating (H x W x D): 628-1064 x 1200 x 500 mm
Accessory Optional: DHZ5345 (Recirculation kit)

Series | 6



Series 8 DWB091K50 90cm Wall-mounted Chimney Hood
Design Stainless steel with black control panel Touch control
Performance Exhaust or recirculation mode Max. extraction rate according to EN 61591: 790 m³/h
Features EcoSilence Drive™ motor 3 speeds + 2 intensive power settings EcoSensor Delay shut-off: 10 mins Saturation display for metal grease filter and activated charcoal filter Stainless steel rim filter, dishwasher safe
Technical Information Max normal use noise level: 66 dB(A) 3 x 3 W LED lights with dimmer function Average annual energy consumption: 33.3 kWh/year Diameter pipe: 120 / 150 mm
Dimensions (HxWxD) Product dimensions exhaust air (H x W x D): 628-954 x 900 x 500 mm Product dimensions recirculating (H x W x D): 628-1064 x 900 x 500 mm
Accessory Optional: DHZ5345 (Recirculation kit)

Series 6 DWK97JQ60B 90cm Wall-mounted Inclined Hood
Design Black glass Touch control
Performance Exhaust or recirculation mode Max. extraction rate according to EN 61591: 714 m³/h
Features EcoSilence Drive™ motor 3 speeds + 2 intensive power settings PerfectAir sensor Delay shut-off: 10 mins Saturation display for metal grease filter and activated charcoal filter Metal grease filter, dishwasher safe
Technical Information Max normal use noise level: 64 dB(A) 2 x 1.5 W LED lights with dimmer function Average annual energy consumption: 26.3 kWh/year Diameter pipe: 120 / 150 mm
Dimensions (HxWxD) Product dimensions exhaust air (H x W x D): 928-1198 x 890 x 499 mm Product dimensions recirculating (H x W x D): 988-1258 x 890 x 499 mm
Accessory Optional: DWZ0AK0U0 (Recirculation kit)

Features may vary depending on models. Please check individual product specifications.
*Depending on motor output

All descriptions and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance.

Island hood

Series | 6



Series 6 | DWB091E50
90cm Wall-mounted Chimney Hood

Design

Stainless steel

Low lift push button control

Performance

Exhaust or recirculation mode

Max. extraction rate according to EN 61591: 980 m³/h

Features

EcoSilence Drive™ motor

3 speeds + 2 intensive power settings

Delay shut-off: 10 mins

Saturation display for metal grease filter and activated charcoal filter

Stainless steel metal grease filter, dishwasher safe

Technical Information

Max normal use noise level: 62 dB(A)

3 x 3 W LED lights with dimmer function

Average annual energy consumption: 34.7 kWh/year

Diameter pipe: 120 / 150 mm

Dimensions (HxWxD)

Product dimensions exhaust air (H x W x D): 628-954 x 900 x 500 mm

Product dimensions recirculating (H x W x D): 628-1064 x 900 x 500 mm

Accessory

Optional: DHZ5345 (Recirculation kit)



Series 6 | DWB097E50
90cm Wall-mounted Chimney Hood

Design

Stainless steel

Low lift push button control

Performance

Exhaust or recirculation mode

Max. extraction rate according to EN 61591: 730 m³/h

Features

EcoSilence Drive™ motor

3 speeds + 2 intensive power settings

Delay shut-off: 10 mins

Saturation display for metal grease filter and activated charcoal filter

Metal grease filter, dishwasher safe

Technical Information

Max normal use noise level: 55 dB(A)

3 x 3 W LED lights with dimmer function

Average annual energy consumption: 32.5 kWh/year

Diameter pipe: 120 / 150 mm

Dimensions (HxWxD)

Product dimensions exhaust air (H x W x D): 642-954 x 900 x 500 mm

Product dimensions recirculating (H x W x D): 642-1064 x 900 x 500 mm

Accessory

Optional: DHZ5345 (Recirculation kit)

Series | 4



Series 4 | DEE928PSG
90cm Wall-mounted Chimney Hood

Design

Stainless steel

Low lift push button control

Performance

Exhaust or recirculation mode

Max. extraction rate according to EN 61591: 1,000 m³/h

Features

3 speeds

Metal grease filter, dishwasher safe

Technical Information

Max normal use noise level: 69 dB(A)

2 x 3 W LED lights

Diameter pipe: 195 mm

Dimensions (HxWxD)

Product dimensions exhaust air (H x W x D): 707-1075 x 895 x 515 mm

Product dimensions recirculating (H x W x D): 707-1195 x 895 x 515 mm

Accessory

Optional: DHZ5705 (Recirculation kit)

Series | 2



Series 2 | DKE906HMY
90cm Wall-mounted Chimney Hood, Oil Collector

Design

Stainless steel

Rocker switch control

Performance

Exhaust mode

Max. extraction rate according to EN 61591: 860 m³/h

Features

3 speeds

Oil collector with pyramidal double filter system

Technical Information

Max normal use noise level: 69 dB(A)

2 x 20 W halogen lights

Diameter pipe: 175 mm

Dimensions (HxWxD)

Product dimensions exhaust air (H x W x D): 600-840 x 895 x 505 mm

Series | 6



Series 6 | DIB98JQ50B
90cm Island Hood

Design

Stainless steel

Touch control

Performance

Exhaust or recirculation mode

Max. extraction rate according to EN 61591: 867 m³/h

Features

EcoSilence Drive™ motor

3 speeds + 2 intensive power settings

PerfectAir sensor

Delay shut-off: 10 mins

Saturation display for metal grease filter and activated charcoal filter

Stainless steel metal grease filter, dishwasher safe

Technical Information

Max normal use noise level: 54dB(A)

4 x 1.5 W LED lights with dimmer function

Average annual energy consumption: 31.6 kWh/year

Diameter pipe: 120 / 150 mm

Dimensions (HxWxD)

Product dimensions exhaust air (H x W x D): 744-924 x 900 x 600 mm

Product dimensions recirculating (H x W x D): 744-1044 x 900 x 600 mm

Accessory


Optional: DHZ5385 (Recirculation kit)



Reference guides

Cooker hood extraction options.

There are two ways to clean the air in your kitchen: ducting or recirculation. Both methods remove odours effectively. Choose the best extraction option for your kitchen:



Ducted extraction

- ✓ Ducting is the most effective way to clear the air in your kitchen.
- ✓ A ducted cooker hood directs air from the kitchen to the outside through a metal duct.
- ✓ The rangehood needs to be situated on or close to an outside wall, so the outside can be reached via ducting.

Recirculation kit

- ✓ Odours are extracted and filtered, through a carbon filter, then purified air is returned to the room.
- ✓ Can be installed anywhere – without the need to install a duct pipe through the wall or ceiling.
- ✓ To maintain performance, the carbon filter needs to be replaced on a regular basis.

DID YOU KNOW ?

There are different types of air extraction measurements. At Bosch, we adopt a stringent method in accordance with the European measurement standard EN 61591.

Bosch Air Extraction Measurement
Measurement of net fan power at air outlet above motor in appliance **with connection to ducting system**

Other Hood Performance Measurement
Measurement of net fan power at air outlet above motor in appliance **without connection to ducting system**

Calculate the extraction power you need.

When choosing a cooker hood, always match its air extraction power to the size of your kitchen. An effective cooker hood should be able to replace the air in your kitchen up to 12 times per hour.

Extraction rate needed for your hood

Kitchen Size	Volume of kitchen (L x W x H) (m³)	x 12 =	Max. Extraction rate needed
Small	3 x 4 x 2.5m	x 12 =	360m³/h
Medium	4 x 4 x 2.5m	x 12 =	480m³/h
Large	4 x 5 x 2.5m	x 12 =	600m³/h
Open plan*	4 x 8 x 2.5m	x 12 =	960m³/h





[Calculate yourself](#)

* For open plan kitchens 50% of the adjacent room to the kitchen is added to the extraction rate calculations.








Above example:
Open plan room size: 4m x 8m x 2.5m
Actual kitchen size: 4m x 4m x 2.5m
Extraction rate calculations: 4m x 6m x 2.5m

Accessories

Visit Bosch customer service to purchase Bosch accessories and spare parts:

Oven and Cooker Accessories			
	Wire rack for universal pan HEZ32400 Fits into all universal pan for all grilling applications. Universal pan and wire rack can be removed together. To suit all Bosch Series 8 60cm ovens.		Lid for Professional pan HEZ633001 To suit Bosch 60cm ovens except HBF133BS0A.
	Pizza stone HEZ327000 Pizza baking stone with wooden bread paddle. Baking stone is pyrolytic proof. To suit all Bosch ovens except CDG634BS1.		Professional pan HEZ633070 To suit Bosch 60cm ovens except HBF133BS0A.
	Porcelain tray - large HEZ36D353P To suit Bosch Series 8 combination steam oven and pure steam oven HSG636ES1, CSG656RS2A, CDG634BS1.		Wire rack (standard) HEZ634000 To suit all Bosch 60cm ovens except HSG636ES1, HBF133BS0A.
	Pizza pan HEZ617000 To suit all Bosch Series 8 except CDG634BS1.		Glass pan HEZ636000 To suit all Bosch Series 8 60cm ovens except CDG634BS1, HBF133BS0A.
	Spilt grill tray, enamelled - pyrolytic proof HEZ625071 To suit all Bosch ovens, except CDG634BS1.		Telescopic rails, 3 fold HEZ638D30 To suit Bosch 60cm combination steam oven HSG636ES1.
	Enamelled baking tray - pyrolytic proof HEZ631070 To suit all Bosch Series 8 ovens, except CDG634BS1.		ClipRail Telescopic rails HEZ538000 To suit all Bosch Series 6 and 4 60cm ovens.
	Universal pan, enamelled - pyrolytic proof HEZ632070 To suit all Bosch Series 8 ovens, except CDG634BS1.		Telescopic rails, 2 fold HEZ538200 To suit all Bosch Series 6 and 4 60cm ovens.
	Universal pan with ceramic non-stick coating HEZ532010 To suit all Bosch Series 6 and 4 60cm ovens.		Wire rack (microwave) HEZ634080 To suit Bosch Series 8 60cm microwave ovens CMG633BS1B.
	Baking tray with ceramic non-stick coating HEZ531010 To suit all Bosch Series 6 and 4 60cm ovens.		Heat resistant and dishwasher safe glass dish HEZ864000 To suit all Bosch 60cm ovens.
	Half tray (slimline universal pan) HEZ530000 Slim sizes trays are perfect when cooking smaller quantities of food. To suit all Bosch Series 6 and 4 60cm ovens. Consists of 2 part and fits perfectly in Bosch dishwashers and Bosch integrated fridges.		


Hob Accessories	
	Wok attachment ring HEZ298107 To suit Bosch PCC6A5B90.
	Connecting rails HEZ394301 For installing two or more Domino units next to a hob. To suit Bosch PRA3A6D70, PRB3A6D70, PIB375FB1E, PKF375FP1E.
	Griddle plate HEZ390522 For use on two combined cooking zones. Evens heat to perfectly grill your favourite meats, fish or vegetables. To suit Bosch FlexInduction® hobs and CombiInduction hobs PXE675DC1E, PVQ611FC5E.
	Stainless steel roasting pan HEZ390011 Cook large dishes without hot spots for results you'll be delighted with. A high performance roasting pan that no induction kitchen should be without. For use on two combined cooking zones. To suit Bosch FlexInduction® and CombiInduction hobs PXE675DC1E, PVQ611FC5E.
	PerfectFry™ sensor induction pan 21cm HEZ390230 To suit Bosch PerfectFry™ sensor induction hobs PXE675DC1E, PVQ611FC5E.
	4 Piece Cookware Set HEZ390042 4 piece induction cookware set consisting of 2 pots, 1 casserole and 1 fry pan.
	Stainless steel wok 17cm HEZ390090 Stainless steel wok for induction and ceramic cooktops. Includes glass lid and draining gid.

Hood Accessories	
	Recirculation Kit DHZ5345 For Bosch DWB121K50, DWB091K50, DWB091E50, DWB097E50.
	Recirculation Kit DWZ0AK0U0 For Bosch DWK97JQ60B.
	Recirculation Kit DHZ5385 For Bosch DIB98JQ50B.
	Chimney extension 1000mm DHZ1223 For Bosch DWB121K50, DWB091K50, DWB091E50, DWB097E50.
	Chimney extension 1500mm DHZ1233 For Bosch DWB121K50, DWB091K50, DWB091E50, DWB097E50.
	Chimney extension 1000mm DWZ0AX5K0 For Bosch DWK97JQ60B.
	Chimney extension 1500mm DWZ0AX5L0 For Bosch DWK97JQ60B.

Technical diagrams


Series 8 | 60cm Oven

HRG6769S2B, HSG636ES1



Series 8 | 60cm Oven


HBG6767S1A, HBG655HS1



Technical diagrams


Series 6 & 4 | 60cm Oven

HBT578FS1A, HBG558S0B, HBA574BS0A, HBA534BS0A




Series 2 | 60cm Oven

HBF133BS0A




Series 8 | 45cm Steam Combination Oven

CSG656RS2A




Technical diagrams


Series 8 | 90cm Ceramic Glass Gas Hob PRS9A6D70




Series 8 | 30cm Ceramic Glass Gas Hob PRA3A6D70




Series 8 | 30cm Ceramic Glass Gas Hob PRB3A6D70




Series 8 | 90cm Stainless Steel Gas Hob PBD9351MS



Series 8 | 90cm Stainless Steel Gas Hob PCS9A5B90




Series 6 | 60cm Stainless Steel Gas Hob PCC6A5B90




Technical diagrams


Series 8 | 60cm FlexInduction® Hob PXE675DC1E



Series 8 | 78cm Induction Hob PPI82560MS



Series 6 | 60cm CombiZone Hob PVQ611FC5E



[illegible]

Three QR codes are arranged vertically. The top QR code is for the Bosch Home MY app. The middle QR code is for the Facebook app, with the text 'Bosch Home MY' below it. The bottom QR code is for the YouTube app, with the text 'boschhomeMY' below it.





WEBSITE

 | www.bosch-home.com.my

More privileges when you register as
myBosch member

FOR MORE INFORMATION

CUSTOMER SERVICE

 | +603 7950 9338
 | bshpet.service@bshg.com

Whilst every care has been taken in the preparation of this publication, Bosch does not warrant the accuracy or completeness of the information in this publication and Bosch reserves the right to alter specifications without notice. To the extent permitted by law, Bosch excludes all liability, including negligence, for any loss incurred in reliance on the contents of this publication.

©Copyright 2019 by BSH Home Appliances Sdn. Bhd. Company registration no. 711053-H. Printed in Malaysia.