

LENOXX

Lenoxx Electronics Australia Pty Ltd
6 Oban Court Laverton North 3026
Tel: + 61 3 9267 2100 Fax: + 61 3 9267 2199
Email Address: lenoxx@lenoxx.com.au
Web site: www.lenoxxelectronics.com




SR285

WIRELESS HANDSFREE

SPEAKER

INSTRUCTION MANUAL

Getting to know your device



1. Interface Dust Cover: Protect Switch & Micro USB Port
2. Power Switch can be found when the dust cover is lifted: Switch ON/off
3. Micro USB: Charging Port (found inside the dust cover when lifted)
4. + Volume Up
5. - Volume Down
6. < Answer/Hang Up phone. Pressing this button for 2 – 4 seconds will disconnect the Bluetooth
7. Mic: Serve As Microphone during Hands-free Call
8. Suction Cup: Capable Of Sucking On Any Smooth Surface (Glass, Glossy, Wall, Ceramic, etc.)
9. Led indicator: Built-in Battery Indicator
 - *Red light on-in charging;
 - *Blue light on-fully charged;
 - *Blue light flashing quickly-Bluetooth pairing;
 - *Blue light flashing slowly-Bluetooth pairing successfully.

Connecting your smart device with the SR285

- 1) Switch on the SR285
- 2) Make sure that your device Bluetooth function is turned on
- 3) On your smart device, find the SR285 device and pair
- 4) Blue light will flash quickly during pairing mode.
- 5) Beep sound will be heard to confirm that the SR285 has now been paired with your device

Note:

1. Hands free call is only available when SR285 is connected with your smart phone.
2. Bluetooth is a bidirectional transmitting device; transmitting distance is highly related to audio player, compatible Bluetooth players are recommended.
3. Hearing a ping sound during song interval is normal.
4. If you are having difficulties pairing the device, switch of the SR285 and switch back on again.
5. The sound performance could also be affected when Bluetooth smart devices is under poor signal environment, or if the SR285 battery is low. If this is the case, please re-charge the SR285.
6. SR285 is water resistant due to the silicone gel housing. Avoid getting the inner structure of the unit wet. Submerging the SR285 in water is not recommended.

SPECIFICATION

ACCESSORIES

USB CABLE

INSTRUCTION MANUAL

WARRANTY CARD

Product size: 62*59mm
Weight: 90g
Loudspeaker: 40mm
Rated Power: 3W
Interface: Micro USB

Bluetooth parameter

Operation Frequency: 2400GHZ-2480GHZ
Power Output (peak): Class 2/4 dbm
Receiving Sensitivity: -91db,@0.1%BER
Operation Range: Up to 10m

Battery Parameter:

Capacity: 400mA, 3.7V, Polymer Li-ion Battery
Music Playback time: 5-7Hours at 70% volume
Charging time: 1.5-2hours