

Continental[®]

Refrigerator

INNOVATIVE DESIGNS FOR YOUR FOODSERVICE NEEDS

2021 PRICE LIST **ADDENDUM**

NEW PRICING AS OF **AUGUST 16, 2021**

10% INCREASE APPLIED TO PREVIOUS PRICE LIST



Table of Contents

	PAGE
Local Sales Representatives & Warehouses	4
Model Nomenclature	6
WORKTOP & UNDERCOUNTERS Refrigerators & Freezers	7
Worktop Refrigerators	8
Worktop Freezers	10
Worktop Refrigerators Front Breathing	12
Worktop Freezers Front Breathing	14
Undercounter Refrigerators & Freezers Front Breathing	16
Worktops & Undercounters Options & Accessories	18
SANDWICH UNITS	19
Sandwich Units - Standard Top	20
Front Breathing Sandwich Units - Standard Top	22
Sandwich Units - Mighty Top	24
Front Breathing Sandwich Units - Mighty Top	26
Sandwich Units - C (Cutting) Top	28
Front Breathing Sandwich Units - C (Cutting) Top	30
Sandwich Units Options & Accessories	32
BASE MODELS Refrigerators & Freezers	33
Base Model Refrigerators & Freezers - Worktops	34
Base Model Refrigerators & Freezers - Undercounters	36
Base Model Sandwich Units - Standard Top	38
Base Model Sandwich Units - Mighty Top	40
Base Models Options & Accessories	42
PIZZA PREPARATION TABLES	43
Pizza Preparation Tables - Forced Air	44
Pizza Preparation Tables Options & Accessories	46
GRIDDLE STANDS Refrigerators & Freezers	47
Griddle Stands	48
Griddle Stands Options & Accessories	50

	PAGE
MILK COOLERS Cold Wall or Forced Air Models	51
Milk Coolers	52
Milk Coolers Options & Accessories	54
BAR EQUIPMENT	55
Keg Coolers	56
Back Bar Coolers - Standard & Pass-Thru Models	58
Back Bar Display Coolers w/ Hinged Glass Doors - Standard & Pass-Thru Models	60
Back Bar Display Coolers w/ Sliding Glass Doors - Standard & Pass-Thru Models	62
Bottle Coolers	64
Bar Equipment Options & Accessories	66
REACH-INS & PASS-THRUS Refrigerators & Freezers	67
Refrigerators	68
Slim Line Refrigerators	70
Extra-Wide Refrigerators	72
Freezers	74
Slim Line Freezers	76
Extra-Wide Freezers	78
Dual Temperature - Standard Width & Extra-Wide	80
Display Refrigerators w/ Hinged Glass Doors	82
Extra-Wide Display Refrigerators w/ Hinged Glass Doors	84
Display Refrigerators w/ Sliding Glass Doors	86
Display Freezers w/ Hinged Glass Doors	88
Extra-Wide Display Freezers w/ Hinged Glass Doors	90
Reach-Ins & Pass-Thrus Options & Accessories	92



	PAGE
Designer Line REACH-INS & PASS-THRUS Refrigerators, Freezers & Warmers	93
Refrigerators	94
Slim Line Refrigerators	96
Extra-Wide Refrigerators	98
Freezers	100
Slim Line Freezers	102
Extra-Wide Freezers	104
Warmers - Standard Width & Extra-Wide	106
Dual Temperature (Refrigerator/Freezer)	108
Dual Temperature (Refrigerator/Warmer)	110
Extra-Wide Dual Temperature (Refrigerator/Freezer)	112
Extra-Wide Dual Temperature (Refrigerator/Warmer)	114
Display Refrigerators w/ Hinged Glass Doors	116
Extra-Wide Display Refrigerators w/ Hinged Glass Doors	118
Display Refrigerators w/ Sliding Glass Doors	120
Display Freezers w/ Hinged Glass Doors	122
Extra-Wide Display Freezers w/ Hinged Glass Doors	124
Reach-Ins & Pass-Thrus Options & Accessories	126
 Designer Line ROLL-INS & ROLL-THRUS Refrigerators, Freezers & Warmers	 127
Roll-In & Roll-Thru Refrigerators	128
Roll-In & Roll-Thru Freezers	130
Roll-In & Roll-Thru Warmers	132
Roll-Ins & Roll-Thrus Options & Accessories	134

	PAGE
Designer Line UNDERCOUNTERS Refrigerators & Freezers	136
Undercounter Refrigerators & Freezers Front Breathing	136
Undercounters Options & Accessories	152
 Designer Line SANDWICH UNITS	 138
Sandwich Units - Standard Top	138
Front Breathing Sandwich Units - Standard Top	140
Sandwich Units - Mighty Top	142
Front Breathing Sandwich Units - Mighty Top	144
Sandwich Units - C (Cutting) Top	146
Front Breathing Sandwich Units - C (Cutting) Top	148
Sandwich Units Options & Accessories	152
 Designer Line BASE MODELS Refrigerators & Freezers	 150
Base Model Refrigerators & Freezers - Worktops	150
Base Models Options & Accessories	152
 Designer Line FISH FILES Uprights & Base Models	 153
Fish Files	154
Fish Files Options & Accessories	156
Overshelves, Pan Slides & Expansion Valve	157
Warranty	160
Agreement of Sale	161



Revit®
Architecture

Sales Representatives Directory

W Warehouse

1 DAVE SWAIN ASSOCIATES

Location: Westford, MA
Phone: (978) 392-8401
Website: www.swainrep.com
Territory: CT, ME, MA, NH, RI, VT

2 LINK 2 HOSPITALITY SOLUTIONS

Location: Rochester, NY
Phone: (585) 254-1780
Website: www.link2hs.com
Territory: Upstate NY

3 PECINKA FERRI ASSOCIATES

Location: Fairfield, NJ
Phone: (973) 812-4277
Website: www.pecinkaferri.com
Territory: N. NJ, New York City

4 SCHMID DEWLAND & ASSOCIATES

Location: Gibbsboro, NJ
Phone: (856) 783-3400
Website: www.schmidewland.com
Territory: DE, S. & Central NJ, E. PA

404 LINK 2 HOSPITALITY SOLUTIONS

Location: Bridgeville, PA
Phone: (412) 341-2020
Website: www.link2hs.com
Territory: W. PA, W. VA (except panhandle)

5 HIGH SABATINO ASSOCIATES, INC.

Location: Jessup, MD
Phone: (301) 470-7051
Website: www.highsabatino.com
Territory: DC, MD, VA, W. VA (panhandle)

6 STIEFEL ASSOCIATES, INC.

Location: Lansing, MI
Phone: (517) 393-3019
Website: www.stiefelrep.com
Territory: MI (except upper peninsula)

7 DICK STANLEY & ASSOCIATES

Location: Pickerington, OH
Phone: (614) 833-0797
Website: www.dsa-rep.com
Territory: KY, OH

700 ACOSTA/CORNERSTONE

Location: Livonia, IN
Phone: (800) 832-6442
Website: www.acostafoodservice.com
Territory: IN

8 JAY MARK GROUP, LTD

Location: Elk Grove Village, IL
Phone: (847) 545-1918
Website: www.jaymark.net
Territory: N. IL

9 NORTH STAR AGENCY

Location: Mendota Heights, MN
Phone: (763) 545-1400
Website: www.northstaragency.com
Territory: MN, ND, SD

900 MIRKOVICH & ASSOCIATES

Location: Waukesha, WI
Phone: (630) 792-0080
Website: www.mirkovich.com
Territory: MI (upper peninsula), WI

10 SELECT MARKETING

Location: St. Louis, MO
Phone: (314) 961-3332
Website: www.select-mktg.com
Territory: IA, S. IL, KS, MO, NE

11 MASTER MARKETING CAROLINA

Location: High Shoals, NC
Phone: (704) 860-0092
Website: www.mm-reps.com
Territory: NC, SC

1100 PRO-QUIP FOODSERVICE

Location: Little Rock, AK
Phone: (501) 221-7120
Website: www.foodserviceequipment.com
Territory: AR, LA, MS, W. TN (W. of Tenn. River)

12 THE VEITCH GROUP

Location: Ft. Lauderdale, FL
Phone: (954) 316-6162
Website: www.vgrp.net
Territory: FL (except panhandle)

1200 MERKOLAT

Location: Davie, FL
Phone: (864) 248-6260
Website: www.merkolat.com
Territory: Caribbean, Latin America

13 CARMAN-GIRARD ASSOCIATES

Location: Atlanta, GA
Phone: (770) 457-6548
Website: www.cgareps.com
Territory: AL, FL (panhandle), GA
E. TN (E. of Tenn. River)

15 IGNITE FOODSERVICE SOLUTIONS

Location: Denver, CO
Phone: (303) 433-0124
Website: www.ignitefoodservice.com
Territory: CO, S. ID, MT, UT, WY

16 ROLLER & ASSOCIATES

Location: Seattle, WA
Phone: (206) 547-3555
Website: www.rollerassoc.com
Territory: AK, N. ID, OR, WA

17 FOODSERVICE EQUIPMENT AGENTS

Location: Anaheim, CA
Phone: (714) 693-3329
Website: www.feallc.com
Territory: AZ (Bull Head City), S. CA, S. NV

18 INFORM MARKETING GROUP

Location: Walnut Creek, CA
Phone: (510) 337-0420
Website: www.informfoodservice.com
Territory: N. CA, N. NV

19 IGNITE FOODSERVICE SOLUTIONS

Location: Phoenix, AZ
Phone: (303) 433-0124
Website: www.ignitefoodservice.com
Territory: AZ (except Bull Head City), NM, TX (El Paso)


20 FORBES HEVER & WALLACE, INC.

Location: Coppell, TX
Phone: (972) 219-8898
Website: www.your-rep.com
Territory: OK, TX (except El Paso)

22 COLLIS GROUP, INC.

Location: Richmond Hill, Ontario
Phone: (905) 660-4600
Website: www.collisgroupinc.com
Territory: Ontario

Sales Territories & Warehouses



WAREHOUSES:

Phoenix, Arizona
 Fullerton, California
 Miami, Florida
 Elk Grove Village, Illinois
 Indianapolis, Indiana
 Lansing, MI
 St. Louis, Missouri
 Bensalem, Pennsylvania (Corporate Office)
 Haltom City, Texas

MANUFACTURED WITH PRIDE
 IN BENSALEM, PENNSYLVANIA

MADE IN THE U.S.A.



Model Nomenclature

NATURAL REFRIGERANT R-290

WORKTOP REFRIGERATORS

w/ Drawers
w/ Backsplash
w/ Hinged Glass Door(s)
w/ Sliding Glass Doors
Front Breathing

WORKTOP FREEZERS

w/ Backsplash
w/ Hinged Glass Door(s)

UNDERCOUNTER REFRIGERATORS

UNDERCOUNTER FREEZERS

w/ Drawers
w/ Hinged Glass Door(s)
w/ Sliding Glass Doors

SANDWICH UNITS - STANDARD TOP

SANDWICH UNITS - MIGHTY TOP

SANDWICH UNITS - C (CUTTING TOP) 19"

Front Breathing
w/ Drawers

REFRIGERATED BASES

FREEZER BASES

UNDERCOUNTER REFRIGERATED BASES

UNDERCOUNTER FREEZER BASES

w/ Drawers
w/ Backsplash

REFRIGERATED BASE SANDWICH UNITS

REFRIGERATED BASE SANDWICH UNITS - MIGHTY TOP

w/ Drawers

PIZZA PREPARATION TABLES

w/ Drawers

GRIDDLE STAND REFRIGERATORS

GRIDDLE STAND FREEZERS

MILK COOLERS - SINGLE ACCESS COLD WALL

MILK COOLERS - DUAL ACCESS COLD WALL

MILK COOLERS - SINGLE ACCESS FORCED AIR

MILK COOLERS - DUAL ACCESS FORCED AIR

w/ Stainless Steel Interior & Exterior

KEG COOLERS

w/ Stainless Steel Exterior
Shallow Depth

BACK BAR COOLERS

w/ Stainless Steel Exterior
Pass-Thru
Shallow Depth
w/ Hinged Glass Door(s)
w/ Sliding Glass Doors
w/ Drawers (Cocktail Refrigerator only)
w/ Stainless Steel Covered Interior for Food Storage

BOTTLE COOLERS

w/ Stainless Steel Exterior
Deep Chill

N

SW

D
BS
GD
SGD
FB

SWF

BS
GD

SW-U

SWF-U

D
GD
SGD

SW- # of pans

SW- # of pans M

SW- # of pans C

FB
D

RA (CRA for 118)

FA

RA-U (CRA-U for 118)

FA-U

D
BS

RA- # of pans

RA- # of pans M

D

PA

-D

D G

D GF

MC-SCW

MC-DCW

MC-S

MC-D

SS

KC

SS
KCS

BB

SS
PT
BBS
GD
SGD
D
-FS

CBC

SS
DC

REFRIGERATORS

REACH-INS

SLIM LINE

EXTRA-WIDE

w/ Stainless Steel Exterior/Aluminum Interior
w/ Stainless Steel Interior & Exterior
w/ Half Doors
Shallow Depth
Pass-Thru
w/ Hinged Glass Doors
w/ Sliding Glass Doors

FREEZERS

REACH-INS

SLIM LINE

EXTRA-WIDE

w/ Stainless Steel Exterior/Aluminum Interior
w/ Stainless Steel Interior & Exterior
w/ Half Doors
Shallow Depth
Pass-Thru
w/ Hinged Glass Doors

DUAL TEMPERATURE

EXTRA-WIDE DUAL TEMPERATURE

w/ Stainless Steel Exterior/Aluminum Interior
w/ Stainless Steel Interior & Exterior
w/ Half Doors
Pass-Thru

R

RSE

RE, RX

SA
SS
HD
RS, RSES, RES
PT
GD
SGD

F

FSE

FE or FX

SA
SS
HD
FS, FSES, FES
PT
GD

RF, RRF, RFF

RFE, RFX, RRFE, RFFE

SA
SS
HD
PT

Designer line

REFRIGERATORS & FREEZERS

(same nomenclature as standard models)

DR

ROLL-IN REFRIGERATORS

ROLL-IN FREEZERS

ROLL-IN WARMERS

Roll-Thrus
w/ Stainless Steel Exterior/Aluminum Interior
w/ Stainless Steel Interior & Exterior
Extra-High

DRI

DLFI

DLWI

RT
SA
SS
E

UNDERCOUNTER REFRIGERATORS & FREEZERS

(same nomenclature as standard models)

D-U, DF-U

SANDWICH UNITS - STANDARD TOP

SANDWICH UNITS - MIGHTY TOP

SANDWICH UNITS - C (CUTTING TOP) 19"

(same nomenclature as standard models)

D- # of pans

D- # of pans M

D- # of pans C

FISH FILES - UPRIGHTS

FISH FILE - BASES

DRS-SS-F

DRA-SS-F

Worktops & Undercounters

Refrigerators & Freezers

Worktops & Undercounters (-U models*) cabinets have stainless steel fronts, tops and end panels with aluminum backs and interiors. Worktop models are available as a flat top or with a 5 1/2" backsplash. Front breathing and drawer options available. Undercounters are standard front breathing.

* Undercounters are for under the counter applications only.
Can not be used as a worktop.

In This Section

- 8** Worktop Refrigerators
- 10** Worktop Freezers
- 12** Worktop Refrigerators - Front Breathing
- 14** Worktop Freezers - Front Breathing
- 16** Undercounter Refrigerators & Freezers
- 18** Options & Accessories

FLEXIBLE Option
16-gauge overshelves
(single or double)

Benefit
Easier item storage
and handling at an
arm's reach

FLEXIBLE Option
Easy, in-the-field
conversion from
door to drawer or
drawer to door,
or rehinging doors

Benefit
Workflow
flexibility after the
installation, easy
cleaning
& servicing



SW48N-FB
shown w/ Standard Features and FLEXIBLE Options



SW48NBS model photo not shown above.

Worktop Refrigerators

Cabinet Construction: Stainless Steel Front, Top and End Panels, Aluminum Back and Interior
Standard Flat Top or 5 1/2” Backsplash



Certified ENERGY STAR® Commercial Refrigerators (models listed with a ☆star).

BTU/HR Rating @ +25°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)

STANDARD WORKTOP MODELS

SIZE	WITH DOOR(S)	DOOR(S) LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
27"	SW27N	☆ \$5236	SW27N-D	\$7493	27 1/2 x 32 3/16 x 35 1/4	7.4	1625	1/5	165
32"	SW32N	☆ \$6388	SW32N-D	\$8739	32 x 32 3/16 x 35 1/4	9	1625	1/5	221
36"	SW36N	☆ \$6861	-	-	36 x 32 3/16 x 35 1/4	10.3	1625	1/5	239
48"	SW48N	☆ \$7630	SW48N-D	\$12334	48 x 32 3/16 x 35 1/4	13.4	1625	1/5	248
60"	SW60N	☆ \$8511	SW60N-D	\$13213	60 x 32 3/16 x 35 1/4	17	1625	1/5	284
72"	SW72N	☆ \$9819	SW72N-D	\$16871	72 x 32 3/16 x 35 1/4	20.6	1625	1/5	318

5 1/2” BACKSPLASH WORKTOP MODELS

27"	SW27NBS	☆ \$5375	SW27NBS-D	\$7625	27 1/2 x 32 3/16 x 40 3/4	7.4	1625	1/5	170
32"	SW32NBS	☆ \$6567	SW32NBS-D	\$8918	32 x 32 3/16 x 40 3/4	9	1625	1/5	221
36"	SW36NBS	☆ \$7226	-	-	36 x 32 3/16 x 40 3/4	10.3	1625	1/5	239
48"	SW48NBS	☆ \$7860	SW48NBS-D	\$12560	48 x 32 3/16 x 40 3/4	13.4	1625	1/5	258
60"	SW60NBS	☆ \$8730	SW60NBS-D	\$13429	60 x 32 3/16 x 40 3/4	17	1625	1/5	297
72"	SW72NBS	☆ \$9977	SW72NBS-D	\$17032	72 x 32 3/16 x 40 3/4	20.6	1625	1/5	334

DISPLAY WORKTOP MODELS

SIZE	WITH HINGED GLASS DOOR(S)	HINGED GLASS DOOR(S) LIST PRICE	WITH SLIDING GLASS DOORS	SLIDING GLASS DOORS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
27"	SW27NGD	\$6255	-	-	27 1/2 x 31 7/16 x 35 1/4	7.4	1625	1/5	180
32"	SW32NGD	\$7762	-	-	32 x 31 7/16 x 35 1/4	9	1625	1/5	235
36"	SW36NGD	\$8379	-	-	36 x 31 7/16 x 35 1/4	10.3	1625	1/5	255
48"	SW48NGD	\$9962	-	-	48 x 31 7/16 x 35 1/4	13.4	1625	1/5	265
48"	-	-	SW48NSGD	\$10950	48 x 31 x 35 1/4	13.4	2073	1/4+	265
60"	SW60NGD	\$10930	-	-	60 x 31 7/16 x 35 1/4	17	1625	1/5	300
60"	-	-	SW60NSGD	\$11916	60 x 31 x 35 1/4	17	2073	1/4+	300
72"	SW72NGD	\$13167	-	-	72 x 31 7/16 x 35 1/4	20.6	1625	1/5	385
72"	-	-	SW72NSGD	\$14154	72 x 31 x 35 1/4	20.6	2073	1/4+	385

SW27N-D	SW27NBS-D	SW32N-D	SW32NBS-D	SW48N-D	SW48NBS-D
					
					
SW60N-D	SW60NBS-D	SW72N-D	SW72NBS-D		

Door & Drawer Models

STANDARD FEATURES

Performance-Rated Refrigeration System
Natural, Environmentally-Safe, High-Efficiency R-290 Refrigerant
 2" Non-CFC Polyurethane Foam Insulation
Automatic, Hot Gas Condensate Evaporator
 Non-Corrosive, Plasticized Fin Evaporator Coil
 Easily Serviceable, Back Mounted Compressor
 Electronic Temperature Control
 Completely Enclosed, Vented & Removable Case Back
 5" High Casters

SOLID DOOR MODELS

Spring Loaded, Self Closing Doors
 Santoprene Magnetic Snap-In Door Gaskets
Smooth, Polished Chrome Door Handles
 Field Rehingeable Doors
 Heavy Duty, Epoxy-Coated Steel Shelves

DRAWER MODELS

Stainless Steel Roll-Out Drawers
 Santoprene Magnetic Snap-In Drawer Gaskets
Smooth, Polished Chrome Drawer Handles

GLASS DOOR MODELS

LED Interior Lighting
 Double Pane, Low-E, Tempered Glass Doors
 (self-closing on sliding glass doors)
 Expansion Valve System
 (standard on sliding glass door models only)

OPTIONS

Door/drawer locks
 Overshelves
 Remote temperature logger
 Additional epoxy-coated or stainless steel shelves
 Adjustable legs
 Stainless steel interior
 Digital thermometer with hi-low alarm
 Expansion valve system (48" - 72" models only)
 Stacking collar (27" models only)
 Stainless steel back

DOOR TO DRAWERS (in lieu of one door per section)

Two drawers	\$2352
Drawers not available for 36" models	
MODELS	TWO TIER DRAWERS
27"/60"	(1) 12 x 20 x 6 pan per drawer
32"	(1) 12 x 20 x 6 pan per drawer or (1) 1/2 size x 6 & (2) 1/3 size x 6 pan per drawer
48"/72"	(1) 1/2 size x 6 & (1) 1/3 size x 6 pan per drawer

See **Page 18** for Options & Accessories.
 See **Page 158** for Overshelves.
 See **Page 159** for Expansion Valve Option.

SWF27N	SWF27NBS	SWF32N	SWF32NBS	SWF36N	SWF36NBS
					
					
SWF48N	SWF48NBS	SWF60N	SWF60NBS		

Worktop Freezers (0°F)

Cabinet Construction: Stainless Steel Front, Top and End Panels, Aluminum Back and Interior
Standard Flat Top or 5 1/2" Backsplash

BTU/HR Rating @ -15°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)

STANDARD WORKTOP MODELS

SIZE	WITH DOORS	DOORS LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
27"	SWF27N	\$6160	SWF27N-D	\$8398	27 1/2 x 32 3/16 x 35 1/4	7.4	1572	1/4	165
32"	SWF32N	\$7440	SWF32N-D	\$9788	32 x 32 3/16 x 35 1/4	9	1800	1/3	221
36"	SWF36N	\$7911	-	-	36 x 32 3/16 x 35 1/4	10.3	1800	1/3	239
48"	SWF48N	\$8826	SWF48N-D	\$13526	48 x 32 3/16 x 35 1/4	13.4	2078	1/2	248
60"	SWF60N	\$10904	SWF60N-D	\$15605	60 x 32 3/16 x 35 1/4	17	2078	1/2	284

5 1/2" BACKSPLASH WORKTOP MODELS

27"	SWF27NBS	\$6377	SWF27NBS-D	\$8610	27 1/2 x 32 3/16 x 40 3/4	7.4	1572	1/4	170
32"	SWF32NBS	\$7619	SWF32NBS-D	\$9969	32 x 32 3/16 x 40 3/4	9	1800	1/3	221
36"	SWF36NBS	\$8277	-	-	36 x 32 3/16 x 40 3/4	10.3	1800	1/3	239
48"	SWF48NBS	\$9048	SWF48NBS-D	\$13748	48 x 32 3/16 x 40 3/4	13.4	2078	1/2	258
60"	SWF60NBS	\$11195	SWF60NBS-D	\$15897	60 x 32 3/16 x 40 3/4	17	2078	1/2	297

DISPLAY WORKTOP MODELS

SIZE	WITH HINGED GLASS DOOR	HINGED GLASS DOOR LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
27"	SWF27NGD	\$7889	-	-	27 1/2 x 31 7/16 x 35 1/4	7.4	1572	1/4	180

SWF27N-D	SWF27NBS-D	SWF32N-D	SWF32NBS-D
			
			
SWF48N-D	SWF48NBS-D	SWF60N-D	SWF60NBS-D

Door & Drawer Models

STANDARD FEATURES

Performance-Rated Refrigeration System
Natural, Environmentally-Safe, High-Efficiency R-290 Refrigerant
 2" Non-CFC Polyurethane Foam Insulation
 Automatic, Hot Gas Condensate Evaporator (27" models)
 Automatic, Energy-Saving, Non-Electric Condensate Evaporator
 (32" - 60" models)
 Non-Corrosive, Plasticized Fin Evaporator Coil
 Easily Serviceable, Back Mounted Compressor
 Electronic Temperature Control
 Completely Enclosed, Vented & Removable Case Back
 Automatic Electric Defrost
 5" High Casters

SOLID DOOR MODELS

Spring Loaded, Self Closing Doors
 Santoprene Magnetic Snap-In Door Gaskets
Smooth, Polished Chrome Door Handles
 Field Rehingeable Doors
 Heavy Duty, Epoxy-Coated Steel Shelves

DRAWER MODELS

Stainless Steel Roll-Out Drawers
 Santoprene Magnetic Snap-In Drawer Gaskets
Smooth, Polished Chrome Drawer Handles

27" GLASS DOOR MODEL

Double Pane, Low-E, Tempered Glass Door
 LED Interior Lighting

OPTIONS

Door/drawer locks
 Overshelves
 Remote temperature logger
 Digital thermometer with hi-low alarm
 Additional epoxy-coated or stainless steel shelves
 Adjustable legs
 Stainless steel interior
 Stainless steel back

DOOR TO DRAWERS (in lieu of one door per section)

Two drawers	\$2352
Drawers not available for 36" models	
MODELS	TWO TIER DRAWERS
27"/60"	(1) 12 x 20 x 6 pan per drawer
32"	(1) 12 x 20 x 6 pan per drawer or (1) 1/2 size x 6 & (2) 1/3 size x 6 pan per drawer
48"	(1) 1/2 size x 6 & (1) 1/3 size x 6 pan per drawer

See **Page 18** for Options & Accessories.
 See **Page 158** for Overshelves.

SW27N-FB	SW27NBS-FB	SW32N-FB	SW32NBS-FB	SW36N-FB	SW36NBS-FB	SW48N-FB
						
						
SW60N-FB	SW60NBS-FB	SW72N-FB	SW72NBS-FB			

SW48NBS-FB model photo not shown above.

Worktop Refrigerators - Front Breathing

Cabinet Construction: Stainless Steel Front, Top and End Panels, Aluminum Back and Interior
Standard Flat Top or 5 1/2" Backsplash
All front breathers come standard with 3 3/4" high casters



Certified ENERGY STAR® Commercial Refrigerators (models listed with a star ☆).

BTU/HR Rating @ +25°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)

STANDARD WORKTOP MODELS

SIZE	WITH DOORS	DOORS LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
27"	SW27N-FB	☆ \$5245	SW27N-FB-D	\$7595	27 1/2 x 32 3/16 x 34	7.4	1625	1/5	165
32"	SW32N-FB	☆ \$6516	SW32N-FB-D	\$8866	32 x 32 3/16 x 34	9	1625	1/5	221
36"	SW36N-FB	☆ \$7001	-	-	36 x 32 3/16 x 34	10.3	1625	1/5	239
48"	SW48N-FB	☆ \$7786	SW48N-FB-D	\$12485	48 x 32 3/16 x 34	13.4	1625	1/5	248
60"	SW60N-FB	☆ \$8685	SW60N-FB-D	\$13385	60 x 32 3/16 x 34	17	1625	1/5	284
72"	SW72N-FB	☆ \$10019	SW72N-FB-D	\$17066	72 x 32 3/16 x 34	20.6	1625	1/5	318

5 1/2" BACKSPLASH WORKTOP MODELS

27"	SW27NBS-FB	☆ \$5378	SW27NBS-FB-D	\$7728	27 1/2 x 32 3/16 x 39 1/2	7.4	1625	1/5	170
32"	SW32NBS-FB	☆ \$6696	SW32NBS-FB-D	\$9046	32 x 32 3/16 x 39 1/2	9	1625	1/5	221
36"	SW36NBS-FB	☆ \$7226	-	-	36 x 32 3/16 x 39 1/2	10.3	1625	1/5	239
48"	SW48NBS-FB	☆ \$8019	SW48NBS-FB-D	\$12724	48 x 32 3/16 x 39 1/2	13.4	1625	1/5	258
60"	SW60NBS-FB	☆ \$8913	SW60NBS-FB-D	\$13611	60 x 32 3/16 x 39 1/2	17	1625	1/5	297
72"	SW72NBS-FB	☆ \$10184	SW72NBS-FB-D	\$17234	72 x 32 3/16 x 39 1/2	20.6	1625	1/5	334

DISPLAY WORKTOP MODELS

SIZE	WITH HINGED GLASS DOORS	HINGED GLASS DOORS LIST PRICE	WITH SLIDING GLASS DOORS	SLIDING GLASS DOORS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
27"	SW27NGD-FB	\$6385	-	-	27 1/2 x 31 7/16 x 34	7.4	1625	1/5	180
32"	SW32NGD-FB	\$7927	-	-	32 x 31 7/16 x 34	9	1625	1/5	235
36"	SW36NGD-FB	\$8544	-	-	36 x 31 7/16 x 34	10.3	1625	1/5	255
48"	SW48NGD-FB	\$10160	-	-	48 x 31 7/16 x 34	13.4	1625	1/5	265
48"	-	-	SW48NSGD-FB	\$11103	48 x 31 x 34	13.4	2073	1/4+	265
60"	SW60NGD-FB	\$11147	-	-	60 x 31 7/16 x 34	17	1625	1/5	300
60"	-	-	SW60NSGD-FB	\$12091	60 x 31 x 34	17	2073	1/4+	300
72"	SW72NGD-FB	\$13365	-	-	72 x 31 7/16 x 34	20.6	1625	1/5	385
72"	-	-	SW72NSGD-FB	\$14351	72 x 31 x 34	20.6	2073	1/4+	385

SW27N-FB-D	SW27NBS-FB-D	SW32N-FB-D	SW32NBS-FB-D	SW48N-FB-D	SW48NBS-FB-D
					
					
SW60N-FB-D	SW60NBS-FB-D	SW72N-FB-D		SW72NBS-FB-D	

Door & Drawer Models

Front breathers are a unique, field assembled, bottom mounted ventilation system designed to allow cabinets to be flush against a wall or built into a counter to conserve space.

STANDARD FEATURES

Performance-Rated Refrigeration System
Natural, Environmentally-Safe, High-Efficiency R-290 Refrigerant
 2" Non-CFC Polyurethane Foam Insulation
Automatic, Hot Gas Condensate Evaporator
 Non-Corrosive, Plasticized Fin Evaporator Coil
 Easily Serviceable, Back Mounted Compressor
 Electronic Temperature Control
 Completely Enclosed, Vented & Removable Case Back
 3 3/4" High Casters

SOLID DOOR MODELS

Spring Loaded, Self Closing Doors
 Santoprene Magnetic Snap-In Door Gaskets
Smooth, Polished Chrome Door Handles
 Field Rehingeable Doors
 Heavy Duty, Epoxy-Coated Steel Shelves

DRAWER MODELS

Stainless Steel Roll-Out Drawers
 Santoprene Magnetic Snap-In Drawer Gaskets
Smooth, Polished Chrome Drawer Handles

GLASS DOOR MODELS

LED Interior Lighting
 Double Pane, Low-E, Tempered Glass Doors
 (self-closing on sliding glass doors)
 Expansion Valve System
 (standard on sliding glass door models only)










OPTIONS

Door/drawer locks
 Overshelves
 Remote temperature logger
 Digital thermometer with hi-low alarm
 Additional epoxy-coated or stainless steel shelves
 Stainless steel interior
 Expansion valve system (48" - 72" models only)
 Stainless steel back

DOOR TO DRAWERS (in lieu of one door per section)

Two drawers	\$2352
Drawers not available for 36" models	
MODELS	TWO TIER DRAWERS
27"/60"	(1) 12 x 20 x 6 pan per drawer
32"	(1) 12 x 20 x 6 pan per drawer or (1) 1/2 size x 6 & (2) 1/3 size x 6 pan per drawer
48"/72"	(1) 1/2 size x 6 & (1) 1/3 size x 6 pan per drawer

See **Page 18** for Options & Accessories.
 See **Page 158** for Overshelves.
 See **Page 159** for Expansion Valve Option.

SWF27N-FB	SWF27NBS-FB	SWF32N-FB	SWF32NBS-FB	SWF36N-FB	SWF36NBS-FB
					
					
SWF48N-FB	SWF48NBS-FB	SWF60N-FB	SWF60NBS-FB		

Worktop Freezers - Front Breathing

Cabinet Construction: Stainless Steel Front, Top and End Panels, Aluminum Back and Interior
Standard Flat Top or 5 1/2" Backsplash
All front breathers come standard with 3 3/4" high casters

BTU/HR Rating @ -15°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)

STANDARD WORKTOP MODELS









SIZE	WITH DOORS	DOORS LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
27"	SWF27N-FB	\$6167	SWF27N-FB-D	\$8519	27 1/2 x 32 3/16 x 34	7.4	1572	1/4	165
32"	SWF32N-FB	\$7582	SWF32N-FB-D	\$9935	32 x 32 3/16 x 34	9	1800	1/3	221
36"	SWF36N-FB	\$7927	-	-	36 x 32 3/16 x 34	10.3	1800	1/3	239
48"	SWF48N-FB	\$9002	SWF48N-FB-D	\$13702	48 x 32 3/16 x 34	13.4	2078	1/2	248
60"	SWF60N-FB	\$11123	SWF60N-FB-D	\$15824	60 x 32 3/16 x 34	17	2078	1/2	284

5 1/2" BACKSPLASH WORKTOP MODELS

27"	SWF27NBS-FB	\$6388	SWF27NBS-FB-D	\$8739	27 1/2 x 32 3/16 x 39 1/2	7.4	1572	1/4	170
32"	SWF32NBS-FB	\$7761	SWF32NBS-FB-D	\$10114	32 x 32 3/16 x 39 1/2	9	1800	1/3	221
36"	SWF36NBS-FB	\$8294	-	-	36 x 32 3/16 x 39 1/2	10.3	1800	1/3	239
48"	SWF48NBS-FB	\$9233	SWF48NBS-FB-D	\$13936	48 x 32 3/16 x 39 1/2	13.4	2078	1/2	258
60"	SWF60NBS-FB	\$11422	SWF60NBS-FB-D	\$16125	60 x 32 3/16 x 39 1/2	17	2078	1/2	297

DISPLAY WORKTOP MODELS

SIZE	WITH HINGED GLASS DOOR	HINGED GLASS DOOR LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
27"	SWF27NGD-FB	\$8050	-	-	27 1/2 x 31 7/16 x 34	7.4	1572	1/4	180

SWF27N-FB-D	SWF27NBS-FB-D	SWF32N-FB-D	SWF32NBS-FB-D
			
			
SWF48N-FB-D	SWF48NBS-FB-D	SWF60N-FB-D	SWF60NBS-FB-D

Door & Drawer Models

Front breathers are a unique, field assembled, bottom mounted ventilation system designed to allow cabinets to be flush against a wall or built into a counter to conserve space.

STANDARD FEATURES

- Performance-Rated Refrigeration System
- Natural, Environmentally-Safe, High-Efficiency R-290 Refrigerant**
- 2" Non-CFC Polyurethane Foam Insulation
- Automatic, Hot Gas Condensate Evaporator (27" models)
- Automatic, Energy-Saving, Non-Electric Condensate Evaporator (32" - 60" models)
- Non-Corrosive, Plasticized Fin Evaporator Coil
- Easily Serviceable, Back Mounted Compressor
- Electronic Temperature Control
- Completely Enclosed, Vented & Removable Case Back
- Automatic Electric Defrost
- 3 3/4" High Casters

SOLID DOOR MODELS

- Spring Loaded, Self Closing Doors
- Santoprene Magnetic Snap-In Door Gaskets
- Smooth, Polished Chrome Door Handles**
- Field Rehingeable Doors
- Heavy Duty, Epoxy-Coated Steel Shelves

DRAWER MODELS

- Stainless Steel Roll-Out Drawers
- Santoprene Magnetic Snap-In Drawer Gaskets
- Smooth, Polished Chrome Drawer Handles**
- 27" GLASS DOOR MODEL**
- Double Pane, Low-E, Tempered Glass Door
- LED Interior Lighting

OPTIONS

- Door/drawer locks
- Overshelves
- Remote temperature logger
- Additional epoxy-coated or stainless steel shelves
- Stainless steel interior
- Stainless steel back

DOOR TO DRAWERS (in lieu of one door per section)

Two drawers	\$2352
Drawers not available for 36" models	
MODELS	TWO TIER DRAWERS
27"/60"	(1) 12 x 20 x 6 pan per drawer
32"	(1) 12 x 20 x 6 pan per drawer or (1) 1/2 size x 6 & (2) 1/3 size x 6 pan per drawer
48"	(1) 1/2 size x 6 & (1) 1/3 size x 6 pan per drawer

See **Page 18** for Options & Accessories.
See **Page 158** for Overshelves.

SW27N-U/SWF27N-U	SW32N-U/SWF32N-U	SW36N-U/SWF36N-U
		
		
SW48N-U/SWF48N-U	SW60N-U/SWF60N-U	SW72N-U

Undercounter Refrigerators & Freezers (0°F) - Front Breathing

Cabinet Construction: Stainless Steel Front, Top and End Panels, Aluminum Back and Interior



Certified ENERGY STAR® Commercial Refrigerators (models listed with a star ☆).

BTU/HR Rating @ +25°F, 90°F Ambient (Refrigerators)
BTU/HR Rating @ -15°F, 90°F Ambient (Freezers)
10 ft. cord and plug attached (115-60-1 volts)

UNDERCOUNTER REFRIGERATOR MODELS

SIZE	WITH DOORS	DOORS LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
27"	SW27N-U	☆ \$5245	SW27N-U-D	\$7595	27 1/2 x 32 3/16 x 31 13/16	7.4	1625	1/5	165
32"	SW32N-U	☆ \$6516	SW32N-U-D	\$8866	32 x 32 3/16 x 31 13/16	9	1625	1/5	221
36"	SW36N-U	☆ \$6861	-	-	36 x 32 3/16 x 31 13/16	10.3	1625	1/5	239
48"	SW48N-U	☆ \$7786	SW48N-U-D	\$12485	48 x 32 3/16 x 31 13/16	13.4	1625	1/5	248
60"	SW60N-U	☆ \$8685	SW60N-U-D	\$13385	60 x 32 3/16 x 31 13/16	17	1625	1/5	284
72"	SW72N-U	☆ \$10019	SW72N-U-D	\$17066	72 x 32 3/16 x 31 13/16	20.6	1625	1/5	318

UNDERCOUNTER FREEZER MODELS






27"	SWF27N-U	\$6167	SWF27N-U-D	\$8519	27 1/2 x 32 3/16 x 31 13/16	7.4	1572	1/4	165
32"	SWF32N-U	\$7582	SWF32N-U-D	\$9935	32 x 32 3/16 x 31 13/16	9	1800	1/3	221
36"	SWF36N-U	\$7927	-	-	36 x 32 3/16 x 31 13/16	10.3	1800	1/3	239
48"	SWF48N-U	\$9002	SWF48N-U-D	\$13702	48 x 32 3/16 x 31 13/16	13.4	2078	1/2	248
60"	SWF60N-U	\$11123	SWF60N-U-D	\$15824	60 x 32 3/16 x 31 13/16	17	2078	1/2	284

DISPLAY UNDERCOUNTER REFRIGERATOR MODELS

SIZE	WITH HINGED GLASS DOORS	HINGED GLASS DOORS LIST PRICE	WITH SLIDING GLASS DOORS	SLIDING GLASS DOORS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
27"	SW27NGD-U	\$6385	-	-	27 1/2 x 31 7/16 x 31 13/16	7.4	1625	1/5	180
32"	SW32NGD-U	\$7623	-	-	32 x 31 7/16 x 31 13/16	9	1625	1/5	235
36"	SW36NGD-U	\$8217	-	-	36 x 31 7/16 x 31 13/16	10.3	1625	1/5	255
48"	SW48NGD-U	\$10160	-	-	48 x 31 7/16 x 31 13/16	13.4	1625	1/5	265
48"	-	-	SW48NSGD-U	\$11103	48 x 31 x 31 13/16	13.4	2073	1/4+	265
60"	SW60NGD-U	\$11147	-	-	60 x 31 7/16 x 31 13/16	17	1625	1/5	300
60"	-	-	SW60NSGD-U	\$12091	60 x 31 x 31 13/16	17	2073	1/4+	300
72"	SW72NGD-U	\$13365	-	-	72 x 31 7/16 x 31 13/16	20.6	1625	1/5	385
72"	-	-	SW72NSGD-U	\$14351	72 x 31 x 31 13/16	20.6	2073	1/4+	385

DISPLAY UNDERCOUNTER FREEZER MODELS

27"	SWF27NGD-U	\$8050	-	-	27 1/2 x 31 7/16 x 31 13/16	7.4	1572	1/4	180
-----	------------	--------	---	---	-----------------------------	-----	------	-----	-----

SW27N-U-D/SWF27N-U-D	SW32N-U-D/SWF32N-U-D	SW48N-U-D/SWF48N-U-D
		
		
SW60N-U-D/SWF60N-U-D	SW72N-U-D	

Door & Drawer Models

STANDARD FEATURES

Performance-Rated Refrigeration System
Natural, Environmentally-Safe, High-Efficiency R-290 Refrigerant
 2" Non-CFC Polyurethane Foam Insulation
Automatic, Hot Gas Condensate Evaporator
 (Refrigerators & 27" Freezer models)
 Automatic, Energy-Saving, Non-Electric Condensate Evaporator
 (32" - 60" Freezer models)
 Non-Corrosive, Plasticized Fin Evaporator Coil
 Easily Serviceable, Back Mounted Compressor
 Electronic Temperature Control
 Completely Enclosed, Vented & Removable Case Back
 Automatic Electric Defrost (Freezers)
 1 3/8" Diameter Plate Casters*
 (*Factory installed, ships on casters, no other casters are available)
 2" High, Bottom-Mounted Front Breather Air Divider

SOLID DOOR MODELS

Spring Loaded, Self Closing Doors
 Santoprene Magnetic Snap-In Door Gaskets
Smooth, Polished Chrome Door Handles
 Field Rehingeable Doors
 Heavy Duty, Epoxy-Coated Steel Shelves

DRAWER MODELS

Stainless Steel Roll-Out Drawers
 Santoprene Magnetic Snap-In Drawer Gaskets
Smooth, Polished Chrome Drawer Handles

GLASS DOOR MODELS

LED Interior Lighting
 Double Pane, Low-E, Tempered Glass Doors
 (self-closing on sliding glass doors)
 Expansion Valve System
 (standard on sliding glass door models only)

OPTIONS

Door/drawer locks
 Additional epoxy-coated or stainless steel shelves
 Remote temperature logger
 Stainless steel interior
 Expansion valve system (48" - 72" Refrigerator models only)
 Stainless steel back

DOOR TO DRAWERS (in lieu of one door per section)

Two drawers	\$2352
-------------	--------

Drawers not available for 36" models

MODELS	TWO TIER DRAWERS
27"/60"	(1) 12 x 20 x 6 pan per drawer
32"	(1) 12 x 20 x 6 pan per drawer or (1) 1/2 size x 6 & (2) 1/3 size x 6 pan per drawer
48"/72"	(1) 1/2 size x 6 & (1) 1/3 size x 6 pan per drawer

* Units ship on casters. No other caster is available for SW-U models.

See **Page 18** for Options & Accessories.
 See **Page 159** for Expansion Valve Option.

Worktops & Undercounters Options & Accessories

See **Page 162** for single/double overshelves. Consult factory for additional information.

Consult factory for special electrical requirements.

OPTIONS & ACCESSORIES

SIZE	PART NO.	DESCRIPTION	LIST PRICE
	-	Epoxy-Coated Steel Shelf with Clips	\$96
	-	Stainless Steel Shelf with Clips	\$274
	-	Rehinging	N/C
	-	Cylinder Lock (per door/drawer)	\$222
	45247CP	Digital Thermometer with Hi-Low Alarm	\$712
4" Dia. 5" H	50205	Set of 4 Swivel Casters w/Brakes (not available for -U and -FB models) Set of 6 Swivel Casters w/Brakes (not available for -U and -FB models)	\$414 \$680
5" Dia. 6" H	50177	Set of 4 Swivel Casters w/Brakes (not available for -U and -FB models)	\$518
3" Dia. 4" H	50209	Set of 4 Swivel Casters w/Brakes (not available for -U models)	\$349
3" Dia. 3 3/4" H	50301	Set of 4 Swivel Casters w/Brakes (standard on all -FB models, not available for -U models)	\$349
4" H	50219	Set of 4 Stainless Steel Legs (not available for -U models)	\$205
6" H	50203	Set of 4 Stainless Steel Legs (not available for -U and -FB models)	\$224
4" H	50206	Set of 4 "Black" Legs (not available for -U models)	\$184
6" H	50202	Set of 4 "Black" Legs (not available for -U and -FB models)	\$147
	UCSC27	Stacking Collar (27" Refrigerator models only)	\$401
	50-080	Remote Temperature Logger	\$2286
27 1/2"	-	Stainless Steel Interior Stainless Steel Finished Back	\$1261 \$459
32"	-	Stainless Steel Interior Stainless Steel Finished Back	\$1378 \$552
36"	-	Stainless Steel Interior Stainless Steel Finished Back	\$1458 \$607
48"	-	Stainless Steel Interior Stainless Steel Finished Back	\$1601 \$688
60"	-	Stainless Steel Interior Stainless Steel Finished Back	\$1834 \$805
72"	-	Stainless Steel Interior Stainless Steel Finished Back	\$2061 \$974

Sandwich Units

Standard, Mighty & Cutting Tops

Sandwich Units offer a unique air flow distribution (full length evaporator coil across back of unit). Cabinet has a stainless steel front, top and end panels with aluminum back and interior. Units also feature insulated lid(s), recessed pans and a full-length nylon cutting board. Doors are field rehingeable. Pan top configurations can be modified to meet the needs of the operator. Front breathing and drawer options available.

Note: Unhinged flat lids can not be hinged in the field.

In This Section

20	Standard Top
22	Standard Top Front Breathing
24	Mighty Top
26	Mighty Top Front Breathing
28	C (Cutting) Top
30	C (Cutting) Top Front Breathing
32	Options & Accessories



FLEXIBLE Option
16-gauge overshelves
(single or double)

Benefit

Easier item storage
and handling at an
arm's reach



FLEXIBLE Option
Vision Panel Lid
in lieu of standard
insulated lid

Benefit

Product visibility



FLEXIBLE Option
1/9 size crumb
pans recessed
in cutting board

Benefit

Keeps work area
clean and crumbs
contained




FLEXIBLE Option
Easy, in-the-field
conversion from
door to drawer or
drawer to door,
or rehinging doors

Benefit

Workflow
flexibility after the
installation, easy
cleaning
& servicing



SW60N24M
shown w/ Standard Features and FLEXIBLE Options



Sandwich Units - Standard Top


Cabinet Construction: Stainless Steel Front, Top and End Panels, Aluminum Back and Interior
Standard Top with 12" Cutting Board











BTU/HR Rating @ +25°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)

SANDWICH UNITS - STANDARD TOP MODELS

SIZE	# PANS	WITH DOOR(S)	DOOR(S) LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
27"	8	SW27N8	\$5869	SW27N8-D	\$8222	27 1/2 x 32 5/16 x 42 3/16	7.4	1625	1/5	218
32"	8	SW32N8	\$6984	SW32N8-D	\$9336	32 x 32 3/16 x 42 1/4	9	1625	1/5	236
36"	8	SW36N8	\$8004	-	-	36 x 32 3/16 x 42 1/4	10.3	1625	1/5	248
	10	SW36N10	\$8051	-	-	36 x 32 3/16 x 42 1/4	10.3	1625	1/5	248
48"	8	SW48N8	\$8100	SW48N8-D	\$12799	48 x 32 3/16 x 42 1/4	13.4	1940	1/4+	293
	10	SW48N10	\$8857	SW48N10-D	\$13556	48 x 32 3/16 x 42 1/4	13.4	1940	1/4+	293
	12	SW48N12	\$8923	SW48N12-D	\$13624	48 x 32 3/16 x 42 1/4	13.4	1940	1/4+	328
60"	8	SW60N8	\$9228	SW60N8-D	\$13931	60 x 32 3/16 x 42 1/4	17	2560	1/3+	340
	12	SW60N12	\$9429	SW60N12-D	\$14128	60 x 32 3/16 x 42 1/4	17	2560	1/3+	360
	16	SW60N16	\$9515	SW60N16-D	\$14214	60 x 32 3/16 x 42 1/4	17	2560	1/3+	360
72"	12	SW72N12	\$10807	SW72N12-D	\$17858	72 x 32 3/16 x 42 1/4	20.6	2560	1/3+	402
	18	SW72N18	\$10848	SW72N18-D	\$17901	72 x 32 3/16 x 42 1/4	20.6	2560	1/3+	431

PAN TOP CONFIGURATIONS



SW27N8-D	SW32N8-D	SW48N8-D	SW48N10-D	SW48N12-D
				
				
SW60N8-D	SW60N12-D	SW60N16-D	SW72N12-D	SW72N18-D

Door & Drawer Models

Unique air flow distribution allows pan product to maintain 33° - 41°F.

STANDARD FEATURES

Performance-Rated Refrigeration System
Natural, Environmentally-Safe, High-Efficiency R-290 Refrigerant

2" Non-CFC Polyurethane Foam Insulation

Automatic, Hot Gas Condensate Evaporator

Non-Corrosive, Plasticized Fin Evaporator Coil

Easily Serviceable, Back Mounted Compressor

12" Deep, Full Length Nylon Cutting Board

Electronic Temperature Control

Expansion Valve System (48" - 72" models only)

Completely Enclosed, Vented & Removable Case Back

Removable Interior Tub Below Pans
(prevents food spillage in storage zone)

1/6 Size **Recessed** Pans, 4" Deep (can accommodate a 6" deep pan)

Insulated Lids

5" High Casters

DOOR MODELS

Spring Loaded, Self Closing Doors

Santoprene Magnetic Snap-In Door Gaskets

Smooth, Polished Chrome Door Handles

Field Rehingeable Doors

Heavy Duty, Epoxy-Coated Steel Shelves

DRAWER MODELS

Stainless Steel Roll-Out Drawers

Santoprene Magnetic Snap-In Drawer Gaskets

Smooth, Polished Chrome Drawer Handles

OPTIONS

Door/drawer locks

Overshelves

Remote temperature logger

Digital thermometer with hi-low alarm

Adjustable legs

Rear-mounted cutting board

Crumb catcher

Additional epoxy-coated or stainless steel shelves

Stainless steel interior

Flat insulated lid

Vision panel lid

Stainless steel back

Optional caster sizes

Composite cutting board

Modified pan openings

DOOR TO DRAWERS (in lieu of one door per section)













Two drawers	\$2352
--------------------	---------------

Drawers not available for 36" models

MODELS	TWO TIER DRAWERS
27"/60"	(1) 12 x 20 x 6 pan per drawer
32"	(1) 12 x 20 x 6 pan per drawer or (1) 1/2 size x 6 & (2) 1/3 size x 6 pans per drawer
48"/72"	(1) 1/2 size x 6 & (1) 1/3 size x 6 pan per drawer

See **Page 32** for Options & Accessories.

See **Page 158** for Overshelves.

SW27N8-FB	SW32N8-FB	SW36N8-FB	SW36N10-FB	SW48N8-FB	SW48N10-FB	SW48N12-FB
						
						
SW60N8-FB	SW60N12-FB	SW60N16-FB	SW72N12-FB	SW72N18-FB		

Front Breathing Sandwich Units - Standard Top


Cabinet Construction: Stainless Steel Front, Top and End Panels, Aluminum Back and Interior
Standard Top with 12" Cutting Board
All front breathers come standard with 3 3/4" high casters










BTU/HR Rating @ +25°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)

FRONT BREATHING SANDWICH UNITS - STANDARD TOP MODELS

SIZE	# PANS	WITH DOORS	DOORS LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
27"	8	SW27N8-FB	\$5988	SW27N8-FB-D	\$8338	27 1/2 x 32 5/16 x 40 15/16	7.4	1625	1/5	218
32"	8	SW32N8-FB	\$7124	SW32N8-FB-D	\$9475	32 x 32 3/16 x 41	9	1625	1/5	236
36"	8	SW36N8-FB	\$8165	-	-	36 x 32 3/16 x 41	10.3	1625	1/5	248
	10	SW36N10-FB	\$8212	-	-	36 x 32 3/16 x 41	10.3	1625	1/5	248
48"	8	SW48N8-FB	\$8267	SW48N8-FB-D	\$12968	48 x 32 3/16 x 41	13.4	1940	1/4+	293
	10	SW48N10-FB	\$9035	SW48N10-FB-D	\$13735	48 x 32 3/16 x 41	13.4	1940	1/4+	293
	12	SW48N12-FB	\$9104	SW48N12-FB-D	\$13807	48 x 32 3/16 x 41	13.4	1940	1/4+	328
60"	8	SW60N8-FB	\$9411	SW60N8-FB-D	\$14112	60 x 32 3/16 x 41	17	2560	1/3+	340
	12	SW60N12-FB	\$9616	SW60N12-FB-D	\$14318	60 x 32 3/16 x 41	17	2560	1/3+	360
	16	SW60N16-FB	\$9704	SW60N16-FB-D	\$14405	60 x 32 3/16 x 41	17	2560	1/3+	360
72"	12	SW72N12-FB	\$11025	SW72N12-FB-D	\$18077	72 x 32 3/16 x 41	20.6	2560	1/3+	402
	18	SW72N18-FB	\$11061	SW72N18-FB-D	\$18113	72 x 32 3/16 x 41	20.6	2560	1/3+	431

PAN TOP CONFIGURATIONS



SW27N8-FB-D	SW32N8-FB-D	SW48N8-FB-D	SW48N10-FB-D	SW48N12-FB-D
				
				
SW60N8-FB-D	SW60N12-FB-D	SW60N16-FB-D	SW72N12-FB-D	SW72N18-FB-D

Door & Drawer Models

Front breathers are a unique, field assembled, bottom mounted ventilation system designed to allow cabinets to be flush against a wall or built into a counter to conserve space. Unique air flow distribution allows pan product to maintain 33° - 41°F.

STANDARD FEATURES

- Performance-Rated Refrigeration System
- Natural, Environmentally-Safe, High-Efficiency R-290 Refrigerant**
- 2" Non-CFC Polyurethane Foam Insulation
- Automatic, Hot Gas Condensate Evaporator**
- Non-Corrosive, Plasticized Fin Evaporator Coil
- Easily Serviceable, Back Mounted Compressor
- 12" Deep, Full Length Nylon Cutting Board
- Electronic Temperature Control
- Expansion Valve System** (48" - 72" models only)
- Completely Enclosed, Vented & Removable Case Back
- Removable Interior Tub Below Pans
(prevents food spillage in storage zone)
- 1/6 Size **Recessed** Pans, 4" Deep (can accommodate a 6" deep pan)

Insulated Lids

3 3/4" High Casters

DOOR MODELS

- Spring Loaded, Self Closing Doors
- Santoprene Magnetic Snap-In Door Gaskets
- Smooth, Polished Chrome Door Handles**
- Field Rehingeable Doors
- Heavy Duty, Epoxy-Coated Steel Shelves

DRAWER MODELS

- Stainless Steel Roll-Out Drawers
- Santoprene Magnetic Snap-In Drawer Gaskets
- Smooth, Polished Chrome Drawer Handles**

OPTIONS

- Door/drawer locks
- Overshelves
- Remote temperature logger
- Digital thermometer with hi-low alarm
- Rear-mounted cutting board
- Crumb catcher
- Additional epoxy-coated or stainless steel shelves
- Stainless steel interior
- Flat insulated lid
- Vision panel lid
- Stainless steel back
- Composite cutting board
- Modified pan openings













DOOR TO DRAWERS (in lieu of one door per section)

Two drawers	\$2352
--------------------	--------

Drawers not available for 36" models

MODELS	TWO TIER DRAWERS
27"/60"	(1) 12 x 20 x 6 pan per drawer
32"	(1) 12 x 20 x 6 pan per drawer or (1) 1/2 size x 6 & (2) 1/3 size x 6 pans per drawer
48"/72"	(1) 1/2 size x 6 & (1) 1/3 size x 6 pan per drawer

See **Page 32** for Options & Accessories.
See **Page 158** for Overshelves.

SW27N12M	SW32N12M	SW36N12M-HGL	SW36N15M	SW48N12M	SW48N18M-HGL	SW60N12M
						
						
SW60N18M	SW60N24M-HGL	SW72N18M	SW72N27M	SW72N30M-HGL		

SW72N24M model photo not shown above. See next page SW72N24M-D.

Sandwich Units - Mighty Top

Cabinet Construction: Stainless Steel Front, Top and End Panels, Aluminum Back and Interior
Mighty Top with 8" Cutting Board


SANDWICH UNITS - MIGHTY TOP MODELS


BTU/HR Rating @ +25°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)

SIZE	# PANS	WITH DOORS	DOORS LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
27"	12	SW27N12M	\$6989	SW27N12M-D	\$9339	27 1/2 x 35 x 42 1/4	7.4	1625	1/5	242
32"	12	SW32N12M	\$8087	SW32N12M-D	\$10436	32 x 35 x 42 1/4	9	1625	1/5	245
36"	12	SW36N12M	\$9188	-	-	36 x 35 x 42 1/4	10.3	1625	1/5	248
	12	SW36N12M-HGL	\$15525	-	-	36 x 35 x 36 13/16	10.3	1625	1/5	272
	15	SW36N15M	\$9237	-	-	36 x 35 x 42 1/4	10.3	1625	1/5	248
48"	12	SW48N12M	\$9993	SW48N12M-D	\$14693	48 x 35 x 42 1/4	13.4	1940	1/4+	328
	18	SW48N18M	\$10196	SW48N18M-D	\$14897	48 x 35 x 42 1/4	13.4	1940	1/4+	328
	18	SW48N18M-HGL	\$17428	SW48N18M-HGL-D	\$22130	48 x 35 x 36 13/16	13.4	1940	1/4+	352
60"	12	SW60N12M	\$10609	SW60N12M-D	\$15312	60 x 35 x 42 1/4	17	2560	1/3+	387
	18	SW60N18M	\$10714	SW60N18M-D	\$15415	60 x 35 x 42 1/4	17	2560	1/3+	387
	24	SW60N24M	\$11213	SW60N24M-D	\$15915	60 x 35 x 42 1/4	17	2560	1/3+	387
	24	SW60N24M-HGL	\$19132	SW60N24M-HGL-D	\$23836	60 x 35 x 36 13/16	17	2560	1/3+	411
72"	18	SW72N18M	\$12314	SW72N18M-D	\$19367	72 x 35 x 42 1/4	20.6	2560	1/3+	431
	24	SW72N24M	\$12648	SW72N24M-D	\$19701	72 x 35 x 42 1/4	20.6	2560	1/3+	431
	27	SW72N27M	\$12975	SW72N27M-D	\$20027	72 x 35 x 42 1/4	20.6	2560	1/3+	431
	30	SW72N30M	\$13054	SW72N30M-D	\$20103	72 x 35 x 42 1/4	20.6	2560	1/3+	452
	30	SW72N30M-HGL	\$21317	SW72N30M-HGL-D	\$28372	72 x 35 x 36 13/16	20.6	2560	1/3+	468

PAN TOP CONFIGURATIONS

NOTE: Hinged Glass Lid (HGL) available only for the model sizes listed in the gray box.



SW27N12M-D	SW32N12M-D	SW48N12M-D	SW48N18M-HGL-D	SW60N12M-D	SW60N18M-D	SW60N24M-HGL-D
						
						
SW72N18M-D		SW72N24M-D		SW72N27M-D		SW72N30M-HGL-D

Door & Drawer Models

Unique air flow distribution allows pan product to maintain 33° - 41°F.

STANDARD FEATURES

Performance-Rated Refrigeration System
Natural, Environmentally-Safe, High-Efficiency R-290 Refrigerant

2" Non-CFC Polyurethane Foam Insulation

Automatic, Hot Gas Condensate Evaporator

Non-Corrosive, Plasticized Fin Evaporator Coil

Easily Serviceable, Back Mounted Compressor

8" Deep, Full Length Nylon Cutting Board

Electronic Temperature Control

Expansion Valve System (48" - 72" models only)

Completely Enclosed, Vented & Removable Case Back

Removable Interior Tub Below Pans
(prevents food spillage in storage zone)

1/6 Size **Recessed** Pans, 4" Deep (can accommodate a 6" deep pan)

Insulated Lids

5" High Casters

DOOR MODELS

Spring Loaded, Self Closing Doors

Santoprene Magnetic Snap-In Door Gaskets

Smooth, Polished Chrome Door Handles

Field Rehingeable Doors

Heavy Duty, Epoxy-Coated Steel Shelves

DRAWER MODELS

Stainless Steel Roll-Out Drawers

Santoprene Magnetic Snap-In Drawer Gaskets

Smooth, Polished Chrome Drawer Handles

OPTIONS

Door/drawer locks

Overshelves (not available on HGL models)

Remote temperature logger

Digital thermometer with hi-low alarm

Adjustable legs

Rear-mounted cutting board

Crumb catcher

Additional epoxy-coated or stainless steel shelves

Stainless steel interior

Flat insulated lid (except -HGL models)

Vision panel lid (except -HGL models)

Stainless steel back

Optional caster sizes

Composite cutting board

Modified pan openings (except -HGL models)

DOOR TO DRAWERS (in lieu of one door per section)













Two drawers	\$2352
--------------------	---------------

Drawers not available for 36" models

MODELS	TWO TIER DRAWERS
27"/60"	(1) 12 x 20 x 6 pan per drawer
32"	(1) 12 x 20 x 6 pan per drawer or (1) 1/2 size x 6 & (2) 1/3 size x 6 pans per drawer
48"/72"	(1) 1/2 size x 6 & (1) 1/3 size x 6 pan per drawer

See **Page 32** for Options & Accessories.

See **Page 158** for Overshelves.

SW27N12M-FB	SW32N12M-FB	SW36N12M-HGL-FB	SW36N15M-FB	SW48N12M-FB	SW48N18M-HGL-FB	SW60N12M-FB
						
						
SW60N18M-FB	SW60N24M-HGL-FB	SW72N18M-FB	SW72N27M-FB	SW72N30M-HGL-FB		

SW72N24M-FB model photo not shown above. See next page SW72N24M-FB-D.

Front Breathing Sandwich Units - Mighty Top

Cabinet Construction: Stainless Steel Front, Top and End Panels, Aluminum Back and Interior
Mighty Top with 8" Cutting Board
All front breathers come standard with 3 3/4" casters


BTU/HR Rating @ +25°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)












FRONT BREATHING SANDWICH UNITS - MIGHTY TOP MODELS

SIZE	# PANS	WITH DOORS	DOORS LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
27"	12	SW27N12M-FB	\$7128	SW27N12M-FB-D	\$9479	27 1/2 x 35 x 41	7.4	1625	1/5	242
32"	12	SW32N12M-FB	\$8248	SW32N12M-FB-D	\$10597	32 x 35 x 41	9	1625	1/5	245
36"	12	SW36N12M-FB	\$9371	-	-	36 x 35 x 41	10.3	1625	1/5	248
	12	SW36N12M-HGL-FB	\$15711	-	-	36 x 35 x 35 9/16	10.3	1625	1/5	272
	15	SW36N15M-FB	\$9425	-	-	36 x 35 x 41	10.3	1625	1/5	248
48"	12	SW48N12M-FB	\$10196	SW48N12M-FB-D	\$14897	48 x 35 x 41	13.4	1940	1/4+	328
	18	SW48N18M-FB	\$10399	SW48N18M-FB-D	\$15100	48 x 35 x 41	13.4	1940	1/4+	328
	18	SW48N18M-HGL-FB	\$17630	SW48N18M-HGL-FB-D	\$22329	48 x 35 x 35 9/16	13.4	1940	1/4+	352
60"	12	SW60N12M-FB	\$10823	SW60N12M-FB-D	\$15526	60 x 35 x 41	17	2560	1/3+	387
	18	SW60N18M-FB	\$10932	SW60N18M-FB-D	\$15631	60 x 35 x 41	17	2560	1/3+	387
	24	SW60N24M-FB	\$11435	SW60N24M-FB-D	\$16134	60 x 35 x 41	17	2560	1/3+	387
	24	SW60N24M-HGL-FB	\$19353	SW60N24M-HGL-FB-D	\$24055	60 x 35 x 35 9/16	17	2560	1/3+	411
72"	18	SW72N18M-FB	\$12559	SW72N18M-FB-D	\$19611	72 x 35 x 41	20.6	2560	1/3+	431
	24	SW72N24M-FB	\$12901	SW72N24M-FB-D	\$19956	72 x 35 x 41	20.6	2560	1/3+	431
	27	SW72N27M-FB	\$13235	SW72N27M-FB-D	\$20286	72 x 35 x 41	20.6	2560	1/3+	431
	30	SW72N30M-FB	\$13312	SW72N30M-FB-D	\$20366	72 x 35 x 41	20.6	2560	1/3+	452
	30	SW72N30M-HGL-FB	\$21576	SW72N30M-HGL-FB-D	\$28630	72 x 35 x 35 9/16	20.6	2560	1/3+	468

PAN TOP CONFIGURATIONS

NOTE: Hinged Glass Lid (HGL) available only for the model sizes listed in the gray box.



SW27N12M-FB-D	SW32N12M-FB-D	SW48N12M-FB-D	SW48N18M-HGL-FB-D	SW60N12M-FB-D	SW60N18M-FB-D	SW60N24M-HGL-FB-D
						
						
SW72N18M-FB-D		SW72N24M-FB-D		SW72N27M-FB-D		SW72N30M-HGL-FB-D

Door & Drawer Models

Front breathers are a unique, field assembled, bottom mounted ventilation system designed to allow cabinets to be flush against a wall or built into a counter to conserve space. Unique air flow distribution allows pan product to maintain 33° - 41°F.

STANDARD FEATURES

- Performance-Rated Refrigeration System
- Natural, Environmentally-Safe, High-Efficiency R-290 Refrigerant**
- 2" Non-CFC Polyurethane Foam Insulation
- Automatic, Hot Gas Condensate Evaporator**
- Non-Corrosive, Plasticized Fin Evaporator Coil
- Easily Serviceable, Back Mounted Compressor
- 8" Deep, Full Length Nylon Cutting Board
- Electronic Temperature Control
- Expansion Valve System** (48" - 72" models only)
- Completely Enclosed, Vented & Removable Case Back
- Removable Interior Tub Below Pans
(prevents food spillage in storage zone)
- 1/6 Size Recessed Pans, 4" Deep (can accommodate a 6" deep pan)

Insulated Lids

3 3/4" High Casters

DOOR MODELS

- Spring Loaded, Self Closing Doors
- Santoprene Magnetic Snap-In Door Gaskets
- Smooth, Polished Chrome Door Handles**
- Field Rehingeable Doors
- Heavy Duty, Epoxy-Coated Steel Shelves

DRAWER MODELS

- Stainless Steel Roll-Out Drawers
- Santoprene Magnetic Snap-In Drawer Gaskets
- Smooth, Polished Chrome Drawer Handles**


OPTIONS

- Door/drawer locks
- Overshelves (not available on HGL models)
- Remote temperature logger
- Digital thermometer with hi-low alarm
- Rear-mounted cutting board
- Crumb catcher
- Additional epoxy-coated or stainless steel shelves
- Stainless steel interior
- Flat insulated lid
- Vision panel lid
- Stainless steel back
- Composite cutting board
- Modified pan openings

DOOR TO DRAWERS (in lieu of one door per section)

Two drawers	\$2352
Drawers not available for 36" models	
MODELS	TWO TIER DRAWERS
27"/60"	(1) 12 x 20 x 6 pan per drawer
32"	(1) 12 x 20 x 6 pan per drawer or (1) 1/2 size x 6 & (2) 1/3 size x 6 pans per drawer
48"/72"	(1) 1/2 size x 6 & (1) 1/3 size x 6 pan per drawer

See **Page 32** for Options & Accessories.
See **Page 158** for Overshelves.



Sandwich Units - C (Cutting) Top


Cabinet Construction: Stainless Steel Front, Top and End Panels, Aluminum Back and Interior
C (Cutting) Top with 19" Cutting Board











BTU/HR Rating @ +25°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)

SANDWICH UNITS - C (CUTTING) TOP MODELS

SIZE	# PANS	WITH DOORS	DOORS LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
27"	8	SW27N8C	\$6556	SW27N8C-D	\$8907	27 1/2 x 38 1/4 x 42 1/4	7.4	1625	1/5	218
32"	8	SW32N8C	\$7630	SW32N8C-D	\$9984	32 x 38 1/4 x 42 1/4	9	1625	1/5	236
36"	8	SW36N8C	\$8649	-	-	36 x 38 1/4 x 42 1/4	10.3	1625	1/5	248
	10	SW36N10C	\$8700	-	-	36 x 38 1/4 x 42 1/4	10.3	1625	1/5	248
48"	8	SW48N8C	\$9468	SW48N8C-D	\$14170	48 x 38 1/4 x 42 1/4	13.4	1940	1/4+	293
	10	SW48N10C	\$9531	SW48N10C-D	\$14233	48 x 38 1/4 x 42 1/4	13.4	1940	1/4+	293
	12	SW48N12C	\$9611	SW48N12C-D	\$14309	48 x 38 1/4 x 42 1/4	13.4	1940	1/4+	328
60"	8	SW60N8C	\$10466	SW60N8C-D	\$15165	60 x 38 1/4 x 42 1/4	17	2560	1/3+	340
	12	SW60N12C	\$10597	SW60N12C-D	\$15297	60 x 38 1/4 x 42 1/4	17	2560	1/3+	360
	16	SW60N16C	\$10699	SW60N16C-D	\$15400	60 x 38 1/4 x 42 1/4	17	2560	1/3+	360
72"	12	SW72N12C	\$11847	SW72N12C-D	\$18897	72 x 38 1/4 x 42 1/4	20.6	2560	1/3+	402
	18	SW72N18C	\$12001	SW72N18C-D	\$19051	72 x 38 1/4 x 42 1/4	20.6	2560	1/3+	431

PAN TOP CONFIGURATIONS



SW27N8C-D	SW32N8C-D	SW48N8C-D	SW48N10C-D	SW48N12C-D
				
				
SW60N8C-D	SW60N12C-D	SW60N16C-D	SW72N12C-D	SW72N18C-D

Door & Drawer Models

Unique air flow distribution allows pan product to maintain 33° - 41°F.

STANDARD FEATURES

- Performance-Rated Refrigeration System
- Natural, Environmentally-Safe, High-Efficiency R-290 Refrigerant**
- 2" Non-CFC Polyurethane Foam Insulation
- Automatic, Hot Gas Condensate Evaporator**
- Non-Corrosive, Plasticized Fin Evaporator Coil
- Easily Serviceable, Back Mounted Compressor
- 19" Deep, Full Length Nylon Cutting Board
- Electronic Temperature Control
- Expansion Valve System** (48" - 72" models only)
- Completely Enclosed, Vented & Removable Case Back
- Removable Interior Tub Below Pans
(prevents food spillage in storage zone)
- 1/6 Size Recessed Pans, 4" Deep (can accommodate a 6" deep pan)
- Insulated Lids
- 5" High Casters

DOOR MODELS

- Spring Loaded, Self Closing Doors
- Santoprene Magnetic Snap-In Door Gaskets
- Smooth, Polished Chrome Door Handles**
- Field Rehingeable Doors
- Heavy Duty, Epoxy-Coated Steel Shelves

DRAWER MODELS

- Stainless Steel Roll-Out Drawers
- Santoprene Magnetic Snap-In Drawer Gaskets
- Smooth, Polished Chrome Drawer Handles**

OPTIONS

- Door/drawer locks
- Overshelves
- Remote temperature logger
- Digital thermometer with hi-low alarm
- Adjustable legs
- Rear-mounted cutting board
- Additional epoxy-coated or stainless steel shelves
- Stainless steel interior
- Flat insulated lid
- Vision panel lid
- Stainless steel back
- Optional caster sizes
- Composite cutting board
- Modified pan openings













DOOR TO DRAWERS (in lieu of one door per section)

Two drawers	\$2352
--------------------	--------

Drawers not available for 36" models

MODELS	TWO TIER DRAWERS
27"/60"	(1) 12 x 20 x 6 pan per drawer
32"	(1) 12 x 20 x 6 pan per drawer or (1) 1/2 size x 6 & (2) 1/3 size x 6 pans per drawer
48"/72"	(1) 1/2 size x 6 & (1) 1/3 size x 6 pan per drawer

See **Page 32** for Options & Accessories.
See **Page 158** for Overshelves.

SW27N8C-FB	SW32N8C-FB	SW36N8C-FB	SW36N10C-FB	SW48N8C-FB	SW48N10C-FB	SW48N12C-FB
						
						
SW60N8C-FB	SW60N12C-FB	SW60N16C-FB	SW72N12C-FB	SW72N18C-FB		

Front Breathing Sandwich Units - C (Cutting) Top


Cabinet Construction: Stainless Steel Front, Top and End Panels, Aluminum Back and Interior
C (Cutting) Top with 19" Cutting Board
All front breathers come standard with 3 3/4" casters











BTU/HR Rating @ +25°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)

FRONT BREATHING SANDWICH UNITS - C (CUTTING) TOP MODELS

SIZE	# PANS	WITH DOORS	DOORS LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
27"	8	SW27N8C-FB	\$6687	SW27N8C-FB-D	\$9038	27 1/2 x 38 1/4 x 41	7.4	1625	1/5	218
32"	8	SW32N8C-FB	\$7784	SW32N8C-FB-D	\$10130	32 x 38 1/4 x 41	9	1625	1/5	236
36"	8	SW36N8C-FB	\$8822	-	-	36 x 38 1/4 x 41	10.3	1625	1/5	248
	10	SW36N10C-FB	\$8870	-	-	36 x 38 1/4 x 41	10.3	1625	1/5	248
48"	8	SW48N8C-FB	\$9662	SW48N8C-FB-D	\$14362	48 x 38 1/4 x 41	13.4	1940	1/4+	293
	10	SW48N10C-FB	\$9722	SW48N10C-FB-D	\$14423	48 x 38 1/4 x 41	13.4	1940	1/4+	293
	12	SW48N12C-FB	\$9801	SW48N12C-FB-D	\$14502	48 x 38 1/4 x 41	13.4	1940	1/4+	328
60"	8	SW60N8C-FB	\$10684	SW60N8C-FB-D	\$15381	60 x 38 1/4 x 41	17	2560	1/3+	340
	12	SW60N12C-FB	\$10809	SW60N12C-FB-D	\$15509	60 x 38 1/4 x 41	17	2560	1/3+	360
	16	SW60N16C-FB	\$10916	SW60N16C-FB-D	\$15616	60 x 38 1/4 x 41	17	2560	1/3+	360
72"	12	SW72N12C-FB	\$12080	SW72N12C-FB-D	\$19131	72 x 38 1/4 x 41	20.6	2560	1/3+	402
	18	SW72N18C-FB	\$12237	SW72N18C-FB-D	\$19287	72 x 38 1/4 x 41	20.6	2560	1/3+	431

PAN TOP CONFIGURATIONS



SW27N8C-FB-D	SW32N8C-FB-D	SW48N8C-FB-D	SW48N10C-FB-D	SW48N12C-FB-D
				
				
SW60N8C-FB-D	SW60N12C-FB-D	SW60N16C-FB-D	SW72N12C-FB-D	SW72N18C-FB-D

Door & Drawer Models

Front breathers are a unique, field assembled, bottom mounted ventilation system designed to allow cabinets to be flush against a wall or built into a counter to conserve space. Unique air flow distribution allows pan product to maintain 33° - 41°F.

STANDARD FEATURES

Performance-Rated Refrigeration System
Natural, Environmentally-Safe, High-Efficiency R-290 Refrigerant

2" Non-CFC Polyurethane Foam Insulation

Automatic, Hot Gas Condensate Evaporator

Non-Corrosive, Plasticized Fin Evaporator Coil

Easily Serviceable, Back Mounted Compressor

19" Deep, Full Length Nylon Cutting Board

Electronic Temperature Control

Expansion Valve System (48" - 72" models only)

Completely Enclosed, Vented & Removable Case Back

Removable Interior Tub Below Pans
 (prevents food spillage in storage zone)

1/6 Size Recessed Pans, 4" Deep (can accommodate a 6" deep pan)

Insulated Lids

3 3/4" High Casters

DOOR MODELS

Spring Loaded, Self Closing Doors

Santoprene Magnetic Snap-In Door Gaskets

Smooth, Polished Chrome Door Handles

Field Rehingable Doors

Heavy Duty, Epoxy-Coated Steel Shelves

DRAWER MODELS

Stainless Steel Roll-Out Drawers

Santoprene Magnetic Snap-In Drawer Gaskets

Smooth, Polished Chrome Drawer Handles

OPTIONS

Door/drawer locks

Overshelves

Digital thermometer with hi-low alarm

Rear-mounted cutting board

Additional epoxy-coated or stainless steel shelves

Stainless steel interior

Flat insulated lid

Vision panel lid

Stainless steel back

Composite cutting board

Modified pan openings

DOOR TO DRAWERS (in lieu of one door per section)

Two drawers	\$2352
--------------------	---------------

Drawers not available for 36" models

MODELS	TWO TIER DRAWERS
27"/60"	(1) 12 x 20 x 6 pan per drawer
32"	(1) 12 x 20 x 6 pan per drawer or (1) 1/2 size x 6 & (2) 1/3 size x 6 pans per drawer
48"/72"	(1) 1/2 size x 6 & (1) 1/3 size x 6 pan per drawer

See **Page 32** for Options & Accessories.

See **Page 158** or Overshelves.

Sandwich Units Options & Accessories

See **Page 162** for single/double overshelves. Consult factory for additional information.

Consult factory for special electrical requirements.

OPTIONS & ACCESSORIES

SIZE	PART NO.	DESCRIPTION	LIST PRICE
	-	Epoxy-Coated Shelf with Clips	\$96
	-	Stainless Steel Shelf with Clips	\$274
	-	Rehinging	N/C
	-	Cylinder Lock (per door/drawer)	\$222
	45247CP	Digital Thermometer with Hi-Low Alarm	\$712
4" Dia. 5" H	50205	Set of 4 Swivel Casters w/Brakes (not available for -U and -FB models) Set of 6 Swivel Casters w/Brakes (not available for -U and -FB models)	\$414 \$680
5" Dia. 6" H	50177	Set of 4 Swivel Casters w/Brakes (not available for -FB models)	\$518
3" Dia. 4" H	50209	Set of 4 Swivel Casters w/Brakes	\$349
3" Dia. 3 3/4" H	50301	Set of 4 Swivel Casters w/Brakes (standard on all -FB models)	\$349
4" H	50219	Set of 4 Stainless Steel Legs	\$205
6" H	50203	Set of 4 Stainless Steel Legs (not available for -FB models)	\$224
4" H	50206	Set of 4 "Black" Legs	\$184
6" H	50202	Set of 4 "Black" Legs (not available for -FB models)	\$147
	50-080	Remote Temperature Logger	\$2286
27 1/2"	-	Stainless Steel Interior Stainless Steel Finished Back Crumb Catcher [not available for C (Cutting) Top models] Stainless Steel Flat Covers (Standard/C Tops / Mighty Tops) Vision Panel Lid (Standard/C Tops / Mighty Tops) Rear-Mounted 10" Cutting Board (must use SS Flat Cover)	\$1261 \$459 \$148 \$259 / \$392 \$1206 / \$1474 \$805
32"	-	Stainless Steel Interior Stainless Steel Finished Back Crumb Catcher [not available for C (Cutting) Top models] Stainless Steel Flat Covers (Standard/C Tops / Mighty Tops) Vision Panel Lid (Standard/C Tops / Mighty Tops) Rear-Mounted 10" Cutting Board (must use SS Flat Cover)	\$1378 \$551 \$198 \$288 / \$392 \$1389 / \$1656 \$937
36"	-	Stainless Steel Interior Stainless Steel Finished Back Crumb Catcher [not available for C (Cutting) Top models] Stainless Steel Flat Covers (Standard/C Tops / Mighty Tops) Vision Panel Lid (Standard/C Tops / Mighty Tops) Rear-Mounted 10" Cutting Board (must use SS Flat Cover)	\$1458 \$607 \$228 \$305 / \$438 \$1572 / \$1840 \$1018
48"	-	Stainless Steel Interior Stainless Steel Finished Back Crumb Catcher [not available for C (Cutting) Top models] Stainless Steel Flat Covers (Standard/C Tops / Mighty Tops) Vision Panel Lid (Standard/C Tops / Mighty Tops) Rear-Mounted 10" Cutting Board (must use SS Flat Cover)	\$1601 \$688 \$264 \$333 / \$502 \$1612 / \$1879 \$1147
60"	-	Stainless Steel Interior Stainless Steel Finished Back Crumb Catcher [not available for C (Cutting) Top models] Stainless Steel Flat Covers (Standard/C Tops / Mighty Tops) Vision Panel Lid (Standard/C Tops / Mighty Tops) Rear-Mounted 10" Cutting Board (must use SS Flat Cover)	\$1834 \$805 \$329 \$369 / \$599 \$2054 / \$2589 \$1374
72"	-	Stainless Steel Interior Stainless Steel Finished Back Crumb Catcher [not available for C (Cutting) Top models] Stainless Steel Flat Covers (Standard/C Tops / Mighty Tops) Vision Panel Lid (Standard/C Tops / Mighty Tops) Rear-Mounted 10" Cutting Board (must use SS Flat Cover)	\$2061 \$974 \$394 \$594 / \$821 \$2819 / \$3353 \$1714

Base Models


Worktops, Undercounters & Sandwich Units

For high volume situations where flexibility and storage of pans is needed. Heavy gauge #300 Series stainless steel top, stainless steel front and end panels and aluminum interior. Condensing unit on left or right to keep away from hot equipment that may be nearby. Refrigerated door compartment above the condensing unit, with an option of a refrigerated drawer.











Undercounters are for under the counter applications only.
Can not be used as a worktop.

In This Section

34	Worktops
36	Undercounters
38	Sandwich Units Standard Top
40	Sandwich Units Mighty Top
42	Options & Accessories



RA60N18M
shown w/ Standard Features and FLEXIBLE Options

RA43N/FA43N	RA60N/FA60N	RA68N/FA68N	RA93N	RA118N
				
				
RA43NBS/FA43NBS	RA60NBS/FA60NBS	RA68NBS/FA68NBS	RA93NBS	RA118NBS

Base Model Refrigerators & Freezers (0°F) - Worktops

Cabinet Construction: Heavy Gauge #300 Series Stainless Steel Top, Stainless Steel Front and End Panels, Galvanized Steel Rear and Grill and Aluminum Interior
Standard Flat Top or 5 1/2" Backsplash



Certified ENERGY STAR® Commercial Refrigerators (models listed with a ☆ star).

BTU/HR Rating @ +25°F, 90°F Ambient (Refrigerators)

BTU/HR Rating @ -15°F, 90°F Ambient (Freezers)

10 ft. cord and plug attached (115-60-1 volts)

BASE WORKTOP REFRIGERATOR MODELS

SIZE	WITH DOOR(S)	DOOR(S) LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
43"	RA43N ☆	\$8529	RA43N-D	\$11239	43 x 36 5/16 x 35	12	2610	1/4+	335
60"	RA60N ☆	\$9279	RA60N-D	\$14261	60 x 36 5/16 x 35	19	3100	1/4+	405
68"	RA68N ☆	\$10428	RA68N-D	\$15855	68 x 36 5/16 x 35	22	4220	1/4+	475
93"	RA93N ☆	\$13517	RA93N-D	\$21653	93 x 36 5/16 x 35	32	5260	1/4+	585
118"	RA118N ☆	\$18633	RA118N-D	\$29482	118 x 36 5/16 x 35	44	5600	1/4+	705

5 1/2" BACKSPLASH BASE WORKTOP REFRIGERATOR MODELS

43"	RA43NBS ☆	\$8666	RA43NBS-D	\$11377	43 x 36 5/16 x 40 1/2	12	2610	1/4+	345
60"	RA60NBS ☆	\$9570	RA60NBS-D	\$14551	60 x 36 5/16 x 40 1/2	19	3100	1/4+	415
68"	RA68NBS ☆	\$10752	RA68NBS-D	\$16177	68 x 36 5/16 x 40 1/2	22	4220	1/4+	490
93"	RA93NBS ☆	\$15750	RA93NBS-D	\$23886	93 x 36 5/16 x 40 1/2	32	5260	1/4+	600
118"	RA118NBS ☆	\$19234	RA118NBS-D	\$30081	118 x 36 5/16 x 40 1/2	44	5600	1/4+	720











BASE WORKTOP FREEZER MODELS (0°F)

43"	FA43N	\$12381	FA43N-D	\$15096	43 x 36 5/16 x 35	12	1340	1/3	340
60"	FA60N	\$12740	FA60N-D	\$17720	60 x 36 5/16 x 35	19	2180	3/4	410
68"	FA68N	\$13521	FA68N-D	\$18946	68 x 36 5/16 x 35	22	2310	3/4	490

5 1/2" BACKSPLASH BASE WORKTOP FREEZER MODELS (0°F)

43"	FA43NBS	\$12986	FA43NBS-D	\$15780	43 x 36 5/16 x 40 1/2	12	1340	1/3	350
60"	FA60NBS	\$13312	FA60NBS-D	\$18295	60 x 36 5/16 x 40 1/2	19	2180	3/4	420
68"	FA68NBS	\$14317	FA68NBS-D	\$19740	68 x 36 5/16 x 40 1/2	22	2310	3/4	505

All freezer models have a standard operating temperature of 0° to -5°F and can be adjusted to operate as low as -10°F in 90°F ambient.

RA43N-D/FA43N-D	RA60N-D/FA60N-D	RA68N-D/FA68N-D	RA93N-D	RA118N-D
				
				
RA43NBS-D/FA43NBS-D	RA60NBS-D/FA60NBS-D	RA68NBS-D/FA68NBS-D	RA93NBS-D	RA118NBS-D

Door & Drawer Models

Unique forced air design utilizes fans (approx. every 12") across the entire back of unit for even distribution of cold air.

STANDARD FEATURES

- Performance-Rated Refrigeration System
- Natural, Environmentally-Safe, High-Efficiency R-290 Refrigerant**
- 2" Non-CFC Polyurethane Foam Insulation
- Automatic, Hot Gas Condensate Evaporator**
- Non-Corrosive, Plasticized Fin Evaporator Coil
- Easily Serviceable, Slide-Out Condensing Unit
- Electronic Temperature Control
- Expansion Valve System
- Refrigerated Section w/Door Above the Condensing Unit
- Reversing Condenser Fan** (43" models only)
- Electronic Control, Off-Cycle Defrost (Refrigerators only)
- Automatic Electric Defrost (Freezers)
- Removable Interior Tub Below Pans (Prevents food spillage in storage zone)
- 5" High Casters

DOOR MODELS

- Spring Loaded, Self Closing Doors
- Santoprene Magnetic Snap-In Door Gaskets
- Smooth, Polished Chrome Door Handles**
- Field Rehingeable Doors
- Heavy Duty, Epoxy-Coated Steel Shelves

DRAWER MODELS

- Stainless Steel Roll-Out Drawers
- Santoprene Magnetic Snap-In Drawer Gaskets
- Smooth, Polished Chrome Drawer Handles**

OPTIONS

- Condensing unit left or right
- Door/drawer locks
- Remote temperature logger
- Digital thermometer with hi-low alarm
- Overshelves (except 118" models)
- Pan Slides (large section only on 60" models)
- Adjustable legs
- Additional epoxy-coated or stainless steel shelves
- Stainless steel back and interior
- Front breathing
- Drawer in lieu of half door above the condensing unit

DOOR TO DRAWERS (in lieu of one door per section)

Two drawers	\$2714
60" narrow drawers	\$2270
Drawer over compressor	\$1397

MODELS	TWO TIER DRAWERS
RA/FA	(2) 12 x 20 x 6 pans per drawer
NARROW DRAWERS ON 60" MODELS	(1) 12 x 20 x 6 pan per drawer

Drawer over compressor holds (1) 12 x 20 x 6 pan

See **Page 42** for Options & Accessories.
See **Page 158** for Overshelves.

RA43N-U/FA43N-U	RA60N-U/FA60N-U	RA68N-U/FA68N-U
		
		
RA93N-U	RA118N-U	

Base Model Refrigerators & Freezers (0°F) - Undercounters

Cabinet Construction: Heavy Gauge #300 Series Stainless Steel Top, Stainless Steel Front and End Panels, Galvanized Steel Rear and Grill and Aluminum Interior

BTU/HR Rating @ +25°F, 90°F Ambient (Refrigerators)
BTU/HR Rating @ -15°F, 90°F Ambient (Freezers)
10 ft. cord and plug attached (115-60-1 volts)






BASE UNDERCOUNTER REFRIGERATOR MODELS

SIZE	WITH DOORS	DOORS LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
43"	RA43N-U	\$8529	RA43N-U-D	\$11239	43 3/16 x 36 5/16 x 31 3/4	12	2610	1/4+	335
60"	RA60N-U	\$9279	RA60N-U-D	\$13590	60 3/16 x 36 5/16 x 31 3/4	19	3100	1/4+	405
68"	RA68N-U	\$10428	RA68N-U-D	\$15855	68 3/16 x 36 5/16 x 31 3/4	22	4220	1/4+	475
93"	RA93N-U	\$13517	RA93N-U-D	\$21653	93 3/16 x 36 5/16 x 31 3/4	32	5260	1/4+	585
118"	RA118N-U	\$18633	RA118N-U-D	\$29482	118 3/16 x 36 5/16 x 31 3/4	44	5600	1/2	705

BASE UNDERCOUNTER FREEZER MODELS (0°F)

43"	FA43N-U	\$12381	FA43N-U-D	\$15096	43 3/16 x 36 5/16 x 31 3/4	12	1340	1/3	340
60"	FA60N-U	\$12740	FA60N-U-D	\$17720	60 3/16 x 36 5/16 x 31 3/4	19	2180	3/4	410
68"	FA68N-U	\$13521	FA68N-U-D	\$18946	68 3/16 x 36 5/16 x 31 3/4	22	2310	3/4	490

All freezer models have a standard operating temperature of 0° to -5°F and can be adjusted to operate as low as -10°F in 90°F ambient.

RA43N-U-D/FA43N-U-D	RA60N-U-D/FA60N-U-D	RA68N-U-D/FA68N-U-D
		
		
RA93N-U-D	RA118N-U-D	

Door & Drawer Models

Unique forced air design utilizes fans (approx. every 12") across the entire back of unit for even distribution of cold air.

STANDARD FEATURES

- Performance-Rated Refrigeration System
- Natural, Environmentally-Safe, High-Efficiency R-290 Refrigerant**
- 2" Non-CFC Polyurethane Foam Insulation
- Automatic, Hot Gas Condensate Evaporator**
- Non-Corrosive, Plasticized Fin Evaporator Coil
- Easily Serviceable, Slide-Out Condensing Unit
- Electronic Temperature Control
- Expansion Valve System
- Refrigerated Section w/Door Above the Condensing Unit
- Electronic Control, Off-Cycle Defrost (Refrigerators only)
- Automatic Electric Defrost (Freezers)
- Removable Interior Tub Below Pans (Prevents food spillage in storage zone)
- Front Breathing Air Divider** (field installed)
- Reversing Condenser Fan** (43" models only)
- 1 3/8" Diameter Plate Casters Mounted on Heavy-Duty Support Plates**
(easily field installed, can not be replaced or changed)

DOOR MODELS

- Spring Loaded, Self Closing Doors
- Santoprene Magnetic Snap-In Door Gaskets
- Smooth, Polished Chrome Door Handles**
- Field Rehingeable Doors
- Heavy Duty, Epoxy-Coated Steel Shelves

DRAWER MODELS

- Stainless Steel Roll-Out Drawers
- Santoprene Magnetic Snap-In Drawer Gaskets
- Smooth, Polished Chrome Drawer Handles**

OPTIONS

- Condensing unit left or right
- Door/drawer locks
- Remote temperature logger
- Digital thermometer with hi-low alarm
- Pan Slides (large section only on 60" models)
- Additional epoxy-coated or stainless steel shelves
- Stainless steel back and interior
- Drawer in lieu of half door above the condensing unit
- Automatic, electric condensate evaporator (Freezers)

DOOR TO DRAWERS (in lieu of one door per section)

Two drawers	\$2714
60" narrow drawers	\$2270
Drawer over compressor	\$1397

MODELS	TWO TIER DRAWERS
RA/FA	(2) 12 x 20 x 6 pans per drawer
NARROW DRAWERS ON 60" MODELS	(1) 12 x 20 x 6 pan per drawer

Drawer over compressor holds (1) 12 x 20 x 6 pan

See **Page 42** for Options & Accessories.



RA68N8, RA68N10 and RA68N12 model photos not shown above.

Base Model Sandwich Units - Standard Top


Cabinet Construction: Heavy Gauge #300 Series Stainless Steel Top, Stainless Steel Front and End Panels, Galvanized Steel Rear and Grills, Aluminum Interior
Standard Top with 12" Cutting Board









BTU/HR Rating @ +25°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)

BASE SANDWICH UNITS - STANDARD TOP MODELS

SIZE	# PANS	WITH DOORS	DOORS LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
43"	6	RA43N6	\$9641	RA43N6-D	\$12355	43 x 37 x 42	12	2000	1/4	350
60"	8	RA60N8	\$10398	RA60N8-D	\$15378	60 x 37 x 42	19	2600	1/3	420
	10	RA60N10	\$10652	RA60N10-D	\$15635	60 x 37 x 42	19	2600	1/3	420
	12	RA60N12	\$10905	RA60N12-D	\$15887	60 x 37 x 42	19	2600	1/3	420
68"	8	RA68N8	\$11682	RA68N8-D	\$17107	68 x 37 x 42	22	2600	1/3	490
	10	RA68N10	\$11967	RA68N10-D	\$17390	68 x 37 x 42	22	2600	1/3	490
	12	RA68N12	\$12254	RA68N12-D	\$17679	68 x 37 x 42	22	2600	1/3	490
93"	8	RA93N8	\$14909	RA93N8-D	\$23045	93 x 37 x 42	32	2600	1/3	605
	10	RA93N10	\$15210	RA93N10-D	\$23348	93 x 37 x 42	32	2600	1/3	605
	12	RA93N12	\$15529	RA93N12-D	\$23666	93 x 37 x 42	32	2600	1/3	605
	18	RA93N18	\$16344	RA93N18-D	\$24479	93 x 37 x 42	32	2600	1/3	605

PAN TOP CONFIGURATIONS



RA43N6-D	RA60N8-D	RA60N10-D	RA60N12-D
			
			
RA93N8-D	RA93N10-D	RA93N12-D	RA93N18-D

RA68N8-D, RA68N10-D and RA68N12-D model photos not shown above.

Door & Drawer Models

Unique forced air design utilizes fans (approx. every 12") across the entire back of unit for even distribution of cold air.

STANDARD FEATURES

Performance-Rated Refrigeration System
Natural, Environmentally-Safe, High-Efficiency R-290 Refrigerant
 2" Non-CFC Polyurethane Foam Insulation
 Automatic, Hot Gas Condensate Evaporator
 Non-Corrosive, Plasticized Fin Evaporator Coil
 Easily Serviceable, Slide-Out Condensing Unit
 12" Deep, Full Length Nylon Cutting Board
 Electronic Temperature Control
 Removable Interior Tub Below Pans (Prevents food spillage in storage zone)

Expansion Valve System

Refrigerated Section w/Door Above the Condensing Unit
 1/6 Size Non-Recessed Pans, 4" Deep (can accommodate a 6" deep pan)
 Insulated Lids
 5" High Casters

DOOR MODELS

Spring Loaded, Self Closing Doors
 Santoprene Magnetic Snap-In Door Gaskets
Smooth, Polished Chrome Door Handles
 Field Rehingeable Doors
 Heavy Duty, Epoxy-Coated Steel Shelves

DRAWER MODELS

Stainless Steel Roll-Out Drawers
 Santoprene Magnetic Snap-In Drawer Gaskets
Smooth, Polished Chrome Drawer Handles

OPTIONS

Condensing unit left or right
 Door/drawer locks
 Remote temperature logger
 Digital thermometer with hi-low alarm
 Overshelves
 Pan Slides (not available on 60" small section)
 Adjustable legs
 Additional epoxy-coated or stainless steel shelves
 Stainless steel back
 Stainless steel interior
 Front breathing
 Drawer in lieu of half door above the condensing unit
 Rear-mounted cutting board
 Crumb catcher
 Flat insulated lid
 Vision panel lid
 Composite cutting board









DOOR TO DRAWERS (in lieu of one door per section)

Two drawers	\$2714
60" narrow drawers	\$2270
Drawer over compressor	\$1397

MODELS	TWO TIER DRAWERS
RA SANDWICH UNITS	(1) 12 x 20 x 6 pan (3) 1/6 x 6 pans (top drawer) (2) 12 x 20 x 6 pans (bottom drawer)
NARROW DRAWERS ON 60" MODELS	(1) 12 x 20 x 6 pan

Drawer over compressor holds (1) 12 x 20 x 6 pan

See **Page 42** for Options & Accessories.
 See **Page 158** for Overshelves.

RA43N9M	RA60N12M	RA60N18M	RA93N12M
			
			
RA93N18M	RA93N24M	RA93N27M	RA93N30M

RA68N12M and RA68N18M model photos not shown above.

Base Model Sandwich Units -Mighty Top


Cabinet Construction: Heavy Gauge #300 Series Stainless Steel Top, Stainless Steel Front and End Panels, Galvanized Steel Rear and Grills, Aluminum Interior
Mighty Top with 10" Cutting Board

BTU/HR Rating @ +25°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)

BASE SANDWICH UNITS - MIGHTY TOP MODELS

SIZE	# PANS	WITH DOORS	DOORS LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
43"	9	RA43N9M	\$10012	RA43N9M-D	\$12725	43 x 37 x 42	12	2000	1/4	350
60"	12	RA60N12M	\$11015	RA60N12M-D	\$15996	60 x 37 x 42	19	2600	1/3	420
	18	RA60N18M	\$11774	RA60N18M-D	\$16752	60 x 37 x 42	19	2600	1/3	420
68"	12	RA68N12M	\$12377	RA68N12M-D	\$17800	68 x 37 x 42	22	2600	1/3	490
	18	RA68N18M	\$13227	RA68N18M-D	\$18652	68 x 37 x 42	22	2600	1/3	490
93"	12	RA93N12M	\$15842	RA93N12M-D	\$23979	93 x 37 x 42	32	2600	1/3	605
	18	RA93N18M	\$16476	RA93N18M-D	\$24609	93 x 37 x 42	32	2600	1/3	605
	24	RA93N24M	\$17178	RA93N24M-D	\$25311	93 x 37 x 42	32	2600	1/3	605
	27	RA93N27M	\$17702	RA93N27M-D	\$25839	93 x 37 x 42	32	2600	1/3	605
	30	RA93N30M	\$18268	RA93N30M-D	\$26404	93 x 37 x 42	32	2600	1/3	605

PAN TOP CONFIGURATIONS



RA43N9M-D	RA60N12M-D	RA60N18M-D	RA93N12M-D
			
			
RA93N18M-D	RA93N24M-D	RA93N27M-D	RA93N30M-D

RA68N 12M-D and RA68N18M-D model photos not shown above.

Door & Drawer Models

Unique forced air design utilizes fans (approx. every 12") across the entire back of unit for even distribution of cold air.

STANDARD FEATURES

- Performance-Rated Refrigeration System
- Natural, Environmentally-Safe, High-Efficiency R-290 Refrigerant**
- 2" Non-CFC Polyurethane Foam Insulation
- Automatic, Hot Gas Condensate Evaporator
- Non-Corrosive, Plasticized Fin Evaporator Coil
- Easily Serviceable, Slide-Out Condensing Unit
- 10" Deep, Full Length Nylon Cutting Board
- Electronic Temperature Control
- Expansion Valve System**
- Refrigerated Section w/Door Above the Condensing Unit
- 1/6 Size Non-Recessed Pans, 4" Deep (can accommodate a 6" deep pan)
- Insulated Lids
- 5" High Casters

DOOR MODELS

- Spring Loaded, Self Closing Doors
- Santoprene Magnetic Snap-In Door Gaskets
- Smooth, Polished Chrome Door Handles**
- Field Rehingeable Doors
- Heavy Duty, Epoxy-Coated Steel Shelves

DRAWER MODELS

- Stainless Steel Roll-Out Drawers
- Santoprene Magnetic Snap-In Drawer Gaskets
- Smooth, Polished Chrome Drawer Handles**

OPTIONS

- Condensing unit left or right
- Door/drawer locks
- Remote temperature logger
- Digital thermometer with hi-low alarm
- Overshelves
- Pan Slides (not available on 60" small section)
- Adjustable legs
- Additional epoxy-coated or stainless steel shelves
- Stainless steel back
- Stainless steel interior
- Front breathing
- Drawer in lieu of half door above the condensing unit
- Rear-mounted cutting board
- Flat insulated lid
- Vision panel lid
- Composite cutting board

DOOR TO DRAWERS (in lieu of one door per section)

Two drawers	\$2714
60" narrow drawers	\$2270
Drawer over compressor	\$1397

MODELS	TWO TIER DRAWERS
RA SANDWICH UNITS	(1) 12 x 20 x 6 pan (3) 1/6 x 6 pans (top drawer) (2) 12 x 20 x 6 pans (bottom drawer)
NARROW DRAWERS ON 60" MODELS	(1) 12 x 20 x 6 pan

Drawer over compressor holds (1) 12 x 20 x 6 pan

See **Page 42** for Options & Accessories.
See **Page 158** for Overshelves.

Base Models Options & Accessories

See **Page 162** for single/double overshelves. Consult factory for additional information.

Consult factory for special electrical requirements.

OPTIONS & ACCESSORIES

SIZE	PART NO.	DESCRIPTION	LIST PRICE
	-	Epoxy-Coated Shelf with Clips	\$128
	-	Stainless Steel Shelf with Clips	\$369
	-	Pan Slide Assemblies Stainless Steel Angle - Bottom Support (for 18" x 26" pans) (STD assembly holds 5 pans per section on adjustable 1" centers)	\$631
	-	Rehinging	N/C
	-	Cylinder Lock (per door/drawer)	\$222
	45247CP	Digital Thermometer with Hi-Low Alarm	\$712
4" Dia. 5" H	50205	Set of 4 Swivel Casters w/Brakes (43", 60" & 68" models) Set of 6 Swivel Casters w/Brakes (93" & 118" models)	\$414 \$680
5" Dia. 6" H	50177	Set of 4 Swivel Casters w/Brakes (43", 60" & 68" models) Set of 6 Swivel Casters w/Brakes (93" & 118" models)	\$518 \$781
3" Dia. 4" H	50209	Set of 4 Swivel Casters w/Brakes (43", 60" & 68" models) Set of 6 Swivel Casters w/Brakes (93" & 118" models)	\$349 \$517
3" Dia. 3 3/4" H	50301	Set of 4 Swivel Casters w/Brakes (standard on all RA/RA-U/FA-U models)	\$349
4" H	50219	Set of 4 Stainless Steel Legs (43", 60" & 68" models) Set of 6 Stainless Steel Legs (93" & 118" models) (Not available for RA/RA/FA models with Front Breathing Option)	\$205 \$294
6" H	50203	Set of 4 Stainless Steel Legs (43", 60" & 68" models) Set of 6 Stainless Steel Legs (93" & 118" models)	\$224 \$329
6" H	50202	Set of 4 "Black" Legs (43", 60" & 68" models) Set of 6 "Black" Legs (93" & 118" models)	\$147 \$224
4" H	50206	Set of 4 "Black" Legs (43", 60" & 68" models) Set of 6 "Black" Legs (93" & 118" models) (Not available for RA/RA/FA models with Front Breathing Option)	\$184 \$274
43"	-	Stainless Steel Interior Stainless Steel Finished Back Stainless Steel Flat Covers (Standard Tops / Mighty Tops) Vision Panel Lid (Standard Tops / Mighty Tops)	\$1601 \$688 \$333 / \$502 \$1389 / \$1656
60"	-	Stainless Steel Interior Stainless Steel Finished Back Stainless Steel Flat Covers (Standard Tops / Mighty Tops) Vision Panel Lid (Standard Tops / Mighty Tops)	\$1834 \$750 \$369 / \$599 \$1612 / \$1879
68"	-	Stainless Steel Interior Stainless Steel Finished Back Stainless Steel Flat Covers (Standard Tops / Mighty Tops) Vision Panel Lid (Standard Tops / Mighty Tops)	\$2061 \$805 \$369 / \$599 \$2054 / \$2589
93"	-	Stainless Steel Interior Stainless Steel Finished Back Stainless Steel Flat Covers (Standard Tops / Mighty Tops) Vision Panel Lid (Standard Tops / Mighty Tops)	\$2407 \$860 \$594 / \$790 \$2819 / \$3353
118"	-	Stainless Steel Interior Stainless Steel Finished Back	\$2746 \$918
	4-916	Automatic, Electric Condensate Evaporator (115-60-1) w/cord & plug	\$231
	-	Drawer over Compressor Compartment	\$1397
	50-012	Front Breathing Ventilation Fan (-FB) Note: Must be field installed	\$303
	50-080	Remote Temperature Logger	\$2286

Pizza Preparation Tables

Forced Air

Continental's Pizza Preparation Tables offer an expansion valve system standard for quick recovery, optimum coil defrost with a built-in, off-cycle defrost system, a unique forced air design for even air distribution of cold and a raised angle rail for greater ease and comfort when reaching to dispense food.





In This Section

44 Pizza Preparation Tables

46 Options & Accessories



PA68N
shown w/ Standard Features and FLEXIBLE Options

PA43N	PA60N	PA68N
		
		
PA93N	CPA118+	

Pizza Preparation Tables - Forced Air






Cabinet Construction: Heavy Gauge #300 Series Stainless Steel Top
Stainless Steel Front and End Panels, Aluminum Interior

BTU/HR Rating @ +25°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)

PIZZA PREPARATION TABLE MODELS

SIZE	WITH DOOR(S)	DOOR(S) LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT (Doors / Drawers)
43"	PA43N	\$10507	PA43N-D	\$13218	43 x 38 1/2 x 39	12	2610	1/3+	340 / 400
60"	PA60N	\$13933	PA60N-D	\$18385	60 x 38 1/2 x 39	19	3100	1/3+	451 / 485
68"	PA68N	\$14957	PA68N-D	\$20379	68 x 38 1/2 x 39	22	4220	1/3+	488 / 608
93"	PA93N	\$19876	PA93N-D	\$28012	93 x 38 1/2 x 39	32	5260	1/2	622 / 802
118"	CPA118+	\$26700	CPA118-D+	\$37550	118 x 38 1/2 x 39	44	5600	3/4	882 / 1122

NOTE: Pans supplied by others.

PA43N-D	PA60N-D	PA68N-D
		
		
PA93N-D	CPA118-D+	

Door & Drawer Models

Unique forced air design utilizes fans (approx. every 12") across the entire back of unit for even distribution of cold air.

STANDARD FEATURES

- Performance-Rated Refrigeration System
- Natural, Environmentally-Safe, High-Efficiency R-290 Refrigerant** (43" - 93" models)
- Environmentally-Safe R-450A Refrigerant** (118"+ models)
- 2" Non-CFC Polyurethane Foam Insulation
- Automatic, Hot Gas Condensate Evaporator** (43" - 93" models)
- Automatic, Electric Condensate Evaporator** (118" models)
- Non-Corrosive, Plasticized Fin Evaporator Coil
- Easily Serviceable, Slide-Out Condensing Unit
- 19" Deep, Full Length Nylon Cutting Board
- Electronic Controller w/ Knob Control
- Expansion Valve System
- Ergonomically-Friendly Raised Rail Angled for Ease and Comfort
- Refrigerated Section w/Door Above the Condensing Unit
- Reversing Condensor Fan**
- Electronic Control Off-Cycle Defrost
- Insulated Lids with Heavy Duty Hinge Pins and Reinforced Brackets
- Pan Top Divider Bars (can accommodate pans up to 6" deep by others)
- 5" High Casters
- DOOR MODELS**
- Spring Loaded, Self Closing Doors
- Santoprene Magnetic Snap-In Door Gaskets
- Smooth, Polished Chrome Door Handles**
- Field Rehingeable Doors
- Heavy Duty, Epoxy-Coated Steel Shelves
- DRAWER MODELS**
- Stainless Steel Roll-Out Drawers
- Santoprene Magnetic Snap-In Drawer Gaskets
- Smooth, Polished Chrome Drawer Handles**

OPTIONS

- Condensing unit left or right
- Vision panel lid
- Door/drawer locks
- Digital thermometer with hi-low alarm
- Overshelves (except 118" models)
- Pan Slides (not available on 60" small section)
- Adjustable legs
- Additional epoxy-coated or stainless steel shelves
- Stainless steel back
- Stainless steel interior
- Front breathing
- Wire rod garnish rack
- Drawer in lieu of half door above the condensing unit
- Composite cutting board

DOOR TO DRAWERS (in lieu of one door per section)

Two drawers	\$2714
60" narrow drawers	\$2270
Drawer over compressor	\$1397

Drawers: 60" models (over compressor & large section only)

MODELS	TWO TIER DRAWERS
RA	(2) 12 x 20 x 6 pans per drawer
NARROW DRAWERS ON 60" MODELS	(1) 12 x 20 x 6 pan per drawer

Drawer over compressor holds (1) 12 x 20 x 6 pan

See **Page 46** for Options & Accessories.
See **Page 158** for Overshelves.

Pizza Preparation Tables Options & Accessories

See **Page 162** for single/double overshelves. Consult factory for additional information.

Consult factory for special electrical requirements.

OPTIONS & ACCESSORIES

SIZE	PART NO.	DESCRIPTION	LIST PRICE
	-	Plated Steel, Epoxy-Coated Shelf with Clips	\$128
	-	Stainless Steel Shelf with Clips	\$369
	-	Pan Slide Assemblies Stainless Steel Angle - Bottom Support (for 18" x 26" pans) (Holds 5 Pans Per Section) on 60" models - large section only	\$631
	-	Rehinging	N/C
	-	Cylinder Lock (per door/drawer)	\$222
	45247CP	Digital Thermometer with Hi-Low Alarm	\$712
4" Dia. 5" H	50205	Set of 4 Swivel Casters w/Brakes (43", 60" & 68" models) Set of 6 Swivel Casters w/Brakes (93" & 118" models)	\$414 \$680
5" Dia. 6" H	50177	Set of 4 Swivel Casters w/Brakes (43", 60" & 68" models) Set of 6 Swivel Casters w/Brakes (93" & 118" models)	\$518 \$781
3" Dia. 4" H	50209	Set of 4 Swivel Casters w/Brakes (43", 60" & 68" models) Set of 6 Swivel Casters w/Brakes (93" & 118" models)	\$349 \$517
3" Dia. 3 3/4" H	50301	Set of 4 Swivel Casters w/Brakes	\$349
4" H	50219	Set of 4 Stainless Steel Legs (43", 60" & 68" models) Set of 6 Stainless Steel Legs (93" & 118" models)	\$205 \$294
6" H	50203	Set of 4 Stainless Steel Legs (43", 60" & 68" models) Set of 6 Stainless Steel Legs (93" & 118" models)	\$224 \$329
6" H	50202	Set of 4 Black Legs (43", 60" & 68" models) Set of 6 Black Legs (93" & 118" models)	\$147 \$224
4" H	50206	Set of 4 Black Legs (43", 60" & 68" models) Set of 6 Black Legs (93" & 118" models)	\$184 \$274
43"	-	Stainless Steel Interior Stainless Steel Finished Back Vision Panel Lid	\$1601 \$688 \$1612
60"	-	Stainless Steel Interior Stainless Steel Finished Back Vision Panel Lid	\$1834 \$750 \$2054
68"	-	Stainless Steel Interior Stainless Steel Finished Back Vision Panel Lid	\$2061 \$805 \$2389
93"	-	Stainless Steel Interior Stainless Steel Finished Back Vision Panel Lid	\$2407 \$860 \$3223
118"	-	Stainless Steel Interior Stainless Steel Finished Back Vision Panel Lid	\$2746 \$918 \$4106
	5-094	Garnish Rack (28" W x 17 1/2" D x 2" H)	\$228
		Drawer over Compressor Compartment	\$1397
	50-012	Front Breathing Ventilation Fan (-FB) Note: Must be field installed	\$303
	50-080	Remote Temperature Logger	\$2286


Griddle Stands

Refrigerators & Freezers

Griddle Stands are available in 7 sizes for refrigerators and 4 sizes for freezers. All models are front breathing and come standard with stainless steel interior, exterior and rear. All drawers are fully extendable and designed to hold 6-inch deep pans side-by-side and provide a 250 lb. capacity. Heavy-duty drawer tracks have built-in drawer safety clips. Cabinets have the option of a left or right condensing unit, top modifications, marine edge (standard), flat or top extensions.

In This Section

- 48 Griddle Stands
- 50 Options & Accessories



D72GN
shown w/ Standard Features and FLEXIBLE Options



Griddle Stand Refrigerators & Freezers

Cabinet Construction: Stainless Steel Exterior and Interior, Stainless Steel Case Back
Reinforced Stainless Steel Worktop with Drip Guard Marine Edge


GRIDDLE STAND MODELS


BTU/HR Rating @ +25°F, 90°F Ambient (Refrigerators)
BTU/HR Rating @ -15°F, 90°F Ambient (Freezers)
10 ft. cord and plug attached (115-60-1 volts)

SIZE	REFRIGERATORS	REFRIGERATORS LIST PRICE	FREEZERS	FREEZERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	MAX.TOP WEIGHT CAPACITY (LBS.)	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
36"	D36GN	\$13360	-	-	36 x 35 5/16 x 26 3/8	600	6.5	1620	1/5	324
48"	D48GN	\$15019	-	-	48 x 35 5/16 x 26 3/8	775	9	1620	1/5	380
	-	-	D48GFN	\$15426	48 x 35 5/16 x 26 3/8	775	9	1250	1/4	380
60"	D60GN	\$15488	-	-	60 x 35 5/16 x 26 3/8	1000	12.7	2610	1/4+	476
	-	-	D60GFN	\$18070	60 x 35 5/16 x 26 3/8	1000	12.7	1590	1/3	476
72"	D72GN	\$18203	-	-	72 x 35 5/16 x 26 3/8	1200	16.4	2610	1/4+	555
	-	-	D72GFN	\$21300	72 x 35 5/16 x 26 3/8	1200	16.4	1590	1/3	555
84"	D84GN	\$19705	-	-	84 x 35 5/16 x 26 3/8	1400	20	2610	1/4+	638
	-	-	D84GFN	\$22805	84 x 35 5/16 x 26 3/8	1400	20	2470	1/2	638
96"	D96GN	\$22821	-	-	96 x 35 5/16 x 26 3/8	1400	23.7	2610	1/4+	685
108"	D108GN	\$26058	-	-	108 x 35 5/16 x 26 3/8	1400	27.4	3100	1/4+	802

All models have a standard operating temperature of 0° to -5°F and can be adjusted to operate as low as -10°F in 90°F ambient.

DRAWER PAN CONFIGURATIONS





Refrigerator & Freezer Models

All Griddle Stands are front breathing. Easy glide drawers designed to hold 6" deep pans side-by-side and hold up to 250 lb. capacity.

STANDARD FEATURES

Performance-Rated Refrigeration System

Natural, Environmentally-Safe, High-Efficiency R-290 Refrigerant
(Refrigerators)

High Density, Non-CFC Polyurethane Foamed-in-Place Insulation

Smooth, Polished Chrome Drawer Handles

Easy Glide, Fully Extendable Drawers

One-Piece, Snap-In Magnetic Drawer Gaskets

Heavy-Duty Drawer Track with Built-In Drawer Safety Clips

Automatic, Hot Gas Condensate Evaporator

Non-Corrosive, Plasticized Fin Evaporator Coil

Easily Serviceable, Front Slide-Out Condensing Unit

Electronic Temperature Control

Expansion Valve System

(Except for 36" and 48" model refrigerators and 48" model freezers)

4" Casters on Support Plates

Automatic Electric Defrost (Freezers)

OPTIONS

Doors in lieu of drawers (D36GN, D48GN & D84GN only)

Cylinder locks

Top extensions (flat or marine edge)

Automatic, electric condensate evaporator (Freezer models)

Condensing unit left

Integral heat shield top

Flat top

16-gauge stainless steel top (marine or flat) (not available for 108" models)

MODEL	# DRAWERS	PER DRAWER
36"	2	(1) 12 x 20 x 6 & (1) 6 x 20 x 6 pans
48"	2	(2) 12 x 20 x 6 pans
60"	2	(3) 12 x 20 x 6 pans
72"	4	Two drawers: (1) 12 x 20 x 6 & (1) 6 x 20 x 6 pans Two drawers: (2) 12 x 20 x 6 pans
84"	4	(2) 12 x 20 x 6 pans
96"	4	Two drawers: (2) 12 x 20 x 6 pans Two drawers: (3) 12 x 20 x 6 pans
108"	6	(2) 12 x 20 x 6 pans

See **Page 50** for Options & Accessories.

Griddle Stands Options & Accessories

Consult factory for additional information and special electrical requirements.

OPTIONS & ACCESSORIES

SIZE	PART NO.	DESCRIPTION	LIST PRICE
	-	Doors in Lieu of Drawers (36", 48" or 84" models only)	N/C
	-	Cylinder Lock (per drawer/door)	\$217
	45247CP	Digital Thermometer with Hi-Low Alarm	\$712
2" Dia. 3" H	50241	Set of 8 Swivel Casters (36" to 48" models) - 2 Assemblies Set of 12 Swivel Casters (60" to 108" models) - 3 Assemblies	\$684 \$1029
3" Dia. 4" H	50216	Set of 4 Swivel Casters (36" to 48" models) - 2 Assemblies Set of 6 Swivel Casters (60" to 108" models) - 3 Assemblies	STD
4" Dia. 5" H	50212	Set of 4 Swivel Casters w/Brakes (36" to 48" models) - 2 Assemblies Set of 6 Swivel Casters w/Brakes (60" to 108" models) - 3 Assemblies	\$414 \$680
5" Dia. 6" H	50231	Set of 4 Swivel Casters w/Brakes (36" to 48" models) - 2 Assemblies Set of 6 Swivel Casters w/Brakes (60" to 108" models) - 3 Assemblies	\$518 \$781
	-	3" Stainless Steel Top Extensions 6" Stainless Steel Top Extensions (Note: 6" maximum per side) 9" Stainless Steel Top Extensions	\$804 \$804 \$1601
	4-916	Automatic, Electric Condensate Evaporator (115-60-1) w/Cord & Plug	\$231
	50-080	Remote Temperature Logger	\$2286
36"	-	Integral heat shield top 16 gauge stainless steel top (flat top or marine edge)	\$1509 \$1335
48"	-	Integral heat shield top 16 gauge stainless steel top (flat top or marine edge)	\$1652 \$1775
60"	-	Integral heat shield top 16 gauge stainless steel top (flat top or marine edge)	\$1972 \$2052
72"	-	Integral heat shield top 16 gauge stainless steel top (flat top or marine edge)	\$2650 \$2079
84"	-	Integral heat shield top 16 gauge stainless steel top (flat top or marine edge)	\$2680 \$2475
96"	-	Integral heat shield top 16 gauge stainless steel top (flat top or marine edge)	\$2846 \$2681
108"	-	Integral heat shield top 16 gauge stainless steel top (flat top)	\$3256 \$3045

Milk Coolers




Cold Wall & Forced Air

Cold wall or forced air performance-rated refrigerated milk coolers, either single or dual access, are designed to keep milk products cold prior to serving. Cabinet construction consists of stainless steel top, lid and door, white finish or stainless steel body and galvanized steel interior (stainless steel interior on -SS models). Custom laminate finishes or powder coating available. Stainless steel marine style latches and door hinges for heavy usage. Reinforced stainless steel floor for added durability.

In This Section

- 52 Milk Coolers
- 54 Options & Accessories



MC3NSCW/MC3NDCW	MC4NSCW/MC4NDCW	MC5NSCW/MC5NDCW
		
MC3NSSCW/MC3SSDCW	MC4NSSCW/MC4SSDCW	MC5NSSCW/MC5SSDCW

Milk Coolers

Cabinet Construction: **Standard Models:** White Painted Steel Exterior, Stainless Steel Top, Lid & Door, Galvanized Steel Interior
SS Models: Stainless Steel Exterior & Interior
Single or Dual Access

BTU/HR Rating @ +10°F, 90°F Ambient (Cold Wall)
BTU/HR Rating @ +25°F, 90°F Ambient (Forced Air)
Extra Long, 10 ft. cord and plug attached (115-60-1 volts)

COLD WALL MILK COOLER MODELS (WHITE PAINTED STEEL)

SIZE	SINGLE ACCESS	SINGLE ACCESS LIST PRICE	DUAL ACCESS	DUAL ACCESS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	CRATE CAPACITY 13 x 13 x 11	CRATE CAPACITY 19 x 13 x 11	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
34"	MC3NSCW	\$7521	MC3NDCW	\$7898	34 x 33 x 41 1/2	8	4	13	1280	1/4+	335
49"	MC4NSCW	\$8035	MC4NDCW	\$8741	49 x 33 x 41 1/2	12	8	20	1725	1/3+	470
58"	MC5NSCW	\$8693	MC5NDCW	\$9380	58 x 33 x 41 1/2	16	10	24	1930	1/3+	580

COLD WALL MILK COOLER MODELS (STAINLESS STEEL EXTERIOR & INTERIOR)




34"	MC3NSSCW	\$7804	MC3NSSDCW	\$8971	34 x 33 x 41 1/2	8	4	13	1280	1/4+	345
49"	MC4NSSCW	\$8419	MC4NSSDCW	\$10093	49 x 33 x 41 1/2	12	8	20	1725	1/3+	485
58"	MC5NSSCW	\$10103	MC5NSSDCW	\$11347	58 x 33 x 41 1/2	16	10	24	1930	1/3+	595

FORCED AIR MILK COOLER MODELS (WHITE PAINTED STEEL)

34"	MC3NS	\$7930	MC3ND	\$10766	34 x 33 x 47	8	4	13	2080	1/4+	335
49"	MC4NS	\$8596	MC4ND	\$12223	49 x 33 x 47	12	8	20	2620	1/3+	470
58"	MC5NS	\$9063	MC5ND	\$12762	58 x 33 x 47	16	10	24	2870	1/3+	580

FORCED AIR MILK COOLER MODELS (STAINLESS STEEL EXTERIOR & INTERIOR)

34"	MC3NSSS	\$8670	MC3NSSD	\$11887	34 x 33 x 47	8	4	13	2080	1/4+	345
49"	MC4NSSS	\$9678	MC4NSSD	\$12586	49 x 33 x 47	12	8	20	2620	1/3+	447
58"	MC5NSSS	\$10362	MC5NSSD	\$13466	58 x 33 x 47	16	10	24	2870	1/3+	595

MC3NS/MC3ND	MC4NS/MC4ND	MC5NS/MC5ND
		
MC3NSSS/MC3NSSD	MC4NSSS/MC4NSSD	MC5NSSS/MC5NSSD

Cold Wall or Forced Air Models

Reinforced stainless steel floor for added durability.

STANDARD FEATURES

- Performance-Rated Refrigeration System
- Designed to Keep Milk Cold During Serving
- Unique Forced Air Flow Curtain *(Forced Air)*
- Natural, Environmentally-Safe, High-Efficiency R-290 Refrigerant**
- 2" Non-CFC Polyurethane Foamed-In-Place Insulation
- Heavy-Duty Stainless Steel Lid, Door Hinges and Latches
- Built-In, Electric Condensate Evaporator *(Forced Air)*
- Easily Serviceable Bottom-Mounted Condensing Unit
- Electronic Controller w/Digital Display & Hi-Low Alarm
- Snap-In Lid and Door Gasket
- Heavy-Duty, Epoxy-Coated Steel Wire Floor Racks
- Cylinder-Keyed Security Lock
- 5" Diameter Swivel Plate Casters w/Front Locking Brakes
- Floor Drain

OPTIONS

- Wrap around bumpers
- Floor foot pedal lock
- Corner bumpers
- Stainless steel interior (standard on SS models)
- Color laminate
- Powder coating

See **Page 54** for Options & Accessories.

Milk Coolers Options & Accessories

Consult factory for additional information and special electrical requirements.

OPTIONS & ACCESSORIES

SIZE	PART NO.	DESCRIPTION	LIST PRICE
34"	-	Stainless Steel Interior (standard on -SS models)	\$1738
49"	-	Stainless Steel Interior (standard on -SS models)	\$2041
58"	-	Stainless Steel Interior (standard on -SS models)	\$2173
5" Dia. 6" H	50231	Set of 4 Swivel Plate-Style Casters w/Brakes	\$518
	50182	Foot Pedal Floor Lock	\$274
	50-223	Bumper Kit, Corner MC	\$58
	50-224	Bumper Kit, Wrap Around Corner MC (*Must be sure to note what unit this is for on the order)	\$804
		Custom Laminate Finishes or Powder Coating	Consult factory

Bar Equipment

Keg Coolers, Back Bar Coolers & Bottle Coolers/Glass Plate Chillers

Our Back Bar Coolers are “Built to last” with all stainless steel countertop, heavy-duty galvanized interior and reinforced stainless steel floor¹. Cabinets are front breathing (except 24” models)² with the option of a left or right condensing unit³. On Keg Coolers, faucets come single, double or triple and beer column placement and brand can be modified to suit.


¹ Except Bottle Coolers

² Only 24” models are front breathing on Bottle Coolers

³ Not an option on Bottle Coolers

In This Section

- 56 Keg Coolers
- 58 Back Bar Coolers
- 60 Display Coolers w/ Hinged Glass Doors
- 62 Display Coolers w/ Sliding Glass Doors
- 64 Bottle Coolers
- 66 Options & Accessories



KC59N
shown w/ Standard Features and FLEXIBLE Options

KC24N	KC50N/KC50SN	KC59N/KC59SN
		
		
KC69N/KC69SN	KC79N/KC79SN	KC90N/KC90SN

Keg Coolers

Cabinet Construction: **Standard Models:** Wear Resistant, Textured Baked Black Enamel Finish Exterior
SS Models: Stainless Steel Exterior
Stainless Steel Countertop, Interior Back, Side Panels* and Reinforced Stainless Steel Floor

*Stainless steel interior side panels on 50" - 90" models

BTU/HR Rating @ +25°F, 90°F Ambient
Extra Long, 10 ft. cord and plug attached (115-60-1 volts)

STANDARD DEPTH MODELS

SIZE	STD MODELS	STD LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	KEG CAPACITY BARREL	KEG CAPACITY STRAIGHT	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
24"	KC24N	\$5258	KC24NSS	\$6627	24 1/8 x 31 7/16 x 38 13/16	1	1	8	1620	1/5	210
50"	KC50N	\$8569	KC50NSS	\$10665	50 x 29 3/16 x 34 3/4	0	2	16	1800	1/4	355
59"	KC59N	\$8583	KC59NSS	\$10788	59 x 29 3/16 x 34 3/4	2	3	22	2025	1/4	385
69"	KC69N	\$8986	KC69NSS	\$11566	69 x 29 3/16 x 34 3/4	3	3	26	2250	1/4	415
79"	KC79N	\$10890	KC79NSS	\$13745	79 x 29 3/16 x 34 3/4	3	4	28	2500	1/3	455
90"	KC90N	\$11284	KC90NSS	\$13917	90 x 29 3/16 x 34 3/4	4	5	35	2670	1/3	505

SHALLOW DEPTH MODELS

50"	KC50SN	\$9942	KC50SNSS	\$10868	50 x 25 3/16 x 34 3/4	0	2	13	1800	1/4	355
59"	KC59SN	\$9970	KC59SNSS	\$10995	59 x 25 3/16 x 34 3/4	2	2	15	2025	1/4	385
69"	KC69SN	\$10438	KC69SNSS	\$11788	69 x 25 3/16 x 34 3/4	3	3	18	2250	1/4	415
79"	KC79SN	\$12225	KC79SNSS	\$14006	79 x 25 3/16 x 34 3/4	3	3	22	2500	1/3	455
90"	KC90SN	\$12470	KC90SNSS	\$14181	90 x 25 3/16 x 34 3/4	4	4	25	2670	1/3	505

Ship weight for Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for shipping weight of these models.

NOTE: Shallow Depth not available on 24" models.

KC24NSS	KC50NSS/KC50SNSS	KC59NSS/KC59SNSS
		
		
KC69NSS/KC69SNSS	KC79NSS/KC79SNSS	KC90NSS/KC90SNSS

Standard Depth or Shallow Depth

Keg Coolers are front breathing (except 24" models). Condensing unit available on left or right (left side is standard).

STANDARD FEATURES

Low Profile Cabinet Design (except 24" models)

Performance-Rated Refrigeration System

Front Breathing (except 24" models)

Natural, Environmentally-Safe, High-Efficiency R-290 Refrigerant

High Density, Non-CFC Polyurethane Foamed-in-Place Insulation

Stainless Steel Reinforced Threshold

Extra Large, Balanced Evaporator Coil

Continuously Cooled, 3" Diameter Beer Columns with Lever Faucet, CO₂ Pressure Relief Distributor and CO₂ Tubing with Clamps

Easily Removable Stainless Steel Drip Grate with Convenient Front-Mounted Cleanout Drainage Hose (pan not removable)

Easily Accessible and Serviceable Slide-Out Condensing Unit (except 24" models)

Electronic Temperature Control

Readily Removable Front, Rear and Side Venting Louvered Grills (except 24" models)

Automatic, Hot Gas Condensate Evaporator (except 24" models)

Automatic, Energy-Saving, Non-Electric Condensate Evaporator (24" models)

Cylinder-Keyed Security Lock (each door)

Magnetic Snap-In Gasket (each door)

LED Interior Lighting (except 24" models and shallow depth)

5" High Casters (24" models only, can not be changed, footing installed)

OPTIONS

Epoxy-coated shelves with clips

Stainless steel shelves with clips

Remote temperature logger

Wine racks

Food storage rated stainless steel interior (NSF-7)

Single, dual & triple angle faucets

Faucet lock

Casters or legs (casters cannot be changed on 24" models)

Condensing unit on right (except 24" models)

Tower placement (consult factory)

Riser base (field installed, 50" - 90" models)

See **Page 66** for Options & Accessories.

BB24N	BB50N/BB50SN	BB59N/BB59SN
		
		
BB69N/BB69SN	BB79N/BB79SN	BB90N/BB90SN

Back Bar Coolers - Standard & Pass-Thru Models

Cabinet Construction: **Standard Models:** Wear Resistant, Textured Baked Black Enamel Finish Exterior
SS Models: Stainless Steel Exterior
Stainless Steel Countertop, Interior Back, Side Panels* and Reinforced Stainless Steel Floor

*Stainless steel interior side panels on 50" - 90" models

BTU/HR Rating @ +25°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)

STANDARD DEPTH MODELS

SIZE	STD MODELS	STD LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
24"	BB24N	\$4992	BB24NSS	\$6289	24 1/8 x 31 7/16 x 38 13/16	8	1620	1/5	210
50"	BB50N	\$8171	BB50NSS	\$9669	50 x 29 3/16 x 34 3/4	16	1800	1/4	355
59"	BB59N	\$8174	BB59NSS	\$10067	59 x 29 3/16 x 34 3/4	22	2025	1/4	385
69"	BB69N	\$8472	BB69NSS	\$10336	69 x 29 3/16 x 34 3/4	26	2250	1/4	415
79"	BB79N	\$9169	BB79NSS	\$11826	79 x 29 3/16 x 34 3/4	28	2500	1/3	455
90"	BB90N	\$9833	BB90NSS	\$12573	90 x 29 3/16 x 34 3/4	35	2670	1/3	505

SHALLOW DEPTH MODELS

50"	BB50SN	\$8954	BB50SNSS	\$10489	50 x 25 3/16 x 34 3/4	13	1800	1/4	355
59"	BB59SN	\$9884	BB59SNSS	\$11568	59 x 25 3/16 x 34 3/4	15	2025	1/4	385
69"	BB69SN	\$11282	BB69SNSS	\$13203	69 x 25 3/16 x 34 3/4	18	2250	1/4	415
79"	BB79SN	\$12180	BB79SNSS	\$14787	79 x 25 3/16 x 34 3/4	22	2500	1/3	455
90"	BB90SN	\$13156	BB90SNSS	\$15524	90 x 25 3/16 x 34 3/4	25	2670	1/3	505

PASS-THRU STANDARD DEPTH MODELS

50"	BB50NPT	\$10520	BB50NSSPT	\$12381	50 x 31 3/8 x 34 3/4	16	1800	1/4	355
59"	BB59NPT	\$10524	BB59NSSPT	\$12777	59 x 31 3/8 x 34 3/4	22	2025	1/4	385
69"	BB69NPT	\$10822	BB69NSSPT	\$13047	69 x 31 3/8 x 34 3/4	26	2250	1/4	415
79"	BB79NPT	\$12692	BB79NSSPT	\$15894	79 x 31 3/8 x 34 3/4	28	2500	1/3	455
90"	BB90NPT	\$13360	BB90NSSPT	\$16643	90 x 31 3/8 x 34 3/4	35	2670	1/3	505

PASS-THRU SHALLOW DEPTH MODELS

50"	BB50SNPT	\$11305	BB50SNSSPT	\$13202	50 x 27 3/8 x 34 3/4	13	1800	1/4	355
59"	BB59SNPT	\$12232	BB59SNSSPT	\$14278	59 x 27 3/8 x 34 3/4	15	2025	1/4	385
69"	BB69SNPT	\$13630	BB69SNSSPT	\$15916	69 x 27 3/8 x 34 3/4	18	2250	1/4	415
79"	BB79SNPT	\$15706	BB79SNSSPT	\$18853	79 x 27 3/8 x 34 3/4	22	2500	1/3	455
90"	BB90SNPT	\$16679	BB90SNSSPT	\$19592	90 x 27 3/8 x 34 3/4	25	2670	1/3	505

Ship weight for Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for shipping weight of these models.

NOTE: Shallow Depth not available on 24" models.

BB24NSS	BB50NSS/BB50SNSS	BB59NSS/BB59SNSS
		
		
BB69NSS/BB69SNSS	BB79NSS/BB79SNSS	BB90NSS/BB90SNSS

Standard Depth or Shallow Depth

Back Bar Coolers are front breathing (except 24" models). Condensing unit available on left or right. Pass-Thru Back Bar Coolers maximize better use of floor space on island bar layouts.

STANDARD FEATURES

- Low Profile Cabinet Design (except 24" models)
- Performance-Rated Refrigeration System
- Front Breathing (except 24" models)
- Natural, Environmentally-Safe, High-Efficiency R-290 Refrigerant**
- High Density, Non-CFC Polyurethane Foamed-in-Place Insulation
- Stainless Steel Reinforced Threshold
- Extra Large, Balanced Evaporator Coil
- Heavy-Duty, Epoxy-Coated Steel Shelves
- Easily Accessible and Serviceable Slide-Out Condensing Unit (except 24" models)
- Electronic Temperature Control
- Readily Removable Front, Rear and Side Venting Louvered Grills (except 24" models)
- Automatic, Hot Gas Condensate Evaporator** (except models)
- Automatic, Energy-Saving, Non-Electric Condensate Evaporator (24" models)
- Cylinder-Keyed Security Lock (each door)
- Magnetic Snap-In Gasket (each door)
- LED Interior Lighting (except 24" models)
- 5" High Casters (24" models only, can not be changed, footing installed)

OPTIONS

- Additional epoxy-coated shelves with clips
- Stainless steel shelves with clips
- Remote temperature logger
- Wine racks
- Food storage rated stainless steel interior (NSF-7)
- Casters or legs (casters cannot be changed on 24" models)
- Condensing unit on right (except 24" models)
- Riser base (field installed, 50" - 90" models)

See **Page 66** for Options & Accessories.

BBC24NGD	BB50NGD/BB50SNGD	BB59NGD/BB59SNGD
		
		
BB69NGD/BB69SNGD	BBC79NGD/BBC79SNGD	BBC90NGD/BBC90SNGD

Back Bar Display Coolers w/ Hinged Glass Doors - Standard & Pass-Thru Models

Cabinet Construction: **Standard Models:** Wear Resistant, Textured Baked Black Enamel Finish Exterior
SS Models: Stainless Steel Exterior
 Stainless Steel Countertop, Interior Back, Side Panels* and Reinforced Stainless Steel Floor

*Stainless steel interior side panels on 50" - 90" models

BTU/HR Rating @ +25°F, 90°F Ambient
 10 ft. cord and plug attached (115-60-1 volts)

STANDARD DEPTH MODELS

SIZE	STD MODELS	STD LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
24"	BB24NGD	\$6004	BB24NSSGD	\$7134	24 1/8 x 30 7/8 x 38 13/16	8	1620	1/5	220
50"	BB50NGD	\$10308	BB50NSSGD	\$12065	50 x 28 5/8 x 34 3/4	16	1800	1/4	365
59"	BB59NGD	\$10527	BB59NSSGD	\$12174	59 x 28 5/8 x 34 3/4	22	2025	1/4	395
69"	BB69NGD	\$10859	BB69NSSGD	\$12506	69 x 28 5/8 x 34 3/4	26	2250	1/4	425
79"	BB79NGD	\$12406	BB79NSSGD	\$14114	79 x 28 5/8 x 34 3/4	28	2500	1/3	465
90"	BB90NGD	\$12480	BB90NSSGD	\$14154	90 x 28 5/8 x 34 3/4	35	2670	1/3	515

SHALLOW DEPTH MODELS

50"	BB50SNGD	\$10306	BB50SNSSGD	\$12295	50 x 24 5/8 x 34 3/4	13	1800	1/4	365
59"	BB59SNGD	\$10528	BB59SNSSGD	\$12404	59 x 24 5/8 x 34 3/4	15	2025	1/4	395
69"	BB69SNGD	\$12750	BB69SNSSGD	\$14673	69 x 24 5/8 x 34 3/4	18	2250	1/4	425
79"	BB79SNGD	\$14279	BB79SNSSGD	\$16284	79 x 24 5/8 x 34 3/4	22	2500	1/3	465
90"	BB90SNGD	\$14423	BB90SNSSGD	\$16433	90 x 24 5/8 x 34 3/4	25	2670	1/3	515

PASS-THRU STANDARD DEPTH MODELS

50"	BB50NGDPT	\$14634	BB50NSSGDPT	\$16946	50 x 30 1/4 x 34 3/4	16	1800	1/4	365
59"	BB59NGDPT	\$14849	BB59NSSGDPT	\$17057	59 x 30 1/4 x 34 3/4	22	2025	1/4	395
69"	BB69NGDPT	\$15177	BB69NSSGDPT	\$17387	69 x 30 1/4 x 34 3/4	26	2250	1/4	425
79"	BB79NGDPT	\$17601	BB79NSSGDPT	\$19900	79 x 30 1/4 x 34 3/4	28	2500	1/3	465
90"	BB90NGDPT	\$17673	BB90NSSGDPT	\$19940	90 x 30 1/4 x 34 3/4	35	2670	1/3	515

PASS-THRU SHALLOW DEPTH MODELS

50"	BB50SNGDPT	\$14829	BB50SNSSGDPT	\$17178	50 x 26 1/4 x 34 3/4	13	1800	1/4	365
59"	BB59SNGDPT	\$15046	BB59SNSSGDPT	\$17288	59 x 26 1/4 x 34 3/4	15	2025	1/4	395
69"	BB69SNGDPT	\$17271	BB69SNSSGDPT	\$19555	69 x 26 1/4 x 34 3/4	18	2250	1/4	425
79"	BB79SNGDPT	\$19704	BB79SNSSGDPT	\$22072	79 x 26 1/4 x 34 3/4	22	2500	1/3	465
90"	BB90SNGDPT	\$19845	BB90SNSSGDPT	\$22219	90 x 26 1/4 x 34 3/4	25	2670	1/3	515

Ship weight for Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for shipping weight of these models.

NOTE: Shallow Depth not available on 24" models.

BB24NSSGD	BB50NSSGD/BB50SNSSGD	BB59NSSGD/BB59SNSSGD
		
		
BB69NSSGD/BB69SNSSGD	BB79NSSGD/BB79SNSSGD	BB90NSSGD/BB90SNSSGD

Standard Depth or Shallow Depth

Back Bar Display Coolers are front breathing (except 24" models). Condensing unit available on left or right. Pass-Thru Back Bar Display Coolers increase design options and speed of service.

STANDARD FEATURES

- Low Profile Cabinet Design (except 24" models)
- Performance-Rated Refrigeration System
- Front Breathing (except 24" models)
- Natural, Environmentally-Safe, High-Efficiency R-290 Refrigerant**
- High Density, Non-CFC Polyurethane Foamed-in-Place Insulation
- Stainless Steel Reinforced Threshold
- Extra Large, Balanced Evaporator Coil
- Heavy-Duty, Epoxy-Coated Steel Shelves
- Easily Accessible and Serviceable Slide-Out Condensing Unit (except 24" models)
- Electronic Temperature Control
- Readily Removable Front, Rear and Side Venting Louvered Grills (except 24" models)
- Automatic, Hot Gas Condensate Evaporator** (except 24" models)
- Automatic, Energy-Saving, Non-Electric Condensate Evaporator (24" models)
- Cylinder-Keyed Security Lock (each door)
- Magnetic Snap-In Gasket (each door)
- LED Interior Lighting
- Double Pane, Tempered, Low-e Hinged Glass Doors (50" - 90" models self-closing, spring-loaded, not rehingeable)
- 5" High Casters (24" models only)

OPTIONS

- Additional epoxy-coated shelves with clips
- Stainless steel shelves with clips
- Remote temperature logger
- Wine racks
- Food storage rated stainless steel interior (NSF-7)
- Casters or legs (casters cannot be changed on 24" models)
- Condensing unit on right (except 24" models)
- Riser base (field installed, 50" - 90" models)

See **Page 66** for Options & Accessories.

BB50NSGD/BB50SNSGD	BB59NSGD/BB59SNSGD	BB69NSGD/BB69SNSGD
		
		
BB50NSSGD/BB50SNSSGD	BB59NSSGD/BB59SNSSGD	BB69NSSGD/BB69SNSSGD

Back Bar Display Coolers w/ Sliding Glass Doors - Standard & Pass-Thru Models

Cabinet Construction: **Standard Models:** Wear Resistant, Textured Baked Black Enamel Finish Exterior
SS Models: Stainless Steel Exterior
 Stainless Steel Countertop, Interior Back, Side Panels* and Reinforced Stainless Steel Floor

*Stainless steel interior side panels on 50" - 90" models

BTU/HR Rating @ +25°F, 90°F Ambient
 10 ft. cord and plug attached (115-60-1 volts)

STANDARD DEPTH MODELS

SIZE	STD MODELS	STD LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
50"	BB50NSGD	\$11122	BB50NSSGD	\$13068	50 x 28 x 34 3/4	16	1800	1/4	365
59"	BB59NSGD	\$11334	BB59NSSGD	\$13181	59 x 28 x 34 3/4	22	2025	1/4	395
69"	BB69NSGD	\$11788	BB69NSSGD	\$13517	69 x 28 x 34 3/4	26	2250	1/4	425

SHALLOW DEPTH MODELS

50"	BB50SNSGD	\$11122	BB50SNSSGD	\$13068	50 x 24 x 34 3/4	13	1800	1/4	365
59"	BB59SNSGD	\$11334	BB59SNSSGD	\$13181	59 x 24 x 34 3/4	15	2025	1/4	395
69"	BB69SNSGD	\$12927	BB69SNSSGD	\$14854	69 x 24 x 34 3/4	18	2250	1/4	425

PASS-THRU STANDARD DEPTH MODELS

50"	BB50NSGDPT	\$16546	BB50NSSGDPT	\$18492	50 x 29 x 34 3/4	16	1800	1/4	365
59"	BB59NSGDPT	\$16760	BB59NSSGDPT	\$18605	59 x 29 x 34 3/4	22	2025	1/4	395
69"	BB69NSGDPT	\$17212	BB69NSSGDPT	\$18942	69 x 29 x 34 3/4	26	2250	1/4	425

PASS-THRU SHALLOW DEPTH MODELS

50"	BB50SNSGDPT	\$16546	BB50SNSSGDPT	\$18492	50 x 25 x 34 3/4	13	1800	1/4	365
59"	BB59SNSGDPT	\$16760	BB59SNSSGDPT	\$18605	59 x 25 x 34 3/4	15	2025	1/4	395
69"	BB69SNSGDPT	\$18351	BB69SNSSGDPT	\$20276	69 x 25 x 34 3/4	18	2250	1/4	425

Ship weight for Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for shipping weight of these models.

BB50NSGDPT/BB50SSGDPT	BB59NSGDPT/BB59SSGDPT	BB69NSGDPT/BB69SSGDPT
		
		
BB50NSSGDPT/BB50SNSSGDPT	BB59NSSGDPT/BB59SNSSGDPT	BB69NSSGDPT/BB69SNSSGDPT

Standard Depth or Shallow Depth

Back Bar Display Coolers with sliding glass doors are front breathing. Condensing unit available on left or right. Pass-Thru Back Bar Display Coolers increase design options and speed of service.






STANDARD FEATURES

- Low Profile Cabinet Design
- Performance-Rated Refrigeration System
- Front Breathing
- Natural, Environmentally-Safe, High-Efficiency R-290 Refrigerant**
- High Density, Non-CFC Polyurethane Foamed-in-Place Insulation
- Stainless Steel Reinforced Threshold
- Extra Large, Balanced Evaporator Coil
- Heavy-Duty, Epoxy-Coated Steel Shelves
- Easily Accessible and Serviceable Slide-Out Condensing Unit
- Electronic Temperature Control
- Readily Removable Front, Rear and Side Venting Louvered Grills
- Automatic, Hot Gas Condensate Evaporator**
- LED Interior Lighting
- Double Pane, Tempered, Self-Closing Low-e Sliding Glass Doors

OPTIONS

- Sliding glass door lock
- Additional epoxy-coated shelves with clips
- Remote temperature logger
- Stainless steel shelves with clips
- Wine racks
- Food storage rated stainless steel interior
- Casters or legs
- Condensing unit on right
- Riser base (field installed)

See **Page 66** for Options & Accessories.

CBC24/CBC24-DC	CBC37/CBC37-DC	CBC50/CBC50-DC
		
		
CBC64/CBC64-DC	CBC95/CBC95-DC	

Bottle Coolers

Cabinet Construction: **Standard Models:** Wear Resistant, Textured Baked Black Enamel Finish Exterior
SS Models: Stainless Steel Exterior
 All Stainless Steel Countertop and Slide Lids, Heavy-Duty Galvanized Interior

BTU/HR Rating @ +20°F, 90°F Ambient
 10 ft. cord and plug attached (115-60-1 volts)

STANDARD BOTTLE COOLER MODELS (38°F - 41°F)

SIZE	STANDARD Black Enamel Exterior	STANDARD LIST PRICE	SUFFIX "SS" S/S Exterior	SUFFIX "SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	12 OZ. BOTTLE CAPACITY (CASES)	12 OZ. CAN CAPACITY (CASES)	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
24"	CBC24	\$5236	CBC24-SS	\$6223	24 x 29 1/8 x 34 3/4	4 1/2	7 1/2	4.8	1800	1/5	205
37"	CBC37	\$5640	CBC37-SS	\$6689	37 x 29 1/8 x 33 1/2	12	18 1/2	10.3	1800	1/5	215
50"	CBC50	\$5845	CBC50-SS	\$7077	50 x 29 1/8 x 33 1/2	18	27	15.1	1910	1/3	265
64"	CBC64	\$6519	CBC64-SS	\$7670	64 x 29 1/8 x 33 1/2	25	37	20.3	2050	1/3	376
95"	CBC95	\$8997	CBC95-SS	\$10296	95 x 29 1/8 x 33 1/2	40	59	32	3100	1/2	435

DEEP CHILL BOTTLE COOLER MODELS (32°F)

24"	CBC24-DC	\$6552	CBC24-SS-DC	\$7479	24 x 29 1/8 x 34 3/4	4 1/2	7 1/2	4.8	1800	1/5	205
37"	CBC37-DC	\$6853	CBC37-SS-DC	\$7779	37 x 29 1/8 x 33 1/2	12	18 1/2	10.3	1800	1/5	215
50"	CBC50-DC	\$7875	CBC50-SS-DC	\$8986	50 x 29 1/8 x 33 1/2	18	27	15.1	1910	1/3	265
64"	CBC64-DC	\$8758	CBC64-SS-DC	\$9810	64 x 29 1/8 x 33 1/2	25	37	20.3	2050	1/3	376
95"	CBC95-DC	\$12065	CBC95-SS-DC	\$13343	95 x 28 1/8 x 33 1/2	40	59	32	3100	1/2	435

Ship weight for Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for shipping weight of these models.

CBC24-SS/CBC24-SS-DC	CBC37-SS/CBC37-SS-DC	CBC50-SS/CBC50-SS-DC
		
		
CBC64-SS/CBC64-SS-DC	CBC95-SS/CBC95-SS-DC	

Standard (38°F - 41°F) or Deep Chill (32°F)

Available as a Deep Chill (32°F) for that “cold beer” taste.

STANDARD FEATURES

Performance-Rated Refrigeration System
 Environmentally-Safe R-134a Refrigerant
 High Density, Non-CFC Polyurethane Foamed-in-Place Insulation
 Full Length, Extra Large Coil
 Easily Accessible and Serviceable Slide-Out Condensing Unit
 Electronic Temperature Control
 Front, Rear and Side Venting Louvers (except 24" models)
 Heavy-Duty, Epoxy-Coated, Adj. Steel Wire Storage Bin Dividers
 Heavy-Duty Cap Opener w/ Extra Capacity, Removable Cap Catcher
 Easily Accessible, Front-Mounted Cleanout Drainage Hose
 Automatic, Energy-Saving, Non-Electric Condensate Evaporator
 (Automatic time defrosting period is timer initiated and temperature terminated)
 (Deep Chill models)

OPTIONS

Lid locks
 Additional wire bin dividers
 Remote temperature logger
 Stainless steel interior
 Expansion valve system
 Casters or legs
 Automatic electric condensate evaporator (except 24" models)

See **Page 66** for Options & Accessories.
 See **Page 159** for Expansion Valve Option.

Bar Equipment Options & Accessories

Consult factory for additional information and special electrical requirements.

KEG COOLERS (KC) & BACK BAR COOLERS (BB/BBC) OPTIONS & ACCESSORIES

SIZE	PART NO.	DESCRIPTION	LIST PRICE
	5-155	Single Faucet w/ 8" Beer Column 3" O.D. (KC models)	\$639
	5-156	Dual Angle Faucet, Single Column 3" O.D. (KC models)	\$1168
	5-211	Triple Angle Faucet, Single Column 3" O.D. (KC models)	\$2203
	5-103	Faucet Lock (KC models)	\$788
	50-080	Remote Temperature Logger	\$2286
	20122	Lock for Sliding Glass Doors	\$430
4" Dia. 5" H	50205 (w/Brakes)	Set of 4 Swivel Casters (BBC 50", 59" & 69" models) Set of 6 Swivel Casters - (BBC 79" & 90" models)	\$414 \$680
5" Dia. 6" H	50177 (w/Brakes)	Set of 4 Swivel Casters (BBC 50", 59" & 69" models) Set of 6 Swivel Casters (BBC 79" & 90" models)	\$518 \$781
	-	Plated Steel Shelf, Epoxy-Coated w/Clips	\$128
	-	Stainless Steel Shelf w/Clips	\$369
	-	Wine Rack	\$197
50"	-	Food Storage Rated Stainless Steel Interior	\$2336
59"	-	Food Storage Rated Stainless Steel Interior	\$2555
69"	-	Food Storage Rated Stainless Steel Interior	\$2892
79"	-	Food Storage Rated Stainless Steel Interior	\$3111
90"	-	Food Storage Rated Stainless Steel Interior	\$3448

BOTTLE COOLERS (CBC) OPTIONS & ACCESSORIES

24"	-	Stainless Steel Interior	\$1261
37"	-	Stainless Steel Interior	\$1757
50"	-	Stainless Steel Interior	\$1924
64"	-	Stainless Steel Interior	\$2097
95"	-	Stainless Steel Interior	\$2555
	5-505	Wire Bin Dividers, Long (except 24" models)	\$96
	5-504	Wire Bin Dividers, Short (Step) (except 24" models)	\$84
	5-500	Cap Catcher - Black	\$128
	5-500S	Cap Catcher - Stainless Steel	\$217
	50-080	Remote Temperature Logger	\$2286
	2-500	Lid Locks (per lid)	\$150
4" Dia. 5" H	50205 (w/ Brakes)	Set of 4 Swivel Casters (37", 50" & 64" models) Set of 6 Swivel Casters - (95" models)	\$414 \$680
5" Dia. 6" H	50177 (w/ Brakes)	Set of 4 Swivel Casters (37", 50" & 64" models) Set of 6 Swivel Casters (95" models)	\$518 \$781
	4-916	Automatic, Electric Condensate Evaporator (115-60-1) w/Cord & Plug (except 24" models)	\$231

Casters can not be changed on BBC24/KC24 models.

Reach-Ins & Pass-Thrus

Standard & Shallow Depth, Slim Line & Extra-Wide Refrigerators and Freezers


Our Reach-In Refrigerators and Freezers are designed for performance and reliability that protects your long term investment. Designed using the highest quality materials and components to provide the user with optimal product temperatures, exceptional food safety and the best value in today's foodservice market.

In This Section


- 68 Refrigerators
- 74 Freezers
- 80 Dual Temperature
- 82 Display Refrigerators
- 88 Display Freezers
- 92 Options & Accessories

 **FLEXIBLE Option**
Stainless steel back

Benefit
Added strength
and durability

 **FLEXIBLE Option**
Chrome-plated wire
rod or stainless steel
pan slides (shown)

Benefit
Prep ahead space
saving storage

 **FLEXIBLE Option**
Stainless steel or
chrome shelves

Benefit
Sturdy & corrosion
resistant

 **FLEXIBLE Option**
Half door,
half drawer
combinations

Benefit
Workflow flexibility



2RNSSHD
shown w/ Standard Features and FLEXIBLE Options



Refrigerators - Standard Depth & Shallow Depth

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior



Certified ENERGY STAR® Commercial Refrigerators (models listed with a star ☆).

BTU/HR Rating @ +25°F, 90°F Ambient
 10 ft. cord and plug attached (115-60-1 volts)

REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOOR(S)	1RN	☆ \$8600	1RNSA	☆ \$10232	1RNSS	☆ \$12200	26 x 35 3/8 x 82 1/4	20	1940	1/4+	284
	2RN	☆ \$11375	2RNSA	☆ \$12781	2RNSS	☆ \$16082	52 x 35 3/8 x 82 1/4	48	2560	1/3+	433
	3RN	☆ \$15335	3RNSA	☆ \$17216	3RNSS	☆ \$22055	78 x 35 3/8 x 82 1/4	70	4010	1/2	619
HALF DOORS	1RNHD	☆ \$9649	1RNSAHD	☆ \$11152	1RNSSHD	☆ \$13257	26 x 35 3/8 x 82 1/4	20	1940	1/4+	284
	2RNHD	☆ \$12735	2RNSAHD	☆ \$14166	2RNSSHD	☆ \$17467	52 x 35 3/8 x 82 1/4	48	2560	1/3+	433
	3RNHD	☆ \$17941	3RNSAHD	☆ \$18351	3RNSSHD	☆ \$23035	78 x 35 3/8 x 82 1/4	70	4010	1/2	619
FULL DOOR(S) SHALLOW DEPTH	1RSN	\$8600	1RSNSA	\$10232	1RSNSS	\$12200	26 x 29 1/4 x 82 1/4	16	1940	1/4+	284
	2RSN	\$11375	2RSNSA	\$12781	2RSNSS	\$16082	52 x 29 1/4 x 82 1/4	32	2560	1/3+	433
	3RSN	\$15335	3RSNSA	\$17216	3RSNSS	\$22055	78 x 29 1/4 x 82 1/4	50	4010	1/2	619
HALF DOOR(S) SHALLOW DEPTH	1RSNHD	\$9649	1RSNSAHD	\$11152	1RSNSSHD	\$13257	26 x 29 1/4 x 82 1/4	16	1940	1/4+	284
	2RSNHD	\$12735	2RSNSAHD	\$14116	2RSNSSHD	\$17467	52 x 29 1/4 x 82 1/4	32	2560	1/3+	433
	3RSNHD	\$17941	3RSNSAHD	\$18351	3RSNSSHD	\$23035	78 x 29 1/4 x 82 1/4	50	4010	1/2	619

PASS-THRU MODELS

FULL DOORS	1RNPT	☆ \$13430	1RNSAPT	☆ \$14627	1RNSSPT	☆ \$16633	26 x 38 3/4 x 82 1/4	21	1940	1/4+	340
	2RNPT	☆ \$17313	2RNSAPT	☆ \$18532	2RNSSPT	☆ \$21924	52 x 38 3/4 x 82 1/4	50	2560	1/3+	580
	3RNPT	\$23211	3RNSAPT	\$24501	3RNSSPT	\$29664	78 x 38 3/4 x 82 1/4	72	4010	1/2	815
HALF DOORS	1RNPTH	☆ \$14428	1RNSAPTH	☆ \$15771	1RNSSPTH	☆ \$17633	26 x 38 3/4 x 82 1/4	21	1940	1/4+	340
	2RNPTH	☆ \$19513	2RNSAPTH	☆ \$21000	2RNSSPTH	☆ \$24305	52 x 38 3/4 x 82 1/4	50	2560	1/3+	580
	3RNPTH	\$26490	3RNSAPTH	\$27973	3RNSSPTH	\$33017	78 x 38 3/4 x 82 1/4	72	4010	1/2	815

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

1RNHD/1RSNHD	2RNHD/2RSNHD	3RNHD/3RSNHD
		

Reach-Ins & Pass-Thrus

Continental Refrigerator has one of the most diversified commercial Reach-In product lines in the industry with modern state-of-the-art styling and standard features not found on other units.

STANDARD FEATURES

Self-Contained, Performance-Rated Refrigeration System
Natural, Environmentally-Safe, High-Efficiency R-290 Refrigerant

3" Non-CFC Polyurethane Foam Insulation

Smooth, Polished Chrome Workflow Door Handles

Cam-Action, Lift-Off Hinges

Heavy Duty, Epoxy-Coated Steel Shelves

Automatic, Electric Condensate Evaporator
 (Reach-In models)

Automatic, Hot Gas Condensate Evaporator
 (Pass-Thru models)

Santoprene Magnetic Snap-In Door Gasket

Cylinder Lock in Each Door

5" High Casters

Self-Closing Doors

LED Interior Lighting

Electronic Controller w/Digital Display & Hi-Low Alarm

Expansion Valve System

Rehinging of Door in the Field (1-section, full door only)

OPTIONS

Chrome or stainless steel shelves

Additional epoxy-coated steel shelves

Wireless temperature logger

Foot treadle

Wine racks

Heavy-duty pilaster strips (standard on PT models)

Pan slide assemblies (not available on shallow depth models)

Adjustable legs

Rehinging of doors (consult factory)

Correctional facility package

Expansion valve system (optional on 3-section PT only, standard on all other models)

Custom laminates

Stainless steel case back

Glass doors on Pass-Thru models (consult factory)

See **Page 92** for Options & Accessories.

See **Page 159** for Pan Slide Options.



Slim Line Refrigerators - Standard Depth & Shallow Depth

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior

BTU/HR Rating @ +25°F, 90°F Ambient
 10 ft. cord and plug attached (115-60-1 volts)

SLIM LINE REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOORS	1RSEN	\$9727	1RSENSA	\$11213	1RSENSS	\$13162	17 3/4 x 35 3/8 x 82 1/4	15	1940	1/4+	310
	2RSEN	\$10794	2RSENSA	\$12338	2RSENSS	\$14127	36 1/4 x 35 3/8 x 82 1/4	30	2190	1/3+	430
HALF DOORS	1RSENHD	\$10451	1RSENSAHD	\$12130	1RSENSSHD	\$13952	17 3/4 x 35 3/8 x 82 1/4	15	1940	1/4+	310
	2RSENHD	\$12236	2RSENSAHD	\$14176	2RSENSSHD	\$15706	36 1/4 x 35 3/8 x 82 1/4	30	2190	1/3+	430
FULL DOORS SHALLOW DEPTH	1RSESN	\$9727	1RSESNSA	\$11213	1RSESNSS	\$13162	17 3/4 x 29 1/4 x 82 1/4	12	1940	1/4+	310
	2RSESN	\$10794	2RSESNSA	\$12338	2RSESNSS	\$14127	36 1/4 x 29 1/4 x 82 1/4	24	2190	1/3+	430
HALF DOORS SHALLOW DEPTH	1RSESND	\$10451	1RSESNSAHD	\$12130	1RSESNSSHD	\$13952	17 3/4 x 29 1/4 x 82 1/4	12	1940	1/4+	310
	2RSESND	\$12236	2RSESNSAHD	\$14176	2RSESNSSHD	\$15706	36 1/4 x 29 1/4 x 82 1/4	24	2190	1/3+	430

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

1RSENHD/1RSESNHD	2RSENHD/2RSESNHD
	

Reach-Ins

Slim Line Refrigerators were designed to meet small space requirements to satisfy the needs of kitchens with limited space.

STANDARD FEATURES

- Self-Contained, Performance-Rated Refrigeration System
- Natural, Environmentally-Safe, High-Efficiency R-290 Refrigerant**
- 3" Non-CFC Polyurethane Foam Insulation (2" on 1RSEN models)
- Smooth, Polished Chrome Door Handles
- Cam-Action, Lift-Off Hinges
- Heavy Duty, Epoxy-Coated Steel Shelves
- Automatic, Electric Condensate Evaporator
- Santoprene Magnetic Snap-In Door Gasket
- Cylinder Lock in Each Door
- 5" High Casters
- Self-Closing Doors
- LED Interior Lighting
- Electronic Controller w/Digital Display & Hi-Low Alarm
- Expansion Valve System**
- Rehinging of Door in the Field (1-section, full door only)

OPTIONS

- Chrome or stainless steel shelves
 - Additional epoxy-coated steel shelves
 - Wireless temperature logger
 - Foot treadle
 - Wine racks
 - Adjustable legs
 - Rehinging of doors (consult factory)
 - Correctional facility package
 - Custom laminates
 - Stainless steel case back
- See **Page 92** for Options & Accessories.



Extra-Wide Refrigerators - Standard Depth & Shallow Depth

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior



Certified ENERGY STAR® Commercial Refrigerators (models listed with a star ☆).

BTU/HR Rating @ +25°F, 90°F Ambient
 10 ft. cord and plug attached (115-60-1 volts)

REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOORS	1REN	☆ \$9813	1RENSA	☆ \$10853	1RENSS	☆ \$13208	28 1/2 x 35 3/8 x 82 1/4	21	1940	1/4+	330
	1RXN	☆ \$10794	1RXNSA	☆ \$12338	1RXNSS	☆ \$14127	36 1/4 x 35 3/8 x 82 1/4	30	2190	1/3+	430
	2REN	☆ \$12520	2RENSA	☆ \$13555	2RENSS	☆ \$17400	57 x 35 3/8 x 82 1/4	50	2560	1/3+	460
	3REN	☆ \$17218	3RENSA	☆ \$18262	3RENSS	☆ \$23877	85 1/2 x 35 3/8 x 82 1/4	73	4010	1/2	785
HALF DOORS	1RENHD	☆ \$10627	1RENSAHD	☆ \$11827	1RENSSHD	☆ \$14064	28 1/2 x 35 3/8 x 82 1/4	21	1940	1/4+	330
	1RXNHD	☆ \$11944	1RXNSAHD	☆ \$13285	1RXNSSHD	☆ \$15008	36 1/4 x 35 3/8 x 82 1/4	30	2190	1/3+	430
	2RENHD	☆ \$13322	2RENSAHD	☆ \$15030	2RENSSHD	☆ \$18399	57 x 35 3/8 x 82 1/4	50	2560	1/3+	460
	3RENHD	☆ \$18185	3RENSAHD	☆ \$19468	3RENSSHD	☆ \$24927	85 1/2 x 35 3/8 x 82 1/4	73	4010	1/2	785
FULL DOORS SHALLOW DEPTH	1RESN	\$9813	1RESNSA	\$10853	1RESNSS	\$13208	28 1/2 x 29 1/4 x 82 1/4	18	1940	1/4+	310
	1RXSN	\$10794	1RXSNSA	\$12338	1RXSNSS	\$14127	36 1/4 x 29 1/4 x 82 1/4	26	2190	1/3+	410
	2RESN	\$12520	2RESNSA	\$13555	2RESNSS	\$17400	57 x 29 1/4 x 82 1/4	40	2560	1/3+	520
	3RESN	\$17218	3RESNSA	\$18262	3RESNSS	\$23877	85 1/2 x 29 1/4 x 82 1/4	63	4010	1/2	725
HALF DOORS SHALLOW DEPTH	1RESNHD	\$10627	1RESNSAHD	\$11827	1RESNSSHD	\$14064	28 1/2 x 29 1/4 x 82 1/4	18	1940	1/4+	310
	1RXSNHD	\$11944	1RXSNSAHD	\$13285	1RXSNSSHD	\$15008	36 1/4 x 29 1/4 x 82 1/4	26	2190	1/3+	410
	2RESNHD	\$13322	2RESNSAHD	\$15030	2RESNSSHD	\$18399	57 x 29 1/4 x 82 1/4	40	2560	1/3+	520
	3RESNHD	\$18185	3RESNSAHD	\$19468	3RESNSSHD	\$24927	85 1/2 x 29 1/4 x 82 1/4	63	4010	1/2	725

PASS-THRU MODELS

FULL DOORS	1RENPT	☆ \$14111	1RENSAPT	☆ \$15198	1RENSSPT	☆ \$17288	28 1/2 x 38 3/4 x 82 1/4	22	1940	1/4+	360
	1RXNPT	\$15241	1RXNSAPT	\$17216	1RXNSSPT	\$18979	36 1/4 x 38 3/4 x 82 1/4	32	2190	1/3+	435
	2RENPT	☆ \$18175	2RENSAPT	☆ \$19257	2RENSSPT	☆ \$22789	57 x 38 3/4 x 82 1/4	52	2560	1/3+	620
	3RENPT	\$24376	3RENSAPT	\$25460	3RENSSPT	\$30824	85 1/2 x 38 3/4 x 82 1/4	75	4010	1/2	875
HALF DOORS	1RENPTHD	☆ \$15046	1RENSAPTHD	☆ \$16385	1RENSSPTHD	☆ \$18325	28 1/2 x 38 3/4 x 82 1/4	22	1940	1/4+	360
	1RXNPTHD	\$16837	1RXNSAPTHD	\$18492	1RXNSSPTHD	\$19980	36 1/4 x 38 3/4 x 82 1/4	32	2190	1/3+	435
	2RENPTHD	☆ \$20494	2RENSAPTHD	☆ \$21828	2RENSSPTHD	☆ \$25257	57 x 38 3/4 x 82 1/4	52	2560	1/3+	620
	3RENPTHD	\$27816	3RENSAPTHD	\$29068	3RENSSNPTHD	\$34304	85 1/2 x 38 3/4 x 82 1/4	75	4010	1/2	875

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.



Reach-Ins & Pass-Thrus

Extra-Wide Refrigerators provide generous amounts of additional space.

STANDARD FEATURES

- Self-Contained, Performance-Rated Refrigeration System
- Natural, Environmentally-Safe, High-Efficiency R-290 Refrigerant**
- 3" Non-CFC Polyurethane Foam Insulation
- Smooth, Polished Chrome Workflow Door Handles
- Cam-Action, Lift-Off Hinges
- Heavy Duty, Epoxy-Coated Steel Shelves
- Automatic, Electric Condensate Evaporator
(Reach-In models)
- Automatic, Hot Gas Condensate Evaporator
(Pass-Thru models)
- Santoprene Magnetic Snap-In Door Gasket
- Cylinder Lock in Each Door
- 5" High Casters
- Self-Closing Doors
- LED Interior Lighting
- Electronic Controller w/Digital Display & Hi-Low Alarm
- Expansion Valve System**
- Rehinging of Door in the Field (1-section, full door only)
(excludes "X" models, consult factory)

OPTIONS

- Chrome or stainless steel shelves
- Additional epoxy-coated steel shelves
- Wireless temperature logger
- Foot treadle
- Wine racks
- Heavy-duty pilaster strips (standard on "X" and PT models)
- Universal pan slide assemblies (not available on shallow depth or "X" models)
- Adjustable legs
- Rehinging of doors (consult factory)
- Correctional facility package
- Custom laminates
- Stainless steel case back

See **Page 92** for Options & Accessories.
See **Page 159** for Pan Slide Options.



Freezers (0°F) - Standard Depth & Shallow Depth

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior



Certified ENERGY STAR® Commercial Refrigerators (models listed with a star ☆).

BTU/HR Rating @ -15°F, 90°F Ambient
 10 ft. cord and plug attached (115-60-1 volts)
 § No cord and plug supplied (115/208-230-60-1 volts)

REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOORS	1FN	☆ \$10700	1FNSA	☆ \$11966	1FNSS	☆ \$13918	26 x 35 3/8 x 82 1/4	20	1590	1/2	290
	2FN	☆ \$14537	2FNSA	☆ \$16385	2FNSS	☆ \$19839	52 x 35 3/8 x 82 1/4	48	2470	1/2	445
	3FN	\$19797	3FNSA	\$21217	3FNSS	\$26650	78 x 35 3/8 x 82 1/4	70	3575	3/4§	790
HALF DOORS	1FNHD	☆ \$11536	1FNSAHD	☆ \$12773	1FNSSHD	☆ \$14727	26 x 35 3/8 x 82 1/4	20	1590	1/2	290
	2FNHD	☆ \$15970	2FNSAHD	☆ \$17322	2FNSSHD	☆ \$20763	52 x 35 3/8 x 82 1/4	48	2470	1/2	445
	3FNHD	\$21590	3FNSAHD	\$22829	3FNSSHD	\$27630	78 x 35 3/8 x 82 1/4	70	3575	3/4§	790
FULL DOORS SHALLOW DEPTH	1FSN	\$10700	1FSNSA	\$11966	1FSNSS	\$13918	26 x 29 1/4 x 82 1/4	16	1590	1/2	290
	2FSN	\$14537	2FSNSA	\$16385	2FSNSS	\$19839	52 x 29 1/4 x 82 1/4	32	2470	1/2	445
	3FSN	\$19797	3FSNSA	\$21217	3FSNSS	\$26650	78 x 29 1/4 x 82 1/4	50	3575	3/4§	790
HALF DOORS SHALLOW DEPTH	1FSNHD	\$11536	1FSNSAHD	\$12773	1FSNSSHD	\$17427	26 x 29 1/4 x 82 1/4	16	1590	1/2	290
	2FSNHD	\$15970	2FSNSAHD	\$17322	2FSNSSHD	\$20763	52 x 29 1/4 x 82 1/4	32	2470	1/2	445
	3FSNHD	\$21590	3FSNSAHD	\$22829	3FSNSSHD	\$27630	78 x 29 1/4 x 82 1/4	50	3575	3/4§	790

All reach-in models have a standard operating temperature of 0°F and can be adjusted to operate as low as -10°F in 90°F ambient.

PASS-THRU MODELS

FULL DOORS	1FNPT	\$15258	1FNSAPT	\$16313	1FNSSPT	\$17861	26 x 38 3/4 x 82 1/4	21	1590	1/3	355
	2FNPT	\$20867	2FNSAPT	\$22116	2FNSSPT	\$26060	52 x 38 3/4 x 82 1/4	50	2470	3/4§	665
	3F-PT	\$28219	3F-SA-PT	\$29275	3F-SS-PT	\$34748	78 x 38 3/4 x 85 3/4	72	4325	1§	885
HALF DOORS	1FNPTH	\$16267	1FNSAPTH	\$17397	1FNSSPTH	\$18872	26 x 38 3/4 x 82 1/4	21	1590	1/3	355
	2FNPTH	\$23464	2FNSAPTH	\$24518	2FNSSPTH	\$28467	52 x 38 3/4 x 82 1/4	50	2470	3/4§	665
	3F-PT-HD	\$31607	3F-SA-PT-HD	\$32357	3F-SS-PT-HD	\$38137	78 x 38 3/4 x 85 3/4	72	4325	1§	885

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

1FNHD/1FSNHD	2FNHD/2FSNHD	3FNHD/3FSNHD
		

Reach-Ins & Pass-Thrus

Continental Refrigerator has one of the most diversified commercial Reach-In product lines in the industry with modern state-of-the-art styling and standard features not found on other units.

STANDARD FEATURES

- Self-Contained, Performance-Rated Refrigeration System
- Natural, Environmentally-Safe, High-Efficiency R-290 Refrigerant**
(Reach-In models)
- Environmentally-Safe R-404A Refrigerant (Three section PT models)
- 3" Non-CFC Polyurethane Foam Insulation
- Smooth, Polished Chrome Workflow Door Handles
- Cam-Action, Lift-Off Hinges
- Heavy Duty, Epoxy-Coated Steel Shelves
- Automatic, Electric Condensate Evaporator
(Reach-In models)
- Automatic, Hot Gas Condensate Evaporator
(Pass-Thru models)
- Santoprene Magnetic Snap-In Door Gasket
- Cylinder Lock in Each Door
- 5" High Casters
- Self-Closing Doors
- LED Interior Lighting
- Electronic Controller w/Digital Display & Hi-Low Alarm
- Expansion Valve System** (Reach-In models)
- Automatic Electric Defrost
- Rehinging of Door in the Field (1-section, full door only)

OPTIONS

- Chrome or stainless steel shelves
- Additional epoxy-coated steel shelves
- Heavy-duty pilaster strips (standard on PT models)
- Wireless temperature logger
- Foot treadle
- Pan slide assemblies (not available on shallow depth models)
- Adjustable legs
- Rehinging of doors (consult factory)
- Correctional facility package
- Expansion valve system (optional on PT only, standard on all other models)
- Custom laminates
- Stainless steel case back

See **Page 92** for Options & Accessories.
See **Page 159** for Expansion Valve & Pan Slide Options.



Slim Line Freezers (0°F) - Standard Depth & Shallow Depth

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior

BTU/HR Rating @ -15°F, 90°F Ambient
 10 ft. cord and plug supplied (115-60-1 volts)

SLIM LINE REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOORS	1FSEN	\$12008	1FSENSA	\$13187	1FSENSS	\$14708	17 3/4 x 35 3/8 x 82 1/4	15	1590	1/2	290
	2FSEN	\$13624	2FSENSA	\$15096	2FSENSS	\$18839	36 1/4 x 35 3/8 x 82 1/4	30	1840	1/2	445
HALF DOORS	1FSENHD	\$12729	1FSENSAHD	\$13990	1FSENSSHD	\$15503	17 3/4 x 35 3/8 x 82 1/4	15	1590	1/2	290
	2FSENHD	\$15076	2FSENSAHD	\$16694	2FSENSSHD	\$20430	36 1/4 x 35 3/8 x 82 1/4	30	1840	1/2	445
FULL DOORS SHALLOW DEPTH	2FSESN	\$13624	2FSESN SA	\$15095	2FSESN SS	\$18839	36 1/4 x 29 1/2 x 82 1/4	24	1840	1/2	445

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

1FSENHD	2FSENHD
	

Reach-Ins

Slim Line Freezers were designed to meet small space requirements to satisfy the needs of kitchens with limited space.

STANDARD FEATURES

- Self-Contained, Performance-Rated Refrigeration System
- Natural, Environmentally-Safe, High-Efficiency R-290 Refrigerant**
- 3" Non-CFC Polyurethane Foam Insulation (2" on 1FSE models)
- Smooth, Polished Chrome Door Handles
- Cam-Action, Lift-Off Hinges
- Heavy Duty, Epoxy-Coated Steel Shelves
- Automatic, Electric Condensate Evaporator
- Santoprene Magnetic Snap-In Door Gasket
- Cylinder Lock in Each Door
- 5" High Casters
- Self-Closing Doors
- LED Interior Lighting
- Electronic Controller w/Digital Display & Hi-Low Alarm
- Expansion Valve System**
- Automatic Electric Defrost
- Rehinging of Door in the Field (1-section, full door only)

OPTIONS

- Chrome or stainless steel shelves
- Additional epoxy-coated steel shelves
- Wireless temperature logger
- Foot treadle
- Adjustable legs
- Rehinging of doors (consult factory)
- Correctional facility package
- Custom laminates
- Stainless steel case back

See **Page 92** for Options & Accessories.



Extra-Wide Freezers (0°F) - Standard Depth & Shallow Depth

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior



Certified ENERGY STAR® Commercial Refrigerators (models listed with a star ☆).

BTU/HR Rating @ -15°F, 90°F Ambient
 10 ft. cord and plug attached (115-60-1 volts)
 § No cord and plug supplied (115/208-230-60-1 volts)

REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOORS	1FEN	☆ \$11761	1FENSA	☆ \$12692	1FENSS	☆ \$14309	28 1/2 x 35 3/8 x 82 1/4	21	1590	1/2	345
	1FXN	\$13624	1FXNSA	\$15096	1FXNSS	\$18839	36 1/4 x 35 3/8 x 82 1/4	30	1840	1/2	445
	2FEN	☆ \$16162	2FENSA	☆ \$17379	2FENSS	☆ \$21472	57 x 35 3/8 x 82 1/4	50	2470	1/2	595
	3FEN	\$22512	3FENSA	\$22716	3FENSS	\$28851	85 1/2 x 35 3/8 x 82 1/4	73	3575	3/4§	830
HALF DOORS	1FENHD	☆ \$12573	1FENSAHD	☆ \$13548	1FENSSHD	☆ \$15164	28 1/2 x 35 3/8 x 82 1/4	21	1590	1/2	345
	1FXNHD	\$14413	1FXNSAHD	\$15980	1FXNSSHD	\$19142	36 1/4 x 35 3/8 x 82 1/4	30	1840	1/2	445
	2FENHD	☆ \$17112	2FENSAHD	☆ \$18372	2FENSSHD	☆ \$22476	57 x 35 3/8 x 82 1/4	50	2470	1/2	595
	3FENHD	\$23674	3FENSAHD	\$24218	3FENSSHD	\$28721	85 1/2 x 35 3/8 x 82 1/4	73	3575	3/4§	830
FULL DOORS SHALLOW DEPTH	1FESN	\$11761	1FESNSA	\$12692	1FESNSS	\$14309	28 1/2 x 29 1/4 x 82 1/4	18	1590	1/2	345
	1FXSN	\$13624	1FXSNSA	\$15096	1FXNSSS	\$18839	36 1/4 x 29 1/4 x 82 1/4	26	1840	1/2	445
	2FESN	\$16162	2FESNSA	\$17379	2FESNSS	\$21472	57 x 29 1/4 x 82 1/4	40	2470	1/2	595
	3FESN	\$22512	3FESNSA	\$22716	3FESNSS	\$28851	85 1/2 x 29 1/4 x 82 1/4	63	3575	3/4§	830
HALF DOORS SHALLOW DEPTH	1FESNHD	\$12573	1FESNSAHD	\$13548	1FESNSSHD	\$15164	28 1/2 x 29 1/4 x 82 1/4	18	1590	1/2	345
	1FXSNHD	\$14413	1FXSNSAHD	\$15980	1FXNSSSHD	\$19142	36 1/4 x 29 1/4 x 82 1/4	26	1840	1/2	445
	2FESNHD	\$17112	2FESNSAHD	\$18372	2FESNSSHD	\$22476	57 x 29 1/4 x 82 1/4	40	2470	1/2	595
	3FESNHD	\$23674	3FESNSAHD	\$24218	3FESNSSHD	\$28721	85 1/2 x 29 1/4 x 82 1/4	63	3575	3/4§	830

All reach-in models have a standard operating temperature of 0°F and can be adjusted to operate as low as -10°F in 90°F ambient.

PASS-THRU MODELS

FULL DOORS	1FENPT	\$15885	1FENSAPT	\$16951	1FENSSPT	\$18554	28 1/2 x 38 3/4 x 82 1/4	22	1590	1/3	375
	1FXNPT	\$19102	1FXNSAPT	\$20152	1FXNSSPT	\$23381	36 1/4 x 38 3/4 x 82 1/4	32	1840	1/2	450
	2FENPT	\$21683	2FENSAPT	\$22986	2FENSSPT	\$27079	57 x 38 3/4 x 82 1/4	52	3575	3/4§	695
	3FE-PT	\$29325	3FE-SA-PT	\$30421	3FE-SS-PT	\$36108	85 1/2 x 38 3/4 x 85 3/4	75	4325	1§	945
HALF DOORS	1FENPTH	\$16903	1FENSAPTH	\$17993	1FENSSPTH	\$19606	28 1/2 x 38 3/4 x 82 1/4	22	1590	1/3	375
	1FXNPTH	\$20111	1FXNSAPTH	\$21167	1FXNSSPTH	\$24596	36 1/4 x 38 3/4 x 82 1/4	32	1840	1/2	450
	2FENPTH	\$24384	2FENSAPTH	\$25474	2FENSSPTH	\$29578	57 x 38 3/4 x 82 1/4	52	3575	3/4§	695
	3FE-PT-HD	\$32843	3FE-SA-PT-HD	\$33616	3FE-SS-PT-HD	\$39624	85 1/2 x 38 3/4 x 85 3/4	75	4325	1§	945

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.



Reach-Ins & Pass-Thrus

Extra-Wide Freezers provide generous amounts of additional space.

STANDARD FEATURES

- Self-Contained, Performance-Rated Refrigeration System
- Natural, Environmentally-Safe, High-Efficiency R-290 Refrigerant**
(Reach-In models)
- Environmentally-Safe R-404A Refrigerant (3-section PT models)
- 3" Non-CFC Polyurethane Foam Insulation
- Smooth, Polished Chrome Workflow Door Handles
- Cam-Action, Lift-Off Hinges
- Heavy Duty, Epoxy-Coated Steel Shelves
- Automatic, Electric Condensate Evaporator
(Reach-In models)
- Automatic, Hot Gas Condensate Evaporator
(Pass-Thru models)
- Santoprene Magnetic Snap-In Door Gasket
- Cylinder Lock in Each Door
- 5" High Casters
- Self-Closing Doors
- LED Interior Lighting
- Electronic Controller w/Digital Display & Hi-Low Alarm
- Expansion Valve System (Reach-In models)
- Automatic Electric Defrost
- Rehinging of Door in the Field (1-section, full door only)
(excludes "X" models, consult factory)

OPTIONS

- Chrome or stainless steel shelves
- Additional epoxy-coated steel shelves
- Wireless temperature logger
- Foot treadle
- Heavy-duty pilaster strips (standard on "X" and PT models)
- Universal pan slide assemblies (not available on shallow depth or "X" models)
- Adjustable legs
- Rehinging of doors (consult factory)
- Correctional facility package
- Expansion valve system (optional for PT models, standard on all other models)
- Custom laminates
- Stainless steel case back

See **Page 92** for Options & Accessories.

See **Page 159** for Expansion Valve 3F-PT & Pan Slide Options.



Dual Temperature - Standard Width & Extra-Wide

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior

BTU/HR Rating @ +25°F, 90°F Ambient (Refrigerators)
 BTU/HR Rating @ -15°F, 90°F Ambient (Freezers)
 (2) 10 ft. cords and plugs attached (115-60-1 volts)

STANDARD REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOORS	2RFN	\$20533	2RFNSA	\$22189	2RFNSS	\$25804	52 x 35 3/8 x 82 1/4	20/20	1940, 1590	1/4+, 1/2	580
	3RRFN	\$23722	3RRFNSA	\$24991	3RRFNSS	\$30223	78 x 35 3/8 x 82 1/4	48/20	2560, 1590	1/3+, 1/2	835
	3RFFN	\$29106	3RFFNSA	\$30426	3RFFNSS	\$35672	78 x 35 3/8 x 82 1/4	20/48	1940, 2470	1/4, 1/2	835
HALF DOORS	1RFNHD	\$16694	1RFNSAHD	\$17919	1RFNSSHD	\$19702	26 x 35 3/8 x 82 1/4	10/10	1625, 1800	1/5, 1/3	420
	2RFNHD	\$21882	2RFNSAHD	\$23128	2RFNSSHD	\$26749	52 x 35 3/8 x 82 1/4	20/20	1940, 1590	1/4+, 1/2	580
	3RRFNHD	\$24707	3RRFNSAHD	\$25729	3RRFNSSHD	\$31229	78 x 35 3/8 x 82 1/4	48/20	2560, 1590	1/3+, 1/2	835
	3RFFNHD	\$30094	3RFFNSAHD	\$31429	3RFFNSSHD	\$36664	78 x 35 3/8 x 82 1/4	20/48	1940, 2470	1/4, 1/2	835

EXTRA-WIDE REACH-IN MODELS

FULL DOORS	2RFEN	\$22774	2RFENSA	\$21661	2RFENSS	\$27515	57 x 35 3/8 x 82 1/4	21/21	1940, 1590	1/4+, 1/2	620
	3RRFEN	\$26219	3RRFENSA	\$27271	3RRFENSS	\$32616	85 1/2 x 35 3/8 x 82 1/4	50/21	2560, 1590	1/3+, 1/2	885
	3RFFEN	\$31769	3RFFENSA	\$32821	3RFFENSS	\$38170	85 1/2 x 35 3/8 x 82 1/4	21/50	1940, 2470	1/4, 1/2	885
HALF DOORS	1RFENHD	\$18454	1RFENSAHD	\$19185	1RFENSSHD	\$21007	28 1/2 x 35 3/8 x 82 1/4	11/11	1625, 1800	1/5, 1/3	435
	1RFXNHD	\$19919	1RFXNSAHD	\$20573	1RFXNSSHD	\$22859	36 1/4 x 35 3/8 x 82 1/4	16/16	1940, 1590	1/4, 1/3	555
	2RFENHD	\$23734	2RFENSAHD	\$24785	2RFENSSHD	\$28481	57 x 35 3/8 x 82 1/4	21/21	1940, 1590	1/4+, 1/2	620
	3RRFENHD	\$27238	3RRFENSAHD	\$28024	3RRFENSSHD	\$33637	85 1/2 x 35 3/8 x 82 1/4	50/21	2560, 1590	1/3+, 1/2	885
	3RFFENHD	\$32789	3RFFENSAHD	\$33844	3RFFENSSHD	\$39189	85 1/2 x 35 3/8 x 82 1/4	21/50	1940, 2470	1/4, 1/2	885

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

NOTES: Consult factory for Pass-Thru and Shallow Depth models (no pass-thru available on 1-section Dual Temps).
 Freezer section is factory preset 0°F. Capable of maintaining -10°F @ 90°F ambient

1RFNHD	2RFNHD	3RRFNHD/3RFFNHD
		

Reach-Ins & Pass-Thrus

Dual Temperature models have separate, performance-rated refrigeration systems in refrigerator and freezer compartments.

STANDARD FEATURES

Separate, Self Contained Performance-Rated Refrigeration Systems
(RFFN models)

Natural, Environmentally-Safe, High-Efficiency R-290 Refrigerant

3" Non-CFC Polyurethane Foam Insulation

Smooth, Polished Chrome Workflow Door Handles

Cam-Action, Lift-Off Hinges

Heavy Duty, Epoxy-Coated Steel Shelves

Automatic, Electric Condensate Evaporator

Santoprene Magnetic Snap-In Door Gasket

Cylinder Lock in Each Door

5" High Casters

Self-Closing Doors

LED Interior Lighting

Electronic Controller w/Digital Display & Hi-Low Alarm

Expansion Valve System (except 1RFN/1RFEN models)

Automatic Electric Defrost (Freezer section)

OPTIONS

Chrome or stainless steel shelves

Additional epoxy-coated steel shelves

Wireless temperature loggers

Foot treadle

Hinged glass doors

Heavy-duty pilaster strips

Pan slide assemblies (not available on "X" models)

Adjustable legs

Rehinging of doors (consult factory)

Correctional facility package

Custom laminates

Stainless steel case back

Wine rack (Refrigerator section)

See **Page 92** for Options & Accessories.

See **Page 159** for Expansion Valve & Pan Slide Options.



Display Refrigerators w/ Hinged Glass Doors - Standard Depth & Shallow Depth

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior



Certified ENERGY STAR® Commercial Refrigerators (models listed with a star ☆).

BTU/HR Rating @ +25°F, 90°F Ambient
 10 ft. cord and plug attached (115-60-1 volts)

REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOORS	1RNGD	☆ \$11006	1RNSAGD	☆ \$12035	1RNSSGD	☆ \$14914	26 x 35 3/8 x 82 1/4	20	1940	1/4+	315
	2RNGD	☆ \$14651	2RNSAGD	☆ \$15246	2RNSSGD	☆ \$19213	52 x 35 3/8 x 82 1/4	48	2560	1/3+	530
	3RNGD	\$20841	3RNSAGD	\$21947	3RNSSGD	\$27112	78 x 35 3/8 x 82 1/4	70	5930	1/2	740
HALF DOORS	1RNGDHD	☆ \$12492	1RNSAGDHD	☆ \$13525	1RNSSGDHD	☆ \$16215	26 x 35 3/8 x 82 1/4	20	1940	1/4+	315
	2RNGDHD	☆ \$17493	2RNSAGDHD	☆ 18538	2RNSSGDHD	☆ \$22335	52 x 35 3/8 x 82 1/4	48	2560	1/3+	530
	3RNGDHD	\$24655	3RNSAGDHD	\$25711	3RNSSGDHD	\$30839	78 x 35 3/8 x 82 1/4	70	5930	1/2	740
FULL DOORS SHALLOW DEPTH	1RSNGD	\$10802	1RSNSAGD	\$12035	1RSNSSGD	\$14914	26 x 29 1/4 x 82 1/4	16	1940	1/4+	315
	2RSNGD	\$14117	2RSNSAGD	\$15426	2RSNSSGD	\$19213	52 x 29 1/4 x 82 1/4	32	2560	1/3+	530
HALF DOOR(S) SHALLOW DEPTH	1RSNGDHD	\$12260	1RSNSAGDHD	\$13525	1RSNSSGDHD	\$16215	26 x 29 1/4 x 82 1/4	16	1940	1/4+	315
	2RSNGDHD	\$17171	2RSNSAGDHD	\$18538	2RSNSSGDHD	\$22325	52 x 29 1/4 x 82 1/4	32	2560	1/3+	530

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

NOTE: Consult factory for Pass-Thru models.

1RNGDHD/1RSNGDHD	2RNGDHD/2RSNGDHD	3RNGDHD
		

Reach-Ins

Continental Refrigerator has one of the most diversified commercial Reach-In product lines in the industry with modern state-of-the-art styling and standard features not found on other units.

STANDARD FEATURES

Self-Contained, Performance-Rated Refrigeration System
Natural, Environmentally-Safe, High-Efficiency R-290 Refrigerant
 3" Non-CFC Polyurethane Foam Insulation
 Chrome-Plated Door Handles
 Cam-Action, Lift-Off Hinges
 Heavy Duty, Epoxy-Coated Steel Shelves
 Automatic, Electric Condensate Evaporator
 Magnetic Snap-In Door Gasket
 Cylinder Lock in Each Door
 5" High Casters
 Self-Closing Doors
 LED Interior Lighting
 Electronic Controller w/Digital Display & Hi-Low Alarm
Expansion Valve System
 Triple-Pane, Tempered Hinged Glass Doors

OPTIONS

Chrome or stainless steel shelves
 Additional epoxy-coated steel shelves
 Wireless temperature logger
 Wine racks
 Heavy-duty pilaster strips
 Pan slide assemblies (not available on shallow depth models)
 Adjustable legs
 Rehinging of doors (consult factory)
 Stainless steel case back

See **Page 92** for Options & Accessories.
 See **Page 159** for Pan Slide Options.



Extra-Wide Display Refrigerators w/ Hinged Glass Doors - Standard & Shallow Depth

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior



Certified ENERGY STAR® Commercial Refrigerators (models listed with a star ☆).





BTU/HR Rating @ +25°F, 90°F Ambient
 10 ft. cord and plug attached (115-60-1 volts)

REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOORS	1RENGD	☆ \$12278	1RENSAGD	☆ \$12791	1RENSSGD	☆ \$15249	28 1/2 x 35 3/8 x 82 1/4	21	1940	1/4+	335
	1RXNGD	\$13047	1RXNSAGD	\$14059	1RXNSSGD	\$17164	36 1/4 x 35 3/8 x 82 1/4	30	2560	1/3+	440
	2RENGD	☆ \$15874	2RENSAGD	☆ \$16368	2RENSSGD	☆ \$20739	57 x 35 3/8 x 82 1/4	50	2560	1/3+	575
	3RENGD	\$21882	3RENSAGD	\$22949	3RENSSGD	\$27839	85 1/2 x 35 3/8 x 82 1/4	73	3400	1/2	800
HALF DOORS	1RENGDHD	☆ \$13273	1RENSAGDHD	☆ \$14341	1RENSSGDHD	☆ \$16380	28 1/2 x 35 3/8 x 82 1/4	21	1940	1/4+	335
	1RXNGDHD	\$15348	1RXNSAGDHD	\$16374	1RXNSSGDHD	\$19461	36 1/4 x 35 3/8 x 82 1/4	30	2560	1/3+	440
	2RENGDHD	☆ \$17813	2RENSAGDHD	☆ \$19598	2RENSSGDHD	☆ \$23488	57 x 35 3/8 x 82 1/4	50	250	1/3+	575
	3RENGDHD	\$24507	3RENSAGDHD	\$27096	3RENSSGDHD	\$33062	85 1/2 x 35 3/8 x 82 1/4	73	3400	1/2	800
FULL DOORS SHALLOW DEPTH	1RESNGD	\$12051	1RESNSAGD	\$12791	1RESNSSGD	\$15249	28 1/2 x 29 1/4 x 82 1/4	18	1940	1/4+	335
	1RXSNGD	\$13047	1RXSNSAGD	\$14059	1RXSNSSGD	\$17164	36 1/4 x 29 1/4 x 82 1/4	26	2560	1/3+	440
	2RESNGD	\$15297	2RESNSAGD	\$16368	2RESNSSGD	\$20739	57 x 29 1/4 x 82 1/4	40	2560	1/3+	575
HALF DOORS SHALLOW DEPTH	1RESNGDHD	\$13273	1RESNSAGDHD	\$14341	1RESNSSGDHD	\$16380	28 1/2 x 29 1/4 x 82 1/4	18	1940	1/4+	335
	1RXSNGDHD	\$15348	1RXSNSAGDHD	\$16374	1RXSNSSGDHD	\$19461	36 1/4 x 29 1/4 x 82 1/4	26	2560	1/3+	440
	2RESNGDHD	\$17813	2RESNSAGDHD	\$19598	2RESNSSGDHD	\$23488	57 x 29 1/4 x 82 1/4	40	2560	1/3+	575

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

NOTE: Consult factory for Pass-Thru models.

1RENGDHD/1RESNGDHD	1RXNGDHD/1RXSNGDHD	2RENGDHD/2RESNGDHD	3RENGDHD
			

Reach-Ins

Extra-Wide Display Refrigerators provide generous amounts of additional space.

STANDARD FEATURES

Self-Contained, Performance-Rated Refrigeration System
Natural, Environmentally-Safe, High-Efficiency R-290 Refrigerant

3" Non-CFC Polyurethane Foam Insulation

Chrome-Plated Door Handles

Cam-Action, Lift-Off Hinges

Heavy Duty, Epoxy-Coated Steel Shelves

Automatic, Electric Condensate Evaporator

Magnetic Snap-In Door Gasket

Cylinder Lock in Each Door

5" High Casters

Self-Closing Doors

LED Interior Lighting

Electronic Controller w/Digital Display & Hi-Low Alarm

Expansion Valve System

Triple-Pane, Tempered Hinged Glass Doors

OPTIONS

Chrome or stainless steel shelves

Additional epoxy-coated steel shelves

Wireless temperature logger

Wine racks

Heavy-duty pilaster strips (standard on "X" models)

Universal pan slide assemblies (not available on shallow depth or "X" models)

Adjustable legs

Rehinging of doors (consult factory)

Stainless steel case back

See **Page 92** for Options & Accessories.

See **Page 159** for Pan Slide Options.



Display Refrigerators w/ Sliding Glass Doors - Standard Depth & Shallow Depth

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior

BTU/HR Rating @ +25°F, 90°F Ambient
 10 ft. cord and plug attached (115-60-1 volts)

STANDARD REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOORS	2RNSGD	\$17404	2RNSASGD	\$18080	2RNSSSGD	\$19619	52 x 34 x 82 1/4	48	2560	1/3+	530
HALF DOORS	2RNSGDHD	\$19402	2RNSASGDHD	\$20406	2RNSSSGDHD	\$21938	52 x 34 x 82 1/4	48	2560	1/3+	530
FULL DOORS SHALLOW DEPTH	2RSNSGD	\$17081	2RSNSASGD	\$18080	2RSNSSSGD	\$19619	52 x 27 7/8 x 82 1/4	32	2560	1/3+	530
HALF DOORS SHALLOW DEPTH	2RSNSGDHD	\$19402	2RSNSASGDHD	\$20406	2RSNSSSGDHD	\$21938	52 x 27 7/8 x 82 1/4	32	2560	1/3+	530

EXTRA-WIDE REACH-IN MODELS

FULL DOORS	2RENSGD	\$18363	2RENSASGD	\$19049	2RENSSSGD	\$21150	57 x 34 x 82 1/4	50	2560	1/3+	575
HALF DOORS	2RENSGDHD	\$20060	2RENSASGDHD	\$21480	2RENSSSGDHD	\$23101	57 x 34 x 82 1/4	50	2560	1/3+	575
FULL DOORS SHALLOW DEPTH	2RESNSGD	\$18363	2RESNSASGD	\$19049	2RESNSSSGD	\$21150	57 x 27 7/8 x 82 1/4	40	2560	1/3+	575
HALF DOORS SHALLOW DEPTH	2RESNSGDHD	\$20060	2RESNSASGDHD	\$21480	2RESNSSSGDHD	\$23101	57 x 27 7/8 x 82 1/4	40	2560	1/3+	575

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

2RENSGD/2RESNSGD	2RENSGDHD/2RESNSGDHD
	

Standard & Extra-Wide Reach-Ins

Extra-Wide Display Refrigerators provide generous amounts of additional space.

STANDARD FEATURES

Self Contained Performance-Rated Refrigeration System
Natural, Environmentally-Safe, High-Efficiency R-290 Refrigerant
 3" Non-CFC Polyurethane Foam Insulation
 Heavy Duty, Epoxy-Coated Steel Shelves
 Automatic, Electric Condensate Evaporator
 Snap-In Door Wiper
 5" High Casters
 Self-Closing Doors
 Door Locks
 LED Interior Lighting
 Electronic Controller w/Digital Display & Hi-Low Alarm
Expansion Valve System
 Double-Pane, Low-E, Tempered Sliding Glass Doors
 High Efficiency Black PVC Frame

OPTIONS

Chrome or stainless steel shelves
 Additional epoxy-coated steel shelves
 Remote temperature logger
 Wine racks
 Heavy-duty pilaster strips
 Adjustable legs
 Stainless steel case back
 Pan slide assemblies (not available on shallow depth models)

See **Page 92** for Options & Accessories.
 See **Page 159** for Pan Slide Options.



Display Freezers (0°F) w/ Hinged Glass Doors - Standard Depth & Shallow Depth

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior

BTU/HR Rating @ -15°F, 90°F Ambient
 10 ft. cord and plug attached (115-60-1 volts)
 § No cord and plug attached (115/208-230-60-1 volts)

REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOORS	1FNGD	\$14163	1FNSAGD	\$15052	1FNSSGD	\$16772	26 x 35 3/8 x 82 1/4	20	2470	1/2	330
	2FNGD	\$21536	2FNSAGD	\$22359	2FNSSGD	\$25902	52 x 35 3/8 x 82 1/4	48	4325	1 [§]	565
	3FNGD	\$31107	3FNSAGD	\$31541	3FNSSGD	\$35917	78 x 35 3/8 x 82 1/4	70	6050	1 [§]	805
HALF DOORS	1FNGDHD	\$15375	1FNSAGDHD	\$16537	1FNSSGDHD	\$18260	26 x 35 3/8 x 82 1/4	20	2470	1/2	330
	2FNGDHD	\$24467	2FNSAGDHD	\$25482	2FNSSGDHD	\$29020	52 x 35 3/8 x 82 1/4	48	4325	1 [§]	565
	3FNGDHD	\$35628	3FNSAGDHD	\$36638	3FNSSGDHD	\$41065	78 x 35 3/8 x 82 1/4	70	6050	1 [§]	805
FULL DOORS SHALLOW DEPTH	1FSNGD	\$13900	1FSNSAGD	\$15052	1FSNSSGD	\$16772	26 x 29 1/4 x 82 1/4	16	2470	1/2	330
	2FSNGD	\$21138	2FSNSAGD	\$22359	2FSNSSGD	\$25902	52 x 29 1/4 x 82 1/4	32	4325	1 [§]	565
HALF DOORS SHALLOW DEPTH	1FSNGDHD	\$15375	1FSNSAGDHD	\$16537	1FSNSSGDHD	\$18260	26 x 29 1/4 x 82 1/4	16	2470	1/2	330
	2FSNGDHD	\$24467	2FSNSAGDHD	\$25482	2FSNSSGDHD	\$29020	52 x 29 1/4 x 82 1/4	32	4325	1 [§]	565

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

NOTE: Consult factory for Pass-Thru models.

1FNGDHD/1FSNGDHD	2FNGDHD/2FSNGDHD	3FNGDHD
		

Reach-Ins

Continental Refrigerator has one of the most diversified commercial Reach-In product lines in the industry with modern state-of-the-art styling and standard features not found on other units.

STANDARD FEATURES

Self Contained Performance-Rated Refrigeration System
Natural, Environmentally-Safe, High-Efficiency R-290 Refrigerant

3" Non-CFC Polyurethane Foam Insulation

Chrome-Plated Door Handles

Cam Action Lift Off Hinges

Heavy Duty, Epoxy-Coated Steel Shelves

Automatic, Electric Condensate Evaporator

Magnetic Snap-In Door Gasket

Cylinder Lock in Each Door

5" High Casters

Self-Closing Doors

LED Interior Lighting

Electronic Controller w/Digital Display & Hi-Low Alarm

Expansion Valve System

Triple-Pane, Tempered Hinged Glass Doors

Automatic Electric Defrost

OPTIONS

Chrome or stainless steel shelves

Additional epoxy-coated steel shelves

Wireless temperature logger

Heavy-duty pilaster strips

Pan slide assemblies (not available on shallow depth models)

Adjustable legs

Rehinging of doors (consult factory)

Stainless steel case back

See **Page 92** for Options & Accessories.

See **Page 159** for Pan Slide Options.



Extra-Wide Display Freezers (0°F) w/ Hinged Glass Doors - Standard & Shallow Depth

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior





BTU/HR Rating @ -15°F, 90°F Ambient
 10 ft. cord and plug attached (115-60-1 volts)
 § No cord and plug attached (115/208-230-60-1 volts)

REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOORS	1FENG	\$14978	1FENSAGD	\$15918	1FENSNGD	\$17322	28 1/2 x 35 3/8 x 82 1/4	21	2470	1/2	345
	1FXNG	\$17881	1FXNSAGD	\$18710	1FXNSNGD	\$21110	36 1/4 x 35 3/8 x 82 1/4	30	2720	1/2	455
	2FENG	\$22810	2FENSAGD	\$23574	2FENSNGD	\$27783	57 x 35 3/8 x 82 1/4	50	4325	1§	610
	3FENG	\$33332	3FENSAGD	\$33347	3FENSNGD	\$38446	85 1/2 x 35 3/8 x 82 1/4	73	6050	1§	860
HALF DOORS	1FENGHD	\$16443	1FENSAGHD	\$17472	1FENSNGHD	\$18884	28 1/2 x 35 3/8 x 82 1/4	21	2470	1/2	345
	1FXNGHD	\$20213	1FXNSAGHD	\$21007	1FXNSNGHD	\$23418	36 1/4 x 35 3/8 x 82 1/4	30	2720	1/2	455
	2FENGHD	\$25682	2FENSAGHD	\$26774	2FENSNGHD	\$31008	57 x 35 3/8 x 82 1/4	50	4325	1§	610
	3FENGHD	\$37836	3FENSAGHD	\$38380	3FENSNGHD	\$42560	85 1/2 x 35 3/8 x 82 1/4	73	6050	1§	860
FULL DOORS SHALLOW DEPTH	1FESNG	\$14978	1FESNSAGD	\$15918	1FESNSNGD	\$17322	28 1/2 x 29 1/4 x 82 1/4	18	2470	1/2	345
	1FXSNG	\$17881	1FXSNSAGD	\$18710	1FXSNSNGD	\$21110	36 1/4 x 29 1/4 x 82 1/4	26	2720	1/2	455
HALF DOORS SHALLOW DEPTH	1FESNGHD	\$16443	1FESNSAGHD	\$17472	1FESNSNGHD	\$18884	28 1/2 x 29 1/4 x 82 1/4	18	2470	1/2	345
	1FXSNGHD	\$20213	1FXSNSAGHD	\$21007	1FXSNSNGHD	\$23418	36 1/4 x 29 1/4 x 82 1/4	26	2720	1/2	455

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

NOTE: Consult factory for Pass-Thru models.

1FENGHD/1FESNGHD	1FXNGHD/1FXSNGHD	2FENGHD/2FESNGHD	3FENGHD
			

Reach-Ins

Extra-Wide Display Freezers provide generous amounts of additional space.

STANDARD FEATURES

Self Contained Performance-Rated Refrigeration System
Natural, Environmentally-Safe, High-Efficiency R-290 Refrigerant
 3" Non-CFC Polyurethane Foam Insulation
 Chrome-Plated Handles
 Cam Action Lift Off Hinges
 Heavy Duty, Epoxy-Coated Steel Shelves
 Automatic, Electric Condensate Evaporator
 Magnetic Snap-In Door Gasket
 Cylinder Lock in Each Door
 5" High Casters
 Self-Closing Doors
 LED Interior Lighting
 Electronic Controller w/Digital Display & Hi-Low Alarm
 Expansion Valve System
 Triple-Pane, Tempered Hinged Glass Doors
 Automatic Electric Defrost

OPTIONS

Chrome or stainless steel shelves
 Additional epoxy-coated steel shelves
 Wireless temperature logger
 Heavy-duty pilaster strips
 Universal pan slide assemblies (not available on shallow depth or "X" models)
 Adjustable legs
 Rehinging of doors (consult factory)
 Stainless steel case back

See **Page 92** for Options & Accessories.
 See **Page 159** for Pan Slide Options

Reach-Ins/Pass-Thrus Options & Accessories

Consult factory for additional information and special electrical requirements.

OPTIONS & ACCESSORIES

SIZE	PART NO.	DESCRIPTION	LIST PRICE
	-	Plated Steel, Epoxy-Coated Shelf with Clips	\$128
	-	Chrome-Plated Wire Shelf with Clips	\$128
	-	Stainless Steel Shelf with Clips	\$369
	-	Rehinging of Doors	N/C
	-	Wine Rack (holds 10 - 3" diameter bottles per shelf)	\$197
	-	Heavy-Duty Pilaster Strips (per section)	\$62
	-	Heavy-Duty Shelves (per shelf)	\$197
4" Dia. 5" H	50205	Set of 4 Swivel Casters w/Brakes (standard on ALL 1- & 2-sections) Set of 6 Swivel Casters w/Brakes (standard on ALL 3-sections)	\$414 \$680
5" Dia. 6" H	50177	Set of 4 Swivel Casters w/Brakes (1- & 2-sections) Set of 6 Swivel Casters w/Brakes (3-sections)	\$518 \$781
3" Dia. 4" H	50209	Set of 4 Swivel Casters w/Brakes (1- & 2-sections) Set of 6 Swivel Casters w/Brakes (3-sections)	\$349 \$517
6" H	50203	Set of 4 Stainless Steel Legs (1- & 2-sections) Set of 6 Stainless Steel Legs (3-sections)	\$224 \$329
6" H	50184	Set of 4 Stainless Steel Legs Flanged Feet (1- & 2-sections) Set of 6 Stainless Steel Legs Flanged Feet (3-sections)	\$542 \$815
6" H	50202	Set of 4 Black Legs (1- & 2-sections) Set of 6 Black Legs (3-Sections)	\$147 \$224
4" H	50206	Set of 4 Black Legs (1- & 2-sections) Set of 6 Black Legs (3-Sections)	\$184 \$274
	50-032	Foot Treadle (not available on half door or glass door models)	\$472 per door
	50-080	Remote Temperature Logger	\$2286 \$4572 for dual temp
1 SECTION	-	Reach-In Stainless Steel Case Back (including rear grill and concealed drain line)	\$974
2 SECTION	-	Reach-In Stainless Steel Case Back (including rear grill and concealed drain line)	\$1947
3 SECTION	-	Reach-In Stainless Steel Case Back (including rear grill and concealed drain line)	\$2921

BTU/HR Rating @ -25°F, 90°F Ambient

CORRECTIONAL FACILITY OPTIONS

1 SECTION	-	One-Way Security Screws Locking Hasp (lock not included) Stainless Steel Mesh Security Cover	\$163 / \$303 \$518 / \$974 \$391 / \$391
2 SECTION	-	One-Way Security Screws Locking Hasp (lock not included) Stainless Steel Mesh Security Cover	\$349 / \$519 \$503 / \$974 \$744 / \$744
3 SECTION	-	One-Way Security Screws Locking Hasp (lock not included) Stainless Steel Mesh Security Cover	\$459 / \$680 \$974 / \$1947 \$1122 / \$1122
1, 2 & 3 SECTIONS	-	Coverless Hinges	N/C



Security screws



Coverless hinges



Locking hasp
(lock not included)



Stainless Steel
Mesh Security Cover

Designer Line Reach-Ins & Pass-Thrus

Standard & Shallow Depth
Slim Line & Extra-Wide
Refrigerators, Freezers & Warmers

Designer Line Refrigerators and Freezers utilize a “Plug” refrigeration system where the assembly is outside the food storage zone allowing complete use of storage space within the cabinet. In addition, Designer Line models are equipped with both top and side air distribution ducts which allow for constant, uniform temperature throughout the cabinet.

In This Section

94	Refrigerators
100	Freezers
106	Warmers
108	Dual Temperature
116	Display Refrigerators
122	Display Freezers
126	Options & Accessories

FLEXIBLE Option
Stainless steel or chrome shelves
Benefit
Sturdy & corrosion resistant

FLEXIBLE Option
Universal stainless steel pan slides (shown for Extra-Wide models)
Benefit
Prep ahead space saving storage

FLEXIBLE Option
Half doors, drawers on bottom, hinged or sliding glass doors
Benefit
Versatility in storage & display options

D2RENSSGDHD
shown w/ Standard Features and FLEXIBLE Options



Designer Line Refrigerators - Standard Depth & Shallow Depth

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior



Certified ENERGY STAR® Commercial Refrigerators (models listed with a star ☆).

BTU/HR Rating @ +25°F, 90°F Ambient
 10 ft. cord and plug attached (115-60-1 volts)

REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOOR(S)	D1RN	☆ \$11039	D1RNSA	☆ \$15053	D1RNSS	☆ \$17490	26 x 35 3/8 x 83 1/4	21	1940	1/4+	294
	D2RN	☆ \$13838	D2RNSA	☆ \$18473	D2RNSS	☆ \$22621	52 x 35 3/8 x 83 1/4	50	2560	1/3+	448
	D3RN	\$18961	D3RNSA	\$24312	D3RNSS	\$31073	78 x 35 3/8 x 83 1/4	72	4010	1/2	740
HALF DOORS	D1RNHD	☆ \$11655	D1RNSAHD	☆ \$15546	D1RNSSHD	☆ \$18489	26 x 35 3/8 x 83 1/4	21	1940	1/4+	294
	D2RNHD	☆ \$14498	D2RNSAHD	☆ \$19587	D2RNSSHD	☆ \$23977	52 x 35 3/8 x 83 1/4	50	2560	1/3+	448
	D3RNHD	\$20283	D3RNSAHD	\$25349	D3RNSSHD	\$32278	78 x 35 3/8 x 83 1/4	72	4010	1/2	740
FULL DOOR(S) SHALLOW DEPTH	D1RSN*	\$11039	D1RSNSA*	\$15053	D1RSNSS*	\$17490	26 x 29 1/4 x 83 1/4	16	1940	1/4	300
	D2RSN*	\$13838	D2RSNSA*	\$18473	D2RSNSS*	\$22621	52 x 29 1/4 x 83 1/4	32	2560	1/3	495
HALF DOOR(S) SHALLOW DEPTH	D1RSNHD*	\$11655	D1RSNSAHD*	\$15546	D1RSNSSHD*	\$18489	26 x 29 1/4 x 83 1/4	16	1940	1/4	300
	D2RSNHD*	\$14498	D2RSNSAHD*	\$19587	D2RSNSSHD*	\$23977	52 x 29 1/4 x 83 1/4	32	2560	1/3	495

PASS-THRU MODELS

FULL DOORS	D1RNPT	☆ \$15266	D1RNSAPT	☆ \$19444	D1RNSSPT	☆ \$22311	26 x 38 3/4 x 83 1/4	21	1940	1/4+	350
	D2RNPT	☆ \$19144	D2RNSAPT	☆ \$25000	D2RNSSPT	☆ \$28971	52 x 38 3/4 x 83 1/4	50	2560	1/3+	595
	D3RNPT	\$26571	D3RNSAPT	\$32760	D3RNSSPT	\$39107	78 x 38 3/4 x 83 1/4	72	4010	1/2	825
HALF DOORS	D1RNPTHD	☆ \$16092	D1RNSAPTHD	☆ \$20641	D1RNSSPTHD	☆ \$23531	26 x 38 3/4 x 83 1/4	21	1940	1/4+	350
	D2RNPTHD	☆ \$21048	D2RNSAPTHD	☆ \$27815	D2RNSSPTHD	☆ \$32010	52 x 38 3/4 x 83 1/4	50	2560	1/3+	595
	D3RNPTHD	\$30335	D3RNSAPTHD	\$36573	D3RNSSPTHD	\$43274	78 x 38 3/4 x 83 1/4	72	4010	1/2	825

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

*Coil housing in cabinet zone

D1RNHD/D1RNSHD	D2RNHD/D2RNSHD	D3RNHD
		

Reach-Ins & Pass-Thrus

Designer Line upper side panels and “Plug” refrigeration system can be removed and reinstalled at job site. The refrigeration system is accessible on top of the cabinet and separate from the food zone to increase food storage capacity.

STANDARD FEATURES

Designer Line

Self-Contained, Performance-Rated “Plug” Refrigeration System

Environmentally-Safe R-290 Refrigerant

3” Non-CFC Polyurethane Foam Insulation

Smooth, Polished Chrome Workflow Door Handles

Cam-Action, Lift-Off Hinges

Heavy Duty, Epoxy-Coated Steel Shelves

Automatic, Hot Gas Condensate Evaporator
(Standard depth models)

Automatic, Electric Condensate Evaporator
(Shallow Depth Models)

Santoprene Magnetic Snap-In Door Gasket

Cylinder Lock in Each Door

Adjustable 6” Stainless Steel Legs

Self-Closing Doors

LED Interior Lighting

Electronic Controller w/Digital Display & Hi-Low Alarm

Expansion Valve System

Rehinging of Door in the Field (1-section, full door only)

OPTIONS

Chrome or stainless steel shelves

Additional epoxy-coated steel shelves

Wireless temperature logger

Foot treadle

Wine racks

Pan slide assemblies (not available on shallow depth models)

Casters

Rehinging of doors (consult factory)

Correctional facility package

Custom laminates

Stainless steel case back

Glass doors on Pass-Thru models (consult factory)

See **Page 126** for Options & Accessories.

See **Page 159** for Pan Slide Options.



Designer Line Slim Line Refrigerators

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior

BTU/HR Rating @ +25°F, 90°F Ambient
 10 ft. cord and plug attached (115-60-1 volts)

SLIM LINE REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOORS	D1RSEN*	\$10751	D1RENESA*	\$12265	D1RENSS*	\$14253	17 3/4 x 35 3/8 x 83 1/4	15	1940	1/4+	290
	D2RSEN	\$11844	D2RENESA	\$13415	D2RENSS	\$15240	36 1/4 x 35 3/8 x 83 1/4	32	2560	1/3+	450
HALF DOORS	D1RSENHD*	\$11490	D1RENESAHD*	\$13206	D1RENSSHD*	\$15057	17 3/4 x 35 3/8 x 83 1/4	15	1940	1/4+	290
	D2RSENHD	\$13312	D2RENESAHD	\$15292	D2RENSSHD	\$16850	36 1/4 x 35 3/8 x 83 1/4	32	2560	1/3+	450
FULL DOORS SHALLOW DEPTH	D1RSESN*	\$10751	D1RESENESA*	\$12265	D1RENSSS*	\$14253	17 3/4 x 29 1/4 x 83 1/4	12	1940	1/4+	270
	D2RSESN*	\$12265	D2RESENESA*	\$13415	D2RENSSS*	\$15240	36 1/4 x 29 1/4 x 83 1/4	24	2560	1/3+	410
HALF DOORS SHALLOW DEPTH	D1RSESNHD*	\$11490	D1RESENESAHD*	\$13206	D1RENSSSHD*	\$15057	17 3/4 x 29 1/4 x 83 1/4	12	1940	1/4+	270
	D2RSESNHD*	\$13312	D2RESENESAHD*	\$15292	D2RENSSSHD*	\$16850	36 1/4 x 29 1/4 x 83 1/4	24	2560	1/3+	410

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

*Coil housing in cabinet zone

D1RSENHD*/D1RSESNHD*	D2RSENHD/D2RSESNHD

Standard Depth & Shallow Depth

Slim Line Refrigerators were designed to meet small space requirements to satisfy the needs of kitchens with limited space.

STANDARD FEATURES



Self Contained Performance-Rated Refrigeration System
(2-section standard depth models - "plug" system)
(1-section & shallow depth models - coil housing in cabinet zone)

Environmentally-Safe R-290 Refrigerant
(Standard depth models)

3" Non-CFC Polyurethane Foam Insulation (2" on 1RSE models)

Smooth, Polished Chrome Door Handles

Cam-Action, Lift-Off Hinges

Heavy Duty, Epoxy-Coated Steel Shelves

Automatic, Hot Gas Condensate Evaporator
(Standard depth models)

Automatic, Electric Condensate Evaporator
(Shallow depth models)

Santoprene Magnetic Snap-In Door Gasket

Cylinder Lock in Each Door

Adjustable 6" Stainless Steel Legs

Self-Closing Doors

LED Interior Lighting

Electronic Controller w/Digital Display & Hi-Low Alarm

Expansion Valve System

Rehinging of Door in the Field (1-section, full door only)

OPTIONS

Chrome or stainless steel shelves

Additional epoxy-coated steel shelves

Wireless temperature logger

Foot treadle

Wine racks

Casters

Rehinging of doors (consult factory)

Correctional facility package


Expansion valve system (standard on standard depth models)

Custom laminates

Stainless steel case back

See **Page 126** for Options & Accessories.

See **Page 159** for Expansion Valve Options.



Designer-line Extra-Wide Refrigerators - Standard Depth & Shallow Depth

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior

 Certified ENERGY STAR® Commercial Refrigerators (models listed with a star ☆). BTU/HR Rating @ +25°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)

REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOORS	D1REN	☆ \$11291	D1RENSA	☆ \$15639	D1RENSS	☆ \$18172	28 1/2 x 35 3/8 x 83 1/4	22	1940	1/4+	340
	D1RXN	\$13219	D1RXNSA	\$16845	D1RXNSS	\$20884	36 1/4 x 35 3/8 x 83 1/4	32	2560	1/3+	440
	D2REN	☆ \$14261	D2RENSA	☆ \$19199	D2RENSS	☆ \$23511	57 x 35 3/8 x 83 1/4	52	2560	1/3+	575
	D3REN	\$20579	D3RENSA	\$25270	D3RENSS	\$32292	85 1/2 x 35 3/8 x 83 1/4	75	4010	1/2	795
HALF DOORS	D1RENHD	☆ \$11926	D1RENSAHD	☆ \$16693	D1RENSSHD	☆ \$19205	28 1/2 x 35 3/8 x 83 1/4	22	1940	1/4+	340
	D1RXNHD	\$14166	D1RXNSAHD	\$17881	D1RXNSSHD	\$21975	36 1/4 x 35 3/8 x 83 1/4	32	2560	1/3+	440
	D2RENHD	☆ \$15210	D2RENSAHD	☆ \$20352	D2RENSSHD	☆ \$25745	57 x 35 3/8 x 83 1/4	52	2560	1/3+	575
	D3RENHD	\$22000	D3RENSAHD	\$26321	D3RENSSHD	\$33543	85 1/2 x 35 3/8 x 83 1/4	75	4010	1/2	795
FULL DOORS SHALLOW DEPTH	D1RESN*	\$11291	D1RESNSA*	\$15639	D1RESNSS*	\$18172	28 1/2 x 29 1/4 x 83 1/4	18	1940	1/4	340
	D1RXSN*	\$13219	D1RXSNSA*	\$16845	D1RXSNSS*	\$20884	36 1/4 x 29 1/4 x 83 1/4	26	2190	1/4	440
	D2RESN	\$14261	D2RESNSA*	\$19199	D2RESNSS*	\$23511	57 x 29 1/4 x 83 1/4	40	2560	1/3	575
HALF DOORS SHALLOW DEPTH	D1RESNHD*	\$11926	D1RESNSAHD*	\$16693	D1RESNSSHD*	\$19205	28 1/2 x 29 1/4 x 83 1/4	18	1940	1/4	340
	D1RXNHD*	\$14166	D1RXSNSAHD*	\$17881	D1RXSNSSHD*	\$21975	36 1/4 x 29 1/4 x 83 1/4	26	2190	1/4	440
	D2RESNHD*	\$15210	D2RESNSAHD*	\$20352	D2RESNSSHD*	\$25745	57 x 29 1/4 x 83 1/4	40	2560	1/3	575





PASS-THRU MODELS

FULL DOORS	D1RENPT	☆ \$16029	D1RENSAPT	☆ \$20592	D1RENSSPT	☆ \$23403	28 1/2 x 38 3/4 x 83 1/4	22	1940	1/4+	370
	D1RXNPT	\$17509	D1RXNSAPT	\$22589	D1RXNSSPT	\$26454	36 1/4 x 38 3/4 x 83 1/4	32	2560	1/3+	445
	D2RENPT	☆ \$20114	D2RENSAPT	☆ \$25967	D2RENSSPT	☆ \$30384	57 x 38 3/4 x 83 1/4	52	2560	1/3+	645
	D3RENPT	\$27910	D3RENSAPT	\$34042	D3RENSSPT	\$41025	85 1/2 x 38 3/4 x 83 1/4	75	4010	1/2	865
HALF DOORS	D1RENPTH	☆ \$16893	D1RENSAPTH	☆ \$21863	D1RENSSPTH	☆ \$24682	28 1/2 x 38 3/4 x 83 1/4	22	1940	1/4+	370
	D1RXNPTH	\$18401	D1RXNSAPTH	\$23639	D1RXNSSPTH	\$27520	36 1/4 x 38 3/4 x 83 1/4	32	2560	1/3+	445
	D2RENPTH	☆ \$22322	D2RENSAPTH	☆ \$28893	D2RENSSPTH	☆ \$33577	57 x 38 3/4 x 83 1/4	52	2560	1/3+	645
	D3RENPTH	\$31849	D3RENSAPTH	\$38000	D3RENSSPTH	\$43585	85 1/2 x 38 3/4 x 83 1/4	75	4010	1/2	865

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

*Coil housing in cabinet zone

NOTE: Consult factory for Shallow Depth and Pass-Thru models.

D1RENHD/D1RESNHD	D1RXNHD/D1RXSNHD	D2RENHD/D2RESNHD	D3RENHD
			

Reach-Ins & Pass-Thrus

Extra-Wide Refrigerators provide generous amounts of additional space.

STANDARD FEATURES

Designer Line

Self Contained Performance-Rated Refrigeration “Plug” System

Environmentally-Safe R-290 Refrigerant

3” Non-CFC Polyurethane Foam Insulation

Smooth, Polished Chrome Workflow Door Handles

Cam-Action, Lift-Off Hinges

Heavy Duty, Epoxy-Coated Steel Shelves

Automatic, Hot Gas Condensate Evaporator
(standard depth models)

Automatic, Electric Condensate Evaporator
(shallow depth models)

Santoprene Magnetic Snap-In Door Gasket

Cylinder Lock in Each Door

Adjustable 6” Stainless Steel Legs

Self-Closing Doors

LED Interior Lighting

Electronic Controller w/Digital Display & Hi-Low Alarm

Expansion Valve System

Rehinging of Door in the Field (1-section, full door only)
(excludes “X” models, consult factory)

OPTIONS

Chrome or stainless steel shelves

Additional epoxy-coated steel shelves

Wireless temperature logger

Foot treadle

Wine racks

Universal pan slide assemblies (not available on shallow depth or “X” models)

Casters

Rehinging of doors (consult factory)

Correctional facility package


Expansion valve system (standard on 1- & 2-section standard depth models)

Custom laminates

Stainless steel case back

See **Page 126** for Options & Accessories.

See **Page 159** for Expansion Valve & Pan Slide Options.



Designer-line Freezers (0°F) - Standard Depth & Shallow Depth

Cabinet Construction:

Standard Models: Stainless Steel Front, Aluminum End Panels and Interior

SA Models: Stainless Steel Exterior, Aluminum Interior

SS Models: Stainless Steel Exterior and Interior

BTU/HR Rating @ -15°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)
§ No cord and plug supplied (115/208-230-60-1 volts)

REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOORS	D1FN	\$12457	D1FNSA	\$16242	D1FNSS	\$20159	26 x 35 3/8 x 83 1/4	21	1590	1/3	335
	D2FN	\$17000	D2FNSA	\$21558	D2FNSS	\$27608	52 x 35 3/8 x 83 1/4	50	2470	1/2	570
	DL3F	\$23839	DL3F-SA	\$29604	DL3F-SS	\$36091	78 x 35 3/8 x 83 1/4	72	3575	3/4§	805
HALF DOORS	D1FNHD	\$13077	D1FNSAHD	\$16845	D1FNSSHD	\$21151	26 x 35 3/8 x 83 1/4	21	1590	1/3	335
	D2FNHD	\$17937	D2FNSAHD	\$22388	D2FNSSHD	\$29144	52 x 35 3/8 x 83 1/4	50	2470	1/2	570
	DL3F-HD	\$25324	DL3F-SA-HD	\$31920	DL3F-SS-HD	\$38013	78 x 35 3/8 x 83 1/4	72	3575	3/4§	805
FULL DOORS SHALLOW DEPTH	D1FNS*	\$12457	D1FNSSA*	\$16242	D1FNSSS*	\$20159	26 x 29 1/4 x 83 1/4	16	1590	1/3	315
	D2FNS*	\$17000	D2FNSSA*	\$21558	D2FNSSS*	\$27608	52 x 29 1/4 x 83 1/4	32	2470	1/2	530
HALF DOORS SHALLOW DEPTH	D1FNSHD*	\$13077	D1FNSSAHD*	\$16845	D1FNSSSHD*	\$21151	26 x 29 1/4 x 83 1/4	16	1590	1/3	315
	D2FNSHD*	\$17937	D2FNSSAHD*	\$22388	D2FNSSSHD*	\$29144	52 x 29 1/4 x 83 1/4	32	2470	1/2	530

All reach-in models have a standard operating temperature of 0°F and can be adjusted to operate as low as -10°F in 90°F ambient.

PASS-THRU MODELS

FULL DOORS	D1FNPT	\$17606	D1FNSAPT	\$21699	D1FNSSPT	\$25767	26 x 38 3/4 x 83 1/4	21	1590	1/3	365
	D2FNPT	\$25055	D2FNSAPT	\$30161	D2FNSSPT	\$36335	52 x 38 3/4 x 83 1/4	50	3575	3/4§	680
	DL3F-PT	\$34908	DL3F-SA-PT	\$41389	DL3F-SS-PT	\$48004	78 x 38 3/4 x 87 1/4	72	4325	1§	900
HALF DOORS	D1FNPTHD	\$18254	D1FNSAPTHD	\$22294	D1FNSSPTHD	\$26689	26 x 38 3/4 x 83 1/4	21	1590	1/3	365
	D2FNPTHD	\$26046	D2FNSAPTHD	\$31009	D2FNSSPTHD	\$37883	52 x 38 3/4 x 83 1/4	50	3575	3/4§	680
	DL3F-PT-HD	\$36481	DL3F-SA-PT-HD	\$43060	DL3F-SS-PT-HD	\$49961	78 x 38 3/4 x 87 1/4	72	4325	1§	900

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

*Coil housing in cabinet zone

D1FNHD/D1FNSHD	D2FNHD/D2FNSHD	DL3F-HD
		

Reach-Ins & Pass-Thrus

Designer Line upper side panels and refrigeration “Plug” system can be removed and reinstalled at job site. The refrigeration system is accessible on top of the cabinet and separate from the food zone to increase food storage capacity.

STANDARD FEATURES



Self Contained Performance-Rated “Plug” Refrigeration System

Environmentally-Safe R-290 Refrigerant
(1- and 2-section models)

Environmentally-Safe R-404A Refrigerant
(3-section models)

3” Non-CFC Polyurethane Foam Insulation

Smooth, Polished Chrome Workflow Door Handles

Cam-Action, Lift-Off Hinges

Heavy Duty, Epoxy-Coated Steel Shelves

Automatic, Hot Gas Condensate Evaporator
(standard depth models)

Automatic, Electric Condensate Evaporator
(shallow depth models)

Santoprene Magnetic Snap-In Door Gaskets

Cylinder Lock in Each Door

Adjustable 6” Stainless Steel Legs

Self-Closing Doors

LED Interior Lighting

Electronic Controller w/Digital Display & Hi-Low Alarm

Automatic Electric Defrost

Rehinging of Door in the Field (1-section, full door only)

OPTIONS

Chrome or stainless steel shelves

Additional epoxy-coated steel shelves

Wireless temperature logger

Foot treadle

Pan slide assemblies (not available on shallow depth models)

Casters

Rehinging of doors (consult factory)

Correctional facility package

Expansion valve system

Custom laminates

Stainless steel case back

See **Page 126** for Options & Accessories.

See **Page 159** for Expansion Valve & Pan Slide Options



Designer Line Slim Line Freezers (0°F)

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior

BTU/HR Rating @ -15°F, 90°F Ambient
 Extra Long, 10 ft. cord and plug attached (115-60-1 volts)

SLIM LINE REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOORS	D1FSEN*	\$13076	D1FSENSA*	\$14284	D1FSENSS*	\$15831	17 3/4 x 35 3/8 x 83 1/4	15	1590	1/3	305
	D2FSEN	\$14727	D2FSENSA	\$16221	D2FSENSS	\$20045	36 1/4 x 35 3/8 x 83 1/4	32	1840	1/2	465
HALF DOORS	D1FSENHD*	\$13811	D1FSENSAHD*	\$15100	D1FSENSSHD*	\$16637	17 3/4 x 35 3/8 x 83 1/4	15	1590	1/3	305
	D2FSENHD	\$16203	D2FSENSAHD	\$17853	D2FSENSSHD	\$21665	36 1/4 x 35 3/8 x 83 1/4	32	1840	1/2	465

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

*Coil housing in cabinet zone, refer to Standard Features on next page.

D1FSENHD	D2FSENHD
	

Standard Depth & Shallow Depth

Slim Line Freezers were designed to meet small space requirements to satisfy the needs of kitchens with limited space.

STANDARD FEATURES



Self Contained Performance-Rated “Plug” Refrigeration System
(except DL1FSE models)

Environmentally-Safe R-290 Refrigerant

3” Non-CFC Polyurethane Foam Insulation (2” on DL1FSE models)

Smooth, Polished Chrome Door Handles

Cam-Action, Lift-Off Hinges

Heavy Duty, Epoxy-Coated Steel Shelves

Automatic, Hot Gas Condensate Evaporator (2-section models)

Automatic, Electric Condensate Evaporator (1-section models)

Santoprene Magnetic Snap-In Door Gaskets

Cylinder Lock in Each Door

Adjustable 6” Stainless Steel Legs

Self-Closing Doors

LED Interior Lighting

Electronic Controller w/Digital Display & Hi-Low Alarm

Automatic Electric Defrost

Rehinging of Door in the Field (1-section, full door only)

Expansion Valve System

OPTIONS

Chrome or stainless steel shelves

Add'l epoxy-coated steel shelves

Wireless temperature logger

Foot treadle

Casters


Rehinging of doors (2-section only)

Correctional facility package

Custom laminates

Stainless steel case back

See **Page 126** for Options & Accessories.



Designer Line Extra-Wide Freezers (0°F) - Standard Depth & Shallow Depth

Cabinet Construction:

Standard Models: Stainless Steel Front, Aluminum End Panels and Interior

SA Models: Stainless Steel Exterior, Aluminum Interior

SS Models: Stainless Steel Exterior and Interior

BTU/HR Rating @ -15°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)
§ No cord and plug supplied (115/208-230-60-1 volts)

REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOORS	D1FEN	\$12960	D1FENSA	\$16708	D1FENSS	\$20734	28 1/2 x 35 3/8 x 83 1/4	22	1590	1/3	355
	D1FXN	\$15788	D1FXNSA	\$19649	D1FXNSS	\$24277	36 1/4 x 35 3/8 x 83 1/4	32	1840	1/2	455
	D2FEN	\$17654	D2FENSA	\$22160	D2FENSS	\$28400	57 x 35 3/8 x 83 1/4	52	2470	1/2	610
	DL3FE	\$24766	DL3FESA	\$30457	DL3FESS	\$37117	85 1/2 x 35 3/8 x 83 1/4	75	3575	3/4§	860
HALF DOORS	D1FENHD	\$13589	D1FENSAHD	\$17313	D1FENSSHD	\$21755	28 1/2 x 35 3/8 x 83 1/4	22	1590	1/3	355
	D1FXNHD	\$16694	D1FXNSAHD	\$20700	D1FXNSSHD	\$25329	36 1/4 x 35 3/8 x 83 1/4	32	1840	1/2	455
	D2FENHD	\$18641	D2FENSAHD	\$23026	D2FENSSHD	\$29961	57 x 35 3/8 x 83 1/4	52	2470	1/2	610
	DL3FE-HD	\$26319	DL3FE-SA-HD	\$32141	DL3FE-SS-HD	\$39096	85 1/2 x 35 3/8 x 83 1/4	75	3575	3/4§	860
FULL DOORS SHALLOW DEPTH	D1FESN*	\$12960	D1FESNSA	\$16708	D1FESNSS	\$20734	28 1/2 x 29 1/4 x 83 1/4	18	1590	1/3	330
	D1FXSN*	\$15788	D1FXSNSA	\$19649	D1FXSNSS	\$24277	36 1/4 x 29 1/4 x 83 1/4	26	1840	1/2	415
	D2FESN	\$17654	D2FESNSA	\$22160	D2FESNSS	\$28400	57 x 29 1/4 x 83 1/4	40	2470	1/2	570
HALF DOORS SHALLOW DEPTH	D1FESNHD*	\$13590	D1FESNSAHD	\$17313	D1FESNSSHD	\$21755	28 1/2 x 29 1/4 x 83 1/4	18	1590	1/3	330
	D1FXSNHD*	\$16694	D1FXSNSAHD	\$20700	D1FXSNSSHD	\$25329	36 1/4 x 29 1/4 x 83 1/4	26	1840	1/2	415
	D2FESNHD	\$18641	D2FESNSAHD	\$23026	D2FESNSSHD	\$29961	57 x 29 1/4 x 83 1/4	40	2470	1/2	570

All reach-in models have a standard operating temperature of 0°F and can be adjusted to operate as low as -10°F in 90°F ambient.

PASS-THRU MODELS

FULL DOORS	D1FENPT	\$18299	D1FENSAPT	\$22311	D1FENSSPT	\$26402	28 1/2 x 38 3/4 x 83 1/4	22	1590	1/3	385
	D1FXNPT	\$21725	D1FXNSAPT	\$25867	D1FXNSSPT	\$30568	36 1/4 x 38 3/4 x 83 1/4	32	1840	1/2	460
	D2FENPT	\$26033	D2FENSAPT	\$31009	D2FENSSPT	\$37365	57 x 38 3/4 x 83 1/4	52	3575	3/4§	720
	DL3FE-PT	\$36275	DL3FE-SA-PT	\$42573	DL3FE-SS-PT	\$49364	85 1/2 x 38 3/4 x 87 1/4	75	4325	1§	960
HALF DOORS	D1FENPTH	\$18966	D1FENSAPTH	\$22926	D1FENSSPTH	\$27445	28 1/2 x 38 3/4 x 83 1/4	22	1590	1/3	385
	D1FXNPTH	\$22671	D1FXNSAPTH	\$26944	D1FXNSSPTH	\$31644	36 1/4 x 38 3/4 x 83 1/4	32	1840	1/2	460
	D2FENPTH	\$27073	D2FENSAPTH	\$31894	D2FENSSPTH	\$38957	57 x 38 3/4 x 83 1/4	52	3575	3/4§	720
	DL3FE-PT-HD	\$38164	DL3FE-SA-PT-HD	\$44280	DL3FE-SS-PT-HD	\$51387	85 1/2 x 38 3/4 x 87 1/4	75	4325	1§	960

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

*Coil housing in cabinet zone

D1FENHD/D1FESNHD	D1FXNHD/D1FXSNHD	D2FENHD/D2FESNHD	DL3FE-HD
			

Reach-Ins & Pass-Thrus

Extra-Wide Freezers provide generous amounts of additional space.

STANDARD FEATURES



Self Contained Performance-Rated “Plug” Refrigeration System

Environmentally-Safe R-290 Refrigerant
(1- and 2-section models)

Environmentally-Safe R-404A Refrigerant
(3-section models)

3” Non-CFC Polyurethane Foam Insulation

Smooth, Polished Chrome Workflow Door Handles

Cam-Action, Lift-Off Hinges

Heavy Duty, Epoxy-Coated Steel Shelves

Automatic, Hot Gas Condensate Evaporator
(Standard Depth Models)

Automatic, Electric Condensate Evaporator
(Shallow Depth Models)

Santoprene Magnetic Snap-In Door Gaskets

Cylinder Lock in Each Door

Adjustable 6” Stainless Steel Legs

Self-Closing Doors

LED Interior Lighting

Electronic Controller w/Digital Display & Hi-Low Alarm

Automatic Electric Defrost

Rehinging of Door in the Field (1-section, full door only)
(excludes “X” models, consult factory)

Expansion Valve System

OPTIONS

Chrome or stainless steel shelves

Additional epoxy-coated steel shelves

Wireless temperature logger

Foot treadle

Universal pan slide assemblies (not available on shallow depth or “X” models)

Casters

Rehinging of doors (consult factory)


Correctional facility package

Custom laminates

Stainless steel case back

See **Page 130** for Options & Accessories.

See **Page 159** for Pan Slide Options



Designer line Warmers - Standard Width & Extra-Wide

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior

§ No cord and plug supplied (208-230/60/1 volts)

REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	TOTAL WATTAGE	SHIP WEIGHT
STANDARD DEPTH FULL DOORS	DL1W	\$12818	DL1W-SA	\$14044	DL1W-SS	\$15623	26 x 35 3/8 x 83 1/4	21	1500§	284
	DL2W	\$17354	DL2W-SA	\$18579	DL2W-SS	\$22442	52 x 35 3/8 x 83 1/4	50	2250§	433
	DL3W	\$26393	DL3W-SA	\$27615	DL3W-SS	\$30110	78 x 35 3/8 x 83 1/4	72	3000§	650
STANDARD DEPTH HALF DOORS	DL1W-HD	\$13760	DL1W-SA-HD	\$15000	DL1W-SS-HD	\$16583	26 x 35 3/8 x 83 1/4	21	1500§	284
	DL2W-HD	\$18475	DL2W-SA-HD	\$19694	DL2W-SS-HD	\$23551	52 x 35 3/8 x 83 1/4	50	2250§	433
	DL3W-HD	\$27569	DL3W-SA-HD	\$28790	DL3W-SS-HD	\$31299	78 x 35 3/8 x 83 1/4	72	3000§	650
EXTRA WIDE FULL DOORS	DL1WE	\$13389	DL1WE-SA	\$14614	DL1WE-SS	\$16300	28 1/2 x 35 3/8 x 83 1/4	22	1500§	290
	DL2WE	\$18111	DL2WE-SA	\$19341	DL2WE-SS	\$23323	57 x 35 3/8 x 83 1/4	52	2250§	510
	DL3WE	\$27456	DL3WE-SA	\$28682	DL3WE-SS	\$31320	85 1/2 x 35 3/8 x 83 1/4	75	3000§	710
EXTRA WIDE HALF DOORS	DL1WE-HD	\$14380	DL1WE-SA-HD	\$15623	DL1WE-SS-HD	\$17291	28 1/2 x 35 3/8 x 83 1/4	22	1500§	290
	DL2WE-HD	\$19260	DL2WE-SA-HD	\$20487	DL2WE-SS-HD	\$24594	57 x 35 3/8 x 83 1/4	52	2250§	510
	DL3WE-HD	\$28715	DL3WE-SA-HD	\$29936	DL3WE-SS-HD	\$32556	85 1/2 x 35 3/8 x 83 1/4	75	3000§	710

PASS-THRU MODELS

STANDARD DEPTH FULL DOORS	DL1W-PT	\$16631	DL1W-SA-PT	\$17024	DL1W-SS-PT	\$19384	26 x 38 3/4 x 83 1/4	21	1500§	300
	DL2W-PT	\$23179	DL2W-SA-PT	\$24376	DL2W-SS-PT	\$28152	52 x 38 3/4 x 83 1/4	50	2250§	570
	DL3W-PT	\$33852	DL3W-SA-PT	\$35056	DL3W-SS-PT	\$37504	78 x 38 3/4 x 83 1/4	72	3000§	780
STANDARD DEPTH HALF DOORS	DL1W-PT-HD	\$17572	DL1W-SA-PT-HD	\$17921	DL1W-SS-PT-HD	\$20324	26 x 38 3/4 x 83 1/4	21	1500§	300
	DL2W-PT-HD	\$25918	DL2W-SA-PT-HD	\$27118	DL2W-SS-PT-HD	\$30605	52 x 38 3/4 x 83 1/4	50	2250§	570
	DL3W-PT-HD	\$37713	DL3W-SA-PT-HD	\$38914	DL3W-SS-PT-HD	\$41358	78 x 38 3/4 x 83 1/4	72	3000§	780
EXTRA WIDE FULL DOORS	DL1WE-PT	\$17406	DL1WE-SA-PT	\$17781	DL1WE-SS-PT	\$20234	28 1/2 x 38 3/4 x 83 1/4	22	1500§	320
	DL2WE-PT	\$24171	DL2WE-SA-PT	\$25324	DL2WE-SS-PT	\$29249	57 x 38 3/4 x 83 1/4	52	2250§	590
	DL3WE-PT	\$35226	DL3WE-SA-PT	\$36303	DL3WE-SS-PT	\$38988	85 1/2 x 38 3/4 x 83 1/4	75	3000§	800
EXTRA WIDE HALF DOORS	DL1WE-PT-HD	\$18396	DL1WE-SA-PT-HD	\$18731	DL1WE-SS-PT-HD	\$21222	28 1/2 x 38 3/4 x 83 1/4	22	1500§	320
	DL2WE-PT-HD	\$26994	DL2WE-SA-PT-HD	\$28166	DL2WE-SS-PT-HD	\$32100	57 x 38 3/4 x 83 1/4	52	2250§	590
	DL3WE-PT-HD	\$39266	DL3WE-SA-PT-HD	\$40299	DL3WE-SS-PT-HD	\$43005	85 1/2 x 38 3/4 x 83 1/4	75	3000§	800

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.



Reach-Ins & Pass-Thrus

Extra-Wide Warmers provide generous amounts of additional space.

STANDARD FEATURES

Designer Line

- Self Contained Performance-Rated Heating System
- 90°F to 180° F Temperature Range
- Unique Air Flow Distribution Ducts
- Top Mounted Heating Plenum “Plug” with Circulating Fan
- 3” Non-CFC Polyurethane Foam Insulation
- Smooth, Polished Chrome Workflow Door Handles
- Cam-Action, Lift-Off Hinges
- Heavy Duty, Chrome-Plated Steel Shelves
- Stainless Steel Strip Heaters
(located at the base of the interior)
- Santoprene Magnetic Snap-In Door Gaskets
- Cylinder Lock in Each Door
- Adjustable 6” Stainless Steel Legs
- Self-Closing Doors
- Automatic Interior Lighting
- Electronic Controller w/Digital Display & Hi-Low Alarm
- Rehinging of door in the field (1-section, full door only)

OPTIONS

- Stainless steel shelves
- Pan slide assemblies
- Foot treadle
- NEMA 6-20p or L4-20p cord and plug
- Casters
- Rehinging of doors (consult factory)
- Correctional facility package
- Custom laminates
- Stainless steel case back

See **Page 126** for Options & Accessories.
See **Page 159** for Pan Slide Options.



Designer-line Dual Temperature (Refrigerator/Freezer) Standard Depth & Shallow Depth

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior

BTU/HR Rating @ +25°F, 90°F Ambient (Refrigerators)
 BTU/HR Rating @ -15°F, 90°F Ambient (Freezers)
 (2) 10 ft. cords and plugs attached (115-60-1 volts)

REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOORS	D2RFN	\$27560	D2RFNSA	\$28763	D2RFNSS	\$32100	52 x 35 3/8 x 83 1/4	21/21	1940, 1590	1/4, 1/3	580
	D3RRFN	\$30098	D3RRFNSA	\$31287	D3RRFNSS	\$36860	78 x 35 3/8 x 83 1/4	50/21	2560, 1590	1/3, 1/3	825
	D3RFFN	\$42332	D3RFFNSA	\$43533	D3RFFNSS	\$45777	78 x 35 3/8 x 83 1/4	21/50	1940, 2470	1/4, 1/2	825
HALF DOORS	D1RFNHD*	\$21024	D1RFNSAHD*	\$22847	D1RFNSSHD*	\$24339	26 x 35 3/8 x 83 1/4	11/11	1625, 1800	1/5, 1/3	420
	D2RFNHD	\$28671	D2RFNSAHD	\$29854	D2RFNSSHD	\$33207	52 x 35 3/8 x 83 1/4	21/21	1940, 1590	1/4, 1/3	580
	D3RRFNHD	\$31253	D3RRFNSAHD	\$32458	D3RRFNSSHD	\$38058	78 x 35 3/8 x 83 1/4	50/21	2560, 1590	1/3, 1/3	825
	D3RFFNHD	\$43487	D3RFFNSAHD	\$44692	D3RFFNSSHD	\$47325	78 x 35 3/8 x 83 1/4	21/50	1940, 2470	1/4, 1/2	825
FULL DOORS SHALLOW DEPTH	D2RFSN*	\$27560	D2RFSNSA*	\$28763	D2RFSNSS*	\$32100	52 x 29 1/4 x 83 1/4	16/16	1940, 1590	1/4, 1/3	540
HALF DOORS SHALLOW DEPTH	D1RFSNHD*	\$21024	D1RFSNSAHD*	\$22847	D1RFSNSSHD*	\$24339	26 x 29 1/4 x 83 1/4	8/8	1725, 1250	1/5, 1/4	400
	D2RFSNHD*	\$28671	D2RFSNSAHD*	\$29854	D2RFSNSSHD*	\$33207	52 x 29 1/4 x 83 1/4	16/16	1940, 1590	1/4, 1/3	540




PASS-THRU MODELS

FULL DOORS	D2RFNPT	\$32871	D2RFNSAPT	\$41143	D2RFNSSPT	\$48076	52 x 38 3/4 x 83 1/4	21/21	1940, 1590	1/4, 1/3	640
	D3RRFNPT	\$36750	D3RRFNSAPT	\$46699	D3RRFNSSPT	\$54736	78 x 38 3/4 x 83 1/4	50/21	2560, 1590	1/3, 1/3	910
	D3RFFNPT	\$40320	D3RFFNSAPT	\$49606	D3RFFNSSPT	\$58645	78 x 38 3/4 x 83 1/4	21/50	1940, 2470	1/4, 1/2	910
HALF DOORS	D2RFNPTH	\$34346	D2RFNSAPTH	\$42941	D2RFNSSPTH	\$50220	52 x 38 3/4 x 83 1/4	21/21	1940, 1590	1/4, 1/3	640
	D3RRFNPTH	\$39302	D3RRFNSAPTH	\$50113	D3RRFNSSPTH	\$58701	78 x 38 3/4 x 83 1/4	50/21	2560, 1590	1/3, 1/3	910
	D3RFFNPTH	\$42139	D3RFFNSAPTH	\$51654	D3RFFNSSPTH	\$61415	78 x 38 3/4 x 83 1/4	21/50	1940, 2470	1/4, 1/2	910

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

*Coil housing in cabinet zone

NOTE: Consult factory for Glass Door models.

D1RFNHD	D2RFNHD	D3RRFNHD/D3RFFNHD
		

Reach-Ins & Pass-Thrus

Dual Temperature models have separate, performance-rated refrigeration systems in refrigerator/freezer compartments. The refrigeration system is accessible on top of the cabinet and separate from the food zone to increase food storage capacity (except all one-section and shallow depth models).

STANDARD FEATURES



Separate, Self Contained Performance-Rated Refrigeration “Plug” System
(DL1RF & 2-section shallow depth models - coil housing in cabinet zone)

Environmentally-Safe R-290 Refrigerant

3” Non-CFC Polyurethane Foam Insulation

Smooth, Polished Chrome Workflow Door Handles

Cam-Action, Lift-Off Hinges

Heavy Duty, Epoxy-Coated Steel Shelves

Automatic, Hot Gas Condensate Evaporator

Automatic, Electric Condensate Evaporator
(Single sections and Shallow depth models)

Santoprene Magnetic Snap-In Door Gaskets

Cylinder Lock in Each Door

Adjustable 6” Stainless Steel Legs

Self-Closing Doors

LED Interior Lighting

Electronic Controllers w/Digital Display & Hi-Low Alarm

Automatic Electric Defrost (Freezer Section)

Expansion Valve System (except 1-section models)

OPTIONS

Chrome or stainless steel shelves

Add'l epoxy-coated steel shelves

Wireless temperature logger

Foot treadle

Pan slide assemblies (not available on shallow depth models)

Casters

Rehinging of doors (consult factory)

Correctional facility package

Custom laminates

Stainless steel case back

Wine racks (refrigerator section only)

See **Page 126** for Options & Accessories.

See **Page 159** for Pan Slide Options.



Designer-line

Dual Temperature (Refrigerator/Warmer)

Cabinet Construction:

Standard Models: Stainless Steel Front, Aluminum End Panels and Interior

SA Models: Stainless Steel Exterior, Aluminum Interior

SS Models: Stainless Steel Exterior and Interior

BTU/HR Rating @ +25°F, 90°F Ambient (Refrigerators)
 Refrigerator: 10 ft. cord and plug attached (115-60-1 volts)
 § Warmer: No cord and plug supplied (208-230/60/1 volts)

REACH-IN MODEL

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	REFRIG.CAP. BTU/HR, HEATER WATTS	H.P.	SHIP WEIGHT
FULL DOORS	DL2RW	\$23856	DL2RW-SA	\$29095	DL2RW-SS	\$33112	52 x 35 3/8 x 83 1/4	21/21	1940, 2250	1/4§	580
HALF DOORS	DL2RW-HD	\$25416	DL2RW-SA-HD	\$30543	DL2RW-SS-HD	\$35072	52 x 35 3/8 x 83 1/4	21/21	1940, 2250	1/4§	580

PASS-THRU MODELS

FULL DOORS	DL2RW-PT	\$31895	DL2RW-SA-PT	\$36465	DL2RW-SS-PT	\$41690	52 x 38 3/4 x 83 1/4	21/21	1940, 2250	1/4§	595
HALF DOORS	DL2RW-PT-HD	\$33665	DL2RW-SA-PT-HD	\$38562	DL2RW-SS-PT-HD	\$43850	52 x 38 3/4 x 83 1/4	21/21	1940, 2250	1/4§	595

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

DL2RW-HD	DL2RW-PT-HD
	

Reach-Ins & Pass-Thrus

Dual Temperature models have separate, performance-rated refrigeration/heating systems in refrigerator/heating compartments. Refrigeration/heating system is accessible on top of the cabinet and separate from the food zone to increase food storage capacity.

STANDARD FEATURES

Designer-line

Unique Air Flow Distribution Ducts
 3" Non-CFC Polyurethane Foam Insulation
 Smooth, Polished Chrome Workflow Door Handles
 Cam-Action, Lift-Off Hinges
 Automatic, Hot Gas Condensate Evaporator
 Magnetic Snap-In Door Gasket
 Cylinder Lock in Each Door
 Adjustable 6" Stainless Steel Legs
 Self-Closing Doors
 Automatic Interior Lighting
 Electronic Controllers w/Digital Display & Hi-Low Alarm

REFRIGERATOR SECTION FEATURES

Separate, Self Contained Performance-Rated "Plug" Refrigeration System
 Environmentally-Safe R-134a Refrigerant
 Heavy Duty, Epoxy-Coated Steel Shelves

WARMER SECTION FEATURES

Separate, Self Contained Performance-Rated Heating System
 90°F to 180°F Temperature Range
 Heavy Duty, Chrome-Plated Steel Shelves
 Top Mounted Heating Plenum "Plug" with Circulating Fans
 Stainless Steel Strip Heaters (located at the base of the interior)

OPTIONS

Chrome or stainless steel shelves
 Additional shelves
 Foot treadle
 Pan slide assemblies
 Casters
 Rehing of doors (consult factory)
 Correctional facility package
 Expansion valve system (Refrigerator section only)
 Custom laminates
 Stainless steel case back
 Alternate refrigerant (consult factory)
 NEMA 6-20p or L4-20p cord and plug (Warmer models)

See **Page 126** for Options & Accessories.
 See **Page 159** for Expansion Valve & Pan Slide Options.



Designer-line Extra-Wide Dual Temperature (Refrigerator/Freezer)

Standard Depth & Shallow Depth

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior

BTU/HR Rating @ +25°F, 90°F Ambient (Refrigerators)
 BTU/HR Rating @ -15°F, 90°F Ambient (Freezers)
 (2) 10 ft. cords and plugs attached (115-60-1 volts)

REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOORS	D2RFEN	\$28775	D2RFENSA	\$29974	D2RFENSS	\$33328	57 x 35 3/8 x 83 1/4	22/22	1940, 1590	1/4, 1/3	620
	D3RRFEN	\$31921	D3RRFENSA	\$33108	D3RRFENSS	\$38704	85 1/2 x 35 3/8 x 83 1/4	52/22	2560, 1590	1/3, 1/3	885
	D3RFFEN	\$44156	D3RFFENSA	\$45360	D3RFFENSS	\$47621	85 1/2 x 35 3/8 x 83 1/4	22/52	1940, 2470	1/4, 1/2	885
HALF DOORS	D1RFENHD*	\$21936	D1RFENSAHD*	\$23759	D1RFENSSHD*	\$24953	28 1/2 x 35 3/8 x 83 1/4	11/11	1625, 1800	1/5, 1/3	435
	D1RFXNHD*	\$24779	D1RFXNSAHD*	\$25993	D1RFXNSSHD*	\$28086	36 1/4 x 35 3/8 x 83 1/4	16/16	1725, 1250	1/4, 1/3	555
	D2RFENHD	\$29890	D2RFENSAHD	\$31063	D2RFENSSHD	\$34437	57 x 35 3/8 x 83 1/4	22/22	1940, 1590	1/4, 1/3	620
	D3RRFENHD	\$33079	D3RRFENSANHD	\$34280	D3RRFENSSHD	\$39903	85 1/2 x 35 3/8 x 83 1/4	52/22	2560, 1590	1/3, 1/3	885
	D3RFFENHD	\$45313	D3RFFENSAHD	\$46516	D3RFFENSSHD	\$49166	85 1/2 x 35 3/8 x 83 1/4	22/52	1940, 2470	1/4, 1/2	885
FULL DOORS SHALLOW DEPTH	D2RFESN	\$28775	D2RFESNSA	\$29974	D2RFESNSS	\$33328	57 x 29 1/4 x 83 1/4	18/18	1940, 1590	1/4, 1/3	580
	D3RRFESN	\$31921	D3RRFESNSA	\$33108	D3RRFES-SS	\$38704	85 1/2 x 29 1/4 x 83 1/4	40/18	2560, 1590	1/3, 1/3	885
	D3RFFESN	\$44156	D3RFFESNSA	\$45360	D3RFFESNSS	\$47621	85 1/2 x 29 1/4 x 83 1/4	18/40	1940, 2470	1/4, 1/2	885
HALF DOORS SHALLOW DEPTH	D1RFESNHD*	\$21936	D1RFESNSAHD*	\$23759	D1RFESNSSHD*	\$24953	28 1/2 x 29 1/4 x 83 1/4	9/9	1725, 1250	1/5, 1/4	415
	D1RFXSNHD*	\$24779	D1RFXSNSAHD*	\$25993	D1RFXSNSSHD*	\$28086	36 1/4 x 29 1/4 x 83 1/4	13/13	1725, 1250	1/4, 1/3	515
	D2RFESNHD	\$29890	D2RFESNSAHD	\$31063	D2RFESNSSHD	\$34437	57 x 29 1/4 x 83 1/4	22/22	1940, 1590	1/4, 1/3	580
	D3RRFESNHD	\$33079	D3RRFESNSAHD	\$34280	D3RRFESNSSHD	\$39903	85 1/2 x 29 1/4 x 83 1/4	52/22	2560, 1590	1/3, 1/3	885
	D3RFFESNHD	\$45314	D3RFFESNSAHD	\$46516	D3RFFESNSSHD	\$49166	85 1/2 x 29 1/4 x 83 1/4	22/52	1940, 2470	1/4, 1/2	885

All reach-in models have a standard operating temperature of 0°F and can be adjusted to operate as low as -10°F in 90°F ambient.

PASS-THRU MODELS

FULL DOORS	D2RFENPT	\$34323	D2RFENSAPT	\$42903	D2RFENSSPT	\$49806	57 x 38 3/4 x 83 1/4	22/22	1940, 1590	1/4, 1/3	680
	D3RRFENPT	\$38412	D3RRFENSAPT	\$48276	D3RRFENSSPT	\$56785	85 1/2 x 38 3/4 x 83 1/4	52/22	2560, 1590	1/3, 1/3	970
	D3RFFENPT	\$42059	D3RFFENSAPT	\$51599	D3RFFENSSPT	\$60767	85 1/2 x 38 3/4 x 83 1/4	22/52	1940, 2470	1/4, 1/2	970
HALF DOORS	D2RFENPTH	\$35860	D2RFENSAPTH	\$44790	D2RFENSSPTH	\$52128	57 x 38 3/4 x 83 1/4	22/22	1940, 1590	1/4, 1/3	680
	D3RRFENPTH	\$41290	D3RRFENSAPTH	\$51818	D3RRFENSSPTH	\$61023	85 1/2 x 38 3/4 x 83 1/4	52/22	2560, 1590	1/3, 1/3	970
	D3RFFENPTH	\$43965	D3RFFENSAPTH	\$53760	D3RFFENSSPTH	\$63640	85 1/2 x 38 3/4 x 83 1/4	22/52	1940, 2470	1/4, 1/2	970

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

*Coil housing in cabinet zone

D1RFENHD/D1RFESNHD	D1RFXNHD/D1RFXSNHD	D2RFENHD/D2RFESNHD	D3RRFENHD/D3RRFESNHD
			

Reach-Ins & Pass-Thrus

Dual Temperature models have separate, performance-rated refrigeration systems in refrigerator/freezer compartments. Refrigeration system is accessible on top of the cabinet and separate from the food zone to increase food storage capacity (except all one-section and shallow depth models)).

STANDARD FEATURES

Designer-line

Separate, Self Contained Performance-Rated Refrigeration “Plug” System
(except all-one section, X-wide, and shallow depth models)

Environmentally-Safe R-290 Refrigerant

3” Non-CFC Polyurethane Foam Insulation

Smooth, Polished Chrome Workflow Door Handles

Cam-Action, Lift-Off Hinges

Heavy Duty, Epoxy-Coated Steel Shelves

Automatic, Hot Gas Condensate Evaporator

Automatic, Electric Condensate Evaporator
(single section and shallow depth models)

Santoprene Magnetic Snap-In Door Gaskets

Cylinder Lock in Each Door

Adjustable 6” Stainless Steel Legs

Self-Closing Doors

LED Interior Lighting

Electronic Controllers w/Digital Display & Hi-Low Alarm

Automatic Electric Defrost (Freezer Section)

OPTIONS

Chrome or stainless steel shelves

Additional epoxy-coated steel shelves

Wireless temperature logger

Foot treadle

Universal pan slide assemblies (not available on Shallow Depth or “X” models)

Casters

Rehinging of doors (consult factory)

Correctional facility package

Expansion valve system (except D1RFENHD models)

Custom laminates

Stainless steel case back

Wine racks (refrigerator section only)

See **Page 126** for Options & Accessories.

See **Page 159** for Expansion Valve & Pan Slide Options.



Designer-line

Extra-Wide Dual Temperature (Refrigerator/Warmer)

Cabinet Construction:

Standard Models: Stainless Steel Front, Aluminum End Panels and Interior

SA Models: Stainless Steel Exterior, Aluminum Interior

SS Models: Stainless Steel Exterior and Interior

BTU/HR Rating @ +25°F, 90°F Ambient (Refrigerators)
 Refrigerator: 10 ft. cord and plug attached (115-60-1 volts)
 § Warmer: No cord and plug supplied (208-230/60/1 volts)

REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	REFRIG.CAP. BTU/HR, HEATER WATTS	H.P.	SHIP WEIGHT
FULL DOORS	DL2RWE	\$24680	DL2RWE-SA	\$30254	DL2RWE-SS	\$34474	57 x 35 3/8 x 83 1/4	22/22	1940, 2250	1/4§	580
HALF DOORS	DL2RWE-HD	\$26300	DL2RWE-SA-HD	\$32316	DL2RWE-SS-HD	\$36497	57 x 35 3/8 x 83 1/4	22/22	1940, 2250	1/4§	580

PASS-THRU MODELS

FULL DOORS	DL2RWE-PT	\$33431	DL2RWE-SA-PT	\$38373	DL2RWE-SS-PT	\$43636	57 x 38 3/4 x 83 1/4	22/22	1940, 2250	1/4§	595
HALF DOORS	DL2RWE-PT-HD	\$35288	DL2RWE-SA-PT-HD	\$40596	DL2RWE-SS-PT-HD	\$45899	57 x 38 3/4 x 83 1/4	22/22	1940, 2250	1/4§	595

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

DL2RWE-HD	DL2RWE-PT-HD
	

Reach-Ins & Pass-Thrus

Dual Temperature models have separate, performance-rated refrigeration/heating systems in refrigerator/heating compartments. Refrigeration/heating system is accessible on top of the cabinet and separate from the food zone to increase food storage capacity.

STANDARD FEATURES

Designer-line

Unique Air Flow Distribution Ducts
 3" Non-CFC Polyurethane Foam Insulation
 Smooth, Polished Chrome Workflow Door Handles
 Cam-Action, Lift-Off Hinges
 Automatic, Hot Gas Condensate Evaporator
 Santoprene Magnetic Snap-In Door Gasket
 Cylinder Lock in Each Door
 Adjustable 6" Stainless Steel Legs
 Self-Closing Doors
 Automatic Interior Lighting
 Electronic Controllers w/Digital Display & Hi-Low Alarm

REFRIGERATOR SECTION FEATURES

Separate, Self Contained Performance-Rated "Plug" Refrigeration System
 Environmentally-Safe R-134a Refrigerant
 Heavy Duty, Epoxy-Coated Steel Shelves

WARMER SECTION FEATURES

Separate, Self Contained Performance-Rated Heating System
 90°F to 180°F Temperature Range
 Heavy Duty, Chrome-Plated Steel Shelves
 Top Mounted Heating Plenum "Plug" with Circulating Fans
 Stainless Steel Strip Heaters (located at the base of the interior)

OPTIONS

Chrome or stainless steel shelves
 Additional shelves
 Foot treadle
 Universal pan slide assemblies
 Casters
 Rehing of doors (consult factory)
 Correctional facility package
 Expansion valve system (Refrigerator section only)
 Custom laminates
 Stainless steel case back
 Alternate refrigerant available (consult factory)
 Cord and plug for warmers
 NEMA 6-20p or L4-20p cord and plug
 See **Page 126** for Options & Accessories.
 See **Page 159** for Expansion Valve & Pan Slide Options.



Designer-line

Display Refrigerators w/ Hinged Glass Doors

Standard Depth & Shallow Depth

Cabinet Construction:

Standard Models: Stainless Steel Front, Aluminum End Panels and Interior

SA Models: Stainless Steel Exterior, Aluminum Interior

SS Models: Stainless Steel Exterior and Interior

BTU/HR Rating @ +25°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)
§ No cord and plug attached (115/208-230-60-1 volts)





REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOORS	D1RNGD	\$12348	D1RNSAGD	\$17115	D1RNSSGD	\$19414	26 x 35 3/8 x 83 1/4	21	1940	1/4+	325
	D2RNGD	\$19481	D2RNSAGD	\$22748	D2RNSSGD	\$29254	52 x 35 3/8 x 83 1/4	50	2560	1/3+	545
	D3RNGD	\$26795	D3RNSAGD	\$32558	D3RNSSGD	\$39086	78 x 35 3/8 x 86 3/4	72	5930	1§	755
HALF DOORS	D1RNGDHD	\$13838	D1RNSAGDHD	\$18599	D1RNSSGDHD	\$21398	26 x 35 3/8 x 83 1/4	21	1940	1/4+	325
	D2RNGDHD	\$22143	D2RNSAGDHD	\$28353	D2RNSSGDHD	\$32831	52 x 35 3/8 x 83 1/4	50	2560	1/3+	545
	D3RNGDHD	\$31984	D3RNSAGDHD	\$38012	D3RNSSGDHD	\$44514	78 x 35 3/8 x 86 3/4	72	5930	1§	755
FULL DOORS SHALLOW DEPTH	D1RSNGD*	\$12348	D1RSNSAGD*	\$17115	D1RSNSSGD*	\$19414	26 x 29 1/4 x 83 1/4	16	2560	1/3	305
	D2RSNGD*	\$19481	D2RSNSAGD*	\$25023	D2RSNSSGD*	\$29254	52 x 29 1/4 x 83 1/4	34	4010	1/2	535
HALF DOORS SHALLOW DEPTH	D1RSNGDHD*	\$13838	D1RSNSAGDHD*	\$18599	D1RNSSGDHD*	\$21398	26 x 29 1/4 x 83 1/4	16	2560	1/3	305
	D2RSNGDHD*	\$22143	D2RSNSAGDHD*	\$28353	D2RNSSGDHD*	\$32831	52 x 29 1/4 x 83 1/4	34	4010	1/2	535

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

*Coil housing in cabinet zone

NOTE: Consult factory for Pass-Thru models.

D1RNGDHD	DL1RSNGDHD	D2RNGDHD/DL2RSNGDHD	DL3RNGDHD
			

Reach-Ins

Designer Line upper side panels and refrigeration “Plug” system can be removed and reinstalled at job site. The refrigeration system is accessible on top of the cabinet and separate from the food zone to increase food storage capacity (except all shallow-depth models).

STANDARD FEATURES



Self-Contained, Performance-Rated “Plug” Refrigeration System
(Shallow depth models - coil housing in cabinet zone)

Environmentally-Safe R-290 Refrigerant

3” Non-CFC Polyurethane Foam Insulation

Chrome-Plated Handles

Cam-Action, Lift-Off Hinges

Heavy Duty, Epoxy-Coated Steel Shelves

Automatic, Hot Gas Condensate Evaporator
(Standard depth models)

Automatic, Electric Condensate Evaporator
(Shallow depth models)

Magnetic Snap-In Door Gasket

Cylinder Lock in Each Door

Adjustable 6” Stainless Steel Legs

Self-Closing Doors

LED Interior Lighting

Electronic Controller w/Digital Display & Hi-Low Alarm

Triple-Pane, Tempered Hinged Glass Doors

Expansion Valve System

OPTIONS

Chrome or stainless steel shelves

Additional epoxy-coated steel shelves

Remote temperature logger

Wine racks

Pan slide assemblies (not available on shallow depth models)

Casters

Rehinging of doors (consult factory)

Stainless steel case back

See **Page 126** for Options & Accessories.

See **Page 159** for Pan Slide Options.



Designer-line Extra-Wide Display Refrigerators w/ Hinged Glass Doors Standard Depth & Shallow Depth

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior

BTU/HR Rating @ +25°F, 90°F Ambient
 10 ft. cord and plug attached (115-60-1 volts)
 § No cord and plug attached (115/208-230-60-1 volts)


REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOORS	D1RENGD	\$12874	D1RENSAGD	\$17712	D1RENSSGD	\$20101	28 1/2 x 35 3/8 x 83 1/4	22	2560	1/4+	345
	D1RXNGD	\$15818	D1RXNSAGD	\$20446	D1RXNSSGD	\$24323	36 1/4 x 35 3/8 x 83 1/4	32	2810	1/3+	450
	D2RENGD	\$20174	D2RENSAGD	\$25762	D2RENSSGD	\$29884	57 x 35 3/8 x 83 1/4	52	4010	1/3+	585
	D3RENGD	\$28163	D3RENSAGD	\$33526	D3RENSSGD	\$40307	85 1/2 x 35 3/8 x 86 3/4	75	5930	1§	810
HALF DOORS	D1RENGDHD	\$14399	DRENSAGDHD	\$19760	D1RENSSGDHD	\$22116	28 1/2 x 35 3/8 x 83 1/4	22	2560	1/4+	345
	D1RXNGDHD	\$18190	D1RXNSAGDHD	\$23099	D1RXNSSGDHD	\$26974	36 1/4 x 35 3/8 x 83 1/4	32	2810	1/3+	450
	D2RENGDHD	\$22868	D2RENSAGDHD	\$29122	D2RENSSGDHD	\$34324	57 x 35 3/8 x 83 1/4	52	4010	1/3+	585
	D3RENGDHD	\$33450	D3RENSAGDHD	\$38997	D3RENSSGDHD	\$45784	85 1/2 x 35 3/8 x 86 3/4	75	5930	1§	810
FULL DOORS SHALLOW DEPTH	D1RESNGD*	\$12874	D1RESNSAGD*	\$17712	D1RESNSSGD*	\$20101	28 1/2 x 29 1/4 x 83 1/4	18	2560	1/3	325
	D1RXSNGD*	\$15818	D1RXSNSAGD*	\$20446	D1RXSNSSGD*	\$24323	36 1/4 x 29 1/4 x 83 1/4	26	2810	1/3	410
	D2RESNGD*	\$20174	D2RESNSAGD*	\$25762	D2RESNSSGD*	\$29884	57 x 29 1/4 x 83 1/4	40	4010	1/2	545
HALF DOORS SHALLOW DEPTH	D1RESNGDHD*	\$14399	D1RESNSAGDHD*	\$19760	D1RESNSSGDHD*	\$22116	28 1/2 x 29 1/4 x 83 1/4	18	2560	1/3	325
	D1RXSNGDHD*	\$18190	D1RXSNSAGDHD*	\$23099	D1RXSNSSGDHD*	\$26974	36 1/4 x 29 1/4 x 83 1/4	26	2810	1/3	410
	D2RESNGDHD*	\$22868	D2RESNSAGDHD*	\$29122	D2RESNSSGDHD*	\$34324	57 x 29 1/4 x 83 1/4	40	4010	1/2	545

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

*Coil housing in cabinet zone, refer to Standard Features on next page.

NOTE: Consult factory for Pass-Thru models.



Reach-Ins

Designer Line upper side panels and refrigeration “Plug” system can be removed and reinstalled at job site. The refrigeration system is accessible on top of the cabinet and separate from the food zone to increase food storage capacity (except all shallow-depth models).

STANDARD FEATURES

Designer Line

Self-Contained, Performance-Rated “Plug” Refrigeration System
(Shallow depth models - coil housing in cabinet zone)

Environmentally-Safe R-290 Refrigerant

3” Non-CFC Polyurethane Foam Insulation

Chrome-Plated Handles

Cam-Action, Lift-Off Hinges

Heavy Duty, Epoxy-Coated Steel Shelves

Automatic, Hot Gas Condensate Evaporator
(Standard depth models)

Automatic, Electric Condensate Evaporator
(Shallow depth models)

Magnetic Snap-In Door Gasket

Cylinder Lock in Each Door

Adjustable 6” Stainless Steel Legs

Self-Closing Doors

LED Interior Lighting

Electronic Controller w/Digital Display & Hi-Low Alarm

Triple-Pane, Tempered Hinged Glass Doors

Expansion Valve System

OPTIONS

Chrome or stainless steel shelves

Additional epoxy-coated steel shelves

Remote temperature logger

Wine racks

Universal pan slide assemblies (not available on shallow depth or “X” models)

Casters

Rehinging of doors (consult factory)

Stainless steel case back

See **Page 126** for Options & Accessories.

See **Page 159** for Pan Slide Options.



Designer-line

Display Refrigerators w/ Sliding Glass Doors

Standard Depth & Shallow Depth

Cabinet Construction:

Standard Models: Stainless Steel Front, Aluminum End Panels and Interior

SA Models: Stainless Steel Exterior, Aluminum Interior

SS Models: Stainless Steel Exterior and Interior

BTU/HR Rating @ +25°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)

STANDARD REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOORS	D2RNSGD	\$20359	D2RNSASGD	\$22904	D2RNSSSGD	\$25014	52 x 34 x 83 1/4	50	4010	1/2	545
HALF DOORS	D2RNSGDHD	\$22798	D2RNSASGDHD	\$25518	D2RNSSSGDHD	\$27623	52 x 34 x 83 1/4	50	4010	1/2	545
FULL DOORS SHALLOW DEPTH	D2RSNSGD*	\$20359	D2RSNSASGD*	\$22904	D2RSNSSSGD*	\$25014	52 x 27 7/8 x 83 1/4	32	4010	1/2	505
HALF DOORS SHALLOW DEPTH	D2RSNSGDHD*	\$22798	D2RSNSASGDHD*	\$25518	D2RSNSSSGDHD*	\$27623	52 x 27 7/8 x 83 1/4	32	4010	1/2	505

EXTRA-WIDE REACH-IN MODELS

FULL DOORS	D2RENSGD	\$22736	D2RENSASGD	\$24062	D2RENSSSGD	\$29247	57 x 34 x 83 1/4	52	4010	1/2	585
HALF DOORS	D2RENSGDHD	\$25870	D2RENSASGDHD	\$26998	D2RENSSSGDHD	\$34151	57 x 34 x 83 1/4	52	4010	1/2	585
FULL DOORS SHALLOW DEPTH	D2RESNSGD*	\$22736	D2RESNSASGD*	\$24062	D2RESNSSSGD*	\$29247	57 x 27 7/8 x 83 1/4	40	4010	1/2	545
HALF DOORS SHALLOW DEPTH	D2RESNSGDHD*	\$25870	D2RESNSASGDHD*	\$26998	D2RESNSSSGDHD*	\$34151	57 x 27 7/8 x 83 1/4	40	4011	1/2	545

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

*Coil housing in cabinet zone

D2RENSGD/D2RESNSGD	D2RENSGDHD/D2RESNSGDHD
	

Standard & Extra-Wide Reach-Ins

Designer Line upper side panels and refrigeration “Plug” system can be removed and reinstalled at job site. The refrigeration system is accessible on top of the cabinet and separate from the food zone to increase food storage capacity (except all shallow-depth models).

STANDARD FEATURES

Designer Line

Self-Contained, Performance-Rated “Plug” Refrigeration System
(Shallow depth models - coil housing in cabinet zone)

Environmentally-Safe R-290 Refrigerant

3” Non-CFC Polyurethane Foam Insulation

Heavy Duty, Epoxy-Coated Steel Shelves

Automatic, Hot Gas Condensate Evaporator
(Standard depth models)

Automatic, Electric Condensate Evaporator
(Shallow depth models)

Expansion Valve System

Magnetic Snap-In Door Gasket

Door Lock

Adjustable 6” Stainless Steel Legs

Self-Closing Doors

LED Interior Lighting

Electronic Controller w/Digital Display & Hi-Low Alarm

Double-Pane, Low-E, Tempered Sliding Glass Doors

High Efficiency Black PVC Frame

OPTIONS

Chrome or stainless steel shelves

Additional epoxy-coated steel shelves

Remote temperature logger

Wine racks

Pan slide assemblies (not available on shallow depth models)

Casters

Stainless steel case back

See **Page 126** for Options & Accessories.

See **Page 159** for Pan Slide Options.



Designer-line

Display Freezers (0°F) w/ Hinged Glass Doors

Standard Depth & Shallow Depth

Cabinet Construction:

Standard Models: Stainless Steel Front, Aluminum End Panels and Interior

SA Models: Stainless Steel Exterior, Aluminum Interior

SS Models: Stainless Steel Exterior and Interior

REACH-IN MODELS

BTU/HR Rating @ -15°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)
§ No cord and plug supplied (115/208-230-60-1 volts)

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOORS	D1FNGD*	\$18144	D1FNSAGD*	\$21333	D1FNSSGD*	\$24312	26 x 35 3/8 x 83 1/4	20	2470	1/2	340
	D2FNGD	\$27650	D2FNSAGD	\$29557	D2FNSSGD	\$33762	52 x 35 3/8 x 88 1/4	50	4325	1 [§]	580
	DL3F-GD	\$36977	DL3F-SA-GD	\$41686	DL3F-SS-GD	\$48869	78 x 35 3/8 x 88 1/4	72	6050	1 1/2 [§]	820
HALF DOORS	D1FNGDHD*	\$20302	D1FNSAGDHD*	\$22686	D1FNSSGDHD*	\$25454	26 x 35 3/8 x 83 1/4	20	2470	1/2	340
	D2FNGDHD	\$30777	D2FNSAGDHD	\$32653	D2FNSSGDHD	\$36262	52 x 35 3/8 x 88 1/4	50	4325	1 [§]	580
	DL3F-GD-HD	\$42589	DL3F-SA-GD-HD	\$45610	DL3F-SS-GD-HD	\$53414	78 x 35 3/8 x 88 1/4	72	6050	1 1/2 [§]	820
FULL DOORS SHALLOW DEPTH	D1FSNGD*	\$18144	D1FSNSAGD*	\$21333	D1FSNSSGD*	\$24312	26 x 29 1/4 x 83 1/4	16	2470	1/2	320
	D2FSNGD*	\$27650	D2FSNSAGD*	\$29557	D2FSNSSGD*	\$33762	52 x 29 1/4 x 88 1/4	32	4325	1 [§]	540
HALF DOORS SHALLOW DEPTH	D1FSNGDHD*	\$20302	D1FSNSAGDHD*	\$22686	D1FSNSSGDHD*	\$25454	26 x 29 1/4 x 83 1/4	16	2470	1/2	320
	D2FSNGDHD*	\$30777	D2FSNSAGDHD*	\$32653	D2FSNSSGDHD*	\$36262	52 x 29 1/4 x 88 1/4	32	4325	1 [§]	540

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

*Coil housing in cabinet zone, refer to Standard Features on next page.

NOTE: Consult factory for Pass-Thru models.

D1FNGDHD/D1FSNGDHD	D2FNGDHD/D2FSNGDHD	DL3F-GD-HD
		

Reach-Ins

Continental Refrigerator has one of the most diversified commercial Reach-In product lines in the industry with modern state-of-the-art styling and standard features not found on other units.

STANDARD FEATURES



Self-Contained, Performance-Rated “Plug” Refrigeration System
(1-section & shallow depth models - coil housing in cabinet zone)

Environmentally-Safe R-290 Refrigerant
(1- and 2-section models)

Environmentally-Safe R-404A Refrigerant
(3-section models)

3” Non-CFC Polyurethane Foam Insulation

Chrome-Plated Handles

Cam-Action, Lift-Off Hinges

Heavy Duty, Epoxy-Coated Steel Shelves

Automatic, Hot Gas Condensate Evaporator
(Standard depth models)

Automatic, Electric Condensate Evaporator
(Shallow depth models)

Magnetic Snap-In Door Gasket

Cylinder Lock in Each Door

Adjustable 6” Stainless Steel Legs

Self-Closing Doors

LED Interior Lighting

Electronic Controller w/Digital Display & Hi-Low Alarm

Triple-Pane, Tempered Hinged Glass Doors

Automatic Electric Defrost

Expansion Valve System

OPTIONS

Chrome or stainless steel shelves

Additional epoxy-coated steel shelves

Remote temperature logger

Alternative refrigerant (3-section models)

Pan slide assemblies (not available on shallow depth models)


Casters

Rehinging of doors (consult factory)

Stainless steel case back

See **Page 126** for Options & Accessories.

See **Page 159** for Pan Slide Options.



Designer Line

Extra-Wide Display Freezers (0°F) w/ Hinged Glass Doors

Standard Depth & Shallow Depth

Cabinet Construction:

Standard Models: Stainless Steel Front, Aluminum End Panels and Interior

SA Models: Stainless Steel Exterior, Aluminum Interior

SS Models: Stainless Steel Exterior and Interior





BTU/HR Rating @ -15°F, 90°F Ambient
Extra Long, 10 ft. cord and plug attached (115-60-1 volts)
§ No cord and plug supplied (115/208-230-60-1 volts)

REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOORS	D1FENG*	\$19955	D1FENSAGD*	\$21612	D1FENSSGD*	\$26038	28 1/2 x 35 3/8 x 83 1/4	21	2470	1/2	355
	D1FXNGD	\$20078	D1FXNSAGD	\$22949	D1FXNSSGD	\$27273	36 1/4 x 35 3/8 x 88 1/4	32	2720	3/4§	465
	D2FENG	\$28061	D2FENSAGD	\$32234	D2FENSSGD	\$38108	57 x 35 3/8 x 88 1/4	52	4325	1§	620
	DL3FE-GD	\$37587	DL3FE-SA-GD	\$42781	DL3FE-SS-GD	\$48970	85 1/2 x 35 3/8 x 88 1/4	75	6050	2§	870
HALF DOORS	D1FENGHD*	\$22327	D1FENSAGHD*	\$22755	D1FENSSGDHD*	\$28931	28 1/2 x 35 3/8 x 83 1/4	21	2470	1/2	355
	D1FXNGHD	\$22638	D1FXNSAGHD	\$25337	D1FXNSSGDHD	\$29889	36 1/4 x 35 3/8 x 88 1/4	32	2720	3/4§	465
	D2FENGHD	\$31509	D2FENSAGHD	\$35574	D2FENSSGDHD	\$40366	57 x 35 3/8 x 88 1/4	52	4325	1§	620
	DL3FE-GD-HD	\$43210	DL3FE-SA-GD-HD	\$48564	DL3FE-SS-GD-HD	\$54476	85 1/2 x 35 3/8 x 88 1/4	75	6050	2§	870
FULL DOORS SHALLOW DEPTH	D1FESNGD*	\$19955	D1FESNSAGD*	\$21612	D1FESNSSGD*	\$26039	28 1/2 x 29 1/4 x 83 1/4	18	2470	1/2	335
HALF DOORS SHALLOW DEPTH	D1FESNGDHD*	\$22327	D1FESNSAGHD*	\$22755	D1FESNSSGDHD*	\$28932	28 1/2 x 29 1/4 x 83 1/4	18	2470	1/2	335

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

*Coil housing in cabinet zone, refer to Standard Features on next page.

D1FENGHD/D1FESNGHD	D1FXNGDHD	D2FENGHD	DL3FE-GD-HD
			

Reach-Ins

Continental Refrigerator has one of the most diversified commercial Reach-In product lines in the industry with modern state-of-the-art styling and standard features not found on other units.

STANDARD FEATURES



Self-Contained, Performance-Rated “Plug” Refrigeration System
(Shallow FE models - coil housing in cabinet zone)

Environmentally-Safe R-290 Refrigerant
(1- and 2-section models)

Environmentally-Safe R-404A Refrigerant
(3-section models)

3” Non-CFC Polyurethane Foam Insulation

Chrome-Plated Handles

Cam-Action, Lift-Off Hinges

Heavy Duty, Epoxy-Coated Steel Shelves

Automatic, Hot Gas Condensate Evaporator
(Standard FE models)

Automatic, Electric Condensate Evaporator
(Shallow FE models only)

Magnetic Snap-In Door Gasket

Cylinder Lock in Each Door

Adjustable 6” Stainless Steel Legs

Self-Closing Doors

LED Interior Lighting

Electronic Controller w/Digital Display & Hi-Low Alarm

Triple-Pane, Tempered Hinged Glass Doors

Automatic Electric Defrost

Expansion Valve System

OPTIONS

Chrome or stainless steel shelves

Additional epoxy-coated steel shelves

Remote temperature logger

Alternate refrigerant (3-section models)

Universal pan slide assemblies (not available on Shallow Depth or “X” models)

Casters

Rehinging of doors (consult factory)

Stainless steel case back

See **Page 126** for Options & Accessories.

See **Page 159** for Pan Slide Options.

OPTIONS & ACCESSORIES

SIZE	PART NO.	DESCRIPTION	LIST PRICE
	-	Plated Steel, Epoxy-Coated Shelf with Clips	\$128
	-	Chrome-Plated Wire with Clips	\$128
	-	Stainless Steel Shelf with Clips	\$369
	-	Rehinging of Doors	N/C
	-	Wine Rack (holds 10 - 3" diameter bottles per shelf)	\$197
	-	Heavy-Duty Pilaster Strips (per section)	STD
	-	Heavy-Duty Shelves (per shelf)	\$197
	50-032	Foot Treadle (not available on half door or glass door models)	\$472 per door
	50-080	Remote Temperature Logger	\$2286 \$4572 for dual temp
4" Dia. 5" H	50205	Set of 4 Swivel Casters w/ Brakes (One/Two sections) Set of 6 Swivel Casters w/ Brakes (Three sections)	\$414 \$680
5" Dia. 6" H	50177	Set of 4 Swivel Casters w/ Brakes (One/Two Sections) Set of 6 Swivel Casters w/ Brakes (Three Sections)	\$518 \$781
3" Dia. 4" H	50209	Set of 4 Swivel Casters w/ Brakes (One/Two Sections) Set of 6 Swivel Casters w/ Brakes (Three Sections)	\$349 \$517
6" H	50203	Set of 4 Stainless Steel Legs (One/Two Sections) Set of 6 Stainless Steel Legs (Three Sections)	\$224 \$329
6" H	50184	Set of 4 Stainless Steel Legs Flanged Feet (One/Two Sections) Set of 6 Stainless Steel Legs Flanged Feet (Three Sections)	\$542 \$815
6" H	50202	Set of 4 Black Legs (One/Two Sections) Set of 6 Black Legs (Three Sections)	\$147 \$224
4" H	50206	Set of 4 Black Legs (One/Two Sections) Set of 6 Black Legs (Three Sections)	\$184 \$274
1 SECTION	-	Reach-In Stainless Steel Case Back (including rear grill and concealed drain line)	\$974
2 SECTION	-	Reach-In Stainless Steel Case Back (including rear grill and concealed drain line)	\$1974
3 SECTION	-	Reach-In Stainless Steel Case Back (including rear grill and concealed drain line)	\$2921

CORRECTIONAL FACILITY OPTIONS

REACH-INS / PASS-THRUS

1 SECTION	-	One-Way Security Screws Locking Hasp (lock not included) Stainless Steel Mesh Security Cover	\$163 / \$303 \$518 / \$974 \$391 / \$391
2 SECTION	-	One-Way Security Screws Locking Hasp (lock not included) Stainless Steel Mesh Security Cover	\$349 / \$519 \$503 / \$974 \$744 / \$744
3 SECTION	-	One-Way Security Screws Locking Hasp (lock not included) Stainless Steel Mesh Security Cover	\$459 / \$680 \$974 / \$1947 \$1122 / \$1122
1, 2 & 3 SECTIONS	-	Coverless Hinges	N/C



Security screws



Coverless hinges



Locking hasp
(lock not included)



Stainless Steel
Mesh Security Cover

Designer Line Roll-Ins & Roll-Thrus

Standard Height & Extra-High Refrigerators, Freezers & Warmers

Designer Line Roll-Ins & Roll-Thrus are uniquely equipped with both top and side air distribution ducts which allows for constant, uniform temperature throughout the cabinet and across all pan levels.


In This Section

- 128** Refrigerators
- 130** Freezers
- 132** Warmers
- 134** Options & Accessories



D2RINRT
shown w/ Standard Features and FLEXIBLE Options

FLEXIBLE Option
Chrome-plated wire
rod or stainless steel
shelves
Benefit
Prep ahead space
saving storage



Designer Line Roll-In & Roll-Thru Refrigerators

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior

BTU/HR Rating @ +25°F, 90°F Ambient
 Extra Long, 10 ft. cord and plug attached (115-60-1 volts)

STANDARD HEIGHT ROLL-IN MODELS (Door Opening 27 3/8 W x 66 1/2" H)¹

MODEL TYPE	STD MODEL	STD LIST PRICE	"SA" MODEL	"SA" LIST PRICE	"SS" MODEL	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
66" RACK CAPACITY	D1RIN	\$13477	D1RINSA	\$14074	D1RINSS	\$16876	35 1/4 x 35 3/8 x 86	32	2560	1/3+	455
	D2RIN	\$22065	D2RINSA	\$22440	D2RINSS	\$25364	68 1/2 x 35 3/8 x 86	64	4010	1/2	634

STANDARD HEIGHT ROLL-THRU MODELS

66" RACK CAPACITY	D1RINRT	\$16543	D1RINSART	\$18144	D1RINSSRT	\$22602	35 1/4 x 38 3/4 x 86	32	2560	1/3+	523
	D2RINRT	\$25902	D2RINSART	\$26271	D2RINSSRT	\$32720	68 1/2 x 38 3/4 x 86	64	4010	1/2	840

EXTRA-HIGH ROLL-IN MODELS (Door Opening 27 3/8 W x 72 1/2" H)²

72" RACK CAPACITY	D1RIN-E	\$15826	D1RINSA-E	\$17363	D1RINSS-E	\$21622	35 1/4 x 35 3/8 x 92	34	2980	1/2	475
	D2RIN-E	\$22856	D2RINSA-E	\$23958	D2RINSS-E	\$29839	68 1/2 x 35 3/8 x 92	68	4010	1/2+	770

EXTRA-HIGH ROLL-THRU MODELS

72" RACK CAPACITY	D1RINRT-E	\$19540	D1RINSART-E	\$21428	D1RINSSRT-E	\$26689	35 1/4 x 38 3/4 x 92	34	2980	1/2	540
	D2RINRT-E	\$27245	D2RINSART-E	\$29889	D2RINSSRT-E	\$37216	68 1/2 x 38 3/4 x 92	68	4010	1/2+	880

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

¹ Maximum rack size including wheels 27" W x 29" D x 66 1/4" H (Racks not included)

² Maximum rack size including wheels 27" W x 29" D x 72" H (Racks not included)



Standard Height (66 1/4" Rack Capacity) & Extra-High (72" Rack Capacity)

Designer Line upper side panels and refrigeration "Plug" system can be removed and reinstalled at job site. The refrigeration system is accessible on top of the cabinet and separate from the food zone to increase food storage capacity.

STANDARD FEATURES

Designer Line

- Self-Contained, Performance-Rated "Plug" Refrigeration System
- Unique Air Flow Distribution Ducts
- Environmentally-Safe R-290 Refrigerant**
- Removable Stainless Steel Rack Guides
- Removable Stainless Steel Ramps
- Reinforced Stainless Steel Floor
- 3" Non-CFC Polyurethane Foam Insulation
- Smooth, Polished Chrome Workflow Door Handles
- Cam-Action, Lift-Off Hinges
- Automatic, Hot Gas Condensate Evaporator
- Santoprene Magnetic Snap-In Door Gasket
- Cylinder Lock in Each Door
- Self-Closing Doors
- LED Interior Lighting
- Electronic Controller w/Digital Display & Hi-Low Alarm
- Adjustable Door Wupte
- Expansion Valve System**

Note: Racks Not Supplied

OPTIONS

- Chrome or stainless steel shelves (consult factory)
- Epoxy-coated steel shelves (consult factory)
- Remote Temperature Logger
- Rehinging of doors (consult factory)
- Correctional facility package
- Custom laminates

See **Page 134** for Options & Accessories.



Designer-line Roll-In & Roll-Thru Freezers (0°F)

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior

BTU/HR Rating @ -15°F, 90°F Ambient
 § No cord and plug supplied (115/208-230/60/1 volts)

STANDARD HEIGHT ROLL-IN MODELS (Door Opening 27 3/8 W x 66 1/2" H)¹

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
66" RACK CAPACITY	D1FIN	\$18837	D1FINS A	\$20864	D1FINSS	\$24280	35 1/4 x 35 3/8 x 86	32	3530	3/4 [§]	455
	DL2FI	\$28039	DL2FI-SA	\$29560	DL2FI-SS	\$33275	68 1/2 x 35 3/8 x 86	64	4150	1 [§]	730

STANDARD HEIGHT ROLL-THRU MODELS

66" RACK CAPACITY	D1FINRT	\$26334	D1FINSART	\$27483	D1FINSSRT	\$29826	35 1/4 x 38 3/4 x 86	32	3530	3/4 [§]	523
	DL2FI-RT	\$41296	DL2FI-SA-RT	\$42447	DL2FI-SS-RT	\$44616	68 1/2 x 38 3/4 x 86	64	4150	1 [§]	840

EXTRA-HIGH ROLL-IN MODELS (Door Opening 27 3/8 W x 72 1/2" H)²

72" RACK CAPACITY	D1FINE	\$19780	D1FINSAE	\$21904	D1FINSSE	\$25496	35 1/4 x 35 3/8 x 92	34	3530	3/4 [§]	475
	DL2FI-E	\$29422	DL2FI-SA-E	\$31037	DL2FI-SS-E	\$34936	68 1/2 x 35 3/8 x 92	68	4150	1 [§]	770

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

¹ Maximum rack size including wheels 27" W x 29" D x 66 1/4" H (Racks not included)

² Maximum rack size including wheels 27" W x 29" D x 72" H (Racks not included)



Standard Height (66 1/4" Rack Capacity) & Extra-High (72" Rack Capacity)

Designer Line upper side panels and refrigeration "Plug" system can be removed and reinstalled at job site. The refrigeration system is accessible on top of the cabinet and separate from the food zone to increase food storage capacity.

STANDARD FEATURES



Self-Contained Performance-Rated "Plug" Refrigeration System

Unique Air Flow Distribution Ducts

Environmentally-Safe R-290 Refrigerant
(1-section models)

Environmentally-Safe R-404A Refrigerant
(2-section models)

Removable Stainless Steel Rack Guides

Removable Stainless Steel Ramps

Reinforced Stainless Steel Floor

3" Non-CFC Polyurethane Foam Insulation

Smooth, Polished Chrome Workflow Door Handles

Cam-Action, Lift-Off Hinges

Automatic, Hot Gas Condensate Evaporator

Santoprene Magnetic Snap-In Door Gasket

Cylinder Lock in Each Door

Self-Closing Doors

LED Interior Lighting

Electronic Controller w/Digital Display & Hi-Low Alarm

Expansion Valve System

Adjustable Door Wiper Automatic Electric Defrost

Note: Racks Not Supplied

OPTIONS

Chrome or stainless steel shelves

Epoxy-coated steel shelves

Wireless temperature logger

Alternate refrigerant (2-section models)

Rehinging of doors (consult factory)

Correctional facility package

Custom laminates

Stainless steel case back

See **Page 134** for Options & Accessories.

See **Page 159** for Expansion Valve Option.



Designer-line Roll-In & Roll-Thru Warmers

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior

§ No cord and plug supplied (208-230-60-1 volts)

STANDARD HEIGHT ROLL-IN MODELS (Door Opening 27 3/8 W x 66 1/2" H)¹

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	TOTAL WATTAGE	SHIP WEIGHT
66" RACK CAPACITY	DL1WI	\$12580	DL1WI-SA	\$13143	DL1WI-SS	\$16135	35 1/4 x 35 3/8 x 86	32	1500§	360
	DL2WI	\$21051	DL2WI-SA	\$21580	DL2WI-SS	\$22846	68 1/2 x 35 3/8 x 86	64	3000§	625

STANDARD HEIGHT ROLL-THRU MODELS

66" RACK CAPACITY	DL1WI-RT	\$16018	DL1WI-SA-RT	\$16422	DL1WI-SS-RT	\$21060	35 1/4 x 38 3/4 x 86	32	1500§	414
	DL2WI-RT	\$25844	DL2WI-SA-RT	\$26706	DL2WI-SS-RT	\$29994	68 1/2 x 38 3/4 x 86	64	3000§	719

EXTRA-HIGH ROLL-IN MODELS (Door Opening 27 3/8 W x 72 1/2" H)²

72" RACK CAPACITY	DL1WI-E	\$15294	DL1WI-SA-E	\$15678	DL1WI-SS-E	\$20113	35 1/4 x 35 3/8 x 92	34	1500§	380
	DL2WI-E	\$22103	DL2WI-SA-E	\$22658	DL2WI-SS-E	\$23986	68 1/2 x 35 3/8 x 92	68	3000§	665

EXTRA-HIGH ROLL-THRU MODELS

72" RACK CAPACITY	DL1WI-RT-E	\$19043	DL1WI-SA-RT-E	\$19516	DL1WI-SS-RT-E	\$25032	35 1/4 x 38 3/4 x 92	34	1500§	440
	DL2WI-RT-E	\$27133	DL2WI-SA-RT-E	\$28041	DL2WI-SS-RT-E	\$31493	68 1/2 x 38 3/4 x 92	68	3000§	775

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

¹ Maximum rack size including wheels 27" W x 29" D x 66 1/4" H (Racks not included)

² Maximum rack size including wheels 27" W x 29" D x 72" H (Racks not included)



Standard Height (66 1/4" Rack Capacity) & Extra-High (72" Rack Capacity)

The heating system is accessible on top of the cabinet and separate from the food zone to increase food storage capacity.

STANDARD FEATURES

Designer-line

- Self-Contained Performance-Rated "Plug" Heating System
- 90°F to 180° F Temperature Range
- Unique Air Flow Distribution Ducts
- Removable Stainless Steel Rack Guides
- Removable Stainless Steel Ramps
- Reinforced Stainless Steel Floor
- 3" Non-CFC Polyurethane Foam Insulation
- Smooth, Polished Chrome Workflow Door Handles
- Cam-Action, Lift-Off Hinges
- Sanotprene Magnetic Snap-In Door Gasket
- Cylinder Lock in Each Door
- Self-Closing Doors
- Automatic Interior Lighting (except 1-section models)
- Electronic Controller w/Digital Display & Hi-Low Alarm

Note: Racks Not Supplied

OPTIONS

- Chrome or stainless steel shelves (consult factory)
- Rehinging of doors (consult factory)
- Correctional facility package
- Custom laminates
- Stainless steel case back

See **Page 134** for Options & Accessories.

For increased refrigeration systems, expansion valve in lieu of cap. system, special electrical requirements, 50 cycle units, and/or additional information, please consult factory.


OPTIONS & ACCESSORIES

SIZE	PART NO.	DESCRIPTION	LIST PRICE
	-	Rehinging of Doors (consult factory)	N/C
	50-080	Remote Temperature Logger	\$2286
1 SECTION	-	Roll-In Stainless Steel Case Back (including rear grill)	\$1111
2 SECTION	-	Roll-In Stainless Steel Case Back (including rear grill)	\$2222
3 SECTION	-	Roll-In Stainless Steel Case Back (including rear grill)	\$3332

CORRECTIONAL FACILITY OPTIONS

ROLL-INS / ROLL-THRUS

1 SECTION	-	One-Way Security Screws Locking Hasp (lock not included) Stainless Steel Mesh Security Cover	\$163 / \$303 \$518 / \$974 \$391 / \$391
2 SECTION	-	One-Way Security Screws Locking Hasp (lock not included) Stainless Steel Mesh Security Cover	\$349 / \$518 \$503 / \$974 \$744 / \$744
3 SECTION	-	One-Way Security Screws Locking Hasp (lock not included) Stainless Steel Mesh Security Cover	\$459 / \$680 \$680 / \$974 \$1122 / \$1122
1, 2 & 3 SECTIONS	-	Coverless Hinges	N/C



Security screws



Coverless hinges



Locking hasp
(lock not included)



Stainless Steel
Mesh Security Cover



Undercounters, Sandwich Units & Base Worktops

Refrigerators & Freezers







All cabinets have a stainless steel exterior and interior. Worktop models are available as a flat top or with a 5 1/2" backsplash. Front breathing and drawer options available. Undercounters are standard front breathing.

In This Section

- 136** Undercounter Refrigerators & Freezers
- 138** Sandwich Units Standard Top
- 140** Sandwich Units Standard Top Front Breathing
- 142** Sandwich Units Mighty Top
- 144** Sandwich Units Mighty Top Front Breathing
- 146** Sandwich Units Cutting Top
- 148** Sandwich Units Cutting Top Front Breathing
- 150** Base Model Worktops
- 152** Options & Accessories



D60NSS-U
shown w/ Standard Features and FLEXIBLE Options

D27N-U/ DF27N-U	D32N-U/ DF32N-U	D36N-U/DF36N-U	D48N-U/DF48N-U
			
			
D60N-U/DF60N-U		D72N-U	

Designer Line Undercounter Refrigerators & Freezers (0°F)

Cabinet Construction: Stainless Steel Front, Top, End Panels and Interior, Aluminum Back
2" high, bottom mounted front breather air divider
1 3/8" diameter plate casters (factory installed)



Certified ENERGY STAR® Commercial Refrigerators (models listed with a star ☆).






BTU/HR Rating @ +25°F, 90°F Ambient (Refrigerators)
BTU/HR Rating @ -15°F, 90°F Ambient (Freezers)
10 ft. cord and plug attached (115-60-1 volts)

UNDERCOUNTER REFRIGERATOR MODELS

SIZE	WITH DOOR(S)	DOOR(S) LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAPACITY	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
27"	D27N-U	☆ \$7717	D27N-U-D	\$10068	27 1/2 x 32 3/16 x 31 13/16	7.4	1625	1/5	180
32"	D32N-U	☆ \$10369	D32N-U-D	\$12743	32 x 32 3/16 x 31 13/16	9	1625	1/5	240
36"	D36N-U	☆ \$10490	-	-	36 x 32 3/16 x 31 13/16	10.3	1625	1/5	260
48"	D48N-U	☆ \$10878	D48N-U-D	\$15579	48 x 32 3/16 x 31 13/16	13.4	1625	1/5	275
60"	D60N-U	☆ \$12128	D60N-U-D	\$16828	60 x 32 3/16 x 31 13/16	17	1625	1/5	315
72"	D72N-U	☆ \$13845	D72N-U-D	\$20896	72 x 32 3/16 x 31 13/16	20.6	1625	1/5	350

UNDERCOUNTER FREEZER MODELS (0°F)

27"	DF27N-U	\$8534	DF27N-U-D	\$10883	27 1/2 x 32 3/16 x 31 13/16	7.4	1572	1/4	180
32"	DF32N-U	\$11260	DF32N-U-D	\$13609	32 x 32 3/16 x 31 13/16	9	1800	1/3	240
36"	DF36N-U	\$11367	-	-	36 x 32 3/16 x 31 13/16	10.3	1800	1/3	260
48"	DF48N-U	\$11769	DF48N-U-D	\$16613	48 x 32 3/16 x 31 13/16	13.4	2078	1/2	275
60"	DF60N-U	\$13519	DF60N-U-D	\$18362	60 x 32 3/16 x 31 13/16	17	2078	1/2	315

D27N-U-D/DF27N-U-D	D32N-U-D/DF32N-U-D	D48N-U-D/DF48N-U-D
		
		
D60N-U-D/DF60N-U-D	D72N-U-D	

Door & Drawer Models

STANDARD FEATURES



Performance-Rated Refrigeration System
Natural, Environmentally-Safe, High-Efficiency R-290 Refrigerant

2" Non-CFC Polyurethane Foam Insulation

Automatic, Hot Gas Condensate Evaporator
 (Refrigerators & 27" Freezer models)

Automatic, Energy-Saving, Non-Electric Condensate Evaporator
 (32" - 60" Freezer models)

Non-Corrosive, Plasticized Fin Evaporator Coil
 Easily Serviceable, Back Mounted Compressor

Electronice Temperature Control
 Completely Enclosed, Vented & Removable Case Back
 Automatic Electric Defrost (Freezers)

1 3/8" Diameter Plate Casters*
 (*Factory installed, ships on casters, no other casters are available)

2" High, Bottom-Mounted Front Breather Air Divider

SOLID DOOR MODELS

Spring Loaded, Self Closing Doors
 Santoprene Magnetic Snap-In Door Gaskets
Smooth, Polished Chrome Door Handles
 Field Rehingeable Doors
 Heavy Duty, Epoxy-Coated Steel Shelves

DRAWER MODELS

Stainless Steel Roll-Out Drawers
 Santoprene Magnetic Snap-In Drawer Gaskets
Smooth, Polished Chrome Drawer Handles

OPTIONS

Door/drawer locks
 Digital thermometer with hi-low alarm
 Additional epoxy-coated or stainless steel shelves
 Expansion valve system (48" - 72" Refrigerator models only)
 Stainless steel back

DOOR TO DRAWERS (in lieu of one door per section)

Two drawers	\$2017
--------------------	---------------


Drawers not available for 36" models

MODELS	TWO TIER DRAWERS
27"/60"	(1) 12 x 20 x 6 pan per drawer
32"	(1) 12 x 20 x 6 pan per drawer or (1) 1/2 size x 6 & (2) 1/3 size x 6 pan per drawer
48"/72"	(1) 1/2 size x 6 & (1) 1/3 size x 6 pan per drawer

* Units ship on casters. No other caster is available for SW-U models.

See **Page 152** for Options & Accessories.

See **Page 159** for Expansion Valve Option.



Designer-line Sandwich Units - Standard Top


Cabinet Construction: Stainless Steel Front, Top, End Panels and Interior
Standard Top with 12" Cutting Board



BTU/HR Rating @ +25°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)

SANDWICH UNITS - STANDARD TOP MODELS

SIZE	# PANS	WITH DOOR(S)	DOOR(S) LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
27"	8	D27N8	\$9900	D27N8-D	\$12551	27 1/2 x 31 9/16 x 43 1/4	7.4	1625	1/5	218
32"	8	D32N8	\$10542	D32N8-D	\$12891	32 x 31 9/16 x 43 1/4	9	1625	1/5	236
36"	8	D36N8	\$11862	-	-	36 x 31 9/16 x 43 1/4	10.3	1625	1/5	248
	10	D36N10	\$11920	-	-	36 x 31 9/16 x 43 1/4	10.3	1625	1/5	248
48"	8	D48N8	\$13347	D48N8-D	\$18047	48 x 31 9/16 x 43 1/4	13.4	1940	1/4+	293
	10	D48N10	\$14250	D48N10-D	\$18951	48 x 31 9/16 x 43 1/4	13.4	1940	1/4+	293
	12	D48N12	\$14336	D48N12-D	\$19036	48 x 31 9/16 x 43 1/4	13.4	1940	1/4+	328
60"	8	D60N8	\$15162	D60N8-D	\$19862	60 x 31 9/16 x 43 1/4	17	2560	1/3+	340
	12	D60N12	\$15399	D60N12-D	\$20099	60 x 31 9/16 x 43 1/4	17	2560	1/3+	360
	16	D60N16	\$15504	D60N16-D	\$20204	60 x 31 9/16 x 43 1/4	17	2560	1/3+	360
72"	12	D72N12	\$17592	D72N12-D	\$24639	72 x 31 9/16 x 43 1/4	20.6	2560	1/3+	402
	18	D72N18	\$17640	D72N18-D	\$24692	72 x 31 9/16 x 43 1/4	20.6	2560	1/3+	431

PAN TOP CONFIGURATIONS



D27N8-D	D32N8-D	D48N8-D	D48N10-D	D48N12-D
				
				
D60N8-D	D60N12-D	D60N16-D	D72N12-D	D72N18-D

Door & Drawer Models

Unique air flow distribution allows pan product to maintain 33° - 41°F.

STANDARD FEATURES

Designer Line

Performance-Rated Refrigeration System
Natural, Environmentally-Safe, High-Efficiency R-290 Refrigerant

2" Non-CFC Polyurethane Foam Insulation

Automatic, Hot Gas Condensate Evaporator

Non-Corrosive, Plasticized Fin Evaporator Coil

Easily Serviceable, Back Mounted Compressor

12" Deep, Full Length Nylon Cutting Board

Electronic Temperature Control

Expansion Valve System (48" - 72" models only)

Completely Enclosed, Vented & Removable Case Back

Removable Interior Tub Below Pans
 (prevents food spillage in storage zone)

1/6 Size Recessed Pans, 4" Deep (can accommodate a 6" deep pan)

Insulated Lids

Adjustable 6" Stainless Steel Legs

DOOR MODELS

Spring Loaded, Self Closing Doors

Santoprene Magnetic Snap-In Door Gaskets

Smooth, Polished Chrome Door Handles

Field Rehingeable Doors

Heavy Duty, Epoxy-Coated Steel Shelves

DRAWER MODELS

Stainless Steel Roll-Out Drawers

Santoprene Magnetic Snap-In Drawer Gaskets

Smooth, Polished Chrome Drawer Handles

OPTIONS

Door/drawer locks

Overshelves

Digital thermometer with hi-low alarm⁵

Casters

Rear-mounted cutting board

Crumb catcher

Additional epoxy-coated or stainless steel shelves

Flat insulated lid

Vision panel lid

Stainless steel back

Composite cutting board

Modified pan openings

DOOR TO DRAWERS (in lieu of one door per section)













Two drawers	\$2352
--------------------	---------------

Drawers not available for 36" models

MODELS	TWO TIER DRAWERS
27"/60"	(1) 12 x 20 x 6 pan per drawer
32"	(1) 12 x 20 x 6 pan per drawer or (1) 1/2 size x 6 & (2) 1/3 size x 6 pans per drawer
48"/72"	(1) 1/2 size x 6 & (1) 1/3 size x 6 pan per drawer

See **Page 152** for Options & Accessories.

See **Page 158** for Overshelves.

D27N8-FB	D32N8-FB	D36N8-FB	D36N10-FB	D48N8-FB	D48N10-FB	D48N12-FB
						
						
D60N8-FB	D60N12-FB	D60N16-FB	D72N12-FB	D72N18-FB		

Designer-line Front Breathing Sandwich Units - Standard Top


Cabinet Construction: Stainless Steel Front, Top, End Panels and Interior
Standard Top with 12" Cutting Board
All front breathers come standard with 3 3/4" casters









BTU/HR Rating @ +25°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)

FRONT BREATHING SANDWICH UNITS - STANDARD TOP MODELS

SIZE	# PANS	WITH DOORS	DOORS LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
27"	8	D27N8-FB	\$10101	D27N8-FB-D	\$12451	27 1/2 x 31 9/16 x 40 7/8	7.4	1625	1/5	218
32"	8	D32N8-FB	\$10705	D32N8-FB-D	\$13056	32 x 31 9/16 x 40 7/8	9	1625	1/5	236
36"	8	D36N8-FB	\$12050	-	-	36 x 31 9/16 x 40 7/8	10.3	1625	1/5	248
	10	D36N10-FB	\$12111	-	-	36 x 31 9/16 x 40 7/8	10.3	1625	1/5	248
48"	8	D48N8-FB	\$13617	D48N8-FB-D	\$18320	48 x 31 9/16 x 40 7/8	13.4	1940	1/4+	293
	10	D48N10-FB	\$14536	D48N10-FB-D	\$19236	48 x 31 9/16 x 40 7/8	13.4	1940	1/4+	293
	12	D48N12-FB	\$14627	D48N12-FB-D	\$19327	48 x 31 9/16 x 40 7/8	13.4	1940	1/4+	328
60"	8	D60N8-FB	\$15463	D60N8-FB-D	\$20161	60 x 31 9/16 x 40 7/8	17	2560	1/3+	340
	12	D60N12-FB	\$15704	D60N12-FB-D	\$20405	60 x 31 9/16 x 40 7/8	17	2560	1/3+	360
	16	D60N16-FB	\$15805	D60N16-FB-D	\$20506	60 x 31 9/16 x 40 7/8	17	2560	1/3+	360
72"	12	D72N12-FB	\$17941	D72N12-FB-D	\$24994	72 x 31 9/16 x 40 7/8	20.6	2560	1/3+	402
	18	D72N18-FB	\$17990	D72N18-FB-D	\$25044	72 x 31 9/16 x 40 7/8	20.6	2560	1/3+	431

PAN TOP CONFIGURATIONS



D27N8-FB-D	D32N8-FB-D	D48N8-FB-D	D48N10-FB-D	D48N12-FB-D
				
				
D60N8-FB-D	D60N12-FB-D	D60N16-FB-D	D72N12-FB-D	D72N18-FB-D

Door & Drawer Models

Front breathers are a unique, field assembled, bottom mounted ventilation system designed to allow cabinets to be flush against a wall or built into a counter to conserve space. Unique air flow distribution allows pan product to maintain 33° - 41°F.

STANDARD FEATURES



Performance-Rated Refrigeration System
Natural, Environmentally-Safe, High-Efficiency R-290 Refrigerant
 2" Non-CFC Polyurethane Foam Insulation
Automatic, Hot Gas Condensate Evaporator
 Non-Corrosive, Plasticized Fin Evaporator Coil
 Easily Serviceable, Back Mounted Compressor
 12" Deep, Full Length Nylon Cutting Board
 Electronic Controller w/Digital Display & Hi-Low Alarm
Expansion Valve System (48" - 72" models only)
 Completely Enclosed, Vented & Removable Case Back
 Removable Interior Tub Below Pans
 (prevents food spillage in storage zone)
 1/6 Size **Recessed** Pans, 4" Deep (can accommodate a 6" deep pan)
 Insulated Lids
 3 3/4" High Casters

DOOR MODELS

Spring Loaded, Self Closing Doors
 Santoprene Magnetic Snap-In Door Gaskets
Smooth, Polished Chrome Door Handles
 Field Rehingable Doors
 Heavy Duty, Epoxy-Coated Steel Shelves

DRAWER MODELS

Stainless Steel Roll-Out Drawers
 Santoprene Magnetic Snap-In Drawer Gaskets
Smooth, Polished Chrome Drawer Handles


OPTIONS

Door/drawer locks
 Overshelves
 Digital thermometer with hi-low alarm
 Rear-mounted cutting board
 Crumb catcher
 Additional epoxy-coated or stainless steel shelves
 Flat insulated lid
 Vision panel lid
 Stainless steel back
 Composite cutting board
 Modified pan openings

DOOR TO DRAWERS (in lieu of one door per section)

Two drawers	\$2138
Drawers not available for 36" models	
MODELS	TWO TIER DRAWERS
27"/60"	(1) 12 x 20 x 6 pan per drawer
32"	(1) 12 x 20 x 6 pan per drawer or (1) 1/2 size x 6 & (2) 1/3 size x 6 pans per drawer
48"/72"	(1) 1/2 size x 6 & (1) 1/3 size x 6 pan per drawer

See **Page 152** for Options & Accessories.
 See **Page 158** for Overshelves.



D72N24M model photo not shown above. See page next page D72N24M-D.

Designer-line Sandwich Units - Mighty Top


Cabinet Construction: Stainless Steel Front, Top, End Panels and Interior
Mighty Top with 8" Cutting Board












SANDWICH UNITS - MIGHTY TOP MODELS

BTU/HR Rating @ +25°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)

SIZE	# PANS	WITH DOORS	DOORS LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
27"	12	D27N12M	\$11167	D27N12M-D	\$13518	27 1/2 x 35 x 43 1/4	7.4	1625	1/5	242
32"	12	D32N12M	\$11863	D32N12M-D	\$14214	32 x 35 x 43 1/4	9	1625	1/5	245
36"	12	D36N12M	\$13282	-	-	36 x 35 x 43 1/4	10.3	1625	1/5	248
	15	D36N15M	\$13342	-	-	36 x 35 x 43 1/4	10.3	1625	1/5	248
48"	12	D48N12M	\$15496	D48N12M-D	\$20195	48 x 35 x 43 1/4	13.4	1940	1/4+	328
	18	D48N18M	\$15737	D48N18M-D	\$20437	48 x 35 x 43 1/4	13.4	1940	1/4+	328
60"	12	D60N12M	\$16697	D60N12M-D	\$21398	60 x 35 x 43 1/4	17	2560	1/3+	387
	18	D60N18M	\$16815	D60N18M-D	\$21515	60 x 35 x 43 1/4	17	2560	1/3+	387
	24	D60N24M	\$17400	D60N24M-D	\$22102	60 x 35 x 43 1/4	17	2560	1/3+	387
72"	18	D72N18M	\$19248	D72N18M-D	\$26300	72 x 35 x 43 1/4	20.6	2560	1/3+	431
	24	D72N24M	\$19585	D72N24M-D	\$26637	72 x 35 x 43 1/4	20.6	2560	1/3+	431
	27	D72N27M	\$20038	D72N27M-D	\$27090	72 x 35 x 43 1/4	20.6	2560	1/3+	431
	30	D72N30M	\$20130	D72N30M-D	\$27180	72 x 35 x 43 1/4	20.6	2560	1/3+	452

PAN TOP CONFIGURATIONS



D27N12M-D	D32N12M-D	D48N12M-D	D48N18M-D	D60N12M-D	D60N18M-D	D60N24M-D
						
						
D72N18M-D		D72N24M-D		D72N27M-D		D72N30M-D

Door & Drawer Models

Unique air flow distribution allows pan product to maintain 33° - 41°F.

STANDARD FEATURES

Designer Line

Performance-Rated Refrigeration System
Natural, Environmentally-Safe, High-Efficiency R-290 Refrigerant

2" Non-CFC Polyurethane Foam Insulation

Automatic, Hot Gas Condensate Evaporator

Non-Corrosive, Plasticized Fin Evaporator Coil

Easily Serviceable, Back Mounted Compressor

8" Deep, Full Length Nylon Cutting Board

Electronic Controller w/Digital Display & Hi-Low Alarm

Expansion Valve System (48" - 72" models only)

Completely Enclosed, Vented & Removable Case Back

Removable Interior Tub Below Pans
 (prevents food spillage in storage zone)

1/6 Size **Recessed** Pans, 4" Deep (can accommodate a 6" deep pan)

Insulated Lids

Adjustable 6" Stainless Steel Legs

DOOR MODELS

Spring Loaded, Self Closing Doors

Santoprene Magnetic Snap-In Door Gaskets

Smooth, Polished Chrome Door Handles

Field Rehingeable Doors

Heavy Duty, Epoxy-Coated Steel Shelves

DRAWER MODELS

Stainless Steel Roll-Out Drawers

Santoprene Magnetic Snap-In Drawer Gaskets

Smooth, Polished Chrome Drawer Handles

OPTIONS

Door/drawer locks

Overshelves (not available on HGL models)

Digital thermometer with hi-low alarm

Casters

Rear-mounted cutting board

Crumb catcher

Additional epoxy-coated or stainless steel shelves

Flat insulated lid

Vision panel lid

Stainless steel back

Composite cutting board

Modified pan openings

DOOR TO DRAWERS (in lieu of one door per section)













Two drawers	\$2352
-------------	--------

Drawers not available for 36" models

MODELS	TWO TIER DRAWERS
27"/60"	(1) 12 x 20 x 6 pan per drawer
32"	(1) 12 x 20 x 6 pan per drawer or (1) 1/2 size x 6 & (2) 1/3 size x 6 pans per drawer
48"/72"	(1) 1/2 size x 6 & (1) 1/3 size x 6 pan per drawer

See **Page 152** for Options & Accessories.

See **Page 168** for Overshelves.

D27N12M-FB	D32N12M-FB	D36N12M-FB	D36N15M-FB	D48N12M-FB	D48N18M-FB	D60N12M-FB
						
						
D60N18M-FB	D60N24M-FB	D72N18M-FB	D72N27M-FB	D72N30M-FB		

D72N24M-FB model photo not shown above. See page next page D72N24M-FB-D.

Designer line Front Breathing Sandwich Units - Mighty Top














Cabinet Construction: Stainless Steel Front, Top, End Panels and Interior
Mighty Top with 8" Cutting Board
All front breathers come standard with 3 3/4" casters












BTU/HR Rating @ +25°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)

FRONT BREATHING SANDWICH UNITS - MIGHTY TOP MODELS

SIZE	# PANS	WITH DOORS	DOORS LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
27"	12	D27N12M-FB	\$11389	D27N12M-FB-D	\$13737	27 1/2 x 35 x 41	7.4	1625	1/5	242
32"	12	D32N12M-FB	\$12053	D32N12M-FB-D	\$14405	32 x 35 x 41	9	1625	1/5	245
36"	12	D36N12M-FB	\$13504	-	-	36 x 35 x 41	10.3	1625	1/5	248
	15	D36N15M-FB	\$13562	-	-	36 x 35 x 41	10.3	1625	1/5	248
48"	12	D48N12M-FB	\$15806	D48N12M-FB-D	\$20508	48 x 35 x 41	13.4	1940	1/4+	328
	18	D48N18M-FB	\$16056	D48N18M-FB-D	\$20757	48 x 35 x 41	13.4	1940	1/4+	328
60"	12	D60N12M-FB	\$17028	D60N12M-FB-D	\$21729	60 x 35 x 41	17	2560	1/3+	387
	18	D60N18M-FB	\$17152	D60N18M-FB-D	\$21854	60 x 35 x 41	17	2560	1/3+	387
	24	D60N24M-FB	\$17751	D60N24M-FB-D	\$22454	60 x 35 x 41	17	2560	1/3+	387
72"	18	D72N18M-FB	\$19633	D72N18M-FB-D	\$26683	72 x 35 x 41	20.6	2560	1/3+	431
	24	D72N24M-FB	\$19975	D72N24M-FB-D	\$27029	72 x 35 x 41	20.6	2560	1/3+	431
	27	D72N27M-FB	\$20441	D72N27M-FB-D	\$27492	72 x 35 x 41	20.6	2560	1/3+	431
	30	D72N30M-FB	\$20534	D72N30M-FB-D	\$27584	72 x 35 x 41	20.6	2560	1/3+	452

PAN TOP CONFIGURATIONS

							
D27N12M	D32N12M	D36N12M	D36N15M	D48N12M	D48N18M	D60N12M	D60N18M
							
D60N24M	D72N18M	D72N24M	D72N27M	D72N30M			

D27N12M-FB-D	D32N12M-FB-D	D48N12M-FB-D	D48N18M-FB-D	D60N12M-FB-D	D60N18M-FB-D	D60N24M-FB-D
						
						
D72N18M-FB-D		D72N24M-FB-D		D72N27M-FB-D		D72N30M-FB-D

Door & Drawer Models

Front breathers are a unique, field assembled, bottom mounted ventilation system designed to allow cabinets to be flush against a wall or built into a counter to conserve space. Unique air flow distribution allows pan product to maintain 33° - 41°F.

STANDARD FEATURES

Designer Line

Performance-Rated Refrigeration System
Natural, Environmentally-Safe, High-Efficiency R-290 Refrigerant

2" Non-CFC Polyurethane Foam Insulation

Automatic, Hot Gas Condensate Evaporator

Non-Corrosive, Plasticized Fin Evaporator Coil

Easily Serviceable, Back Mounted Compressor

8" Deep, Full Length Nylon Cutting Board

Electronic Temperature Controller

Expansion Valve System (48" - 72" models only)

Completely Enclosed, Vented & Removable Case Back

Removable Interior Tub Below Pans
 (prevents food spillage in storage zone)

1/6 Size **Recessed** Pans, 4" Deep (can accommodate a 6" deep pan)

Insulated Lids

3 3/4" High Casters

DOOR MODELS

Spring Loaded, Self Closing Doors

Santoprene Magnetic Snap-In Door Gaskets

Smooth, Polished Chrome Door Handles

Field Rehingeable Doors

Heavy Duty, Epoxy-Coated Steel Shelves

DRAWER MODELS

Stainless Steel Roll-Out Drawers

Santoprene Magnetic Snap-In Drawer Gaskets

Smooth, Polished Chrome Drawer Handles

OPTIONS

Door/drawer locks

Overshelves (not available on HGL models)

Digital thermometer with hi-low alarm

Rear-mounted cutting board

Crumb catcher

Additional epoxy-coated or stainless steel shelves

Flat insulated lid

Vision panel lid

Stainless steel back

Composite cutting board

Modified pan openings

DOOR TO DRAWERS (in lieu of one door per section)


Two drawers	\$2352
-------------	--------

Drawers not available for 36" models

MODELS	TWO TIER DRAWERS
27"/60"	(1) 12 x 20 x 6 pan per drawer
32"	(1) 12 x 20 x 6 pan per drawer or (1) 1/2 size x 6 & (2) 1/3 size x 6 pans per drawer
48"/72"	(1) 1/2 size x 6 & (1) 1/3 size x 6 pan per drawer

See **Page 152** for Options & Accessories.

See **Page 158** for Overshelves.



Designer line Sandwich Units - C (Cutting) Top


Cabinet Construction: Stainless Steel Front, Top, End Panels and Interior
C (Cutting) Top with 19" Cutting Board

BTU/HR Rating @ +25°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)

SANDWICH UNITS - C (CUTTING) TOP MODELS

SIZE	# PANS	WITH DOORS	DOORS LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
27"	8	D27N8C	\$10730	D27N8C-D	\$13083	27 1/2 x 38 1/4 x 43 1/4	7.4	1625	1/5	218
32"	8	D32N8C	\$11317	D32N8C-D	\$13667	32 x 38 1/4 x 43 1/4	9	1625	1/5	236
36"	8	D36N8C	\$12639	-	-	36 x 38 1/4 x 43 1/4	10.3	1625	1/5	248
	10	D36N10C	\$12692	-	-	36 x 38 1/4 x 43 1/4	10.3	1625	1/5	248
48"	8	D48N8C	\$14981	D48N8C-D	\$19682	48 x 38 1/4 x 43 1/4	13.4	1940	1/4+	293
	10	D48N10C	\$15064	D48N10C-D	\$19766	48 x 38 1/4 x 43 1/4	13.4	1940	1/4+	293
	12	D48N12C	\$15158	D48N12C-D	\$19859	48 x 38 1/4 x 43 1/4	13.4	1940	1/4+	328
60"	8	D60N8C	\$16649	D60N8C-D	\$21350	60 x 38 1/4 x 43 1/4	17	2560	1/3+	340
	12	D60N12C	\$16803	D60N12C-D	\$21508	60 x 38 1/4 x 43 1/4	17	2560	1/3+	360
	16	D60N16C	\$16927	D60N16C-D	\$21626	60 x 38 1/4 x 43 1/4	17	2560	1/3+	360
72"	12	D72N12C	\$18836	D72N12C-D	\$25887	72 x 38 1/4 x 43 1/4	20.6	2560	1/3+	402
	18	D72N18C	\$19021	D72N18C-D	\$26074	72 x 38 1/4 x 43 1/4	20.6	2560	1/3+	431

PAN TOP CONFIGURATIONS



D27N8C-D	D32N8C-D	D48N8C-D	D48N10C-D	D48N12C-D
				
				
D60N8C-D	D60N12C-D	D60N16C-D	D72N12C-D	D72N18C-D

Door & Drawer Models

Unique air flow distribution allows pan product to maintain 33° - 41°F.

STANDARD FEATURES

Designer Line

Performance-Rated Refrigeration System
Natural, Environmentally-Safe, High-Efficiency R-290 Refrigerant

2" Non-CFC Polyurethane Foam Insulation

Automatic, Hot Gas Condensate Evaporator

Non-Corrosive, Plasticized Fin Evaporator Coil

Easily Serviceable, Back Mounted Compressor

19" Deep, Full Length Nylon Cutting Board

Electronic Temperature Control

Expansion Valve System (48" - 72" models only)

Completely Enclosed, Vented & Removable Case Back

Removable Interior Tub Below Pans
 (prevents food spillage in storage zone)

1/6 Size **Recessed** Pans, 4" Deep (can accommodate a 6" deep pan)

Insulated Lids

Adjustable 6" Stainless Steel Legs

DOOR MODELS

Spring Loaded, Self Closing Doors

Magnetic Snap-In Door Gaskets

Smooth, Polished Chrome Door Handles

Field Rehingeable Doors

Heavy Duty, Epoxy-Coated Steel Shelves

DRAWER MODELS

Stainless Steel Roll-Out Drawers

Magnetic Snap-In Drawer Gaskets

Smooth, Polished Chrome Drawer Handles

OPTIONS

Door/drawer locks

Overshelves (not available on HGL models)

Digital thermometer with hi-low alarm

Casters

Rear-mounted cutting board

Crumb catcher

Additional epoxy-coated or stainless steel shelves

Flat insulated lid

Vision panel lid

Stainless steel back

Composite cutting board

Modified pan openings

DOOR TO DRAWERS (in lieu of one door per section)













Two drawers	\$2352
--------------------	---------------

Drawers not available for 36" models

MODELS	TWO TIER DRAWERS
27"/60"	(1) 12 x 20 x 6 pan per drawer
32"	(1) 12 x 20 x 6 pan per drawer or (1) 1/2 size x 6 & (2) 1/3 size x 6 pans per drawer
48"/72"	(1) 1/2 size x 6 & (1) 1/3 size x 6 pan per drawer

See **Page 152** for Options & Accessories.

See **Page 158** for Overshelves.

D27N8C-FB	D32N8C-FB	D36N8C-FB	D36N10C-FB	D48N8C-FB	D48N10C-FB	D48N12C-FB
						
						
D60N8C-FB	D60N12C-FB	D60N16C-FB	D72N12C-FB	D72N18C-FB		

Designer line Front Breathing Sandwich Units - C (Cutting) Top


Cabinet Construction: Stainless Steel Front, Top, End Panels and Interior
C (Cutting) Top with 19" Cutting Board
All front breathers come standard with 3 3/4" casters




BTU/HR Rating @ +25°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)

FRONT BREATHING SANDWICH UNITS - C (CUTTING) TOP MODELS

SIZE	# PANS	WITH DOORS	DOORS LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
27"	8	D27N8C-FB	\$10943	D27N8C-FB-D	\$13294	27 1/2 x 38 1/4 x 41	7.4	1625	1/5	218
32"	8	D32N8C-FB	\$11498	D32N8C-FB-D	\$13848	32 x 38 1/4 x 41	9	1625	1/5	236
36"	8	D36N8C-FB	\$12843	-	-	36 x 38 1/4 x 41	10.3	1625	1/5	248
	10	D36N10C-FB	\$12902	-	-	36 x 38 1/4 x 41	10.3	1625	1/5	248
48"	8	D48N8C-FB	\$15287	D48N8C-FB-D	\$19986	48 x 38 1/4 x 41	13.4	1940	1/4+	293
	10	D48N10C-FB	\$15367	D48N10C-FB-D	\$20067	48 x 38 1/4 x 41	13.4	1940	1/4+	293
	12	D48N12C-FB	\$15462	D48N12C-FB-D	\$20160	48 x 38 1/4 x 41	13.4	1940	1/4+	328
60"	8	D60N8C-FB	\$16987	D60N8C-FB-D	\$21688	60 x 38 1/4 x 41	17	2560	1/3+	340
	12	D60N12C-FB	\$17145	D60N12C-FB-D	\$21844	60 x 38 1/4 x 41	17	2560	1/3+	360
	16	D60N16C-FB	\$17272	D60N16C-FB-D	\$21974	60 x 38 1/4 x 41	17	2560	1/3+	360
72"	12	D72N12C-FB	\$19208	D72N12C-FB-D	\$26260	72 x 38 1/4 x 41	20.6	2560	1/3+	402
	18	D72N18C-FB	\$19402	D72N18C-FB-D	\$26453	72 x 38 1/4 x 41	20.6	2560	1/3+	431

PAN TOP CONFIGURATIONS



D27N8C-FB-D	D32N8C-FB-D	D48N8C-FB-D	D48N10C-FB-D	D48N12C-FB-D
				
				
D60N8C-FB-D	D60N12C-FB-D	D60N16C-FB-D	D72N12C-FB-D	D72N18C-FB-D

Door & Drawer Models

Front breathers are a unique, field assembled, bottom mounted ventilation system designed to allow cabinets to be flush against a wall or built into a counter to conserve space. Unique air flow distribution allows pan product to maintain 33° - 41°F.

STANDARD FEATURES

Designer Line

Performance-Rated Refrigeration System
Natural, Environmentally-Safe, High-Efficiency R-290 Refrigerant

2" Non-CFC Polyurethane Foam Insulation

Automatic, Hot Gas Condensate Evaporator

Non-Corrosive, Plasticized Fin Evaporator Coil

Easily Serviceable, Back Mounted Compressor

19" Deep, Full Length Nylon Cutting Board

Electronic Temperature Control

Expansion Valve System (48" - 72" models only)

Completely Enclosed, Vented & Removable Case Back

Removable Interior Tub Below Pans

(prevents food spillage in storage zone)

1/6 Size **Recessed** Pans, 4" Deep (can accommodate a 6" deep pan)

Insulated Lids

3 3/4" High Casters

DOOR MODELS

Spring Loaded, Self Closing Doors

Santoprene Magnetic Snap-In Door Gaskets

Smooth, Polished Chrome Door Handles

Field Rehingable Doors

Heavy Duty, Epoxy-Coated Steel Shelves

DRAWER MODELS

Stainless Steel Roll-Out Drawers

Santoprene Magnetic Snap-In Drawer Gaskets

Smooth, Polished Chrome Drawer Handles

OPTIONS

Door/drawer locks

Overshelves (not available on HGL models)

Digital thermometer with hi-low alarm

Rear-mounted cutting board

Crumb catcher

Additional epoxy-coated or stainless steel shelves

Flat insulated lid

Vision panel lid

Stainless steel back

Composite cutting board

Modified pan openings

DOOR TO DRAWERS (in lieu of one door per section)

Two drawers	\$2352
--------------------	---------------

Drawers not available for 36" models

MODELS	TWO TIER DRAWERS
27"/60"	(1) 12 x 20 x 6 pan per drawer
32"	(1) 12 x 20 x 6 pan per drawer or (1) 1/2 size x 6 & (2) 1/3 size x 6 pans per drawer
48"/72"	(1) 1/2 size x 6 & (1) 1/3 size x 6 pan per drawer

See **Page 152** for Options & Accessories.

See **Page 158** for Overshelves.

DRA43NSS/DFA43NSS	DRA60NSS/DFA60NSS	DRA68NSS/DFA68NSS
		
		
DRA93NSS	DRA118NSS	

Designer line Base Model Refrigerators & Freezers (0°F) - Worktops

Cabinet Construction: Heavy Gauge #300 Series Stainless Steel Top, Stainless Steel Front, End Panels and Interior Galvanized Steel Rear and Grill
Standard Flat Top or 5 1/2" Backsplash

BTU/HR Rating @ +25°F, 90°F Ambient (Refrigerators)
BTU/HR Rating @ -15°F, 90°F Ambient (Freezers)
10 ft. cord and plug attached (115-60-1 volts)

BASE WORKTOP REFRIGERATOR MODELS

SIZE	WITH DOOR(S)	DOOR(S) LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
43"	DRA43NSS	\$13258	DRA43NSS-D	\$15969	43 x 36 1/16 x 36	12	2610	1/4+	345
60"	DRA60NSS	\$13917	DRA60NSS-D	\$18898	60 x 36 1/16 x 36	19	3100	1/4+	415
68"	DRA68NSS	\$15640	DRA68NSS-D	\$21065	68 x 36 1/16 x 36	22	4220	1/4+	485
93"	DRA93NSS	\$18566	DRA93NSS-D	\$26702	93 x 36 1/16 x 36	32	5260	1/4+	595
118"	DRA118NSS	\$24769	DRA118NSS-D	\$35617	118 x 36 1/16 x 36	44	5600	1/2	715

5 1/2" BACKSPLASH BASE WORKTOP REFRIGERATOR MODELS

43"	DRA43NSSBS	\$14172	DRA43NSSBS-D	\$16683	43 x 36 1/16 x 41 1/2	12	2610	1/4+	355
60"	DRA60NSSBS	\$15053	DRA60NSSBS-D	\$20030	60 x 36 1/16 x 41 1/2	19	3100	1/4+	425
68"	DRA68NSSBS	\$16913	DRA68NSSBS-D	\$22336	68 x 36 1/16 x 41 1/2	22	4220	1/4+	505
93"	DRA93NSSBS	\$20476	DRA93NSSBS-D	\$28610	93 x 36 1/16 x 41 1/2	32	5260	1/4+	610
118"	DRA118NSSBS	\$25586	DRA118NSSBS-D	\$36435	118 x 36 1/16 x 41 1/2	44	5600	1/2	730


BASE WORKTOP FREEZER MODELS (0°F)

43"	DFA43NSS	\$15184	DFA43NSS-D	\$17895	43 x 36 1/16 x 36	12	1340	1/3	350
60"	DFA60NSS	\$16989	DFA60NSS-D	\$21970	60 x 36 1/16 x 36	19	2180	3/4	420
68"	DFA68NSS	\$18268	DFA68NSS-D	\$23691	68 x 36 1/16 x 36	22	2310	3/4	500

5 1/2" BACKSPLASH BASE WORKTOP FREEZER MODELS (0°F)

43"	DFA43NSSBS	\$16797	DFA43NSSBS-D	\$19512	43 x 36 1/16 x 41 1/2	12	1340	1/3	360
60"	DFA60NSSBS	\$18211	DFA60NSSBS-D	\$23194	60 x 36 1/16 x 41 1/2	19	2180	3/4	430
68"	DFA68NSSBS	\$19572	DFA68NSSBS-D	\$24995	68 x 36 1/16 x 41 1/2	22	2310	3/4	515

All freezer models have a standard operating temperature of 0° to -5°F and can be adjusted to operate as low as -10°F in 90°F ambient.

DRA43NSSD/DFA43NSSD	DRA60NSSD/DFA60NSSD	DRA68NSSD/DFA68NSSD
		
		
DRA93NSSD	DRA118NSSD	

Door & Drawer Models

Unique forced air design utilizes fans (approx. every 12") across the entire back of unit for even distribution of cold air.

STANDARD FEATURES

Designer Line

Performance-Rated Refrigeration System
Environmentally-Safe R-290 Refrigerant
 2" Non-CFC Polyurethane Foam Insulation
Automatic, Hot Gas Condensate Evaporator
 Non-Corrosive, Plasticized Fin Evaporator Coil
 Easily Serviceable, Slide-Out Condensing Unit
 Electronic Temperature Control
 Expansion Valve System
 Refrigerated Section w/Door Above the Condensing Unit
Electronic Controller w/Digital Display & Hi-Low Alarm
 Electronic Control, Off-Cycle Defrost (Refrigerators only)
 Automatic Electric Defrost (Freezers)
 Adjustable 6" Stainless Steel Legs

DOOR MODELS

Spring Loaded, Self Closing Doors
 Santoprene Magnetic Snap-In Door Gaskets
Smooth, Polished Chrome Door Handles
 Field Rehingeable Doors
 Heavy Duty, Epoxy-Coated Steel Shelves

DRAWER MODELS

Stainless Steel Roll-Out Drawers
 Santoprene Magnetic Snap-In Drawer Gaskets
Smooth, Polished Chrome Drawer Handles

OPTIONS

Condensing unit left or right
 Door/drawer locks
 Digital thermometer with hi-low alarm
 Overshelves
 Pan Slides (large section only on 60" models)
 Casters
 Additional epoxy-coated or stainless steel shelves
 Stainless steel back
 Front breathing
 Drawer in lieu of half door above the condensing unit

DOOR TO DRAWERS (in lieu of one door per section)

Two drawers	\$2714
60" narrow drawers	\$2270
Drawer over compressor	\$1397

MODELS	TWO TIER DRAWERS
43" - 118"	(2) 12 x 20 x 6 pans per drawer
NARROW DRAWERS ON 60" MODELS	(1) 12 x 20 x 6 pan

Drawer over compressor holds (1) 12 x 20 x 6 pan

See **Page 152** for Options & Accessories.
 See **Page 158** for Overshelves.



Undercounters, Sandwich Units & Bases

Options & Accessories

OPTIONS & ACCESSORIES

SIZE	PART NO.	DESCRIPTION	LIST PRICE
	-	Epoxy-Coated Shelf with Clips (Worktops, Undercounters & Sandwich Units)	\$96
	-	Epoxy-Coated Shelf with Clips (Base Models)	\$128
	-	Stainless Steel Shelf with Clips (Worktops, Undercounters & Sandwich Units)	\$274
	-	Stainless Steel Shelf with Clips (Base Models)	\$369
	-	Rehinging of Doors	N/C
	-	Cylinder Lock (per door/drawer)	\$222
	45247CP	Digital Thermometer with Hi-Low Alarm	\$712
3" Dia. 4" H	50209	Set of 4 Swivel Casters w/Brakes (43", 60" & 68" models) Set of 6 Swivel Casters w/Brakes (93" & 118" models)	\$349 \$517
5" Dia. 6" H	50177	Set of 4 Swivel Casters w/Brakes (43", 60" & 68" models) Set of 6 Swivel Casters w/Brakes (93" & 118" models)	\$518 \$781
4" Dia. 5" H	50205	Set of 4 Swivel Casters w/Brakes (43", 60" & 68" models) Set of 6 Swivel Casters w/Brakes (93" & 118" models)	\$414 \$680
3" Dia. 3 3/4" H	50301	Set of 4 Swivel Casters w/Brakes (standard on all -FB models)	\$349
4" H	50219	Set of 4 Stainless Steel Legs (43", 60" & 68" models) Set of 6 Stainless Steel Legs (93" & 118" models)	\$205 \$294
6" H	50203	Set of 4 Stainless Steel Legs (43", 60" & 68" models) Set of 6 Stainless Steel Legs (93" & 118" models) Standard on Designer Line models (not available for -FB models)	\$224 \$329
6" H	50202	Set of 4 "Black" Legs (43", 60" & 68" models) Set of 6 "Black" Legs (93" & 118" models)	\$147 \$224
4" H	50206	Set of 4 "Black" Legs (43", 60" & 68" models) Set of 6 "Black" Legs (93" & 118" models) (Not available for DRA/DLRA/DLFA models with Front Breathing Option)	\$184 \$274
	UCSC27	Stacking Collar (27" models only)	\$401
27 1/2" - 72"	-	SANDWICH UNITS Stainless Steel Interior Stainless Steel Finished Back Crumb Catcher Stainless Steel Flat Covers Rear-Mounted 10" Cutting Board	See Page 32
43" - 118"	-	BASE MODELS Stainless Steel Interior Stainless Steel Finished Back Crumb Catcher Stainless Steel Flat Covers Rear-Mounted 10" Cutting Board	See Page 42
	50-080	Remote Temperature Logger	\$2286
	50-012	Front Breathing Ventilation Fan (-FB) Note: Must be field installed (Base models)	\$303
Base Model Worktops Only	-	Pan Slide Assemblies Stainless Steel Angle - Bottom Support (for 18" x 26" pans) (STD assembly holds 5 pans per section on adjustable 1" centers)	\$630
	-	Expansion Valve	\$820
	-	Drawer over Compressor Compartment (Base Models)	\$1397

Uprights & Base Models

154 Fish Files

Specially designed for fresh fish on crushed ice. 300 Series stainless steel interior, stainless steel exterior. Each drawer supplied with stainless steel pan. Can accommodate 12 x 20 perforated pans. Base models: compressor can be on left or right to keep away from hot equipment that may be nearby. Refrigerated door compartment over the compressor, with an option of a refrigerated drawer.



FLEXIBLE Option
Drawer in lieu of door over condensing unit
Benefit
Adds additional refrigerated storage capacity

FLEXIBLE Option
Move the condensing unit to left (standard on right)
Benefit
Keeps refrigeration away from hot equipment nearby, prolonging life of unit

D1RSNSS-F & DRA68NSS-F
shown w/ Standard Features and FLEXIBLE Options



Designer Line Fish Files

Cabinet Construction: Heavy Gauge #300 Series Stainless Steel Top (Base Model Only), Front, End Panels and Interior
Each Drawer Supplied with Stainless Steel Pan
Can Accommodate 12" x 20" Perforated Pans

BTU/HR Rating @ +25°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)

UPRIGHT MODELS

SIZE	WITH DRAWERS	LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAPACITY	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
4 DRAWERS	D1RSNSS-F*	\$24975	26 x 29 3/8 x 83 1/4	16	1940	1/4+	470
8 DRAWERS	D2RSNSS-F*	\$37504	52 x 29 3/8 x 83 1/4	32	2560	1/3+	675

BASE MODELS

43"	DRA43NSS-F	\$21196	43 x 36 1/16 x 36	12	2610	1/4+	355
68"	DRA68NSS-F	\$23748	68 x 36 1/16 x 36	22	4220	1/4+	495

*Interior evaporator coil

DRA43NSS-F	DRA68NSS-F
	

Upright & Base Models

Specially designed for fresh fish storage on crushed ice.

STANDARD FEATURES



Performance-Rated Refrigeration System
Natural, Environmentally-Safe, High-Efficiency R-290 Refrigerant
Expansion Valve System

Non-Corrosive, Plasticized Fin Evaporator Coil
 Stainless Steel Roll-Out Drawers
 Magnetic Snap-In Door/Drawer Gaskets
 Electronic Controller w/Digital Display & Hi-Low Alarm
Smooth, Polished Chrome Door/Drawer Handles
 Adjustable 6" Stainless Steel Legs

UPRIGHTS

3" Non-CFC Polyurethane Foam Insulation
 Automatic, Electric Condensate Evaporator
 Anti-Sweat Drawer Heaters

BASES

2" Non-CFC Polyurethane Foam Insulation
Automatic, Hot Gas Condensate Evaporator
 Easily Serviceable Slide Out Condensing Unit
 Spring Loaded, Self Closing Door (over condensing unit)
 Built-In, Off-Cycle Defrost Timer
 Refrigerated Section w/Door Above the Condensing Unit

OPTIONS

Door/drawer locks (door over condensing unit on base models)
 Stainless steel back
 Casters

BASE MODELS ONLY

Condensing unit left or right
 Overshelves
 Front breathing
 Drawer in lieu of half door above the condensing unit
 (Not designed for storing or removing melting ice)
 See **Page 159** for Expansion Valve Option.



Fish Files

Options & Accessories

OPTIONS & ACCESSORIES

SIZE	PART NO.	DESCRIPTION	LIST PRICE
	-	Cylinder Lock (per door/drawer)	\$222
	45247CP	Digital Thermometer with Hi-Low Alarm	\$712
3" Dia. 4" H	50209	Set of 4 Swivel Casters w/Brakes (43", 60" & 68" models) Set of 6 Swivel Casters w/Brakes (93" & 118" models)	\$349 \$517
5" Dia. 6" H	50177	Set of 4 Swivel Casters w/Brakes (43", 60" & 68" models) Set of 6 Swivel Casters w/Brakes (93" & 118" models)	\$518 \$781
4" Dia. 5" H	50205	Set of 4 Swivel Casters w/Brakes (43", 60" & 68" models) Set of 6 Swivel Casters w/Brakes (93" & 118" models)	\$414 \$680
3" Dia. 3 3/4" H	50301	Set of 4 Swivel Casters w/Brakes (standard on all -FB models)	\$349
4" H	50219	Set of 4 Stainless Steel Legs (43", 60" & 68" models) Set of 6 Stainless Steel Legs (93" & 118" models)	\$205 \$294
6" H	50203	Set of 4 Stainless Steel Legs (43", 60" & 68" models) Set of 6 Stainless Steel Legs (93" & 118" models) Standard on Designer Line models (not available for -FB models)	\$224 \$329
6" H	50202	Set of 4 "Black" Legs (43", 60" & 68" models) Set of 6 "Black" Legs (93" & 118" models)	\$147 \$224
4" H	50206	Set of 4 "Black" Legs (43", 60" & 68" models) Set of 6 "Black" Legs (93" & 118" models) (Not available for DRA/DLRA/DLFA models with Front Breathing Option)	\$184 \$274
43" - 118"	-	BASE MODELS Stainless Steel Interior Stainless Steel Finished Back Crumb Catcher Stainless Steel Flat Covers Rear-Mounted 10" Cutting Board	See Page 42
	50-080	Remote Temperature Logger	\$2286
Base Model Worktops Only	50-012	Front Breathing Ventilation Fan (-FB) Note: Must be field installed (Base models)	\$303
	-	Drawer over Compressor Compartment (Base Models)	\$1397

FLEXIBLE Options

Overshelves, Pan Slide Assemblies
& Expansion Valve Option

In This Section


- 158 Overshelves
- 159 Pan Slide Assemblies
- 159 Expansion Valve Option

 **FLEXIBLE Option**
SOS60/DOS60
Overshelves

Benefit
Easier item storage
and handling at an
arm's reach



SW60N18M-FB & 2RN
shown w/ Standard Features and FLEXIBLE Options

 **FLEXIBLE Option**
55-1508A
Chrome-plated
wire racks



Benefit
Prep ahead space
saving storage

Overshelves

Tubular-style overshelves are available as pass-thru shelves only.



OVERSHELVES FOR WORKTOPS & SANDWICH UNITS (16 GAUGE) 16" DEEP

SIZE	SINGLE OVERSHELF	SINGLE OVERSHELF LIST PRICE	DOUBLE OVERSHELF	DOUBLE OVERSHELF LIST PRICE
27 1/2"	SOS27	\$459	DOS27	\$860
32"	SOS32	\$552	DOS32	\$1117
36"	SOS36	\$607	DOS36	\$1263
48"	SOS48	\$695	DOS48	\$1469
60"	SOS60	\$1179	DOS60	\$1961
72"	SOS72	\$1419	DOS72	\$2859



OVERSHELVES FOR BASES & PIZZA PREPARATION TABLES (16 GAUGE) 16" DEEP

SIZE	SINGLE OVERSHELF	SINGLE OVERSHELF LIST PRICE	DOUBLE OVERSHELF	DOUBLE OVERSHELF LIST PRICE
42 1/4"	SOS43	\$688	DOS43	\$1451
59 1/4"	SOS60P	\$1179	DOS60P	\$1961
67 1/4"	SOS68	\$1202	DOS68	\$2163
92 1/4"	SOS93	\$1680	DOS93	\$3009



Pan Slide Assemblies & Expansion Valve Option

PAN SLIDE ASSEMBLIES (not available for Shallow Depth & Extra-Wide models)

LINE DRAWING	PART NO.	DESCRIPTION	LIST PRICE
	50-P008A	Stainless Steel Full Section for 18 x 26 or (2) 18 x 14 Pans on 3" Center Bottom Supports (holds 16 pans per full section)	\$1261
	50-P008AB	Stainless Steel Half Section (same as above) (holds 8 pans per half section)	\$630
	50-P001A	Stainless Steel Full Section for 18 x 26 or (2) 18 x 14 Pans on 3" Center Rim Supports (holds 16 pans per full section)	\$1261
	50-P001AB	Stainless Steel Half Section (same as above) (holds 8 pans per half section)	\$630
	50-P008A-E	EXTRA-WIDE (E) MODELS ONLY Universal Stainless Steel Full Section on 5" Center Bottom Supports (1) 18 x 26 or (2) 12 x 20 (holds 10 pans per full section)	\$1261
	50-P008AB-E	Universal Stainless Steel Half Section (same as above) (holds 5 pans per half section)	\$630
	55-1508A	Full Section Chrome-Plated Wire for 18 x 26 Pans on 2" Center Bottom Supports (holds 10 pans - top; 13 pans - bottom)	\$938
	55-1508AB	Half Section Chrome-Plated Wire (same as above) (holds 10 pans - top; 13 pans - bottom)	\$472
	55-1501A	Full Section Chrome-Plated Wire for 18 x 26 Pans on 2" Center Rim Supports (holds 10 pans - top; 13 pans - bottom)	\$938
	55-1501AB	Half Section Chrome-Plated Wire (same as above) (holds 10 pans - top; 13 pans - bottom)	\$472

EXPANSION VALVE (in lieu of Cap System)

TYPE	LIST PRICE	TYPE	LIST PRICE
REFRIGERATORS	\$820	FREEZERS	\$1061

Warranty - United States of America & Canada

NOTE: Possession of this Price List must not be construed as a binding offer of sale by Continental Refrigerator.
This Continental Refrigerator Price List supersedes all prices previously issued.
All prices and specifications are subject to change without notice.

THREE (3) YEAR PARTS AND LABOR WARRANTY

Continental Refrigerator warrants to the original purchaser of every new Continental Refrigerator self contained unit, including all parts thereof, that such equipment is free from defects in material and workmanship, under normal use, proper maintenance and service as indicated by Continental Refrigerator Installation and Operations Manual, for a period of three (3) years from the date of installation, or thirty-nine (39) months from the date of shipment from the manufacturer, whichever comes first. Normal wear type parts, such as light bulbs/lamps and gaskets are not covered by this warranty. **Adjustments including cabinet leveling, hinge adjustments, caster or leg adjustments, and adjustments to controls are not covered under this warranty. Water damage to the cabinet or electrical devices including moisture from other appliances or improper cleaning, is not covered under this warranty. Equipment failure deemed to be the result of modifications to the unit will not be covered under this warranty.** For the purpose of this warranty, the original purchaser shall be deemed to mean the individual or company for whom the product was originally installed.

Continental Refrigerator's obligation under this warranty shall be limited to repairing or replacing, including labor, any part of such product which proves thus defective. Continental Refrigerator reserves the right to examine any product claimed to be defective. The labor warranty shall be for self-contained units only and for standard straight time, which is defined as normal service rate time, for service performed during normal working hours. Any service requested outside of a servicer's normal working hours will be covered under this warranty for the normal rate and any additional overtime rate will be the responsibility of the equipment purchaser. **Please contact the factory to obtain proper authorization for service. You may call directly or request service at <http://www.continentalrefrigerator.com/product-question/>.**

Any part determined to be defective in the product should be returned to the company within thirty (30) days under the terms of this warranty and must be accompanied by the cabinet model, serial number, and identified with a return material authorization number, issued by the manufacturer.

Special installation/applications, including remote locations, are limited in coverage by this warranty. Any installation that requires extra work, and/or travel, to gain access to the unit for service is the sole responsibility of the equipment purchaser.

Improper operation resulting from factors, including but not limited to, improper installation, improper or negligent cleaning and maintenance, out of tolerance voltage conditions, inadequate wiring, and accidental damage are not manufacturing defects and are strictly the responsibility of the purchaser.

Condenser coils must be cleaned at regular intervals. Failure to do so can cause compressor malfunction and will void warranty. Continental Refrigerator recommends a minimum monthly cleaning, as stated in the installation and operation manual.

Any unauthorized service or use of unauthorized non-OEM parts will void warranty.

ADDITIONAL FOUR (4) YEAR R-290 COMPRESSOR PART WARRANTY

In addition to the warranty set forth above, Continental Refrigerator warrants the hermetically sealed R-290 compressor (part only) for an additional four (4) years beyond the first three (3) year warranty period; not to exceed eighty-seven (87) months from the date of shipment from Continental Refrigerator, provided upon receipt of the compressor, manufacturer examination shows the sealed compressor to be defective. This extended warranty does not cover freight for the replacement compressor or freight for return of the failed compressor. Also, this extended compressor-part only warranty does not apply to any electrical controls, condenser, evaporator, fan motors, overload switch, starting relay, capacitors, temperature control, filter/drier, accumulator, refrigeration tubing, wiring harness, labor charges, or supplies which are covered by the standard warranty above.

ADDITIONAL TWO (2) YEAR COMPRESSOR PART WARRANTY

In addition to the warranty set forth above, Continental Refrigerator warrants the hermetically/semi-hermetically sealed compressor (part only) for an additional two (2) years beyond the first three (3) year warranty period; not to exceed sixty-three (63) months from the date of shipment from Continental Refrigerator, provided upon receipt of the compressor, manufacturer examination shows the sealed compressor to be defective. This extended warranty does not cover freight for the replacement compressor or freight for return of the failed compressor. Also, this extended compressor-part only warranty does not apply to any electrical controls, condenser, evaporator, fan motors, overload switch, starting relay, capacitors, temperature control, filter/drier, accumulator, refrigeration tubing, wiring harness, labor charges, or supplies which are covered by the standard warranty above.

THE FOREGOING WARRANTIES ARE EXPRESSLY GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESS, IMPLIED, OR STATUTORY, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED, ALONG WITH ALL OTHER OBLIGATIONS OR LIABILITIES ON OUR PART. AND WE NEITHER ASSUME, NOR AUTHORIZE ANY OTHER PERSON TO ASSUME FOR US, ANY OBLIGATION OR LIABILITY IN CONNECTION WITH THE SALE OF SAID REFRIGERATION UNITS OR ANY PARTS THEREOF.

This warranty shall not be assignable and shall be honored only in so far as the original purchaser.

This warranty does not apply outside the limits of the United States of America and Canada, nor does it apply to any part that has been subject to misuse, neglect, alteration, accident, or to any damage caused by transportation, flood, fire, acts of terrorism, or acts of God.

IN NO EVENT SHALL CONTINENTAL REFRIGERATOR BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR PUNITIVE DAMAGES. THE REMEDIES OF PURCHASER SET FORTH HEREIN ARE EXCLUSIVE AND THE TOTAL LIABILITY OF CONTINENTAL REFRIGERATOR, WHETHER BASED ON CONTRACT, WARRANTY, NEGLIGENCE, INDEMNIFICATION, STRICT LIABILITY, TORT, OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE OF THE COMPONENT UPON WHICH LIABILITY IS BASED. CONTINENTAL REFRIGERATOR SHALL HAVE NO OBLIGATION OR LIABILITY FOR CONSEQUENTIAL OR SPECIAL DAMAGES, INCLUDING BUT NOT LIMITED TO INDIRECT, PUNITIVE DAMAGES, LOSS OF USE, LOSS OF PRODUCT, DOWNTIME OR LOST PROFITS, ARISING OUT OF, RELATED TO OR CONNECTED IN ANY WAY WITH THE PRODUCT OR ITS USE.

See our Service Guideline at <http://www.continentalrefrigerator.com/service-parts/> for additional information regarding service and warranty coverage.



Agreement of Sale Information - United States of America & Canada

THE FOLLOWING CONDITIONS ARE THE TERMS UPON WHICH SHIPMENT IS MADE; THIS CONSTITUTES AN AGREEMENT OF SALE.

All prices are list and are subject to change without notice. All orders will be billed at prices prevailing at time of shipment. All prices are F.O.B. factory crated for domestic shipment.

Continental Refrigerator will make every attempt to ship by "preferred" carrier, but reserves the right to ship by "any" responsible carrier.

Freight rate differences or discrepancies are strictly between carrier and consignee. Authorization in writing must be obtained from Continental Refrigerator prior to returning any merchandise. Returns must be shipped "Freight Prepaid". A 35% handling charge will apply to all merchandise for which return is authorized. All unauthorized return merchandise will be refused by Continental Refrigerator.

Damaged Shipment-Merchandise damaged in transit is not to be returned to the factory. If shipping container shows signs of rough handling, indicate on all copies of bill of lading accordingly. If during unpacking, concealed damages are discovered, call the transportation company without further unpacking and have them file a report of concealed damage at once. Continental Refrigerator will make every effort to assist you in filing a damage claim. Continental Refrigerator assumes no responsibility for damages incurred while in transit.

Taxes-Prices contained herein do not include federal, state, or other existing sales tax.

Continental[®]

Refrigerator

A Division of National Refrigeration & Air Conditioning Products

Continental Refrigerator | Local: (215) 244-1400
539 Dunksferry Road | Toll Free: (800) 523-7138
Bensalem, PA 19020 | Fax: (215) 244-9579

www.continentalrefrigerator.com



MADE IN THE U.S.A



Due to our continued efforts in developing innovative products, specifications subject to change without notice.

CONT 2021 Price List (06/01/2021)