



**Sensata**  
Technologies

## *AG5PF3 TPMS sensor user manual*

---

Destination:	External
Issue:	01
Date:	20/04/2023
Author:	Zhao, Tokin

**TPMS<sup>®</sup>**



---

## Table of Contents 目录

1.	PRODUCTION INTRODUCTION .....	3
1.1	PRODUCT FEATURE .....	3
1.2	CAUTION .....	3
1.3	INSTALLATION TIPS .....	3
1.4	MONITORING FEATURE .....	4
2.	FCC REGULATORY COMPLIANCE STATEMENTS .....	5
3.	ISED REGULATORY COMPLIANCE STATEMENTS .....	6

## 1. Production Introduction


### 1.1 Product Feature

TPMS sensor is used to monitor tyre pressure and temperature data of each tyre. Sensor will transmit RF frames to receiver. Sensor could be activated by LF command or Delta P or motion.

### 1.2 Caution


1. The tyre's temperature and pressure will increase while driving. The vehicle should be stopped for cooling if there's a high temp warning and avoid braking problem or tire blowout
2. Driver should stop the vehicle and get off to check the tyre if there's continue low pressure warning
3. Be aware of tyre blowout when there is low pressure warning
4. The TPM system can effectively monitor tyre pressure and temperature but cannot avoid traffic accident after tyre blowout. Using quality tyre product and correct tyre pressure monitoring is still necessary
5. Be aware of driving safety while checking tyre data on the way of driving

### 1.3 Installation Tips



1. The sensor will be in sleep mode to save battery life. After mounter onto rim, and inflate the tyre to recommend pressure data(RCP from Car manufacturer), sensor will exit sleep mode and enter into stationary mode.
2. If sensor detects motion, wheel rotates to the threshold which could active sensor( e.g. 25km/h), then sensor will transmit RF frames cyclically.
3. Due to the air expansion and contraction, the tyre pressure and temperature will normally changing all the time while driving
4. There is normal air leakage in every tyre rim, TPM sensor should have no responsibility to keep the tyre pressure unchanged after long time storage or driving

### 1.4 Monitoring Feature



NO	Component
1	Enclosure
2	Valve Assembly
3	Screw
4	Battery
5	PCB and antenna
6	Pressure port seal
7	Lid

## 2. FCC Regulatory Compliance Statements

**Compliance Statement:** This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.

**Note:** This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

### **Caution:**

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

### **FCC Radiation Exposure Statement**

This equipment complies with the FCC portable RF exposure limit set forth for an uncontrolled environment and are safe for intended operation as described in this manual. The further RF exposure reduction can be achieved if the product can be kept as far as possible from the user body or set the device to lower output power if such function is available.

### 3. ISED Regulatory Compliance Statements

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

- (1) This device may not cause interference.
- (2) This device must accept any interference, including interference that may cause undesired operation of the device.

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes:

- (1) l'appareil ne doit pas produire de brouillage;
- (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

#### **Radiation Exposure Statement of Set:**

This equipment complies with ISED RSS-102 radio frequency exposure limits set forth by the Innovation, Science and Economic Development Canada for an uncontrolled environment. The further RF exposure reduction can be achieved if the product can be kept as far as possible from the user body or set the device to lower output power if such function is available. This device must not be co-located or operating in conjunction with any other antenna or transmitter.

L'appareil est conforme aux limites d'exposition aux radiofréquences du CNR - 102 d'ISDE établies par innovation, sciences et développement économique Canada pour les environnements non contrôlés. L'exposition aux RF peut être encore réduite si le produit peut être placé aussi loin que possible du corps de l'utilisateur ou si la fonction peut être utilisée, l'appareil peut être réglé à une puissance de sortie inférieure. L'appareil ne doit pas coexister ou fonctionner en synergie avec d'autres antennes ou émetteurs.