

# ThinkCentre M720 Tiny 10T7004BMX

**Product**

ThinkCentre M720 Tiny

**Region**

WE

**Country/Region**

Sweden

**Machine Type**

10T7

**TopSeller**

TopSeller

**Processor**

Core i5-8400T (6C / 6T, 1.7 / 3.3GHz, 9MB)

**Graphics**

Integrated Intel UHD Graphics 630

**Monitor Cable**

None

**Memory**

1x 8GB DDR4-2666

**Storage**

256GB SSD 2.5" SATA6Gb/s Opal

**Optane Memory**

None

**Optical**

None

**WLAN + Bluetooth**

Intel 8265 11ac, 2x2 + BT4.2

**Ethernet**

Integrated

**Optional Rear Ports**

None

**Chassis Intrusion Switch**

Chassis Intrusion Switch

**Kensington Cable Lock**

None

**Adapter Cage**

Adapter Cage

**Toolless Chassis Screw**

None

**Speaker**

1.5Wx1

**Dust Filter**

None

**VESA Mount**

VESA Mount

**Stand**

None

**Keyboard**

USB Traditional Keyboard, Nordic (DK/FI/SV/NO/EN)

**Mouse**

USB Calliope Mouse

**Power Supply**

65W 88% Adapter

**TUV Low Noise**

None

**System Management**

None

**Operating System**

Windows 10 Pro 64, Nordic (DK/FI/SV/NO/EN)

**Bundled Software**

None

**Base Warranty**

3-year, Onsite

**Bundled Service**

None

**End of Support**

2024-07-26

**Announce Date**

2018-06-26

**Recommended Services****Best**

4Y Premier Support Upgrade from 3Y Onsite (5WS0T36207)

**Better**

3Y Premier Support Upgrade from 3Y Onsite (5WS0U26647)

**Good**

5Y Onsite upgrade from 3Y Onsite (5WS0D81042)

[WWW.LENOVO.COM](http://WWW.LENOVO.COM)

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



<https://psref.lenovo.com>

Visit psref website for the latest version of Product Specifications Reference.

© Lenovo, 2019. All rights reserved.



Lenovo™

# ThinkCentre M720 Tiny Platform Specifications

Product Specifications Reference (PSREF)



Processor	Intel® Celeron®, Intel Pentium®, or 8th / 9th Gen Intel Core™ i3 / i5 / i7 / i9 Processor						<b>Manageability</b> None <b>Security chip</b> Discrete TPM 2.0, TCG Certified <b>Security features</b> <ul style="list-style-type: none"> <li>Security slot (in rear for optional Kensington® MicroSaver® cable)</li> <li>Chassis intrusion switch</li> <li>Power-on password</li> <li>Administrator password</li> <li>Hard disk password</li> </ul> <ul style="list-style-type: none"> <li>Boot sequence control</li> <li>Boot without keyboard and mouse</li> <li>Individual USB port disablement</li> <li>Smart USB protection, allows keyboard/mouse only, blocks all storage devices</li> </ul>							
	Processor	Cores / Threads	Frequency Base/Max(GHz)	Cache	Memory Support (Up to)	Integrated Graphics								
	Celeron G4900T	2 / 2	2.9G	2 MB	DDR4-2400	UHD 610								
	Pentium Gold G5400T	2 / 4	3.1G	4 MB	DDR4-2400	UHD 610								
	Pentium Gold G5500T	2 / 4	3.2G	4 MB	DDR4-2400	UHD 630								
	Core i3-8100T	4 / 4	3.1G	6 MB	DDR4-2400	UHD 630								
	Core i3-8300T	4 / 4	3.2G	8 MB	DDR4-2400	UHD 630								
	Core i5-8400T	6 / 6	1.7G / 3.3G	9 MB	DDR4-2666	UHD 630								
	Core i5-8500T	6 / 6	2.1G / 3.5G	9 MB	DDR4-2666	UHD 630								
	Core i5-8600T	6 / 6	2.3G / 3.7G	9 MB	DDR4-2666	UHD 630								
	Core i7-8700T	6 / 12	2.4G / 4.0G	12 MB	DDR4-2666	UHD 630								
	Core i3-9100T	4 / 4	3.1G / 3.7G	6 MB	DDR4-2400	UHD 630								
	Core i3-9300T	4 / 4	3.2G / 3.8G	8 MB	DDR4-2400	UHD 630								
	Core i5-9400T	6 / 6	1.8G / 3.4G	9 MB	DDR4-2666	UHD 630								
	Core i5-9500T	6 / 6	2.2G / 3.7G	9 MB	DDR4-2666	UHD 630								
	Core i5-9600T	6 / 6	2.3G / 3.9G	9 MB	DDR4-2666	UHD 630								
	Core i7-9700T	8 / 8	2.0G / 4.3G	12 MB	DDR4-2666	UHD 630								
Core i9-9900T	8 / 16	2.1G / 4.4G	16 MB	DDR4-2666	UHD 630									
Memory	32GB max, DDR4-2666*, two 260-pin SO-DIMM sockets, non-ECC, dual-channel capable * System automatically clocks down for the processors with lower memory controller													
	Storage	<i>Some:</i> Hard Drive / SATA 6.0Gb/s, 2.5", 5400 rpm or 7200 rpm <i>Some:</i> Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5" <i>Some:</i> M.2 SSD / PCIe NVMe, PCIe 3.0 x 4*, 32Gb/s * 128GB SSD M.2 (2242) PCIe NVMe only supports PCIe 3.0 x 2, 16Gb/s <i>Some:</i> Intel Optane™ Memory (not support Celeron / Pentium Processor), M.2 <i>Some:</i> DVD-ROM, slim (9.0mm), via USB external ODD box <i>Some:</i> DVD Burner (DVD±RW), slim (9.0mm), via USB external ODD box One onboard SATA 6.0Gb/s connector												
		VESA mount Floor Stand	Optional VESA mount bracket kit, supports VESA 75mm and 100mm Optional system floor stand for vertical orientation											
Optical	<i>Some:</i> 65 watts AC/DC adapter, autosensing, 88% PSU <i>Some:</i> 90 watts AC/DC adapter, autosensing, 88% PSU <i>Some:</i> 135 watts AC/DC adapter, autosensing, 88% PSU													
Onboard SATA	Limited warranty <i>Some:</i> <b>1-year</b> or <b>3-year, depot service</b> / service upgrades available <i>Some:</i> <b>1-year</b> or <b>3-year, limited onsite service</b> / service upgrades available													
Graphics	<b>Intel HD Graphics 610/630</b> in processor, uses main memory, DirectX® 12, one DisplayPort™, one HDMI, one optional video port (2nd HDMI, VGA, 2nd DP, or USB 3.1 Type-C Gen1 with DisplayPort function), up to 3 independent displays; <i>Max resolution:</i> 4096x2304 (DP)@60Hz; 4096x2304 (Type-C)@60Hz; 4096x2160 (onboard HDMI)@24Hz; 2048x1536 (VGA)@50Hz Optional DP to VGA dongle, DP to DVI-D dongle, DP to dual DP dongle (for Collage Display with intel integrated graphics), or DP to HDMI 1.4 dongle													
Monitor cable	<b>Preload</b> <b>Preloaded operating system</b> <i>Some:</i> Windows® 10 Pro 64-bit <i>Some:</i> Windows 10 Home 64-bit <b>Preloaded applications (only some listed)</b> <ul style="list-style-type: none"> <li>Lenovo Vantage</li> <li>Microsoft Office preloaded; purchase a product key to activate</li> <li>Cyberlink Power2GO (only for models with DVD / DVD±RW)</li> <li>Cyberlink Power2GO (only for models with DVD±RW)</li> <li>LinkedIn</li> </ul>													
Chipset	<b>Intel B360 Chipset</b>													
Front ports* (Std.)	one USB 3.1 Gen1 (Always On and fast charge), one USB 3.1 Type-C Gen 1, one microphone (3.5mm), one headphone / microphone combo jack (3.5mm)													
Rear ports* (Std.)	2x USB 3.1 Gen2, 2x USB 3.1 Gen1, 1x ethernet (RJ-45), 1x DisplayPort, 1x HDMI													
Rear ports* (Opt.)	Two optional ports (mutually exclusive with PCIe card): Port 1 for VGA / 2nd DP / 2nd HDMI / serial / USB 3.1 Type-C Gen 1 with DP function); Port 2 for serial; Optional ports via PCIe card: 2x USB 3.1 Gen1 via PCIe x1, 4x serial (9-pin) via PCIe x1 * Depending on many factors, actual data transfer speed may be lower than theoretical speed													
Audio support	Realtek ALC233VB2 / optional internal speaker (1.5 watt or 2 watt)													
WLAN	<i>Some:</i> 11ac wireless, M.2 Card, Realtek RTL8821CE (dual band), Wi-Fi + Bluetooth 4.2 combo adapter, 1x1 <i>Some:</i> 11ac wireless, M.2 Card, Realtek RTL8822BE (dual band), Wi-Fi + Bluetooth 4.2 combo adapter, 2x2 <i>Some:</i> 11ac wireless, M.2 Card, Intel Dual Band Wireless-AC 3165, Wi-Fi + Bluetooth 4.2 combo adapter, 1x1 <i>Some:</i> 11ac wireless, M.2 Card, Intel Dual Band Wireless-AC 8265, Wi-Fi + Bluetooth 4.2 combo adapter, 2x2													
Bluetooth	<i>Some:</i> Bluetooth 4.2 wireless, integrated in Wi-Fi + BT combo adapter													
Ethernet	Gigabit ethernet, Intel Ethernet Connection I219-V (Jacksonville), Wake on LAN®													
Ethernet (Opt.)	<i>Some:</i> Intel Ethernet Server Adapter I350-T4, gigabit ethernet, 4x RJ-45, PCIe x4													
Keyboard		<i>Some:</i> Lenovo Calliope Keyboard (USB connector), black <i>Some:</i> Lenovo Traditional Keyboard (USB connector), black <i>Some:</i> Lenovo Calliope Wireless Keyboard (2.4GHz via USB receiver), black				Mechanical Tiny (1L), black color; metal case • Toolless chassis open (need optional toolless chassis screw) • Toolless HDD, SSD, memory removal • Optional dust filter one 2.5" bay for HDD/SSD, one PCIe 3.0 x8 slot (low-profile), two M.2 slots (one for WLAN, one for M.2 SSD), 2.5" HDD/SSD and PCIe card are mutually exclusive								
Mouse		<i>Some:</i> Lenovo Calliope Mouse (USB connector), black <i>Some:</i> Lenovo Fingerprint Mouse (USB connector), Windows Hello support, black <i>Some:</i> Lenovo Calliope Wireless Mouse (2.4GHz via USB receiver), black												
		<table border="1"> <thead> <tr> <th></th> <th>Dimensions (WxDxH)</th> <th>Weight (Approx. )</th> </tr> </thead> <tbody> <tr> <td>Tiny only</td> <td>7.05" X 7.20" X 1.36" 179mm X 182.9mm X 34.5mm</td> <td>2.91 lb (1.32 kg), vary by config</td> </tr> <tr> <td>With VESA mount &amp; ODD box</td> <td>7.42" X 7.30" X 2.48" 188.4mm X 185.38mm X 63mm</td> <td>3.66 lb (1.66 kg), vary by config</td> </tr> </tbody> </table>			Dimensions (WxDxH)	Weight (Approx. )	Tiny only	7.05" X 7.20" X 1.36" 179mm X 182.9mm X 34.5mm	2.91 lb (1.32 kg), vary by config	With VESA mount & ODD box	7.42" X 7.30" X 2.48" 188.4mm X 185.38mm X 63mm	3.66 lb (1.66 kg), vary by config		
	Dimensions (WxDxH)	Weight (Approx. )												
Tiny only	7.05" X 7.20" X 1.36" 179mm X 182.9mm X 34.5mm	2.91 lb (1.32 kg), vary by config												
With VESA mount & ODD box	7.42" X 7.30" X 2.48" 188.4mm X 185.38mm X 63mm	3.66 lb (1.66 kg), vary by config												
		Power supply Optional VESA mount bracket kit, supports VESA 75mm and 100mm Optional system floor stand for vertical orientation												

Note: The specifications above may not be available in all regions.

# ThinkCentre M720 Tiny

