

Questo manuale d'istruzione è fornito da trovaprezzi.it. Scopri tutte le offerte per TP-Link KL130 Lampadina LED 10W E27 A+ Colorata o cerca il tuo prodotto tra le migliori offerte di Lampadine



## User Guide Kasa Smart Light Bulb KL110/KL120/KL130

1910012425 REV1.0.0

## Contents

About This Guide 1
Introduction
Set Up Your Smart Bulb
Main Device Controls4
Configure Your Smart Bulb 5
Create Scenes 7
Discover Kasa8
Authentication

## **About This Guide**

This guide provides a brief introduction to Smart Bulb and the Kasa app, as well as regulatory information.

Please note that features of Smart Bulb may vary slightly depending on the model and software version you have. All images, parameters and descriptions documented in this guide are used for demonstration only.

### Conventions

In this guide, the following convention is used:

Convention	Description
Teal	Key information appears in teal, including management page text such as menus, items, buttons and so on.
<u>Underline</u>	Hyperlinks are in teal and underlined. You can click to redirect to a website.

### Support

- Specifications can be found on the product page at <u>https://www.tp-link.com</u>.
- Our Technical Support and troubleshooting information can be found at <a href="https://www.tp-link.com/support">https://www.tp-link.com/support</a>.

## Introduction

The Smart Bulb is part of the Kasa smart home family of products, including plugs, switches, cameras and more. You can adjust brightness, track energy consumption, set schedules and timers and set an alarm that wakes you naturally by simulating the sunrise. Group lights together to control your smart bulbs more easily and create your own scenes.

You can also control multiple smart home devices with the Kasa app or use your voice for added convenience. With Kasa, your home is never more than a few taps away.

- No Hub Required The Smart Light screws in just like an ordinary bulb. Simply download the Kasa Smart app, connect to Wi-Fi and enjoy. No special hardware is needed.
- Scheduling Set your smart bulb to turn on or off while you are home or away.
- Energy Saving Reduce power usage without compromising on light quality.
- Voice Control Pair the smart bulb with Amazon Echo, Dot and Tap, Google Assistant or Microsoft Cortana for voice control.
- **Remote Control** Set up the smart bulb easily and control from anywhere with the free Kasa app.

KL110 (Dimmable )	KL120 (Tunable White)	KL130 (Multicolor)
A dimming range from 1%-100%, lighting for any occasion	Light appearance from soft white to daylight	A wide range of colors and adjustable brightness

## Set Up Your Smart Bulb

Follow the steps below to set up your smart bulb via the Kasa Smart app.

### Step 1. Download Kasa

Get the Kasa Smart app from the App Store or Google Play.







+

### Step 2. Connect to Network

Connect your mobile device to a 2.4GHz Wi-Fi network.



### Step 3. Add Device

Tap the  $\oplus$  button in the Kasa app and select Smart Bulb KL100 Series. Follow app instructions to complete the setup.



## Main Device Controls

ON

OFF


After you successfully set up your Smart Bulb, you will see the home page of the Kasa app and the Smart Bulb page after tapping a Smart Bulb.

### Home Page

This page lists your smart bulbs, and other smart home devices if any. You can instantly turn on/off the bulb or change colors.

### Smart Bulb Page

On the Devices page, tap a Smart Bulb, then you can have more detailed configuration options about your bulb.




The image is for demonstration only.

## **Configure Your Smart Bulb**

On the Smart Bulb page, you can adjust the light temperature or color (only for KL130), set schedules, track energy consumption and change settings.

### **Presets and Recents**

Tap to add presets and apply what you have set recently to your smart bulb.



### **Create Event**

Tap is to set schedules for your smart bulb to simplify your daily routine by creating automatic On/Off action.

•••• ?		15:47	• 1	O 89% 💼 )
×	Crea	ate Event	:	
Set bu	lb to			
				(ئ
Circad	ian Las	t "ON" State		Off
$\bigcirc$				٢
50%	100%	100%	100%	Custom
At				
	14	48		
$\triangleleft$	15	49		$\triangleright$
	16	50		
Repea	ting eve	ry		
(S)(N)	1) (T)	(w)	T) (F	:) (s)
		SAVE		
		OAVL		

## **Configure Your Smart Bulb**

On the Smart Bulb page, you can adjust the light temperature or color (only for KL130), set schedules, track energy consumption and change settings.

### Usage

Tap  $\overset{\mathcal{H}}{\underset{\text{uses}}{}}$  to view and track energy consumption.

•••• ?	15:48	@ 🕇 🧿 89% 💼 I			
< Usage					
	TODAY'S USA	GE			
③ Energy		① Time			
0.00 kWh 0.02 hrs					
	• • •				
	ENERGY SAVIN	IGS			
	Savings are in comparison to a standard 75W bulb				
Today		Predicted yearly			
0.00	) kWh	0.46 kWh			


### **Device Settings**

Tap  $\equiv$  to view and change the settings of your smart bulb. Moreover, you can enable remote control for ease of use.

•••• ?	16:56	🕑 🗲 🍯 71% 🔳	
<	Device Setting	S	
DEVICE CONTRO	OLS		
Remote Contro	I		
Device Name		My Smart Bulb >	
Device Icon		>	
Default States		>	
DEVICE TIME		LEARN MORE	
Time Zone	Beijing, Chongqir	ng, Hong Kong,	
Location	Synched on 20/02/2017, 11:31		
Device Time	24 May	y 2018 16:56:20	
DEVICE INFO			
Model		KL1	
MAC Address	AC	D:84:C6:11:73:35	
Hardware Versi	on	1.0	
Firmware Versio	n	1.8.3	

## **Create Scenes**

A scene is a preset group of smart devices that can be programmed, customized and activated simultaneously at the touch of a button from your smartphone or tablet, allowing you to easily set your mood, activity or fit any special occasion. This page allows you to preset how your smart home devices should act automatically at special occasions.



## **Discover Kasa**

Use the Kasa app to pair your Smart Bulb with Amazon Alexa, Google Home Assistant or Microsoft Cortana and enjoy a full hands-free experience. Kasa helps manage the rest of your smart home too, working with Nest to trigger changes when you arrive home or leave for the day. IFTTT support makes it easy to set interactions between a whole host of products.

Launch the Kasa app and go to Add Device > WORKS WITH KASA > Nest Home and Away / Amazon Alexa / Google Assistant / IFTTT for detailed instructions.

•••○ 奈	14	:41	@ 1 0	61% 🔳 ·	
$\times$					
	Add E	Device			
$\bigcirc$	TP-LINK	WORKS	WITH KA	ASA	
	Door Locks Control access to your	r home		>	
	Motion Sensors >				
	Smart Bulbs >				
	Nest Home and A Run scenes when you		rn home	>	
0	Amazon Alexa > Ask Alexa to control using your voice				
•:	Google Assistant Turn on/off devices are		θ	>	
	IFTTT Control your Kasa dev	ices through IF		>	

## Authentication

### **COPYRIGHT & TRADEMARKS**

Specifications are subject to change without notice. **Ptp-link** is a registered trademark of TP-Link Technologies Co., Ltd. Other brands and product names are trademarks or registered trademarks of their respective holders.

No part of the specifications may be reproduced in any form or by any means or used to make any derivative such as translation, transformation, or adaptation without permission from TP-Link Technologies Co., Ltd. Copyright © 2018 TP-Link Technologies Co., Ltd. All rights reserved.

### FCC Compliance Information Statement

### FC

Product Name: Kasa Smart Light Bulb Model Number: KL110 / KL120 / KL130 Responsible party: TP-Link USA Corporation, d/b/a TP-Link North America, Inc. Address: 145 South State College Blvd. Suite 400, Brea, CA 92821 Website: http://www.tp-link.com/us/ Tel: +1 626 333 0234 Fax: +1 909 527 6803

E-mail: sales.usa@tp-link.com

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/ TV technician for help.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

1. This device may not cause harmful interference.

2. This device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: The manufacturer is not responsible for any radio or TV interference caused by unauthorized modifications to this equipment. Such modifications could void the user's authority to operate the equipment.

### FCC RF Radiation Exposure Statement

This equipment complies with FCC RF radiation exposure limits set forth for an uncontrolled environment. This device and its antenna must not be co-located or operating in conjunction with any other antenna or transmitter.

"To comply with FCC RF exposure compliance requirements, this grant is applicable to only Mobile Configurations. The antennas used for this transmitter must be installed to provide a separation distance of at least 20 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter."

We, **TP-Link USA Corporation**, has determined that the equipment shown as above has been shown to comply with the applicable technical standards, FCC part 15. There is no unauthorized change is made in the equipment and the equipment is properly maintained and operated.

Issue Date: 2018-7-30

# CE Mark Warning

This is a class B product. In a domestic environment, this product may cause radio interference, in which case the user may be required to take adequate measures.

### **OPERATING FREQUENCY (the maximum transmitted power)**

### 2412 MHz -2472 MHz (20dBm)

No restrictions exist in the use of radio frequencies or frequency bands in all EU member states and EFTA countries.

### EU declaration of conformity

TP-Link hereby declares that the device is in compliance with the essential requirements and other relevant provisions of directives 2014/53/EU, 2009/125/EC and 2011/65/EU.

The original EU declaration of conformity may be found at http://www.tp-link.com/en/ce.

### **RF Exposure Information**

This device meets the EU requirements (2014/53/EU Article 3.1a) on the limitation of exposure of the general public to electromagnetic fields by way of health protection.

The device complies with RF specifications when the device used at 20 cm from your body.

### **Canadian Compliance Statement**

This device complies with Industry Canada license-exempt RSSs. Operation is subject to the following two conditions:

- 1) This device may not cause interference, and
- 2) This device must accept any interference, including interference that may cause undesired operation of the device.

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes :

- 1) l'appareil ne doit pas produire de brouillage;
- 2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, meme si le brouillage est susceptible d'en compromettre le fonctionnement.

### **Radiation Exposure Statement:**

This equipment complies with IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.

### Déclaration d'exposition aux radiations:

Cet équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre la source de rayonnement et votre corps.

### **Industry Canada Statement**

CAN ICES-3 (B)/NMB-3(B)

### **Korea Warning Statements**

당해 무선설비는 운용중 전파혼신 가능성이 있음.

### **NCC** Notice

注意!

依據 低功率電波輻射性電機管理辦法

第十二條 經型式認證合格之低功率射頻電機,非經許可,公司、商號或使用者均不得擅自變更頻率、加大功率或變更原設計之特性或功能。

第十四條 低功率射頻電機之使用不得影響飛航安全及干擾合法通行;經發現有干擾現象時,應立即停用,並改善至無干擾時方得繼續使用。前項合法通信,指依電信規定作業之無線電信。低功率射頻電機需忍受合法通信或工業、科學以及醫療用電波輻射性電機設備之干擾。

### **BSMI** Notice

安全諮詢及注意事項

- · 請使用原裝電源供應器或只能按照本產品注明的電源類型使用本產品。
- 清潔本產品之前請先拔掉電源線。請勿使用液體、噴霧清潔劑或濕布進行清潔。
- 注意防潮,請勿將水或其他液體潑灑到本產品上。
- 插槽與開口供通風使用,以確保本產品的操作可靠並防止過熱,請勿堵塞或覆蓋開口。
- 請勿將本產品置放於靠近熱源的地方。除非有正常的通風,否則不可放在密閉位置中。

#### · 請不要私自打開機殼,不要嘗試自行維修本產品,請由授權的專業人士進行此項工作。

### 限用物質含有情況標示聲明書

	限用物質及其化學符號					
產品元件名稱	<u> </u>	鎘	汞	六價鉻	多溴聯苯	多溴二苯醚
	Pb	Cd	Hg	CrVI	PBB	PBDE
РСВ	0	0	0	0	0	0
外殼	0	0	0	0	0	0
電源供應板	_	0	0	0	0	0
備考 1. " 超出 0.1 wt %" 及 " 超出 0.01 wt %" 系指限用物質之百分比含量超出百分比含量基準值。 備考 2. " 〇 " 系指該項限用物質之百分比含量未超出百分比含量基準值。 備考 3. " 一 " 系指該項限用物質為排除項目。						



Продукт сертифіковано згідно с правилами системи УкрСЕПРО на відповідність вимогам нормативних документів та вимогам, що передбачені чинними законодавчими актами України.

## EHC

### **Safety Information**

- Keep the device away from water, fire, humidity or hot environments.
- Do not attempt to disassemble, repair, or modify the device.
- Do not use the device where wireless devices are not allowed.
- Only use the control provided with or specified by these instructions to control this device.

Please read and follow the above safety information when operating the device. We cannot guarantee that no accidents or damage will occur due to improper use of the device. Please use this product with care and operate at your own risk.

### WARNING:

- RISK OF ELECTRIC SHOCK OR BURNS. Switch OFF the light switch controlling the bulb and WAIT for the bulb to cool down before attempting to change it.
- Do not install the Smart Bulb with wet hands or when standing on wet or damp surfaces.
- Compatible with regular light switches. Not suitable for use with standard in-wall dimmers. Not compatible with photosensors, motion sensors, or timers. Dimmable via the app only.
- NOT for use in totally enclosed or recessed luminaires. Suitable for damp locations.
- NOT FOR EMERGENCY LIGHTING.
- The increased weight may reduce the mechanical stability of certain luminaires and lampholders and may impair contact making and lamp retention.
- Operating Temperature: -15°C~40°C(5°F~104°F)
- Storage Temperature: -20°C~70°C(-4°F-158°F)
- Operating Humidity: 10%~90%RH, Non-condensing
- Storage Humidity: 10%~90%RH, Non-condensing

### Explanation of the symbols on the product label

Symbol	Explanation
	Indoor use only
	RECYCLING This product bears the selective sorting symbol for Waste electrical and electronic equipment (WEEE). This means that this product must be handled pursuant to European directive 2012/19/EU in order to be recycled or dismantled to minimize its impact on the environment. User has the choice to give his product to a competent recycling organization or to the retailer when he buys a new electrical or electronic equipment.