

**Certification  
Issued Under the Authority of the  
Federal Communications Commission  
By:**

**PHOENIX TESTLAB GmbH  
Koenigswinkel 10  
32825 Blomberg,  
Germany**

**Date of Grant: 07/25/2023  
Application Dated: 07/25/2023**

**Linkplay Technology Inc.  
8000 Jarvis Avenue Suite #130  
Newark, CA 94560**

**Attention: Henry Jeong**

**NOT TRANSFERABLE**


EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

**FCC IDENTIFIER:** 2BABF-ASR003  
**Name of Grantee:** Linkplay Technology Inc.  
**Equipment Class:** Part 15 Spread Spectrum Transmitter  
**Notes:** WiiM Pro Plus Hi-Res Audio Streamer with WiFi and Bluetooth

<u>Grant Notes</u>	<u>FCC Rule Parts</u>	<u>Frequency Range (MHZ)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
CC	15C	2402.0 - 2480.0	0.006		

Output power is maximum peak conducted. This device has integrated DSS, DTS and NII transmitters certified under the same FCC ID. This device must be installed and operated to provide a separation distance of at least 20 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter. Endusers must be provided with the transmitter operating conditions for satisfying RF exposure compliance.

CC: This device is certified pursuant to two different Part 15 rules sections.



Certification  
Issued Under the Authority of the  
Federal Communications Commission  
By:

PHOENIX TESTLAB GmbH  
Koenigswinkel 10  
32825 Blomberg,  
Germany

Date of Grant: 07/25/2023

Application Dated: 07/25/2023

Linkplay Technology Inc.  
8000 Jarvis Avenue Suite #130  
Newark, CA 94560

Attention: Henry Jeong

NOT TRANSFERABLE


EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

FCC IDENTIFIER: 2BABF-ASR003  
Name of Grantee: Linkplay Technology Inc.  
Equipment Class: Digital Transmission System  
Notes: WiiM Pro Plus Hi-Res Audio Streamer with WiFi and Bluetooth

<u>Grant Notes</u>	<u>FCC Rule Parts</u>	<u>Frequency Range (MHZ)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
CC	15C	2402.0 - 2480.0	0.0056		
CC	15C	2412.0 - 2462.0	0.244		

Output power is maximum peak conducted. This device supports IEEE 802.11 b/g/n20 MHz channel bandwidths. This device has integrated DSS, DTS and NII transmitters certified under the same FCC ID. This device must be installed and operated to provide a separation distance of at least 20 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter. Endusers must be provided with the transmitter operating conditions for satisfying RF exposure compliance.

CC: This device is certified pursuant to two different Part 15 rules sections.



Certification Issued Under the Authority of the Federal Communications Commission By:

PHOENIX TESTLAB GmbH Koenigswinkel 10 32825 Blomberg, Germany

Date of Grant: 07/25/2023 Application Dated: 07/25/2023

Linkplay Technology Inc. 8000 Jarvis Avenue Suite #130 Newark, CA 94560

Attention: Henry Jeong

NOT TRANSFERABLE

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

FCC IDENTIFIER: 2BABF-ASR003 Name of Grantee: Linkplay Technology Inc. Equipment Class: Unlicensed National Information Infrastructure TX Notes: WiiM Pro Plus Hi-Res Audio Streamer with WiFi and Bluetooth

Table with 6 columns: Grant Notes, FCC Rule Parts, Frequency Range (MHZ), Output Watts, Frequency Tolerance, Emission Designator. Contains 4 rows of data for FCC Rule Part 15E.

Output power is maximum average conducted. This device supports IEEE 802.11 a/n/ac 20, 40 and 80 MHz channel bandwidths. This device has integrated DSS, DTS and NII transmitters certified under the same FCC ID. This device must be installed and operated to provide a separation distance of at least 20 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter. Endusers must be provided with the transmitter operating conditions for satisfying RF exposure compliance.

CC: This device is certified pursuant to two different Part 15 rules sections.

