



Cisco DCNM Compatibility Matrix, Release 11.3(1)

[Cisco DCNM Compatibility Matrix](#) 2

[Compatibility Matrix for Cisco DCNM, Release 11.3\(1\)](#) 2

Cisco DCNM Compatibility Matrix

Compatibility Matrix for Cisco DCNM, Release 11.3(1)

The below table shows the Cisco DCNM Compatibility Matrix for Release 11.3(1).



Note Cisco [DCNM Compatibility Matrix Tool](#) provides an intuitive/interactive tool to find the NXOS version compatible with the DCNM release version.

Table 1: Compatibility Matrix for Cisco DCNM, Release 11.3(1)

Cisco MDS 9100	8.4.(1a), 6.2(29), 8.4(1), 6.2(27), 8.3(2), 8.3(1), 8.2(2), 8.2(1), 8.1(1a), 8.1(1), 7.3(1)DY(1), 7.3(1)D1(1), 7.3(0)DY(1), 7.3(0)D1(1), 6.2(25), 6.2(23), 6.2.(21), 6.2(19), 6.2(17), 6.2(15), 6.2(13b), 6.2(13a), 6.2(13), 6.2(11c), 6.2(11b), 6.2(11), 6.2(9c), 6.2(9b), 6.2(9a), 6.2(9), 6.2(7), 6.2(5a), 6.2(5), 6.2(3), 6.2(1), 5.2(8i), 5.2(8h), 5.2(8c), 5.2(8d), 5.2(8e), 5.2(8f), 5.2(8g)
Cisco MDS 9200	7.3(1)DY(1), 7.3(1)D1(1), 7.3(0)DY(1), 7.3(0)D1(1), 6.2(25), 6.2(23), 6.2.(21), 6.2(19), 6.2(17), 6.2(15), 6.2(13b), 6.2(13a), 6.2(13), 6.2(11c), 6.2(11b), 6.2(11), 6.2(9c), 6.2(9b), 6.2(9a), 6.2(9), 6.2(7), 6.2(5a), 6.2(5), 6.2(3), 6.2(1), 5.2(8h), 5.2(8c), 5.2(8d), 5.2(8e), 5.2(8f), 5, 2(8g)
Cisco MDS 9300	8.4(1a), 6.2(29), 8.4(1), 6.2(27), 8.3(2), 8.3(1), 8.2(2), 8.2(1), 8.1(1a), 8.1(1), 7.3(1)DY(1), 7.3(1)D1(1), 7.3(0)DY(1), 7.3(0)D1(1), 6.2(25), 6.2(23), 6.2.(21), 6.2(19), 6.2(17), 6.2(15), 6.2(13b), 6.2(13a), 6.2(13)
Cisco MDS 9500	7.3(1)DY(1), 7.3(1)D1(1), 7.3(0)DY(1), 7.3(0)D1(1), 6.2(25), 6.2(23), 6.2.(21), 6.2(19), 6.2(17), 6.2(15), 6.2(13b), 6.2(13a), 6.2(13), 6.2(11c), 6.2(11b), 6.2(11), 6.2(9c), 6.2(9b), 6.2(9a), 6.2(9), 6.2(7), 6.2(5a), 6.2(5), 6.2(3), 6.2(1), 5.2(8h), 5.2(8c), 5.2(8d), 5.2(8e), 5.2(8f), 5, 2(8g)
Cisco MDS 9700	8.4(1a), 6.2(29), 8.4(1), 6.2(27), 8.3(2), 8.3(1), 8.2(2), 8.2(1), 8.1(1a), 8.1(1), 7.3(1)DY(1), 7.3(1)D1(1), 7.3(0)DY(1), 7.3(0)D1(1), 6.2(25), 6.2(23), 6.2.(21), 6.2(19), 6.2(17), 6.2(15), 6.2(13b), 6.2(13a), 6.2(13), 6.2(11c), 6.2(11b), 6.2(11), 6.2(9c), 6.2(9b), 6.2(9a), 6.2(9), 6.2(7), 6.2(5a), 6.2(5), 6.2(3), 6.2(1)
Cisco Nexus 9000v	9.3(2), 9.2(4), 9.3(1), 9.2(3), 9.2(1), 7.0(3)I7(3), 7.0(3)I7(2), 7.0(3)I7(1), 7.0(3)I6(2)
Cisco Nexus 9000 Series	7.0(3)I7(8), 9.3(3), 7.0(3)I7(7), 9.3(2), 9.2(4), 9.3(1), 9.2(3), 7.0(3)I4(9), 7.0(3)I7(6), 9.2(2), 9.2(1), 7.0(3)I7(5), 7.0(3)I7(4), 7.0(3)I7(3), 7.0(3)I7(2), 7.0(3)I7(1), 7.0(3)I4(8), 7.0(3)I4(7), 7.0(3)I4(6), 7.0(3)I4(5), 7.0(3)I4(4), 7.0(3)I4(3), 7.0(3)I4(2), 7.0(3)I4(1), 7.0(3)F3(2), 7.0(3)F3(1), 7.0(3)F1(2), 7.0(3)I6(2), 7.0(3)I6(1), 7.0(3)F2(1), 7.0(3)F1(1), 7.0(3)I2(4), 7.0(3)I2(5), 7.0(3)I5(2), 7.0(3)I5(1), 7.0(3)I3(2), 7.0(3)I3(1), 7.0(3)I2.3, 7.0.3.I2.2c, 7.0(3)I2.2a, 7.0(3)I2.1, 7.0(3)I1.3, 7.0(3)I1.2, 6.2(9), 6.1(2)I3.4, 6.1(2)I3.2, 6.1(2)I3(1), 6.1(2)I2(1), 6.1(2)I1(2), 6.1(2)I1(1)

Cisco Nexus 7000 Series	8.2(5), 7.3(5)D1(1), 8.4(1), 8.2(4), 7.3(4)D1(1), 6.2(22), 8.3(2), 8.3(1), 8.2(3), 8.2(2), 8.2(1), 8.1(2), 8.1(1), 8.0(1), 7.3(3) D1(1), 7.3(2)D1(3), 7.3(2)D1(2), 7.3(2)D1(1), 7.3(1)D1(1), 7.3(0)DX(1), 7.3(0)D1(1), 7.2(2)D1(4), 7.2(2)D1(2), 7.2(2)D1(1), 7.2(1)D1(1), 7.2(0)D1(2), 7.2(0)D1(1), 6.2(20), 6.2(18), 6.2(16), 6.2(14), 6.2(12), 6.2(10), 6.2(8), 6.2(6a), 6.2(6), 6.2(2a), 6.2(2), 6.1, 6.0, 5.2, 5.1, 5.0, 4.2, 4.1, 4.0
Cisco Nexus 7700 Series	8.2(5), 7.3(5)D1(1), 8.4(1), 8.2(4), 7.3(4)D1(1), 6.2(22), 8.3(2), 8.3(1), 8.2(3), 8.2(2), 8.2(1), 8.1(2), 8.1(1), 8.0(1), 7.3(3) D1(1), 7.3(2)D1(3), 7.3(2)D1(2), 7.3(2)D1(1), 7.3(1)D1(1), 7.3(0)DX(1), 7.3(0)D1(1), 7.2(2)D1(4), 7.2(2)D1(2), 7.2(2)D1(1), 7.2(1)D1(1), 7.2(0)D1(2), 7.2(0)D1(1), 6.2(20), 6.2(18), 6.2(16), 6.2(14), 6.2(10), 6.2(8), 6.2(6a), 6.2(6), 6.2(2a), 6.2.2
Cisco Nexus 6000/5600 Series	7.3(6)N1(1), 7.3(5)N1(1), 7.1(5)N1(1b), 7.3(4)N1(1), 7.3(3)N1(1), 7.3(2)N1(1e), 7.3(2)N1(1), 7.3(1)N1(1), 7.3(0)N1(1), 7.2(1)N1(1), 7.1(5)N1(1), 7.2(0)N1(1), 7.1(5)N1(1), 7.1(4)N1(1), 7.1(3)N1(2), 7.1(3)N1(1), 7.1(2)N1(1), 7.1(1)N1(1), 7.1(0)N1(1), 7.0(8)N1(1), 7.0(7)N1(1), 7.0(6)N1(1), 7.0(5)N1(1), 7.0(4)N1(1), 7.0(3)N1(1), 7.0(2)N1(1), 7.0(1)N1(1), 6.0(2)N2(7), 6.0(2)N2(2), 6.0(2)N2(1), 6.0(2)N1(2)
Cisco Nexus 5000 Series	7.3(6)N1(1), 7.3(5)N1(1), 7.1(5)N1(1b), 7.3(4)N1(1), 7.3(3)N1(1), 7.3(2)N1(1e), 7.3(2)N1(1), 7.3(1)N1(1), 7.3(0)N1(1), 7.2(1)N1(1), 7.2(0)N1(1), 7.1(5)N1(1), 7.1(4)N1(1), 7.1(3)N1(2), 7.1(3)N1(1), 7.1(2)N1(1), 7.1(1)N1(1), 7.1(0)N1(1), 7.0(8)N1(1), 7.0(7)N1(1), 7.0(6)N1(1), 7.0(5)N1(1), 7.0(4)N1(1), 7.0(3)N1(1), 7.0(2)N1(1), 7.0(1)N1(1), 6.0(2)N2(7), 6.0(2), 5.2(1)N1(9a), 5.2(1)N1(9), 5.2(1), 5.1(3), 5.0(3), 5.0(2), 4.2(1), 4.1(3)
Cisco Nexus 4000 Series	4.1(2)
Cisco Nexus 3600 Series	9.3(3), 9.3(2), 9.2(4), 9.3(1), 9.2(3), 9.2(2)
Cisco Nexus 3500 Series	7.0(3)I7(8), 9.3(3), 7.0(3)I7(7), 7.0(3)I7(6), 9.3(2), 9.2(4), 9.3(1), 9.2(3), 9.2(2), 9.2(1), 7.0(3)I7(5), 7.0(3)I7(1), 7.0(3)I2(4), 7.0(3)I2(5), 7.0(3)I4(5), 7.0(3)I4(6), 7.0(3)I4(7), 7.0(3)I4(8), 7.0(3)I5(2), 7.0(3)I5(1), 7.0(3)I4(4), 7.0(3)I4(3), 7.0(3)I4(2), 7.0(3)I4(1), 7.0(3)i3(2), 7.0(3)I3(1), 7.0(3)I2.3, 7.0(3)I2.2a, 7.0(3)I2.1, 6.0(2)U3(2), 6.0(2)A8(9), 6.0(2)A3(1), 6.0(2)A1(1d), 5.0(3)A1(2a)
Cisco Nexus 3400 Series	9.2(2v), 9.2(2t)
Cisco Nexus 3100 Series	7.0(3)I7(8), 9.3(3), 7.0(3)I7(7), 9.2(4), 9.3(2), 9.2(4), 9.3(1), 9.2(3), 7.0(3)I4(9), 7.0(3)I7(6), 9.2(2), 9.2(1), 7.0(3)I7(5), 7.0(3)I7(4), 7.0(3)I4(8), 7.0(3)I4(7), 7.0(3)I7(3), 7.0(3)I7(2), 7.0(3)I7(1), 7.0(3)I6(2), 7.0(3)I6(1), 7.0(3)I2(4), 7.0(3)I2(5), 7.0(3)I4(5), 7.0(3)I4(6), 7.0(3)I4(7), 7.0(3)I4(8), 7.0(3)I5(2), 7.0(3)I5(1), 7.0(3)I4(4), 7.0(3)I4(3), 7.0(3)I4(2), 7.0(3)I4(1), 7.0(3)I3(1), 7.0(3)I2.3, 7.0(3)I2.2a, 7.0(3)I2.1, 6.0(2)U3(2), 6.0(2)U3(1), 6.0(2)U2(1), 6.0(2)U2(1)
Cisco Nexus 3000 Series	7.0(3)I7(8), 9.3(3), 7.0(3)I7(7), 9.3(2), 9.2(4), 9.3(1), 9.2(3), 7.0(3)I4(9), 7.0(3)I7(6), 9.2(2), 9.2(1), 7.0(3)I7(5), 7.0(3)I7(4), 7.0(3)I4(8), 7.0(3)I4(7), 7.0(3)I7(3), 7.0(3)I7(2), 7.0(3)I7(1), 7.0(3)I6(2), 7.0(3)I6(1), 7.0(3)I2(4), 7.0(3)I2(5), 7.0(3)I4(5), 7.0(3)I4(6), 7.0(3)I4(7), 7.0(3)I4(8), 7.0(3)I5(2), 7.0(3)I5(1), 7.0(3)I4(4), 7.0(3)I4(3), 7.0(3)I4(2), 7.0(3)I3(2), 7.0(3)I3(1), 7.0(3)I2.3, 7.0(3)I2.2a, 7.0(3)I2.1, 6.0(2)U3(2), 6.0(2)U3(1), 6.0(2)U2(3), 6.0(2)U2(1), 6.0(2)U1(3), 6.0(2)A1(1b), 6.0(2)A1(1a), 6.0(2)A1(1), 6.0(2)U1(2), 6.0(2)U1(1), 5.0(3)U5(1i), 5.0(3)U4(1), 5.0(3)A1(2a), 5.0(3)U5(1e), 5.0(3)U4, 5.0(3)U3, 5.0(3)U2, 5.0(3)U1
Cisco Nexus 1010 Series	4.2(1)SP1(6.1), 4.2(1)SP1(5.1a), 4.2(1)SP1(4a)

Cisco Nexus 1000v Series	5.2(1)SV3(1.4), 4.2(1)SV2(2.3), 4.2(1)SV2(2.2), 4.2(1)SV2(2.1), 4.2(1)SV2(1.1), 4.2(1)SV1(4), 5.2(1)SM1(5.1)
UCS Infrastructure and UCS Manager Software	4.0.4, 4.0.1, 3.2(3k), 2.2.5a



Note The Cisco NX-OS version of the Cisco Nexus 2000 Series Fabric Extenders will be same as the NX-OS version of the supported Nexus switch (that is, Cisco Nexus 5000, Cisco Nexus 7000 or Cisco Nexus 9000).

Compatibility Matrix for Each Installation Type

Table 2: Supported Switch Versions for Cisco DCNM 11.3(1)

Installation Type	Switch Versions
Classic LAN	See Table 1: Compatibility Matrix for Cisco DCNM, Release 11.3(1) .
LAN Fabric	<ul style="list-style-type: none"> Newly provisioned VXLAN fabrics using DCNM (Easy_Fabric_11_1, Easy_Fabric_eBGP and MSD_Fabric_11_1): 9.2(3), 9.2(4), 9.3(1), 9.3(2), 9.3(3), 7.0(3)I7(7)*, 7.0(3)I7(6), 7.0(3)I7(8) External Fabric N3000/3100/3500 (External_Fabric_11_1): 7.0(3)I7(8), 7.0(3)I7(7)* External Fabric N3600 (External_Fabric_11_1): 9.2(3), 9.2(4), 9.3(1), 9.3(2), 9.3(3) External Fabric N5000/5600/6000 (External_Fabric_11_1): 7.3(6)N1(1), 7.3(5)N1(1)* External Fabric N7000/7700 (External_Fabric_11_1): 8.2(5), 7.3(5)D1(1), 7.3(3)D1(1)*, 8.2(3)* External Fabric N9000 (External_Fabric_11_1): 9.2(3), 9.2(4), 9.3(1), 9.3(2), 9.3(3), 7.0(3)I7(8), 7.0(3)I7(7)*, 7.0(3)I7(6) Migrating NFM-managed VXLAN fabric to DCNM (Easy_Fabric_11_1): 7.0(3)I7(8), 7.0(3)I7(7)*, 7.0(3)I7(6) Migrating Switch CLI configured VXLAN fabrics to DCNM (Easy_Fabric_11_1): 9.3(3), 9.3(2), 9.2(4), 7.0(3)I7(8), 7.0(3)I7(7)*, 7.0(3)I7(6), 7.0(3)I4(9)
IP Fabric for Media (IPFM)	9.3(3), 9.3(2), and 9.3(1)
SAN	See the SAN supported switches in Table 1: Compatibility Matrix for Cisco DCNM, Release 11.3(1) , on page 2.

*Indicates the recommended NX-OS version

Compatibility Matrix for Cisco DCNM and Applications

Table 3: Supported Application Versions for Cisco DCNM 11.3(1)

Application	Versions
Day2 Applications	Refer to Cisco Data Center Networking Applications Compatibility Matrix .

Compatibility Matrix for Cisco Non-Nexus Switches and Third Party Switches

Table 4: Supported Cisco Non-Nexus Switches and Third Party Switches supported with Cisco DCNM 11.3(1)

Cisco Non-Nexus Switches/Third Party Switches	Versions
Cisco CSR1000v	IOS XE Gibraltar 16.10.x
Cisco NCS 5500	IOS XR 6.5(3)
Cisco ASR-9904	IOS XR 6.3.1
Cisco ASR-9006	IOS XR 5.3.0
Arista DCX-7050SX-72Q	EOS 4.21.4f
Arista DCS-7504N	EOS 4.21.4f

Table 5: Supported ServiceNow versions with Cisco DCNM

Cisco DCNM Release Version	Supported ServiceNow Version
Release 11.3(1)	1.0

THE SPECIFICATIONS AND INFORMATION REGARDING THE PRODUCTS IN THIS MANUAL ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL STATEMENTS, INFORMATION, AND RECOMMENDATIONS IN THIS MANUAL ARE BELIEVED TO BE ACCURATE BUT ARE PRESENTED WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED. USERS MUST TAKE FULL RESPONSIBILITY FOR THEIR APPLICATION OF ANY PRODUCTS.

THE SOFTWARE LICENSE AND LIMITED WARRANTY FOR THE ACCOMPANYING PRODUCT ARE SET FORTH IN THE INFORMATION PACKET THAT SHIPPED WITH THE PRODUCT AND ARE INCORPORATED HEREIN BY THIS REFERENCE. IF YOU ARE UNABLE TO LOCATE THE SOFTWARE LICENSE OR LIMITED WARRANTY, CONTACT YOUR CISCO REPRESENTATIVE FOR A COPY.

The Cisco implementation of TCP header compression is an adaptation of a program developed by the University of California, Berkeley (UCB) as part of UCB's public domain version of the UNIX operating system. All rights reserved. Copyright © 1981, Regents of the University of California.

NOTWITHSTANDING ANY OTHER WARRANTY HEREIN, ALL DOCUMENT FILES AND SOFTWARE OF THESE SUPPLIERS ARE PROVIDED "AS IS" WITH ALL FAULTS. CISCO AND THE ABOVE-NAMED SUPPLIERS DISCLAIM ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, THOSE OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT OR ARISING FROM A COURSE OF DEALING, USAGE, OR TRADE PRACTICE.

IN NO EVENT SHALL CISCO OR ITS SUPPLIERS BE LIABLE FOR ANY INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES, INCLUDING, WITHOUT LIMITATION, LOST PROFITS OR LOSS OR DAMAGE TO DATA ARISING OUT OF THE USE OR INABILITY TO USE THIS MANUAL, EVEN IF CISCO OR ITS SUPPLIERS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

Any Internet Protocol (IP) addresses and phone numbers used in this document are not intended to be actual addresses and phone numbers. Any examples, command display output, network topology diagrams, and other figures included in the document are shown for illustrative purposes only. Any use of actual IP addresses or phone numbers in illustrative content is unintentional and coincidental.

All printed copies and duplicate soft copies of this document are considered uncontrolled. See the current online version for the latest version.

Cisco has more than 200 offices worldwide. Addresses and phone numbers are listed on the Cisco website at www.cisco.com/go/offices.

The documentation set for this product strives to use bias-free language. For purposes of this documentation set, bias-free is defined as language that does not imply discrimination based on age, disability, gender, racial identity, ethnic identity, sexual orientation, socioeconomic status, and intersectionality. Exceptions may be present in the documentation due to language that is hardcoded in the user interfaces of the product software, language used based on standards documentation, or language that is used by a referenced third-party product.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: <https://www.cisco.com/c/en/us/about/legal/trademarks.html>. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1721R)

© 2019 Cisco Systems, Inc. All rights reserved.



Americas Headquarters
Cisco Systems, Inc.
San Jose, CA 95134-1706
USA

Asia Pacific Headquarters
CiscoSystems(USA)Pte.Ltd.
Singapore

Europe Headquarters
CiscoSystemsInternationalBV
Amsterdam,TheNetherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at www.cisco.com/go/offices.