TL:Deco-M4-2-Pack Datasheet

Get a Quote



Overview

TP-Link Deco M4 2-Pack, Up to 5,500 Sq.ft. Coverage, WiFi Router/Extender Replacement, Gigabit Ports, Seamless Roaming, Parental Controls, Works with Alexa

* Deco uses a system of units to achieve seamless whole-home Wi-Fi coverage — eliminate weak signal areas once and for all!

* With advanced Deco Mesh Technology, units work together to form a unified network with a single network name. Devices automatically switch between Decos as you move through your home for the fastest possible speeds.

* A Deco M4 one-pack delivers Wi-Fi to an area of up to 2,000 square feet (EU version). And if that's not enough, simply add more Decos to the network anytime to increase coverage.

- * Deco M4 provides fast and stable connections with speeds of up to 1167 Mbps and works with major internet service provider (ISP) and modem.
- * Deco can handle traffic from even the busiest of networks, providing lag-free connections for up to 100 devices.
- * Parental Controls limits online time and block inappropriate websites according to unique profiles created for each family member.
- * Setup is easier than ever with the Deco app there to walk you through every step.



Deco M4 is the simplest way to guarantee a strong Wi-Fi signal in every corner of your home up to 5,500 square feet (3-pack). Wireless connections and optional Ethernet backhaul work together to link Deco units, providing even faster network speeds and truly seamless coverage. Want more coverage? Simply add another Deco.









2-in-1 Router and Access Point Modes

Flexible and multifunctional, the Deco M4 includes a variety of features allowing it to serve as a router or access point. Just choose the mode for your actual network demands and experience the maximum wireless flexibility.



Deco M4 as the Main Router

Deco M4 as the Satelite



Get more information

Do you have any question about the TP-Link AC1200 Whole-Home Mesh WiFi System (Deco M4)?

Contact us now via Live Chat or sales@router-switch.com

Specification

TP-Link AC1200 Whole-Home Mesh WiFi System (Deco M4) Specification		
Wireless		
Standards	Wi-Fi 5 IEEE 802.11ac/n/a 5 GHz IEEE 802.11n/b/g 2.4 GHz	
WiFi Speeds	AC1200 5 GHz: 867 Mbps (802.11ac) 2.4 GHz: 300 Mbps (802.11n)	
WiFi Range	 3-5 Bedroom Houses (3-pack) TP-Link Mesh Technology Optional Ethernet backhaul work together to link Deco units to provide seamless coverage 2× Antennas (Internal) Multiple antennas form a signal-boosting array to cover more directions and large areas Beamforming Concentrates wireless signal strength towards clients to expand WiFi range 	
WIFi Capacity	Medium Dual-Band Distribute devices to different bands for optimal performance MU-MIMO Silmultaneously communicates with multiple MU-MIMO clients	
Working Modes	Router Mode Access Point Mode	
Hardware		
Processor	Qualcomm CPU	

Ethernet Ports	2× Gigabit Ports	
	Per Deco Unit Supports WAN/LAN auto-sensing	
Buttons	Reset Button	
Security		
WiFi Encryption	WPA WPA2	
Network Security	SPI Firewall Access Control	
Guest Network	1× 5 GHz Guest Network 1× 2.4 GHz Guest Network	
Software		
Protocols	IPv4 IPv6	
Parental Controls	URL Filtering Time Controls	
Wan Types	Dynamic IP Static IP PPPoE PPTP L2TP	
Quality Of Service	QoS by Device	
Cloud Service	OTA Firmware Upgrade TP-Link ID DDNS	
Nat Forwarding	Port Forwarding Port Triggering DMZ UPnP	
ΙΡΤΥ	IGMP Proxy IGMP Snooping Bridge Tag VLAN	
DHCP	Address Reservation DHCP Client List Server	
DDNS	TP-Link	
Management	Deco Арр	
Physical		
Dimensions (W×D×H)	3.6 × 3.6 × 7.5 in (90.7 × 90.7 × 190 mm)	

Package Contents	Deco M4 (3-pack) 3 Deco M4R Units 1 RJ45 Ethernet Cable 3 Power Adapters 1 Quick Installation Guide Deco M4 (2-pack) 2 Deco M4R Units 1 RJ45 Ethernet Cable 2 Power Adapters 1 Quick Installation Guide Deco M4 (1-pack) 1 Deco M4R Unit 1 RJ45 Ethernet Cable 1 Power Adapter 1 Quick Installation Guide
Others	
System Requirements	Android 4.4 or later iOS 9.0 or later
Certifications	CE, FCC, IC, NCC, BSMI, IDA, RCM, JPA, JRF, VCCI, KC, RoHS
Environment	Operating Temperature: 0 ~40 (32 ~104) Storage Temperature: -40 ~70 (-40 ~158) Operating Humidity: 10%~90% non-condensing Storage Humidity: 5%~90% non-condensing
Test Data	
WiFi Transmission Power	CE: <20 dBm (2.4 GHz) <23 dBm (5 GHz) FCC: <30 dBm

Want to Buy

Order Now

Get a Quote

Why Router-switch.com

As a leading network hardware supplier, Router-switch.com focuses on original new ICT equipment of Cisco, Huawei, HPE, Dell, Hikvision, Juniper, Fortinet, etc.



R 18,000+ Customers Trusted



50%-98% Off Global List Price



Contact Us

- Tel: +1-626-655-0998 (USA) +852-3050-1066 / +852-3174-6166
- Fax: +852-3050-1066 (Hong Kong)
- Email: sales@router-switch.com