



Figure 696 - Core 0 (A) 5785 MHz (CH157) 99% Bandwidth



Figure 697 - Core 0 (A) 5785 MHz (CH157) 6 dB Bandwidth



Figure 698 - Core 1 (B) 5785 MHz (CH157) 99% Bandwidth



Figure 699 - Core 1 (B) 5785 MHz (CH157) 6 dB Bandwidth




Figure 700 - Core 0 (A) 5825 MHz (CH165) 99% Bandwidth




Figure 701 - Core 0 (A) 5825 MHz (CH165) 6 dB Bandwidth



Figure 702 - Core 1 (B) 5825 MHz (CH165) 99% Bandwidth




Figure 703 - Core 1 (B) 5825 MHz (CH165) 6 dB Bandwidth



| Test Configuration | | | |
|--------------------------|------------------------------|-----------------|---|
| Frequency Range: | 5.725-5.850 GHz | Band: | U-NII-3 |
| Limit Clause(s): | 15.407(e) RSS-247 6.2.4.1 | Test Method(s): | C63.10 6.9.3 789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---------------------------|-----------------------|--------------------------|-----|
| Mode: | 802.11ax HE20 RU26 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x2 | DCCF (dB): | - |
| Antenna Configuration: | MIMO SDM | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|----------------------|-------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5745 (RU26.0) | 2.220 | 2.220 | - | - | 2.220 | ≥500.0 |
| 5785 (RU26.0) | 2.220 | 2.220 | - | - | 2.220 | ≥500.0 |
| 5825 (RU26.8) | 2.160 | 2.160 | - | - | 2.160 | ≥500.0 |

Table 599 - 6 dB Bandwidth Results

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|---------------------|--------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5745 (RU26.0) | 18.360 | 18.240 | - | - | 18.240 | - |
| 5785 (RU26.0) | 18.360 | 18.240 | - | - | 18.240 | - |
| 5825 (RU26.8) | 18.540 | 18.300 | - | - | 18.300 | - |

Table 600 - 99% Bandwidth Results



Figure 704 - Core 0 (A) 5745 MHz (CH149) 99% Bandwidth




Figure 705 - Core 0 (A) 5745 MHz (CH149) 6 dB Bandwidth



Figure 706 - Core 1 (B) 5745 MHz (CH149) 99% Bandwidth




Figure 707 - Core 1 (B) 5745 MHz (CH149) 6 dB Bandwidth




Figure 708 - Core 0 (A) 5785 MHz (CH157) 99% Bandwidth




Figure 709 - Core 0 (A) 5785 MHz (CH157) 6 dB Bandwidth



Figure 710 - Core 1 (B) 5785 MHz (CH157) 99% Bandwidth



Figure 711 - Core 1 (B) 5785 MHz (CH157) 6 dB Bandwidth



Figure 712 - Core 0 (A) 5825 MHz (CH165) 99% Bandwidth




Figure 713 - Core 0 (A) 5825 MHz (CH165) 6 dB Bandwidth




Figure 714 - Core 1 (B) 5825 MHz (CH165) 99% Bandwidth



Figure 715 - Core 1 (B) 5825 MHz (CH165) 6 dB Bandwidth



| Test Configuration | | | |
|--------------------------|------------------------------|-----------------|---|
| Frequency Range: | 5.725-5.850 GHz | Band: | U-NII-3 |
| Limit Clause(s): | 15.407(e) RSS-247 6.2.4.1 | Test Method(s): | C63.10 6.9.3 789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---------------------------|--------------------|--------------------------|---|
| Mode: | 802.11ax HE20 RU52 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | SISO | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A (Core 0) | Active Chain(s): | 0 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|----------------------|---|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5720 (RU52.40) | 4.600 | - | - | - | 4.600 | ≥500.0 |
| 5745 (RU52.37) | 17.100 | - | - | - | 17.100 | ≥500.0 |
| 5785 (RU52.37) | 17.100 | - | - | - | 17.100 | ≥500.0 |
| 5825 (RU52.40) | 17.100 | - | - | - | 17.100 | ≥500.0 |

Table 601 - 6 dB Bandwidth Results

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|---------------------|---|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5720 (RU52.40) | 4.660 | - | - | - | 4.660 | - |
| 5745 (RU52.37) | 18.240 | - | - | - | 18.240 | - |
| 5785 (RU52.37) | 18.180 | - | - | - | 18.180 | - |
| 5825 (RU52.40) | 18.480 | - | - | - | 18.480 | - |

Table 602 - 99% Bandwidth Results




Figure 716 - Core 0 (A) 5720 MHz (CH144) 99% Bandwidth




Figure 717 - Core 0 (A) 5720 MHz (CH144) 6 dB Bandwidth



Figure 718 - Core 0 (A) 5745 MHz (CH149) 99% Bandwidth




Figure 719 - Core 0 (A) 5745 MHz (CH149) 6 dB Bandwidth



Figure 720 - Core 0 (A) 5785 MHz (CH157) 99% Bandwidth




Figure 721 - Core 0 (A) 5785 MHz (CH157) 6 dB Bandwidth



| Test Configuration | | | |
|--------------------------|------------------------------|-----------------|---|
| Frequency Range: | 5.725-5.850 GHz | Band: | U-NII-3 |
| Limit Clause(s): | 15.407(e) RSS-247 6.2.4.1 | Test Method(s): | C63.10 6.9.3 789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---------------------------|-----------------------|--------------------------|-----|
| Mode: | 802.11ax HE20 RU52 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | MIMO CDD | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|----------------------|--------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5720 (RU52.40) | 4.600 | 4.600 | - | - | 4.600 | ≥500.0 |
| 5745 (RU52.37) | 17.100 | 17.160 | - | - | 17.100 | ≥500.0 |
| 5785 (RU52.37) | 17.100 | 17.160 | - | - | 17.100 | ≥500.0 |
| 5825 (RU52.40) | 17.160 | 17.160 | - | - | 17.160 | ≥500.0 |

Table 603 - 6 dB Bandwidth Results

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|---------------------|--------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5720 (RU52.40) | 4.660 | 4.660 | - | - | 4.660 | - |
| 5745 (RU52.37) | 18.180 | 18.180 | - | - | 18.180 | - |
| 5785 (RU52.37) | 18.180 | 18.180 | - | - | 18.180 | - |
| 5825 (RU52.40) | 18.540 | 18.240 | - | - | 18.240 | - |

Table 604 - 99% Bandwidth Results




Figure 724 - Core 0 (A) 5720 MHz (CH144) 99% Bandwidth




Figure 725 - Core 0 (A) 5720 MHz (CH144) 6 dB Bandwidth



Figure 726 - Core 1 (B) 5720 MHz (CH144) 99% Bandwidth



Figure 727 - Core 1 (B) 5720 MHz (CH144) 6 dB Bandwidth



Figure 728 - Core 0 (A) 5745 MHz (CH149) 99% Bandwidth




Figure 729 - Core 0 (A) 5745 MHz (CH149) 6 dB Bandwidth




Figure 730 - Core 1 (B) 5745 MHz (CH149) 99% Bandwidth




Figure 731 - Core 1 (B) 5745 MHz (CH149) 6 dB Bandwidth



Figure 732 - Core 0 (A) 5785 MHz (CH157) 99% Bandwidth




Figure 733 - Core 0 (A) 5785 MHz (CH157) 6 dB Bandwidth



Figure 734 - Core 1 (B) 5785 MHz (CH157) 99% Bandwidth




Figure 735 - Core 1 (B) 5785 MHz (CH157) 6 dB Bandwidth



| Test Configuration | | | |
|--------------------------|------------------------------|-----------------|---|
| Frequency Range: | 5.725-5.850 GHz | Band: | U-NII-3 |
| Limit Clause(s): | 15.407(e) RSS-247 6.2.4.1 | Test Method(s): | C63.10 6.9.3 789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---------------------------|-----------------------|--------------------------|-----|
| Mode: | 802.11ax HE20 RU52 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x2 | DCCF (dB): | - |
| Antenna Configuration: | MIMO SDM | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|----------------------|--------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5720 (RU52.40) | 4.600 | 4.600 | - | - | 4.600 | ≥500.0 |
| 5745 (RU52.37) | 17.160 | 17.160 | - | - | 17.160 | ≥500.0 |
| 5785 (RU52.37) | 17.100 | 17.160 | - | - | 17.100 | ≥500.0 |
| 5825 (RU52.40) | 17.160 | 17.100 | - | - | 17.100 | ≥500.0 |

Table 605 - 6 dB Bandwidth Results

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|---------------------|--------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5720 (RU52.40) | 4.660 | 4.660 | - | - | 4.660 | - |
| 5745 (RU52.37) | 18.240 | 18.120 | - | - | 18.120 | - |
| 5785 (RU52.37) | 18.180 | 18.180 | - | - | 18.180 | - |
| 5825 (RU52.40) | 18.540 | 18.180 | - | - | 18.180 | - |

Table 606 - 99% Bandwidth Results




Figure 740 - Core 0 (A) 5720 MHz (CH144) 99% Bandwidth




Figure 741 - Core 0 (A) 5720 MHz (CH144) 6 dB Bandwidth



Figure 742 - Core 1 (B) 5720 MHz (CH144) 99% Bandwidth




Figure 743 - Core 1 (B) 5720 MHz (CH144) 6 dB Bandwidth



Figure 744 - Core 0 (A) 5745 MHz (CH149) 99% Bandwidth




Figure 745 - Core 0 (A) 5745 MHz (CH149) 6 dB Bandwidth



Figure 746 - Core 1 (B) 5745 MHz (CH149) 99% Bandwidth



Figure 747 - Core 1 (B) 5745 MHz (CH149) 6 dB Bandwidth



Figure 748 - Core 0 (A) 5785 MHz (CH157) 99% Bandwidth




Figure 749 - Core 0 (A) 5785 MHz (CH157) 6 dB Bandwidth



Figure 750 - Core 1 (B) 5785 MHz (CH157) 99% Bandwidth




Figure 751 - Core 1 (B) 5785 MHz (CH157) 6 dB Bandwidth



Figure 752 - Core 0 (A) 5825 MHz (CH165) 99% Bandwidth



Figure 753 - Core 0 (A) 5825 MHz (CH165) 6 dB Bandwidth



Figure 754 - Core 1 (B) 5825 MHz (CH165) 99% Bandwidth




Figure 755 - Core 1 (B) 5825 MHz (CH165) 6 dB Bandwidth



| Test Configuration | | | |
|--------------------------|------------------------------|-----------------|---|
| Frequency Range: | 5.725-5.850 GHz | Band: | U-NII-3 |
| Limit Clause(s): | 15.407(e) RSS-247 6.2.4.1 | Test Method(s): | C63.10 6.9.3 789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---------------------------|------------------|--------------------------|---|
| Mode: | 802.11ax HE40 SU | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | SISO | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A (Core 0) | Active Chain(s): | 0 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|----------------------|---|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5710 | 4.200 | - | - | - | 4.200 | ≥500.0 |
| 5755 | 38.280 | - | - | - | 38.280 | ≥500.0 |
| 5795 | 38.280 | - | - | - | 38.280 | ≥500.0 |

Table 607 - 6 dB Bandwidth Results

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|---------------------|---|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5710 | 4.920 | - | - | - | 4.920 | - |
| 5755 | 38.040 | - | - | - | 38.040 | - |
| 5795 | 38.040 | - | - | - | 38.040 | - |

Table 608 - 99% Bandwidth Results



Figure 756 - Core 0 (A) 5710 MHz (CH142) 99% Bandwidth




Figure 757 - Core 0 (A) 5710 MHz (CH142) 6 dB Bandwidth



Figure 758 - Core 0 (A) 5755 MHz (CH151) 99% Bandwidth




Figure 759 - Core 0 (A) 5755 MHz (CH151) 6 dB Bandwidth



Figure 760 - Core 0 (A) 5795 MHz (CH159) 99% Bandwidth



Figure 761 - Core 0 (A) 5795 MHz (CH159) 6 dB Bandwidth



| Test Configuration | | | |
|--------------------------|------------------------------|-----------------|---|
| Frequency Range: | 5.725-5.850 GHz | Band: | U-NII-3 |
| Limit Clause(s): | 15.407(e) RSS-247 6.2.4.1 | Test Method(s): | C63.10 6.9.3 789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---------------------------|-----------------------|--------------------------|-----|
| Mode: | 802.11ax HE40 SU | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | MIMO CDD | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|----------------------|--------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5710 | 4.200 | 4.200 | - | - | 4.200 | ≥500.0 |
| 5755 | 38.400 | 38.160 | - | - | 38.160 | ≥500.0 |
| 5795 | 38.400 | 38.280 | - | - | 38.280 | ≥500.0 |

Table 609 - 6 dB Bandwidth Results

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|---------------------|--------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5710 | 4.680 | 4.680 | - | - | 4.680 | - |
| 5755 | 38.160 | 38.160 | - | - | 38.160 | - |
| 5795 | 38.040 | 38.160 | - | - | 38.040 | - |

Table 610 - 99% Bandwidth Results



Figure 762 - Core 0 (A) 5710 MHz (CH142) 99% Bandwidth



Figure 763 - Core 0 (A) 5710 MHz (CH142) 6 dB Bandwidth



Figure 764 - Core 1 (B) 5710 MHz (CH142) 99% Bandwidth




Figure 765 - Core 1 (B) 5710 MHz (CH142) 6 dB Bandwidth



Figure 766 - Core 0 (A) 5755 MHz (CH151) 99% Bandwidth



Figure 767 - Core 0 (A) 5755 MHz (CH151) 6 dB Bandwidth



Figure 768 - Core 1 (B) 5755 MHz (CH151) 99% Bandwidth




Figure 769 - Core 1 (B) 5755 MHz (CH151) 6 dB Bandwidth



Figure 770 - Core 0 (A) 5795 MHz (CH159) 99% Bandwidth



Figure 771 - Core 0 (A) 5795 MHz (CH159) 6 dB Bandwidth



| Test Configuration | | | |
|--------------------------|------------------------------|-----------------|---|
| Frequency Range: | 5.725-5.850 GHz | Band: | U-NII-3 |
| Limit Clause(s): | 15.407(e) RSS-247 6.2.4.1 | Test Method(s): | C63.10 6.9.3 789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---------------------------|-----------------------|--------------------------|-----|
| Mode: | 802.11ax HE40 SU | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | MIMO SDM | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|----------------------|--------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5710 | 4.200 | 4.200 | - | - | 4.200 | ≥500.0 |
| 5755 | 38.280 | 38.280 | - | - | 38.280 | ≥500.0 |
| 5795 | 38.280 | 38.280 | - | - | 38.280 | ≥500.0 |

Table 611 - 6 dB Bandwidth Results

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|---------------------|--------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5710 | 4.680 | 4.680 | - | - | 4.680 | - |
| 5755 | 38.040 | 38.160 | - | - | 38.040 | - |
| 5795 | 38.160 | 38.160 | - | - | 38.160 | - |

Table 612 - 99% Bandwidth Results



Figure 774 - Core 0 (A) 5710 MHz (CH142) 99% Bandwidth




Figure 775 - Core 0 (A) 5710 MHz (CH142) 6 dB Bandwidth



Figure 776 - Core 1 (B) 5710 MHz (CH142) 99% Bandwidth




Figure 777 - Core 1 (B) 5710 MHz (CH142) 6 dB Bandwidth



Figure 778 - Core 0 (A) 5755 MHz (CH151) 99% Bandwidth



Figure 779 - Core 0 (A) 5755 MHz (CH151) 6 dB Bandwidth



Figure 780 - Core 1 (B) 5755 MHz (CH151) 99% Bandwidth




Figure 781 - Core 1 (B) 5755 MHz (CH151) 6 dB Bandwidth



Figure 782 - Core 0 (A) 5795 MHz (CH159) 99% Bandwidth




Figure 783 - Core 0 (A) 5795 MHz (CH159) 6 dB Bandwidth



Figure 784 - Core 1 (B) 5795 MHz (CH159) 99% Bandwidth




Figure 785 - Core 1 (B) 5795 MHz (CH159) 6 dB Bandwidth



| Test Configuration | | | |
|--------------------------|------------------------------|-----------------|---|
| Frequency Range: | 5.725-5.850 GHz | Band: | U-NII-3 |
| Limit Clause(s): | 15.407(e) RSS-247 6.2.4.1 | Test Method(s): | C63.10 6.9.3 789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---------------------------|--------------------|--------------------------|---|
| Mode: | 802.11ax HE40 RU26 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | SISO | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A (Core 0) | Active Chain(s): | 0 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|----------------------|---|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5755 (RU26.0) | 2.300 | - | - | - | 2.300 | ≥500.0 |
| 5795 (RU26.17) | 2.300 | - | - | - | 2.300 | ≥500.0 |

Table 613 - 6 dB Bandwidth Results

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|---------------------|---|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5755 (RU26.0) | 19.400 | - | - | - | 19.400 | - |
| 5795 (RU26.17) | 20.300 | - | - | - | 20.300 | - |

Table 614 - 99% Bandwidth Results



Figure 786 - Core 0 (A) 5755 MHz (CH151) 99% Bandwidth




Figure 787 - Core 0 (A) 5755 MHz (CH151) 6 dB Bandwidth



Figure 788 - Core 0 (A) 5795 MHz (CH159) 99% Bandwidth




Figure 789 - Core 0 (A) 5795 MHz (CH159) 6 dB Bandwidth



| Test Configuration | | | |
|--------------------------|------------------------------|-----------------|---|
| Frequency Range: | 5.725-5.850 GHz | Band: | U-NII-3 |
| Limit Clause(s): | 15.407(e) RSS-247 6.2.4.1 | Test Method(s): | C63.10 6.9.3 789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---------------------------|-----------------------|--------------------------|-----|
| Mode: | 802.11ax HE40 RU26 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | MIMO CDD | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|----------------------|-------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5755 (RU26.0) | 2.200 | 2.200 | - | - | 2.200 | ≥500.0 |
| 5795 (RU26.17) | 2.200 | 2.300 | - | - | 2.200 | ≥500.0 |

Table 615 - 6 dB Bandwidth Results

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|---------------------|--------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5755 (RU26.0) | 19.400 | 18.600 | - | - | 18.600 | - |
| 5795 (RU26.17) | 20.400 | 18.600 | - | - | 18.600 | - |

Table 616 - 99% Bandwidth Results



Figure 790 - Core 0 (A) 5755 MHz (CH151) 99% Bandwidth




Figure 791 - Core 0 (A) 5755 MHz (CH151) 6 dB Bandwidth




Figure 792 - Core 1 (B) 5755 MHz (CH151) 99% Bandwidth



Figure 793 - Core 1 (B) 5755 MHz (CH151) 6 dB Bandwidth



Figure 794 - Core 0 (A) 5795 MHz (CH159) 99% Bandwidth




Figure 795 - Core 0 (A) 5795 MHz (CH159) 6 dB Bandwidth



Figure 796 - Core 1 (B) 5795 MHz (CH159) 99% Bandwidth




Figure 797 - Core 1 (B) 5795 MHz (CH159) 6 dB Bandwidth



| Test Configuration | | | |
|--------------------------|------------------------------|-----------------|---|
| Frequency Range: | 5.725-5.850 GHz | Band: | U-NII-3 |
| Limit Clause(s): | 15.407(e) RSS-247 6.2.4.1 | Test Method(s): | C63.10 6.9.3 789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---------------------------|-----------------------|--------------------------|-----|
| Mode: | 802.11ax HE40 RU26 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x2 | DCCF (dB): | - |
| Antenna Configuration: | MIMO SDM | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|----------------------|-------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5755 (RU26.0) | 2.200 | 2.200 | - | - | 2.200 | ≥500.0 |
| 5795 (RU26.17) | 2.300 | 2.300 | - | - | 2.300 | ≥500.0 |

Table 617 - 6 dB Bandwidth Results

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|---------------------|--------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5755 (RU26.0) | 19.400 | 18.700 | - | - | 18.700 | - |
| 5795 (RU26.17) | 20.400 | 18.600 | - | - | 18.600 | - |

Table 618 - 99% Bandwidth Results



Figure 798 - Core 0 (A) 5755 MHz (CH151) 99% Bandwidth




Figure 799 - Core 0 (A) 5755 MHz (CH151) 6 dB Bandwidth



Figure 800 - Core 1 (B) 5755 MHz (CH151) 99% Bandwidth




Figure 801 - Core 1 (B) 5755 MHz (CH151) 6 dB Bandwidth



Figure 802 - Core 0 (A) 5795 MHz (CH159) 99% Bandwidth




Figure 803 - Core 0 (A) 5795 MHz (CH159) 6 dB Bandwidth



Figure 804 - Core 1 (B) 5795 MHz (CH159) 99% Bandwidth




Figure 805 - Core 1 (B) 5795 MHz (CH159) 6 dB Bandwidth



| Test Configuration | | | |
|--------------------------|------------------------------|-----------------|---|
| Frequency Range: | 5.725-5.850 GHz | Band: | U-NII-3 |
| Limit Clause(s): | 15.407(e) RSS-247 6.2.4.1 | Test Method(s): | C63.10 6.9.3 789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---------------------------|--------------------|--------------------------|---|
| Mode: | 802.11ax HE40 RU52 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | SISO | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A (Core 0) | Active Chain(s): | 0 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|----------------------|---|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5710 (RU52.44) | 4.100 | - | - | - | 4.100 | ≥500.0 |
| 5755 (RU52.37) | 16.800 | - | - | - | 16.800 | ≥500.0 |
| 5795 (RU52.44) | 16.800 | - | - | - | 16.800 | ≥500.0 |

Table 619 - 6 dB Bandwidth Results

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|---------------------|---|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5710 (RU52.44) | 4.500 | - | - | - | 4.500 | - |
| 5755 (RU52.37) | 19.200 | - | - | - | 19.200 | - |
| 5795 (RU52.44) | 20.200 | - | - | - | 20.200 | - |

Table 620 - 99% Bandwidth Results



Figure 806 - Core 0 (A) 5710 MHz (CH142) 99% Bandwidth



Figure 807 - Core 0 (A) 5710 MHz (CH142) 6 dB Bandwidth



Figure 808 - Core 0 (A) 5755 MHz (CH151) 99% Bandwidth




Figure 809 - Core 0 (A) 5755 MHz (CH151) 6 dB Bandwidth



Figure 810 - Core 0 (A) 5795 MHz (CH159) 99% Bandwidth




Figure 811 - Core 0 (A) 5795 MHz (CH159) 6 dB Bandwidth



| Test Configuration | | | |
|--------------------------|------------------------------|-----------------|---|
| Frequency Range: | 5.725-5.850 GHz | Band: | U-NII-3 |
| Limit Clause(s): | 15.407(e) RSS-247 6.2.4.1 | Test Method(s): | C63.10 6.9.3 789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---------------------------|-----------------------|--------------------------|-----|
| Mode: | 802.11ax HE40 RU52 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | MIMO CDD | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|----------------------|--------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5710 (RU52.44) | 4.100 | 4.100 | - | - | 4.100 | ≥500.0 |
| 5755 (RU52.37) | 16.800 | 16.800 | - | - | 16.800 | ≥500.0 |
| 5795 (RU52.44) | 16.800 | 16.700 | - | - | 16.700 | ≥500.0 |

Table 621 - 6 dB Bandwidth Results

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|---------------------|--------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5710 (RU52.44) | 4.500 | 4.500 | - | - | 4.500 | - |
| 5755 (RU52.37) | 19.300 | 18.400 | - | - | 18.400 | - |
| 5795 (RU52.44) | 20.200 | 18.400 | - | - | 18.400 | - |

Table 622 - 99% Bandwidth Results



Figure 812 - Core 0 (A) 5710 MHz (CH142) 99% Bandwidth




Figure 813 - Core 0 (A) 5710 MHz (CH142) 6 dB Bandwidth



Figure 814 - Core 1 (B) 5710 MHz (CH142) 99% Bandwidth



Figure 815 - Core 1 (B) 5710 MHz (CH142) 6 dB Bandwidth



Figure 816 - Core 0 (A) 5755 MHz (CH151) 99% Bandwidth



Figure 817 - Core 0 (A) 5755 MHz (CH151) 6 dB Bandwidth



Figure 818 - Core 1 (B) 5755 MHz (CH151) 99% Bandwidth



Figure 819 - Core 1 (B) 5755 MHz (CH151) 6 dB Bandwidth



Figure 820 - Core 0 (A) 5795 MHz (CH159) 99% Bandwidth



Figure 821 - Core 0 (A) 5795 MHz (CH159) 6 dB Bandwidth



Figure 822 - Core 1 (B) 5795 MHz (CH159) 99% Bandwidth




Figure 823 - Core 1 (B) 5795 MHz (CH159) 6 dB Bandwidth



| Test Configuration | | | |
|--------------------------|------------------------------|-----------------|---|
| Frequency Range: | 5.725-5.850 GHz | Band: | U-NII-3 |
| Limit Clause(s): | 15.407(e) RSS-247 6.2.4.1 | Test Method(s): | C63.10 6.9.3 789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---------------------------|-----------------------|--------------------------|-----|
| Mode: | 802.11ax HE40 RU52 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x2 | DCCF (dB): | - |
| Antenna Configuration: | MIMO SDM | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|----------------------|--------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5710 (RU52.44) | 4.200 | 4.100 | - | - | 4.100 | ≥500.0 |
| 5755 (RU52.37) | 16.800 | 16.800 | - | - | 16.800 | ≥500.0 |
| 5795 (RU52.44) | 16.800 | 16.700 | - | - | 16.700 | ≥500.0 |

Table 623 - 6 dB Bandwidth Results

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|---------------------|--------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5710 (RU52.44) | 4.500 | 4.500 | - | - | 4.500 | - |
| 5755 (RU52.37) | 19.200 | 18.400 | - | - | 18.400 | - |
| 5795 (RU52.44) | 20.200 | 18.400 | - | - | 18.400 | - |

Table 624 - 99% Bandwidth Results



Figure 824 - Core 0 (A) 5710 MHz (CH142) 99% Bandwidth



Figure 825 - Core 0 (A) 5710 MHz (CH142) 6 dB Bandwidth



Figure 826 - Core 1 (B) 5710 MHz (CH142) 99% Bandwidth



Figure 827 - Core 1 (B) 5710 MHz (CH142) 6 dB Bandwidth



Figure 828 - Core 0 (A) 5755 MHz (CH151) 99% Bandwidth



Figure 829 - Core 0 (A) 5755 MHz (CH151) 6 dB Bandwidth



Figure 830 - Core 1 (B) 5755 MHz (CH151) 99% Bandwidth




Figure 831 - Core 1 (B) 5755 MHz (CH151) 6 dB Bandwidth



Figure 832 - Core 0 (A) 5795 MHz (CH159) 99% Bandwidth




Figure 833 - Core 0 (A) 5795 MHz (CH159) 6 dB Bandwidth



Figure 834 - Core 1 (B) 5795 MHz (CH159) 99% Bandwidth




Figure 835 - Core 1 (B) 5795 MHz (CH159) 6 dB Bandwidth



| Test Configuration | | | |
|--------------------------|------------------------------|-----------------|---|
| Frequency Range: | 5.725-5.850 GHz | Band: | U-NII-3 |
| Limit Clause(s): | 15.407(e) RSS-247 6.2.4.1 | Test Method(s): | C63.10 6.9.3 789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---------------------------|------------------|--------------------------|---|
| Mode: | 802.11ax HE80 SU | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | SISO | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A (Core 0) | Active Chain(s): | 0 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|----------------------|---|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5690 | 4.380 | - | - | - | 4.380 | ≥500.0 |
| 5775 | 77.440 | - | - | - | 77.440 | ≥500.0 |

Table 625 - 6 dB Bandwidth Results

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|---------------------|---|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5690 | 13.400 | - | - | - | 13.400 | - |
| 5775 | 77.440 | - | - | - | 77.440 | - |

Table 626 - 99% Bandwidth Results



Figure 836 - Core 0 (A) 5690 MHz (CH138) 99% Bandwidth



Figure 837 - Core 0 (A) 5690 MHz (CH138) 6 dB Bandwidth



Figure 838 - Core 0 (A) 5775 MHz (CH155) 99% Bandwidth



Figure 839 - Core 0 (A) 5775 MHz (CH155) 6 dB Bandwidth



| Test Configuration | | | |
|--------------------------|------------------------------|-----------------|---|
| Frequency Range: | 5.725-5.850 GHz | Band: | U-NII-3 |
| Limit Clause(s): | 15.407(e) RSS-247 6.2.4.1 | Test Method(s): | C63.10 6.9.3 789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---------------------------|-----------------------|--------------------------|-----|
| Mode: | 802.11ax HE80 SU | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | MIMO CDD | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|----------------------|--------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5690 | 4.160 | 4.160 | - | - | 4.160 | ≥500.0 |
| 5775 | 77.000 | 76.320 | - | - | 76.320 | ≥500.0 |

Table 627 - 6 dB Bandwidth Results

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|---------------------|--------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5690 | 5.040 | 5.260 | - | - | 5.040 | - |
| 5775 | 77.440 | 77.520 | - | - | 77.440 | - |

Table 628 - 99% Bandwidth Results



Figure 840 - Core 0 (A) 5690 MHz (CH138) 99% Bandwidth




Figure 841 - Core 0 (A) 5690 MHz (CH138) 6 dB Bandwidth



Figure 842 - Core 1 (B) 5690 MHz (CH138) 99% Bandwidth




Figure 843 - Core 1 (B) 5690 MHz (CH138) 6 dB Bandwidth



Figure 844 - Core 0 (A) 5775 MHz (CH155) 99% Bandwidth



Figure 845 - Core 0 (A) 5775 MHz (CH155) 6 dB Bandwidth



Figure 846 - Core 1 (B) 5775 MHz (CH155) 99% Bandwidth



Figure 847 - Core 1 (B) 5775 MHz (CH155) 6 dB Bandwidth



| Test Configuration | | | |
|--------------------------|------------------------------|-----------------|---|
| Frequency Range: | 5.725-5.850 GHz | Band: | U-NII-3 |
| Limit Clause(s): | 15.407(e) RSS-247 6.2.4.1 | Test Method(s): | C63.10 6.9.3 789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---------------------------|-----------------------|--------------------------|-----|
| Mode: | 802.11ax HE80 SU | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x2 | DCCF (dB): | - |
| Antenna Configuration: | MIMO SDM | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|----------------------|--------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5690 | 4.160 | 4.160 | - | - | 4.160 | ≥500.0 |
| 5775 | 77.880 | 76.560 | - | - | 76.560 | ≥500.0 |

Table 629 - 6 dB Bandwidth Results

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|---------------------|--------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5690 | 5.260 | 5.480 | - | - | 5.260 | - |
| 5775 | 77.440 | 77.440 | - | - | 77.440 | - |

Table 630 - 99% Bandwidth Results



Figure 848 - Core 0 (A) 5690 MHz (CH138) 99% Bandwidth




Figure 849 - Core 0 (A) 5690 MHz (CH138) 6 dB Bandwidth



Figure 850 - Core 1 (B) 5690 MHz (CH138) 99% Bandwidth




Figure 851 - Core 1 (B) 5690 MHz (CH138) 6 dB Bandwidth



Figure 852 - Core 0 (A) 5775 MHz (CH155) 99% Bandwidth



Figure 853 - Core 0 (A) 5775 MHz (CH155) 6 dB Bandwidth



Figure 854 - Core 1 (B) 5775 MHz (CH155) 99% Bandwidth



Figure 855 - Core 1 (B) 5775 MHz (CH155) 6 dB Bandwidth



| Test Configuration | | | |
|--------------------------|------------------------------|-----------------|---|
| Frequency Range: | 5.725-5.850 GHz | Band: | U-NII-3 |
| Limit Clause(s): | 15.407(e) RSS-247 6.2.4.1 | Test Method(s): | C63.10 6.9.3 789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---------------------------|--------------------|--------------------------|---|
| Mode: | 802.11ax HE80 RU26 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | SISO | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A (Core 0) | Active Chain(s): | 0 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|----------------------|---|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5775 (RU26.0) | 2.400 | - | - | - | 2.400 | ≥500.0 |

Table 631 - 6 dB Bandwidth Results

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|---------------------|---|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5775 (RU26.0) | 32.200 | - | - | - | 32.200 | - |

Table 632 - 99% Bandwidth Results



Figure 856 - Core 0 (A) 5775 MHz (CH155) 99% Bandwidth




Figure 857 - Core 0 (A) 5775 MHz (CH155) 6 dB Bandwidth



| Test Configuration | | | |
|--------------------------|------------------------------|-----------------|---|
| Frequency Range: | 5.725-5.850 GHz | Band: | U-NII-3 |
| Limit Clause(s): | 15.407(e) RSS-247 6.2.4.1 | Test Method(s): | C63.10 6.9.3 789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---------------------------|-----------------------|--------------------------|-----|
| Mode: | 802.11ax HE80 RU26 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | MIMO CDD | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|----------------------|-------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5775 (RU26.0) | 2.400 | 2.400 | - | - | 2.400 | ≥500.0 |

Table 633 - 6 dB Bandwidth Results

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|---------------------|--------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5775 (RU26.0) | 31.600 | 19.600 | - | - | 19.600 | - |

Table 634 - 99% Bandwidth Results



Figure 858 - Core 0 (A) 5775 MHz (CH155) 99% Bandwidth



Figure 859 - Core 0 (A) 5775 MHz (CH155) 6 dB Bandwidth



| Test Configuration | | | |
|--------------------------|------------------------------|-----------------|---|
| Frequency Range: | 5.725-5.850 GHz | Band: | U-NII-3 |
| Limit Clause(s): | 15.407(e) RSS-247 6.2.4.1 | Test Method(s): | C63.10 6.9.3 789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---------------------------|-----------------------|--------------------------|-----|
| Mode: | 802.11ax HE80 RU26 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x2 | DCCF (dB): | - |
| Antenna Configuration: | MIMO SDM | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|----------------------|-------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5775 (RU26.0) | 2.400 | 2.400 | - | - | 2.400 | ≥500.0 |

Table 635 - 6 dB Bandwidth Results

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|---------------------|--------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5775 (RU26.0) | 32.000 | 19.800 | - | - | 19.800 | - |

Table 636 - 99% Bandwidth Results



Figure 862 - Core 0 (A) 5775 MHz (CH155) 99% Bandwidth



Figure 863 - Core 0 (A) 5775 MHz (CH155) 6 dB Bandwidth



| Test Configuration | | | |
|--------------------------|------------------------------|-----------------|---|
| Frequency Range: | 5.725-5.850 GHz | Band: | U-NII-3 |
| Limit Clause(s): | 15.407(e) RSS-247 6.2.4.1 | Test Method(s): | C63.10 6.9.3 789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---------------------------|--------------------|--------------------------|---|
| Mode: | 802.11ax HE80 RU52 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | SISO | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A (Core 0) | Active Chain(s): | 0 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|----------------------|---|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5690 (RU52.52) | 4.200 | - | - | - | 4.200 | ≥500.0 |
| 5775 (RU52.37) | 17.000 | - | - | - | 17.000 | ≥500.0 |

Table 637 - 6 dB Bandwidth Results

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|---------------------|---|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5690 (RU52.52) | 4.600 | - | - | - | 4.600 | - |
| 5775 (RU52.37) | 21.400 | - | - | - | 21.400 | - |

Table 638 - 99% Bandwidth Results



Figure 866 - Core 0 (A) 5690 MHz (CH138) 99% Bandwidth



Figure 867 - Core 0 (A) 5690 MHz (CH138) 6 dB Bandwidth



Figure 868 - Core 0 (A) 5775 MHz (CH155) 99% Bandwidth



Figure 869 - Core 0 (A) 5775 MHz (CH155) 6 dB Bandwidth



| Test Configuration | | | |
|--------------------------|------------------------------|-----------------|---|
| Frequency Range: | 5.725-5.850 GHz | Band: | U-NII-3 |
| Limit Clause(s): | 15.407(e) RSS-247 6.2.4.1 | Test Method(s): | C63.10 6.9.3 789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---------------------------|-----------------------|--------------------------|-----|
| Mode: | 802.11ax HE80 RU52 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | MIMO CDD | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|----------------------|--------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5690 (RU52.52) | 4.200 | 4.200 | - | - | 4.200 | ≥500.0 |
| 5775 (RU52.37) | 17.000 | 17.000 | - | - | 17.000 | ≥500.0 |

Table 639 - 6 dB Bandwidth Results

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|---------------------|--------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5690 (RU52.52) | 4.800 | 4.600 | - | - | 4.600 | - |
| 5775 (RU52.37) | 21.200 | 19.000 | - | - | 19.000 | - |

Table 640 - 99% Bandwidth Results



Figure 870 - Core 0 (A) 5690 MHz (CH138) 99% Bandwidth



Figure 871 - Core 0 (A) 5690 MHz (CH138) 6 dB Bandwidth



Figure 872 - Core 1 (B) 5690 MHz (CH138) 99% Bandwidth



Figure 873 - Core 1 (B) 5690 MHz (CH138) 6 dB Bandwidth



Figure 874 - Core 0 (A) 5775 MHz (CH155) 99% Bandwidth



Figure 875 - Core 0 (A) 5775 MHz (CH155) 6 dB Bandwidth



Figure 876 - Core 1 (B) 5775 MHz (CH155) 99% Bandwidth



Figure 877 - Core 1 (B) 5775 MHz (CH155) 6 dB Bandwidth



| Test Configuration | | | |
|--------------------------|------------------------------|-----------------|---|
| Frequency Range: | 5.725-5.850 GHz | Band: | U-NII-3 |
| Limit Clause(s): | 15.407(e) RSS-247 6.2.4.1 | Test Method(s): | C63.10 6.9.3 789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---------------------------|-----------------------|--------------------------|-----|
| Mode: | 802.11ax HE80 RU52 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x2 | DCCF (dB): | - |
| Antenna Configuration: | MIMO SDM | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|----------------------|--------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5690 (RU52.52) | 4.200 | 4.200 | - | - | 4.200 | ≥500.0 |
| 5775 (RU52.37) | 17.000 | 17.000 | - | - | 17.000 | ≥500.0 |

Table 641 - 6 dB Bandwidth Results

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|---------------------|--------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5690 (RU52.52) | 4.800 | 4.600 | - | - | 4.600 | - |
| 5775 (RU52.37) | 21.200 | 18.800 | - | - | 18.800 | - |

Table 642 - 99% Bandwidth Results



Figure 878 - Core 0 (A) 5690 MHz (CH138) 99% Bandwidth



Figure 879 - Core 0 (A) 5690 MHz (CH138) 6 dB Bandwidth



Figure 880 - Core 1 (B) 5690 MHz (CH138) 99% Bandwidth



Figure 881 - Core 1 (B) 5690 MHz (CH138) 6 dB Bandwidth



| Test Configuration | | | |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range: | 5.150-5.250 GHz | Band: | U-NII-1 |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3 C63.10 12.5.1 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---------------------------|-----------------------|--------------------------|-----|
| Mode: | 802.11n HT20 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2 | DCCF (dB): | - |
| Antenna Configuration: | TxBF | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|---------------------|--------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5180 | 17.820 | 17.820 | - | - | 17.820 | - |
| 5200 | 17.640 | 17.700 | - | - | 17.640 | - |
| 5240 | 17.700 | 17.640 | - | - | 17.640 | - |

Table 643 - 99% Bandwidth Results



Figure 886 - Core 0 (A) 5180 MHz (CH36) 26 dB and 99% Bandwidth



Figure 887 - Core 1 (B) 5180 MHz (CH36) 26 dB and 99% Bandwidth



Figure 888 - Core 0 (A) 5200 MHz (CH40) 26 dB and 99% Bandwidth



Figure 889 - Core 1 (B) 5200 MHz (CH40) 26 dB and 99% Bandwidth



Figure 890 - Core 0 (A) 5240 MHz (CH48) 26 dB and 99% Bandwidth



Figure 891 - Core 1 (B) 5240 MHz (CH48) 26 dB and 99% Bandwidth



| Test Configuration | | | |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range: | 5.150-5.250 GHz | Band: | U-NII-1 |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3 C63.10 12.5.1 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---------------------------|-----------------------|--------------------------|-----|
| Mode: | 802.11n HT20 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2 | DCCF (dB): | - |
| Antenna Configuration: | TxBF | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5180 | 21.840 | 21.840 | - | - | 21.840 | - |
| 5200 | 21.060 | 21.060 | - | - | 21.060 | - |
| 5240 | 20.940 | 20.940 | - | - | 20.940 | - |

Table 644 - 26 dB Bandwidth Results

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|---------------------|--------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5180 | 17.820 | 17.760 | - | - | 17.760 | - |
| 5200 | 17.640 | 17.640 | - | - | 17.640 | - |
| 5240 | 17.700 | 17.700 | - | - | 17.700 | - |

Table 645 - 99% Bandwidth Results



Figure 892 - Core 0 (A) 5180 MHz (CH36) 26 dB and 99% Bandwidth



Figure 893 - Core 1 (B) 5180 MHz (CH36) 26 dB and 99% Bandwidth



Figure 894 - Core 0 (A) 5200 MHz (CH40) 26 dB and 99% Bandwidth



Figure 895 - Core 1 (B) 5200 MHz (CH40) 26 dB and 99% Bandwidth



Figure 896 - Core 0 (A) 5240 MHz (CH48) 26 dB and 99% Bandwidth



Figure 897 - Core 1 (B) 5240 MHz (CH48) 26 dB and 99% Bandwidth



| Test Configuration | | | |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range: | 5.150-5.250 GHz | Band: | U-NII-1 |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3 C63.10 12.5.1 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---------------------------|-----------------------|--------------------------|-----|
| Mode: | 802.11n HT40 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2 | DCCF (dB): | - |
| Antenna Configuration: | TxBF | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|---------------------|--------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5190 | 36.480 | 36.600 | - | - | 36.480 | - |
| 5230 | 36.360 | 36.400 | - | - | 36.360 | - |

Table 646 - 99% Bandwidth Results



Figure 898 - Core 0 (A) 5190 MHz (CH38) 26 dB and 99% Bandwidth



Figure 899 - Core 1 (B) 5190 MHz (CH38) 26 dB and 99% Bandwidth



Figure 900 - Core 0 (A) 5230 MHz (CH46) 26 dB and 99% Bandwidth



Figure 901 - Core 1 (B) 5230 MHz (CH46) 26 dB and 99% Bandwidth



| Test Configuration | | | |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range: | 5.150-5.250 GHz | Band: | U-NII-1 |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3 C63.10 12.5.1 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---------------------------|-----------------------|--------------------------|-----|
| Mode: | 802.11n HT40 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2 | DCCF (dB): | - |
| Antenna Configuration: | TxBF | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5190 | 43.560 | 43.560 | - | - | 43.560 | - |
| 5230 | 41.520 | 41.200 | - | - | 41.200 | - |

Table 647 - 26 dB Bandwidth Results

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|---------------------|--------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5190 | 36.600 | 36.720 | - | - | 36.600 | - |
| 5230 | 36.360 | 36.300 | - | - | 36.300 | - |

Table 648 - 99% Bandwidth Results



Figure 902 - Core 0 (A) 5190 MHz (CH38) 26 dB and 99% Bandwidth



Figure 903 - Core 1 (B) 5190 MHz (CH38) 26 dB and 99% Bandwidth



Figure 904 - Core 0 (A) 5230 MHz (CH46) 26 dB and 99% Bandwidth



Figure 905 - Core 1 (B) 5230 MHz (CH46) 26 dB and 99% Bandwidth



| Test Configuration | | | |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range: | 5.150-5.250 GHz | Band: | U-NII-1 |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3 C63.10 12.5.1 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---------------------------|-----------------------|--------------------------|-----|
| Mode: | 802.11ac VHT80 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | TxBF | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|---------------------|--------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5210 | 75.680 | 75.680 | - | - | 75.680 | - |

Table 649 - 99% Bandwidth Results



Figure 906 - Core 0 (A) 5210 MHz (CH42) 26 dB and 99% Bandwidth



Figure 907 - Core 1 (B) 5210 MHz (CH42) 26 dB and 99% Bandwidth



| Test Configuration | | | |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range: | 5.150-5.250 GHz | Band: | U-NII-1 |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3 C63.10 12.5.1 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---------------------------|-----------------------|--------------------------|-----|
| Mode: | 802.11ac VHT80 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | TxBF | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5210 | 83.600 | 82.940 | - | - | 82.940 | - |

Table 650 - 26 dB Bandwidth Results

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|---------------------|--------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5210 | 75.460 | 75.900 | - | - | 75.460 | - |

Table 651 - 99% Bandwidth Results



Figure 908 - Core 0 (A) 5210 MHz (CH42) 26 dB and 99% Bandwidth



Figure 909 - Core 1 (B) 5210 MHz (CH42) 26 dB and 99% Bandwidth



| Test Configuration | | | |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range: | 5.250-5.350 GHz | Band: | U-NII-2A |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3 C63.10 12.5.1 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---------------------------|-----------------------|--------------------------|-----|
| Mode: | 802.11n HT20 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2 | DCCF (dB): | - |
| Antenna Configuration: | TxBF | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5260 | 20.940 | 20.940 | - | - | 20.940 | - |
| 5280 | 20.940 | 20.940 | - | - | 20.940 | - |
| 5320 | 21.840 | 21.480 | - | - | 21.480 | - |

Table 652 - 26 dB Bandwidth Results

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|---------------------|--------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5260 | 17.640 | 17.640 | - | - | 17.640 | - |
| 5280 | 17.700 | 17.700 | - | - | 17.700 | - |
| 5320 | 17.760 | 17.760 | - | - | 17.760 | - |

Table 653 - 99% Bandwidth Results



Figure 910 - Core 0 (A) 5260 MHz (CH52) 26 dB and 99% Bandwidth



Figure 911 - Core 1 (B) 5260 MHz (CH52) 26 dB and 99% Bandwidth



Figure 912 - Core 0 (A) 5280 MHz (CH56) 26 dB and 99% Bandwidth



Figure 913 - Core 1 (B) 5280 MHz (CH56) 26 dB and 99% Bandwidth



Figure 914- Core 0 (A) 5320 MHz (CH64) 26 dB and 99% Bandwidth



Figure 915- Core 1 (B) 5320 MHz (CH64) 26 dB and 99% Bandwidth



| Test Configuration | | | |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range: | 5.250-5.350 GHz | Band: | U-NII-2A |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3 C63.10 12.5.1 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---------------------------|-----------------------|--------------------------|-----|
| Mode: | 802.11n HT40 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2 | DCCF (dB): | - |
| Antenna Configuration: | TxBF | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5270 | 41.400 | 40.920 | - | - | 40.920 | - |
| 5310 | 44.640 | 42.840 | - | - | 42.840 | - |

Table 654 - 26 dB Bandwidth Results

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|---------------------|--------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5270 | 36.200 | 36.240 | - | - | 36.200 | - |
| 5310 | 36.600 | 36.600 | - | - | 36.600 | - |

Table 655 - 99% Bandwidth Results



Figure 916 - Core 0 (A) 5270 MHz (CH54) 26 dB and 99% Bandwidth



Figure 917 - Core 1 (B) 5270 MHz (CH54) 26 dB and 99% Bandwidth



Figure 918 - Core 0 (A) 5310 MHz (CH62) 26 dB and 99% Bandwidth



Figure 919 - Core 1 (B) 5310 MHz (CH62) 26 dB and 99% Bandwidth



| Test Configuration | | | |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range: | 5.250-5.350 GHz | Band: | U-NII-2A |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3 C63.10 12.5.1 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---------------------------|-----------------------|--------------------------|-----|
| Mode: | 802.11ac VHT80 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | TxBF | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5290 | 84.040 | 83.600 | - | - | 83.600 | - |

Table 656 - 26 dB Bandwidth Results

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|---------------------|--------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5290 | 75.680 | 75.460 | - | - | 75.460 | - |

Table 657 - 99% Bandwidth Results



Figure 920 - Core 0 (A) 5290 MHz (CH58) 26 dB and 99% Bandwidth



Figure 921 - Core 1 (B) 5290 MHz (CH58) 26 dB and 99% Bandwidth



| Test Configuration | | | |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range: | 5.470-5.725 GHz | Band: | U-NII-2C |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3 C63.10 12.5.1 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---------------------------|-----------------------|--------------------------|-----|
| Mode: | 802.11n HT20 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2 | DCCF (dB): | - |
| Antenna Configuration: | TxBF | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5500 | 21.840 | 21.840 | - | - | 21.840 | - |
| 5580 | 21.000 | 21.000 | - | - | 21.000 | - |
| 5700 | 21.780 | 21.780 | - | - | 21.780 | - |
| 5720 | 15.500 | 15.560 | - | - | 15.500 | - |

Table 658 - 26 dB Bandwidth Results

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|---------------------|--------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5500 | 17.820 | 17.820 | - | - | 17.820 | - |
| 5580 | 17.700 | 17.760 | - | - | 17.700 | - |
| 5700 | 17.760 | 17.820 | - | - | 17.760 | - |
| 5720 | 13.700 | 13.700 | - | - | 13.700 | - |

Table 659 - 99% Bandwidth Results



Figure 922 - Core 0 (A) 5500 MHz (CH100) 26 dB and 99% Bandwidth



Figure 923 - Core 1 (B) 5500 MHz (CH100) 26 dB and 99% Bandwidth



Figure 924 - Core 0 (A) 5580 MHz (CH116) 26 dB and 99% Bandwidth



Figure 925 - Core 1 (B) 5580 MHz (CH116) 26 dB and 99% Bandwidth



Figure 926 - Core 0 (A) 5700 MHz (CH140) 26 dB and 99% Bandwidth



Figure 927 - Core 1 (B) 5700 MHz (CH140) 26 dB and 99% Bandwidth



Figure 928 - Core 0 (A) 5720 MHz (CH144) 26 dB and 99% Bandwidth



Figure 929 - Core 1 (B) 5720 MHz (CH144) 26 dB and 99% Bandwidth



| Test Configuration | | | |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range: | 5.470-5.725 GHz | Band: | U-NII-2C |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3 C63.10 12.5.1 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---------------------------|-----------------------|--------------------------|-----|
| Mode: | 802.11n HT40 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2 | DCCF (dB): | - |
| Antenna Configuration: | TxBF | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5510 | 43.800 | 43.680 | - | - | 43.680 | - |
| 5550 | 41.640 | 41.280 | - | - | 41.280 | - |
| 5670 | 43.680 | 43.680 | - | - | 43.680 | - |
| 5710 | 35.640 | 35.600 | - | - | 35.600 | - |

Table 660 - 26 dB Bandwidth Results

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|---------------------|--------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5510 | 36.720 | 36.720 | - | - | 36.720 | - |
| 5550 | 36.360 | 36.360 | - | - | 36.360 | - |
| 5670 | 36.720 | 36.720 | - | - | 36.720 | - |
| 5710 | 32.880 | 32.800 | - | - | 32.800 | - |

Table 661 - 99% Bandwidth Results



Figure 930 - Core 0 (A) 5510 MHz (CH102) 26 dB and 99% Bandwidth



Figure 931 - Core 1 (B) 5510 MHz (CH102) 26 dB and 99% Bandwidth



Figure 932 - Core 0 (A) 5550 MHz (CH110) 26 dB and 99% Bandwidth



Figure 933 - Core 1 (B) 5550 MHz (CH110) 26 dB and 99% Bandwidth



Figure 934 - Core 0 (A) 5670 MHz (CH134) 26 dB and 99% Bandwidth



Figure 935 - Core 1 (B) 5670 MHz (CH134) 26 dB and 99% Bandwidth



Figure 936 - Core 0 (A) 5710 MHz (CH142) 26 dB and 99% Bandwidth



Figure 937 - Core 1 (B) 5710 MHz (CH142) 26 dB and 99% Bandwidth



| Test Configuration | | | |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range: | 5.470-5.725 GHz | Band: | U-NII-2C |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3 C63.10 12.5.1 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---------------------------|-----------------------|--------------------------|-----|
| Mode: | 802.11ac VHT80 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | TxBF | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5530 | 83.600 | 84.480 | - | - | 83.600 | - |
| 5610 | 84.480 | 84.920 | - | - | 84.480 | - |
| 5690 | 76.140 | 75.920 | - | - | 75.920 | - |

Table 662 - 26 dB Bandwidth Results

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|---------------------|--------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5530 | 75.680 | 75.680 | - | - | 75.680 | - |
| 5610 | 75.680 | 75.680 | - | - | 75.680 | - |
| 5690 | 72.180 | 72.180 | - | - | 72.180 | - |

Table 663 - 99% Bandwidth Results



Figure 938 - Core 0 (A) 5530 MHz (CH106) 26 dB and 99% Bandwidth



Figure 939 - Core 1 (B) 5530 MHz (CH106) 26 dB and 99% Bandwidth



Figure 940 - Core 0 (A) 5610 MHz (CH122) 26 dB and 99% Bandwidth



Figure 941 - Core 1 (B) 5610 MHz (CH122) 26 dB and 99% Bandwidth



Figure 942 - Core 0 (A) 5690 MHz (CH138) 26 dB and 99% Bandwidth



Figure 943 - Core 1 (B) 5690 MHz (CH138) 26 dB and 99% Bandwidth



| Test Configuration | | | |
|--------------------------|------------------------------|-----------------|---|
| Frequency Range: | 5.725-5.850 GHz | Band: | U-NII-3 |
| Limit Clause(s): | 15.407(e) RSS-247 6.2.4.1 | Test Method(s): | C63.10 6.9.3 789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---------------------------|-----------------------|--------------------------|-----|
| Mode: | 802.11n HT20 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2 | DCCF (dB): | - |
| Antenna Configuration: | TxBF | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|----------------------|--------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5720 | 3.880 | 3.820 | - | - | 3.820 | ≥500.0 |
| 5745 | 17.100 | 17.040 | - | - | 17.040 | ≥500.0 |
| 5785 | 17.640 | 17.340 | - | - | 17.340 | ≥500.0 |
| 5825 | 17.400 | 16.980 | - | - | 16.980 | ≥500.0 |

Table 664 - 6 dB Bandwidth Results

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | | Limit (kHz) |
|----------------------|---------------------|--------|---|---|---------|-------------|
| | A | B | C | D | Minimum | |
| 5720 | 4.180 | 4.120 | - | - | 4.120 | - |
| 5745 | 17.700 | 17.760 | - | - | 17.700 | - |
| 5785 | 17.760 | 17.760 | - | - | 17.760 | - |
| 5825 | 17.760 | 17.760 | - | - | 17.760 | - |

Table 665 - 99% Bandwidth Results



Figure 944 - Core 0 (A) 5720 MHz (CH144) 99% Bandwidth



Figure 945 - Core 0 (A) 5720 MHz (CH144) 6 dB Bandwidth



Figure 946 - Core 1 (B) 5720 MHz (CH144) 99% Bandwidth



Figure 947 - Core 1 (B) 5720 MHz (CH144) 6 dB Bandwidth