

WELCOME

to the range of Commercial Food Service Products from Panasonic.

Whilst you are probably aware of the Panasonic brand, what you probably didn't know is that Panasonic have been supplying commercial kitchens with products for over 50 years. We have been supplying international customers with a wide range of Commercial Food Service products, specifically design to meet the needs of the Hospitality industry.

Based on our success globally including Europe, North America, Japan, China and other parts of Asia. Panasonic is now bringing some of these ranges to Australia for the Food Service and Hospitality market.

Panasonic has a long history of producing quality products and in 2018 celebrated our 100 year anniversary since foundation. This longevity has been built on the back of long relationships with the market and working proactively with our customers to build a better future.

The new Commercial Food Services division has a dedicated B2B team that will manage the launch of an exciting new future for the Panasonic brand.

We will be talking to you, our customers on expanding the range in the future and hope you enjoy using our products.



WHY PANASONIC

Panasonic prides itself on producing premium products that are built to last, essential in a commercial kitchen environment. We build-in unique design features, conduct extensive testing and manage strict quality assessment procedures, that have resulted in a solid track record of performing in any conditions. We don't compromise on quality.

To ensure a dedicated B2B approach, we operate from within the Hussmann Australia Pty Ltd (a Panasonic company), a market leader in the manufacture and supply of supermarket fridge and freezer cabinets across Australia. In Sydney we have over 17,000 sq metres of factory/warehouse where we keep a vast range of parts and extensive stock to support fast turnaround orders and speedy repairs. It is this network and warehousing capacity that enables us to maximise our reach for service and support.

We are dedicated to the long term position of Panasonic Commercial Food Service products, so much so that we offer a 2 year warranty on parts for our commercial series refrigeration range, backed up with a nation-wide service team and a unique in-field warranty on our microwaves, where any issues or delays in repairing your microwave will be covered by a loan machine until the repairs can be completed!

So with this network and experience we promise to deliver: Quality, Innovation and Experience.


And we guarantee it!

MICROWAVES



FEATURES

- Internationally used across the Food Service sector
- NE1853 is still made in Japan and comes with a 2 year warranty
- Manufacturer of Magnetrons and microwaves
- Range of heavy duty and light duty options
- Extensive pre-sale testing
- Stackable and compact





NE-1853 COMMERCIAL MICROWAVE OVEN

- 1800W of cooking power
- 2 magnetrons
- Dual power feed for more consistent even cooking
- Side Open
- Programmable memory pads
- 15 power levels
- 5 stage cooking
- Easy extension pad +10s/+20s
- 30 preset menu programs
- Programmable lock
- Easy to clean air filter
- Stainless steel cabinet & cavity
- Removable ceiling splatter shield
- Energy efficient LED lighting and LCD display
- Stackable

OPTIONAL ACCESSORY

Microsave® Liner - Minimises cleaning time and extends the microwave's lifespan by providing total protection for the cavity, roof, sides, back and base.


Technical Specifications

Model No.		NE-1853		
Capacity		18L (0.6cft)		
Output Power		1800W		
Power Source		240V, 50Hz Single Phase		
Plug Type		AS/NS4417 (^)		
Required Power		12.3A 2830W		
Material	Face of Door/Base	Stainless Steel		
	Cabinet	Stainless Steel		
	Cavity	Stainless Steel		
	Base plate	Sealed-in ceramic		
Door Design		Side Open		
Program	Power Level	15 Levels		
	Memory	30 programs		
	Stage Cooking	5 stages		
	Memory lock	Yes		
	Multiple quantity keys	Yes (X2 for 2 dishes, X 3 for 3 dishes)		
	Extension Pad	Yes (+10s/+20s)		
Display		LCD		
Oven Lamp		LED		
Stackable		Yes		
Outer Dimensions (WxDxH)		422 x 508 x 337 mm		
Cavity Dimensions (WxDxH)		330 x 310 x 175 mm		
Weight	Net	30 kg		


^{*} Specifications are subject to change without notice for further improvement.

^{* 15}A plug required









meeting the demands of busy caterers who have medium out put requirement



NE-1037 1000 Watt Medium Duty Microwave Oven




- Side Open
- Programmable memory pads
- 3 power levels
- 3 stage cooking
- x2 Double quantity pad
- 10 preset menu programs
- Programmable lock
- Stainless steel cabinet & cavity
- Increased durability of door hinge
- Flat cavity
- Space saving with only 360mm depth

Technical Specifications

Model No.		NE-1037	
Capacity		22L (0.8cft)	
Output Power		1000W	
Power Source		240V, 50Hz Single Phase	
Plug Type		AS/NZS3112 (^)	
Required Pow	equired Power 6.6A 1490W		
Material	Face of Door/Base	Stainless Steel	
	Cabinet	Stainless Steel	
	Cavity	Stainless Steel	
	Base plate	Sealed-in ceramic	
Door Design		Side Open	
Program	Power Level	3 Levels	
	Memory	10 programs	
	Stage Cooking	3 stages	
	Memory lock	Yes	
	Multiple quantity keys	Yes (X2 for 2 dishes)	
Outer Dimensions (WxDxH)		510 x 360 x 306 mm	
Cavity Dimen	sions (WxDxH)	330 x 330 x 2005 mm	
Weight	Net	18.6 kg	
		<u> </u>	

^{*} Specifications are subject to change without notice for further improvement.





The NE-C1275 Combination Oven features Microwave, Grill and Convection Oven - which is versatile enough to cook anything from hearty pies to delicious paninis - fast and to perfection. Downloaded cooking programs can be easily transferred via SD Card - making it an ideal choice for use in hotels, clubs and restaurants with set menus, where consistent results and ease of operation are essential.

NE-C1275

3 WAY COMBINATION OVEN



- 1800W Convection Oven, 1800W Grill, 1150W Microwave
- High speed Fan Grill and Grill Convection functions for faster browning results
- Combination Options include: Microwave + Grill; Microwave + Convection;
 Microwave + Fan Grill; and Microwave + Grill Convection
- Preset Combi keys offer 5 popular combination options which can be selected with one touch
- Microwave has 6 power levels. Dual emission bottom energy feed ensures even heating
- Convection oven settings range from 100°C 250°C
- 4 element Quartz Grill with 2 power levels and recessed elements
- Three fast "Preheat" settings up to 240°C on continuous standby (will maintain temperature for up to 4 hours of non use).
- · 2 shelf positions
- Up to 99 programs available, each can be preset with up to 3 stages of combination or single cooking cycles
- Programmable manually or via SD Memory Card and your Personal Computer
- Fast cool feature to quickly reduce oven temperature for easy cleaning and low temperature cooking
- Beep tone option and clean air filter reminder
- Program lock

PLACEMENT OF YOUR OVEN

- Oven must be placed on a flat, stable surface.
- For proper operation, the oven must have sufficient air flow.
- A gap of at least 5cm (2") must be available at the right and left hand sides and back wall of the oven.
- A minimum space of 20cm (8") must be left above the oven and the 2 exhaust vents at the rear.
- Do not place the oven on a shelf directly above or beside a gas or electric hob or cooker. This
 may cause damage to the oven.
- It is dangerous to position this oven on a shelf which is so high that food and accessories cannot be safely removed by the user.
- Do NOT attempt to stack these ovens.

ACCESSORIES INCLUDED

Wire Rack Shelf and Ceramic Insulating Tray

Dual shelf positions enable food to achieve traditional browning from the oven or the grill.

TECHNICAL SPECIFICATIONS		
Model: NE-C1275		
Power Source	230-240V / 50Hz, Single phase	
Plug/Outlet	13 amp	
Power Requirement	2900W 12.2A	
Power Supply	Single phase 13 amp power supply	
Frequency	2450 MHz	
Outer Dimensions (WxDxH)	600x484x383mm	
Oven Dimensions (WxDxH)	406x336x217mm	
Net Weight	41kg (inc accessories)	
Cubic Capacity	29.6 litres (1 cu.ft)	
Output Power (W)		
Microwave	1150w	
Grill	1800w	
Convection Oven	1800w	
MICROWAVE		
6 Power Levels		
High	1150w	
Medium	850w	
Low	560w	
Simmer	420w	
Defrost	180w	
Stand	Zero w	
Timer (min)		
High, Medium	Up to 15 mins	
Low, Simmer, Defrost, Stand	Up to 1 hour	
CONVECTION OVEN		
Temperature Range	100°C - 250°C	
Timer (min)	Up to 1 hour 40 mins	
GRILL		
Timer (min)	Up to 1 hour	
2 Power Levels		
High (Hi)	1,800W	
Low (Lo)	1,450W	






COMING SOON








A variety of heating patterns offer tasty results quickly.

Offering versatile menus quickly

- Combining Convection, Grill, and Microwave functions for speedy heating of frozen, refrigerated, or roomtemperature dishes.
- 3-step continuous heat setting (3-Step setting) is possible.
- Fan speed adjustable from 30 to 100%.



A compact design that fits on store counters

- The compact design fits on counters that are 60 cm deen
- A heat-insulated body with safety in mind.



Easy-to-see, easy-to-operate touch panel system

 Touch panel system is easy to operate.
 With the Memory function, you just press a number to start heating.





Professional Microwave Convection Oven (For Reheating) NE-SCV2

Dimensions:	474 x 565 x 412 mm (W x D x H)
Power Consumption:	Single Phase 100 V, 3750 W
High-Frequency Output:	1200 to 0 W / Switchable in 9 Steps
Convection Heater Output:	1350 W, Temperature Adjustable 180 to 250°C
Grill Heater Output:	1800 W (2-Step Switchable)
Preheat Adjustment Range:	150°C (Stand-by Preheat), 180°C, 250°C
Oven Capacity:	10 L
Memory Capacity:	10 to 1,000
Product Weight:	Approx. 37.4 kg




You can combine Convection, Grill, and Microwave functions into 6 versatile heating patterns for frozen, refrigerated, and room-temperature dishes.















Grill and Microwave

Convection and Microwave

Convection and Grill

Fan Speed Settings (30% to 100%)

Circulates the heat around the oven interior, browns food, and crisps the outside.

Menu Examples







Fondant chocolate


3-Step Setting Possible

You can combine 6 heating patterns, and cook continuously for up to 3 steps.

Cooking Time Example (with Preheating)

Heating Method	Menu	Amount	Time	Fan
①Grill and Microwave ②Grill	Pizza (frozen)	One 8-inch pizza (220 g)	Approx. 2 min 20 sec (1) approx. 1 min 30 sec, (2) approx. 50 sec	30%
①Convection and Microwave ②Convection	Hot dog (refrigerated)	One (110 g)	Approx. 40 sec (1) approx. 32 sec, (2) approx. 8 sec	40%
Grill and Microwave	Fondant chocolate (frozen)	One (90 g)	Approx. 30 sec	50%

Dimensions



Specifications

Dimensions	Exterior (mm)	474 x 565 x 412 (W x D x H)	
	Interior (mm)	270 x 330 x 110 (W x D x H)	
Interior Capacity		10 L	
High-Frequency Output		1200 to 0 W, 9-Step Switchable	
Power Supply		Bottom (2-Duct) Power Supply Method	
Grill	Heater Output	1800 W (2-Step Switchable)	
Convection	Heater Output	1350 W, Temperature Adjustment: 180 to 250°C	
Preheat Adjustment Range		150°C (Stand-by Preheat), 180°C, 250°C	
Memory Capacity		10 to 1,000 (100 When Shipped)	
Dating	Power Supply	Inverter Power Supply (Single Phase 200 V), 50 Hz/60 Hz Common (Hz Free)	
Rating	Power Consumption	3750 W	
Applicable	Power Supply Outlet	L-Bar Type, 20 A, 250 V	
Door Opening Direction		Vertical	
Accessories		Ceramic Tray, Wire Rack, Ceramic Plate White, Specified SD Memory Card	
Product Weight		Approx. 37.4 kg	









Specified SD Memory Card



469

The Panasonic Group takes the environment into full consideration when manufacturing products.



We thoroughly pursue energy-saving efficiency in the $\,$ products that we deliver to our customers, and aim to reduce the amount of CO2 emitted during product use.



We reduce the amount of new resources used in new products, and recycle resources from end-of-life products, to promote resource recycling.



Panasonic products comply globally with the standard values for using substances* designated by the RoHS Directive as impacting the environment.

Lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyls, and polybrominated diphenyl ethers





Panasonic