

**800 Series, Electric Cooktop, 30",
Black
NET8069UC**



**Sleek in Design, and Features SpeedBoost®
Which Adds Even More Power to the
Cooking Process**

- PreciseSelect® - direct cooking level selection.
- SpeedBoost® offers shorter heat-up times for liquids.
- The smooth ceramic glass surface makes cooking and cleaning especially easy.
- Bridge Element Accommodates Oblong Pans and Many Diameters of Cookware
- Each Zone's Timer Automatically Shuts Off When Cooking is Done

Technical Data

Sealed Burners : No

Burners with booster : Rear right

Dimension of 1st heating element (in) : 7"

Power of heating element (W) : 1.8 kW

Dimension of 3rd heating element (in) : 7"

Power of 3rd heating element (W) : 1.8 kW

Optional accessories

HEZ390210 : System pan diameter 15 cm

HEZ390220 : System pan diameter 19 cm

HEZ390230 : System pan diameter 21cm

800 Series, Electric Cooktop, 30", Black NET8069UC

Sleek in Design, and Features SpeedBoost® Which Adds Even More Power to the Cooking Process

Design

- Black-glass Seamless Design
- Cooktop Design Coordinates with Bosch Ovens and Ventilation

Performance

- Dual Element Offers the Capability to use Multiple Pan Sizes
- Bridge Element Accommodates Oblong Pans and Multiple Diameter Sized Cookware
- SpeedBoost® - Delivers More Power to Speed Up the Cooking Process

Convenience


- PreciseSelect® - Direct Cooking Level Selection - 17 Settings for Precise Control
- Use the Kitchen Timer to Measure Cooking Time or as a Reminder
- Clean Lock - Prevents Unwanted Changing of Settings while Cleaning Spill-Overs.

Safety


- 2-Level Heat Indicator - Warns if Cooktop is Warm or Hot
- ChildLock - Prevents the Cooktop from Being Accidentally Switched on. Locks Temperature Settings if in Use.

800 Series, Electric Cooktop, 30", Black NET8069UC

Measurements in inches (mm)




- A:** Min. distance from the hob cut-out to the wall
- B:** Max. recessed depth
- C:** Min. distance between the surface of the hob and the underside of the extractor hood
This distance can be smaller, check installation instructions of extractor hood
- D:** Min. distance from the hob cut-out to the side wall



measurement in inches (mm)

Measurements in inches (mm)

30" (762 mm) Built-in oven – under electric cooktop



- A:** Cooktop
- B:** Built-in oven
- C:** Cooktop conduit fitting
- D:** Dimensions based on standard countertop height: 36" (914 mm) with 4 1/4" (121 mm) toe kick including base plate
The built-in oven can be installed below the electric cooktop as long as there is no contact between the bottom of the cooktop and the top of the oven