

1111 W. 35th Street, Chicago, IL 60609 www.tripplite.com

PRICE LIST

COMPUTER, ELECTRONIC AND TELECOM EQUIPMENT (RETAIL)

APRIL 1, 2010 REPLACES ALL PREVIOUS LISTS

All products listed are for 60 Hz, 120V applications unless otherwise indicated in their descriptions. All outlets are 15-amp unless noted.

CONTACT US TODAY!

To Place Order: (773) 869-1797 For Technical Assistance: (773) 869-1234 For Fax Orders: (773) 869-1329 For Return Information: (773) 869-1103 For General Office: (773) 869-1111

CHOOSE THE PRODUCT THAT BEST SOLVES YOUR SPECIFIC APPLICATION NEED.

UPS SYSTEMS. EXTERNAL BATTERY PACKS & ACCESSORIES

Intelligent UPS Systems

pg. 2-5 Reliable battery backup and complete power management and control for everything from a single PC to an entire network-500VA to 16kVA.

Intelligent 3-Phase UPS Systems

Large battery backup with 3-phase on-line, double-conversion protection for mission-critical applications—up to 80kVA.

External Battery Packs

Increase the runtime of compatible UPS systems. Select battery packs support daisy-chaining for further expansion.

Communication Accessories

Network-based remote power management and control.

Detachable power distribution units, step-down transformers and mounting accessories.

Line-Interactive UPS Systems

Automatic voltage regulation protection for PCs, workstations and servers-300VA to 1500VA.

Standby UPS Systems

Economical battery backup and surge protection for PCs, modem/fax lines and peripherals—300VA to 1400VA.

NAFTA-Compliant UPS Systems

A full line of intelligent on-line, intelligent line-interactive, line-interactive and standby UPS systems that meet NAFTA content requirements—300VA to 3000VA. Rack/tower and tower models available.

Full Isolation UPS Systems

pg. 9 Built-in isolation transformers provide superior line noise filtering and spike suppression with reliable battery backup**Extended-Run UPS Systems**

Recommended when long-term battery backup is needed for telecom/industrial applications—600VA to 1200VA.

SmartRack™ Enclosures, Racks & Accessories pg. 11-12 Designed for organizing and securing server, networking and telecom equipment

Replacement Battery Cartridges (R.B.C.) Extend the life of older UPS systems-models compatible with most UPS brands.

Worldwide UPS Systems pg. 20-21

A complete line of UPS systems with a variety of input/output voltage ranges for worldwide applications-500VA to 80kVA.

SURGE SUPPRESSORS, MULTIPLE OUTLET STRIPS POWER DISTRIBUTION UNITS & NOTEBOOK ACCESSORIES

pa. 5

pq. 6

pg. 14

pg. 14

pg. 15

Isobar® Premium Surge Suppressors

Premium surge suppressors with exclusive isolated filter banks for the highest level of protection—up to 8 outlets.

Protect It!™ & Other Surge Suppressors

Economical surge suppressors with modem/fax, coaxial and/or Ethernet line protection—up to 10 outlets.

Isobar Rackmount Surge Suppressors

All of the premium features of the Isobar line in slim 1U rackmount cabinets—up to 14 outlets.

Rackmount & General-Purpose Outlet Strips Provide convenient multiple AC outlets wherever needed—up to 24 outlets.

Safety Surge Suppressors & Outlet Strips

Rugged, safe designs with all-metal, safety yellow housings perfect for industrial, automotive and factory environmentsup to 8 outlets.

Power Distribution Units (PDUs)

Add reliable AC outlets to rack enclosures—up to 40 outlets with options for digital load meters and/or network connectivity.

Network Dataline Surge Protectors

pg. 13

pg. 22

Guard against the harmful effects of lightning, electrostatic discharge and ground surges—a variety of communication **Worldwide Surge Suppressors**

TRIPPLITE

Reliable and cost-effective surge protection solutions for worldwide applications. Protect all home/business environments against surges-up to 8 outlets.

Noteables™ Notebook Accessories pg. 22-23

Maximize the functionality of notebook/laptop computers with cases, keyboards, mice, hubs, cables, stands and more.

TAA-COMPLIANT PRODUCTS

pg. 15

pg. 6-7

pg. 7

GSA/TAA-Compliant Products

A full line of UPS systems, external battery packs, racks and surge suppressors manufactured in compliance with the requirements of the United States Trade Agreement Act (TAA), suitable for GSA Schedules and other federal government procurement contracts

KVM SWITCHES, CABLES & CONNECTIVITY PRODUCTS

KVM Switches & Accessories

Control multiple computers with a single keyboard/video/mouse console.

Keyspan® by Tripp Lite Remote Control & Connectivity Solutions Remote controls, USB connectivity accessories and other products.

Fiber Patch Cables, Adapters, Panels & Media Converters A full line of fiber patch cables in a variety of lengths and colors.

Network Patch Cables, Bulk Cables, Display Solutions, USB Solutions, FireWire® Cables & Power Cords

Superior data transfer rates and connectivity versatility for PC and network applications.

HEALTHCARE/MEDICAL PRODUCTS

Healthcare/Medical Power Protection Products

Medical-grade UPS systems, isolation transformers, mobile power retrofit kits and power outlet strips certified to 60601-1 standards.

Special Use Products with Hospital-Grade Plugs & Receptacles

Surge suppressors and power outlet strips suitable for healthcare applications

HOME THEATER/HIGH-END **AUDIO PRODUCTS**

Power Protection, Cables & Connectivity

Ideal UPS system, surge suppressors and connectivity for audio/video components.



pg. 9-10

pg. 23-24

pg. 24-27

pg. 12

pg. 12

pg. 19

pg. 17

pq. 22



Provide superior line noise rejection and spike suppression—up to 1000 watts. Line Conditioners/Voltage Regulators

Automatically adjust low or high voltage to normal AC voltage without a battery up to 2400 watts. PowerVerter® Inverters

pg. 17 Convert 12/24V DC battery power to 120V AC power for mobile/stationary applicationsup to 3000 continuous watts. pg. 18

Inverters with Automatic Transfer Switch & Charger Convert 12/24/36/48V DC battery power to 120V AC power with automatic switchover to charging-up to 3600 continuous watts.

DC Power Supplies pg. 18 Convert 120V AC power to 13.8V DC power for radios, test benches, amplifiers, and more-up to 60 amps.

Worldwide Line Conditioners/Voltage Regulators pg. 22 Automatically adjust low or high voltage to normal 230V AC voltage without a batteryup to 2000 watts.

Worldwide PowerVerter Inverters pg. 22 Convert 12V DC battery power to 230V AC power—up to 700 continuous watts.

Worldwide Inverters with Automatic Transfer Switch & Charger Convert 12/24/36V DC battery power to 230V 50Hz AC power with automatic switchover to charging—up to 3600 continuous watts.

INTELLIGENT UPS SYSTEMS

Designed for maximum compatibility and ease of use, intelligent UPS systems include all software and cabling needed for network and SNMP management. They have an advanced on-board microprocessor to control UPS functions and enable extended network management. Each unit provides complete protection against blackouts, extended brownouts, surges and line noise. Front panel LEDs and/or LCD report power conditions and UPS status. All models are 120V AC unless otherwise indicated. TAA-compliant products also available. See pg. 8

SmartPro Series = Line-Interactive UPS; SmartOnline Series = On-line UPS; SmartOnline T Series = On-line Tower UPS; SmartOnline E Series = On-line UPS with Extreme Efficiency (Up to 97%) SmartOnline EZ Series = On-line Hot-Swappable UPS with Extreme Efficiency; SmartOnline EZ2 Series = On-line Hot-Swappable UPS with Extreme Efficiency and 120V Power

19-INCH RACKMOUNT SMARTPRO® & SMARTONLINE™ UPS SYSTEMS
All SU models are true on-line ups systems with pure sine-wave output, zero transfer time, dynamic bypass and full-time precision voltage regulation.

MODEL #	ettery packs for extended runtime. Battery packs and accessories on pg. 5-6.	CONTROLLABLE OUTLETS	SUGGEST Resal
SMART500RT1U	500VA UPS, 1U rack/tower mount. SmartPro Intelligent Line-Interactive modified sine wave UPS. Comm. ports: 1 RS-232 & 1 USB. Outlets: 7. SNMP slot.		\$ 189.
SMART750RM1U	750VA UPS, 1U rack/tower mount. SmartPro Intelligent Line-Interactive sine wave UPS. Comm. ports: 1 RS-232 & 1 USB. Outlets: 6. SNMP slot.	2	434.
SMART750RMXL2U	750VA UPS, 2U rack/tower mount. SmartPro Intelligent Line-Interactive sine wave UPS. Comm. ports: 1 RS-232 & 1 USB. Outlets: 6. SNMP slot. Line Use BP24V15RT2U, BP24V28-2U or BP24V70-3U for extended runtime.	2	485.
750RTXL2U	750VA UPS, 2U rack/tower mount. SmartOnline E Series TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER Comm. ports: 1 RS-232 & 1 USB. Outlets: 6. SNMP slot.		557.
SMART1000RM1U	1000VA UPS, 1U rack/tower mount. SmartPro Intelligent Line-Interactive sine wave UPS. Comm. ports: 1 RS-232 & 1 USB. Outlets: 6. SNMP slot.	2	567
SMART1000RM2U	1000VA UPS, 2U rack/tower mount. SmartPro Intelligent Line-Interactive sine wave UPS. Comm. ports: 1 RS-232 & 1 Outlets: 6. SNMP slot.	JSB. 2	519
1000RTXL2Ua	1000VA UPS, 2U rack/tower mount. SmartOnline E Series TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER Comm. ports: 1 RS-232 & 1 USB. Outlets: 6. SNMP slot.	TIME 2	667
SMART1500RM2U	1500VA UPS, 2U rack/tower mount. SmartPro Intelligent Line-Interactive sine wave UPS. Comm. ports: 1 RS-232 & 1 Outlets: 8. SNMP slot.		741
SMART1500RMXL2Ua	1500VA UPS, 2U rack/tower mount. SmartPro Intelligent Line-Interactive sine wave UPS. Comm. ports: 1 RS-232 of 1 USB. Outlets 8. SNMP slot. Line-Interactive sine wave UPS. Comm. ports: 1 RS-232 of 1 USB. Outlets 8. SNMP slot.	& 3	792
SMART1500CRMXL	1500VA UPS, 2U rack/tower mount. SmartPro Intelligent Line-Interactive sine wave UPS.	3	1,001
SU <mark>1500RTXL2Ua</mark>	Comm. ports: 1 RS-232 & 1 USB. Outlets: 8. SNMP slot. Use BP48V242U or BP48V60RT3U for extended runi	2	863
SMART2200RM2U	2200VA UPS, 2U rack/tower mount. SmartPro Intelligent Line-Interactive sine wave UPS. Comm. ports: 1 RS-232 & 1 Outlets: 8 (four 15-amp & four 15/20-amp). SNMP slot.	USB. 3	1,065
SMART2200RMXL2U	2200VA UPS, 2U rack/tower mount. SmartPro Intelligent Line-Interactive sine wave UPS. Comm. ports: 1 RS-232 & 1 Outlets: 8 (four 15-amp & four 15/20-amp). SNMP slot.		1,095
SMART2200CRMXL	2200VA UPS, 4U rack/tower mount. SmartPro Shallow-Depth Intelligent Line-Interactive sine wave UPS. Comm. ports: 1 RS-232 & 1 USB. Outlets: 8 (four 15-amp & four 15/20-amp). SNMP slot. USB BP48V48RT4U for extended runtime Includes 2-post mounting hardware.	3	1,329
SU <mark>2200RTXL2Ua</mark>	2200VA UPS, 2U rack/tower mount. SmartOnline E Series TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. Comm. ports: 1 RS-232 & 1 USB. Outlets: 7 (six 15/20-amp & one locking 20-amp). SNMP slot.	2	1,265
SMART2600RM2U	2600VA UPS, 2U rack/tower mount. SmartPro Intelligent Line-Interactive sine wave UPS. Comm. ports: 1 RS-232 1 USB. Outlets: 9 (four 15-amp, four 15/20-amp & one locking 20-amp). SNMP Slot.		1,167
SMART3000RM2U	3000VA UPS, 2U rack/tower mount. SmartPro Intelligent Line-Interactive sine wave UPS. Comm. ports: 1 RS-232 & 1 Outlets: 9 (eight 15/20-amp & one locking 30-amp). SNMP slot.	USB. 3	1,239
SMART3000RMXL2U	3000VA UPS, 2U rack/tower mount. SmartPro Intelligent Line-Interactive sine wave UPS. Comm. ports: 1 RS-232 1 USB. Outlets: 9 (eight 15/20-amp & one locking 30-amp). SNMP slot.	& 2	1,260
SMART3000RM0D2U	3000VA UPS, 2U rack/tower mount. SmartPro Intelligent Line-Interactive sine wave UPS with high power factor and hot-swappable power module. Comm. ports: 1 RS-232 & 1 USB. Outlets: 7 (six 15-amp & one locking 30-amp SNMP slot. Lie Use BP72V15-2U or BP72V28RT-3U for extended runtime.	2	1,575
SMART3000CRMXL	3000VA UPS (3600VA with optional hardwire input), 4U rack/tower mount. SmartPro Shallow-Depth Intelligent Line-Interactive sine wave UPS. Comm. ports: 1 RS-232 & 1 USB. Outlets: 9 (four 15-amp, four 15/20-amp & one locking 30-amp). SNMP slot.	3	1,575
SU <mark>3000RTXL2U</mark>	3000VA, 2U rack/tower. SmartOnline E Series TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. Comm. ports: 1 RS-232 & 1 USB. Outlets: 7 (six 15/20-amp & one locking 30-amp). SNMP slot. List Use BP72V15-2U or BP72V28RT-3U for extended runtime.	2	1,575
3000RTXL3U	3000VA UPS, 3U rack/tower. SmartOnline E Series TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TINC Comm. ports: 1 RS-232 & 1 USB. Outlets: 9 (four 15/20-amp, four 15-amp & one locking 30-amp). SNMP slot.	ЛЕ. 2	1,853
SU <mark>3000RTXR3U</mark>	3000VA UPS, 3U rack/tower. SmartOnline E Series TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TINC Comm. ports: 1 RS-232 & 1 USB. Outlets: 9 (four 15/20-amp, four 15-amp & one locking 30-amp). SNMP slot. Limit Use BP72V15-2U or BP72V28RT-3U for extended runtime.	ЛЕ. 2	2,257
SU <mark>3000RTXL3UHV</mark>	Larger internal batteries yield runtime 2½ times greater than SU3000RTXL3U above. 3000VA UPS, 200-240V 50/60Hz, 3U rack/tower. SmartOnline E Series TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. Comm. port: 1 RS-232. Outlets: 8 (six 6-15/20R & two L6-20R). SNMP slot.	2	2,063
SMART5000TEL3U	5000VA UPS, 3U (including internal batteries) rack/tower mount. SmartPro Inteller Line-Interactive sine wave UPS. 208V single phase input, 208 & 120V (400VA) output. Comm. ports: 1 UISB, 1 RS-232 & 1 DB9 contact clos Outlets: 5 (two 120V 15-amp, two 208V 20-amp twist lock & one 208V 30-amp twist lock). SNMP slot.	N/A	2,459

	INTELLIGENT UPS SYSTEMS (CONTINUED) CONTROLLABLE	SUGGEST
MODEL #	FEATURES OUTLETS	RESALE
SMART5000XFMRXL	5000VA UPS, 3U (including internal batteries) rack/tower mount. SmartPro Intelligent Line-Interactive sine wave UPS. 208V single-phase input, 208 & 120V output (full power at either or mixed output voltages). Comm. ports: 1 USB, 1 RS-232 & 1 DB9 contact closure. Outlets: 11 (eight 120V 15/20-amp, two 208V 20-amp twist-lock & one 208V 30-amp twist-lock). SNMP slot.	\$ 3,213.0
SMART5000RT3U	5000VA UPS, 3U (power module) & 3U (external battery pack, included) rack/tower mount. SmartPro Intelligent Line-Interactive sine wave UPS. 208V single phase input, 208 & 120V output (full power at either or mixed output voltages). Comm. ports: 2 RS-232 & 2 USB. Outlets: 14 (ten 15-amp, two 15/20-amp & two 208V 30-amp). SNMP slot. Use BP48V60RT3U for extended runtime.	3,509.0
SU 5000RT4U	5000VA UPS, 4U (ALL-IN-ONE power module, battery module & dual voltage output circuit module) rack/tower mount. SmartOnline EZ2 Series TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. Input/Output: 120/240V or 120/208V 60Hz detachable bypass PDU w/L14-30P plug & 10-ft. cord. 2 L6-30R, 2 L6-20R & 8 5-15/20R outlets. Comm. ports: 1 USB & 1 RS-232 w/contact closure.	3,645.0
SU 5000RT4UHV	5000VA UPS, 4U (ALL-IN-ONE power module, battery module & dual voltage output circuit module) rack/tower mount. SmartOnline E Series TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. Input/Output: 200-240V 50/60Hz. Detachable bypass PDU w/L6-30P plug, 10-ft. cord, 2 L6-30R & 2 L6-20R outlets. Comm. ports: 1 USB & 1 RS-232. SNMP slot. Use BP192V12-3U for extended runtime.	3,300.0
SU 5000RT4UTF	5000VA UPS, 4U power/battery module plus 2U step-down transformer rack/tower mount. SmartOnline E Series TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. Input/Output: 208/240V & 120V 50/60 Hz. Detachable bypass PDU w/L6-30P plug, 10-ft. cord, 2 L6-30R, 2 L6-20R & 12 5-15/20R outlets. Comm. ports: 1 USB & 1 RS-232. SNMP slot.	3,999.0
SU 5000RT3UHV	5000VA UPS, 3U (power module) & 2U (external battery pack, included) rack/tower mount. SmartOnline Intelligent TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. Input: 200-240V 50/60 Hz. w/L6-30P plug. Output: 200-240V selectable 50/60 Hz. Outlets: 4 (2 L6-20R & 2 L6-30R). SNMP slot, RS-232 & contact closure ports.	3,329.
SU 5000RT3U	5000VA UPS, 3U (power module), 2U (isolation/distribution/step-down transformer) & 2U (external battery pack, included) rack/tower mount. SmartOnline Intelligent TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. Input: 200-240V 50/60Hz w/L6-30P Output: 2 L6-20R, 2 L6-30R & 12 5-15/20R SNMP slot, RS-232 & contact closure ports.	3,989.0
SU 6000RT4U	6000VA UPS, 4U (ALL-IN-ONE power module, battery module & dual voltage output circuit module) rack/tower mount. SmartOnline EZ2 Series TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. Input/Output: 120/240V or 120/208V 60Hz detachable bypass PDU w/L14-30 plug and 10-ft. cord. 2 L6-30R, 2 L6-20R & 8 5-15/20R outlets. Comm. ports: 1 USB & 1 RS-232 w/contact closure.	4,525.0
SU6000RT4UHV	6000VA UPS, 4U (ALL-IN-ONE power module, battery module & dual voltage output circuit module) rack/tower mount. SmartOnline EZ Series TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. Input/Output: 200-240V 50/60Hz. Detachable bypass PDU w/L6-30P plug, 10-ft. cord, 2 L6-30R & 2 L6-20R outlets. Comm. ports: 1 USB & 1 RS-232. SNMP slot.	4,235.
SU6000RT4UHVG	6000VA UPS, 4U (ALL-IN-ONE power module, battery module & dual voltage output circuit module) rack/tower mount. SmartOnline EZ Series TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. Input/Output: 200-240V 50/60Hz. Detachable bypass PDU w/hardwire input & 4 C19 outlets. Comm. ports: 1 USB & 1 RS-232. SNMP slot. SNMP slot.	4,235.
SU6000RT4UHVHW	6000VA UPS, 4U (ALL-IN-ONE power module, battery module & dual voltage output circuit module) rack/tower mount. SmartOnline EZ Series TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. Input/Output: 200-240V 50/60Hz. Detachable bypass PDU w/hardwire input/output. Comm. ports: 1 USB & 1 RS-232. SNMP slot.	4,056.
<u>SU</u> 6000RT4UTF	6000VA UPS, 4U power/battery module plus 2U step-down transformer rack/tower mount. SmartOnline EZ Series TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. Input/Output: 208/240V & 120V 50/60 Hz. Detachable bypass PDU w/L6-30P plug, 10 ft. cord, two L6-30R, two L6-20R, 8 5-15/20R & 4 5-15R outlets. Comm. ports: 1 USB & 1 RS-232. SNMP slot.	4,765.
_	6000VA UPS, 4U power/battery module plus 2U step-down transformer rack/tower mount. SmartOnline EZ Series TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. Input/Output: 208/240V & 120V 50/60 Hz. Detachable bypass PDU with hardwire input/output. Comm. ports: 1 USB & 1 RS-232. SNMP slot.	4,900.
SU6000RT3UHV	6000VA UPS, 3U (power module) & 3U (external battery pack, included) rack/tower mount. SmartOnline E Series TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. 200-240V 50/60 Hz. auto-sensing single phase hardwired input/output. Comm. ports: 1 RS-232 & 1 contact closure. SNMP slot. Alternate back panels on pg. 6. Use BP240V10RT3U for extended runtime.	4,299.
SU 6000RT3U	6000VA UPS, 3U (power module), 3U (isolation/distribution/step-down transformer) & 3U (ext. battery pack, included) rack/tower mount. SmartOnline Intelligent TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. 200-240V 50/60Hz auto-sensing single-phase hardwired input/200-240V & 120V output. Comm. ports: 1 RS-232 & 1 contact closure. Alternate back panels on page 6. SNMP slot.	5,399.
SU 8000RT4U	8000VA UPS, 4U (ALL-IN-ONE power module, battery module & dual voltage output circuit module) rack/tower mount. SmartOnline EZ2 Series TRUE ON-LINE UPS, PURE SINE WAVE, ZERO TRANSFER TIME. Input/Output: 120/240V or 120/208V 60Hz detachable bypass PDU w/hardwire plug. 2 L6-30R, 2 L6-20R & 4 5-15/20R outlets. Comm. ports: 1 USB & 1 RS-232 w/contact closure. SNMP slot. Use BP192V12-3U for extended runtime.	5,400.
SU 8000RT3U	8000VA, 3U (power module) & 3U (external battery, included) rack/tower. SmartOnline EZ Series TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. 200-240V 50/60 Hz. Detachable bypass PDU w/3-wire hardwired input, 2 L6-30R & 4 L6-20R outlets. Comm. ports: 1 RS-232 & 1 DB9 contact closure. SNMP slot.	5,137
SU8000RT3UG	8000VA, 3U (power module) & 3U (external battery, included) rack/tower mount. SmartOnline EZ Series TRUE ON-LINE UPS. PURE SINE-WAVE, ZERO TRANSFER TIME. 200-240V 50/60 Hz. Detachable bypass PDU w/3-wire hardwired input & 6 C19 outlets. Comm. ports: 1 RS-232 & 1 DB9 contact closure. SNMP slot.	5,309
SU8000RT3UN50	8000VA, 3U (power module) & 3U (external battery, included) rack/tower mount. SmartOnline EZ Series TRUE ON-LINE UPS. PURE SINE WAVE, ZERO TRANSFER TIME. 200-240V 50/60 Hz. Detachable bypass PDU w/L6-50P input plug & 10-ft. cord. 2 L6-30R & 4 L6-20R outlets. Comm. ports: 1 RS-232 & 1 DB9 contact closure. SNMP slot.	5,525.
<u>SU</u> 8000RT3U1TF	8000VA, 3U (power module) & 3U (external battery, included) rack/tower mount. SmartOnline EZ Series TRUE ON-LINE UPS. PURE SINE-WAVE, ZERO TRANSFER TIME. 200-240V 60 Hz. Detachable bypass PDU w/3-wire hardwired input, 2 L6-30R & 4 L6-20R outlets. Includes one 2U transformer, 200/208 volts, 60 Hz input, 115/120 & 230/240 volts, 60 Hz output w/1 L6-30R, & 12 5-15/20R outlets. Comm. ports: 1 RS-232 & 1 DB9 contact closure. SNMP slot.	5,690.

	MODEL #	FEATURES	SUGGESTED Resale
œ	<u>SU</u> 8000RT3UN50TF	8000VA UPS, 3U (power module) & 3U (external battery pack, included) rack/tower mount. SmartOnline EZ Series TRUE ON-LINE UPS, PURE SINE WAVE, ZERO TRANSFER TIME. 200-240V 50/60 Hz. Detachable bypass PDU w/L6-50P input plug & 10-ft. cord. 2 L6-30R & 4 L6-20R output receptacles. Includes one 2U transformer, 200/208 volts, 60 Hz input 115/120 & 230/240 volts, 60 Hz output w/1 L6-30R & 12 5-15/20R receptacles. Comm. ports: 1 RS-232 & 1 DB9 contact closure. SNMP slot. Use BP240V10RT3U for extended runtime.	\$ 6,075.00
Œ	SU 10000RT3U	10,000VA, 3U (power module) & 3U (external battery, included) rack/tower mount. SmartOnline EZ Series TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. 200-240V 50/60 Hz. Detachable bypass PDU w/3-wire hardwired input, 2 L6-30R & 4 L6-20R outlets. Comm. ports: 1 RS-232 & 1 DB9 contact closure. SNMP slot.	6,121.00
Œ	<u>SU</u> 10000RT3UG	10,000VA, 3U (power module) & 3U (external battery, included) rack/tower mount. SmartOnline EZ Series TRUE ON-LINE UPS. PURE SINE-WAVE, ZERO TRANSFER TIME. 200-240V 50/60 Hz. Detachable bypass PDU w/3-wire hardwired input & 6 C19 outlets. Comm. ports: 1 RS-232 & 1 DB9 contact closure. SNMP slot. Limit Use BP240V10RT3U for extended runtime.	6,387.00
<u> </u>	SU 10000RT3U2TF	10,000VA UPS, 3U (power module) & 3U (external battery pack, included) rack/tower mount. SmartOnline EZ Series TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. 200-240V 60 Hz. Detachable bypass PDU with 3-wire hardwired input, 2 L6-30R &4 L6-20R output receptacles. Includes two 2U transformers, 200/208 volts, 60 Hz input, 115/120 & 230/240 volts, 60 Hz output w/1 L6-30R and 12 5-15/20R receptacles each. Comm. ports: 1 USB & 1 RS-232 w/contact closure. SNMP slot.	7,349.00
	SU10KRT3UHV	10,000VA. 3U (power module) & 3U (external battery pack, included) rack/tower mount. SmartOnline EZ Series TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. 200-240V 50/60 Hz. auto-sensing single phase input/output. Comm. ports: 1 RS-232 & 1 contact closure. Outlets: hardwired. SNMP slot.	5,536.00
œ	SU10KRT3U	10,000VA. 3U (power module), 3U (isolation/distribution/step-down transformer) & 3U (external battery pack, included) rack/tower mount. SmartOnline EZ Series TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. 200-240V 50/60Hz auto-sensing single-phase input/200-240V & 120V output. Comm. ports: 1 RS-232 & 1 contact closure. Outlets: hardwired. SNMP slot. Use BP240V10RT3U for extended runtime.	6,836.00
Œ	<u>SU</u> 12000RT4U	12,000VA UPS, 4U (power module) & 4U (external battery pack, included) rack/tower mount. SmartOnline EZ2 Series TRUE ON-LINE UPS, PURE SINEWAVE, ZERO TRANSFER TIME. Input/Output: 120/240V or 120/208V 60Hz detachable bypass PDU w/hardwire input, 2 L6-30R, 6 C19 & 5 5-15/20R outlets. Comm. ports: 1 USB & 1 RS-232 w/contact closure. SNMP slot. Use BP192V18-4U for extended runtime.	8,900.00
Œ	SU 12000RT4UHW	12,000VA UPS, 4U (power module) & 4U (external battery pack, included) rack/tower mount. SmartOnline EZ2 Series TRUE ON-LINE UPS, PURE SINEWAVE, ZERO TRANSFER TIME. Input/Output: 120/240V or 120/208V 60Hz. Detachable bypass PDU w/hardwire input/output. Comm. ports: 1 USB & 1 RS-232 w/contact closure. SNMP slot. Line USE BP192V18-4U for extended runtime.	8,900.00
Œ	SU16000RT4U	16,000VA UPS, 4U (power module) & 4U (external battery pack, included) rack/tower mount. SmartOnline EZ2 Series TRUE ON-LINE UPS, PURE SINE WAVE, ZERO TRANSFER TIME. Input/Output: 120/240V or 120/208V 60Hz detachable bypass PDU w/hardwire plug. 2 L6-30R, 6 C19 & 5 5-15/20R outlets. Comm. ports: 1 USB & 1 RS-232 w/contact closure. SNMP slot. Use BP192V18-4U for extended runtime.	11,700.00
œ	SU16000RT4UHW	16,000VA UPS, 4U (power module) & 4U (external battery pack, included) rack/tower mount. SmartOnline EZ2 Series TRUE ON-LINE UPS, PURE SINE WAVE, ZERO TRANSFER TIME. Input/Output: 120/240V or 120/208V 60Hz detachable bypass PDU w/hardwire plug. Comm. ports: 1 USB & 1 RS-232 w/contact closure. Outlets: hardwired. SNMP slot.	11,700.00

TOWER SMARTPRO® AND SMARTONLINE™ UPS SYSTEMS

	MODEL #	FEATURES	CONTROLLABLE OUTLETS	SUGGESTED Resale
	SMART500RT1U	500VA UPS, 1U rack/tower mount. SmartPro Intelligent Line-Interactive modified sine wave UPS. Comm. ports: 1 RS-232 & 1 USB. Outlets: 7. SNMP slot.	1	\$ 189.00
	SMART750	750VA UPS, SmartPro Intelligent Line-Interactive UPS. Tower. Comm. port: 1 USB. Outlets: 6.	N/A	295.00
	SMART700SER	700VA UPS, SmartPro Intelligent Line-Interactive UPS. Tower. Comm. port: 1 RS-232. Outlets: 6.	N/A	295.00
	SMART750SLT	750VA UPS, SmartPro Intelligent Line-Interactive UPS. Tower. Comm. ports: 1 RS-232 & 1 USB. Outlets: 8. SNMP s	,	327.00
盆	SMART750XLa	750VA UPS, SmartPro Intelligent Line-Interactive UPS. Tower. Comm. ports: 1 RS-232 & 1 USB. Outlets: 8. SNMP slot. □ Use BP24V15RT2U, BP24V28-2U or BP24V70-3U for extended runtime.	N/A	499.00
Œ	SU 750XL	750VA UPS, SmartOnline T Series TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. Tower. Comm. ports: 1 RS-232 & 1 USB. Outlets: 6. SNMP slot. Let Use BP24V15RT2U, BP24V28-2U or BP24V70-3U for	2 extended runtime.	521.00
	SMART1050	1050VA UPS, SmartPro Intelligent Line-Interactive UPS. Tower. Comm. port: 1 USB. Outlets: 6.	N/A	362.00
	SMART1050SLT	1050VA UPS, SmartPro Intelligent Line-Interactive UPS. Tower. Comm. ports: 1 RS-232 & 1 USB. Outlets: 8. SNMP slo	ot. N/A	411.00
Œ	SU 1000XLa	1000VA UPS, SmartOnline T Series TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. Tower. Comm. ports: 1 RS-232 & 1 USB. Outlets: 6. SNMP slot. □ Use BP24V15RT2U, BP24V28-2U or BP24V70	2 I-3U for extended runtime.	571.00
	SMART1500	1500VA UPS, SmartPro Intelligent Line-Interactive UPS. Tower. Comm. ports: 1 RS-232 & 1 USB. Outlets: 6.	1	444.00
	SMART1500SLT	1500VA UPS, SmartPro Intelligent Line-Interactive UPS. Tower. Comm. ports: 1 RS-232 & 1 USB. Outlets: 8. SNMP slo	ot. N/A	493.00
盆	SMART1500XL	1500VA UPS, SmartPro Intelligent Line-Interactive UPS. Tower. Comm. ports: 1 RS-232 & 1 USB. Outlets: 6. □ Use BP36V15-2U or BP36V42-3U for extended runtime.	1	599.00
盆	SMART1500SLTXL	1500VA UPS, SmartPro Intelligent Line-Interactive UPS. Tower. Comm. ports: 1 RS-232 & 1 USB. Outlets: 8. SNMP Slot. Line BP36V15-2U or BP36V42-3U for extended runtime. □ USB BP36V15-2U or BP36V42-3U for extended runtime.	1	559.00
盆	SU 1500XL	1500VA UPS, SmartOnline T Series TRUE ON-LINE UPS, PURE SINE WAVE, ZERO TRANSFER TIME. Tower. Comm. ports: 1 RS-232 & 1 USB. Outlets: 6. SNMP slot. • Use BP48V242U or BP48V60RT3U for extended runti	2 me.	763.00
	SMART2200VS	2200VA UPS, SmartPro Intelligent Line-Interactive UPS. Tower. Comm. ports: 2 RS-232 & 2 USB. Outlets: 9 (seven 15-amp & two 15/20-amp). SNMP slot.	3	810.00
Œ	SMART2200VSXL	2200VA UPS, SmartPro Intelligent Line-Interactive UPS. Tower. Comm. ports: 2 RS-232 & 2 USB. Outlets: 10 (seven 15-amp, two 15/20-amp & one locking 20-amp). SNMP slot.	3 ended runtime.	922.00
	SMART2200NET	2200VA UPS, SmartPro Intelligent Line-Interactive UPS. Tower. Comm. ports: 1 RS-232 & 2 contact closure. Outlets	s: 6. 2	879.00
	SMART2200SLT	2200VA UPS, SmartPro Intelligent Line-Interactive UPS. Tower. Comm. ports: 1 RS-232 & 1 USB. Outlets: 7 (six 15-amp & one locking 20-amp). SNMP slot.	N/A	925.00
Œ	SU 2200XLa	2200VA UPS, SmartOnline T Series TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. Tower. Comm. ports: 1 RS-232 & 1 USB. Outlets: 7 (six 15/20-amp & one locking 20-amp). SNMP slot. Use BP48V242U or BP48V60RT3U for extended runtime.	2	1,064.00
Œ	SMART3000VS	3000VA UPS, SmartPro Intelligent Line-Interactive UPS. Tower. Comm. ports: 2 RS-232 & 2 USB. Outlets: 10 (seven 15-amp, two 15/20-amp & one locking 30-amp). SNMP slot. Let Use BP48V242U or BP48V60RT3U for ext	3 ended runtime.	1,050.00

INTELLIGENT UPS SYSTEMS (CONTINUED)

		CONTROLLABLE	SUGGESTED
MODEL #	FEATURES	OUTLETS	RESALE
SMART3000NET	3000VA UPS, SmartPro Intelligent Line-Interactive UPS. Tower. Comm. ports: 1 RS-232 & 2 contact closure.	2	\$ 1,190.00
	Outlets: 8 (four 15-amp & four 15/20-amp). Let Use BP24V15RT2U, BP24V28-2U or BP24V70-3U for extended	ed runtime.	
SMART3000SLT	3000VA UPS, SmartPro Intelligent Line-Interactive UPS. Tower. Comm. ports: 1 RS-232 & 1 USB.	N/A	1,229.00
	Outlets: 7 (six 15/20-amp & one locking 30-amp). SNMP slot.		
SU 3000XL	3000VA UPS, SmartOnline T Series TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME.	2	1,485.00
	Tower. Comm. ports: 1 RS-232 & 1 USB. Outlets: 9 (four 15/20-amp, four 15-amp & one locking 30-amp).		
	SNMP slot. 🖼 Use BP72V15-2U or BP72V28RT-3U for extended runtime.		

INTELLIGENT 3-PHASE UPS SYSTEMS

Tripp Lite's SmartOnline T3 Series UPS Systems provide the highest level of power protection for 3-phase equipment. All models are 120/208V, 3-phase, 4-wire input/output True On-Line UPS with Pure Sine-Wave Output, Zero Transfer and Full-Time Precision Voltage Regulation. Comm. Ports: 1 RS-232, 1 DB9 & 1 AS-400. SNMP Slot.

All 3-phase models accept battery packs for extended runtime. Battery packs and accessories are listed below, or contact Tripp Lite for extended runtimes.

	MODEL #	FEATURES	RESALE
Œ	SU20K3/3	20kVA tower UPS. Includes two SURBC2030 internal battery packs. TRUE ON-LINE UPS, PURE SINE-WAVE.	\$ 14,399.00
Œ	SU20K3/3XR5	20kVA tower UPS. Includes five SURBC2030 internal battery packs. TRUE ON-LINE UPS, PURE SINE-WAVE.	16,029.00
	SU20KMBPK	External wall-mount 3-breaker maintenance bypass for increased availability.	2,707.00
	SU 30K3/3	30kVA tower UPS. Includes three SURBC2030 internal battery packs. TRUE ON-LINE UPS, PURE SINE-WAVE.	16,700.00
盆	SU30K3/3XR5	30kVA tower UPS. Includes five SURBC2030 internal battery packs. TRUE ON-LINE UPS, PURE SINE-WAVE.	17,950.00
	SURBC2030	240VDC internal battery pack for extended runtime.	1,027.00
	SUBF2030	Additional battery compartment for all models. Requires SURBC2030 battery packs.	3,079.00
	SU30KMBPK	External wall-mount 3-breaker maintenance bypass for increased availability.	2,707.00

INTELLIGENT MODULAR 3-PHASE UPS SYSTEMS

Tripp Lite's SmartOnline E3 Series UPS Systems provide the highest level of power protection for 3-phase equipment and operate with extreme efficiency (up to 96%). All models are 120/208V, 3-phase, 4 wire input/output True On-Line UPS with Pure Sine-Wave Output, Zero Transfer and Full-Time Precision Voltage Regulation. Each tower UPS contains multiple hot-swappable 20kVA power modules for N+1 or greater redundancy. Each UPS also supports 1+1 parallel capability for increased capacity and/or redundancy. Comm. Ports: 1 RS-232, 1 DB9 & 1 Dry Contact. SNMP Slot. = All 3-phase models accept external battery cabinets for extended runtime. Battery cabinets and accessories are listed below (BP480-series), or contact Tripp Lite for custom runtime solutions sized to fit your application requirements.

MODEL #	FEATURES	RESALE
SU 40K	40kVA SmartOnline E3 Series UPS System. Includes two 20kVA power modules and internal batteries.	\$ 29,857.00
SU 60K	60kVA SmartOnline E3 Series UPS System. Includes three 20kVA power modules. Requires external battery cabinet.	33,571.00
SU 80K	80kVA SmartOnline E3 Series UPS System. Includes four 20kVA power modules. Requires external battery cabinet.	40,000.00
SU40KMBPK	External wall-mount 3-breaker maintenance bypass for increased availability (SU40K).	3,355.00
SU60KMBPK	External wall-mount 3-breaker maintenance bypass for increased availability (SU60K).	3,687.00
SU80KMBPK	External wall-mount 3-breaker maintenance bypass for increased availability (SU80K).	7,207.00
		SUGGESTED
		SUUUESTED
MODEL #	FEATURES	RESALE
MODEL # BP480V26B	FEATURES 480V (+/- 240V) battery cabinet for SmartOnline E3 Series UPS Systems. Expandable. Hardwire connection.	
		RESALE
BP480V26B	480V (+/- 240V) battery cabinet for SmartOnline E3 Series UPS Systems. Expandable. Hardwire connection.	RESALE \$ 11,217.00
BP480V26B BP480V40C	480V (+/- 240V) battery cabinet for SmartOnline E3 Series UPS Systems. Expandable. Hardwire connection. 480V (+/- 240V) battery cabinet for SmartOnline E3 Series UPS Systems. Expandable. Hardwire connection.	RESALE \$ 11,217.00 13,886.00
BP480V26B BP480V40C BP480V55	480V (+/- 240V) battery cabinet for SmartOnline E3 Series UPS Systems. Expandable. Hardwire connection. 480V (+/- 240V) battery cabinet for SmartOnline E3 Series UPS Systems. Expandable. Hardwire connection. 480V (+/- 240V) battery cabinet for SmartOnline E3 Series UPS Systems. Expandable. Hardwire connection.	RESALE \$ 11,217.00 13,886.00 18,462.00

EXTERNAL BATTERY PACKS (See UPS specifications for compatibility information.)

Tripp Lite offers a full line of external battery packs. For additional battery options, contact Tripp Lite at (773) 869-1234 for further assistance. TAA-compliant products also available. See pg. 8

			SUGGESTED	
MODEL #	FEATURES			RESALE
BP24V15RT2U	24V external battery pack	_	2U rackmount or tower. Small RED/BLACK battery connector.	\$ 247.00
BP24V28-2U	24V external battery pack	_	2U rackmount or tower. Small RED/BLACK battery connector.	512.00
BP24V33	24V external battery pack	(expandable)	Tower. RED 2-point battery connector.	592.00
BP24V70-3U	24V external battery pack	(expandable)	3U rackmount or tower. Small RED/BLACK battery connector.	1,050.00
BP36V15-2U	36V external battery pack	_	2U rackmount or tower. Small GREY 2-point battery connector.	479.00
BP36V42-3U	36V external battery pack	(expandable)	3U rackmount or tower. Small GREY 2-point battery connector.	1,050.00
BP48V242U	48V external battery pack	_	2U rackmount or tower. BLUE 2-point battery connector.	521.00
BP48V48RT4U	48V external battery pack	(expandable)	4U rackmount – includes 2-post kit. BLUE 2-point battery connector.	1,019.00
BP48V60RT3U	48V external battery pack	(expandable)	3U rackmount or tower. BLUE 2-point battery connector.	1,019.00
BP72V15-2U	72V external battery pack	_	2U rackmount or tower. BLACK 3-point battery connector, for SU models.	650.00
BP72V18	72V external battery pack	(expandable)	Tower. BLACK 3-point battery connector, for SU models.	595.00
BP72V28RT-3U	72V external battery pack	(expandable)	3U rackmount or tower. BLACK 3-point battery connector, for SU models.	1,050.00
BP192V18-4U	192V external battery pack	(expandable)	4U rackmount or tower. ORANGE 2-point battery connector, for SU models.	2,309.00
BP192V12-3U	192V external battery pack	(expandable)	3U rackmount or tower. BLACK 3-point battery connector, for SU models.	1,377.00
BP240V10RT3U	240V external battery pack	(expandable)	3U rackmount or tower. BLACK 3-point battery connector, for SU models.	1,050.00

CHECECTER

SUGGESTED

COMMUNICATION ACCESSORIES

MODEL #	FEATURES	SUGGESTED Resale
SNMPWEBCARD	Internal Universal SNMP/Web management accessory card connects UPS to Ethernet.	\$ 279.00
	,	
RELAYIOCARD	Programmable, internal contact closure management accessory card with 6 output contacts and 1 input contact.	239.00
	Compatible with SmartOnline and select SmartPro UPS systems equipped with SNMP slot.	
ENVIROSENSE	Allows UPS to monitor external temp./humidity and contact-closure inputs (requires an SNMP card).	170.00
WATCHDOGSW	WatchDog Service Monitoring/Rebooting Software.	125.00

UPS ACCESSORIES

MODEL #	FEATURES	SUGGESTED Resale
SU5000XFMRT2U	2U rack/tower mount isolation/distribution/step-down transformer. 208V, 60 Hz single-phase input, 120/240V output. Outlets: 12 (15/20-amp). L6-30P plug. For use with \$\overline{\textsf{U}}\$000RT3UHV, \$\overline{\textsf{U}}\$8000RT3U and \$\overline{\textsf{U}}\$10000RT3U models.	\$ 1,105.00
SUPDM56HW	For 🗓 5000RT4U and 🗓 6000RT4U models only. Detachable hardwired power distribution unit.	122.00
SUPDMB568HW	For 🗓5000RT4U, 🗓6000RT4U and 🗓8000RT4U models only. Detachable hardwired power distribution unit with bypass switch.	363.00
SUPDMB710HW	For \$\overline{10}\$8000 and \$\overline{10}\$10000 models only. Detachable hardwired power distribution unit with bypass switch.	270.00
SUPDMB710IEC	For \$\overline{10}\$8000 and \$\overline{10}\$10000 models only (not for \$\overline{10}\$U8000RT4U). Detachable power distribution unit with bypass switch, 3-wire hardwired input and 6 C19 output receptacles.	687.00
SUPDM11	Alternate back panel for SU6000RT3UHV model only. Converts from hardwired to L6-30P plug/cord set & two L6-30R outlets. 208V.	137.00
SUPDM12	Alternate back panel for distribution transformer module—SU6000RT3U model only. Converts from hardwired to L6-30P plug/cord set and 13 outlets (ten 120V 15/20-amp, two 208V L6-20R & one 208V L6-30R).	257.00
SUPDM13	Alternate back panel for distribution transformer module—\$\overline{\text{SU}}6000RT3U model only. Converts from hardwired to L6-30P plug/cord set and 13 outlets (ten 120V 15/20-amp, two 240V L6-20R & one 240V L6-30R).	257.00
BPMULTI	Daisy-chain connector for multiple battery pack applications. Compatible with SU20K3/3, SU30K3/3, SU20K3/3X and SU30K3/3X.	104.00
4P0STRAILKIT	Adjustable mounting rails for all 4-post racks and enclosures. For any rackmount UPS or battery pack. Supports up to 250 lb.	77.00
UPSWM	Wall-mount Bracket for most tower UPS models. Visit www.tripplite.com for compatibility information.	136.00
2P0STRMKITWM	Horizontal mounting rails for 2-post rackmount/wall-mount installation. For all current 2U to 4U rackmount UPS or battery packs.	77.00
UPSHDEARKIT	Heavy-Duty Mounting Ear Kit. (Supports 2U cabinets up to 65 lb from front vertical rails in 4-post racks and enclosures. Not suitable for 2-post mounting.)	43.00
2-9USTAND	Tower kit with 2 base stands. Converts 19-inch rack products to tower. Expandable from 2U to 9U.	77.00

LINE-INTERACTIVE UPS SYSTEMS

DIGITAL UPS SYSTEMS

Digital models protect PCs, workstations and home entertainment systems with long-lasting battery backup support. A liquid crystal display (LCD) indicates input voltage, battery capacity and a variety of operating conditions. Models stand vertically or lie horizontally, and the LCD display rotates for easy viewing in either position.

Communication ports provide power management when used with PowerAlert software (Web download). Line-interactive operation provides voltage correction. Modem/fax/coaxial/Ethernet line surge protection available. TAA-compliant products also available. See pg. 8

MODEL #	FEATURES	RESALE
OMNI650LCD	650VA UPS, Liquid Crystal Display, Smart Line-Interactive, USB port, 8 outlets.	\$ 132.00
OMNI900LCD	900VA UPS, Liquid Crystal Display, Smart Line-Interactive, USB port, 8 outlets.	147.00
SMART1000LCD	1000VA UPS, Liquid Crystal Display, Smart Line-Interactive, USB port, 1-line modem/fax, 1-line coax, 8 outlets (4 UPS/surge, 4 surge-only).	169.00
SMART1200LCD	1200VA UPS, Liquid Crystal Display, 2U rack/tower mount Smart Line-Interactive, USB & DB9 ports, 1-line modem/fax/Ethernet, 8 outlets (4 UPS/surge, 4 surge-only).	229.00
SMART1500LCD	1500VA UPS, Liquid Crystal Display, 2U rack/tower mount Smart Line-Interactive, USB & DB9 ports, 1-line modem/fax/Ethernet, 8 outlets (4 UPS/surge, 4 surge-only).	251.00

SMART USB LINE-INTERACTIVE UPS SYSTEMS

Smart USB models include a USB port (cable included) to provide power management when used with PowerAlert software (Web download). Line-interactive operation corrects brownouts. 3 UPS and 3 surge-only outlets protect computers and peripherals. Built-in jacks provide modem/fax/Ethernet line protection options. Tower with small footprint. TAA-compliant products also available. See pg. 8

MODEL #	FEATURES	SUGGESTED RESALE
SMART550USB	550VA UPS, Intelligent Line-Interactive, USB port, 1-line modem/fax, 6 outlets.	\$ 119.00
SMART550USBWD	550VA UPS, Intelligent Line-Interactive, USB port, 1-line modem/fax, 6 outlets. Includes Watchdog software.	139.00
SMART750USB	750VA UPS, Intelligent Line-Interactive, USB port, 1-line modem/fax/Ethernet, 6 outlets.	146.00

OMNISMART™ WIDE-RANGE LINE-INTERACTIVE UPS SYSTEMS

OmniSmart models are the tower, small footprint line-interactive solution for workstations. A USB port (cable included) provides power management when used with PowerAlert software (Web download). Line-interactive operation corrects more severe brownouts. All feature multi-operational status LEDs (including battery replace) and wide-range voltage correction. OmniSmart models contain larger batteries to provide longer runtimes.

MODEL #	FEATURES	RESALE
OMNISMART300PNP	300VA UPS, Line-Interactive, corrects brownouts. Modem/fax protection. USB port. 3 outlets.	\$ 135.00
OMNISMART500	500VA UPS, Line-Interactive, corrects brownouts & overvoltages. Modem/fax protection. USB port. 6 outlets (3 UPS/surge, 3 surge-only).	179.00
OMNISMART700	700VA UPS, Line-Interactive, corrects brownouts & overvoltages. Modem/fax/Ethernet protection. USB port. 6 outlets (3 UPS/surge, 3 surge-only).	257.00
OMNISMART1050	1050VA UPS, Line-Interactive, corrects brownouts & overvoltages, AVR LED. USB port. 6 outlets.	352.00
OMNISMART1400	1400VA UPS, Line-Interactive, corrects brownouts & overvoltages, AVR LED. USB port. 6 outlets.	570.00

LINE-INTERACTIVE UPS SYSTEMS (CONTINUED)

OMNI VS/AVR LINE-INTERACTIVE UPS SYSTEMS

Omni VS and AVR models provide basic line-interactive UPS protection at an extremely economical price (cabling included, software available as Web download). Tower and low-profile cabinets, TAA-compliant products also available. See pg. 8

MODEL #	ODEL # FEATURES				
AVR550U	550VA UPS, low-profile line-interactive. Modem/fax protection. USB port. 8 outlets (4 UPS/surge, 4 surge-only).	\$ 69.00			
AVR750U	750VA UPS, low-profile line-interactive. Modem/fax protection. USB port. 8 outlets (4 UPS/surge, 4 surge-only).	92.00			
AVR900U	900VA UPS, low-profile line-interactive. Modem/fax protection. USB port. 12 outlets (6 UPS/surge, 6 surge-only).	111.00			
OMNIVS800	800VA UPS, tower, line-interactive. Modem/fax protection. USB port. 7 outlets (6 UPS/surge, 1 surge-only).	140.00			
OMNIVS1000	1000VA UPS, tower, line-interactive. Modem/fax protection. USB port. 8 outlets (6 UPS/surge, 2 surge-only).	159.00			
OMNIVS1500	1500VA UPS, tower, line-interactive. Modem/fax/Ethernet protection. USB port. 8 outlets (6 UPS/surge, 2 surge-only).	228.00			
OMNIVS1500XL	1500VA UPS, tower, line-interactive. Modem/fax/Ethernet protection. USB port. 8 outlets (6 UPS/surge, 2 surge-only). Let [Use BP24V15RT2U, BP24V28-2U or BP24V70-3U for extended runtime.]	253.00			

STANDBY UPS SYSTEMS

INTERNET OFFICE® STANDBY UPS SYSTEMS

Internet Office models protect equipment and stop Internet crashes. Built-in jacks provide modem/fax protection. Separate UPS/surge and surge-only outlets on all models (except TM500) protect computer and peripherals. TM500 includes under-monitor design and front switches for greater equipment control. Select models include 99% efficiency to conserve energy and reduce utility bills. Software (where applicable) downloadable from Web or included. SUCCESTED

MODEL #	FEATURES	RESALE
INTERNETOFFICE300	300VA UPS, ultra-compact ultra-low profile, modem/fax prot., 6 outlets (3 UPS/surge, 3 surge-only).	\$ 80.00
BC350	350VA UPS, compact low profile, 6 outlets (3 UPS/surge, 3 surge-only).	40.00
INTERNET350U	350VA UPS, compact low profile, 1-line modem/fax prot., USB port/cabling, 8 outlets (4 UPS/surge, 4 surge-only), 99% eff.	43.00
INTERNET350SER	350VA UPS, compact low profile, 1-line modern/fax prot., DB9 port/cabling, 6 outlets (3 UPS/surge, 3 surge-only).	43.00
INTERNET550U	550VA UPS, compact low profile, 1-line modem/fax prot., USB port/cabling, 8 outlets (4 UPS/surge, 4 surge-only), 99% eff.	59.00
INTERNET550SER	550VA UPS, compact low profile, 1-line modern/fax prot., DB9 port/cabling, 8 outlets (4 UPS/surge, 4 surge-only).	58.00
TM500 (INTERNET OFFICE 500 LF	P) 500VA UPS, under-monitor, modem/fax prot., 6 separately switched outlets.	224.00
P0S500	500VA UPS, small-footprint tower, 1-line modem/fax prot., USB port & cabling, 6 outlets (3 UPS/surge, 3 surge-only).	149.99
INTERNET600U	600VA UPS, compact low-profile, 1-line modem/fax prot., USB port/cabling, 8 outlets (4 UPS/surge, 4 surge-only), 99% eff.	63.00
INTERNET750U	750VA UPS, compact low profile, 1-line modem/fax prot., USB port/cabling, 8 outlets (4 UPS/surge, 4 surge-only), 99% eff.	87.00
INTERNET900U	900VA UPS, compact low-profile, 1-line modem/fax prot., USB port/cabling, 12 outlets (6 UPS/surge, 6 surge-only), 99% eff.	102.00
INTERNETOFFICE500	500VA UPS, small-footprint tower, 2-line modem/fax protection, USB port & cabling, 6 outlets (3 UPS/surge, 3 surge-only).	119.00
INTERNETOFFICE700	700VA UPS, small-footprint tower, 1-line modem/fax protection, USB port & cabling, 6 outlets (3 UPS/surge, 3 surge-only).	142.00

ECO-UPS™ STANDBY UPS SYSTEMS

ECO-UPS Systems save money while conserving energy. 99% efficiency saves electricity around the clock. Special ECO outlets turn off idle peripherals when a USBconnected computer is turned off or in standby, eliminating energy-wasting phantom loads. Built-in jacks provide tel/modem/fax protection. Separate UPS/surge and surge-only outlets on all models protect computer and peripherals. TAA-compliant products also available. See pg. 8

MODEL #	FEATURES	RESALE
EC0350UPS	350VA UPS, compact low profile, 1-line tel/modem/fax prot., USB port, 6 outlets (3 UPS/surge, 3 surge-only, 2 ECO).	\$ 47.00
EC0550UPS	550VA UPS, compact low profile, 1-line tel/modem/fax prot., USB port, 8 outlets (4 UPS/surge, 4 surge-only, 3 ECO).	64.00
EC0750UPS	750VA UPS, compact low profile, 1-line tel/modem/fax prot., USB port, 12 outlets (6 UPS/surge, 6 surge-only, 4 ECO).	90.00

BC PRO®/BC PERSONAL STANDBY UPS SYSTEMS

BC Personal models provide excellent protection from blackouts, surges and line noise. BC Pro models also include USB port, cabling and software (Web download).

MODEL #	FEATURES	SUGGESTED Resale
BCPERS300	300VA UPS, 3 outlets, small footprint.	\$ 72.00
BCPERSONAL450	450VA UPS, replace-battery LED, self-test, 3 outlets, USB port, small footprint.	103.00
BCPR0600	600VA UPS, modem/fax protection, 6 outlets (3 UPS/surge, 3 surge-only), USB port, small footprint.	139.00
BCPR01050	1050VA UPS, 6 outlets, USB port, replace-battery LED, overload LED, self-test, alarm, small footprint.	372.00
BCPR01400	1400VA UPS, 6 outlets, USB port, replace-battery LED, overload LED, self-test, alarm, small footprint.	537.00

NAFTA-COMPLIANT UPS SYSTEMS

A full line of UPS systems and external battery packs that meets NAFTA content requirements. Standby, line-interactive and on-line UPS systems available.

= Models accept of MODEL #	optional external battery packs for extended runtime. FEATURES	CONTROLLABLE OUTLETS	SUGGESTE Resale
MODEL #	INTELLIGENT TRUE ON-LINE UPS SYSTEMS	UUILEIS	NEGALE
SU2200RMNAFTA	2200VA UPS, 2U rack/tower mount. SmartOnline E Series TRUE ON-LINE UPS, PURE SINE WAVE, ZERO TRANSFER TIME. Comm. ports: 1 RS-232 & 1 USB. Outlets: 7 (six 15/20-amp & one locking 20-amp). SNMP Slot. Expandable runtime capability with optional external battery packs.	2	\$ 1,575.00
SU3000XLNAFTA	3000VA UPS, Tower. SmartOnline T Series TRUE ON-LINE UPS, PURE SINE WAVE, ZERO TRANSFER TIME. Comm. ports: 1 RS-232 & 1 USB. Outlets: 9 (four 15/20-amp, four 15-amp & one locking 30-amp). SNMP slot. Expandable runtime capability with optional external battery packs.	2	1,716.00
	INTELLIGENT LINE-INTERACTIVE UPS SYSTEMS		
SM500RMNAFTA	500VA UPS, 1U rack/tower mount. SmartPro Intelligent Line-Interactive modified sine wave UPS. Comm. ports: 1 RS-232 & 1 USB. Outlets: 7. SNMP slot.	1	268.0
SM1500RMNAFTA	1500VA UPS, 2U rack/tower mount. SmartPro Intelligent Line-Interactive modified sine wave UPS. Comm. ports: 1 RS-232 & 1 USB. Outlets: 8. SNMP slot. Expandable runtime capability with optional external battr	3 ery packs.	805.00
SM2200RMNAFTA	2200VA UPS, 2U rack/tower mount. SmartPro Intelligent Line-Interactive modified sine wave UPS. Comm. ports: 1 RS-232 & 1 USB. Outlets: 8 (four 15-amp & four 15/20-amp). SNMP slot. Expandable runtime capability with optional external battery packs.	3	1,144.0
SM3000RMNAFTA	3000VA UPS, 2U rack/tower mount. SmartPro Intelligent Line-Interactive modified sine wave UPS. Comm. ports: 2 RS-232 & 2 USB. Outlets: 9 (four 15-amp, four 15/20-amp & one locking 30-amp). SNMP slot. Expandable runtime capability with optional external battery packs.	3	1,285.00
	LINE-INTERACTIVE UPS SYSTEMS		
OMNI300NAFTA	300VA UPS, Tower. Line-Interactive. Modem/fax protection. Comm. port: 1 USB. Outlets: 3.		149.00
SM550UNAFTA	550VA UPS, Tower. Line-Interactive. Modem/fax protection. Comm. port: 1 USB. Outlets: 6.		145.00
SM750UNAFTA	750VA UPS, Tower. Line-Interactive. Modern/fax/Ethernet protection. Comm. port: 1 USB. Outlets: 6.		189.00
OMNI1500XLNAFTA	1500VA UPS, Tower. Line-Interactive. Modem/fax/Ethernet protection. Comm. port: 1 USB. Outlets: 8. Expandable runtime capability with optional external battery pack.		349.00

TAA-COMPLIANT PRODUCTS

UPS Systems, External Battery Packs, Rack Enclosures and Surge Suppressors manufactured in compliance with the requirements of the United States Trade Agreement

	Act (TAA). 🖾		CONTROLLABLE	SUGGESTED
	MODEL #	FEATURES	OUTLETS	RESALE
		INTELLIGENT LINE-INTERACTIVE UPS SYSTEMS (120V MODELS)		
	SMART1050SLTAA	1050VA UPS, SmartPro Intelligent Line-Interactive UPS. Tower. Comm. ports: 1 RS-232 & 1 USB. Outlets: 8. SNMP slot.	N/A	\$464.00
	SMART1500XLTAA	1500VA UPS, SmartPro Intelligent Line-Interactive UPS. Tower. Comm. ports: 1 RS-232 & 1 USB. Outlets: 6.	1	678.00
	SMART2200SLTAA	2200VA UPS, SmartPro Intelligent Line-Interactive UPS. Tower. Comm. ports: 1 RS-232 & 1 USB. Outlets: 7 (six 15-amp & one locking 20-amp). SNMP slot.	N/A	1,039.00
	SM1000RM2UTAA	1000VA UPS, 2U rack/tower mount. SmartPro Intelligent Line-Interactive sine wave UPS. Comm. ports: 1 RS-232 (1 USB. Outlets: 6. SNMP slot.	& 2	585.00
	SM1500RMXL2UTAA	1500VA UPS, 2U rack/tower mount. SmartPro Intelligent Line-Interactive sine wave UPS. Comm. ports: 1 RS-232 of USB. Outlets 8. SNMP slot.	& 3	890.00
盆	SM2200RMXL2UTAA	2200VA UPS, 2U rack/tower mount. SmartPro Intelligent Line-Interactive sine wave UPS. Comm. ports: 1 RS-232 (1 USB. Outlets: 8 (four 15-amp & four 15/20-amp). SNMP slot. USE BP48V242UTAA or BP48V60RT3UTAA for extended runtime.	& 3	1,235.00
=	SM3000RMXL2UTAA	3000VA UPS, 2U rack/tower mount. SmartPro Intelligent Line-Interactive sine wave UPS. Comm. ports: 1 RS-232 (1 USB. Outlets: 9 (eight 15/20-amp & one locking 30-amp). SNMP slot. [Use BP48V242UTAA or BP48V60RT3UTAA for extended runtime.]	& 2	1,450.00
		INTELLIGENT LINE-INTERACTIVE UPS SYSTEMS (230V MODELS)		
	SMX2200RT2UTAA	2200VA UPS, 2U rack/tower mount. SmartPro Intelligent Line-Interactive sine wave UPS. Comm. ports: 1 RS-232 1 USB. Outlets: 8 (IEC-320-C13). SNMP slot. Line IUSE BP48V60RT3UTAA or BP48V242UTAA for extended runtime		1,247.00
(22)	SMX3000RT2UTAA	3000VA UPS, 2U rack/tower mount. SmartPro Intelligent Line-Interactive sine wave. Comm. ports: 1 RS-232 & 1 USB. Outlets: 9 (eight IEC-320-C13 & 1 IEC-320-C19). SNMP slot. USe BP48V242UTAA or BP48V60RT3UTAA for extended runtime.	3	1,479.00
(22)	SMX5000RT3UTAA	5000VA UPS, 3U (including internal batteries) rack/tower mount. SmartPro Intelligent Line-Interactive sine wave UP Comm. ports: 1 RS-232, 1 DB9 contact closure & 1 USB. Outlets: 11 (eight IEC-320-C13 & three IEC-320-C19). SNMP slot. Use BP48V60RT3UTAA for extended runtime.	S. N/A	2,656.00
		LINE-INTERACTIVE UPS SYSTEMS (120V MODELS)		
	SMART550USBTAA	550VA UPS, Intelligent Line-Interactive, USB port, 1-line modem/fax, 6 outlets.		135.00
	SMART750USBTAA	750VA UPS, Intelligent Line-Interactive, USB port, 1-line modem/fax/Ethernet, 6 outlets.		169.00
	AVR900UTAA	900 VA~UPS, low~profile.~Line-Interactive.~Modem/fax~protection.~USB~port.~12~outlets~(6~UPS/surge,~6~surge-only).		125.00
		1000VA UPS, Liquid Crystal Display Smart Line-Interactive, USB port, 1-line modem/fax, 1-line coax, 8 outlets (4 UPS/surge, 4 surge-only).		220.00
	OMNIVS1500XLTAA	1500VA UPS, Tower. Line-Interactive. Modem/fax/Ethernet protection. USB port. 8 outlets (6 UPS/surge, 2 surge-or USB port. 8 pp-24V15RT2U, BP24V28-2U or BP24V70-3U for extended runtime.	nly).	285.00
		LINE-INTERACTIVE UPS SYSTEMS (230V MODELS)		
	AVRX550UTAA	550VA UPS, low profile. AVR Line-Interactive modified sine wave. Comm. port: 1 USB. Outlets: 6 (IEC-320-C13).		125.00
	AVRX750UTAA	750VA UPS, low profile. AVR Line-Interactive modified sine wave. Comm. port: 1 USB. Outlets: 6 (IEC-320-C13).		193.00
	OMNIX1500XLTAA	1500VA UPS, tower mount. OmniSmart Line-Interactive modified sine wave. Comm. port: 1 USB. Modem/fax/netw Outlets: 8 (IEC-320-C13). [Use BP24V15RT2U, BP24V28-2U or BP24V70-3U for extended runtime.]	ork protection.	367.00

TAA-COMPLIANT PRODUCTS (CONTINUED)

MODEL #	FEATURES	S					SUGGESTED Resale
					STANDBY UPS SYSTEMS (120V MODELS)		
EC0550UPSTAA	550VA UP	S, compa	ct low pr	ofile, 1-line t	el/modem/fax prot., USB port, 8 outlets (4 UPS/surge, 4 surge-only, 3 ECC	0).	\$ 75.00
EC0750UPSTAA	750VA UP	S, compa	ct low pr	ofile, 1-line t	el/modem/fax prot., USB port, 12 outlets (6 UPS/surge, 6 surge-only, 4 EC	00).	106.00
					EXTERNAL BATTERY PACKS AND HARDWARE		
BP48V242UTAA	48V extern	nal battery	pack—2	2U rackmoun	t or tower. BLUE 2-point battery connector.		589.00
BP48V60RT3UTAA	48V extern	nal battery	pack (ex	(pandable) 3	BU rackmount or tower. BLUE 2-point battery connector.		1,149.00
SNMPWEBCARDTA	A Internal Ur	niversal Si	NMP/Web	manageme	nt accessory card connects UPS to Ethernet.		319.00
MODEL #	HEIGHT (RU)	WIDTH (IN.)	DEPTH (IN.)		DESCRIPTION		SUGGESTED RESALE
					RACKS		
SR2POSTAA	45	20.3	_		2-Post Open Frame Rack, Threaded Holes (black).		\$ 229.00
SR4POSTAA	45	20.2	24-36		4-Post Open Frame Rack, Square Holes (black). Adjustable depth.		562.00
SR25UBTAA	25	24	42		25U Standard Enclosure (black).		1,350.00
SR42UBTAA	42	24	42		42U Standard Enclosure (black).		1,523.00
SR42UBWDTAA	42	24	42		42U Extra-Wide Enclosure (black). Accommodates more PDUs and ca blocking airflow.	bles without	1,908.00
SR48UBTAA	48	24	42		48U Standard Enclosure (black).		1,799.00
						MASTER	SUGGESTED
MODEL #	OUTLETS	s coi	RD	JOULES	FEATURES	QTY.	RESALE
					SURGE SUPPRESSORS		
TLP606TAA	6	6 f	t.	750	Holds 3 transformers.	12	\$ 17.99
TLP808TELTAA	8	8 1	t.	2820	Safety covers, 1-line tel protection w/splitter, holds 6 transformers.	6	49.99

FULL ISOLATION UPS SYSTEMS

UPS systems with full isolation combine line voltage regulation, continuity of power during outages, and the superior noise and spike filtering of a true isolated system. Models eliminate the need for a dedicated AC line. 120V 60Hz input and output. Ideal for kiosks, P.O.S. applications, and anywhere extra isolation is needed for protection under severe conditions.

MODEL #	FEATURES	RESALE
OMNI500ISO	500VA UPS, automatic voltage regulation with FULL LINE ISOLATION. Outlets: 3. Comm. port: 1 USB.	\$ 239.00
OMNI750ISO	750VA UPS, automatic voltage regulation with FULL LINE ISOLATION. Outlets: 6. Comm. port: 1 USB.	399.00
OMNI1000ISO	1000VA UPS, automatic voltage regulation with FULL LINE ISOLATION. Outlets: 6. Comm. port: 1 USB.	465.00

EXTENDED-RUN UPS SYSTEMS

Designed for more diversified applications, these models are recommended when long-term backup is needed (telephone system or industrial applications). TE units include built-in, over-sized batteries in an attractive, office-compatible cabinet. Also see Inverter section. TE models include larger batteries for extended runtime as well as a DB9 contact closure port for UPS monitoring.

MODEL #	FEATURES	RESALE
TE600	600VA UPS, Line-Interactive. Tower. Outlets: 6 (3 UPS/3 surge-only). Contact closure port: 1.	\$ 301.00
TE1200	1200VA UPS, Line-Interactive. Tower. Outlets: 6. Contact closure port: 1.	603.00
UPSWM	Wallmount Bracket for TE600, TE1200.	136.00

KVM SWITCHES & ACCESSORIES

- KVM switches allow you to control multiple computers from a single console (keyboard, monitor and mouse).
- Rack consoles and rack console KVMs include a keyboard, touchpad and color LCD.
 They fold like a laptop and slide into a 1U rack drawer for compact storage and easy access. Rack console KVMs include a built-in KVM switch.
- In models include built-in Ethernet connectivity for remote access to connected servers via LAN, WAN or Internet.
- Most rackmount KVM switches can be expanded to access additional computers.

access. Hack con	Sole IVINS IIICIAAE & DAIIC-III IVIN SWILCII.	MINIMUM	SUGGESTED
MODEL #	FEATURES	ORDERING QTY.	RESALE
	1U RACKMOUNT CONSOLES & CONSOLE KVM SWITCHES		
B020-008-17	8-Port NetDirector™ Rack Console KVM w/17 in. LCD - Requires P774/P776-Series (PS/2 or USB) Cables.	1	\$ 2,679.00
B020-016-17	16-Port NetDirector Rack Console KVM w/17 in. LCD - Requires P774/P776-Series (PS/2 or USB) Cables.	1	3,219.00
B020-008-17-IP	8-Port NetDirector 🖫 Rack Console KVM w/17 in. LCD - Requires P774/P776-Series (PS/2 or USB) Cables.	1	5,969.00
B020-016-17-	16-Port NetDirector 🖪 Rack Console KVM w/17 in. LCD - Requires P774/P776-Series (PS/2 or USB) Cables	. 1	6,479.00
B020-U08- <mark>19</mark> -K	8-Port NetDirector Rack Console USB/PS2 KVM w/ 19 in LCD - Comes with (x8) P778-006 USB/PS2 Combo KVM Cable Kits.	1	3,000.00
B020-U16- 19 -K	16-Port NetDirector Rack Console USB/PS2 KVM w/II in LCD - Comes with (x8) P778-006 USB/PS2 Combo KVM Cable Kits.	1	3,500.00
B021-000-17	Rack Console w/17 in. LCD - Includes Cables.	1	1,596.00
B021-000- 19	Rack Console w/19 in. LCD - Includes Cables.	1	2,329.00
B021-000-19-SH	Short-Depth Rack Console w/19 in. LCD - Includes Cables.	1	2,599.00
B040-008- 19	8-Port NetController™ Rack Console KVM w/19 in. LCD - Requires P780-Series Cables (PS/2 & USB).	1	2,609.00
B040-016-19	16-Port NetController Rack Console KVM w/19 in. LCD - Requires P780-Series Cables (PS/2 & USB).	1	3,439.00
B070-016- 19	16-Port NetCommander Rack Console Cat5 KVM w/ID in. LCD - Requires B078-101-Series Interface Module (PS/2 or USB).	es 1	2,500.00

MODEL #	FEATURES ORDER	NIMUM Ring QTY.	SUGGESTEI Resale
	1U RACKMOUNT CONSOLES & CONSOLE KVM SWITCHES		
B070-016- 19 - IP	16-Port NetCommander Rack Console 🖫 Cat5 KVM w/🔟 in. LCD - Requires B078-101-Series Interface Modules (PS/2 or USB).	1	\$ 4,000.00
	1U RACKMOUNT KVM SWITCHES		
B004-008	8-Port Standard KVM Switch - Non-Expandable - No OSD - Requires P750-Series Cables (PS/2).	1	199.99
B007-008	8-Port Standard KVM Switch - Requires P753-Series Cables (PS/2).	1	459.99
B022-U16	16-Port NetDirector KVM Switch - Comes with (x2) P778-Series USB/PS2 Combo Cable Kits.	1	899.00
B042-004	4-Port NetController KVM Switch - Requires P780-Series Cables (PS/2 & USB).	1	499.99
B042-008 B042-016	8-Port NetController KVM Switch - Requires P780-Series Cables (PS/2 & USB). 16-Port NetController KVM Switch - Requires P780-Series Cables (PS/2 & USB).	1	599.99 999.99
B060-016-2	16-Port, 2-User NetDirector Matrix Cat5 KVM Switch - Requires B054/B062-Series Interface Modules.	1	3.000.00
B064-016-02- IP G	16-Port, 3-User NetDirector Cat5 KVM Switch - Requires B054/B055-Series Interface Modules (PS/2 or USB).	1	6,000.00
B064-016-04- IP G	· · · · · · · · · · · · · · · · · · ·	1	7,000.00
B064-032-02- I PG	32-Port, 3-User NetDirector 🗗 Cat5 KVM Switch - Requires B054/B055-Series Interface Modules (PS/2 or USB).	1	6,000.00
B064-032-04- IP G	32-Port, 5-User NetDirector 🖫 Cat5 KVM Switch - Requires B054/B055-Series Interface Modules (PS/2 or USB).	1	10,000.00
B072-008-1	8-Port NetCommander™ Cat5 KVM Switch - Requires B078-Series Interface Modules (PS/2 or USB).	1	699.99
B072-016-1 B072-016-1-	16-Port NetCommander Cat5 KVM Switch - Requires B078-Series Interface Modules (PS/2 or USB).	1	899.00
	16-Port NetCommander Cats KVM Switch - Requires B078-Series Interface Modules (PS/2 or USB). I RACKMOUNT IP CONSOLE SERVERS (IN-BAND AND OUT-OF-BAND ACCESS TO SERIAL- AND NETW		2,499.00
B092-016	Console Server with PowerAlert NMS - 16 RJ45 Serial Ports, Premote Access and Local Console Ports.	1	4,000.00
B096-016	Console Server Management Switch - 16 RJ45 Serial Ports, Dual P Remote Access and Dual Power Supplies.	1	4,000.00
B096-048	Console Server Management Switch - 48 RJ45 Serial Ports, Dual 🖫 Remote Access and Dual Power Supplies.	1	6,000.00
	DESKTOP KVM SWITCHES		
B004-DUA2-K-R	2-Port Compact Desktop KVM Switch (DVI/USB) with Audio and Cables.	1	249.99
B004-VPA2-K-R	2-Port Compact Desktop KVM Switch (PS/2) with Audio and Cables.	1	59.99
B004-VUA2-K-R	2-Port Compact Desktop KVM Switch (USB) with Audio and Cables.	1	79.99
B006-VU4-R	4-Port Compact Desktop KVM Switch (USB) with Pushbutton/Hotkey Switching - Requires P578-Series Cables	1	199.00
B006-VUA4-K-R B022-002-KT-R	4-Port KVM Switch with Audio, OSD, Peripheral Sharing and Cables	1	399.99 79.99
B022-002-R1-R	2-Port Compact Desktop KVM Switch with 2 PS/2 Cable Kits. 4-Port Compact Desktop KVM Switch - Requires P774-Series (PS/2) or P776-Series (USB) Cables.	1	99.99
D022-004-11	KVM CABLE KITS, INTERFACE MODULES AND ACCESSORIES	·	33.33
B013-330	Console Extender Kit (Extends PS/2 or USB Console Connections Up to 330 ft. via Cat5/5e/6).	1	349.99
B015-000	USB to PS/2 Adapter.	1	19.99
B019-000	2-Post Rackmount Bracket for Rackmount LCD Consoles.	1	99.99
B051-000	PS/2 & USB IP Remote Access Unit w/USB Virtual Media Support (Adds IP Access to KVM or Server).	1	949.99
B054-001-PS2	PS/2 Server Interface Module for B060/B064-Series (Add 1 per Server; Use w/Cat5/5e/6).	1	199.00
B054-001-USB	USB Server Interface Module for B060/B064-Series (Add 1 per Server; Use w/Cat5/5e/6).	1	199.00
B054-001-SUN	SUN Server Interface Module for B060-Series (Add 1 per Server; Use w/Cat5/5e/6).	1	249.99
B055-001-PS2	PS/2 Server Interface Module for B064-Series KVM Switches (Add 1 per Server; Use w/Cat5/5e/6).	1	159.99
B055-001-SER B055-001-USB	Serial Server Interface Module for B064-Series KVM Switches (Add 1 per Server; Use w/Cat5/5e/6). USB Server Interface Module for B064-Series KVM Switches (Add 1 per Server; Use w/Cat5/5e/6).	1	159.99 159.99
B055-001-USB-V2	USB w/Virtual Media Server Interface Module for B064-Series KVM Switches (Add 1 per Server; Use w/Cat5/5e/6).	•	199.99
B062-002-PS2	PS/2 Console Interface Module for B060-Series (Add 1 per Console; Use w/Cat5/5e/6).	1	900.00
B062-002-USB	USB Console Interface Module for B060-Series (Add 1 per Console; Use w/Cat5/5e/6).	1	800.00
B078-101-PS2	PS/2 Server Interface Module for B070/B072-Series (Add 1 per Server; Use w/Cat5/5e/6).	1	99.99
B078-101-USB	USB Server Interface Module for B070/B072-Series (Add 1 per Server; Use w/Cat5/5e/6).	1	179.99
B090-A9F	Console Server Adapter - Cisco RJ45 F to DB9 F - Straight.	10	19.99
B090-A9F-X		10	19.99
B090-A9M	· · · · · · · · · · · · · · · · · · ·	10	19.99
P750-006	PS/2 Cable Kit for B004-008 - 6 ft. (Add 1 per Server; Add B015-000 for USB).	1	23.99
P750-010	PS/2 Cable Kit for B004-008 - 10 ft. (Add 1 per Server; Add B015-000 for USB).	1	34.99
P750-015 P753-006	PS/2 Cable Kit for B004-008 - 15 ft. (Add 1 per Server; Add B015-000 for USB). PS/2 Cable Kit for B007-008 - 6 ft. (Add 1 per Server; Add B015-000 for USB).	1	44.99 29.99
P753-000	PS/2 Cable Kit for B007-008 - 10 ft. (Add 1 per Server; Add B015-000 for USB).	1	39.90
P753-015	PS/2 Cable Kit for B007-008 - 15 ft. (Add 1 per Server; Add B015-000 for USB).	1	44.99
P758-006	USB Cable Kit for B006-004-R and B006-VU4-R - 6 ft. (Add 1 per Computer).	1	15.99
P758-010	USB Cable Kit for B006-004-R and B006-VU4-R - 10 ft. (Add 1 per Computer).	1	29.99
P774-006	PS/2 Cable Kit for B020/B022-Series - 6 ft. (Add 1 per Server).	1	29.99
P774-010	PS/2 Cable Kit for B020/B022-Series - 10 ft. (Add 1 per Server).	1	39.99
P774-015	PS/2 Cable Kit for B020/B022-Series - 15 ft. (Add 1 per Server).	1	59.99
P776-006	USB Cable Kit for B020/B022-Series - 6 ft. (Add 1 per Server).	1	39.99
P776-010	USB Cable Kit for B020/B022-Series - 10 ft. (Add 1 per Server).	1	49.99
P770-013	Daisy-Chain Cable for B060-Series - 13 ft.	1	99.99
P772-002 P778-006	Daisy-Chain Cable Kit for B020/B022-Series - 2 ft. USB/PS2 Combo KVM Cable Kit for B020-U- and B022-U-Series - 6 ft.	1	29.99 29.99
P778-000 P778-010	USB/PS2 Combo KVM Cable Kit for B020-U- and B022-U-Series - 0 ft.	1	39.99
P778-015	USB/PS2 Combo KVM Cable Kit for B020-U- and B022-U-Series - 10 ft.	1	49.99
P780-006	Combined USB & PS/2 Cable Kit for B040/B042-Series - 6 ft. (Add 1 per Server).	1	29.99
P780-010	Combined USB & PS/2 Cable Kit for B040/B042-Series - 10 ft. (Add 1 per Server).	1	39.99
P780-015	Combined USB & PS/2 Cable Kit for B040/B042-Series - 15 ft. (Add 1 per Server).	1	49.99
P781-006	Daisy-Chain Cable for B040/B042-Series - 6 ft.	1	34.99

SMARTRACK™ ENCLOSURES, RACKS & ACCESSORIES

TAA-compliant products also available. See pg. 8

	HEIGHT W (RU)	/IDTH (IN.)	DEPTH (IN.)	DESCRIPTION	SUGGESTI Resale			
				ENCLOSURES AND RACKS				
SRW12US		24	22	12U Wall-Mounted Enclosure (black). Swings out from wall bracket for easy access.	\$ 445.0			
R2POST		20.3	_	2-Post Open Frame Rack, Threaded Holes (black).	199.0			
R2POST25		20.3	_	2-Post Open Frame Rack, Threaded Holes (black).	186.0			
R4POST		20.2	24-36	4-Post Open Frame Rack, Square Holes (black). Adjustable depth.	409.0			
R4P0ST13		20.3	24-36	4-Post Open Frame Rack, Square Holes (black). Adjustable depth.	315.0			
R25UB	25	24	42	25U Standard Enclosure (black).	1,175.0			
R42UB	42	24	42	42U Standard Enclosure (black).	1,325.0			
R42UBEXP	42	24 24	42 42	42U Standard Enclosure (black, without side panels).	1,140.0			
SR42UBKD	42	42U Knock-Down Enclosure (black). Ships disassembled into several sections for easy transport & assembly in confined spaces.	1,215.0					
SR42UBWD	42	24	42	42U Extra-Wide Enclosure (black). Accommodates more PDUs & cables without blocking airflow.	1,659.0			
SR42UBCL	42	24	42	42U Colocation Enclosure (black). Includes two separate compartments with separate, lockable doors.	2,395.0			
SR48UBCL	48	24	42	48U Colocation Enclosure (black). Includes two separate compartments with separate, lockable doors.	2,709.0			
SR48UB	48	24	42	48U Standard Enclosure (black).	1,565.0			
R48UBEXP	48	24	42	48U Standard Enclosure (black, without side panels).	1,325.0			
				S WITH REUSABLE SHOCK PALLETS FOR CONFIGURATION AND RESHIPMENT	,			
R25UBSP1	25	24	42	25U Enclosure (black) w/1250-lb. capacity shock pallet and loading ramps.	1,461.0			
R42UBSP1	42	24	42	42U Enclosure (black) w/1250-lb. capacity shock pallet and loading ramps.	1,597.0			
R48UBSP1	48	24	42	48U Enclosure (black) w/1250-lb. capacity shock pallet and loading ramps.	1,855.0			
11400001	70	27	72	400 Enclosure (black) w/ 1250-b. capacity shock palict and loading ramps.	SUGGEST			
10DEL #	FEATURES				RESALI			
DOACENHITO	Causana Hala	Honding	wa I/it /FO aaab	GENERAL RACK ACCESSORIES				
RCAGENUTS	•		•	cage nuts, screws and cup washers).	\$ 34.0			
RSCREWS			,	h #12-24 screws).	15.0			
RCASTER		-	,	des 4 casters for 4-post racks or SRW12US; casters included with 48/42/25U enclosures).	79.0			
R42SIDE	Side Panel fo				89.0			
REXTENDER IPSHDEARKIT	Heavy-Duty	Mountin	g Ear Kit (suppo	creases external depth of 42/48U cabinets by 8 in. to 51 in. total depth). rts 2U cabinets up to 65 lb. from front vertical rails in 4-post racks and enclosures;	429.0 43.0			
IDOCTDAII I/IT			st mounting).	ant value and analoguese. For any values just UDC as hottom, needs Comparts up to 050 lb	77.0			
1POSTRAILKIT 2POSTRMKITWM		-		ost racks and enclosures. For any rackmount UPS or battery pack. Supports up to 250 lb. rackmount/wallmount installation. For all current 2U to 4U rackmount UPS or battery packs.	77.0 77.0			
	110112011441111	ouning	Tiano for 2 poor	SHELVES				
SRSHELF2P	Fived Shelf	211 Cant	ilever Mount (60		62.0			
SRSHELF4PHD	Fixed Shelf, 2U Cantilever Mount (60 lb. capacity; 18-in. depth). Fixed Shelf, Heavy Duty (4-post mounting; 250 lb. capacity; 26-in. depth).							
SRSHELF4PKYBD	Keyboard Shelf, Heavy Duty (4-post mounting; 25 lb. capacity; 16-in. depth).							
SRSHELF4PSL	Sliding Shelf, 1U (4-post mounting; 50 lb. capacity; 26-in. depth).							
SRSHELF4PSLHD								
	noury Duty	onung (5, 20 (· pool	STABILITY ACCESSORIES	385.0			
SRBOLTDOWN	Bolt-Down K	it for 25	5/42/4811 cahinet	is, SR4POST & SR4POST13.	43.0			
SRSTABILIZE			ate for 25/42/48		77.0			
ON O IN EDIELEE				COOLING SOLUTIONS	950.0			
SBCUUI 10K	Self-Contained Portable Air Conditioning Unit, 12,000 BTU cooling power, with built-in evaporator & timer for automatic unattended startup & shutdown							
	•		Self-Contained Portable Air Conditioning Unit, 12,000 BTU cooling power, with built-in evaporator & timer for automatic unattended startup & shutdown, 230V input for worldwide applications					
	Self-Contain	ed Porta		worldwide applications	950.0			
SRXCOOL12K	Self-Contain startup & sh	ed Porta utdown,	230V input for	worldwide applications RACK AIRFLOW MANAGEMENT				
SRXCOOL12K SR1UPANEL10	Self-Containe startup & sh	ed Porta utdown, Panel K	230V input for it. Includes 10 p	worldwide applications RACK AIRFLOW MANAGEMENT anels. Toolless snap-in mounting.	50.0			
SRXCOOL12K SR1UPANEL10 SR1UPANEL50	Self-Containstartup & sh 1U Blanking 1U Blanking	ed Porta utdown, Panel K Panel K	it. Includes 10 p	worldwide applications RACK AIRFLOW MANAGEMENT anels. Toolless snap-in mounting. anels. Toolless snap-in mounting.	50.0 157.0			
SRXCOOL12K SR1UPANEL10 SR1UPANEL50 SRFAN3U	Self-Contains startup & sh 1U Blanking 1U Blanking 3U Rackmou	ed Porta utdown, Panel K Panel K unt Fan I	it. Includes 10 p it. Includes 50 p Panel, 120V (3)	worldwide applications RACK AIRFLOW MANAGEMENT anels. Toolless snap-in mounting. anels. Toolless snap-in mounting. fans.	50.0 157.0 172.0			
SRXCOOL12K SR1UPANEL10 SR1UPANEL50 SRFAN3U SRXFAN3U	Self-Contains startup & sh 1U Blanking 1U Blanking 3U Rackmou 3U Rackmou	ed Porta utdown, Panel K Panel K unt Fan I unt Fan I	it. Includes 10 p it. Includes 50 p Panel, 120V (3) i Panel, 230V (3) i	worldwide applications RACK AIRFLOW MANAGEMENT anels. Toolless snap-in mounting. anels. Toolless snap-in mounting. fans. fans.	50.0 157.0 172.0 172.0			
GRXCOOL12K GR1UPANEL10 GR1UPANEL50 GRFAN3U GRXFAN3U GRXFAN3U GRXFANROOF	Self-Contain startup & sh 1U Blanking 1U Blanking 3U Rackmou 3U Rackmou Roof-Mount	ed Porta utdown, Panel K Panel K unt Fan I unt Fan I Fan Pan	230V input for it. Includes 10 p it. Includes 50 p Panel, 120V (3) i Panel, 230V (3) i el, 120V (6) fan	worldwide applications RACK AIRFLOW MANAGEMENT anels. Toolless snap-in mounting. anels. Toolless snap-in mounting. fans. fans. s, for 25/42/48U cabinets.	50.0 157.0 172.0 172.0 319.0			
SRXCOOL12K SR1UPANEL10 SR1UPANEL50 SRFAN3U SRXFAN3U SRFANROOF SRXFANROOF	Self-Containstartup & sh 1U Blanking 1U Blanking 3U Rackmou 3U Rackmou Roof-Mount Roof-Mount	ed Porta utdown, Panel K Panel K unt Fan I unt Fan I Fan Pan Fan Pan	230V input for it. Includes 10 p it. Includes 50 p Panel, 120V (3) Panel, 230V (3) fel, 120V (6) fan iel, 230V (6) fan	RACK AIRFLOW MANAGEMENT anels. Toolless snap-in mounting. anels. Toolless snap-in mounting. fans. fans. s, for 25/42/48U cabinets. s, for 25/42/48U cabinets.	50.0 157.0 172.0 172.0 319.0 319.0			
SRXCOOL12K SR1UPANEL10 SR1UPANEL50 SRFAN3U SRXFAN3U SRFANROOF SRXFANROOF SRGASKET	Self-Containstartup & sh 1U Blanking 1U Blanking 3U Rackmou 3U Rackmou Roof-Mount Roof-Mount Airflow Optin	ed Portautdown, Panel K Panel K Int Fan I Int Fan Pan Fan Pan Fan Pan	230V input for it. Includes 10 p it. Includes 50 p Panel, 120V (3) i Panel, 230V (3) i iel, 120V (6) fan iel, 230V (6) fan Kit for 25/42/48	RACK AIRFLOW MANAGEMENT anels. Toolless snap-in mounting. anels. Toolless snap-in mounting. fans. fans. s, for 25/42/48U cabinets. s, for 25/42/48U cabinets. 8U Cabinets (prevents recirculation of warm exhaust air through side gaps).	50.0 157.0 172.0 172.0 319.0 319.0 85.0			
SRXCOOL12K SR1UPANEL10 SR1UPANEL50 SRFAN3U SRFANROOF SRFANROOF SRGASKET SRFILTER	Self-Containstartup & sh 1U Blanking 1U Blanking 3U Rackmou Roof-Mount Roof-Mount Airflow Optir Air Filter Kit 1	Panel K Panel K Panel K Int Fan I Int Fan Pan	230V input for it. Includes 10 p it. Includes 50 p Panel, 120V (3) i Panel, 230V (6) fan iel, 230V (6) fan Kit for 25/42/48 2/25U Enclosure	RACK AIRFLOW MANAGEMENT anels. Toolless snap-in mounting. anels. Toolless snap-in mounting. fans. fans. s, for 25/42/48U cabinets. style of 25/42/48U cabinets.	50.0 157.0 172.0 172.0 319.0 85.0			
SRXCOOL12K SR1UPANEL10 SR1UPANEL50 SRFAN3U SRFANROOF SRFANROOF SRGASKET SRFILTER	Self-Containstartup & sh 1U Blanking 1U Blanking 3U Rackmou Roof-Mount Roof-Mount Airflow Optir Air Filter Kit 1	Panel K Panel K Panel K Int Fan I Int Fan Pan	230V input for it. Includes 10 p it. Includes 50 p Panel, 120V (3) i Panel, 230V (6) fan iel, 230V (6) fan Kit for 25/42/48 2/25U Enclosure	RACK AIRFLOW MANAGEMENT anels. Toolless snap-in mounting. anels. Toolless snap-in mounting. fans. fans. s, for 25/42/48U cabinets. s, for 25/42/48U cabinets. sU Cabinets (prevents recirculation of warm exhaust air through side gaps). se (filter covers entire ventilated air intake area of front door). ler-cabinet recirculation of hot aisle air to cold aisle).	50.0 157.0 172.0 172.0 319.0 85.0 100.0			
RXCOOL12K RT1UPANEL10 RT1UPANEL50 RFAN3U RFAN3U RFANROOF RGASKET RFILTER RSKIRT	Self-Containstartup & sh 1U Blanking 1U Blanking 3U Rackmou Roof-Mount Roof-Mount Airflow Optir Air Filter Kit 1 Rack Enclos	ed Porta utdown, Panel K Panel K Int Fan I Int Fan I Fan Pan Fan Pan Fan Pan mization for 48/4 ure Skir	230V input for it. Includes 10 p it. Includes 50 p Panel, 120V (3) i Panel, 230V (6) fan iel, 230V (6) fan Kit for 25/42/48 2/25U Enclosure	RACK AIRFLOW MANAGEMENT anels. Toolless snap-in mounting. anels. Toolless snap-in mounting. fans. fans. s, for 25/42/48U cabinets. s, for 25/42/48U cabinets. sU Cabinets (prevents recirculation of warm exhaust air through side gaps). ss (filter covers entire ventilated air intake area of front door). ler-cabinet recirculation of hot aisle air to cold aisle). CABLE MANAGEMENT	50.0 157.0 172.0 172.0 319.0 85.0 100.0 60.0			
RRXCOOL12K RR1UPANEL10 RR1UPANEL50 RRFAN3U RRFANROOF RRFANROOF RRGASKET RRFILTER RSKIRT	Self-Containstartup & sh 1U Blanking 1U Blanking 3U Rackmou Roof-Mount Roof-Mount Airflow Optir Air Filter Kit f Rack Enclos	ed Porta utdown, Panel K Panel K Int Fan I Int Fan I Fan Pan Fan Pan Fan Pan ior 48/4 ure Skir	230V input for it. Includes 10 p it. Includes 50 p Panel, 120V (3) i Panel, 230V (3) i iel, 120V (6) fan Kit for 25/42/48 2/25U Enclosure t Kit (blocks und	RACK AIRFLOW MANAGEMENT anels. Toolless snap-in mounting. anels. Toolless snap-in mounting. fans. fans. s, for 25/42/48U cabinets. s, for 25/42/48U cabinets. sU Cabinets (prevents recirculation of warm exhaust air through side gaps). ss (filter covers entire ventilated air intake area of front door). ler-cabinet recirculation of hot aisle air to cold aisle). CABLE MANAGEMENT	50.0 157.0 172.0 172.0 319.0 85.0 100.0 60.0			
RXCOOL12K RR1UPANEL10 RR1UPANEL50 RRFAN3U RRFANROOF RRXFANROOF RRGASKET RRILTER RSKIRT RR1UBRUSH RCABLERING1U	Self-Containstartup & sh 1U Blanking 1U Blanking 3U Rackmou 3U Rackmou Roof-Mount Roof-Mount Airflow Optir Air Filter Kit f Rack Enclos 1U Cable Pa 1U 19-inch h	Panel K Panel K Panel K Panel K Int Fan I Int Fan Pan Fan Pan Fan Pan ization for 48/4 ure Skir ss-Throi	it. Includes 10 p it. Includes 50 p Panel, 120V (3) i Panel, 230V (3) i pel, 120V (6) fan Kit for 25/42/48 2/25U Enclosure t Kit (blocks und ugh Panel w/Bru al Cable Manage	RACK AIRFLOW MANAGEMENT anels. Toolless snap-in mounting. anels. Toolless snap-in mounting. fans. s, for 25/42/48U cabinets. s, for 25/42/48U cabinets. sU Cabinets (prevents recirculation of warm exhaust air through side gaps). se (filter covers entire ventilated air intake area of front door). ler-cabinet recirculation of hot aisle air to cold aisle). CABLE MANAGEMENT sh Strip. or (flexible ring type).	50.0 157.0 172.0 172.0 319.0 319.0 85.0 100.0 60.0			
RXCOOL12K R1UPANEL10 R1UPANEL50 RFAN3U RXFAN3U RFANROOF RGASKET RFILTER RSKIRT R1UBRUSH RCABLERING1U RCABLERING2U	Self-Containstartup & shartup & shar	Panel K Panel K Panel K Int Fan I Int Fan Pan Horizont Horizont	it. Includes 10 p it. Includes 50 p anel, 120V (3) i anel, 230V (6) fan lel, 120V (6) fan kit for 25/42/48 2/25U Enclosure t Kit (blocks und ugh Panel w/Bru al Cable Manage al Cable Manage al Cable Manage	RACK AIRFLOW MANAGEMENT anels. Toolless snap-in mounting. anels. Toolless snap-in mounting. fans. fans. fans. s, for 25/42/48U cabinets. sy for 25/42/48U cabinets. st Cabinets (prevents recirculation of warm exhaust air through side gaps). ss (filter covers entire ventilated air intake area of front door). ter-cabinet recirculation of hot aisle air to cold aisle). CABLE MANAGEMENT sh Strip. er (flexible ring type). er (flexible ring type).	50.0 157.0 172.0 172.0 319.0 85.0 100.0 60.0			
RXCOOL12K R1UPANEL10 R1UPANEL50 RFAN3U RXFAN3U RFANROOF RGASKET RFILTER RSKIRT R1UBRUSH RCABLERING1U RCABLERING2U RCABLEDUCT1U	Self-Contains startup & sh 1U Blanking 1U Blanking 3U Rackmou Roof-Mount Roof-Mount Airfilow Optir Air Fitter Kit f Rack Enclos 1U Cable Pa 1U 19-inch I 2U 19-inch I 1U 19-inch I	ed Portautdown, Panel K Panel K Int Fan I Int Fan Pan Fan Pan Fan Pan Mization for 48/4 ure Skir Horizont Horizont Horizont	it. Includes 10 p it. Includes 50 p Panel, 120V (3) i Panel, 230V (6) fan iel, 250V (6) fan iel, 250V (6) fan iel, 250V Enclosure it Kit (blocks und ugh Panel w/Bru al Cable Manage al Cable Manage al Cable Manage al Cable Manage	RACK AIRFLOW MANAGEMENT anels. Toolless snap-in mounting. anels. Toolless snap-in mounting. fans. fans. fans. s, for 25/42/48U cabinets. s, for 25/42/48U cabinets. BU Cabinets (prevents recirculation of warm exhaust air through side gaps). ss (filter covers entire ventilated air intake area of front door). ter-cabinet recirculation of hot aisle air to cold aisle). CABLE MANAGEMENT sh Strip. or (flexible ring type). or (flexible ring type). or (finger duct with cover).	50.0 157.0 172.0 172.0 319.0 85.0 100.0 60.0 44.0 49.0			
RXCOOL12K RR1UPANEL10 RR1UPANEL50 RRFAN3U RRFANROOF RRFANROOF RRFANROOF RRFANROOF RRFANROOF RRFANROOF RRGASKET RRSKIRT RR1UBRUSH RCABLERING1U RCABLERING2U RCABLEDUCT1U RCABLEDUCTVRT	Self-Contains startup & sh 1U Blanking 1U Blanking 3U Rackmou 3U Rackmou Roof-Mount Roof-Mount Airfilow Optir Air Filter Kit 1 Rack Enclos 1U Cable Pa 1U 19-inch 1 2U 19-inch 1 U 19-inch 1 Vertical Cabl	ed Portautdown, Panel K Panel K Int Fan I Int Fan Pan Fan Pan Fan Pan Mization for 48/4 ure Skir Horizont Horizont Horizont Horizont Horizont Mana	it. Includes 10 p it. Includes 50 p Panel, 120V (3) i Panel, 230V (6) fan iel, 230V (6) fan iel, 230V (6) fan Kit for 25/42/48 2/25U Enclosure t Kit (blocks und ugh Panel w/Bru al Cable Manage al Cable Manage al Cable Manage ger, 6 ft. (finger	RACK AIRFLOW MANAGEMENT anels. Toolless snap-in mounting. anels. Toolless snap-in mounting. fans. fans. fans. s, for 25/42/48U cabinets. s, for 25/42/48U cabinets. BU Cabinets (prevents recirculation of warm exhaust air through side gaps). But Cabinets (prevents recirculation of warm exhaust air through side gaps). But Cabinets (prevents recirculation of hot aisle air to cold aisle). CABLE MANAGEMENT sh Strip. But (flexible ring type). But (flexible ring type). But (finger duct with cover).	50.0 157.0 172.0 172.0 319.0 85.0 100.0 60.0 44.0 49.0			
SRXCOOL12K SR1UPANEL10 SR1UPANEL50 SRFAN3U SRFANROOF SRFANROOF SRFANROOF SRGASKET SRFILTER SRCABLERING1U SRCABLERING2U SRCABLEDUCT1U SRCABLEDUCTYRT SRCABLERINGVRT	Self-Containstartup & sh 1U Blanking 1U Blanking 3U Rackmou 3U Rackmou Roof-Mount Roof-Mount Airflow Optir Air Filter Kit 1 Rack Enclos 1U Cable Pa 1U 19-inch 1 2U 19-inch 1 Vertical Cabl Vertical Cabl	Panel K Panel K Panel K Panel K Int Fan I Int Fan Pan Fan Pan Fan Pan mization for 48/4 ure Skir Horizont Horizont Horizont Horizont Me Mana le Mana	it. Includes 10 p it. Includes 50 p Panel, 120V (3) t Panel, 230V (6) fan iel, 250V (6) fan iel, 250V (6) fan iel, 260V	RACK AIRFLOW MANAGEMENT anels. Toolless snap-in mounting. anels. Toolless snap-in mounting. fans. fans. s, for 25/42/48U cabinets. s, for 25/42/48U cabinets. UC Cabinets (prevents recirculation of warm exhaust air through side gaps). se (filter covers entire ventilated air intake area of front door). ler-cabinet recirculation of hot aisle air to cold aisle). CABLE MANAGEMENT sh Strip. ser (flexible ring type). ser (flexible ring type). ser (finger duct with cover). duct with cover; includes 2 x 3 ft. sections; toolless snap-in mounting).	50.0 157.0 172.0 172.0 319.0 85.0 100.0 60.0 37.0 44.0 49.0 150.0			
SRXCOOL12K SR1UPANEL10 SR1UPANEL50 SRFAN3U SRXFANROOF SRSASKET SRFILTER SRSKIRT SR1UBRUSH SRCABLERING1U SRCABLEDUCT1U SRCABLEDUCTTU SRCABLEDUCTVRT SRCABLERINGVRT SRCABLETRAY	Self-Containstartup & sh 1U Blanking 1U Blanking 3U Rackmou Roof-Mount Roof-Mount Airflow Optir Air Filter Kit f Rack Enclos 1U Cable Pa 1U 19-inch f 2U 19-inch f Vertical Cabl Vertical Cabl Roof-Mount	ed Portat utdown, Panel K Pane	it. Includes 10 p it. Includes 50 p Panel, 120V (3) i Panel, 230V (6) fan iel, 242/48 iel, 230V (6) fan iel, 242/42 iel,	RACK AIRFLOW MANAGEMENT anels. Toolless snap-in mounting. anels. Toolless snap-in mounting. fans. fans. fans. s, for 25/42/48U cabinets. 8U Cabinets (prevents recirculation of warm exhaust air through side gaps). se (filter covers entire ventilated air intake area of front door). ler-cabinet recirculation of hot aisle air to cold aisle). CABLE MANAGEMENT sh Strip. er (flexible ring type). er (flexible ring type). er (finger duct with cover). duct with cover; includes 2 x 3 ft. sections; toolless snap-in mounting). 48U cabinets.	50.0 157.0 172.0 319.0 319.0 85.0 100.0 60.0 37.0 44.0 49.0 57.0 150.0 93.0			
SRXCOOL12K SR1UPANEL10 SR1UPANEL50 SRFAN3U SRFANROOF SRSASKET SRFILTER SRSKIRT SR1UBRUSH SRCABLERING1U SRCABLERING2U SRCABLEDUCT1U SRCABLEDUCTVRT SRCABLERINGVRT SRCABLETRAY SRCABLETRAY	Self-Containstartup & sh 1U Blanking 1U Blanking 3U Rackmou Roof-Mount Airflow Optir Air Filter Kit 1 Rack Enclos 1U Cable Pa 1U 19-inch 1 2U 19-inch 1 Vertical Cabl Vertical Cabl Roof-Mount Roof-Mount	ed Portz utdown, Panel K Panel K Panel K Int Fan I Fan Par Fan Par Fan Par Horizont Horizont Horizont Horizont Cable T Cable T Cable T	it. Includes 10 p it. Includes 50 p Panel, 120V (3) i Panel, 230V (6) fan iel, 242/48 iel, 242/4	RACK AIRFLOW MANAGEMENT anels. Toolless snap-in mounting. anels. Toolless snap-in mounting. fans. fans. s, for 25/42/48U cabinets. 8U Cabinets (prevents recirculation of warm exhaust air through side gaps). ss (filter covers entire ventilated air intake area of front door). lete-cabinet recirculation of hot aisle air to cold aisle). CABLE MANAGEMENT sh Strip. er (flexible ring type). er (flexible ring type). er (flinger duct with cover). duct with cover; includes 2 x 3 ft. sections; toolless snap-in mounting). er ing type; includes 2 x 3 ft. sections; toolless snap-in mounting). 48U cabinets. xpansion unit for 25/42/48U cabinets; requires SRCABLETRAY).	50.0 157.0 172.0 319.0 319.0 85.0 100.0 60.0 37.0 44.0 49.0 57.0 150.0 129.0			
SRCOOL12K SRXCOOL12K SR1UPANEL10 SR1UPANEL50 SRFAN3U SRFANROOF SRXFANROOF SRCASKET SRFILTER SRCABLERING1U SRCABLERING2U SRCABLEDUCTVRT SRCABLERINGVRT SRCABLETRAY SRCABLETRAY SRCABLETRAY SRCABLELADDER	Self-Containstartup & sh 1U Blanking 1U Blanking 3U Rackmou Roof-Mount Airflow Optir Air Filter Kit f Rack Enclos 1U Cable Pa 1U 19-inch l 2U 19-inch l 1U 19-inch l Vertical Cabl Vertical Cabl Roof-Mount Roof-Mount Roof-Mount	ed Porta utdown, Panel K Panel K Panel K Panel K Int Fan I Fan Par Fan Par Fan Par Horizont Horizont Horizont Horizont E Manae Cable T Cable T 12 in. x	it. Includes 10 p it. Includes 50 p Panel, 120V (3) i Panel, 230V (3) i Panel, 230V (3) f Panel, 230V (6) fan iel, 230V (6) fan Kit for 25/42/48 2/25U Enclosure t Kit (blocks und ugh Panel w/Bru al Cable Manage al Cable Manage ger, 6 ft. (flexible rough for 25/42/ rough (vertical e 10 ft. Cable Lac	RACK AIRFLOW MANAGEMENT anels. Toolless snap-in mounting. anels. Toolless snap-in mounting. fans. fans. fans. s, for 25/42/48U cabinets. 8U Cabinets (prevents recirculation of warm exhaust air through side gaps). se (filter covers entire ventilated air intake area of front door). ler-cabinet recirculation of hot aisle air to cold aisle). CABLE MANAGEMENT sh Strip. er (flexible ring type). er (flexible ring type). er (finger duct with cover). duct with cover; includes 2 x 3 ft. sections; toolless snap-in mounting). 48U cabinets.	950.0 50.0 157.0 172.0 319.0 319.0 85.0 100.0 60.0 37.0 44.0 49.0 57.0 150.0 129.0 93.0 82.0 207.0 42.0			

	SMARTRACK™ ENCLOSURES, RACKS & A	CCESSORIES (CONTINUED)	
MODEL #	FEATURES		SUGGESTED Resale
	SECURITY ACCESSORIES		
SRCOMB0	Front & Rear Combination-Lock Door Handles (for 25/42/48U cabinets).		\$ 205.00
SRSWITCH	Door-Mounted Magnetic Intrusion Switch (2-pack; for 25/42/48U cabinets; requires ENVIRO	SENSE).	50.00
MODEL #	FEATURES	MINIMUM Ordering QTy.	SUGGESTED Resale
	RACK CONSOLES (Include a keyboard, touchpad and color LCD. Fold like a laptop a	nd slide into a 1U rack drawer for compact storage.)	
B021-000-17	1U Rack Console w/17 in. LCD - Includes Cables	1	\$ 1,677.00
B021-000-19	1U Rack Console w/19 in. LCD - Includes Cables	1	2,259.00
	PATCH PANELS		
N252-012	Cat6 Patch Panel 568B - 110 Punchdown to RJ45 Female - 12 Port	1	99.99
N252-024	Cat6 Patch Panel 568B - 110 Punchdown to RJ45 Female - 24 Port	1	149.99
N252-048	Cat6 Patch Panel 568B - 110 Punchdown to RJ45 Female - 48 Port	1	299.99
N252-048-1U	Cat6 1U Patch Panel 568B - 110 Punchdown to RJ45 Female - 48 Port.	1	399.99
N254-024	Cat6 Feed-through Patch Panel - RJ45 Female/Female - 24 Port	1	399.00
N052-012	Cat5e Patch Panel 568B - 110 Punchdown to RJ45 Female - 12 Port	1	79.99
N052-024	Cat5e Patch Panel 568B - 110 Punchdown to RJ45 Female - 24 Port	1	109.99
N052-048	Cat5e Patch Panel 568B - 110 Punchdown to RJ45 Female - 48 Port	1	199.99
N054-024	Cat5e Feed-through Patch Panel - RJ45 Female/Female - 24 Port	1	349.99

MODEL #	CTS FOR USE WITHIN PATIENT CARE AREAS. FEATURES	SUGGESTED Resale
	MEDICAL-GRADE UPS SYSTEMS—UL 60601-1 / FULL ISOLATION	
SMART1200XLHG	1000VA UPS, Intelligent Line-Interactive. UL 60601-1 Listed. FULL ISOLATION transformer with a Faraday shield. 4 hospital-grade outlets and hospital-grade plug. Comm. ports: 1 RS-232 & 1 USB. Library USB BP36V15-2U or BP36V42-3U for extended runtime.	\$ 849.00
SMART700HG	700VA UPS, Intelligent Line-Interactive. UL 60601-1 Listed. FULL ISOLATION transformer with a Faraday shield. 4 hospital-grade outlets and hospital-grade plug. Comm. port: 1 RS-232 & 1 USB.	661.00
OMNISMART350HG	330VA UPS, Line-Interactive. UL 60601-1 Listed. FULL ISOLATION transformer with a Faraday shield. 2-line modem/fax protection. 4 hospital-grade outlets and hospital-grade plug. 1 basic comm. port.	442.00
	MEDICAL-GRADE ISOLATION TRANSFORMERS—UL 60601-1/FULL ISOLATION	
IS1800HG	1800 Watt FULL ISOLATION Transformer with Faraday shield. UL 60601-1 Listed. 6 hospital-grade outlets and hospital-grade plug.	725.00
IS1000HG	1000 Watt FULL ISOLATION Transformer with Faraday shield. UL 60601-1 Listed. 4 hospital-grade outlets and hospital-grade plug.	482.00
IS500HG	500 Watt FULL ISOLATION Transformer with Faraday shield. UL 60601-1 Listed. 4 hospital-grade outlets and hospital-grade plug.	319.00
IS250HG	250 Watt FULL ISOLATION Transformer with Faraday shield. UL 60601-1 Listed. 2 hospital-grade outlets and hospital-grade plug.	219.00
	MEDICAL-GRADE MOBILE POWER RETROFIT KIT—UL 60601-1	
HCRK	Mobile AC Power for a Medical Cart. Power Supply with Isolation Transformer; Battery Module. UL 60601-1 Listed. Comm. port: 1 USB. Software, mounting hardware kit. 3 outlets and 10 ft. hospital-grade plug. 20 AMP-HOUR BATTERY.	1,195.00
HCRK-54	Mobile AC Power for a Medical Cart. Power Supply with Isolation Transformer; Battery Module. UL 60601-1 Listed. Comm. port: 1 USB. Software, mounting hardware kit. 3 outlets and 10 ft. hospital-grade plug. 54 AMP-HOUR BATTERY.	995.00
HCRK-36	Mobile AC Power for a Medical Cart. Power Supply with Isolation Transformer; Battery Module. UL 60601-1 Listed. Comm. port: 1 USB. Software, mounting hardware kit. 3 outlets and 10 ft. hospital-grade plug. 36 AMP-HOUR BATTERY.	895.00
	MEDICAL-GRADE POWER OUTLET STRIPS	
PS-415-HGULTRA	Power Outlet Strip. UL 60601-1 and 60950-1. 15 ft. cord. 4 hospital-grade outlets and hospital-grade plug.	124.00
PS-415-HG-0EM	Power Outlet Strip. UL 1363A. 15 ft. cord. 4 hospital-grade outlets and hospital-grade plug. Mounting tabs.	74.00
PS-615-HG-0EM	Power Outlet Strip. UL 1363A. 15 ft. cord. 6 hospital-grade outlets and hospital-grade plug. Mounting tabs.	86.00

SPE	CIAL USE PRODUCTS WITH HOSPITAL-GRADE PLUGS & RECEPTACLES	
MODEL #	FEATURES	SUGGESTED Resale
	SURGE SUPPRESSORS WITH HOSPITAL-GRADE PLUGS AND RECEPTACLES—UL 1449	
ISOBAR6ULTRAHG	Premium Surge Suppressor. 15 ft. cord. 1 Isolated Filter Bank. Diagnostics. 6 hospital-grade outlets and hospital-grade plug.	\$ 125.00
SPS-615-HG	Economy Surge Suppressor. 15 ft. cord. 6 hospital-grade outlets and hospital-grade plug.	92.00
	POWER OUTLET STRIPS WITH HOSPITAL-GRADE PLUGS AND RECEPTACLES—UL 1363	
RS-1215-HG	Rackmount Power Outlet Strip. 15 ft. cord. 12 hospital-grade outlets (6 front/6 rear) and hospital-grade plug.	112.00
PS-415-HG	Power Outlet Strip. 15 ft. cord. 4 hospital-grade outlets and hospital-grade plug.	74.00
PS-602-HG	Power Outlet Strip. 1½ ft. cord. 6 hospital-grade outlets and hospital-grade plug.	49.50
PS-606-HG	Power Outlet Strip. 6 ft. cord. 6 hospital-grade outlets and hospital-grade plug.	81.00
PS-615-HG	Power Outlet Strip 15 ft cord 6 hospital-grade outlets and hospital-grade plug	86 00

ISOLATOR® FULL ISOLATION TRANSFORMERS

Isolation transformers provide superior line noise rejection and spike suppression. They eliminate the need for a dedicated AC line. 120V, 60 Hz output.

MODEL #	WATTAGE	FEATURES	SUGGESTED Resale
IS250	250 watts	FULL ISOLATION Transformer with Faraday Shield, 2 outlets.	\$ 189.00
IS500	500 watts	FULL ISOLATION Transformer with Faraday Shield, 4 outlets.	285.00
IS1000	1000 watts	FULL ISOLATION Transformer with Faraday Shield, 4 outlets.	429.00

LINE CONDITIONERS/VOLTAGE REGULATORS

Ideal for brownout conditions, Tripp Lite Line Conditioners automatically adjust low or high voltage to normal AC voltage (117V AC) without a battery. All models include built-in spike and noise filtering. LC models feature premium ISOBAR® surge suppression and multi-colored diagnostic LEDs.

MODEL #	WATTAGE	FEATURES	RESALE
LS606M	600 watts	High/low voltage correction, 6 outlets.	\$ 135.00
LS604WM	600 watts	Wall-mount, high/low voltage correction, 4 outlets.	179.00
LC1200	1200 watts	ISOBAR protection, high/low voltage correction, 4 outlets.	172.00
LC1800	1800 watts	ISOBAR protection, high/low voltage correction, 7 LED readout, 6 outlets.	255.00
LC2400	2400 watts	ISOBAR protection, high/low voltage correction, 7 LED readout, 6 outlets.	385.00
LCR2400	2400 watts	Rackmount, 3U, ISOBAR protection, high/low voltage correction, 5 LED readout, 14 outlets.	499.00

ISOBAR PREMIUM SURGE SUPPRESSORS

isobar® ultra diagnostic premium surge suppressors with Heavy-Duty extruded aluminum cabinets

Isolated Filter Banks and exclusive multiple filter design provide premium spike and noise suppression by eliminating feedback and interference between connected devices. Premium surge and noise suppressors feature unique diagnostic circuitry to advise of improper outlet wiring, damage to surge circuitry and loss of AC power. Up to 2850 joules surge handling ability.

MODEL #	OUTLETS	CORD	FEATURES	MASTER QTY.	SUGGESTED Resale
ISOBAR4ULTRA	4	6 ft.	2 Isolated Filter Banks, diagnostic LEDs.	6	\$ 89.95
ISOTEL4ULTRA	4	6 ft.	2 Isolated Filter Banks, modem/fax protection, diagnostic LEDs.	6	109.95
ISOBAR6ULTRA	6	6 ft.	3 Isolated Filter Banks, diagnostic LEDs.	6	104.95
ISOTEL6ULTRA	6	6 ft.	3 Isolated Filter Banks, 2-line modem/fax protection, diagnostic LEDs.	6	119.95
ISOBAR6DBS	6	6 ft.	3 Isolated Filter Banks. Ideal for mini-satellite dish systems. Premium DSS spike and noise suppression, 4 gold coax jacks, 2 RJ11 jacks, diagnostic LEDs.	6	119.95
ISOBAR8ULTRA	8	12 ft.	4 Isolated Filter Banks, diagnostic LEDs.	6	116.95
ISOBAR825ULTRA	8	25 ft.	4 Isolated Filter Banks, diagnostic LEDs.	6	134.99
ISOTEL8ULTRA	8	12 ft.	4 Isolated Filter Banks, modem/fax protection, diagnostic LEDs.	6	134.95
ULTRABLOK428	2	none	15-amp model. Ideal for phone systems. Direct plug-in.	12	59.95
ULTRAFAX	2	none	Ideal for modems/faxes w/RJ11 jacks, sine wave tracking. Direct plug-in.	12	69.95

isobar Premium Surge Suppressors with Heavy-Duty Extruded Aluminum Cabinets

Isolated Filter Banks and exclusive multiple filter design provide premium spike and noise suppression by eliminating feedback and interference between connected devices. Up to 2700 joules.

4011000. Op to 210	o jourou.				
ISOBLOK2-0	2	none	1 Isolated Filter Banks. Direct plug-in.	12	48.00
ISOBAR2-6	2	6 ft.	1 Isolated Filter Banks.	12	59.95
IBAR4	4	6 ft.	2 Isolated Filter Banks.	6	79.95
ISOBAR 4/220	4	6 ft.	220/240 volt, US 5-15R receptacles & 5-15P plug, 2 filter banks.	6	94.50
EURO-4	4	6 ft.	220/240 volt, IEC-320 receptacles, 2 filter banks, T.U.V. approved.	12	94.50
ISOTEL .	4	6 ft.	2 Isolated Filter Banks, modem/fax protection.	6	99.95
ISOBAR6	6	6 ft.	3 Isolated Filter Banks.	6	99.95
IB8RM	8	12 ft.	4 Isolated Filter Banks with 9 ft. remote on/off extension.	6	145.00

UNDER-MONITOR PREMIUM SURGE SUPPRESSORS

These premium un	der-monito	or consoles fe	ature 1 master switch and 4 individual power switches for fingertip control of your entire system.	
TMC-6	6	6 ft.	Protect It! series. Slim design, diagnostic LEDs with modem/fax protection. 1850 joules.	49.99
MT 6Plus (TouchMaster	r Plus) 6	10 ft	Slim design, diag. & brownout LEDs with modem/fax protection, 1790 joules	139 95

ECO-SURGE™ SUPPRESSORS

Environmentally friendly surge protection that conserves electricity and saves money. Special ECO outlets turn off idle peripherals when not in use, eliminating energy-wasting "phantom loads." Tel/modem/fax, Ethernet and coaxial line protection options.

┌── DATALINE PROTECTION ────							MASTER	SUGGESTED	
MODEL#	OUTLETS	CORD	JOULES	I _{PHONE}	COAX	ETHERNET	FEATURES	QTY.	RESALE
TLP1210SATG	12	10 ft.	3600	_	2 pair	1 line	ECO power-saving outlets, holds 8 transformers.	6	\$ 129.99
TLP808NETG	8	8 ft.	2160	1 line	_	_	ECO power-saving outlets, holds 6 transformers.	6	89.99

PROTECT IT!™ & OTHER SURGE SUPPRESSORS

Effective and economical spike and noise suppressors. Provide AC protection or AC with modem/fax, coaxial and/or Ethernet protection in a variety of configurations. TAA-compliant products also available. See pg. 8

NODEL NOTITES CORD JOULES PROME COAX ETHERNET FEATURES FEATURES CORT CO					DATA	LINE PRO	TECTION —		MASTER	SUGGESTED
TLP100RTEL 12 8 8 1 16 1 16 -	MODEL#	OUTLETS	CORD	JOULES	PHONE	COAX	ETHERNET	FEATURES	QTY.	RESALE
TP-1008TELIV 10	TLP1208TELTV	12	8 ft.	2880	1 line	1 pair	_	Safety covers, phone line splitter, holds 8 transformers	. 6	\$ 64.99
Turn Turn	TLP1208TEL	12	8 ft.	2160	1 line	_	_	Safety covers, phone line splitter, holds 8 transformers	. 6	55.99
PARTICIPATION S	TLP1008TELTV	10	8 ft.	3345	1 line	1 pair	_	Safety covers, phone line splitter, holds 7 transformers	. 6	59.99
T.P.BIOSAT	TLP1008TEL	10	8 ft.	3345	1 line	_	_	Safety covers, phone line splitter, holds 7 transformers	. 6	49.99
LP808TELIN 8	TLP810NET	8	10 ft.	3240	2 line	1 pair	1 line	Safety covers, holds 6 transformers, alarm.	6	69.99
LP80BTEL	TLP810SAT	8	10 ft.	3570	1 line	2 pair	_	Safety covers, holds 6 transformers, alarm.	6	65.99
LP808	TLP808TELTV	8	8 ft.	2160	1 line	1 pair	_	Safety covers, holds 6 transformers, alarm.	6	49.99
TUP9025	TLP808TEL	8	8 ft.	2160	1 line	_	_	Safety covers, phone line splitter, holds 6 transformers	. 6	44.99
LPB25	TLP808	8	8 ft.	1440	_	_	_	Safety covers, holds 6 transformers.	12	35.99
TLP70TFL	TLP825	8	25 ft.	1440		_	_	•	6	57.99
SUPER/TICLL 7			7 ft.	1080	1 line	_	_	• •		
SUPERTOLAX	SUPER7TEL15								6	
SUPERT 7						1 nair	_			
SUPERFT 7							_			
SUPERGTELL2										
SUPERGTEL 7										
TLP712B										
TLP712B						_				
TLP712						_				
STRIKER					_	_	_			
TLP74RB										
TLP74RB					_	_				
TLP606								·		
TLP606					_	_	_			
SWIVEL6 6 direct plug-in 1500 — — Holds 2 transformers. 12 23.99		6	6 ft.		_	_		Holds 3 transformers		15.99
TLP604	TLP606B	6	6 ft.	720	_	_	_	Holds 3 transformers.	6	15.99
TLP604	SWIVEL6	6	direct plug-in	1500	_	_	_	Holds 2 transformers.	12	23.99
TLP602	TLP604TEL	6	4 ft.	720	1 line	_	_	Holds 3 transformers.	12	15.49
TLP4BK 4 direct plug-in 670 — — Holds 2 transformers 12 14.99 TLP404 4 4 ft. 390 — — Holds 2 transformers 12 11.49 TRAVELER 2 direct plug-in 1050 1 line — — Portable, retractable prongs, holds 2 transformers. 6 25.95 TRAVELER100BT 2 direct plug-in 1500 — — Portable, retractable prongs, holds 2 transformers. 12 31.99 TRAVELEUBE 1 direct plug-in 540 1 line — — Portable, retractable prongs, holds 2 transformers. 6 25.95 TRAVELEUBE 1 direct plug-in 540 1 line — — Portable, retractable prongs, holds 2 transformers. 6 25.95 TRAVELERCB 1 direct plug-in 540 1 line — — Portable, retractable prongs, holds 2 transformers. 12 32.99 TRAVELERCB 1 (C6) in-line 1130 (120V) 1 line — — In-line design for laptop use, 100-240V compatible. 24 32.99	TLP604	6	4 ft.	720	_	_	_	Holds 3 transformers.	6	12.99
TLP404 4 4 ft. 390 — — Holds 2 transformers 12 11.49 TRAVELER 2 direct plug-in 1050 1 line — — Portable, retractable prongs, holds 2 transformers. 6 25.95 TRAVELER3USB 3 1 ft. 540 — — Portable, 2 USB charging ports, holds 2 transformers. 12 31.99 TRAVELER100BT 2 direct plug-in 1050 — — 1 line Portable, retractable prongs, holds 2 transformers. 6 25.95 TRAVELCUBE 1 direct plug-in 540 1 line — Portable, retractable prongs, holds 2 transformers. 6 25.95 TRAVELEUGL 1 direct plug-in 540 1 line — Portable, retractable prongs, holds 2 transformers. 6 25.95 TRAVELERCS 1 (C6) in-line 1130 (120V) 1 line — Portable, retractable prongs, holds 2 transformers. 24 32.99 TRAVELERCS 1 (C6) in-line 1130 (120V) 1 line	TLP602	6	2 ft.	180	_	_	_	Holds 3 transformers.	12	9.99
TRAVELER 2 direct plug-in 1050 1 line — — Portable, retractable prongs, holds 2 transformers. 6 25.95 TRAVELER3USB 3 1 ft. 540 — — — Portable, 2 USB charging ports, holds 2 transformers. 12 31.99 TRAVELER100BT 2 direct plug-in 1050 — — 1 line Portable, retractable prongs, holds 2 transformers. 6 25.95 TRAVELCUBE 1 direct plug-in 540 1 line — Portable, retractable prongs, holds 2 transformers. 6 25.95 TRAVELERCB 1 direct plug-in 540 1 line — Portable, retractable prongs, holds 2 transformers. 6 25.95 TRAVELERCB 1 direct plug-in 750 1 line — Portable, leave,	TLP4BK	4	direct plug-in	670	_	_	_	Holds 2 transformers.	12	14.99
TRAVELER3USB 3 1 ft. 540 — — Portable, 2 USB charging ports, holds 2 transformers. 12 31.99 TRAVELER100BT 2 direct plug-in 1050 — — 1 line Portable, retractable prongs, holds 2 transformers. 6 25.95 TRAVELCUBE 1 direct plug-in 540 1 line — Portable, Portable, retractable prongs, holds 2 transformers. 12 13.99 TRAVELERC6 1 (C6) in-line 1130 (120V) 1 line — — In-line design for laptop use, 100-240V compatible. 24 32.99 TRAVELERC8 1 (C8) in-line 1130 (120V) 1 line — — In-line design for laptop use, 100-240V compatible. 24 32.99 SK6-6 8 8 ft. 1080 — — Holds 4 transformers. 12 49.99 TR-6FM 6 6 ft. 3040 1 line — — Holds 4 transformers. 6 69.95 TR-6 (TERMINATOR) 6 6 ft. 1500 — — —<	TLP404	4	4 ft.	390	_	_	_	Holds 2 transformers	12	11.49
TRAVELER3USB 3 1 ft. 540 — — Portable, 2 USB charging ports, holds 2 transformers. 12 31.99 TRAVELER100BT 2 direct plug-in 1050 — — 1 line Portable, retractable prongs, holds 2 transformers. 6 25.95 TRAVELCUBE 1 direct plug-in 540 1 line — — Portable, Holds 1 transformer. 12 13.99 TRAVELERC6 1 (C6) in-line 1130 (120V) 1 line — — In-line design for laptop use, 100-240V compatible. 24 32.99 TRAVELERC8 1 (C8) in-line 1130 (120V) 1 line — — In-line design for laptop use, 100-240V compatible. 24 32.99 SK6-6 8 8 ft. 1080 — — — Holds 4 transformers. 12 49.99 TR-6FM 6 6 ft. 3040 1 line — — Holds 4 transformers. 6 69.95 TR-6 (TERMINATOR) 6 6 ft. 1500 — — — Holds 4 transformers.	TRAVELER	2	direct plug-in	1050	1 line	_	_	Portable, retractable prongs, holds 2 transformers.	6	25.95
TRAVELER100BT 2 direct plug-in 1050 — — 1 line Portable, retractable prongs, holds 2 transformers. 6 25.95 TRAVELCUBE 1 direct plug-in 540 1 line — — Portable, Holds 1 transformer. 12 13.99 TRAVELERC6 1 (C6) in-line 1130 (120V) 1 line — — In-line design for laptop use, 100-240V compatible. 24 32.99 TRAVELERC8 1 (C8) in-line 1130 (120V) 1 line — — In-line design for laptop use, 100-240V compatible. 24 32.99 SK6-6 8 8 ft. 1080 — — — Holds 4 transformers. 12 49.99 TR-6FM 6 6 ft. 3040 1 line — — Holds 4 transformers. 6 69.95 TR-6 (TERMINATOR) 6 6 ft. 1500 — — — Holds 4 transformers. 24 24.99 SK6-0B (BLACK) 6 direct plug-in 750 —	TRAVELER3USB	3			_	_	_		12	31.99
TRAVELCUBE 1 direct plug-in 540 1 line — Portable. Holds 1 transformer. 12 13.99 TRAVELERC6 1 (C6) in-line 1130 (120V) 3-prong 820 (230V) 1 line — In-line design for laptop use, 100-240V compatible. 24 32.99 TRAVELERC8 1 (C8) in-line 1130 (120V) 820 (230V) 1 line — — In-line design for laptop use, 100-240V compatible. 24 32.99 SK6-6 8 8 ft. 1080 — — — Holds 4 transformers. 12 49.99 TR-6FM 6 6 ft. 3040 1 line — — Holds 4 transformers. 6 69.95 TR-6 (TERMINATOR) 6 6 ft. 1500 — — — Holds 4 transformers. 12 59.95 SK6-0 6 direct plug-in 750 — — Holds 4 transformers. 24 24.99 SK6-0B (BLACK) 6 direct plug-in 750 — — — Holds 4 transformers. 24 24.99										
TRAVELERC6 1 (C6) in-line 1130 (120V) 1 line — In-line design for laptop use, 100-240V compatible. 24 32.99 TRAVELERC8 1 (C8) in-line 2-prong 1130 (120V) 820 (230V) 1 line — — In-line design for laptop use, 100-240V compatible. 24 32.99 SK6-6 8 8 ft. 1080 — — — Holds 4 transformers. 12 49.99 TR-6FM 6 6 ft. 3040 1 line — — Holds 4 transformers. 6 69.95 TR-6 (TERMINATOR) 6 6 ft. 1500 — — — Holds 4 transformers. 12 59.95 SK6-0 6 direct plug-in 750 — — Holds 4 transformers. 24 24.99 SK6-0B (BLACK) 6 direct plug-in 750 — — Holds 4 transformers. 24 24.99					1 line	_				
3-prong 820 (230V) TRAVELERC8 1 (C8) in-line 1130 (120V) 820 (230V)										
TRAVELERC8 1 (C8) 2-prong in-line 1130 (120V) 820 (230V) 1 line — In-line design for laptop use, 100-240V compatible. 24 32.99 SK6-6 8 8 ft. 1080 — — — Holds 4 transformers. 12 49.99 TR-6FM 6 6 ft. 3040 1 line — — Holds 4 transformers. 6 69.95 TR-6 (TERMINATOR) 6 6 ft. 1500 — — — Holds 4 transformers. 12 59.95 SK6-0 6 direct plug-in 750 — — Holds 4 transformers. 24 24.99 SK6-0B (BLACK) 6 direct plug-in 750 — — Holds 4 transformers. 24 24.99	THENTELLING	٠,		. ,	1 11110			in into doorgin for taptop door, 100 2 101 compatible.	2.	02.00
2-prong 820 (230V) SK6-6 8 8 ft. 1080 — — Holds 4 transformers. 12 49.99 TR-6FM 6 6 ft. 3040 1 line — Holds 4 transformers. 6 69.95 TR-6 (TERMINATOR) 6 6 ft. 1500 — — — Holds 4 transformers. 12 59.95 SK6-0 6 direct plug-in 750 — — Holds 4 transformers. 24 24.99 SK6-0B (BLACK) 6 direct plug-in 750 — — Holds 4 transformers. 24 24.99	TDAVELEDCO				1 lino			In line decign for lanton use 100 240V compatible	24	22.00
SK6-6 8 8 ft. 1080 — — Holds 4 transformers. 12 49.99 TR-6FM 6 6 ft. 3040 1 line — Holds 4 transformers. 6 69.95 TR-6 (TERMINATOR) 6 6 ft. 1500 — — — Holds 4 transformers. 12 59.95 SK6-0 6 direct plug-in 750 — — Holds 4 transformers. 24 24.99 SK6-0B (BLACK) 6 direct plug-in 750 — — Holds 4 transformers. 24 24.99	INAVELENGO				I IIIIE	_	_	in-line design for taptop use, 100-2407 compatible.	24	32.99
TR-6FM 6 6 ft. 3040 1 line — Holds 4 transformers. 6 69.95 TR-6 (TERMINATOR) 6 6 ft. 1500 — — — Holds 4 transformers. 12 59.95 SK6-0 6 direct plug-in 750 — — — Holds 4 transformers. 24 24.99 SK6-0B (BLACK) 6 direct plug-in 750 — — Holds 4 transformers. 24 24.99										
TR-6 (TERMINATOR) 6 6 ft. 1500 — — — Holds 4 transformers. 12 59.95 SK6-0 6 direct plug-in 750 — — Holds 4 transformers. 24 24.99 SK6-0B (BLACK) 6 direct plug-in 750 — — Holds 4 transformers. 24 24.99										
SK6-0 6 direct plug-in 750 — — Holds 4 transformers. 24 24.99 SK6-0B (BLACK) 6 direct plug-in 750 — — Holds 4 transformers. 24 24.99	TR-6FM				1 line	_	_	Holds 4 transformers.		
SK6-0B (BLACK) 6 direct plug-in 750 — — Holds 4 transformers. 24 24.99	,	6	6 ft.			_	_	Holds 4 transformers.		
	SK6-0	6	direct plug-in	750	_	_	_	Holds 4 transformers.	24	24.99
SPIKESTIK 6 6 f.t. 360 — — Holds 3 transformers. 12 29.99	SK6-0B (BLACK)	6	direct plug-in	750	_	_	_	Holds 4 transformers.	24	24.99
	SPIKESTIK	6	6 ft.	360	_	_	_	Holds 3 transformers.	12	29.99
SPIKECUBE 1 direct plug-in 540 — — Holds 1 transformer. 24 9.99	SPIKECUBE	1	direct plug-in	540	_	_	_	Holds 1 transformer.	24	9.99
TLM606 6 6 ft. 280 — — Metal housing, holds 3 transformers. 12 26.99	TLM606	6			_	_	_	Metal housing, holds 3 transformers.	12	26.99
TLM606HJ 6 6 ft. 1340 — — Metal housing, holds 3 transformers. 12 29.99	TLM606HJ				_	_	_	₹'		
TLM626 6 6 ft. 1340 — — Metal housing, holds 3 transformers. 12 34.99					_	_	_			
TLM626TEL15 6 15 ft. 1340 1 line — Metal housing, holds 3 transformers. 12 49.99					1 line	_		0,		

ISOBAR RACKMOUNT SURGE SUPPRESSORS

Premium ISOBAR surge protection for an entire rack of equipment. Occupies only one 19-inch rack space (1U). Available in models with either 15- or 20-amp capacities. Ultra models feature diagnostic LEDs. Locking switch cover, all-steel construction, black. No isolated filter banks on DRS-1215.

				MASTER	SUGGESTED
MODEL #	OUTLETS	CORD	FEATURES	QTY.	RESALE
ISOBAR12ULTRA	12	15 ft.	1U 15-amp rackmount. 1280 joules.	6	\$ 195.00
IBAR12	12	15 ft.	1U 15-amp rackmount. 1280 joules.	6	215.00
IBAR12/20ULTRA	12	15 ft.	1U 20 -amp rackmount. 2 (15-amp) & 10 (20 -amp) outlets. 1280 joules. Straight 20 -amp plug (5- 20 P).	6	230.00
IBAR12-20T	12	15 ft.	1U 20 -amp rackmount. 2 (15-amp) & 10 (20 -amp) outlets. 1280 joules. Locking plug (L5- 20 P).	6	270.00
DRS-1215	14	15 ft.	1U, Economy NON-Isobar 15-amp rackmount. 1050 joules.	6	89.00

RACKMOUNT & GENERAL-PURPOSE MULTIPLE OUTLET STRIPS

These power distribution strips provide convenient multiple AC outlets wherever needed. Ideal for mounting inside rack enclosures or on walls, workbenches and more. Sturdy metal housing stands up to demanding network, lab or factory environments. All use NEMA 5-15P plug, except as noted.

Note: Multiple Outlet Strips do not provide surge protection, except SS7415-15 and SS7619-15. SUGGESTED OUTLETS **FEATURES** MODEL # CORD RESALE TLM306NC 3 6 ft. Metal-receptacle series, master switch pilot light. \$ 29.99 TLM406NC Metal-receptacle series, master switch pilot light. 34.99 6 ft. 4 TLM606NC 6 6 ft. Metal-receptacle series, master switch pilot light. 39.99 TLM615NC Metal-receptacle series, master switch pilot light. 6 15 ft 52.99 TLM615NC20 Metal-receptacle series, master switch pilot light, 20-amp. 139.99 6 15 ft. Metal-receptacle series, turned 90 degrees, master switch pilot light. TLM615NCRA 6 15 ft. 54.99 TLM915NC 9 15 ft. Metal-receptacle series, master switch pilot light, outlet on end. 58.99 TLM1015NC 10 15 ft. Metal-receptacle series, master switch pilot light. 82.99 RS-1215 15 ft. 1U, 15-amp rackmount, locking switch cover. 12 69.00 RS-1215-20 1U, 20-amp rackmount, locking switch cover. NEMA 5-20P plug. 12 15 ft. 86.00 1U, 20-amp rackmount, locking switch cover, NEMA L5-20P locking plug RS-1215-20T 12 15 ft. 104.00 1U, 15-amp rackmount, locking switch cover. RS-1215-RA 12 (right-angled) 15 ft. 69.00 1U, 15-amp rackmount, locking switch cover. RS-0615-F 6 (front panel) 15 ft. 68.00 1U. 15-amp rackmount, locking switch cover. RS-0615-R 6 (rear panel) 15 ft 68 00 PS2408 15 ft. 15-amp breaker, locking switch cover. 24 in. length. 79.00 15-amp breaker, locking switch cover. 36 in. length. PS3612 12 15 ft 85.00 PS4816 15 ft. 15-amp breaker, locking switch cover. 48 in. length. 16 90.00 PS6020 20 15 ft. 15-amp breaker, locking switch cover. 60 in. length. 99.00 PS7224 24 15 ft. 15-amp breaker, locking switch cover. 72 in. length. 110.00 PS7224-20 24 15 ft. 20-amp breaker, locking switch cover. NEMA 5-20P plug. 72 in. length. 145.00 24 15 ft. 20-amp breaker, locking switch cover. NEMA L5-20P locking plug. 72 in. length. PS7224-20T 155.00 PS3612-20HW 12 Hardwire 20-amp model for permanent installation. 36 in. length. 57.00 90.00 Hardwire 20-amp model for permanent installation. 72 in. length. PS7224-20HW 24 SS7415-15 16 15 ft. Strip with surge protection. 15-amp breaker, locking switch cover, 450 joules. 48 in. length. 85.00 Strip with surge protection. 15-amp breaker, locking switch cover, 450 joules. 72 in. length. SS7619-15 16 15 ft. 99.00

SAFETY SURGE SUPPRESSORS & MULTIPLE OUTLET STRIPS

Rugged, safe designs with all-metal, safety yellow housings perfect for industrial, automotive and factory environments. A convenient source of surge suppression or multiple outlets wherever they're needed. Premium features include up to 8 outlets, up to 25 ft. power cord, included outlet safety covers and GFCI plug on select models.

NOTE: Multiple Outlet Strips do not provide surge protection.

Suggested

**Sugge

MODEL #	OUTLETS	CORD	JOULES	FEATURES	QTY.	RESALE
				SAFETY SURGE SUPPRESSORS		
TLM626SA	6	6 ft.	420	4 outlet safety covers.	6	\$ 34.99
TLM609SA	6	9 ft.	1200	4 outlet safety covers, cord wrap with hang holes.	6	54.99
TLM615SA	6	15 ft.	2400	4 outlet safety covers, cord wrap with hang holes.	6	64.99
TLM812SA	8	12 ft.	1200	4 outlet safety covers, cord wrap with hang holes.	6	64.99
TLM825SA	8	25 ft.	3900	4 outlet safety covers, cord wrap with hang holes.	6	89.99
					MASTER	SUGGESTED
MODEL #	OUTLETS	CORD		FEATURES	QTY.	RESALE
				SAFETY MULTIPLE OUTLET STRIPS WITH GFCI PLUG		
TLM609GF	6	9 ft.		GFCI plug, 4 outlet safety covers, cord wrap with hang holes.	6	\$ 79.99
TLM812GF	8	12 ft.		GFCI plug, 4 outlet safety covers, cord wrap with hang holes.	6	89.99
TLM825GF	8	25 ft.		GFCI plug, 4 outlet safety covers, cord wrap with hang holes.	6	99.99
				SAFETY MULTIPLE OUTLET STRIPS		
TLM626NS	6	6 ft.		4 outlet safety covers.	6	24.99
TLM609NS	6	9 ft.		4 outlet safety covers, cord wrap with hang holes.	6	42.99
TLM815NS	8	15 ft.		4 outlet safety covers, cord wrap with hang holes.	6	59.99

POWER DISTRIBUTION UNITS (PDUS)

Rackmount PDUs add reliable AC outlets to 19-inch rack enclosures and can be mounted in vertical oconfiguration (including optional toolless mounting) and/or horizontal oconfiguration. Models with load meter(s) display connected equipment load in amps. Models with network interface allow remote monitoring. Models with remote outlet control allow remote rebooting, load shedding, etc. Models with Automatic Transfer Switch (ATS) provide redundant power to single-cord devices.

MODEL#	VOLTS	AMPS	AC R Number	ECEPTACLES Type	MOUNTING FORMAT*	INPUT Plug	CORD Length	SUGGESTED Resale
PDUBHV10†	200-240V	10	8	C13	20	(2) C13/C14	6 ft.	\$ 343.00
PDUB15†	100/120/127V	12	8	5-15R	20	(2) NEMA 5-15P	10 ft. / 6 ft.	325.00
PDU1215	120V	15	13	5-15R	10 or 00 (Vertical - 17.5 in. long		15 ft.	122.00
PDUB20†	100/120/127V	16	8	(4) 5-15R / (4) 5-15/20F		(2) 5- 20 P	10 ft. / 6 ft.	372.00
PDUBHV20†	200-240V	16	8	(6) C13 / (2) C19	a a	(2) C19/C20	6 ft.	419.00
PDU1220	120V	20	13	5-15/ 20 R	10 or 00 (Vertical - 17.5 in. long	· /	15 ft.	195.00
PDU1220T	120V	20	13	5-15/ 20 R	Tor (Vertical - 17.5 in. long		15 ft.	207.00
PDU1415	120V	15	14	5-15R	(Vertical - 25.75 in. long)	5-15P	15 ft.	227.00
PDU1420T	120V	20	14	5-15/ 20 R	(Vertical - 25.75 in. long)	L5- 20 P	15 ft.	232.00
PDU2430	120V	30	24	5-15R	10 or 00 (Vertical - 17.5 in. long		15 ft.	309.00
PDU1230	208V	30	18	(16) C13/(2) C19	10 or 00 (Vertical - 17.5 in. long		15 ft.	351.00
PDUV15	120V	15	12	5-15R	OU (Vertical - 36 in. long)	5-15P	15 ft.	128.00
PDUV20	120V	20	12	5-15/ 20 R	OU (Vertical - 36 in. long)	5- 20 P	15 ft.	187.00
PDUB30†	100/120/127V	24	8	(6) 5-15/20R / (2) L5-30		(2) L5- <mark>30</mark> P	10 ft. / 6 ft.	745.00
PDUV30HV	208V	30 (2x15)	38	(32) C13/(6) C19	OU (Vertical - 63.75 in. long)	(2) L3-50P	10 ft.	415.00
PDU12IEC	100-240V	20	14	(12) C13/(2) C19	10 or 00 (Vertical - 17.5 in. long)		N/A	249.00
PDUNV	100-240V	20	14	(12) C13/(2) C19	10 or 00 (Vertical - 17.5 in. long			305.00
FDUINV	100-2401	20	14	(12) 013/(2) 019	(vertical - 17.5 iii. long	L6- <mark>20</mark> P, 5-15P	o it.	303.00
PDU40TDUAL	L 120V	40 (2x20)	40 (2x20)	5-15/ 20 R	OU (Vertical - 71 in. long)	(2) L5- <mark>20</mark> P†††	15 ft.	390.00
					<u>Bution</u> units with digital			
PDUMH15	120V	15	13	5-15R	or (Vertical - 17.5 in. long		15 ft.	177.00
PDUMV15	120V	15	16	5-15R	(Vertical - 48 in. long)	5-15P	15 ft.	165.00
PDUMH20	120V	20	13	5-15/ 20 R	10 or 00 (Vertical - 17.5 in. long) L5- <mark>20</mark> P, 5- <mark>20</mark> P†††	15 ft.	230.00
PDUMV20	120V	20	20	5-15/ 20 R	(Vertical - 60 in. long)	L5- <mark>20</mark> P, 5- <mark>20</mark> P†††	15 ft.	219.00
PDUMV40	120V	40 (2X20)	32	5-15/ 20 R	OU (Vertical - 71.25 in. long)	(2) L5- <mark>20</mark> P, (2) 5- 20 P	††† 2x10 ft.	466.00
PDUMV20HV	208/230V	20	38	(32) C13/(6) C19	OU (Vertical - 63.75 in. long)	L6- <mark>20</mark> P	10 ft.	349.00
PDUMV30HV	208V	30 (2x15)	30	(24) C13/(6) C19	(Vertical - 63.75 in. long)	L6- <mark>30</mark> P	10 ft.	477.00
PDUMV30	120V	30	24	5-15/ 20 R	(Vertical - 63.75 in. long)	L5- <mark>30</mark> P	10 ft.	467.00
					'H DIGITAL LO <u>ad</u> meter(s) <i>i</i>			
PDUMH15AT	120V	15	8	5-15 <u>R</u>	<u>10</u>	(2) 5-15P	2x12 ft.	579.00
PDUMH20AT	120V	20	16	5-15/ 20 R		(2) L5- 20 P, (2) 5- 20 P		745.00
					TS WITH DIGIT <u>al</u> load mete			
PDUMNH15	120V	15	8	5-15R	10	5-15P	12 ft.	565.00
PDUMNV15	120V	15	16	5-15 <u>R</u>	(Vertical - 49 in. long)	_5-15P_	10 ft.	619.00
PDUMNH20	120V	20	8	5-15/ 20 R	10	L5- 20 P, 5- 20 P†††	12 ft.	659.00
PDUMNV20	120V	20	24	5-15/ 20 R	00 (Vertical - 63 in. long)	L5- 20 P/5- 20 P ^{†††}	10 ft.	719.00
PDUMNV20HV	208/230V	20	24	(20) C13/(4) C19	(Vertical - 64 in. long)	C 20 /L6- 20 P	10 ft.	690.00
PDUMNV30	120V	30	24	5-15/ 20 R	00 (Vertical - 70 in. long)	L5- <mark>30</mark> P	10 ft.	745.00
PDUMNV30HV		30	24	(20) C13/(4) C19	(Vertical - 70 in. long)	L6- <mark>30</mark> P	10 ft.	814.00
					L LOAD METER(S), REMOTE			
PDUMV15NE		15	16	5-15/ 20 R	(Vertical - 49 in. long)	5-15P	10 ft.	1,047.00
PDUMH15HVN		15	8	C13_		C14	6.5 ft.	652.00
PDUMV20NE		20	24	5-15/ 20 R	(Vertical - 63 in. long)	L5- 20 P/5- 20 P†††	10 ft.	1,093.00
PDUMV20HVN	ET 208/230V	20	24	(20) C13/(4) C19	(Vertical - 64 in. long)	L6- 20 P	10 ft.	1,032.00
PDUMH20HVN	IET 208/230V	20	8	C13	10	C 20 /L6- 20 P	8.5 ft.	697.00
PDUMV30NE	T 120V	30	24	5-15/ 20 R	(Vertical - 70 in. long)	L5- <mark>30</mark> P	10 ft.	1,302.00
PDUMV30HVN	ET 208V	30	24	(20) C13/(4) C19	(Vertical - 70 in. long)	L6- <mark>30</mark> P	10 ft.	1,165.00
PDUMH30NE	T 120V	30	16	5-15/ 20 R		L5- <mark>30</mark> P	10 ft.	1,032.00
PDUMH30HV19N	NET 208/230V	24	14	(8) C13 / (6) C19	2U 2U	L6-30, L6- 30 P	15 ft.	1,209.00
PDUMH30HVN		30	16	C13	2U	L6-30P	10 ft.	1,032.00
PDUMV32HVI		32	24	(20) C13 / (4) C19	OU (Vertical - 70 in. long)	IEC309 32A 2P+E		1,395.00
		RIBUTION UN	ITS WITH D	IGITAL LOAD METER(S		MOTE OUTLET CO	NTROL AND A	AUTOMATIC TRANSFER SWITCH
PDUMH15ATI	NET 120V	15	8	5-15R	Œ	(2) 5-15P	2x12 ft.	775.00
PDUMH20ATI	NET 120V	20	16	5-15/ 20 R		(2) L5- 20 P, (2) 5- 20 P	ottt 2x12 ft.	879.00
PDUMH20HVATN		20	10	(8) C13 / (2) C19	10	C20 ^{††}	N/A	1,255.00
				(-, , (-, 0	_			.,_30.00

^{*} PDUs that support 0U vertical mounting also support toolless mounting in compatible rack enclosures. All PDUs support surface mounting (walls, counters, floors, desktops, shelves, ceilings and more). † Includes Manual Transfer Switch to enable hot-swappable UPS replacement. †† C20 inlet. User supplies appropriate input cable. ††† Included adapter(s) convert L5-20P to 5-20P.

REPLACEMENT BATTERY CARTRIDGES (R.B.C.

Premium UPS replacement battery cartridges meet or exceed all original manufacturer specifications. Ship pre-assembled and ready for installation. Visit Tripp Lite's UPS replacement battery Web page (www.tripplite.com) to confirm compatibility and quantity required.

SUGGESTED

MODEL # **FEATURES** RESALE RBC2A Replacement Battery Cartridge. For APC SU420 & 200-500VA BK/BP models. \$ 42.00 RBC4A Replacement Battery Cartridge, For APC SU620 & 650VA BK/BP models. 68.00 RBC5A Replacement Battery Cartridge. For APC SU450, SU450NET, SU700 & SU700NET models. 76.00 RBC6A Replacement Battery Cartridge. For APC 1000VA BP/SU/SUA/SURM models. 161.00 Replacement Battery Cartridge. For APC SU700-1000XL, BP/SU/SUA 1400-1500VA models RBC7A 183.00 RBC8A Replacement Battery Cartridge. For APC SU1400 & SU1400RMNET. 200.00 RBC11A Replacement Battery Cartridge. For APC 1400XL & 2200-3000VA SU/SURM models. 373.00 RBC12A Replacement Battery Cartridge. For APC SU5000 & 2200-3000VA RM3U models. 376.00 RBC24-SLT Replacement Battery Cartridge. For Tripp Lite models only. 145.00 RBC36-SLT Replacement Battery Cartridge. For Tripp Lite models only. 170.00 RBC51 Replacement Battery Cartridge. For Tripp Lite and other major UPS brands. 50.00 RBC52 Replacement Battery Cartridge. For Tripp Lite and other major UPS brands. 41.00 RBC53 Replacement Battery Cartridge. For Tripp Lite and other major UPS brands. 150.00 RBC54 Replacement Battery Cartridge. For Tripp Lite and other major UPS brands. 198.00 RBC62-1U Replacement Battery Cartridge. For Tripp Lite models only. 110.00 RBC64-1U Replacement Battery Cartridge. For Tripp Lite models only. 145.00 RBC69-1U Replacement Battery Cartridge. For Tripp Lite models only. 169.00 RBC49-2U Replacement Battery Cartridge. For Tripp Lite models only. 260.00 RBC92-2U Replacement Battery Cartridge. For Tripp Lite models only. 129.00 RBC93-2U Replacement Battery Cartridge. For Tripp Lite models only. 188.00 Replacement Battery Cartridge. For Tripp Lite models only. **RBC94-2U** 281.00 Replacement Battery Cartridge. For Tripp Lite models only. **RBC96-3U** 267.00

NETWORK DATALINE SURGE PROTECTORS

Network Dataline Surge Protectors guard against the harmful effects of lightning, electrostatic discharge and ground surges. Models are installed in-line to protect virtually any network equipment using 100Base-T, 10Base-T, 10Base-2, 10Base-5 Ethernet, Token Ring, RS-232, RS-422, dial-up modems, fax, ISDN, T-1 lines and most other communications interfaces. Lifetime warranty.

MODEL #	FEATURES	RESALE
DNET1	RJ45 100 & 10Base-T, Token Ring, AS400/Sys3x, RS422 (Wires 1-8) for NICs, terminals, hubs, MAUs, etc.	\$ 28.99
DTEL2	RJ11/45 2-line Dial-Up protector, ideal for modems, faxes, answering machines, etc.	32.50
DB9	Serial DB9 RS-232 protector (Pins 1-9) for any male or female 9-pin port.	24.50
DSUT1CSU	RJ45 protector (Wires 1-8) for T-1 equipment, CSU/DSUs, digital and leased lines and ISDN.	65.95
D10B2	10Base-2 thin coax protector (Male/Female BNC jacks). Also protects IBM3270 & CCTV lines.	27.95
DRS232	RJ45 100 Base-T4 RS-232 protector (Wires 1-8) for twisted pair applications.	29.95
DB25	Serial DB25 RS-232 protector (Pins 1-8, 20) for male or female DTE/DCE ports.	25.95
DB25-ALL	Serial or parallel DB25 RS-232 protector (All pins) for any male or female 25-pin port.	35.75

POWERVERTER® INVERTERS

12/24V DC TO 120V AC POWER CONVERSION. PowerVerter Inverters conveniently and economically convert the 12/24V DC battery power of automobiles, RVs and service trucks to 120V AC to run office equipment, household appliances, power tools and more.

INCTANTANEOUS

		CONTINUOUS	INSTANTANEOUS	ΑÜ			SUGGESTED					
MC	DEL #	WATTAGE	WATTAGE	OUTLETS	FEATURES		RESALE					
	POWERVERTER PORTABLE ULTRA-COMPACT INVERTERS											
Eff	Efficiently run laptop computers, battery chargers, mobile office equipment, appliances and more. Attractive new lightweight/ultra-compact design easily travels from car											
to	to truck to boat to trailer and back.											
			222				A 15.00					

PV150 150 300 Ultra-compact case, 12V DC, cigarette lighter plug, low-battery alarm. \$ 45.00 PV375 375 600 2 Ultra-compact case, 12V DC, cigarette lighter plug, low-battery alarm. 72.00 PV700HF 700 1400 3 Ultra-compact case, 12V DC, user-supplied cables, low-battery alarm. 129.00

POWERVERTER PERMANENT-MOUNT COMPACT INVERTERS

Permanently mounted units efficiently run appliances, power tools and more. Simultaneously run multiple pieces of equipment with up to 3000 watts of power. Durable, ultra-compact design. APSRM4 remote control module with 6 indicator lights displays battery level and operating conditions (optional or included).

uiti a oompao	t doorgii. 711 Oi	IIVI I TOTTIOLO GOTTLI OLI	HOUGHIO WI	ar o indicator lighto diopiayo battory lovor and operating conditions (optional or included).	
PV1000HF	1000	1500	4	Compact case, perm. mount, 12V DC, user-supplied cables. RJ45 remote port.	\$ 308.00
PV1800HF	1800	2700	4	Compact case, perm. mount, 12V DC, user-supplied cables. RJ45 remote port.	430.00
PV3000HF	3000	6000	4	Compact case, perm. mount, 12V DC, user-supplied cables. RJ45 remote port (w/remote).	663.00
PV3000GFCI	3000	6000	4	Compact case, perm. mount, 12V DC, user-supplied cables. RJ45 remote port (w/remote).	908.00
				4 GECI-protected outlets. Conforms to OSHA 1926 404 (b) (1) (ii)	

POWERVERTER PLUS INVERTERS

Provide up to twice their rated power to handle the large start-up power requirements of microwaves, refrigerators, sump pumps and more. Will also run all loads of standard inverters. Frequency controlled to $\pm \frac{1}{2}$ Hz. Optional APSRM4 remote control module with 6 indicator lights displays battery level and operating conditions.

	CONTINUOUS	OVERPOWER™	DOUBLEBOOST*	™ AC		SUGGESTED
MODEL #	WATTAGE	WATTAGE*	WATTAGE*	OUTLETS	FEATURES	RESALE
PV1250FC	1250	1875	2500	2	High output/freq. control, 12V DC, charge/load LEDs, RJ45 remote port.	\$ 402.00
PV2000FC	2000	3000	4000	2	High output/freq. control, 12V DC, charge/load LEDs, RJ45 remote port.	650.00
PV2400FC	2400	3600	4800	2	High output/freq. control, 24V DC, charge/load LEDs, RJ45 remote port.	768.00

^{*} OverPower duration (1-60 minutes). DoubleBoost duration (up to 10 seconds). Actual duration depends on ideal battery age, battery charge level and ambient temperature conditions.

INVERTERS WITH AUTOMATIC TRANSFER SWITCH & CHARGER

12/24/36/48V DC TO 120V AC POWER CONVERSION. Peak-power, high-efficiency inverters with integrated advanced 3-stage chargers, frequency control and auto switching from AC to battery power. **Do not include batteries.** Superior alternative to generators provide safer, cleaner, simpler operation, without fumes, fuel, or noise. Optional APSRM4 remote control module with 6 indicator lights for battery and load conditions.

MODEL #	CONTINUOUS WATTAGE	OVERPOWER™ I WATTAGE*	OOUBLEBOOST' WATTAGE*	M AC OUTLETS	FEATURES	SUGGESTED Resale
APS700HF	700	1050	1400	1	700VA, 12V DC, 6-amp regulated charger.	\$ 345.00
APS750	750	1125	1500	2	750VA, 12V DC, RJ45 remote port. 20-amp regulated charger.	439.00
APS1012				Re	placed by APS1250	See Below.
APS1250	1250	1875	2500	2	1250VA, 12V DC, RJ45 remote port. 30-amp regulated charger.	616.00
APS2012	2000	3000	4000	Hardwired	2000VA, 12V DC, RJ45 remote port. 100/25-amp (selectable) regulated charger.	904.00
APS2424	2400	3600	4800	Hardwired	2400VA, 24V DC, RJ45 remote port. 55/14-amp (selectable) regulated charger.	1,016.00
APS2448UL	2400	3600	4800	Hardwired	2400VA, 48V DC, RJ45 remote port. 15-amp regulated charger.	1,048.00
APS3636VR	3600	5400	7200	Hardwired	3600VA, 33V DC, Remote included. 30-amp regulated charger. Voltage regulated.	1,272.00
APSRM4	Remote C	ontrol Module for A	PS/PV w/RJ45	oorts, 6 LEDs f	for battery level and operating conditions, includes mounting plate and cords.	149.00
98-121	12V 75 AI	H sealed, maintena	nce-free battery	(for all APS m	odels).	369.00
BP260	Battery Ca	ase with cables. Ho	lds two 98-121	batteries.		239.00

^{*} OverPower duration (1-60 minutes). DoubleBoost duration (up to 10 seconds). Actual duration depends on ideal battery age, battery charge level and ambient temperature conditions.

DC POWER SUPPLIES

Input: 120V AC, 60 Hz. Output: 13.8V DC, precision regulated. Crowbar Protection on units 15 amps and larger.

MODEL #	AMPERAGE	APPLICATIONS	RESALE
PR3	3 amps	Home use of radios, car stereos.	\$ 41.00
PR3UL	3 amps	Home use of single-sideband radios, car stereos.	67.00
PR4.5	4.5 amps	Home use of single-sideband radios, car stereos.	52.00
PR7	7 amps	Same as above plus low power VHF/UHF ham radios.	64.00
PR10	10 amps	30 watt transmitters, VHF/UHF ham radios, commercial/land-mobile radios, low power linear amps.	97.00
PR12	12 amps	40 watt transmitters, VHF/UHF ham radios, commercial/land-mobile radios, low power linear amps.	105.00
PR15	15 amps	50 watt transmitters, VHF/UHF ham radios, commercial/land-mobile radios, low power linear amps.	145.00
PR20	20 amps	60 watt transmitters, VHF/UHF ham radios, commercial/land-mobile radios, low power linear amps, test bench.	164.00
PR25	25 amps	75/100 watt transmitters, VHF/UHF ham radios, commercial/land-mobile radios, low power linear amps, test bench.	212.00
PR30	30 amps	125 watt transmitters, VHF/UHF ham radios, commercial/land-mobile radios, low power linear amps, test bench.	219.00
PR40	40 amps	150/200 watt transmitters, VHF/UHF ham radios, commercial/land-mobile radios, low power linear amps, test bench.	272.00
PR50	50 amps	225 watt transmitters, VHF/UHF ham radios, commercial/land-mobile radios, low power linear amps, test bench.	314.00
PR60	60 amps	250/300 watt transmitters, VHF/UHF ham radios, commercial/land-mobile radios, test bench.	369.00

HOME THEATER/HIGH-END AUDIO PRODUCTS

Tripp Lite provides a complete line of Power Protection and Connectivity solutions perfect for all home theater components: high-definition TVs, satellite and A/V receivers, DVD/CD Players, digital video recorders (TiVo®), speaker systems and more. Tripp Lite Home Theater UPS Systems, Surge Suppressors and Power Centers stop damaging surges and filter disruptive line noise so home theater components perform at their peak (deeper/fuller audio, sharper/crisper video and longer component life spans). Tripp Lite UPS Systems provide an additional level of protection by supporting components through blackouts and brownouts, preserving component settings and memory. Tripp Lite Home Theater Audio/Video and Peripheral Cables offer premium features, such as gold-plated connectors, which deliver crystal-clear signals to connected components.

HOME THEATER/HIGH-END AUDIO SURGE SUPPRESSORS

	MASTER SUGGESTED									
MODEL#	OUTLETS	CORD	JOULES	COAX	PHONE	ETHERNET	FEATURES	QTY	RESALE	
HTSWIVEL6	6	direct plug-i	n 1200	1 pair	1 line	_	Holds 2 transformers.	12	\$ 33.99	
HT706TV	7	6 ft.	1080	1 pair	_	_	Holds 4 transformers.	6	34.99	
HT706TSAT	7	6 ft.	1680	2 pair	1 line	_	Holds 4 transformers.	6	42.99	
HT10DBS	10	8 ft.	3570	3 pair	1 line	1 line	Isolated Filter Banks. Metal case. Holds 6 transformers	. 6	189.99	
HT1210SAT3	12	10 ft.	2880	3 pair	1 line	1 line	Holds 8 transformers.	6	159.99	

HOME THEATER UPS SYSTEM

MODEL #	FEATURES	RESALE
HT850UPS	Standby UPS System.1-line multi-device modem/fax protection. Coax protection. USB port/software/cabling.	\$ 176.00
	12 outlets (6 UPS/surge, 6 surge-only).	

SUGGESTED

HOME THEATER AUDIO/VIDEO POWER CENTERS

								MASTER	SUGGESTED
MODEL#	OUTLET	S CORD	JOULES	COAX	PHONE	ETHERNET	FEATURES	QTY	RESALE
HT2210ISOCTR	2	10 ft. & 18	in. 5100	_	_	_	Low profile. Metal case, IEC input.	4	\$ 179.95
HT810IS0CTR	8	10 ft.	5700	3 line	1 line	_	Console and 1U rackmount. Metal case.	3	249.95
HT1210ISOCTR	12	10 ft.	5700	3 line	1 line	1 line	Console and 2U rackmount. Metal case. IR remote.	2	599.95

HOME THEATER/HIGH-END AUDIO PRODUCTS (CONTINUED)

HOME THEATER AUDIO/VIDEO & PERIPHERAL CABLES MINIMUM SUGGESTED					
MODEL #	FEATURES	ORDERING QTY.	RESALE		
	AUDIO CABLES				
A060-006	RF Digital Coax Gold Audio Cable (silver-coated copper center cond.) RCA M/M - 6 ft.*	10	\$ 19.99		
A050-006	High Resolution Gold Audio Cables (silver-coated copper center cond.) 2xRCA M/M - 6 ft.*	10	24.99		
A102-02M	Digital Optical Audio Cable, Toslink M/M - 2M (6 ft.)	10	29.99		
P312-006	Mini Stereo Dubbing Cord - 3.5mm M/M - 6 ft.	10	9.99		
P313-001	Mini Stereo Dubbing Cord Y Adapter - 3.5mm M to 2x3.5mm F - 1 ft.	10	19.99		
P314-006	Audio Cable Y Adapter - 3.5mm M to 2xRCA M - 6 ft.	10	5.99		
	VIDEO CABLES				
A004-006	Composite Video Gold Cable (superior insulation, silver-coated copper center cond.) RCA M/M - 6 ft.*	10	19.99		
A008-006	Component Video Gold Cable (silver-coated copper center cond.) 3xRCA M/M - 6 ft.*	10	39.99		
A012-006	S-Video Gold Cable - 6 ft.*	10	29.99		
A200-006	RG59 Coaxial Cable with F-Type Connectors - 6 ft.	10	5.99		
P166-001-A	HDMI Display-side Wallplate with Signal Booster - HDMI F/F	1	99.99		
P166-001-P	HDMI Send/Rec Pass-through Wallplate - HDMI F/F	1	34.99		
P167-000	HDMI over Cat5 Wallplate Extension Kit - 110 Punchdown to HDMI Female	1	129.99		
P556-006	DVI Cable, DVI-A Male to HD15M - 6 ft.	10	29.99		
P560-006	DVI Dual Link TMDS Cable, DVI-D M/M - 6 ft.	10	34.99		
P560-010	DVI Dual Link TMDS Cable, DVI-D M/M - 10 ft.	10	39.99		
P560-015	DVI Dual Link TMDS Cable, DVI-D M/M - 15 ft.	10	49.99		
P560-020	DVI Dual Link TMDS Cable, DVI-D M/M - 20 ft.	10	59.99		
P560-025	DVI Dual Link TMDS Cable, DVI-D M/M - 25 ft.	10	69.99		
P561-006	DVI Single Link TMDS Cable, DVI-D M/M - 6 ft.	10	29.99		
P561-010	DVI Single Link TMDS Cable, DVI-D M/M - 10 ft.	10	39.99		
P562-006	DVI Dual Link Extension Cable, DVI-D Male to DVI-I Female - 6 ft.	10	34.99		
P566-006	HDMI to DVI Gold Digital Video Cable HDMI M to DVI-D Single-Link M - 6 ft.	1	49.99		
P566-010	HDMI to DVI Gold Digital Video Cable HDMI M to DVI-D Single-Link M - 10 ft.	1	59.99		
P568-006	HDMI Gold Digital Video Cable HDMI M/M - 6 ft.	1	64.99		
P568-010	HDMI Gold Digital Video Cable HDMI M/M - 10 ft.	1	69.99		
P568-016	HDMI Gold Digital Video Cable HDMI M/M - 16 ft.	1	79.99		
P568-025	HDMI Gold Digital Video Cable HDMI M/M - 25 ft.	1	89.00		
P568-006-FL	Flat HDMI Gold Digital Video Cable HDMI M/M – 6 ft.	1	69.99		
P568-010-FL	Flat HDMI Gold Digital Video Cable HDMI M/M – 10 ft.	1	74.99		
P568-016-FL	Flat HDMI Gold Digital Video Cable HDMI M/M - 16 ft.	1	89.99		
P570-006	HDMI M to Mini-HDMI M Gold Cable - 6 ft.	1	54.99		
P572-006	Mini-HDMI Gold Cable M/M - 6 ft.	1	54.99		

^{*} OFHC, double-shielded, color-coded gold connectors.

KEYSPAN® BY TRIPP LITE REMOTE CONTROL & CONNECTIVITY SOLUTIONS

MINIMUM

Keyspan by Tripp Lite offers remote controls, USB connectivity accessories and other products for the PC, Macintosh® and Apple® iPod®.

MODEL #	FEATURES	ORDERING QTY.	RESALE			
	REMOTE CONTROLS					
ER-RF1	RF Remote for Apple Front Row Multimedia Software, 60 ft. Range.	1	\$ 45.99			
ER-V2	RF Remote for Windows Vista® Media Center, 90 ft. Range.	1	59.99			
PR-EZ1	Easy Presenter RF Remote with Laser Pointer, 60 ft. Range.	1	49.99			
PR-US2	Presentation Remote RF Remote w/Laser Pointer & Wireless Mouse, 60 ft. Range.	1	69.99			
PR-PR03	Presentation Remote Pro RF Remote w/Laser Pointer & Wireless Mouse, 100 ft. Range.	1	85.99			
TVU-200C	TuneView RF Remote for iTunes® w/Color LCD Screen, 150 ft. Range.	1	179.99			
TVUSB-PR05	TuneView, Pro for iTunes, Color LCD, 150 ft. Range, Multiple Remote Support.	1	249.99			
URM-15T	IR Programmable Remote for iTunes, MP3 Players, DVD, CD-ROM, PowerPoint®, Windows Media &	More. 1	45.99			
URM-17A	Express Remote, Controls Streaming Audio via Apple Airport Express®.	1	59.99			
MODEL "	FEATURE	MINIMUM	SUGGESTED			
MODEL #	FEATURES	ORDERING QTY.	RESALE			
	USB SERVERS					
U2S-2A	2-Port USB 2.0 Server—Connects USB & USB 2.0 Devices to a Wired or Wireless Network.	1	\$ 149.99			
US-4A	4-Port USB Server—Connects USB Devices to a Wired or Wireless Network.	1	149.99			
	USB ADAPTERS					
USA-19HS	USB High-Speed Serial Adapter, USB to 9-Pin (RS-232) Serial Port.	1	45.99			
USA-28XG	USB Twin Serial Adapter, USB to (2) 8-Pin Mini-DIN Macintosh Serial Ports.	1	89.99			
USA-49WG	4-Port USB Serial Adapter, USB to (4) 9-Pin (RS-232) Serial Ports.	1	169.99			
UAC-1B	USB Power Adapter for iPod, Cell Phones & More (Black).	1	26.99			
UPR-112G	Mini Port Replicator, Adds Serial, Parallel & 2 USB Ports.	1	79.99			
VOIP PRODUCTS						
VP-24A	2.4 Ghz Cordless VoIP Phone w/LCD Screen for Skype™.	1	99.99			

SUGGESTED

WORLDWIDE KEYSPAN $^{\odot}$ REMOTE CONTROL & CONNECTIVITY SOLUTIONS

		MINIMUM	SUGGESTED
MODEL #	FEATURES	ORDERING QTY.	RESALE
	REMOTE CONTROLS		
TVI-200CU	TuneView for iPod, RF Remote w/Color LCD (UK Version).	1	\$ 179.99
	USB SERVERS		
U2S-2AI	2-Port USB 2.0 Server—Connects USB & USB 2.0 Devices to a Wired or Wireless Network.	1	129.99
US-4AI	4-Port USB Server—Connects USB Devices to a Wired or Wireless Network.	1	129.99

WORLDWIDE UPS SYSTEMS

Tripp Lite offers a complete line of UPS systems for worldwide use. All 🚻 models are True On-Line UPS Systems with Pure Sine-Wave Output, Zero Transfer Time and Full-Time Voltage Regulation. 31 single-phase models will accept 160-275V AC (50/60Hz) input and deliver 200/208/220/230/240V AC output; all other single-phase models are for 230V AC (50/60Hz) nominal input/output operation unless otherwise indicated. TAA-compliant products also available. See pg. 7-8

□ = Models accept battery packs for extended runtime. Battery packs and accessories on pg 5-6.

WORLDWIDE INTELLIGENT MODULAR 3-PHASE UPS SYSTEMS

Tripp Lite's SmartOnline E3 Series UPS Systems provide the highest level of power protection for 3-phase equipment and operate with extreme efficiency (up to 97%). All models are selectable 220/380V, 230/400V or 240/415V, 3-phase, 4 wire input/output True On-Line UPS with Pure Sine-Wave Output, Zero Transfer and Full-Time Precision Voltage Regulation. Each tower UPS contains multiple hot-swappable 20kVA power modules for N+1 or greater redundancy. Each UPS also supports 1+1 parallel capability for increased capacity and/or redundancy. Comm. Ports: 1 RS-232, 1 DB9 & 1 Dry Contact. SNMP Slot. 🗯 = All 3-phase models accept external battery cabinets for extended runtime. Battery cabinets and accessories are listed on page 5 (BP480-series), or contact Tripp Lite for custom runtime solutions sized to fit your application requirements. SUGGESTED

MODEL #	FEATURES	RESALE
SU20KX	20kVA SmartOnline E3 Series UPS System. Includes one 20kVA power module and internal batteries.	\$ 14,429.00
SU40KX	40kVA SmartOnline E3 Series UPS System. Includes two 20kVA power modules and internal batteries.	21,575.00
SU60KX	60kVA SmartOnline E3 Series UPS System. Includes three 20kVA power modules. Requires external battery cabinet.	27,289.00
SU <mark>80KX</mark>	80kVA SmartOnline E3 Series UPS System. Includes four 20kVA power modules. Requires external battery cabinet.	31,575.00

WORLDWIDE INTELLIGENT 3-TO-1 PHASE UPS SYSTEM

Tripp Lite's On-line 3-to-1 Phase UPS System provides the highest level of power protection. It is a True On-Line UPS System with Pure Sine-Wave Output, Zero Transfer Time and Full-Time Precision Voltage Regulation.

MODEL #	FEATURES	RESALE
3U10KRT3/1X	10kVA UPS, rack/tower mount. Input: Hardwired 160-280/277-485V AC, 45-65 Hz (3Ø, 4-Wire + Ground, Wye) Output: Hardwired 200/220/230/240V AC, 50/60 Hz (1Ø, 2-Wire + Ground) user-selectable. Includes BPA240V10K3 battery module.	\$ 5,785.00
	Supports parallel connection of up to four SU10KRT3/1X UPS systems. Includes Parallel Redundancy Hardware Kit. TRUE ON-LINE UPS, PURE-SINE WAVE, ZERO TRANSFER TIME, Comm. ports: 1 RS-232, 1 EPO, 1 built-in SNMP card.	
	Lise additional BP240V10 modules for extended runtime	

WORLDWIDE INTELLIGENT SINGLE-PHASE UPS SYSTEMS

Tripp Lite offers a complete line of single-phase UPS systems for worldwide distribution. All models are single-phase. All models are for 230V AC nominal input/output voltage (50/60 Hz) operation with the exception of SU models, which accept 160-275V AC (50/60 Hz) input and deliver 200/208/220/230/240V AC output, All SU models are True On-Line UPS Systems with Pure Sine-Wave Output, Zero Transfer Time and Full-Time Precision Voltage Regulation.

> SmartPro Series = Line-Interactive UPS: SmartOnline Series = On-line UPS: SmartOnline T Series = On-line Tower UPS SmartOnline E Series = On-line UPS with Extreme Efficiency (Up to 97%); SmartOnline EZ Series = On-line Hot-Swappable UPS with Extreme Efficiency

	MODEL #	FEATURES	ONTROLLABLE OUTLETS	SUGGESTED Resale
		19-INCH RACKMOUNT SMARTPRO® & SMARTONLINE™ INTELLIGENT UPS SYS	STEMS	
	SMX500RT1U	500VA UPS, 1U rack/tower mount. SmartPro Intelligent Line-Interactive modified sine wave. Comm. ports: 1 RS-232 & 1 USB. Outlets: 6 (IEC-320-C13). SNMP slot.	1	\$ 255.00
	SMX1000RT2U	1000VA UPS, 2U rack/tower mount. SmartPro Intelligent Line-Interactive sine wave. Comm. ports: 1 RS-232 & 1 U Outlets: 6. SNMP slot.	SB. 2	599.00
Ħ	SUINT1000RTXL2Ua	1000VA UPS, 2U rack/tower mount. SmartOnline E Series TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. Comm. port: 1 RS-232. Outlets: 6 (IEC-320-C13). SNMP slot. [Use BP36V15-2U for extended runtime.]	N/A	855.00
	SMX1500RTXL2U	1500VA UPS, 2U rack/tower mount. SmartPro Intelligent Line-Interactive sine wave UPS. Comm. ports: 1 RS-232 & 1 USB. Outlets: 8 (IEC-320-C13). SNMP slot. □ Use BP36V15-2U for extended runtime.	3	799.00
	SUINT1500RTXL2Ua	1500VA UPS, 2U rack/tower mount. SmartOnline E Series TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. Comm. port: 1 RS-232. Outlets: 6 (IEC-320-C1 SNMP slot. SNMP slot. Use BP48V242U or BP48V60RT3U for extended runtime.	2 3).	927.00
	SMX2200XLRT2U	2200VA UPS, 2U rack/tower mount. SmartPro Intelligent Line-Interactive sine wave UPS. Comm. ports: 1 RS-232 1 USB. Outlets: 8 (IEC-320-C13). SNMP slot. Limit Use BP48V60RT3U or BP48V242U for extended runtime.	& 3	1,139.00
	SUINT2200RTXL2Ua	2200VA UPS, 2U rack/tower mount. SmartOnline E Series TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. Comm. port: 1 RS-232. Outlets: 6 (four IEC-320-C13 & two IEC-320-C19). SNMP slot. Jise BP48V21-2U for extended runtime.	2	1,499.00
	SMX3000XLRT2U	3000VA UPS, 2U rack/tower mount. SmartPro Intelligent Line-Interactive sine wave. Comm. ports: 2 RS-232 & 2 USB. Outlets: 9 (eight IEC-320-C13 & 1 IEC-320-C19). SNMP slot. Use BP48V242U or BP48V60RT3U for extended runtime.	3	1,355.00

ŭ

MODEL #	FEATURES	ONTROLLABLE OUTLETS	SUGGESTEI Resale
SUINT3000RTXL2U	3000VA UPS, 2U rack/tower mount. SmartOnline E Series TRUE ON-LINEUPS, PURE SINE-WAVE, ZERO TRANSFER TIME. Comm. ports: 1 USB, 1 RS-232. Outlets: 10 (eight IEC-320-C13 & two IEC-320-C19). SNMP slot. □ Use BP72V15-2U or BP72V28RT-3U for extended runtime.	2	\$ 1,853.00
SUINT3000RTXL3U	3000VA UPS, 3U rack/tower mount. SmartOnline E Series TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. Comm. port: 1 RS-232. Outlets: 10 (eight IEC-320-C13 & two IEC-320-C19). SNMP slot. ☐ Use BP72V15-2U or BP72V28RT-3U for extended runtime.	2	1,879.00
SMX5000XLRT3U	5000VA UPS, 3U (including internal batteries) rack/tower mount. SmartPro Intelligent Line-Interactive sine wave. 230V single phase input 230V output. Comm. ports: 1 RS-232, 1 DB9 contact closure & 1 USB. Outlets: 11 (eight IEC-320-C13 & three IEC-320-C19). SNMP slot.	N/A	2,427.00
<u>SU</u> 6000RT3UHV	6000VA UPS, 3U (power module) & 3U (external battery pack, included) rack/tower mount. SmartOnline E Series TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. 200-240V 50/60 Hz. auto-sensing single phase hardwired input/output. Comm. ports: 1 RS-232 & 1 contact closure. SNMP slot. Alternate back panels on page 5. Lie Use BP240V10RT3U for extended runtime.	N/A	4,299.00
SU10KRT3UHV	10000VA UPS, 3U (power module) & 3U (external battery pack, included) rack/tower mount. SmartOnline EZ Series TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. 200-240V 50/60 Hz. auto-sensing single phase input/output. Comm. ports: 1 RS-232 & 1 contact closure. Outlets: hardwired. SNMP slot. □ Use BP240V10RT3U for extended runtime.	N/A	5,536.00
	TOWER SMARTPRO & SMARTONLINE INTELLIGENT UPS SYSTEMS		
SMX750SLT	750VA UPS, SmartPro Intelligent Line-Interactive. Tower. Comm. ports: 1 RS-232 & 1 USB. Outlets: 8. SNMP slot.	N/A	336.00
SUINT1000XL	1000VA UPS, tower mount. SmartOnline T Series TRUE ON-LINE UPS, PURE SINE WAVE, ZERO TRANSFER TIM Comm. ports: 1 RS-232. Outlets: 4 (IEC-320-C13).	E. N/A	649.00
SMX1050SLT	1050VA UPS, SmartPro Intelligent Line-Interactive. Tower. Comm. ports: 1 RS-232 & 1 USB. Modem/fax/network protection. Outlets: 8 (IEC-320-C13). SNMP slot.	N/A	459.00
SMARTINT1500	1500VA UPS, tower mount. SmartPro Intelligent Line-Interactive modified sine wave. Comm. ports: 2 RS-232. Outlets: 6 (IEC-320-C13).	1	541.00
SMX1500SLT	1500VA UPS, SmartPro Intelligent Line-Interactive. Tower. Comm. ports: 1 RS-232 & 1 USB. Modem/fax/network protection. Outlets: 8 (IEC-320-C13). SNMP slot.	N/A	569.00
SUINT2000XL	2000VA UPS, tower mount. SmartOnline T Series TRUE ON-LINE UPS, PURE SINE WAVE, ZERO TRANSFER TIM Comm. ports: 1 RS-232. Outlets: 8 (IEC-320-C13). SNMP slot. LET USE BP72V15-2U or BP72V28RT-3U for extending the control of the contr		1,039.00
SMARTINT2200VS	2200VA UPS, tower mount. SmartPro Intelligent Line-Interactive modified sine wave. Comm. port: 2 RS-232 & 2 USB. Outlets: 9 (eight IEC-320-C13 & one IEC-320-C19). SNMP slot.	3	827.00
SMARTINT3000VS	3000VA UPS, tower mount. SmartPro Intelligent Line-Interactive modified sine wave. Comm. port: 2 RS-232 & 2 USB. Outlets: 9 (eight IEC-320-C13 & one IEC-320-C19). □ Use BP48V242U or BP48V60RT3U for extended runtime. SNMP slot.	3	1,204.00
SUINT3000XL	3000VA UPS, tower mount. SmartOnline T Series TRUE ON-LINE UPS, PURE SINE WAVE, ZERO TRANSFER TIME Comm. ports: 1 RS-232. Outlets: 8 (IEC-320-C13). SNMP slot.		1,569.00

WORLDWIDE DIGITAL LINE-INTERACTIVE UPS SYSTEMS

Digital models protect PCs, workstations and home entertainment systems with long-lasting battery backup support. A liquid crystal display indicates input voltage, battery capacity and a variety of operating conditions.

MODEL #	FEATURES	SUGGESTED RESALE
SMX1000LCD	1000VA UPS. Liquid Crystal Display. Smart Line-Interactive. Comm. port: 1 USB. Modem/fax protection. Outlets: 6 (IEC-320-C13).	\$ 259.00
SMX1500LCD	1500VA UPS. Liquid Crystal Display. Smart Line-Interactive. Comm. ports: 1 DB9 & 1 USB. Modem/fax/network/coax protection. Outlets: 8 (IEC-320-C13).	379.00

WORLDWIDE OMNI VS (VALUE SERIES) LINE-INTERACTIVE UPS SYSTEMS

MODEL #	FEATURES	SUGGESTED Resale
AVRX550U	550VA UPS, low profile. AVR Line-Interactive modified sine wave. Comm. port: 1 USB. Outlets: 6 (IEC-320-C13).	\$ 109.00
AVRX750U	750VA UPS, low profile. AVR Line-Interactive modified sine wave.	169.00
	Comm. port: 1 USB. Modem/fax protection. Outlets: 6 (IEC-320-C13).	
OMNIVSINT800	800VA UPS, tower mount. OmniSmart Line-Interactive modified sine wave.	189.00
	Comm. port: 1 USB. Modem/fax protection. Outlets: 4 (IEC-320-C13).	
OMNIVSINT1000	1000VA UPS, tower mount. OmniSmart Line-Interactive modified sine wave.	265.00
	Comm. port: 1 USB. Modem/fax protection. Outlets: 6 (IEC-320-C13).	
OMNIVSINT1500XL	1500VA UPS, tower mount. OmniSmart Line-Interactive modified sine wave. Comm. port: 1 USB. Modem/fax/network protection.	332.00
	Outlets: 8 (IFC-320-C13)	

WORLDWIDE FULL-ISOLATION MEDICAL-GRADE UPS SYSTEMS

230V full-isolation medical-grade UPS systems for use in patient care areas, as well as retail, point-of-sale and network applications. IEC 60601-1 certification.

MODEL #	FEATURES	RESALE
SMX1200XLHG	1000VA UPS, Intelligent Line-Interactive. IEC 60601-1. FULL ISOLATION transformer with a Faraday shield. 6 hospital-grade C13 outlets and C14 inlet. Comm. ports: 1 RS-232 & 1 USB.	\$ 849.00
SMX700HG	700VA UPS, Intelligent Line-Interactive. IEC 60601-1. FULL ISOLATION transformer with a Faraday shield. 6 hospital-grade C13 outlets and C14 inlet. Comm. ports: 1 RS-232 & 1 USB.	661.00
OMNIX350HG	350VA UPS, Line-Interactive. IEC 60601-1. FULL ISOLATION transformer with a Faraday shield. 2-line modem/fax protection. 6 hospital-grade C13 outlets and C14 inlet. Comm. port: 1 USB.	442.00
	SMX1200XLHG SMX700HG	SMX1200XLHG 1000VA UPS, Intelligent Line-Interactive. IEC 60601-1. FULL ISOLATION transformer with a Faraday shield. 6 hospital-grade C13 outlets and C14 inlet. Comm. ports: 1 RS-232 & 1 USB. Law Use BP36V15-2U or BP36V42-3U for extended runtime.] SMX700HG 700VA UPS, Intelligent Line-Interactive. IEC 60601-1. FULL ISOLATION transformer with a Faraday shield. 6 hospital-grade C13 outlets and C14 inlet. Comm. ports: 1 RS-232 & 1 USB. OMNIX350HG 350VA UPS, Line-Interactive. IEC 60601-1. FULL ISOLATION transformer with a Faraday shield. 2-line modern/fax protection.

WORLDWIDE SURGE SUPPRESSORS

Tripp Lite Surge Suppressors offer the most reliable and cost-effective solutions for protecting all home and business equipment against damaging surges.

MODEL #	OUTLETS	CORD		ASTER QTY.	SUGGESTED Resale
ISOBAR 4/220	4	2 m (6 ft.)	220/240 volt, 5-15R outlets & 5-15P plug, 2 filter banks.	6	\$ 94.50
EURO-4	4	2 m (6 ft.)	220/240 volt, IEC-320-C13 outlets, 2 filter banks, TUV approved.	12	94.50
SUPER60MNII	6	2 m (6 ft.)	230V 50/60 Hz., Universal outlets & Italian plug.	12	28.00
SUPER60MNIB	6	2 m (6 ft.)	230V 50/60 Hz., Universal outlets & British BS 1363 plug.	12	28.00
SUPER60MNID	6	2 m (6 ft.)	230V 50/60 Hz., Universal outlets & CEE 7/7 plug.	12	28.00
TLP51D	5	1 m (3 ft.)	230V 50 Hz., Schuko outlets & CEE 7/7 plug.	12	28.50
TLP51F	5	1 m (3 ft.)	230V 50 Hz., French outlets & CEE 7/7 plug.	12	28.50
TLP61D	6	2 m (6 ft.)	230V 50 Hz., Schuko outlets & CEE 7/7 plug.	12	36.00
TLP61F	6	2 m (6 ft.)	230V 50 Hz., French outlets & CEE 7/7 plug.	12	36.00
TLP82D	8	2 m (6 ft.)	230V 50 Hz., Schuko outlets & CEE 7/7 plug.	12	57.00
TLP82F	8	2 m (6 ft.)	230V 50 Hz., French outlets & CEE 7/7 plug.	12	57.00
TLP82NSATD	8	2 m (6 ft.)	230V 50 Hz., Schuko outlets & CEE 7/7 plug, tel/network/coax protection.	12	82.00
TLP82NSATF	8	2 m (6 ft.)	230V 50 Hz., French outlets & CEE 7/7 plug, tel/network/coax protection.	12	82.00
TLP82MASD	8	2 m (6 ft.)	230V 50 Hz., Energy-saving Schuko outlets & CEE 7/7 plug, tel/network/coax protection.	. 12	89.00
TLP82MASF	8	2 m (6 ft.)	230V 50 Hz., Energy-saving French outlets & CEE 7/7 plug, tel/network/coax protection.	12	89.00
TLP2USBD	2	33 cm (1 ft.)	230V 50 Hz., Schuko outlets & CEE 7/7 plug, 2 USB charging ports.	12	41.00
TLP2USBF	2	33 cm (1 ft.)	230V 50 Hz., French outlets & CEE 7/7 plug, 2 USB charging ports.	12	41.00

WORLDWIDE LINE CONDITIONERS/VOLTAGE REGULATORS

Tripp Lite Line Conditioners automatically adjust incoming voltage to keep equipment working continuously through low voltage (brownouts) or high voltages indefinitely without the use of a battery. They also provide complete surge protection.

MODEL #	WATTAGE	FEATURES	RESALE
LR604	600	230V 50/60 Hz, 3 IEC-320-C13 outlets.	\$ 159.00
LR1000	1000	230V 50/60 Hz, 4 NEMA 5-15R outlets, 1 universal outlet adapter.	209.00
LR2000	2000	230V 50/60 Hz, 2 NEMA 5-15R, 2 NEMA 6-15R & 2 IEC-320-C13 outlets, 1 universal outlet adapter.	399.00

WORLDWIDE POWERVERTER® INVERTERS

12V DC TO 230V AC POWER CONVERSION. PowerVerter Inverters conveniently and economically convert the 12V DC battery power of automobiles, RVs and service trucks to 230V AC to run office equipment, household appliances, power tools and more.

MODEL #	CONTINUOUS Wattage	INSTANTANEOUS WATTAGE	AC OUTLETS	FEATURES	SUGGESTED Resale
PVINT375	375	600	1	Ultra-compact case, 12V DC, cigarette lighter plug, universal global outlet.	\$ 79.00
PVX700	700	1400	1	Ultra-compact case, 12V DC, user-supplied cables, universal global outlet.	149.00

WORLDWIDE INVERTERS WITH AUTOMATIC TRANSFER SWITCH & CHARGER

12/24/36V DC TO 230V AC POWER CONVERSION. Peak-power, high-efficiency inverters with integrated advanced 3-stage chargers, frequency control and auto switching from AC to battery power. **Models do not include batteries.** Superior alternative to generators and provide safer, cleaner, simpler operation, without fumes, fuel or noise. Optional APSRM4 remote control module with 6 indicator lights displays battery level and operating conditions.

	CONTINUOUS	OVERPOWER™	DOUBLEBOOST"	M AC		SUGGESTED
MODEL #	WATTAGE	WATTAGE*	WATTAGE*	OUTLETS	FEATURES	RESALE
APSX750	750	1125	1500	2	750VA, 12V DC, RJ45 remote port. 20-amp regulated.	\$ 414.00
APSX1250	1250	1875	2500	2	1250VA, 12V DC, RJ45 remote port. 30/7.5-amp (selectable) regulated charger.	616.00
APSINT2012	2000	3000	4000	Hardwired	2000VA, 12V DC, RJ45 remote port. 60/15-amp (selectable) regulated charger.	904.00
APSINT2424	2400	3600	4800	Hardwired	2400VA, 24V DC, RJ45 remote port. 30/7.5-amp (selectable) regulated charger.	1,016.00
APSINT3636V	/R 3600	5400	7200	Hardwired	3600VA, 36V DC, RJ45 remote port. 30-amp (selectable)	1,272.00
					regulated charger. Voltage regulated.	

^{*} OverPower duration (1-60 minutes). DoubleBoost duration (up to 10 seconds). Actual duration depends on ideal battery age, battery charge level and ambient temperature conditions. See page 15 for compatible accessories.

NOTEABLES™ NOTEBOOK ACCESSORIES

Tripp Lite offers a full line of premium-featured, cost-effective notebook accessories designed to ensure you get the most out of your notebook computer investment.

		MASTER	SUGGESTED
MODEL #	FEATURES	QTY.	RESALE
	NOTEBOOK CASES AND BACKPACKS		
NB1006BK	Premium Notebook Case On Wheels. Handle extends up to 27 inches.	3	\$ 199.95
NB1005BK	Corporate Top-Load Notebook Case.	10	189.95
NB1004BK	Executive Notebook Case.	8	159.95
NB1003BK	Traditional Notebook Case.	6	109.95
NB10020L	Slim-Line Professional Brief.	9	109.95
NB1001BK	Profile Notebook Brief.	8	79.95
NB1000GY	Messenger Notebook Brief. Includes removable cell phone case.	7	59.95
NB1008BK	Super Notebook Backpack. Includes removable cell phone case.	8	139.95
NB1007GY	Collegiate Notebook Backpack.	4	109.95
NB1094GY	Designer Notebook Brief.	8	99.95
NB1099BK	Hideaway Overnighter. In-line skate wheels. Handle extends up to 38 inches.	2	289.95

NOTEABLES™ NOTEBOOK ACCESSORIES (CONTINUED)

		MASTER	SUGGESTED
MODEL #	FEATURES	QTY.	RESALE
	PERIPHERALS		
IN3005KB	Multimedia Keyboard. Includes 12 customized hot keys.	6	\$ 34.95
IN3007KB	Premier Office Keyboard. Ultra-slim design. 17 Internet/multimedia hot keys. Headphone/microphone ports.	6	39.95
IN3008KB	Compact Flexible USB/PS2 Keyboard. Indestructible silicone material.	12	39.95
IN3010KB	Wireless Multimedia Flexible Keyboard. Included USB receiver. 2.4 GHz frequency for operation up to 30 feet away. 18 Internet/multimedia hot keys.	12	99.95
IN3001RF	Mini Wireless Optical Mouse. Includes mini-USB receiver and two AAA batteries.	12	54.95
IN3000WI	Mini Optical Mouse. Retractable cable extends up to 31 inches.	12	29.95
KP3040	Notebook Keypad. Asynchronous functionality. Includes two USB ports.	6	49.95
IN3002CAM1	Notebook Clip-On Camera. Ultra-compact size.	12	54.95
IN3006CG	Rapid Recharger. Includes a USB port and two AA and two AAA NiMH batteries.	12	39.95
PK3020KB	Notebook Peripheral Kit (Keyboard, Mouse and Hub).	6	79.95
PK3021LI	Notebook Peripheral Kit (Light, Mouse and Hub).	6	69.95
PK3022ET	Notebook Peripheral Kit (Network Cable, Mouse and Hub).	6	59.95
SEC4002RF	Wireless USB Proximity Lock. Secure notebook information when unattended.	24	74.95
SP5000USB	Premier Mobile Theater Speakers. Dual cones and 3D 7.1 virtual surround sound.	12	69.95
SP5001USB	Portable Speakers. 3D 7.1 virtual surround sound.	12	49.95
	STANDS AND COOLING		
NS2000SR	Portable Notebook Stand. Includes one cooling fan and one USB port.	10	59.95
NS2002BK	Articulating Notebook Arm. Adjustable to accommodate any position.	2	119.95
NC2003SR	Notebook Cooling Pad. Includes two built-in cooling pads.	6	44.95
NC2004EC	Notebook Cooler. Low-noise cooling fan. Lightweight, ultra-slim design.	6	34.95
		MINIMIIM	SUGGESTED

MODEL #	FEATURES	MINIMUM Ordering Qty.	SUGGESTED RESALE
	CONNECTIVITY		
P138-000-DVI	Mini-DVI to DVI Adapter.	10	\$ 25.99
P138-000-HDMI	Mini-DVI to HDMI Adapter.	10	25.99
U256-025-R	USB 2.0 External 2.5 in. Hard Drive Enclosure. Rugged metal case.	1	49.99
U032-004-R	Retractable USB 20 Device Cable, USB A (M)/USB B (M) - 4 ft.	10	14.99
U034-004-R	Retractable USB 2.0 Extension Cable, USB A (M)/USB A (F) - 4 ft.	10	14.99
U036-005-R	Retractable USB 2.0 A/5-Pin Mini B Cable - 5 ft.	10	14.99
U230-204-R	4-Port USB 2.0 Share Switch with File Transfer.	1	129.99
U256-025	USB 2.0 2.5 in. IDE Hard Drive Enclosure.	10	29.99
U256-035	USB 2.0 3.5 in. IDE Hard Drive Enclosure.	1	59.99
U257-025	USB 2.0 2.5 in. SATA Hard Drive Enclosure.	10	29.99
U258-035	USB 2.0 / eSATA 3.5 in. SATA Hard Drive Enclosure.	1	79.99

FIBER PATCH CABLES, ADAPTERS, PANELS & MEDIA CONVERTERS

MODEL #	FEATURES	MINIMUM Ordering QTY.	SUGGESTED Resale
	MULTIMODE 62.5/125 PATCH CA	ABLES	
N302-003	Duplex Multimode 62.5/125 Fiber Patch Cable ST/ST - 3 ft.	1	\$ 27.99
N302-006	Duplex Multimode 62.5/125 Fiber Patch Cable ST/ST - 6 ft.	1	29.99
N302-010	Duplex Multimode 62.5/125 Fiber Patch Cable ST/ST - 10 ft.	1	32.99
N304-003	Duplex Multimode 62.5/125 Fiber Patch Cable SC/ST - 3 ft.	1	27.99
N304-006	Duplex Multimode 62.5/125 Fiber Patch Cable SC/ST - 6 ft.	1	29.99
N304-010	Duplex Multimode 62.5/125 Fiber Patch Cable SC/ST - 10 ft.	1	34.99
N306-003	Duplex Multimode 62.5/125 Fiber Patch Cable SC/SC - 3 ft.	1	29.99
N306-006	Duplex Multimode 62.5/125 Fiber Patch Cable SC/SC - 6 ft.	1	32.99
N306-010	Duplex Multimode 62.5/125 Fiber Patch Cable SC/SC - 10 ft.	1	34.99
N308-006	Duplex Multimode 62.5/125 Fiber Patch Cable MTRJ/ST - 6 ft.	1	34.99
N310-006	Duplex Multimode 62.5/125 Fiber Patch Cable MTRJ/SC - 6 ft.	1	37.99
N312-02M	Duplex Multimode 62.5/125 Fiber Patch Cable MTRJ/MTRJ - 2M.	1	34.99
N314-02M	Duplex Multimode 62.5/125 Fiber Patch Cable MTRJ/LC - 2M.	1	44.99
N316-01M	Duplex Multimode 62.5/125 Fiber Patch Cable LC/SC - 1M.	1	37.99
N316-02M	Duplex Multimode 62.5/125 Fiber Patch Cable LC/SC - 2M.	1	39.99
N316-03M	Duplex Multimode 62.5/125 Fiber Patch Cable LC/SC - 3M.	1	42.99
N318-01M	Duplex Multimode 62.5/125 Fiber Patch Cable LC/ST - 1M.	1	39.99
N318-02M	Duplex Multimode 62.5/125 Fiber Patch Cable LC/ST - 2M.	1	41.99
N318-03M	Duplex Multimode 62.5/125 Fiber Patch Cable LC/ST - 3M.	1	42.99
N320-01M	Duplex Multimode 62.5/125 Fiber Patch Cable LC/LC - 1M.	1	43.99
N320-02M	Duplex Multimode 62.5/125 Fiber Patch Cable LC/LC - 2M.	1	44.99
N320-03M	Duplex Multimode 62.5/125 Fiber Patch Cable LC/LC - 3M.	1	47.99
	MULTIMODE 50/125 PATCH CAI	BLES	
N506-01M	Duplex Multimode 50/125 Fiber Patch Cable SC/SC - 1M.	1	39.99
N506-02M	Duplex Multimode 50/125 Fiber Patch Cable SC/SC - 2M.	1	42.99
N506-03M	Duplex Multimode 50/125 Fiber Patch Cable SC/SC - 3M.	1	44.99
N516-01M	Duplex Multimode 50/125 Fiber Patch Cable LC/SC - 1M.	1	49.99
N516-02M	Duplex Multimode 50/125 Fiber Patch Cable LC/SC - 2M.	1	52.99
N516-03M	Duplex Multimode 50/125 Fiber Patch Cable LC/SC - 3M.	1	54.99
N520-01M	Duplex Multimode 50/125 Fiber Patch Cable LC/LC - 1M.	1	57.99
N520-02M	Duplex Multimode 50/125 Fiber Patch Cable LC/LC - 2M.	1	59.99
N520-03M	Duplex Multimode 50/125 Fiber Patch Cable LC/LC - 3M.	1	62.99
	· ·		

MODEL #	FEATURES	MINIMUM Ordering QTY.	SUGGESTED Resale
	SINGLEMODE 8.3/125 PATCH CABLES	3	
N352-01M	Duplex Singlemode 8.3/125 Fiber Patch Cable ST/ST - 1M.	1	\$ 44.99
N354-05M	Duplex Singlemode 8.3/125 Fiber Patch Cable SC/ST - 5M.	1	59.99
N356-01M	Duplex Singlemode 8.3/125 Fiber Patch Cable SC/SC - 1M.	1	52.99
N366-01M	Duplex Singlemode 8.3/125 Fiber Patch Cable LC/SC - 1M.	1	49.99
N368-01M	Duplex Singlemode 8.3/125 Fiber Patch Cable LC/ST - 1M.	1	79.99
N370-01M	Duplex Singlemode 8.3/125 Fiber Patch Cable LC/LC - 1M.	1	72.99
	10GB MULTIMODE 50/125 PATCH CABL	ES	
N806-01M	10Gb Duplex Multimode 50/125 LSZH Aqua Fiber Patch Cable SC/SC - 1M.	1	62.99
N806-02M	10Gb Duplex Multimode 50/125 LSZH Aqua Fiber Patch Cable SC/SC - 2M.	1	64.99
N806-03M	10Gb Duplex Multimode 50/125 LSZH Aqua Fiber Patch Cable SC/SC - 3M.	1	69.99
N816-01M	10Gb Duplex Multimode 50/125 LSZH Aqua Fiber Patch Cable LC/SC - 1M.	1	79.99
N816-02M	10Gb Duplex Multimode 50/125 LSZH Aqua Fiber Patch Cable LC/SC - 2M.	1	82.99
N816-03M	10Gb Duplex Multimode 50/125 LSZH Aqua Fiber Patch Cable LC/SC - 3M.	1	84.99
N820-01M	10Gb Duplex Multimode 50/125 LSZH Aqua Fiber Patch Cable LC/LC - 1M.	1	64.99
N820-02M	10Gb Duplex Multimode 50/125 LSZH Aqua Fiber Patch Cable LC/LC - 2M.	1	69.99
N820-03M	10Gb Duplex Multimode 50/125 LSZH Aqua Fiber Patch Cable LC/LC - 3M.	1	74.99
	ADAPTERS, PANELS & MEDIA CONVERT	ERS	
N458-001-62	Duplex Multimode 62.5/125 Fiber Adapter Cable LC (Male)/SC (Female) - 1 ft.	1	39.99
N457-001-62	Duplex Multimode 62.5/125 Fiber Adapter Cable LC (Male)/ST (Female) - 1 ft.	1	39.99
N452-000	Duplex Multimode Fiber Coupler - SC/SC.	1	24.99
N455-000	Duplex Multimode Fiber Coupler - LC/LC.	1	24.99
N422-03M	Fiber Mode Conditioning Patch Cable LC/ST - 3M.	1	299.99
N424-04M	Fiber Mode Conditioning Patch Cable LC/SC - 4M.	1	279.99
N426-02M	Fiber Mode Conditioning Patch Cable SC/SC - 2M.	1	249.99
N490-016-LCLC	1U Fiber Patch Panel, LC/LC - 16 Port.	1	299.99
N490-016-SCSC	1U Fiber Patch Panel, SC/SC - 16 Port.	1	299.99
N490-016-STST	1U Fiber Patch Panel, ST/ST - 16 Port.	1	299.99
N784-001-SC	10/100BaseT to 100BaseFX-SC Media Converter.	1	199.99
N784-001-ST	10/100BaseT to 100BaseFX-ST Media Converter.	1	199.99
N785-001-SC	10/100BaseT to 100BaseFX-SC Media Converter.	1	299.99

CATEGORY	CATEGORY 5E	PATCH CABLES
----------	-------------	--------------

MODEL #	FEATURES	MINIMUM Ordering QTY.	SUGGESTEI Resale
	CATEGORY 5E PATCH CABLES (SNAG	iLESS)	
N001-003-BL	Cat5e (350MHz) Blue Molded Snagless Patch Cable, RJ45M/M - 3 ft.	10	\$ 4.99
N001-005-BL	Cat5e (350MHz) Blue Molded Snagless Patch Cable, RJ45M/M - 5 ft.	10	5.99
N001-007-BL	Cat5e (350MHz) Blue Molded Snagless Patch Cable, RJ45M/M - 7 ft.	10	6.99
N001-010-BL	Cat5e (350MHz) Blue Molded Snagless Patch Cable, RJ45M/M - 10 ft.	10	7.99
N001-014-BL	Cat5e (350MHz) Blue Molded Snagless Patch Cable, RJ45M/M - 14 ft.	10	8.99
N001-025-BL	Cat5e (350MHz) Blue Molded Snagless Patch Cable, RJ45M/M - 25 ft.	10	11.99
N001-050-BL	Cat5e (350MHz) Blue Molded Snagless Patch Cable, RJ45M/M - 50 ft.	10	20.99
	CATEGORY 5E PATCH CABLES		
N002-001-GY	Cat5e (350MHz) Gray Molded Patch Cable, RJ45M/M - 1 ft.	10	2.99
N002-002-GY	Cat5e (350MHz) Gray Molded Patch Cable, RJ45M/M - 2 ft.	10	3.49
N002-003-GY	Cat5e (350MHz) Gray Molded Patch Cable, RJ45M/M - 3 ft.	10	3.99
N002-005-GY	Cat5e (350MHz) Gray Molded Patch Cable, RJ45M/M - 5 ft.	10	4.99
N002-007-GY	Cat5e (350MHz) Gray Molded Patch Cable, RJ45M/M - 7 ft.	10	5.99
N002-010-GY	Cat5e (350MHz) Gray Molded Patch Cable, RJ45M/M - 10 ft.	10	6.99
N002-014-GY	Cat5e (350MHz) Gray Molded Patch Cable, RJ45M/M - 14 ft.	10	7.99
N002-025-GY	Cat5e (350MHz) Gray Molded Patch Cable, RJ45M/M - 25 ft.	10	10.99
	CATEGORY 5E PATCH CABLES (SHIE	LDED)	
N105-007-GY	Cat5e (350MHz) Gray Molded Shielded Patch Cable, RJ45M/M - 7 ft.	10	9.99
N105-010-GY	Cat5e (350MHz) Gray Molded Shielded Patch Cable, RJ45M/M - 10 ft.	10	11.99
N105-025-GY	Cat5e (350MHz) Gray Molded Shielded Patch Cable, RJ45M/M - 25 ft.	10	19.99
N105-050-GY	Cat5e (350MHz) Gray Molded Shielded Patch Cable, RJ45M/M - 50 ft.	10	24.99
	CATEGORY 6 PATCH CABLES (SHIEL	.DED)	
N125-007-GY	Cat6 Gigabit (550MHz) Gray Molded Shielded Patch Cable, RJ45M/M - 7 ft.	10	19.99
N125-010-GY	Cat6 Gigabit (550MHz) Gray Molded Shielded Patch Cable, RJ45M/M - 10 ft.	10	24.99
N125-025-GY	Cat6 Gigabit (550MHz) Gray Molded Shielded Patch Cable, RJ45M/M - 25 ft.	10	34.99
N125-050-GY	Cat6 Gigabit (550MHz) Gray Molded Shielded Patch Cable, RJ45M/M - 50 ft.	10	49.99
	CATEGORY 6 PATCH CABLES (SNAG	LESS)	
N201-001-BL	Cat6 Gigabit (550MHz) Blue Molded Snagless Patch Cable, RJ45M/M - 1 ft.	10	7.99
N201-002-BL	Cat6 Gigabit (550MHz) Blue Molded Snagless Patch Cable, RJ45M/M - 2 ft.	10	8.99
N201-003-BL	Cat6 Gigabit (550MHz) Blue Molded Snagless Patch Cable, RJ45M/M - 3 ft.	10	9.99
N201-005-BL	Cat6 Gigabit (550MHz) Blue Molded Snagless Patch Cable, RJ45M/M - 5 ft.	10	12.99
N201-007-BL	Cat6 Gigabit (550MHz) Blue Molded Snagless Patch Cable, RJ45M/M - 7 ft.	10	14.99
N201-010-BL	Cat6 Gigabit (550MHz) Blue Molded Snagless Patch Cable, RJ45M/M - 10 ft.	10	16.99
N201-014-BL	Cat6 Gigabit (550MHz) Blue Molded Snagless Patch Cable, RJ45M/M - 14 ft.	10	19.99
N201-025-BL	Cat6 Gigabit (550MHz) Blue Molded Snagless Patch Cable, RJ45M/M - 25 ft.	10	27.99

MODEL #	FEATURES	MINIMUM Ordering QTY.	SUGGESTED Resale
	CATEGORY 6 PATCH CABLES (FLAT SNAGLE	SS)	_
N201-014-BL-FL	Flat Cat6 Gigabit (550MHz) Blue Molded Snagless Patch Cable, RJ45 M/M – 14 ft.	10	\$ 19.99
N201-025-BL-FL	Flat Cat6 Gigabit (550MHz) Blue Molded Snagless Patch Cable, RJ45 M/M – 25 ft.	10	27.99

MODEL #	FEATURES	MINIMUM Ordering QTY.	SUGGESTED Resale
N060-002	Hinged Wall-Mount Patch Panel Bracket - 2U.	1	\$ 49.99
N060-004	Hinged Wall-Mount Patch Panel Bracket - 4U.	1	59.99
N222-01K-GY	Cat6 Gigabit Bulk Solid Gray PVC Cable - 1000 ft.	1	299.99
N224-01K-GY	Cat6 Gigabit Bulk Solid Plenum Cable - 1000 ft.	1	699.99
N252-012	Cat6 Patch Panel 568B - 110 Punchdown to RJ45 Female - 12 Port.	1	99.99
N252-024	Cat6 Patch Panel 568B - 110 Punchdown to RJ45 Female - 24 Port.	1	149.99
N252-048	Cat6 Patch Panel 568B - 110 Punchdown to RJ45 Female - 48 Port.	1	299.99
N252-048-1U	Cat6 1U Patch Panel 568B - 110 Punchdown to RJ45 Female – 48 Port.	1	399.99
N254-024	Cat6 Feed-through Patch Panel - RJ45 Female/Female - 24 Port.	1	399.00
N052-012	Cat5e Patch Panel 568B - 110 Punchdown to RJ45 Female - 12 Port.	1	79.99
N052-024	Cat5e Patch Panel 568B - 110 Punchdown to RJ45 Female - 24 Port.	1	109.99
N052-048	Cat5e Patch Panel 568B - 110 Punchdown to RJ45 Female - 48 Port.	1	199.99
N054-024	Cat5e Feed-through Patch Panel - RJ45 Female/Female - 24 Port.	1	349.99

DISPLAY SOLUTIONS

MODEL #	FEATURES	MINIMUM Ordering QTY.	SUGGESTED Resale
	VGA/SVGA CABLES		
P502-003	SVGA Monitor Cable w RGB Coax HD15 (M/M) - 3 ft.	10	\$ 15.99
P502-006	SVGA Monitor Cable w RGB Coax HD15 (M/M) - 6 ft.	10	19.99
P502-010	SVGA Monitor Cable w RGB Coax HD15 (M/M) - 10 ft.	10	24.99
P502-015	SVGA Monitor Cable w RGB Coax HD15 (M/M) - 15 ft.	1	32.99
P502-025	SVGA Monitor Gold Cable w RGB Coax HD15 (M/M) - 25 ft.	1	34.99
P502-050	SVGA Monitor Cable w RGB Coax HD15 (M/M) - 50 ft.	1	54.99
P502-100	SVGA Monitor Cable w RGB Coax HD15 (M/M) - 100 ft.	1	89.99
P504-025	SVGA/VGA Monitor Cable w 3.5mm audio HD15 (M/M) - 25 ft.	1	69.99
P504-050	SVGA/VGA Monitor Cable w 3.5mm audio HD15 (M/M) - 50 ft.	1	119.99
	DVI CABLES AND ADAPT	ERS	
P556-006	DVI Cable, DVI-A Male to HD15M - 6 ft.	10	29.99
P560-006	DVI Dual Link TMDS Cable- DVI-D (M/M) - 6 ft.	10	34.99
P561-006	DVI Single Link TMDS Cable- DVI-D (M/M) - 6 ft.	10	29.99
P562-006	DVI Dual Link Extension Cable - DVI-D Male to DVI-I Female - 6 ft.	10	34.99
	HDMI CABLES AND ADAPT	TERS	
P130-000	HDMI to DVI Gold Adapter - HDMI-F to DVI M.	10	19.99
P132-000	DVI to HDMI Gold Adapter - DVI F to HDMI-M.	10	19.99
P566-006	HDMI to DVI Gold Digital Video Cable HDMI M to DVI-D Single-Link M - 6 ft.	1	49.99
P566-010	HDMI to DVI Gold Digital Video Cable HDMI M to DVI-D Single-Link M - 10 ft.	1	59.99
P568-006	HDMI Gold Digital Video Cable HDMI (M/M) - 6 ft.	1	64.99
P568-006-FL	Flat HDMI Gold Digital Video Cable HDMI M/M – 6 ft.	1	69.99
P570-006	HDMI M to Mini HDMI M Gold Cable - 6 ft.	1	54.99
P572-006	Mini HDMI Gold Cable M/M - 6 ft.	1	54.99
	DISPLAYPORT CABLES AND A	DAPTERS	
P134-000	DisplayPort to DVI Adapter.	1	39.99
P136-000	DisplayPort to HDMI Adapter.	1	39.99
P580-006	DisplayPort Device Cable - 6 ft.	1	64.99
P581-006	DisplayPort M to DVI-D Single-Link M Cable - 6 ft.	1	54.99
P581-010	DisplayPort M to DVI-D Single-Link M Cable - 10 ft.	1	64.99
P582-006	DisplayPort M to HDMI M Cable - 6 ft.	1	54.99
	SPLITTERS, SWITCHES AND EX	(TENDERS	
B114-002-R	VGA/SVGA 350MHz Video Splitter - 2-Port - HD15 (M)/x2 (F).	4	59.99
B114-004-R	VGA/SVGA Video Splitter - 4-Port - HD15 (M)/x4 (F).	1	99.99
B116-002	DVI Single Link Video Splitter - 2 Port.	1	249.99
B118-302-R	HDMI v1.3 Splitter - 2-Port.	1	199.99
B118-304-R	HDMI v1.3 Splitter - 4-Port.	1	299.99
B119-302-R	HDMI v1.3 Video Switch w/Remote - 2 Port.	1	69.99
B119-303-R	HDMI v1.3 Video Switch w/Remote - 3 Port.	1	99.99
B120-000	DVI Dual Link Extender Adapter, DVI-I (F/F).	1	99.99
B122-000	HDMI Signal Extender, HDMI (F/F).	1	99.99
B123-001	HDMI Active Extender Cable, HDMI M/F - 1 ft.	1	99.99
B125-150	HDMI over Cat5 Extender, (2) RJ45 F, (2) HDMI F.	1	199.00
D123-130			

DISPLAY	SOLUTIONS ((CONTINUED)
---------	-------------	-------------

MINIMUM Ordering QTY. SUGGESTED Resale

MUDEL #	I LATORES	UNDENING QT I.	IILOALL
B130-101A	VGA over Cat5 Extender with Audio, 1 Local Port, 1 Remote Port.	1	\$ 250.00
B130-101A-WP	VGA with Audio over Cat5 (110 type) Extender Wallplate Kit.	1	229.99
B130-101S	VGA with RS-232 Serial over Cat5 Extender Kit.	1	249.99
B130-101S-WP	VGA with RS-232 Serial over Cat5 (110 type) Extender Wallplate Kit.	1	229.99
B130-101-WP	VGA over Cat5 (110 type) Extender Wallplate Kit.	1	199.99
B132-004	VGA over Cat5 Extender/Splitter Local Unit - 4 Remote Ports.	1	199.99
B132-004A	VGA with Audio over Cat5 Extender/Splitter Local Unit - 4 Remote Ports.	1	249.99
B132-004-RB	VGA over Cat5 Extender/Splitter Rackmount Bracket.	1	99.99
B132-100	VGA over Cat5 Extender Remote Unit.	1	99.99
B132-100A	VGA with Audio over Cat5 Extender Remote Unit.	1	149.99
B132-100-WP	VGA over Cat5 Extender Wallplate - 110 Punchdown.	1	99.99
B132-100A-WP	VGA over Cat5 Receiver Wallplate - 110 Punchdown	1	149.99
P574-001	DMS59 to (2) HD15 Splitter Cable - 1 ft.	1	49.99
P576-001	DMS59 to (2) DVI-I Splitter Cable - 1 ft.	1	49.99
B140-101	DVI over Cat5 Extender Kit, (2) RJ 45 F, (2) DVI-D M	1	99.00
B140-101-WP	DVI over Cat5 Extender Wallplate Kit - 110 Punchdown	1	99.00
B140-101X	DVI Over Cat5 Super-Extender Kit, RJ45 F, DVI-D M	1	349.99
	EASY PULL CABLES		
EZA-035	Type A Base Easy Pull Cable - 35 ft.	1	79.99
EZA-035-P	Type A Plenum Base Easy Pull Cable - 35 ft.	1	199.99
EZA-050	Type A Base Easy Pull Cable - 50 ft.	1	109.99
EZA-050-P	Type A Plenum Base Easy Pull Cable - 50 ft.	1	299.99
EZB-050	Type B Base Easy Pull Cable - 50 ft.	1	119.99
EZA-VGAAX-2	Type A Easy Pull Kit with HD15 M/F & 3.5mm M/F Connectors and Wallplate - 1 ft.	1	39.99
EZA-VGAAM-2	Type A Easy Pull Kit with HD15 M/M & 3.5mm M/M Connectors - 1 ft.	1	34.99
EZA-VGAAF-2	Type A Easy Pull Kit with HD15 F/F & 3.5mm F/F Connectors and (2) Wallplates - 1 ft.	1	49.99
EZA-VGAX-2	Type A Easy Pull Kit with HD15 M/F Connectors and Wallplate - 1 ft.	1	34.99
EZA-VGAM-2	Type A Easy Pull Kit with HD15 M/M Connectors - 1 ft.	1	29.99
EZA-VGAF-2	Type A Easy Pull Kit with HD15 F/F Connectors and (2) Wallplates - 1 ft.	1	39.99
EZA-VGACSAF-2	Type A Easy Pull Kit with HD15 F/F & 3.5mm F/F Connectors and Wallplates - 1 ft.	1	89.99
EZA-VGACSAX-2	Type A Easy Pull Kit with HD15 M/F & 3.5mm M/F Connectors and Wallplate -1 ft.	1	84.99
EZA-VGACSAM-2	Type A Easy Pull Kit with HD15 M/M & 3.5mm M/M Connectors - 1 ft.	1	79.99
EZB-DVIM-2	Type B Easy Pull Kit with DVI-D Single Link M/M Connectors - 1 ft.	1	44.99
EZB-DVIF-2	Type B Easy Pull Kit with DVI-D Single Link F/F Connectors and (2) Wallplates - 1 ft.	1	49.99
EZB-DVIX-2	Type B Easy Pull Kit with DVI-D Single Link M/F Connectors and Wallplate - 1 ft.	1	49.99
EZB-HDMIM-2	Type B Easy Pull Kit with HDMI M/M Connectors - 1 ft.	1	49.99
P501-050	SVGA Easy Pull Monitor Extension Cable with RGB Coax, HD15M/F, 50 ft.	1	99.99
P503-050	SVGA Easy Pull Monitor Cable with RGB Coax, HD15M/M, 50 ft.	1	99.99
P504-050-EZ	SVGA Easy Pull Monitor Cable with Audio, HD15-MM/3.5mm M/M- 50 ft.	1	129.99
P561-050-EZ	DVI-D Easy Pull Cable DVI-D M/M - 50 ft.	1	129.99
	HDMI Easy Pull Cable HDMI M/M - 50 ft.	1	149.99

IISR SOLIITIO	И	JC	
---------------	---	----	--

MODEL #	FEATURES	MINIMUM Ordering QTY.	SUGGESTED Resale
	USB CABLES		
U021-003	USB 2.0 Certified A/B Device Cable, A (M)/B (M) - 3 ft.	10	\$ 9.99
U022-006	USB 2.0 Certified Gold A/B Device Cable, A (M)/B (M) - 6 ft.	10	14.99
U022-010	USB 2.0 Certified Gold A/B Device Cable, A (M)/B (M) - 10 ft.	10	16.99
U022-015	USB 2.0 Certified A/B Device Cable, A (M)/B (M) - 15 ft.	10	19.99
U024-006	USB Gold Extension Cable for USB 2.0 Cables, A (M/F) - 6 ft.	10	14.99
U024-010	USB Gold Extension Cable for USB 2.0 Cables, A (M/F) - 10 ft.	10	16.99
	USB CABLES		
U026-016	USB 2.0 Certified Active Extension Cable - A (M/F) - 16 ft.	1	39.99
U030-006	USB 2.0 A to 5-Pin Mini-B Gold Cable - 6 ft.	10	9.99
U050-003	Micro-USB 2.0 Device Cable, 3 ft.	10	14.99
U050-006	Micro-USB 2.0 Device Cable, 6 ft.	10	17.99
U232-006	USB 2.0 File Transfer Cable - USB A M/M - 6 ft.	1	39.99
U233-006-MP-R	USB 2.0 Universal High-Speed File Transfer Cable (PC or Mac), 6 ft.	1	49.99
U233-006-PP-R	USB 2.0 High-Speed File Transfer Cable (PC to PC), 6 ft.	1	49.99
U233-008	USB 2.0 File Transfer Cable for Vista - USB A M/M - 8 ft.	1	50.00
	USB HUBS, ADAPTERS AND EXTENDERS		
U007-40M	USB over Cat5 Extension, up to 125 ft. (40M), USB A M/F.	1	114.99
U042-036	USB 2.0 A/B Repeater Cable, 36 ft.	1	39.99
U209-000-R	USB to Serial Adapter USB/DB9M.	1	39.99
U215-004-R	4-Port USB Peripheral Sharing Switch.	1	69.99
U219-000-R	USB to PS/2 Adapter.	10	19.99
U222-004-R	4-Port USB 2.0 Certified Self- or Bus-Powered Ultra-Mini Compact Hub, x4 A (F)/x1 A (M).	10	49.99
U222-007-R	7-Port USB 2.0 Certified Hub, x7 A (F)/x1 B (F).	10	59.99

MODEL #

FEATURES

USB SOLUTIONS (CONTINUED) MINIMUM SUGGESTED **FEATURES** ORDERING QTY. MODEL # RESALE U224-1R4-R 4-Port USB Hub with 1 Remote Port over Cat5. \$ 139.99 4-Port USB Remote Hub over Cat5. U224-4R4-R 139.99 U225-004-R 4-Port USB **2.0** Hub. 39.99 3-Port USB 2.0 Hub with File Transfer. U227-FT3-R 69.99 USB 2.0 to DVI/VGA Adapter U244-001-R 199.99

SEE PAGES 19 AND 23 FOR ADDITIONAL USB SOLUTIONS.

FIREWIRE CABLES				
MODEL # FEATURES MINIMUM SUGGESTED ORDERING QTY. RESALE				
F005-006	IEEE 1394 FireWire Gold Cable, 6pin/6pin - 6 ft.	10	\$ 29.99	
F007-003	IEEE 1394 FireWire Gold Cable, 6pin/4pin - 3 ft.	10	29.99	
F007-006	IEEE 1394 FireWire Gold Cable, 6pin/4pin - 6 ft.	10	34.99	
F009-006	IEEE 1394 FireWire Gold Cable, 4pin/4pin - 6 ft.	10	34.99	
F015-006	IEEE 1394b FireWire 800 Gold Hi-Speed Cable, 9pin/9pin - 6 ft.	10	29.99	
F015-010	IEEE 1394b FireWire 800 Gold Hi-Speed Cable, 9pin/9pin - 10 ft.	10	39.99	
F017-006	IEEE 1394b FireWire 800 Gold Hi-Speed Cable, 9pin/6pin - 6 ft.	10	29.99	
F017-010	IEEE 1394b FireWire 800 Gold Hi-Speed Cable, 9pin/6pin - 10 ft.	10	39.99	
F019-006	IEEE 1394b FireWire 800 Gold Hi-Speed Cable, 9pin/4pin - 6 ft.	10	29.99	
F019-010	IEEE 1394b FireWire 800 Gold Hi-Speed Cable, 9pin/4pin - 10 ft.	10	39.99	

MODEL #	FEATURES	MINIMUM Ordering QTY.	SUGGESTED Resale
P002-002	Power Converter Cable - C14 to 5-15R - 2 ft.	10	\$ 6.99
P004-002-5	5-Pack AC Power Extension Cable. C14/C13 - 2 ft.	1	39.99
P004-006	AC Power Extension Cable, C14 to C13 - 6 ft.	10	6.99
P005-002	AC Power Cord. C13/C14. 100-230V. 15A.14 AWG SJT - 2 ft.	10	19.99
P005-006	AC Power Cord, C13/C14, 100-230V, 15A,14 AWG SJT - 6 ft.	1	24.99
P005-010	AC Power Cord, C13/C14) 100-230V, 15A,14 AWG SJT - 10 ft.	1	29.99
P006-006	AC Power Cable, 5-15P/C13, 125V, 10A, 18 AWG SVT - 6 ft.	10	6.99
P006-006-2	AC Power Splitter Cable, 5-15P/(2) C13, 125V, 10A, 18 AWG SJTW - 6 ft.	1	19.99
P007-002	AC Power Cord, C13/5-15P, 125V, 15A,14 AWG SJT - 2 ft.	10	14.99
P007-006	AC Power Cord, C13/5-15P, 125V, 15A,14 AWG SJT - 6 ft.	10	19.99
P010-012	AC Power Cable, 5-15P to C13 - 12 ft.	10	10.99
P011-006	AC Power Cord, L6-20P to C13, 250V, 15A, 14 AWG, SJTW - 6 ft.	1	34.99
P012-006	Notebook Power Adapter Cable, 1-15P to C7 - 6 ft.	10	6.99
P022-001	Power Extension/Adapter Cable, N5-15P/R, 1 ft.	10	8.99
P022-001-2	Power Extension/Splitter Cable, 5-15P/2xR, 1 ft.	10	12.99
P023-001	AC Power Cord, 5-15P/L5-15R, 120V, SJTW, 14 AWG, 15A - 1 ft.	10	14.99
P030-002-5	5-Pack AC Power Cords, 5-15P to C13, 125V, 10A, 18 AWG, SVT - 2 ft.	1	39.99
P032-007	AC Power Cord 10A 100-240V, 12 AWG, C13/C20 - 7 ft.	1	29.99
P034-010	AC Power Cord, C19/5-15P, 125V, 15A, 14 AWG SJT - 10 ft.	1	25.99
P036-002	AC Power Cord, C19/C20, 250V, 20A, 12 AWG, SJT- 2 ft.	1	24.99
P036-006	AC Power Cord, C19/C20, 250V, 20A, 12 AWG, SJT- 6 ft.	1	29.99
P040-010	AC Power Cord, C19/Locking L6-20, 250V, 20A, 12 AWG SJT - 10 ft.	1	49.99
P041-001-2	AC Power Cord, L6-30P to (2) L6-30R, 250V, 30A, 10 AWG, SJT, 1 ft.	1	199.00
P043-002	AC Adapter, L5-30P/L5-20R, 125V, 20A, 10 AWG, SJTW.	1	139.99
P044-06I	AC Power Cord, 5-20P/Locking L5-20R, 125V, 20A,12 AWG SJT - 6 in.	1	24.99
P045-010	AC Power Cord C19/Locking L5-20, 125V, 20A,12AWG SJT - 10 ft.	1	48.99
P047-002	AC Power Cord, C19/C14, 100-230V, 15A, 14 AWG SJT - 2 ft.	1	23.99
P047-004	AC Power Cord, C19/C14, 100-230V, 15A, 14 AWG SJT - 4 ft.	1	27.99
P047-006	AC Power Cord, C19/C14, 100-230V, 15A, 14 AWG SJT - 6 ft.	1	31.99
P047-010	AC Power Cord, C19/C14, 100-230V, 15A, 14 AWG SJT - 10 ft.	1	39.99
P049-010	AC Power Cord, C19/5-20P, 125V, 20A, 12 AWG SJT - 10 ft.	1	39.99
P054-006	AC Power Cord,C13/CEE 7/7 SCHUKO, 250V, 15A - 6 ft.	10	14.99
P056-006	AC Power Cord, C13/BS1363 UK, 250V, 13A - 6 ft.	10	15.99

Tripp Lite offers additional cables and connectivity products not listed on this price list. Visit www.tripplite.com for the most up-to-date products and specifications.

SUPER-BRIGHT, ULTRA-COMPACT FLASHLIGHT





POCKET-SIZE PLUG-IN OUTLET TESTER



SUGGESTED

RESALE \$ 11.95

CT120	Instant-Read Circuit Tester for Standard 3-Wire 110-120V AC Outlets, LED Display.

FEATURES

MODEL #

CHOOSE THE RIGHT TRIPP LITE PRODUCT FOR YOUR APPLICATION WITH OUR NEW INTERACTIVE PRODUCT SELECTOR GUIDES—GO TO WWW.TRIPPLITE.COM/SELECTOR



This price list is effective on all orders received on and after April 1, 2010. The policy of Tripp Life is one of continuous improvement, and prices and specifications are subject to change without notice. TERMS: Net 30 days on approved credit. Unearned discounts will be billed a back. Subject to applicable government regulations, all shipments will be billed at prices in effect at time of shipment. FRIEGHT: FO.B. our Chicago plant. Title passes to purchaser when carrier signs our clean receipt. MINIMUM INVOICE: \$100.00. RETURN OF MERCHANDISE: Not accepted without prior permission in writing from Chicago office. All merchandise returned for credit must be returned prepaid and may be subject to a 15% handling charge plus cost of reconditioning and repacking.

LIMITED WARRANTY If it appears within the product's warranty period, from the date of delivery to Purchaser, that any products or component parts to not conform exactly to the specifications and physical descriptions referred to above, and the Purchaser, at his expense, returns the products or the component parts to the Seller together with a report of defects, the Seller shall review the inspection report and inspect the items and shall authorize, at its option, either the repair or replacement of any non-conforming products or component parts whether on warranty, contract or negligence, shall not in any case exceed the amount to be paid by the Seller in obtaining repair or replacement of non-conforming products or component parts, and upon the expiration of the warranty period all liability of the Seller shall terminate. This warranty shall give specific legal rights. You may have other rights which vary from state to state. Seller shall not be liable for any injury, loss or damage, direct or consequential, arising out of the use or the liability to use the product.

CONTACT US TODAY!

To Place Order: (773) 869-1797 • For Technical Assistance: (773) 869-1234

For Fax Orders: (773) 869-1329

For Return Information: (773) 869-1103 • For General Office: (773) 869-1111







