

Series 6, Domino hob, electric, 30 cm PKF375FP2E





Optional accessories

 $\ensuremath{\mathsf{HEZ390090}}$: Wok Set consisting of 3 Items

Ceramic domino cooktop: makes cooking and cleaning especially easy.

- The 18 cm cooking zone extendable cooking zone.
- **PowerBoost:** up to 20% more energy when cooking on your electric cooktop.
- **Restart:** restores cooktop settings in case of an unintentional cooktop switch-off.
- **ChildLock:** locks the control panel to prevent accidental changes in settings.

Technical Data

Product name/family: Vario/Domino cooking zone cera

Built-in / Free-standing : Built-in

Energy input : Electric

Total number of positions that can be used at the same time : 2 Min. required niche size for installation (HxWxD) : $38 \times x \times mm$

Width of the appliance : 306 mm Dimensions : 38 x 306 x 527 mm

Dimensions of the packed product (HxWxD) : 120 x 380 x 590

mm

Net weight : 4.5 kg Gross weight : 5.2 kg

Residual heat indicator: Separate Location of control panel: Hob front Basic surface material: Ceramic Color of surface: Alu, brushed, Black Length electrical supply cord: 100 cm

EAN code : 4242005283286 Fuse protection : 16 A Voltage : 220-240 V Frequency : 50; 60 Hz





Series 6, Domino hob, electric, 30 cm PKF375FP2E

Ceramic domino cooktop: makes cooking and cleaning especially easy.

- 30 cm: space for 2 pots or pans.

Flexibility of cooking zones

- Ring zone double: use regular or larger cookware on the expandable cooking zone.
- Cooking zone middle: 120 mm, 180 mm, 1 KW (max. power 2.3 KW)
- Cooking zone middle: 145 mm, 1.2 KW

Comfort & Convenience

- 17 power levels: precisely adapt the heat with 17 power levels (9 main levels and 8 intermediate levels).
- Timer with automatic switch off for all zones: switches off the cooking zone at the end of the time set (e.g. for boiled eggs).
- Alarm clock
- : an alarm sounds at the end of the time set (e.g. for pasta).
- Timer / Alarm clock: shows how much time has passed since starting the timer (e.g. for potatoes).

Time saving & Efficiency

 ReStart function: in case of unintentional switch-off, restore all previous settings by switching on the cooktop again within 4 seconds.

Design

- Stainless steel side trims with bevelled front.

Safety


- Digital 2 stage residual heat indicator: indicates which cooking zones are still hot or warm.
- Childproof lock: prevent unintended activation of the cooktop.
- Main switch: switch off all cooking zones at the touch of a button.
- Power on indicator light: indicates if the hob is heating.
- Automatic Safety switch-off: for safety reasons, heating stops after a preset time without interaction (customizable).
- Energy consumption: shows the electricity consumption of the last cooking process.

Installation


- Dimensions of the product (HxWxD mm): 38 x 306 x 527
- Required niche size for installation (HxWxD mm) : $38 \times 270 \times (490 500)$
- Min. worktop thickness: 16 mm
- Connected load: 3.5 KW
- Power cord: 1 m, connected directly



Series 6, Domino hob, electric, 30 cm PKF375FP2E



measurements in mm




When installing a Domino unit right next to a hob, an assembly kit (HEZ394301) is required.

measurements in mm Domino combination options with corresponding appliance and cut-out dimensions

Width category: Appliance width:


ABCDLX							
	2x30	306	306	-	-	612	576
	1x30, 1x40	306	396	-	-	702	666
	1x30, 1x60	306	606	-	-	912	876
	1x30, 1x70*	306	710	-	-	1016	980
	1x30, 1x80	306	816	-	-	1122	1086
	1x30, 1x90	306	916	-	-	1222	1186
	2x40	396	396	-	-	792	756
	1x40, 1x60	396	606	-	-	1002	966
	1x40, 1x70*	396	710	-	-	1106	1070
	1x40, 1x80	396	816	-	-	1212	1176
	1x40, 1x90	396	916	-	-	1312	1276
	3x30	306	306	306	-	918	882
	2x30, 1x40	306	306	396	-	1008	972
	2x30, 1x60	306	306	606	-	1218	1182
	2x30, 1x70*	306	306	710	-	1322	1286
	2x30, 1x80	306	306	816	-	1428	1392
	2x30, 1x90	306	306	916	-	1528	1492
	1x30, 2x40	306	396	396	-	1098	1062
	1x30, 1x40, 1x60	306	396	606	-	1308	1272
	1x30, 1x40, 1x70*	306	396	710	-	1412	1376
	1x30, 1x40, 1x80	306	396	816	-	1518	1482
	1x30, 1x40, 1x90	306	396	916	-	1618	1582
	2x40, 1x60	396	396	606	-	1398	1362
	4x30	1306	306	306	306	1224	1188

measurements in mm Assembly kit (HEZ394301) for Domino




B: Dependent on the cut-out depth





When installing two or more Domino units side-by-side, one or more assembly kits are required (2 units = 1 assembly kit, 3 units = 2 assembly kits, etc.).

measurements in mm




- A: Minimum distance from the hob cut-out
- to the wall.

 B: Recessed depth


 C: With fitted oven underneath min. 20, possibly more; see space requirements for the oven.



Series 6, Domino hob, electric, 30 cm PKF375FP2E



When installing two Domino units right next to a hob, two assembly kits (HEZ394301) are required.



When installing two or more Domino units side-by-side, one or more assembly kits are required (2 units = 1 assembly kit, 3 units = 2 assembly kits, etc.).