


The NAFEM Show 23




FLEXIBILITY
STANDARD FEATURES, OPTIONS & BENEFITS


Continental®
Refrigerator

TABLE OF CONTENTS

The NAFEM Show 2023 Booth Layout	3
NEW Shallow Depth Undercounters	4
Sandwich Units	6
NEW Shallow Depth Base Models	8
Pizza Preparation Tables	9
Milk Coolers.....	10
Griddle Stands.....	11
Bar Equipment	12
Reach-Ins & Pass-Thrus	14
Designer Line Reach-Ins & Roll-Ins	16
How to Buy	18
About Continental	19



Booth #1416



NEW! SHALLOW DEPTH UNDERCOUNTERS

UC24SN

COMING
SOON
IN 2023!



FLEXIBLE Option

Easy, in-the-field rehinging of doors

Benefit

Workflow flexibility after the installation, easy cleaning & servicing



STANDARD Feature

Overall height under 32"

Benefit

Able to fit under ADA required counter tops

STANDARD Feature

Magnetic, snap-in Santoprene™ door gasket

Benefit

Easily removable for cleaning

STANDARD Feature

Front breathing (intake & exhaust from the front)

Benefit

Conserves space by allowing cabinet to be flush against the wall or built into counter

UC48SN

COMING
SOON
IN 2023!



FLEXIBLE Option

Easy, in-the-field rehinging of doors

Benefit

Workflow flexibility after the installation, easy cleaning & servicing



STANDARD Feature

Front breathing (intake & exhaust from the front)

Benefit

Conserves space by allowing cabinet to be flush against the wall or built into counter

STANDARD Feature

Overall height under 32"

Benefit

Able to fit under ADA required counter tops

STANDARD Feature

Magnetic, snap-in Santoprene™ door gasket

Benefit

Easily removable for cleaning

STANDARD FEATURE

BENEFIT

Easily accessible condensing unit

Easily serviceable

Stainless steel exterior and interior

Strength & Durability

Cylinder lock in door(s)

Prevents tampered or stolen product

Back-mounted compressor

Easily serviceable

26 3/4" depth

Fits into small spaces

Automatic hot gas condensate evaporator

Eliminates condensation

SANDWICH UNITS

SW60N24M

(Shown with **FLEXIBLE** options)



FLEXIBLE Option

16-gauge overshelves
(single or double)

Benefit

Easier item storage
and handling at an
arm's reach



INCLUDED w/ Double Overshelves

Hat channel (upper shelf only)

Benefit

Adds stability & the ability to add a
heat lamp (not included)



FLEXIBLE Option

Vision Panel Lid
in lieu of standard
insulated lid

Benefit

Product visibility

Flat lid (insulated) or
optional hinged glass lid
also available



FLEXIBLE Option

Easy, in-the-field
conversion from door to
drawer or drawer to door,
or rehinging doors

Benefit

Workflow flexibility after
the installation, easy
cleaning & servicing



Drawer cage



Optional composite
cutting board



Optional 1/9 size crumb pan
recessed into cutting board

SW60N24M-HGL-FB



FLEXIBLE Option

Hinged glass lid
w/ integral stainless steel
gas spring lid supports

Benefit

Lid opens/closes gently
while supporting lid,
product visibility



FLEXIBLE Option

Front breathing
(intake & exhaust from the front)

Benefit

Conserves space by allowing cabinet
to be flush against the wall or built
into counter, converts in the field

STANDARD FEATURE

Electronic control w/ digital display

Door or drawer combinations

Standard, Mighty or Cutting Top

Heavy-duty stainless steel top

Insulated hood & lid

Thermal Expansion Valve (TXV)

BENEFIT

High accuracy & better user control

Maximize usable storage space

Versatility to meet operational needs

Superior corrosion resistance

Helps maintain food temperatures in pans

Quicker cabinet temperature recovery

NEW! SHALLOW DEPTH BASE MODELS

RA43SN6

(Shown with **FLEXIBLE** options)

**COMING
SOON
IN 2023!**



FLEXIBLE Option
Easy, in-the-field conversion from door to drawer or drawer to door, or rehinging doors

Benefit
Workflow flexibility after the installation, easy cleaning & servicing

FLEXIBLE Option
Drawer in lieu of standard half door

Benefit
Fits (4) 1/6 pans - Conserves kitchen space without compromising food storage capacity

STANDARD Feature
Overall depth under 31"

Benefit
Allows unit to fit into tighter spaces than Standard Unit

STANDARD FEATURE

Refrigerated section w/ half door above the condensing unit

Door or drawer combinations

Standard or Mighty Top⁺

Fits industry-standard 12" x 20" x 6" pans

Insulated hood & lid⁺

Slide-out condensing unit

BENEFIT

Added storage capacity

Maximize usable storage space

Versatility to meet operational needs

Standard food capacity, smaller footprint

Helps maintain food temperatures in pans

Easily serviceable

⁺Base Model Sandwich Units only

PIZZA PREP TABLES

PA68N

(Shown with **FLEXIBLE** options)



FLEXIBLE Option

Composite cutting board

Benefit

Heat, cold, stain, & scratch resistant



FLEXIBLE Option

Vision Panel Lid in lieu of standard insulated lid

Benefit

Product visibility

FLEXIBLE Option

16-gauge overshelves (single or double)

Benefit

Easier item storage and handling at an arm's reach

FLEXIBLE Option

Easy, in-the-field conversion from door to drawer or drawer to door, or rehinging doors

Benefit

Workflow flexibility after the installation, easy cleaning & servicing

FLEXIBLE Option

Drawer in lieu of standard half door

Benefit

Conserves space w/ smaller width unit & still have pan capacity of larger width unit

FLEXIBLE Option

Move the condensing unit to left (standard on right)

Benefit

Keeps refrigeration away from hot equipment nearby, prolonging life of unit



Drawer cage

STANDARD FEATURE

Reversing condenser fan

Refrigerated section w/half door above the condensing unit

Low profile angled rail

Expansion valve system

Built-in, off-cycle defrost timer

Slide-out condensing unit

BENEFIT

Helps self clean condenser on start up

Added storage capacity

Comfortable reach for food product

Maximum efficiency & quicker temp recovery

Minimizes ice build up on coil

Easily serviceable

MILK COOLERS

MC4NSSD

(Shown with **FLEXIBLE** options)

FLEXIBLE Option
Low profile evaporator coil
(dual access models)

Benefit

Allows milk crates to
move easier from one side
to the other

FLEXIBLE Option
Stainless steel interior

Benefit

Added strength and
durability, easy to clean

FLEXIBLE Option
Corner or wrap-
around bumpers

Benefit

Added protection
to exterior of unit



FLEXIBLE Option
Laminate or
powder coating

Benefit

Exterior customized
to school cafeteria
color/design



FLEXIBLE Option
Floor foot pedal lock

Benefit

Prevents unit from
moving out of place



STANDARD FEATURE

Electronic control w/digital display

Reinforced stainless steel floor

Single or dual access

Snap-in lid & door gasket

Floor drain

Heavy-duty floor racks

Heavy duty, stainless steel lid, door hinges & latches

BENEFIT

High accuracy & better user control

Adds strength & rust resistance

Workflow flexibility

Tighter seal provides greater efficiency

Easy clean-up for regular maintenance & spills

Do not bow or compromise cooling

Long lasting durability

GRIDDLE STANDS

D84GN

(Shown with **FLEXIBLE** options)



FLEXIBLE Option

Condensing unit to left
(standard on right)

Benefit

Keeps refrigeration away
from hot equipment nearby,
prolonging life of unit




FLEXIBLE Option

16-gauge stainless steel top

Benefit

Stronger to support extra-
heavy equipment

Integral heat shield
(cutaway for viewing purposes)



Drawer cage

STANDARD FEATURE

Front breathing refrigeration system

Unique air flow distribution across back of unit

Electronic controller w/ digital display

7 sizes in refrigerators, 4 sizes in freezers

Easy glide, fully extendable drawers

- Built-in drawer cage

- Built-in safety clips

- Heavy-duty drawer track

Stainless steel interior, exterior & rear

Thermal Expansion Valve (TXV)

BENEFIT

Allows cabinet to be flush against the wall

Optimally placed fans distribute air to all drawer sections

Higher accuracy & better user control

Versatility for different space constraints

Greater capacity & easy reach for cleaning

Removable for cleaning & servicing

Protects drawer from coming off track

Stronger support for each drawer to hold up to 250 lbs.

Greater strength for supporting heavy equipment

Quicker cabinet temperature recovery

BAR EQUIPMENT

KC69N

(Shown with **FLEXIBLE** options)



FLEXIBLE Option

Faucet lock

Benefit

Prevents tampered or stolen product



FLEXIBLE Option

Modify beer column placement

Benefit

Versatility in back bar needs



FLEXIBLE Option

Hinged-glass door w/ shelves

Benefit

Product versatility



FLEXIBLE Option

Riser base (field installed)

Benefit

Increases height by 2"

BB69SNSSSGD

(Shown with **FLEXIBLE** options)



FLEXIBLE Option

Move the condensing unit to right (standard on left)

Benefit

Keeps refrigeration away from hot equipment nearby, prolonging life of unit



FLEXIBLE Option

Riser base (field installed)

Benefit

Increases height by 2"

STANDARD FEATURE

BENEFIT

Front breathing refrigeration system*

Allows cabinet to be flush against wall or built into counter

Low profile cabinet design

Allows cabinet to fit under a counter

Continuously cooled, 3" diameter beer columns*

Maintains beer at the correct dispensing temperature

Electronic controller w/ digital display

Higher accuracy & better user control

Stainless steel counter top & reinforced floor

Strength & durability

Slide-out condensing unit

Easily accessible for cleaning & servicing

Stainless steel drip grate w/front-mounted drain hose*

Convenient & easily removable for cleaning

Automatic hot gas condensate evaporator

Eliminates condensation

*Keg cooler models only

REACH-INS & PASS-THRUS

1RENSSHD

(Shown with **FLEXIBLE** options)



FLEXIBLE Option
Stainless steel back
Benefit
Added strength and durability

FLEXIBLE Option
Half door, half drawer combinations
Benefit
Workflow flexibility

1RSEN

(Shown with **FLEXIBLE** options)



FLEXIBLE Option
Electronic safety door lock w/ alarm
Benefit
Automatically locks door when inside temperature reaches unsafe food safety levels

← UNDER 18" WIDE! →



REMOTE TEMPERATURE LOGGER AVAILABLE FOR ALL CONTINENTAL UNITS

- "Always On" monitoring of 2 temperatures per logger, 24 hours a day, 365 days a year
- Free mobile app provides access to logger settings and data from phones, tablets or other devices

2RNSSHD

(Shown with **FLEXIBLE** options)



ENERGY STAR®
certified models!¹



FLEXIBLE Option
Chrome-plated wire rod or stainless steel pan slides (shown)

Benefit

Prep ahead, space-saving storage

FLEXIBLE Option
Half door, half drawer combinations

Benefit

Workflow flexibility

¹Certain models only. See specification sheets for more information.

STANDARD FEATURE

Top mounted refrigeration system
Electronic controller w/digital display
3" foam insulation
Cam-action, lift-off hinges
Welded door corners
LED interior lighting
Cylinder lock in each door

BENEFIT

Removable for servicing, cleaning & converting in field
Higher accuracy & better user control
Thicker for efficiency & reduced reliance on refrigeration system
Adjustments & door removal without tools
Added strength & durability
Efficient & safer
Prevents theft or tampering of product

Designer line

REACH-INS & ROLL-INS

D1RSNSSHD

(Shown with **FLEXIBLE** options)



ENERGY STAR®
certified models!¹



FLEXIBLE Option

Factory-encased
laminated door fronts

Benefit

Aesthetics to match
kitchen design, easy
to clean

D1RINSS



Optional correctional
facility security package



D2RENSSGDHD

(Shown with **FLEXIBLE** options)



FLEXIBLE Option

Half doors, solid doors/hinged glass doors combinations

Benefit

Versatility in storage & display options



FLEXIBLE Option

Stainless steel or chrome shelves

Benefit

Sturdy & corrosion resistant



Air distribution down duct system on both top and sides



FLEXIBLE Option

Universal stainless steel pan slides (shown)

Benefit

Prep ahead space saving storage

STANDARD FEATURE

BENEFIT

Removable stainless steel ramps & rack guides*

Easy movement of higher quantities of food

Reinforced stainless steel floor*

Durability to support rack guides

Top mounted refrigeration system

Removable for servicing, cleaning & converting in field

Air distribution down duct system

Optimal distribution of air to all levels

Electronic controller w/ digital display

Higher accuracy & better user control

3" foam insulation

Thicker for efficiency & reduced reliance on refrigeration system

Cam-action, lift-off hinges

Adjustments & door removal without tools

Welded door corners

Added strength & durability

LED interior lighting

Efficient & safer

*Roll-In models only

HOW TO BUY

LOCAL SALES REPRESENTATIVES

STATES COVERED

Wyllie Marketing	Weymouth, MA	(781) 340-6157	ME, RI, NH, MA, VT, CT
Link 2 Hospitality Solutions	Rochester, NY	(585) 254-1780	Upstate NY
Pecinka Ferri Associates	Fairfield, NJ	(973) 812-4277	N. NJ, New York City
Schmid Dewland & Associates	Marlton, NJ	(856) 783-3400	E. PA, DE, S. & Central NJ
Link 2 Hospitality Solutions	Bridgeville, PA	(412) 341-2020	W. PA, W. VA (except Panhandle)
High Sabatino Associates, Inc.	Jessup, MD	(301) 470-7051	DC, MD, VA, W. VA (Panhandle)
Stiefel Associates, Inc.	Lansing, MI	(517) 393-3019	MI (except Upper Peninsula)
Dick Stanley & Associates	Pickerington, OH	(800) 833-0797	OH, KY
Gabriel Group	Fishers, IN	(800) 832-6442	IN
Jay Mark Group, LTD	Elk Grove Village, IL	(847) 545-1918	N. IL
North Star Agency	Plymouth, MN	(763) 545-1400	MN, ND, SD
Mirkovich & Associates	Waukesha, WI	(630) 792-0080	WI, MI (Upper Peninsula)
Select Marketing	St. Louis, MO	(314) 961-3332	MO, KS, IA, NE, S. IL
Master Marketing Carolina	High Shoals, NC	(704) 860-0092	NC, SC
Pro-Quip Foodservice	Little Rock, AR	(501) 221-7120	AR, LA, MS, W. TN (W. of Tenn. River)
The Veitch Group	Ft. Lauderdale, FL	(954) 316-6162	FL (except Panhandle)
Merkolat	Davie, FL	(561) 594-7153	Latin America, Caribbean
Carman-Girard Associates	Atlanta, GA	(770) 457-6548	AI, FL (Panhandle), GA, E. TN (E. of Tenn River)
Ignite Foodservice Solutions	Denver, CO	(303) 433-0124	CO, S. ID, MT, UT WY
Roller & Associates	Seattle, WA	(206) 547-3555	WA, OR, AK, N. ID
Foodservice Equipment Agents	Anaheim, CA	(714) 693-3329	AZ (Bull Head City), S. CA, S. NV
Inform Marketing Group	Walnut Creek, CA	(510) 337-0420	N. CA, N. NV
Ignite Foodservice Solutions	Phoenix, AZ	(303) 433-0124	AZ (except Bull Head City), NM, TX (El Paso)
Forbes Hever & Wallace, Inc.	Coppell, TX	(972) 219-8898	OK, TX (except El Paso)

About Continental



539 DUNKSFERRY ROAD, BENSALEM, PA



3434 STATE ROAD, BENSALEM, PA

FLEXIBLE Solutions for Today's Operators.

Established in 1989 and now among the leaders in commercial refrigeration equipment, Continental Refrigerator has earned a reputation for innovation and excellence through our commitment to teamwork, technology-focused product strategies and to our policy of always placing **customer satisfaction above all else**. Our products are [thoughtfully designed and assembled in the USA](#), engineered for food safety, optimal performance and [built to last](#).

In addition to our wide range of products – we offer **versatility** and **flexibility** to provide you with a functional solution that perfectly meets all of your kitchen requirements.

Contact the Factory

TOLL FREE 800-523-7138
PHONE 215-244-1400
www.continentalrefrigerator.com
continentalsales@nrac.com

2 Manufacturing Facilities

8 Warehouses Nationwide

Phoenix, AZ

Miami, FL

Elk Grove Village, IL

Indianapolis, IN

Lansing, MI

St. Louis, MO

★ Bensalem, PA

Haltom City, TX





Privately Held Company

Over 2500 Models

Solutions Provider



PROUDLY
DESIGNED & ASSEMBLED
IN THE U.S.A.



A Division of National Refrigeration & Air Conditioning Products

Continental Refrigerator	Local: (215) 244-1400
539 Dunksferry Road	Toll Free: (800) 523-7138
Bensalem, PA 19020	Fax: (215) 244-9579

www.continentalrefrigerator.com

Due to our continued efforts in developing innovative products, specifications subject to change without notice.

Continental®

Refrigerator