

Figure 73 - Core 0 (A) 2476 MHz (CH74) 99% Bandwidth




Figure 74 - Core 0 (A) 2476 MHz (CH74) 6 dB Bandwidth




Figure 75 - Core 1 (B) 2476 MHz (CH74) 99% Bandwidth




Figure 76 - Core 1 (B) 2476 MHz (CH74) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 5.2 a)	Test Method(s):	C63.10 6.9.3 C63.10 11.8.1
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA $\pi/4$ DQPSK (8-DH5)	Duty Cycle (%):	-
Antenna Configuration:	Beamforming	DCCF (dB):	-
Active Port(s):	A+B (Core 0 + Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)					Limit (kHz)
	A	B	C	D	Minimum	
2404	1.020	1.020	-	-	1.020	≥ 500.0
2441	1.020	1.020	-	-	1.020	≥ 500.0
2476	1.035	1.020	-	-	1.020	≥ 500.0

Table 39 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)					Limit (kHz)
	A	B	C	D	Minimum	
2404	4.425	4.440	-	-	4.425	-
2441	4.425	4.440	-	-	4.425	-
2476	4.425	4.440	-	-	4.425	-

Table 40 - 99% Bandwidth Results




Figure 77 - Core 0 (A) 2404 MHz (CH2) 99% Bandwidth




Figure 78 - Core 0 (A) 2404 MHz (CH2) 6 dB Bandwidth




Figure 81 - Core 0 (A) 2441 MHz (CH39) 99% Bandwidth




Figure 82 - Core 0 (A) 2441 MHz (CH39) 6 dB Bandwidth




Figure 85 - Core 0 (A) 2476 MHz (CH74) 99% Bandwidth




Figure 86 - Core 0 (A) 2476 MHz (CH74) 6 dB Bandwidth




Figure 87 - Core 1 (B) 2476 MHz (CH74) 99% Bandwidth




Figure 88 - Core 1 (B) 2476 MHz (CH74) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 5.2 a)	Test Method(s):	C63.10 6.9.3 C63.10 11.8.1
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA GFSK (LE 1M)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)					Limit (kHz)
	A	B	C	D	Minimum	
2402	0.724	-	-	-	0.724	≥500.0
2440	0.712	-	-	-	0.712	≥500.0
2480	0.724	-	-	-	0.724	≥500.0

Table 41 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)					Limit (kHz)
	A	B	C	D	Minimum	
2402	1.036	-	-	-	1.036	-
2440	1.036	-	-	-	1.036	-
2480	1.032	-	-	-	1.032	-

Table 42 - 99% Bandwidth Results




Figure 89 - Core 0 (A) 2402 MHz (CH37) 99% Bandwidth




Figure 90 - Core 0 (A) 2402 MHz (CH37) 6 dB Bandwidth




Figure 91 - Core 0 (A) 2440 MHz (CH17) 99% Bandwidth




Figure 92 - Core 0 (A) 2440 MHz (CH17) 6 dB Bandwidth




Figure 93 - Core 0 (A) 2480 MHz (CH39) 99% Bandwidth




Figure 94 - Core 0 (A) 2480 MHz (CH39) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 5.2 a)	Test Method(s):	C63.10 6.9.3 C63.10 11.8.1
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA GFSK (LE 2M)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)					Limit (kHz)
	A	B	C	D	Minimum	
2402	1.184	-	-	-	1.184	≥500.0
2440	1.152	-	-	-	1.152	≥500.0
2480	1.184	-	-	-	1.184	≥500.0

Table 43 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)					Limit (kHz)
	A	B	C	D	Minimum	
2402	2.056	-	-	-	2.056	-
2440	2.056	-	-	-	2.056	-
2480	2.056	-	-	-	2.056	-

Table 44 - 99% Bandwidth Results




Figure 95 - Core 0 (A) 2402 MHz (CH37) 99% Bandwidth




Figure 96 - Core 0 (A) 2402 MHz (CH37) 6 dB Bandwidth




Figure 97 - Core 0 (A) 2440 MHz (CH17) 99% Bandwidth




Figure 98 - Core 0 (A) 2440 MHz (CH17) 6 dB Bandwidth




Figure 99 - Core 0 (A) 2480 MHz (CH39) 99% Bandwidth




Figure 100 - Core 0 (A) 2480 MHz (CH39) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 5.2 a)	Test Method(s):	C63.10 6.9.3 C63.10 11.8.1
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA GFSK (LE 1M)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)					Limit (kHz)
	A	B	C	D	Minimum	
2402	-	0.724	-	-	0.724	≥500.0
2440	-	0.712	-	-	0.712	≥500.0
2480	-	0.724	-	-	0.724	≥500.0

Table 45 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)					Limit (kHz)
	A	B	C	D	Minimum	
2402	-	1.036	-	-	1.036	-
2440	-	1.036	-	-	1.036	-
2480	-	1.036	-	-	1.036	-

Table 46 - 99% Bandwidth Results




Figure 101 - Core 1 (B) 2402 MHz (CH37) 99% Bandwidth




Figure 102 - Core 1 (B) 2402 MHz (CH37) 6 dB Bandwidth




Figure 103 - Core 1 (B) 2440 MHz (CH17) 99% Bandwidth




Figure 104 - Core 1 (B) 2440 MHz (CH17) 6 dB Bandwidth




Figure 105 - Core 1 (B) 2480 MHz (CH39) 99% Bandwidth




Figure 106 - Core 1 (B) 2480 MHz (CH39) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 5.2 a)	Test Method(s):	C63.10 6.9.3 C63.10 11.8.1
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA GFSK (LE 2M)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)					Limit (kHz)
	A	B	C	D	Minimum	
2402	-	1.176	-	-	1.176	≥500.0
2440	-	1.152	-	-	1.152	≥500.0
2480	-	1.184	-	-	1.184	≥500.0

Table 47 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)					Limit (kHz)
	A	B	C	D	Minimum	
2402	-	2.056	-	-	2.056	-
2440	-	2.056	-	-	2.056	-
2480	-	2.056	-	-	2.056	-

Table 48 - 99% Bandwidth Results




Figure 107 - Core 1 (B) 2402 MHz (CH37) 99% Bandwidth




Figure 108 - Core 1 (B) 2402 MHz (CH37) 6 dB Bandwidth




Figure 109 - Core 1 (B) 2440 MHz (CH17) 99% Bandwidth




Figure 110 - Core 1 (B) 2440 MHz (CH17) 6 dB Bandwidth




Figure 111 - Core 1 (B) 2480 MHz (CH39) 99% Bandwidth




Figure 112 - Core 1 (B) 2480 MHz (CH39) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 5.2 a)	Test Method(s):	C63.10 6.9.3 C63.10 11.8.1
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA GFSK (LE 1M)	Duty Cycle (%):	-
Antenna Configuration:	Beamforming	DCCF (dB):	-
Active Port(s):	A+B (Core 0 + Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)					Limit (kHz)
	A	B	C	D	Minimum	
2402	0.724	0.724	-	-	0.724	≥500.0
2440	0.704	0.724	-	-	0.704	≥500.0
2480	0.720	0.728	-	-	0.720	≥500.0

Table 49 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)					Limit (kHz)
	A	B	C	D	Minimum	
2402	1.036	1.036	-	-	1.036	-
2440	1.036	1.040	-	-	1.036	-
2480	1.040	1.040	-	-	1.040	-

Table 50 - 99% Bandwidth Results




Figure 113 - Core 0 (A) 2402 MHz (CH37) 99% Bandwidth




Figure 114 - Core 0 (A) 2402 MHz (CH37) 6 dB Bandwidth




Figure 115 - Core 1 (B) 2402 MHz (CH37) 99% Bandwidth




Figure 116 - Core 1 (B) 2402 MHz (CH37) 6 dB Bandwidth




Figure 117 - Core 0 (A) 2440 MHz (CH17) 99% Bandwidth




Figure 118 - Core 0 (A) 2440 MHz (CH17) 6 dB Bandwidth




Figure 119 - Core 1 (B) 2440 MHz (CH17) 99% Bandwidth




Figure 120 - Core 1 (B) 2440 MHz (CH17) 6 dB Bandwidth




Figure 121 - Core 0 (A) 2480 MHz (CH39) 99% Bandwidth




Figure 122 - Core 0 (A) 2480 MHz (CH39) 6 dB Bandwidth




Figure 123 - Core 1 (B) 2480 MHz (CH39) 99% Bandwidth



Figure 124 - Core 1 (B) 2480 MHz (CH39) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 5.2 a)	Test Method(s):	C63.10 6.9.3 C63.10 11.8.1
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA GFSK (LE 2M)	Duty Cycle (%):	-
Antenna Configuration:	Beamforming	DCCF (dB):	-
Active Port(s):	A+B (Core 0 + Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)					Limit (kHz)
	A	B	C	D	Minimum	
2402	1.176	1.184	-	-	1.176	≥500.0
2440	1.160	1.168	-	-	1.160	≥500.0
2480	1.144	1.176	-	-	1.144	≥500.0

Table 51 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)					Limit (kHz)
	A	B	C	D	Minimum	
2402	2.056	2.056	-	-	2.056	-
2440	2.056	2.064	-	-	2.056	-
2480	2.064	2.056	-	-	2.056	-

Table 52 - 99% Bandwidth Results




Figure 125 - Core 0 (A) 2402 MHz (CH37) 99% Bandwidth




Figure 126 - Core 0 (A) 2402 MHz (CH37) 6 dB Bandwidth




Figure 127 - Core 1 (B) 2402 MHz (CH37) 99% Bandwidth




Figure 128 - Core 1 (B) 2402 MHz (CH37) 6 dB Bandwidth




Figure 129 - Core 0 (A) 2440 MHz (CH17) 99% Bandwidth




Figure 130 - Core 0 (A) 2440 MHz (CH17) 6 dB Bandwidth




Figure 131 - Core 1 (B) 2440 MHz (CH17) 99% Bandwidth



Figure 132 - Core 1 (B) 2440 MHz (CH17) 6 dB Bandwidth




Figure 133 - Core 0 (A) 2480 MHz (CH39) 99% Bandwidth




Figure 134 - Core 0 (A) 2480 MHz (CH39) 6 dB Bandwidth




Figure 135 - Core 1 (B) 2480 MHz (CH39) 99% Bandwidth




Figure 136 - Core 1 (B) 2480 MHz (CH39) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 5.2 a)	Test Method(s):	C63.10 6.9.3 C63.10 11.8.1
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA $\pi/4$ DQPSK (4-DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)					Limit (kHz)
	A	B	C	D	Minimum	
2404	1.896	-	-	-	1.896	≥ 500.0
2441	1.880	-	-	-	1.880	≥ 500.0
2476	1.904	-	-	-	1.904	≥ 500.0

Table 53 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)					Limit (kHz)
	A	B	C	D	Minimum	
2404	2.328	-	-	-	2.328	-
2441	2.320	-	-	-	2.320	-
2476	2.320	-	-	-	2.320	-

Table 54 - 99% Bandwidth Results




Figure 137 - Core 0 (A) 2404 MHz (CH2) 99% Bandwidth




Figure 138 - Core 0 (A) 2404 MHz (CH2) 6 dB Bandwidth




Figure 139 - Core 0 (A) 2441 MHz (CH39) 99% Bandwidth




Figure 140 - Core 0 (A) 2441 MHz (CH39) 6 dB Bandwidth




Figure 141 - Core 0 (A) 2476 MHz (CH74) 99% Bandwidth




Figure 142 - Core 0 (A) 2476 MHz (CH74) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 5.2 a)	Test Method(s):	C63.10 6.9.3 C63.10 11.8.1
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA $\pi/4$ DQPSK (8-DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)					Limit (kHz)
	A	B	C	D	Minimum	
2404	1.005	-	-	-	1.005	≥ 500.0
2441	1.005	-	-	-	1.005	≥ 500.0
2476	1.005	-	-	-	1.005	≥ 500.0

Table 55 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)					Limit (kHz)
	A	B	C	D	Minimum	
2404	4.440	-	-	-	4.440	-
2441	4.440	-	-	-	4.440	-
2476	4.440	-	-	-	4.440	-

Table 56 - 99% Bandwidth Results




Figure 143 - Core 0 (A) 2404 MHz (CH2) 99% Bandwidth




Figure 144 - Core 0 (A) 2404 MHz (CH2) 6 dB Bandwidth




Figure 145 - Core 0 (A) 2441 MHz (CH39) 99% Bandwidth




Figure 146 - Core 0 (A) 2441 MHz (CH39) 6 dB Bandwidth




Figure 147 - Core 0 (A) 2476 MHz (CH74) 99% Bandwidth




Figure 148 - Core 0 (A) 2476 MHz (CH74) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 5.2 a)	Test Method(s):	C63.10 6.9.3 C63.10 11.8.1
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA $\pi/4$ DQPSK (4-DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)					Limit (kHz)
	A	B	C	D	Minimum	
2404	-	1.896	-	-	1.896	≥ 500.0
2441	-	1.888	-	-	1.888	≥ 500.0
2476	-	1.888	-	-	1.888	≥ 500.0

Table 57 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)					Limit (kHz)
	A	B	C	D	Minimum	
2404	-	2.320	-	-	2.320	-
2441	-	2.320	-	-	2.320	-
2476	-	2.320	-	-	2.320	-

Table 58 - 99% Bandwidth Results




Figure 151 - Core 1 (B) 2441 MHz (CH39) 99% Bandwidth




Figure 152 - Core 1 (B) 2441 MHz (CH39) 6 dB Bandwidth




Figure 153 - Core 1 (B) 2476 MHz (CH74) 99% Bandwidth




Figure 154 - Core 1 (B) 2476 MHz (CH74) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 5.2 a)	Test Method(s):	C63.10 6.9.3 C63.10 11.8.1
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA $\pi/4$ DQPSK (8-DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)					Limit (kHz)
	A	B	C	D	Minimum	
2404	-	1.005	-	-	1.005	≥ 500.0
2441	-	1.005	-	-	1.005	≥ 500.0
2476	-	1.005	-	-	1.005	≥ 500.0

Table 59 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)					Limit (kHz)
	A	B	C	D	Minimum	
2404	-	4.440	-	-	4.440	-
2441	-	4.440	-	-	4.440	-
2476	-	4.440	-	-	4.440	-

Table 60 - 99% Bandwidth Results




Figure 155 - Core 1 (B) 2404 MHz (CH2) 99% Bandwidth




Figure 156 - Core 1 (B) 2404 MHz (CH2) 6 dB Bandwidth




Figure 157 - Core 1 (B) 2441 MHz (CH39) 99% Bandwidth




Figure 158 - Core 1 (B) 2441 MHz (CH39) 6 dB Bandwidth




Figure 159 - Core 1 (B) 2476 MHz (CH74) 99% Bandwidth




Figure 160 - Core 1 (B) 2476 MHz (CH74) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 5.2 a)	Test Method(s):	C63.10 6.9.3 C63.10 11.8.1
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA $\pi/4$ DQPSK (4-DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	C (Core 2)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)					Limit (kHz)
	A	B	C	D	Minimum	
2404	-	-	1.896	-	1.896	≥ 500.0
2441	-	-	1.880	-	1.880	≥ 500.0
2476	-	-	1.888	-	1.888	≥ 500.0

Table 61 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)					Limit (kHz)
	A	B	C	D	Minimum	
2404	-	-	2.328	-	2.328	-
2441	-	-	2.320	-	2.320	-
2476	-	-	2.320	-	2.320	-

Table 62 - 99% Bandwidth Results




Figure 161 - Core 2 (C) 2404 MHz (CH2) 99% Bandwidth




Figure 162 - Core 2 (C) 2404 MHz (CH2) 6 dB Bandwidth




Figure 165 - Core 2 (C) 2476 MHz (CH74) 99% Bandwidth




Figure 166 - Core 2 (C) 2476 MHz (CH74) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 5.2 a)	Test Method(s):	C63.10 6.9.3 C63.10 11.8.1
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA $\pi/4$ DQPSK (8-DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	C (Core 2)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)					Limit (kHz)
	A	B	C	D	Minimum	
2404	-	-	1.020	-	1.020	≥ 500.0
2441	-	-	1.020	-	1.020	≥ 500.0
2476	-	-	1.020	-	1.020	≥ 500.0

Table 63 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)					Limit (kHz)
	A	B	C	D	Minimum	
2404	-	-	4.440	-	4.440	-
2441	-	-	4.440	-	4.440	-
2476	-	-	4.455	-	4.455	-

Table 64 - 99% Bandwidth Results




Figure 167 - Core 2 (C) 2404 MHz (CH2) 99% Bandwidth




Figure 168 - Core 2 (C) 2404 MHz (CH2) 6 dB Bandwidth




Figure 171 - Core 2 (C) 2476 MHz (CH74) 99% Bandwidth




Figure 172 - Core 2 (C) 2476 MHz (CH74) 6 dB Bandwidth