



1111 W. 35th Street, Chicago, IL 60609
www.tripplite.com

PRICE LIST


COMPUTER, ELECTRONIC AND TELECOM EQUIPMENT (RETAIL)

January 1, 2006 REPLACES ALL PREVIOUS LISTS

All products listed are for 60 Hz, 120V applications unless otherwise indicated in their descriptions. All outlets are 15-amp unless noted.

CONTACT US TODAY!
To Place Order: (773) 869-1797
For Technical Assistance: (773) 869-1234
For Fax Orders: (773) 869-1329
For Return Information: (773) 869-1103
For General Office: (773) 869-1111

CHOOSE THE PRODUCT THAT BEST SOLVES YOUR SPECIFIC APPLICATION NEED.




UPS SYSTEMS, EXTERNAL BATTERY PACKS & ACCESSORIES

- Intelligent UPS Systems** pg. 2-3
Reliable battery backup and complete power management control for everything from a single PC to an entire network—500VA to 10kVA.
- Intelligent 3-Phase UPS Systems** pg. 4
Large battery backup with 3-phase on-line, double-conversion protection for mission-critical applications—20kVA and 30kVA.
- External Battery Packs** pg. 4
Increase the runtime of select UPS systems—rackmount and tower models.
- Communication Accessories** pg. 4
Web-based remote power management and control.

- UPS Accessories** pg. 4
Isolation transformers, distribution transformer modules and mounting accessories.
- Line-Interactive UPS Systems** pg. 5
Automatic voltage regulation protection for PCs, workstations and servers—300VA to 1500VA.
- Standby UPS Systems** pg. 5
Economical battery backup and surge protection for PCs, modem/fax lines and peripherals—300VA to 1400VA.
- Full Isolation UPS Systems** pg. 6
Built-in isolation transformers provide superior line noise filtering and spike suppression—500VA to 1000VA.

- Extended-Run UPS Systems** pg. 6
Recommended when long-term battery backup is needed for telephone/industrial applications—600VA to 1200VA.
- Replacement Battery Cartridges (R.B.C.)** pg. 8
Extend the life of older UPS systems—models compatible with most UPS brands.
- SmartRack™ Enclosures, Racks & Accessories** pg. 9
Increase the manageability and functionality of UPS systems.
- Worldwide UPS Systems** pg. 12-13
A complete line of UPS systems with a variety of input/output voltage ranges for worldwide distribution—500VA to 80kVA.

SURGE SUPPRESSORS, MULTIPLE OUTLET STRIPS, POWER DISTRIBUTION UNITS & NOTEBOOK ACCESSORIES




- Isobar® Premium Surge Suppressors** pg. 7
Premium surge suppressors with exclusive isolated filter banks for the highest level of protection—up to 8 outlets.
- Protect It!™ & Other Surge Suppressors** pg. 7
Economical spike and noise suppressors with modem/fax, coaxial and/or Ethernet line protection—up to 10 outlets.
- Isobar® Rackmount Surge Suppressors** pg. 8
All of the premium features of the Isobar line in slim 1U rackmountable cabinets—12 outlets.

- Rackmount & General-Purpose Multiple Outlet Strips** pg. 8
Provide convenient multiple AC outlets wherever needed—up to 24 outlets.
- Power Distribution Units** pg. 8
Offer multiple AC outlets in rack enclosures in either “Zero U” or “1U” configurations—up to 24 outlets.
- Network Dataline Surge Protectors** pg. 9
Guard against the harmful effects of lightning, electrostatic discharge and ground surges—a variety of communication interfaces.


- Worldwide Surge Suppressors** pg. 13
Reliable and cost-effective solutions for protecting all home/business applications against surges—up to 6 outlets.
- Noteables™ Notebook Accessories** pg. 14
Maximize the functionality of notebook computers with cases, keyboards, mice, hubs, cables, stands and more.

INVERTERS, LINE CONDITIONERS, ISOLATION TRANSFORMERS & DC POWER SUPPLIES




- Isolator® Full Isolation Transformers** pg. 6
Provide superior line noise rejection and spike suppression—up to 1000 watts.
- Line Conditioners/Voltage Regulators** pg. 6
Automatically adjust low or high voltage to normal AC voltage without a battery—up to 2400 watts.
- PowerVerter® Inverters** pg. 10
Convert 12/24V DC battery power to 120V AC power for mobile/stationary applications—up to 3000 watts.
- Inverters with Automatic Transfer Switch & Charger** pg. 10
Convert 12/24/36/48V DC battery power to 120V AC power with automatic switchover to charging—up to 3600 watts.
- DC Power Supplies** pg. 10
Convert 120V AC power to 13.8V DC power for radios, test benches, amplifiers, and more—up to 60 amps.
- Worldwide Line Conditioners/Voltage Regulators** pg. 13
Automatically adjust low or high voltage to normal 230V AC voltage without a battery—up to 2000 watts.
- Worldwide Inverters with Automatic Transfer Switch & Charger** pg. 13
Convert 12/24/36V DC battery power to 230V 50Hz AC power with automatic switchover to charging—up to 3600 watts.

KVM SWITCHES, CABLES & CONNECTIVITY PRODUCTS




- Fibre Channel & Fiber Patch Cables** pg. 14
A full line of network cables in a variety of lengths and colors—up to 3 meters.
- Patch Cables, Bulk Cables, Video Splitters, Monitor Cables & USB Products** pg. 15
Superior data transfer rates and connectivity versatility for PC and network applications.
- KVM Switches & Accessories** pg. 16
Control multiple PCs/servers with a single keyboard/video/mouse console—up to 32 ports.

HEALTHCARE/MEDICAL PRODUCTS



- Healthcare/Medical Power Protection Products** pg. 6
Medical-grade UPS systems and isolation transformers certified to 60601-1 standards.
- Special Use Products with Hospital-Grade Plugs & Receptacles** pg. 6
Surge suppressors and power distribution units ideal for healthcare applications.

HOME THEATER/HIGH-END AUDIO PRODUCTS



- Power Protection & Connectivity** pg. 11
Ideal UPS system, surge suppressors and connectivity for all audio/video components.



“I just wish we would have invested in Tripp Lite protection sooner. The relatively small initial investment would have more than offset what we lost during any single one of the outages we had to endure before switching to Tripp Lite!”
Iomega Corporation R.J. Mendenhall, Telecommunications Engineer

INTELLIGENT UPS SYSTEMS

Designed for maximum compatibility and ease of use, Intelligent UPS systems include all software and cabling needed for network and SNMP management. They have an advanced on-board microprocessor to control UPS functions and enable extended network management. Each unit provides complete protection against blackouts, extended brownouts, surges and line noise. Line-Interactive models include automatic voltage regulation (AVR) to correct brownouts and overvoltages. Front panel LEDs report power quality and UPS performance. All models are 120 Volt unless otherwise indicated.

19" RACKMOUNT SMARTPRO® & SMARTONLINE™ UPS SYSTEMS

SU models are **TRUE ON-LINE UPS SYSTEMS WITH PURE SINE-WAVE OUTPUT, ZERO TRANSFER TIME AND FULL-TIME PRECISION VOLTAGE REGULATION.**



















🔋 = Models accept **battery packs for extended runtime.** Battery packs and accessories on page 4.

MODEL #	FEATURES	CONTROLLABLE OUTLETS	SUGGESTED RESALE
SMART500RT1U	500VA UPS, 1U rack/tower mount. SmartPro Intelligent Line-Interactive modified sine wave UPS. Comm. ports: 1 RS-232 & 1 USB. Outlets: 7. SNMP slot.	1	\$ 189.00
SMART750RM1U	750VA UPS, 1U rack/tower mount. SmartPro Intelligent Line-Interactive sine wave UPS. Comm. ports: 1 RS-232 & 1 USB. Outlets: 6. SNMP slot.	2	405.00
🔋 SMART750RML2U	750VA UPS, 2U rack/tower mount. SmartPro Intelligent Line-Interactive sine wave UPS. Comm. ports: 1 RS-232 & 1 USB. Outlets: 6. SNMP slot. 🔋 [Use BP24V28-2U or BP24V70-3U for extended runtime.]	2	485.00
🔋 SU 750RTL2U	750VA UPS, 2U rack/tower mount. SmartOnline Intelligent TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. Comm. port: 1 RS-232 & 1 USB. Outlets: 6. SNMP slot. 🔋 [Use BP24V28-2U or BP24V70-3U for extended runtime.]	2	557.00
SMART1000RM1U	1000VA UPS, 1U rack/tower mount. SmartPro Intelligent Line-Interactive sine wave UPS. Comm. ports: 1 RS-232 & 1 USB. Outlets: 6. SNMP slot.	2	532.00
SMART1000RM2U	1000VA UPS, 2U rack/tower mount. SmartPro Intelligent Line-Interactive sine wave UPS. Comm. ports: 1 RS-232 & 1 USB. Outlets: 6. SNMP slot.	2	487.00
🔋 SU 1000RTL2Ua	1000VA UPS, 2U rack/tower mount. SmartOnline Intelligent TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. Comm. ports: 1 RS-232 & 1 USB. Outlets: 6. SNMP slot. 🔋 [Use BP24V28-2U or BP24V70-3U for extended runtime.]	2	659.00
SMART1500RM2U	1500VA UPS, 2U rack/tower mount. SmartPro Intelligent Line-Interactive sine wave UPS. Comm. ports: 1 RS-232 & 1 USB. Outlets: 8. SNMP slot.	2	725.00
🔋 SMART1500RML2Ua	1500VA UPS, 2U rack/tower mount. SmartPro Intelligent Line-Interactive sine wave UPS. Comm. ports: 1 RS-232 & 1 USB. Outlets: 8. SNMP slot. 🔋 [Use BP36V15-2U or BP36V42-3U for extended runtime.]	3	792.00
🔋 SU 1500RTL2Ua	1500VA UPS, 2U rack/tower mount. SmartOnline Intelligent TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. Comm. ports: 1 RS-232 & 1 USB. Outlets: 6. SNMP slot. 🔋 [Use BP48V242U or BP48V60RT3U for extended runtime.]	2	863.00
SMART2200RML2U	2200VA UPS, 2U rack/tower mount. SmartPro Intelligent Line-Interactive sine wave UPS. Comm. ports: 2 RS-232 & 2 USB. Outlets: 8 (four 15-amp & four 15/20-amp). SNMP slot. 🔋 [Use BP48V242U or BP48V60RT3U for extended runtime.]	3	1079.00
🔋 SU 2200RTL2Ua	2200VA UPS, 2U rack/tower mount. SmartOnline Intelligent TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. Comm. ports: 1 RS-232 & 1 USB. Outlets: 7 (six 15/20-amp & one locking 20-amp). SNMP slot. 🔋 [Use BP48V242U or BP48V60RT3U for extended runtime.]	2	1265.00
🔋 SMART2600RM2U	2600VA UPS, 2U rack/tower mount. SmartPro Intelligent Line-Interactive sine wave UPS. Comm. ports: 2 RS-232 & 2 USB. Outlets: 9 (four 15-amp, four 15/20-amp & one locking 20-amp). SNMP slot. 🔋 [Use BP48V242U or BP48V60RT3U for extended runtime.]	3	1145.00
🔋 SMART3000RM2U	3000VA UPS, 2U rack/tower mount. SmartPro Intelligent Line-Interactive sine wave UPS. Comm. ports: 2 RS-232 & 2 USB. Outlets: 9 (four 15-amp, four 15/20-amp & one locking 30-amp). SNMP slot. 🔋 [Use BP48V242U or BP48V60RT3U for extended runtime.]	3	1219.00
🔋 SU 3000RTL3U	3000VA UPS, 3U rack/tower. SmartOnline Intelligent TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. Comm. ports: 1 RS-232 & 1 USB. Outlets: 9 (eight 15/20-amp & one locking 30-amp). SNMP slot. 🔋 [Use BP72V15-2U or BP72V28RT-3U for extended runtime.]	2	1853.00
🔋 SU 3000TRX3U	3000VA UPS, 3U rack/tower. SmartOnline Intelligent TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. Comm. ports: 1 RS-232 & 1 USB. Outlets: 9 (eight 15/20-amp & one locking 30-amp). SNMP slot. 🔋 [Use BP72V15-2U or BP72V28RT-3U for extended runtime.]	2	2257.00
🔋 SU 3000RTL3UHV	3000VA UPS, 200-240V 50/60Hz, 3U rack/tower. SmartOnline Intelligent TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. Comm. ports: 1 RS-232. Outlets: 8 (six 6-20R & two L6-20R). SNMP slot. 🔋 [Use BP72V15-2U or BP72V28RT-3U for extended runtime.]	2	2063.00
SMART5000TEL3U	5000VA UPS, 3U (including internal batteries) rack/tower mount. SmartPro Intelligent Line-Interactive sine wave UPS. 208V single phase input, 208 & 120V (400VA) output. Comm. ports: 1 USB, 1 RS-232 & 1 DB9 contact closure. Outlets: 5 (two 120V 15-amp, two 208V 20-amp twist lock & one 208V 30-amp twist lock). SNMP slot.	N/A	2459.00
🔋 SMART5000XFMRL	5000VA UPS, 3U (including internal batteries) rack/tower mount. SmartPro Intelligent Line-Interactive sine wave UPS. 208V single phase input, 208 & 120V output (full power at either or mixed output voltages). Comm. ports: 1 RS-232, 1 DB9 contact closure & 1 USB. Outlets: 11 (eight 120V 15/20-amp, two 208V 20-amp twist-lock & one 208V 30-amp twist-lock). SNMP slot. 🔋 [Use BP48V60RT3U for extended runtime.]	8	3213.00
🔋 SMART5000RT3U	5000VA UPS, 3U (power module) & 3U (external battery pack, included) rack/tower mount. SmartPro Intelligent Line-Interactive sine wave UPS. 208V single phase input, 208 & 120V output (full power at either or mixed output voltages). Comm. ports: 2 RS-232 & 2 USB. Outlets: 14 (ten 15-amp, two 15/20-amp & two 208V 30-amp). SNMP slot. 🔋 [Use BP48V60RT3U for extended runtime.]	8	3509.00
🔋 SU 5000RT4U	5000VA UPS, 4U (ALL-IN-ONE power module, battery module and dual voltage output circuit module) rack/tower mount. SmartOnline Intelligent TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. Input/Output: 120/240V or 120/208V 60Hz detachable bypass PDU w/ L6-14 plug and 10 ft. cord. 2 L6-30R, 2 L6-20R & 8 5-15/20R outlets. Comm. ports: 1 USB & 1 RS-232 w/ contact closure. 🔋 [Use BP192V12-3U for extended runtime.]	N/A	3645.00
🔋 SU 5000RT3UHV	5000VA UPS, 3U (power module) & 2U (external battery pack, included) rack/tower mount. SmartOnline Intelligent TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. Input: 200-240V 50/60 Hz. w/ L6-30P plug. Output: 200-240V selectable 50/60 Hz. Outlets: 4 (2 L6-20R & 2 L6-30R) SNMP slot, RS-232 & contact closure ports. 🔋 [Use BP240V10RT3U for extended runtime.]	N/A	3329.00
🔋 SU 5000RT3U	5000VA UPS, 3U (power module), 2U (isolation/distribution/step-down transformer) & 2U (external battery pack, included) rack/tower mount. SmartOnline Intelligent TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. Input: 200-240V 50/60Hz w/ L6-30P Output: 2 L6-20R, 2 L6-30R & 12 5-15/20R SNMP slot, RS-232 & contact closure ports. 🔋 [Use BP240V10RT3U for extended runtime.]	N/A	3989.00


19" RACKMOUNT SMARTPRO® & SMARTONLINE™ UPS SYSTEMS (CONTINUED)

MODEL #	FEATURES	CONTROLLABLE OUTLETS	SUGGESTED RESALE
 SU 6000RT4U	6000VA UPS, 4U (ALL-IN-ONE power module, battery module and dual voltage output circuit module) rack/tower mount. SmartOnline Intelligent TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. Input/Output: 120/240V or 120/208V 60Hz detachable bypass PDU w/ L6-14 plug and 10 ft. cord. 2 L6-30R, 2 L6-20R & 8 5-15/20R outlets. Comm. ports: 1 USB & 1 RS-232 w/ contact closure.  Use BP192V12-3U for extended runtime.	N/A	\$ 4525.00
 SU 6000RT3UHV	6000VA UPS, 3U (power module) & 3U (external battery pack, included) rack/tower mount. SmartOnline Intelligent TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. 200-240V 50/60 Hz. auto-sensing single phase hardwired input/output. Comm. ports: 1 RS-232 & 1 contact closure. SNMP slot. Alternate back panels on page 4.  Use BP240V10RT3U for extended runtime.	N/A	4299.00
 SU 6000RT3U	6000VA UPS, 3U (power module), 3U (isolation/distribution/step-down transformer) & 3U (external battery pack, included) rack/tower mount. SmartOnline Intelligent TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. 200-240V 50/60Hz auto-sensing single phase hardwired input/200-240V & 120V output. Comm. ports: 1 RS-232 & 1 contact closure. Alternate back panels on page 4. SNMP slot.  Use BP240V10RT3U for extended runtime.	N/A	5399.00
 SU 7500RT3U	7500VA UPS, 3U (power module) & 3U (external battery pack, included) rack/tower mount. TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. 200-240V 50/60 Hz. Detachable bypass PDU with 3-wire hardwired input and 2 L6-30R and 4 L6-20R output receptacles. Comm. ports: 1 RS-232 & 1 DB9 contact closure. SNMP slot.  Use BP240V10RT3U for extended runtime.	N/A	5137.00
 SU 7500RT3U1TF	7500VA UPS, 3U (power module) & 3U (external battery pack, included) rack/tower mount. TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. 200-240V 60 Hz. Detachable bypass PDU with 3-wire hardwired input and 2 L6-30R and 4 L6-20R output receptacles. Includes one 2U transformer, 200/208 volts, 60 Hz input, 115/120 & 230/240 volts, 60 Hz output with 1 L6-30R and 12 5-15/20R receptacles. Comm. ports: 1 USB & 1 RS-232 w/ contact closure. SNMP slot.  Use BP240V10RT3U for extended runtime.	N/A	5690.00
 SU 10000RT3U	10,000VA UPS, 3U (power module) & 3U (external battery pack, included) rack/tower mount. TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. 200-240V 50/60 Hz. Detachable bypass PDU with 3-wire hardwired input and 2 L6-30R and 4 L6-20R output receptacles. Comm. ports: 1 RS-232 & 1 DB9 contact closure. SNMP slot.  Use BP240V10RT3U for extended runtime.	N/A	6121.00
 SU 10000RT3U2TF	10,000VA UPS, 3U (power module) & 3U (external battery pack, included) rack/tower mount. TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. 200-240V 60 Hz. Detachable bypass PDU with 3-wire hardwired input and 2 L6-30R and 4 L6-20R output receptacles. Includes two 2U transformers, 200/208 volts, 60 Hz input, 115/120 & 230/240 volts, 60 Hz output with 1 L6-30R and 12 5-15/20R receptacles each. Comm. ports: 1 USB & 1 RS-232 w/ contact closure. SNMP slot.  Use BP240V10RT3U for extended runtime.	N/A	7349.00
 SU 10KRT3UHV	10,000VA. 3U (power module) & 3U (external battery pack, included) rack/tower mount. SmartOnline Intelligent TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. 200-240V 50/60 Hz. auto-sensing single phase input/output. Comm. ports: 1 RS-232 & 1 contact closure. Outlets: hardwired. SNMP slot.  Use BP240V10RT3U for extended runtime.	N/A	5536.00
 SU 10KRT3U	10,000VA. 3U (power module), 3U (isolation/distribution/step-down transformer) & 3U (external battery pack, included) rack/tower mount. SmartOnline Intelligent TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. 200-240V 50/60Hz auto-sensing single phase input/200-240V & 120V output. Comm. ports: 1 RS-232 & 1 contact closure. Outlets: hardwired. SNMP slot.  Use BP240V10RT3U for extended runtime.	N/A	6836.00

TOWER SMARTPRO® AND SMARTONLINE™ UPS SYSTEMS

MODEL #	FEATURES	CONTROLLABLE OUTLETS	SUGGESTED RESALE
SMART500RT1U	500VA UPS, 1U rack/tower mount. SmartPro Intelligent Line-Interactive UPS. Comm. ports: 1 RS-232 & 1 USB. Outlets: 7. SNMP slot.	1	\$ 189.00
SMART700	700VA UPS, SmartPro Intelligent Line-Interactive UPS. Tower. Comm. ports: 1 USB. Outlets: 6.	N/A	269.00
SMART700SER	700VA UPS, SmartPro Intelligent Line-Interactive UPS. Tower. Comm. ports: 1 RS-232. Outlets: 6.	N/A	269.00
SMART750SLT	750VA UPS, SmartPro Intelligent Line-Interactive UPS. Tower. Comm. ports: 1 RS-232 & 1 USB. Outlets: 8. SNMP slot.	N/A	299.00
 SMART750XL	750VA UPS, SmartPro Intelligent Line-Interactive UPS. Tower. Comm. ports: 1 RS-232 & 1 USB. Outlets: 6. SNMP slot.  Use BP36V27 for extended runtime.	N/A	471.00
 SU 750XL	750VA UPS, SmartOnline Intelligent TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. Tower. Comm. port: 1 RS-232 & 1 USB. Outlets: 6. SNMP slot.  Use BP24V14 or BP24V34 for extended runtime.	2	485.00
SMART1050	1050VA UPS, SmartPro Intelligent Line-Interactive UPS. Tower. Comm. ports: 1 USB. Outlets: 6.	N/A	347.00
SMART1050SLT	1050VA UPS, SmartPro Intelligent Line-Interactive UPS. Tower. Comm. ports: 1 RS-232 & 1 USB. Outlets: 8. SNMP slot.	N/A	399.00
 SU 1000XLa	1000VA UPS, SmartOnline Intelligent TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. Tower. Comm. ports: 1 RS-232 & 1 USB. Outlets: 6. SNMP slot.  Use BP24V14 or BP24V34 for extended runtime.	2	549.00
SMART1500	1500VA UPS, SmartPro Intelligent Line-Interactive UPS. Tower. Comm. ports: 1 RS-232 & 1 USB. Outlets: 6.	1	412.00
SMART1500SLT	1500VA UPS, SmartPro Intelligent Line-Interactive UPS. Tower. Comm. ports: 1 RS-232 & 1 USB. Outlets: 8. SNMP slot.	N/A	479.00
 SMART1500XL	1500VA UPS, SmartPro Intelligent Line-Interactive UPS. Tower. Comm. ports: 1 RS-232 & 1 USB. Outlets: 6.  Use BP36V27 for extended runtime.	1	585.00
SMART2200VS	2200VA UPS, SmartPro Intelligent Line-Interactive UPS. Tower. Comm. ports: 2 RS-232 & 2 USB. Outlets: 9 (seven 15-amp & two 15/20-amp). SNMP slot.	3	779.00
 SMART2200VSXL	2200VA UPS, SmartPro Intelligent Line-Interactive UPS. Tower. Comm. ports: 2 RS-232 & 1 USB. Outlets: 10 (seven 15-amp, two 15/20-amp & one locking 20-amp). SNMP slot.  Use BP48V18 for extended runtime.	3	867.00
SMART2200NET	2200VA UPS, SmartPro Intelligent Line-Interactive UPS. Tower. Comm. ports: 1 RS-232 & 2 contact closure. Outlets: 6.	2	879.00
 SU 2200XL	2200VA UPS, SmartOnline Intelligent TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. Tower. Comm. port: 1 RS-232. Outlets: 7 (six 15/20-amp & one locking 20-amp). SNMP slot.  Use BP72V9 or BP72V18 for extended runtime.	2	1041.00
 SMART3000VS	3000VA UPS, SmartPro Intelligent Line-Interactive UPS. Tower. Comm. ports: 2 RS-232 & 1 USB. Outlets: 10 (seven 15-amp, two 15/20-amp & one locking 30-amp). SNMP slot.  Use BP48V18 for extended runtime.	3	1050.00
 SMART3000NET	3000VA UPS, SmartPro Intelligent Line-Interactive UPS. Tower. Comm. ports: 1 RS-232 & 2 contact closure. Outlets: 8 (four 15-amp & four 15/20-amp).  Use BP24V33 for extended runtime.	2	1165.00
 SU 3000XL	3000VA UPS, SmartOnline Intelligent TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. Tower. Comm. port: 1 RS-232. Outlets: 7 (six 15/20-amp & one locking 30-amp). SNMP slot.  Use BP72V9 or BP72V18 for extended runtime.	2	1445.00

INTELLIGENT 3-PHASE UPS SYSTEMS

Tripp Lite's SmartOnline 3-Phase UPS Systems provide the highest level of power protection for 3-phase equipment. All models are 120/208V, 3-phase, 4 wire input/output True On-Line UPS with Pure Sine-Wave Output, Zero Transfer and Full-Time Precision Voltage Regulation. Comm. Ports: 1 RS-232, 1 DB9 & 1 AS-400. SNMP Slot.  = All 3-phase models accept battery packs for extended runtime. Battery packs and accessories below or contact Tripp Lite for extended runtimes.

MODEL #	FEATURES	SUGGESTED RESALE
SU 20K3/3	20kVA tower mount UPS. Includes power module and BP240V33 battery module.	\$ 14,399.00
W3STRTUP20	Start-up service (recommended). Monday – Friday, 8 am - 5 pm.	1850.00
SU 20KMBP	External wall-mount 3-breaker maintenance bypass for increased availability.	1300.00
SU 30K3/3	30kVA tower mount UPS. Includes power module and BP240V33 battery module.	16,700.00
W3STRTUP30	Start-up service (recommended). Monday – Friday, 8 am - 5 pm.	2200.00
SU 30KMBP	External wall-mount 3-breaker maintenance bypass for increased availability.	1800.00

EXTERNAL BATTERY PACKS (See UPS specifications for compatibility information)

Tripp Lite offers a full line of external battery packs. For additional battery options, contact Tripp Lite at (773) 869-1234 for further assistance.

MODEL #	FEATURES	SUGGESTED RESALE
BP12V81	12V external battery pack (expandable) Tower. YELLOW 2-point battery connector.	\$ 387.00
BP24V14	24V external battery pack — Tower. Small RED/BLACK battery connector.	162.00
BP24V28-2U	24V external battery pack — 2U rackmount or tower. Small RED/BLACK battery connector.	446.00
BP24V33	24V external battery pack (expandable) Tower. RED 2-point battery connector.	386.00
BP24V34	24V external battery pack (expandable) Tower. Small RED/BLACK battery connector.	370.00
BP24V70-3U	24V external battery pack (expandable) 3U rackmount or tower. Small RED/BLACK battery connector.	929.00
BP36V15-2U	36V external battery pack — 2U rackmount or tower. Small GREY 2-point battery connector.	429.00
BP36V27	36V external battery pack (expandable) Tower. Small GREY 2-point battery connector.	370.00
BP36V42-3U	36V external battery pack (expandable) 3U rackmount or tower. Small GREY 2-point battery connector.	929.00
BP48V18	48V external battery pack (expandable) Tower. BLUE 2-point battery connector.	411.00
BP48V242U	48V external battery pack — 2U rackmount or tower. BLUE 2-point battery connector.	504.00
BP48V60RT3U	48V external battery pack (expandable) 3U rackmount or tower. BLUE 2-point battery connector.	929.00
BP72V9	72V external battery pack — Tower. BLACK 3-point battery connector, for SU models.	459.00
BP72V12-2U	Replaced by BP72V15-2U	See Below.
BP72V15-2U	72V external battery pack — 2U rackmount or tower. BLACK 3-point battery connector, for SU models.	650.00
BP72V18	72V external battery pack (expandable) Tower. BLACK 3-point battery connector, for SU models.	555.00
BP72V21-3U	Replaced by BP72V28RT-3U	See Below.
BP72V28RT-3U	72V external battery pack (expandable) 3U rackmount or tower. BLACK 3-point battery connector, for SU models.	929.00
BP192V12-3U	192V external battery pack (expandable) 3U rackmount or tower. BLACK 3-point battery connector, for SU models.	929.00
BP240V5-2U	Replaced by BP240V10RT3U	See Below.
BP240V10RT3U	240V external battery pack (expandable) 3U rackmount or tower. BLACK 3-point battery connector, for SU models.	929.00
BP240V32	240V external battery pack — Tower. BLACK 3-point battery connector, for SU 6kVA and 10kVA single-phase models.	3798.00
BP240V33	240V external battery pack (expandable) Tower. HARDWIRE, for SU 20kVA and 30kVA 3-phase models.	3798.00

COMMUNICATION ACCESSORIES

MODEL #	FEATURES	SUGGESTED RESALE
SNMPWEBCARD	Internal Universal SNMP/Web management accessory card connects UPS to Ethernet.	\$ 279.00
SNMPWEBSOLO	External Universal SNMP/Web management accessory card connects UPS to Ethernet.	279.00
SNMPCARD	Internal SNMP/Web management accessory card connects UPS to Ethernet (fits SU on-line models).	269.00
ENVIROSENSE	Allows UPS to monitor external temp./humidity and contact-closure inputs (requires an SNMP card).	170.00
WATCHDOGGSW	WatchDog Service Monitoring/Rebooting Software.	125.00
ENTERPRISE	Web-based, enterprise level monitoring and control software.	Contact Tripp Lite for pricing

UPS ACCESSORIES

MODEL #	FEATURES	SUGGESTED RESALE
SU 5000XFMRT2U	2U rack/tower mount isolation/distribution/step-down transformer. 208V 60 Hz single phase input/120/240V output. Outlets: 12 (15/20-amp), L6-30P plug. For use with SU 5000RT3UHV, SU 7500RT3U and SU 10000RT3U models.	\$ 939.00
SUPDM56HW	For SU 5000RT4U and SU 6000RT4U models only. Independent detachable hardwired power distribution unit.	122.00
SUPDM710HW	For SU 7500 and SU 10000 models only. Independent detachable hardwired power distribution unit.	122.00
SUPDM11	Alternate back panel for SU 6000RT3UHV model only. Converts from hardwired to L6-30P plug/cord set & two L6-30R outlets. 208V.	122.00
SUPDM12	Alternate back panel for distribution transformer module— SU 6000RT3U model only. Converts from hardwired to L6-30P plug/cord set and 13 outlets (ten 120V 15/20-amp, two 208V L6-20R & one 208V L6-30R).	257.00
SUPDM13	Alternate back panel for distribution transformer module— SU 6000RT3U model only. Converts from hardwired to L6-30P plug/cord set and 13 outlets (ten 120V 15/20-amp, two 240V L6-20R & one 240V L6-30R).	257.00
BPMULTI	Connector for multiple battery pack applications.	89.00
UPSRMRII	Adjustable, horizontal mounting rails. Easy installation. Fits all 4-post racks. For any rackmount UPS or battery packs.	77.00
UPSWM	Wallmount Bracket for most tower UPS models. Visit: www.tripplite.com	136.00
2POSTRMKITWM	Horizontal mounting rails for 2 post rackmount/wallmount installation. Easy installation. Fits all 2 post racks. For all current rackmount UPS or battery packs.	77.00
2-9USTAND	Tower kit with 2 base stands. Converts 19" rack products to tower. Expandable from 2U to 9U.	77.00

LINE-INTERACTIVE UPS SYSTEMS

DIGITAL UPS SYSTEMS

Digital models protect PCs, workstations and home entertainment systems with long-lasting battery backup support. A liquid crystal display indicates input voltage, battery capacity and a variety of operating conditions. Models stand vertically or lie horizontally, and the LCD display rotates for easy viewing in either position. Communications ports provide power management when used with PowerAlert Software (Web download). Line-interactive operation provides voltage correction. Modem/fax/coaxial line surge protection available.

MODEL #	FEATURES	SUGGESTED RESALE
OMNI650LCD	650VA UPS, Liquid Crystal Display Smart Line-Interactive, USB port, 8 outlets.	\$ 132.00
OMNI900LCD	900VA UPS, Liquid Crystal Display Smart Line-Interactive, USB port, 8 outlets.	167.00
SMART1000LCD	1000VA UPS, Liquid Crystal Display Smart Line-Interactive, USB port, 1-line modem/fax, 1-line coax, 8 outlets (4 UPS/surge, 4 surge).	220.00
SMART1200LCD	1200VA UPS, Liquid Crystal Display 2U Rack/Tower Mount Smart Line-Interactive, USB & DB9 ports, 1-line modem/fax/Ethernet, 8 outlets (4 UPS/surge, 4 surge).	247.00
SMART1500LCD	1500VA UPS, Liquid Crystal Display 2U Rack/Tower Mount Smart Line-Interactive, USB & DB9 ports, 1-line modem/fax/Ethernet, 8 outlets (4 UPS/surge, 4 surge).	287.00

SMART USB LINE-INTERACTIVE UPS SYSTEMS

Smart USB models include a USB port (cable included) to provide power management when used with PowerAlert Software (Web download). Line-interactive operation corrects brownouts. 3 UPS and 3 surge-only outlets protect computers and peripherals. Built-in jacks provide modem protection. Tower with small footprint.

MODEL #	FEATURES	SUGGESTED RESALE
SMART550USB	550VA UPS, Intelligent Line-Interactive, USB port, 1-line modem/fax, 6 outlets.	\$ 120.00
SMART550USBWD	550VA UPS, Intelligent Line-Interactive, USB port, 1-line modem/fax, 6 outlets. Includes Watchdog software.	139.00
SMART750USB	750VA UPS, Intelligent Line-Interactive, USB port, 1-line modem/fax/Ethernet, 6 outlets.	139.00


OMNISMART™ WIDE-RANGE LINE-INTERACTIVE UPS SYSTEMS

OmniSmart models are the tower, small footprint line-interactive solution for workstations. A USB port (cable included) provides power management when used with PowerAlert Software (Web download). Line-interactive (correction from 75-147 volts) corrects more severe brownouts. All feature multi-operational status LEDs (including battery replace) and wide-range voltage correction. OmniSmart models contain larger batteries to provide longer runtimes.

MODEL #	FEATURES	SUGGESTED RESALE
OMNISMART300	300VA UPS, Line-Interactive, corrects brownouts. Modem/fax protection. USB port. 3 outlets.	\$ 135.00
OMNISMART500	500VA UPS, Line-Interactive, corrects brownouts & overvoltages. Modem/fax protection. USB port. 6 outlets (3 UPS/surge, 3 surge-only).	179.00
OMNISMART700	700VA UPS, Line-Interactive, corrects brownouts & overvoltages. Modem/fax/Ethernet protection. USB port. 6 outlets (3 UPS/surge, 3 surge-only).	257.00
OMNISMART1050	1050VA UPS, Line-Interactive, corrects brownouts & overvoltages, AVR LED. USB port. 6 outlets.	352.00
OMNISMART1400	1400VA UPS, Line-Interactive, corrects brownouts & overvoltages, AVR LED. USB port. 6 outlets.	570.00

OMNI VS/AVR LINE-INTERACTIVE UPS SYSTEMS

Omni VS and AVR models provide basic line-interactive UPS protection at an extremely economical price (cabling included, software available as Web download). Tower and low-profile cabinets.

MODEL #	FEATURES	SUGGESTED RESALE
AVR550U	550VA UPS, Low-Profile Line-Interactive, correct brownouts. Modem/fax protection. USB port. 8 outlets (4 UPS/surge, 4 surge).	\$ 69.00
AVR750U	750VA UPS, Low-Profile Line-Interactive, correct brownouts. Modem/fax protection. USB port. 8 outlets (4 UPS/surge, 4 surge).	89.00
OMNIVS800	800VA UPS, Tower. Line-Interactive, corrects brownouts. Modem/fax protection. USB port. 7 outlets (6 UPS/surge, 1 surge).	157.99
OMNIVS1000	1000VA UPS, Tower. Line-Interactive, corrects brownouts. Modem/fax protection. USB port. 8 outlets (6 UPS/surge, 2 surge).	199.00
OMNIVS1500	1500VA UPS, Tower. Line-Interactive, corrects brownouts. Modem/fax/Ethernet protection. USB port. 8 outlets (6 UPS/surge, 2 surge).	235.00
OMNIVS1500XL	1500VA UPS, Tower. Line-Interactive, corrects brownouts. Modem/fax/Ethernet protection. USB port. 8 outlets (6 UPS/surge, 2 surge).  Use BP24V14 or BP24V34 for extended runtime.	260.00

STANDBY UPS SYSTEMS

INTERNET OFFICE® STANDBY UPS SYSTEMS

Internet Office models protect equipment and stop Internet crashes. Built-in jacks provide modem/fax protection. Separate UPS/surge and surge-only outlets on all models (except TM500) protect computer and peripherals. TM500 includes undermonitor design and front switches for greater equipment control. Software (where applicable) downloadable from Web, or included.

MODEL #	FEATURES	SUGGESTED RESALE
INTERNETOFFICE300	300VA UPS, ultra-compact ultra-low profile, modem/fax prot., 6 outlets (3 UPS/surge, 3 surge).	\$ 77.00
BC350	350VA UPS, compact low profile, 6 outlets (3 UPS/surge, 3 surge).	35.50
INTERNET350U	350VA UPS, compact low profile, 1-line multi-device modem/fax prot., USB port/cabling, 8 outlets (4 UPS/surge, 4 surge).	39.95
INTERNET350SER	350VA UPS, compact low profile, 1-line multi-device modem/fax prot., DB9 port/cabling, 6 outlets (3 UPS/surge, 3 surge).	36.99
INTERNET550U	550VA UPS, compact low profile, 1-line multi-device modem/fax prot., USB port/cabling, 8 outlets (4 UPS/surge, 4 surge).	52.99
INTERNET550SER	550VA UPS, compact low profile, 1-line multi-device modem/fax prot., DB9 port/cabling, 8 outlets (4 UPS/surge, 4 surge).	49.50
TM500 (INTERNET OFFICE 500 LP)	500VA UPS, undermonitor, modem/fax prot., 6 separately switched outlets.	224.00
INTERNET750U	750VA UPS, compact low profile, 1-line multi-device modem/fax prot., USB port/cabling, 8 outlets (4 UPS/surge, 4 surge).	99.95
INTERNETOFFICE500	500VA UPS, Small-footprint tower. 2-line modem/fax protection, USB port & cabling, 6 outlets (3 UPS/surge, 3 surge).	112.00
INTERNETOFFICE700	700VA UPS, Small-footprint tower. 1-line modem/fax protection, USB port & cabling, 6 outlets (3 UPS/surge, 3 surge).	139.00

BC PRO®/BC PERSONAL STANDBY UPS SYSTEMS

BC Personal models provide excellent protection from blackouts, surges and line noise. BC Pro models also include USB port, cabling and software (Web download).

MODEL #	FEATURES	SUGGESTED RESALE
BCPERS300	300VA UPS, 3 outlets, small footprint.	\$ 67.00
BCPERSONAL450	450VA UPS, replace-battery LED, self-test, 3 outlets, small footprint.	99.00
BCPRO600	600VA UPS, modem/fax protection, 6 outlets (3 UPS/surge, 3 surge-only), small footprint.	136.00
BCPRO1050	1050VA UPS, 6 outlets, replace-battery LED, overload LED, self-test, alarm, small footprint.	372.00
BCPRO1400	1400VA UPS, 6 outlets, replace-battery LED, overload LED, self-test, alarm, small footprint.	537.00

FULL ISOLATION UPS SYSTEMS

UPS systems with full isolation combine line voltage regulation, continuity of power during outages, and the superior noise and spike filtering of a true isolated system. Models eliminate the need for a dedicated AC line. 120V 60Hz input and output. Ideal for kiosks, P.O.S. applications, and anywhere extra isolation is needed for protection under severe applications.



MODEL #	FEATURES	SUGGESTED RESALE
OMNI500ISO	500VA UPS, automatic voltage regulation with FULL LINE ISOLATION . Outlets: 6 (3 UPS/3 surge). USB communication port.	\$ 239.00
OMNI750ISO	750VA UPS, automatic voltage regulation with FULL LINE ISOLATION . Outlets: 6. USB communication port.	399.00
OMNI1000ISO	1000VA UPS, automatic voltage regulation with FULL LINE ISOLATION . Outlets: 6. USB communication port.	465.00

EXTENDED-RUN UPS SYSTEMS

Designed for more diversified applications, these models are recommended when long-term backup is needed (telephone system or industrial applications). TE units include built-in, over-sized batteries in an attractive, office-compatible cabinet. Also see Inverter/Chargers on page 10. TE models include larger batteries for extended runtime as well as a DB9 contact closure port.

MODEL #	FEATURES	SUGGESTED RESALE
TE600	600VA UPS, Line-Interactive. Tower. Outlets: 6 (3 UPS/3 surge). Contact closure port: 1.	\$ 301.00
TE1200	1200VA UPS, Line-Interactive. Tower. Outlets: 6. Contact closure port: 1.	603.00
UPSWM	Wallmount Bracket for TE600, TE1200	136.00

HEALTHCARE/MEDICAL POWER PROTECTION PRODUCTS

MODEL #	FEATURES	SUGGESTED RESALE
MEDICAL-GRADE UPS SYSTEMS—UL 60601-1/ FULL ISOLATION		
 SMART1200XLHG	1000VA UPS, Intelligent Line-Interactive. UL 60601-1 Listed. FULL ISOLATION . Transformer with a Faraday shield. 4 hospital-grade outlets and hospital-grade plug. Comm. ports: 1 RS-232 & 1 USB.  Use BP36V27 for extended runtime.	\$ 849.00
SMART700HG	700VA UPS, Intelligent Line-Interactive. UL 60601-1 Listed. FULL ISOLATION . Transformer with a Faraday shield. 4 hospital-grade outlets and hospital-grade plug. Comm. port: 1 RS-232 & 1 USB.	661.00
OMNISMART350HG	330VA UPS, Line-Interactive. UL 60601-1 Listed. FULL ISOLATION . Transformer with a Faraday shield. 2-line modem/fax protection. 4 hospital-grade outlets and hospital-grade plug. 1 basic comm. port.	442.00
BP36V27	36V external battery pack and cables (for SMART1200XLHG).	370.00
MEDICAL-GRADE ISOLATION TRANSFORMERS—UL 60601-1/ FULL ISOLATION		
IS1800HG	1800 Watt FULL ISOLATION . Transformer with Faraday shield. UL 60601-1 Listed. 6 hospital-grade outlets and hospital-grade plug.	463.00
IS1000HG	1000 Watt FULL ISOLATION . Transformer with Faraday shield. UL 60601-1 Listed. 4 hospital-grade outlets and hospital-grade plug.	343.00
IS500HG	500 Watt FULL ISOLATION . Transformer with Faraday shield. UL 60601-1 Listed. 4 hospital-grade outlets and hospital-grade plug.	238.00
IS250HG	250 Watt FULL ISOLATION . Transformer with Faraday shield. UL 60601-1 Listed. 2 hospital-grade outlets and hospital-grade plug.	163.00

SPECIAL USE PRODUCTS WITH HOSPITAL-GRADE PLUGS AND RECEPTACLES

MODEL #	FEATURES	SUGGESTED RESALE
SURGE SUPPRESSORS WITH HOSPITAL-GRADE PLUGS AND RECEPTACLES—UL 1449		
ISOBAR6ULTRAHG	Premium Surge Suppressor. 15 ft. cord. 1 isolated filter bank. Diagnostics. 6 hospital-grade outlets and hospital-grade plug.	\$ 117.00
SPS-615-HG	Economy Surge Suppressor. 15 ft. cord. 6 hospital-grade outlets and hospital-grade plug.	70.00
POWER DISTRIBUTION STRIPS WITH HOSPITAL-GRADE PLUGS AND RECEPTACLES—UL 1363		
RS-1215-HG	Rackmount Power Distribution Strip. 15 ft. cord. 12 hospital-grade outlets (6 front/6 rear) and hospital-grade plug.	86.00
PS-415-HG	Power Distribution Strip. 15 ft. cord. 4 hospital-grade outlets and hospital-grade plug.	49.00
PS-602-HG	Power Distribution Strip. 1½ ft. cord. 6 hospital-grade outlets and hospital-grade plug.	49.50
PS-606-HG	Power Distribution Strip. 6 ft. cord. 6 hospital-grade outlets and hospital-grade plug.	52.50
PS-615-HG	Power Distribution Strip. 15 ft. cord. 6 hospital-grade outlets and hospital-grade plug.	57.00
PS-615-HGULTRA	Power Distribution Strip. 15 ft. cord. 6 hospital-grade outlets (with hospital-grade FAULT PROTECTION GFCI) and hospital-grade plug.	99.95

ISOLATOR® FULL ISOLATION TRANSFORMERS

Isolation transformers provide superior line noise rejection and spike suppression. They eliminate the need for a dedicated AC line. 120V, 60 Hz output.

MODEL #	WATTAGE	FEATURES	SUGGESTED RESALE
IS250	250 watts	FULL ISOLATION . Transformer with Faraday Shield, 2 outlets.	\$ 135.00
IS500	500 watts	FULL ISOLATION . Transformer with Faraday Shield, 4 outlets.	189.00
IS1000	1000 watts	FULL ISOLATION . Transformer with Faraday Shield, 4 outlets.	249.00

LINE CONDITIONERS/VOLTAGE REGULATORS

Ideal for brownout conditions, Tripp Lite line conditioners automatically adjust low or high voltage to normal AC voltage (117V AC) without a battery. All models include built-in spike and noise filtering. LC models feature premium ISOBAR® surge suppression and multi-colored diagnostic LEDs.

MODEL #	WATTAGE	FEATURES	SUGGESTED RESALE
LS606M	600 watts	High/low voltage correction, 6 outlets.	\$ 135.00
LS604WM	600 watts	Wallmount, high/low voltage correction, 4 outlets.	179.00
LC1200	1200 watts	ISOBAR® protection, high/low voltage correction, 4 outlets.	172.00
LC1200WM	1200 watts	Wallmount, ISOBAR® protection, high/low voltage correction, 4 outlets.	255.00
LC1800	1800 watts	ISOBAR® protection, high/low voltage correction, 7 LED readout, 6 outlets.	255.00
LC2400	2400 watts	ISOBAR® protection, high/low voltage correction, 7 LED readout, 6 outlets.	385.00
LCR2400	2400 watts	Rackmount, 3U, ISOBAR® protection, high/low voltage correction, 5 LED readout, 14 outlets.	499.00

ISOBAR® PREMIUM SURGE AND NOISE SUPPRESSORS

isobar® ULTRA DIAGNOSTIC PREMIUM SURGE SUPPRESSORS WITH HEAVY-DUTY EXTRUDED ALUMINUM CABINETS

Isolated filter banks and exclusive multiple filter design provide premium spike and noise suppression by eliminating feedback and interference between connected devices. Premium surge and noise suppressors feature unique diagnostic circuitry to advise of improper outlet wiring, damage to surge circuitry and loss of AC power. Up to 2,850 joules, 97,000-amp surge handling ability.

MODEL #	OUTLETS	CORD	FEATURES	MASTER QTY.	SUGGESTED RESALE
ISOBAR4ULTRA	4	6'	2 isolated filter banks, diagnostic LEDs.	6	\$ 89.95
ISOTEL4ULTRA	4	6'	2 isolated filter banks, modem/fax protection, diagnostic LEDs.	6	109.95
ISOBAR6ULTRA	6	6'	3 isolated filter banks, diagnostic LEDs.	6	104.95
ISOTEL6ULTRA	6	6'	3 isolated filter banks, 2-line modem/fax protection, diagnostic LEDs.	6	119.95
ISOBAR6DBS	6	6'	3 isolated filter banks. Ideal for mini-satellite dish systems. Premium DSS spike and noise suppression, 4 gold coax jacks, 2 RJ11 jacks, diagnostic LEDs.	6	119.95
ISOBAR8ULTRA	8	12'	4 isolated filter banks, diagnostic LEDs.	6	116.95
ISOTEL8ULTRA	8	12'	4 isolated filter banks, modem/fax protection, diagnostic LEDs.	6	134.95
ULTRABLOK428	2	none	15-amp model. Ideal for phone systems. Direct plug-in.	12	59.95
ULTRAFAX	2	none	Ideal for modems/faxes w/RJ11 jacks, sine wave tracking. Direct plug-in.	12	69.95
ULTRACOPY	2	none	20-amp model. Ideal for copiers. Direct plug-in.	12	79.95

isobar® PREMIUM SURGE SUPPRESSORS WITH HEAVY-DUTY EXTRUDED ALUMINUM CABINETS

Isolated filter banks and exclusive multiple filter design provide premium spike and noise suppression by eliminating feedback and interference between connected devices. Up to 2,700 joules.

ISOBLOK2-0	2	none	1 isolated filter bank. Direct plug-in.	12	\$ 48.00
ISOBAR2-6	2	6'	1 isolated filter bank.	12	59.95
IBAR4	4	6'	2 isolated filter banks.	6	79.95
ISOBAR 4/220	4	6'	220/240 volt, US 5-15R receptacles & 5-15P plug, 2 filter banks.	6	94.50
EURO-4	4	6'	220/240 volt, IEC-320 receptacles, 2 filter banks, T.U.V. approved.	12	94.50
ISOTEL	4	6'	2 isolated filter banks, modem/fax protection.	6	99.95
ISOBAR6	6	6'	3 isolated filter banks.	6	99.95
IB8RM	8	12'	4 isolated filter banks with 9' remote on/off extension.	6	129.50

UNDER-MONITOR PREMIUM SURGE SUPPRESSORS

These premium under-monitor consoles feature 1 master switch and 4 individual power switches for fingertip control of your entire system.

TMC-6	6	6'	Protect It! series. Slim design, diagnostic LEDs with modem/fax protection. 1850 joules.		\$ 34.99
MT 6PLUS (TouchMaster Plus)	6	10'	Slim design, diag. & brownout LEDs with modem/fax protection. 1790 joules.		139.95

PROTECT IT!™ AND OTHER SURGE AND NOISE SUPPRESSORS

Effective and economical spike and noise suppressors. Provide AC protection or AC with modem/fax, coaxial and/or Ethernet protection in a variety of configurations.

MODEL#	OUTLETS	CORD	JOULES	DATALINE PROTECTION			FEATURES	MASTER QTY.	SUGGESTED RESALE
				PHONE	COAX	ETHERNET			
TLP1008TELTV	10	8'	3345	1 line	1 pair	—	Safety covers, phone line splitter, holds 7 transformers.	6	\$ 54.99
TLP1008TEL	10	8'	2395	1 line	—	—	Safety covers, phone line splitter, holds 7 transformers.	6	44.99
TLP810NET	8	10'	3690	2 line	1 pair	1 pair	Safety covers, holds 6 transformers, alarm.	6	63.50
TLP810SAT	8	10'	3570	1 line	2 pair	—	Safety covers, holds 6 transformers, alarm.	6	57.99
TLP808TELTV	8	8'	3500	1 line	1 pair	—	Safety covers, holds 6 transformers, alarm.	6	44.99
TLP808TEL	8	8'	2820	1 line	—	—	Safety covers, phone line splitter, holds 6 transformers.	6	39.99
TLP808	8	8'	1900	—	—	—	Safety covers, holds 6 transformers.	12	27.99
TLP707TEL	7	7'	1270	1 line	—	—	Holds 5 transformers.	6	21.99
SUPER7TEL15	7	15'	2720	1 line	—	—	Holds 5 transformers.	6	47.99
SUPER7COAX	7	7'	2350	—	1 pair	—	Holds 3 transformers.	12	27.99
SUPER7TEL	7	7'	2470	1 line	—	—	Holds 5 transformers.	6	35.99
SUPER7	7	7'	2350	—	—	—	Holds 5 transformers.	12	27.99
SUPER6TEL12	7	12'	1270	1 line	—	—	Holds 5 transformers.	12	26.99
SUPER6TEL	7	6'	1270	1 line	—	—	Holds 5 transformers.	6	22.99
TLP712	7	12'	1000	—	—	—	Holds 4 transformers.	12	16.99
STRIKER	7	6'	750	—	—	—	Holds 4 transformers.	12	11.99
TLP606	6	6'	750	—	—	—	Holds 3 transformers	12	11.99
TLP604TEL	6	4'	870	1 line	—	—	Holds 3 transformers.	12	11.99
TLP604	6	4'	720	—	—	—	Holds 3 transformers.	6	8.99
TLP602	6	2'	250	—	—	—	Holds 3 transformers.	12	7.99
TLP404	4	4'	390	—	—	—	Holds 2 transformers	12	5.99
TRAVELER	2	direct plug-in	1050	1 line	—	—	Portable, retractable prongs, holds 2 transformers.	6	25.95
TRAVELER100BT	2	direct plug-in	1050	—	—	1 line	Portable, retractable prongs, holds 2 transformers.	6	25.95
TRAVELCUBE	1	direct plug-in	950	1 line	—	—	Portable. Holds 1 transformer.	12	13.99
TRAVELERC6	2 (C6) 3-prong	in-line	1130 (120V) 820 (230V)	1 line	—	—	In-line design for laptop use, 120/240V compatible.	24	29.99
TRAVELERC8	2 (C8) 2-prong	in-line	1130 (120V) 820 (230V)	1 line	—	—	In-line design for laptop use, 120/240V compatible.	24	29.99
SK6-6	8	8'	1200	—	—	—	Holds 4 transformers.	12	44.95
SUPER8PLUSSTEL	7	8'	1500	1 line	—	—	Holds 3 transformers.	12	59.95
TR-6FM	6	6'	2100	1 line	—	—	Holds 4 transformers.	6	69.95
TR-6 (TERMINATOR)	6	6'	1500	—	—	—	Holds 4 transformers.	12	59.95
S6-DLX	6	6'	1050	1 line	—	—	Holds 3 transformers.	12	29.95
SK6-0	6	direct plug-in	360	—	—	—	Holds 4 transformers.	12	24.95
SPIKESTIK	6	6'	360	—	—	—	Holds 3 transformers.	12	24.95
S100	6	6'	480	—	—	—	Holds 3 transformers.	24	104.95
SPIKECUBE	1	direct plug-in	750	—	—	—	Holds 1 transformer.	24	7.95
TLM606	6	6'	280	—	—	—	Metal housing, holds 3 transformers.	12	22.95
TLM626	6	6'	450	—	—	—	Metal housing, holds 3 transformers.	12	29.95
TLM626TEL15	6	15'	450	1 line	—	—	Metal housing, holds 3 transformers.	12	47.95
TLM1015NC	10	15'	750	—	—	—	Metal housing, holds 6 transformers.	3	73.95

ISOBAR® RACKMOUNT PREMIUM SURGE SUPPRESSORS

Premium ISOBAR surge protection for an entire rack of equipment. Occupies only one 19" rack space (1U). Available in models with either 15- or 20-amp capacities. Ultra models feature diagnostic LEDs. Locking switch cover, all-steel construction, black. No isolated filter banks on DRS-1215.

MODEL #	OUTLETS	CORD	FEATURES	MASTER QTY.	SUGGESTED RESALE
IBAR12ULTRA	12	15'	1U 15-amp rackmount. 1280 joules.	6	\$ 139.00
IBAR12	12	15'	1U 15-amp rackmount. 1280 joules.	6	169.00
IBAR12/20ULTRA	12	15'	1U 20 -amp rackmount. 2 (15-amp) & 10 (20 -amp) outlets. 1280 joules. Straight 20 -amp plug (5- 20 P).	6	199.00
IBAR12-20T	12	15'	1U 20 -amp rackmount. 2 (15-amp) & 10 (20 -amp) outlets. 1280 joules. Locking plug (L5- 20 P).	6	229.00
DRS-1215	12	15'	1U, Economy NON-Isobar 15-amp rackmount. 1050 joules.	6	79.00

RACKMOUNT AND GENERAL-PURPOSE MULTIPLE OUTLET STRIPS

These power distribution strips provide convenient multiple AC outlets wherever needed. Ideal for mounting inside rack enclosures or on walls, workbenches and more. Sturdy metal housing stands up to demanding network, lab or factory environments. All use NEMA 5-15P plug, except as noted. **Note: Multiple Outlet Strips do not provide surge protection.**

MODEL #	OUTLETS	LENGTH	FEATURES	SUGGESTED RESALE
TLM606NC	6	6'	Metal outlet strip.	\$ 25.95
RS-1215	12	19"	1U, 15-amp rackmount, locking switch cover, 15 ft. cord.	57.50
RS-1215-20	12	19"	1U, 20 -amp rackmount, locking switch cover, 15 ft. cord. NEMA 5- 20 P plug.	59.99
RS-1215-20T	12	19"	1U, 20 -amp rackmount, locking switch cover, 15 ft. cord. NEMA 5- 20 P locking plug.	67.99
RS-1215-RA	12 (right-angled)	19"	1U, 15-amp rackmount, locking switch cover, 15 ft. cord.	59.00
RS-1215-HG	12 (hospital-grade)	19"	1U, 15-amp rackmount, locking switch cover, 15 ft. cord.	86.00
PS2408	8	24"	15-amp breaker, locking switch cover, 15 ft. cord.	64.99
PS3612	12	36"	15-amp breaker, locking switch cover, 15 ft. cord.	74.99
PS4816	16	48"	15-amp breaker, locking switch cover, 15 ft. cord.	75.99
PS6020	20	60"	15-amp breaker, locking switch cover, 15 ft. cord.	93.99
PS7224	24	72"	15-amp breaker, locking switch cover, 15 ft. cord.	97.99
PS7224-20	24	72"	20 -amp breaker, locking switch cover, 15 ft. cord. NEMA 5- 20 P plug.	112.99
PS7224-20T	24	72"	20 -amp breaker, locking switch cover, 15 ft. cord. NEMA L5- 20 P locking plug.	124.99
PS3612-20HW	12	36"	Hardwire 20 -amp model for permanent installation.	53.99
PS7224-20HW	24	72"	Hardwire 20 -amp model for permanent installation.	106.99
SS7415-15	16	48"	Strip with surge protection. 15-amp breaker, locking switch cover, 15 ft. cord, 450 joules.	76.35
SS7619-15	16	72"	Strip with surge protection. 15-amp breaker, locking switch cover, 15 ft. cord, 450 joules.	81.50

POWER DISTRIBUTION UNITS—"ZERO U" AND "ONE U"—FOR RACK ENCLOSURES

These power distribution units provide convenient multiple AC outlets and can be mounted either vertically in a "Zero U" configuration or horizontally in a "One U" configuration inside 19-inch rack enclosures.

MODEL#	VOLTS	AMPS	AC RECEPTACLES		CIRCUIT BREAKERS		INPUT PLUG	CORD LENGTH	SUGGESTED RESALE
			NUMBER	TYPE	NUMBER	AMPERAGE			
PDU1215	120	15	13	5-15R	1	15	5-15P	15 ft.	\$ 137.00
PDU1220	120	20	13	5- 20 R	1	20	5- 20 P	15 ft.	205.00
PDU1220T	120	20	13	5- 20 R	1	20	L5- 20 P	15 ft.	225.00
PDU1415***	120	15	14	5-15R	1	15	5-15P	15 ft.	226.00
PDU1420T***	120	20	14	5-15R	1	20	L5- 20 P	15 ft.	230.00
PDU2430	120	30	24	5-15R	2*	15	L5- 30 P	15 ft.	349.00
PDU1230	208	30	12	C-13	3	10	L6- 30 P	15 ft.	353.00
PDU12IEC	100-240	20	14	(12) C-13/ (2) C19	2**	16	C-20†	N/A	245.00
PDU12NV	100-240	20	14	(12) C-13/ (2) C19	2**	20	C-13, C19, L5- 20 P, L6- 20 P, 5-15P	6 ft.	225.00
PDU40TDUAL***	120	40 (2x20)	24 (2x12)	5-15R	2	20	(2) L5- 20 P	15 ft.	225.00

* Circuit breakers protect two branches of 12 receptacles each. ** Circuit breakers protect both sides of one line. † IEC-320 C-20 inlet. User supplies appropriate input cable.

*** PDU1415, PDU1420T and PDU40TDUAL require vertical mounting.

REPLACEMENT BATTERY CARTRIDGES (R.B.C.)

Premium UPS replacement battery cartridges meet or exceed all original manufacturer specifications. Ship pre-assembled and ready for installation. Visit Tripp Lite's UPS replacement battery Web page (www.tripplite.com) to confirm compatibility and quantity required.

MODEL #	FEATURES	SUGGESTED RESALE
RBC2A	Replacement Battery Cartridge. For APC SU420 & 200-500VA BK/BP models.	\$ 28.50
RBC4A	Replacement Battery Cartridge. For APC SU620 & 650VA BK/BP models.	45.50
RBC5A	Replacement Battery Cartridge. For APC SU450, SU450NET, SU700 & SU700NET models.	49.00
RBC6A	Replacement Battery Cartridge. For APC 1000VA BP/SU/SUA/SURM models.	93.00
RBC7A	Replacement Battery Cartridge. For APC SU700-1000XL, BP/SU/SUA 1400-1500VA models.	127.00
RBC8A	Replacement Battery Cartridge. For APC SU1400 & SU1400RMNET	121.00
RBC11A	Replacement Battery Cartridge. For APC 1400XL & 2200-3000VA SU/SURM models.	263.00
RBC12A	Replacement Battery Cartridge. For APC SU5000 & 2200-3000VA RM3U models.	253.00
RBC51	Replacement Battery Cartridge. For Tripp Lite and other major UPS brands.	42.00
RBC52	Replacement Battery Cartridge. For Tripp Lite and other major UPS brands.	34.00
RBC53	Replacement Battery Cartridge. For Tripp Lite and other major UPS brands.	125.00
RBC54	Replacement Battery Cartridge. For Tripp Lite and other major UPS brands.	165.00
RBC62-1U	Replacement Battery Cartridge. For Tripp Lite and other major UPS brands.	88.00
RBC64-1U	Replacement Battery Cartridge. For Tripp Lite and other major UPS brands.	119.00
RBC69-1U	Replacement Battery Cartridge. For Tripp Lite and other major UPS brands.	125.00
RBC92-2U	Replacement Battery Cartridge. For Tripp Lite and other major UPS brands.	96.00
RBC93-2U	Replacement Battery Cartridge. For Tripp Lite and other major UPS brands.	150.00
RBC94-2U	Replacement Battery Cartridge. For Tripp Lite and other major UPS brands.	225.00
RBC49-2U	Replacement Battery Cartridge. For Tripp Lite and other major UPS brands.	215.00

SMARTRACK™ ENCLOSURES, RACKS AND ACCESSORIES

MODEL #	HEIGHT (RU)	WIDTH (IN.)	DEPTH (IN.)	DESCRIPTION	SUGGESTED RESALE
ENCLOSURES AND RACKS					
SR2POST	45	—	—	2-Post Open Frame Rack, Threaded Holes (black).	\$ 169.00
SR4POST	45	—	24-36	4-Post Open Frame Rack, Square Holes (black). Adjustable depth.	489.00
SRX24UB				Replaced by SR25UB	See below.
SR25UB	25	24	42	25U Standard Enclosure (black).	1175.00
SR42UB	42	24	42	42U Standard Enclosure (black).	1325.00
SR42UBEXP	42	24	42	42U Standard Enclosure (black, without side panels).	1140.00
SR45UB				Replaced by SR47UB	See below.
SR47UB	47	24	42	47U Standard Enclosure (black).	1565.00
SR47UBEXP	47	24	42	47U Standard Enclosure (black, without side panels).	1325.00
SR42UBWIDE	42	29	42	42U Wide Enclosure (black).	1600.00
SR42UBWIDEXP	42	29	42	42U Wide Enclosure (black, without side panels).	1385.00
SRNET45UB				Replaced by SR47UBWIDE	See below.
SR47UBWIDE	47	29	42	47U Wide Enclosure (black).	2099.00
SR47UBWIDEXP	47	29	42	47U Wide Enclosure (black, without side panels).	1849.00
FEATURES GENERAL RACK ACCESSORIES					
SR200	Square hole hardware kit. 50 each cage nuts and bolts.				32.00
SR300	Threaded hole hardware kit. 50 each #12-24 screws.				15.00
SR218	19" Blanking Panel Kit. 1U, 2U, 4U and 8U panels.				96.00
UPSRMRII	Adjustable, Horizontal Mounting Rails, Easy Installation. Fits all 4-post racks. For all current rackmount UPS or battery packs.				77.00
SHELVES					
SR204	Fixed Shelf, 2U Cantilever Mount.				57.00
SR202	Fixed Shelf, Heavy Duty. (4-post mounting)				104.00
SR205	Sliding Shelf, 1U. (4-post mounting)				193.00
SR206	Heavy Duty Sliding Shelf, 2U. (4-post mounting)				346.00
25/42/47U RACK ACCESSORIES					
SR312	25U recessed rail set 4-post mounts reduced-depth equipment in 25/42/47U cabinets.				130.00
SR313	25U recessed rail set 4-post mounts reduced-depth equipment in 42/47U WIDE cabinets.				170.00
SR331	Bolt-down Kit for 25/42/47U cabinets and SR4POST.				70.00
SR332	Anti-Tip Stabilizer Plate for 25/42/47U cabinets.				77.00
SR333	Baying kit for 25/42/47U cabinets.				57.00
RACK AIRFLOW MANAGEMENT					
SR14	3U rack mount fan panel, 120V (2) fans.				225.00
SR336	Roof Mount Fan Panel, 120V (4) fans, for 25/42/47U cabinets.				319.00
SR337	3U rack mount fan panel, 230V (2) fans.				225.00
SR338	Roof Mount Fan Panel, 230V (4) fans, for 25/42/47U cabinets.				319.00
CABLE MANAGEMENT					
SR340	1U 19-inch Horizontal Cable Manager.				42.00
SR341	2U 19-inch Horizontal Cable Manager.				57.00
SR342	1U 19-inch Horizontal Cable Manager, finger duct with cover.				57.00
SR343	Vertical Cable Manager, 6-foot, double finger duct with cover.				260.00
SR344	Vertical Cable Manager, 6-foot.				120.00
MODEL #	FEATURES	MINIMUM ORDERING QTY.	SUGGESTED RESALE		
PATCH PANELS					
N252-012	Cat6 Patch Panel 568B - 12 Port	1	\$ 99.99		
N252-024	Cat6 Patch Panel 568B - 24 Port	1	149.99		
N052-012	Cat5e Patch Panel 568B - 12 Port	1	79.99		
N052-024	Cat5e Patch Panel 568B - 24 Port	1	109.99		
KEYBOARDS AND CONSOLES					
B021-000	1U Rackmount Console (with built-in slide-out keyboard/touch pad and tilt-up 15-inch LCD monitor.)	1	1999.00		
B021-000-17	1U Rackmount Console (with built-in slide-out keyboard/touch pad and tilt-up 17-inch LCD monitor.)	1	2499.00		

NETWORK DATALINE SURGE PROTECTORS

Network Dataline Surge Protectors guard against the harmful effects of lightning, electrostatic discharge and ground surges. Models are installed in-line to protect virtually any network equipment using 100Base-T, 10Base-T, 10Base-2, 10Base-5 Ethernet, Token Ring, RS-232, RS-422, dial-up modems, fax, ISDN, T-1 lines and most other communications interfaces. Lifetime warranty.

MODEL #	FEATURES	SUGGESTED RESALE
DNET1	RJ45 100 & 10Base-T, Token Ring, AS400/Sys3x, RS422 (Wires 1-8) for NICs, terminals, hubs, MAUs, etc.	\$ 29.95
DTL2	RJ11/45 2-line Dial-Up protector, ideal for modems, faxes, answering machines, etc.	32.50
DB9	Serial DB9 RS-232 protector (Pins 1-9) for any male or female 9 pin port.	24.50
DSUT1CSU	RJ45 protector (Wires 1-8) for T-1 equipment, CSU/DSUs, digital and leased lines and ISDN.	65.95
D10B2	10Base-2 thin coax protector (Male/Female BNC jacks). Also protects IBM3270 & CCTV lines.	27.95
DRS232	RJ45 100 Base-T4 RS-232 protector (Wires 1-8) for twisted pair applications.	29.95
DUSB	USB 'B' style (Male/Female) surge protector.	29.95
DB25	Serial DB25 RS-232 protector (Pins 1-8, 20) for male or female DTE/DCE ports.	25.95
DB25-ALL	Serial or parallel DB25 RS-232 protector (All pins) for any male or female 25 pin port.	35.75
DCATV	Coaxial protector (Male/Female "F" connectors) for Cable TV and satellite applications (not for cable modems).	39.95
DB25-PAR	DB25 Parallel (All wire) port protector.	74.95

POWERVERTER® INVERTERS

12/24V DC TO 120V AC POWER CONVERSION. PowerVerter Inverters conveniently and economically convert the 12/24V DC battery power of automobiles, RVs and service trucks to 120V AC to run office equipment, household appliances, power tools and more.

MODEL #	CONTINUOUS WATTAGE	INSTANTANEOUS WATTAGE	AC OUTLETS	FEATURES	SUGGESTED RESALE
---------	-----------------------	--------------------------	---------------	----------	---------------------

POWERVERTER PORTABLE ULTRA-COMPACT INVERTERS

Efficiently run laptop computers, battery chargers, mobile office equipment, appliances and more. Attractive new lightweight/ultra-compact design easily travels from car to truck to boat to trailer and back.

PV150	150	300	1	Ultra-compact case, 12V DC, cigarette lighter plug, low-battery alarm.	\$ 42.00
PV375	375	600	2	Ultra-compact case, 12V DC, cigarette lighter plug, low-battery alarm.	65.00
PV600	600	1000	3	Ultra-compact case, 12V DC, user-supplied cables, low-battery alarm.	119.00

POWERVERTER PERMANENT-MOUNT COMPACT INVERTERS

Permanently mounted units efficiently run appliances, power tools and more. Simultaneously run multiple pieces of equipment with up to 3000 watts of power. Durable, ultra-compact design.

PV1000HF	1000	1500	4	Compact case, perm. mount, 12V DC, user-supplied cables. RJ45 remote port.	285.00
PV1800HF	1800	2700	4	Compact case, perm. mount, 12V DC, user-supplied cables. RJ45 remote port.	395.00
PV3000HF	3000	6000	4	Compact case, perm. mount, 12V DC, user-supplied cables. RJ45 remote port. (w/ remote)	499.00

POWERVERTER PLUS INVERTERS

Provide up to twice their rated power to handle the large start-up power requirements of microwaves, refrigerators, sump pumps and more. Will also run all loads of standard inverters. Frequency controlled to $\pm 1/2$ Hz

MODEL #	CONTINUOUS WATTAGE	OVERPOWER™ WATTAGE*	DOUBLEBOOST™ WATTAGE*	AC OUTLETS	FEATURES	SUGGESTED RESALE
PV500FC	Replaced by PV750FC					See Below.
PV750FC	750	1125	1500	2	High output/freq. control, 12V DC, charge/load LEDs, RJ45 remote port.	\$ 255.00
PV1000FC	Replaced by PV1250FC					See Below.
PV1250FC	1250	1875	2500	2	High output/freq. control, 12V DC, charge/load LEDs, RJ45 remote port.	318.00
PV2000FC	2000	3000	4000	2	High output/freq. control, 12V DC, charge/load LEDs, RJ45 remote port.	529.00
PV2400FC	2400	3600	4800	2	High output/freq. control, 24V DC, charge/load LEDs, RJ45 remote port.	717.00

* OverPower duration (up to 1 hour). Double Boost duration (up to 10 seconds). Actual duration depends on battery age, battery charge level and ambient temperature.

INVERTERS WITH AUTOMATIC TRANSFER SWITCH AND CHARGER

12/24/36/48V DC TO 120V AC POWER CONVERSION. Peak-power, high-efficiency inverters with integrated advanced 3-stage chargers, frequency control and auto switching from AC to battery power. **Do not include batteries.** Superior alternative to generators provide safer, cleaner, simpler operation, without fumes, fuel, or noise.

MODEL #	CONTINUOUS WATTAGE	OVERPOWER™ WATTAGE*	DOUBLEBOOST™ WATTAGE*	AC OUTLETS	FEATURES	SUGGESTED RESALE
APS612	Replaced by APS750					See Below.
APS750	750	1125	1500	2	750VA, 12V DC, RJ45 remote port. 20-amp regulated charger.	\$ 439.00
APS1012	Replaced by APS1250					See Below.
APS1250	1250	1875	2500	2	1250VA, 12V DC, RJ45 remote port. 30-amp regulated charger.	616.00
APS1524	1500	2250	3000	Hardwired	1500VA, 24V DC, RJ45 remote port. 36/9-amp (selectable) regulated charger.	760.00
APS2012	2000	3000	4000	Hardwired	2000VA, 12V DC, RJ45 remote port. 100/25-amp (selectable) regulated charger.	904.00
APS2424	2400	3600	4800	Hardwired	2400VA, 24V DC, RJ45 remote port. 55/14-amp (selectable) regulated charger.	1016.00
APS2448UL	2400	3600	4800	Hardwired	2400VA, 48V DC, RJ45 remote port. 15-amp regulated charger.	1048.00
APS3636VR	3600	5400	7200	Hardwired	3600VA, 36V DC, Remote included. 30-amp regulated charger. Voltage regulated.	1272.00
APSRM4	Remote Control Module for APS/PV w/RJ45 ports, LEDs, includes mounting plate and cords, multi-location.					149.00
98-121	12V 75 AH sealed, maintenance-free battery (for all APS models).					198.00
BP260	Battery Case with cables. Holds two 98-121 batteries.					187.00

* OverPower duration (up to 1 hour). Double Boost duration (up to 10 seconds). Actual duration depends on battery age, battery charge level and ambient temperature.

DC POWER SUPPLIES

Input: 120V AC, 60 Hz. Output: 13.8V DC, precision regulated. Crowbar Protection on units 15-amps and larger.

MODEL #	AMPERAGE	APPLICATIONS	SUGGESTED RESALE
PR3	3-amps	Home use of radios, car tape players.	\$ 33.50
PR3UL	3-amps	Home use of single-sideband radios, car tape players, tape recorders.	46.00
PR4.5	4.5-amps	Home use of single-sideband radios, car tape players, tape recorders.	39.00
PR7	7-amps	Same as above plus low power VHF/UHF ham radios.	55.00
PR10	10-amps	30 watt transmitters, VHF/UHF ham radios, commercial/land-mobile radios, low power linear amps.	79.00
PR12	12-amps	40 watt transmitters, VHF/UHF ham radios, commercial/land-mobile radios, low power linear amps.	85.00
PR15	15-amps	50 watt transmitters, VHF/UHF ham radios, commercial/land-mobile radios, low power linear amps.	118.50
PR20	20-amps	60 watt transmitters, VHF/UHF ham radios, commercial/land-mobile radios, low power linear amps, test bench.	125.00
PR25	25-amps	75/100 watt transmitters, VHF/UHF ham radios, commercial/land-mobile radios, low power linear amps, test bench.	165.00
PR30	30-amps	125 watt transmitters, VHF/UHF ham radios, commercial/land-mobile radios, low power linear amps, test bench.	172.00
PR40	40-amps	150/200 watt transmitters, VHF/UHF ham radios, commercial/land-mobile radios, low power linear amps, test bench.	211.00
PR50	50-amps	225 watt transmitters, VHF/UHF ham radios, commercial/land-mobile radios, low power linear amps, test bench.	262.00
PR60	60-amps	250/300 watt transmitters, VHF/UHF ham radios, commercial/land-mobile radios, test bench.	309.00

HOME THEATER/HIGH-END AUDIO POWER PROTECTION & CONNECTIVITY PRODUCTS

Tripp Lite provides a complete line of Power Protection and Connectivity solutions perfect for all home theater components: high-definition TVs, satellite and A/V receivers, DVD/CD Players, personal video recorders (TiVo®), speaker systems and more. Tripp Lite Home Theater Surge Suppressors and UPS Systems stop damaging surges and filter disruptive line noise so home theater components perform at their peak (deeper/fuller audio, sharper/crisper video and longer component life spans). Tripp Lite UPS Systems provide an additional level of protection by supporting components through blackouts and brownouts, preserving component settings and memory. Tripp Lite Home Theater Audio/Video and Peripheral Cables offer premium features, such as gold-plated connectors, which deliver crystal-clear signals to connected components.

HOME THEATER/HIGH-END AUDIO SURGE SUPPRESSORS

MODEL#	OUTLETS	CORD	JOULES	COAX	PHONE	ETHERNET	FEATURES	MASTER QTY	SUGGESTED RESALE
HT706TV	7	6	1080	1 pair	—	—	Holds 4 transformers.	6	\$ 35.99
HT706TSAT	7	6	1680	2 pair	1 line	—	Holds 4 transformers.	6	54.99
HT1010SAT3	10	10	3345	3 pair	1 line	1 pair	Holds 5 transformers.	6	139.99
HT10DBS	10	8	3570	3 pair	1 line	1 pair	Isolated filter banks. Metal case. Holds 6 transformers.	6	189.99
HTPOWERBAR10	10	8	5700	3 pair	1 line	—	Isolated filter banks. Metal case. Holds 8 transformers.	6	299.99

HOME THEATER UPS SYSTEM

MODEL #	FEATURES	SUGGESTED RESALE
HT1050UPS	Replaced by HT850UPS	See below.
HT850UPS	Standby UPS System. 1-line multi-device modem/fax protection. Coax protection. USB port/software/cabling. 12 outlets (6 UPS/surge, 6 surge-only)	\$ 169.99

HOME THEATER AUDIO/VIDEO & PERIPHERAL CABLES

MODEL #	FEATURES	MINIMUM ORDERING QTY.	SUGGESTED RESALE
AUDIO CABLES			
A060-006	RF Digital Coax Gold Audio Cable (silver-coated copper center cond.) RCA M/M - 6 ft.*	10	\$ 19.99
A050-006	High Resolution Gold Audio Cables (silver-coated copper center cond.) 2xRCA M/M - 6 ft.*	10	24.99
A102-02M	Digital Optical Audio Cable, 2xToslink - 2M	10	29.99
VIDEO CABLES			
A004-006	Composite Video Gold Cable (superior insulation, silver-coated copper center cond.) RCA M/M - 6 ft.*	10	19.99
A008-006	Component Video Gold Cable (silver-coated copper center cond.) 3xRCA M/M - 6 ft.*	10	39.99
A012-006	S-Video Gold Cable - 6 ft.*	10	29.99
P556-006	DVI Cable, DVI Male to HD15M - 6 ft.	10	29.99
P560-006	DVI Dual Link TDMS Cable, DVI-D M/M - 6 ft.	10	34.99
P560-010	DVI Dual Link TDMS Cable, DVI-D M/M - 10 ft.	10	39.99
P561-006	DVI Single Link TDMS Cable, DVI-D M/M - 6 ft.	10	29.99
P561-010	DVI Single Link TDMS Cable, DVI-D M/M - 10 ft.	10	39.99
P562-006	DVI Dual Link Extension Cable, DVI-DI M/F - 6 ft.	10	34.99
P566-006	HDMI to DVI Gold Digital Video Cable HDMI-M/DVI-M - 6 ft.	1	49.99
P566-010	HDMI to DVI Gold Digital Video Cable HDMI-M/DVI-M - 10 ft.	1	59.99
P568-006	HDMI Gold Digital Video Cable HDMI M/M - 6 ft.	1	64.99
P568-010	HDMI Gold Digital Video Cable HDMI M/M - 10 ft.	1	69.99
FIREWIRE® (IEEE 1394) CABLES			
F005-006	IEEE 1394 FireWire Gold Cable, 6pin/6pin - 6 ft.	10	29.99
F005-015	IEEE 1394 FireWire Gold Cable, 6pin/6pin - 15 ft.	10	34.99
F007-003	IEEE 1394 FireWire Gold Cable, 6pin/4pin - 3 ft.	10	34.99
F007-006	IEEE 1394 FireWire Gold Cable, 6pin/4pin - 6 ft.	10	34.99
F007-015	IEEE 1394 FireWire Gold Cable, 6pin/4pin - 15 ft.	10	39.99
F009-006	IEEE 1394 FireWire Gold Cable, 4pin/4pin - 6 ft.	10	34.99
USB 2.0 CABLES			
U022-006	USB 2.0 Gold A/B Device Cable - 6 ft.	10	14.99
U022-010	USB 2.0 Gold A/B Device Cable - 10 ft.	10	16.99
U026-016	USB 2.0 Certified Active Extension Cable - 16 ft.	1	49.99

* OFHC, double-shielded, color-coded gold connectors.

Full Line of Power Protection & Connectivity Products!

In addition to products designed specifically for home theater systems, Tripp Lite manufactures over 1,000 other power protection and connectivity products found throughout this price list or at www.tripplite.com

Interactive Product Sizing and Application Selector Guides are available for all computer and home theater applications. Visit www.tripplite.com/selector











WORLDWIDE UPS SYSTEMS

Tripp Lite offers a complete line of 3-phase and single-phase systems for worldwide use. All "SU" models are True On-Line UPS Systems with Pure Sine-Wave Output, Zero Transfer Time and Full-Time Voltage Regulation. "SU" 3-phase models are 4-wire input and will accept 270-485V (50/60Hz) input. "SU" single-phase models will accept 160-275V AC (50/60Hz) input and deliver 200/208/220/230/240V AC output; all other models are for 230V AC (50/60Hz) nominal input/output operation unless otherwise indicated.

 = Models accept **battery packs for extended runtime.** **Battery packs and accessories on page 4**



















WORLDWIDE INTELLIGENT 3-PHASE UPS SYSTEMS

Tripp Lite's SmartOnline 3-Phase UPS Systems provide the highest level of power protection for 3-phase installations. All models are True On-Line UPS Systems with Pure Sine-Wave Output, Zero Transfer Time and Full-Time Precision Voltage Regulation.

MODEL #	FEATURES	SUGGESTED RESALE
 SU 10K3/1X	10kVA UPS, Tower mount. Input: Hardwired (Y, 3-phase, 4W 380/400/415V AC) 50/60Hz. Output: Hardwired single-phase 230V AC (50/60Hz) user-selectable. Includes power module and BP240V10 battery module. TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. Comm. ports: 1 RS-232, 1 DB9 & 1 AS-400. SNMP slot.  Use additional BP240V10RT3U or BP240V33 modules for extended runtime.	\$ 5785.00
 SU 20K3/3X	20kVA UPS, Tower mount. Input: Hardwired (Y, 3-phase, 4W 380/230V AC) 50/60Hz. Output: Hardwired (Y, 3-phase, 4W 380/230V AC, user-selectable. Includes power module and BP240V33 battery module. TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. Comm. ports: 1 RS-232, 1 DB9 & 1 AS-400. SNMP slot.  Use additional BP240V33 or BP240V1207C modules for extended runtime.	14,215.00
 SU 30K3/3X	30kVA UPS, Tower mount. Input: Hardwired (Y, 3-phase, 4W 380/230V AC) 50/60Hz. Output: Hardwired (Y, 3-phase, 4W 380/230V AC, user-selectable. Includes power module and BP240V33 battery module. TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. Comm. ports: 1 RS-232, 1 DB9 & 1 AS-400. SNMP slot.  Use additional BP240V33 or BP240V1207C modules for extended runtime.	22,785.00
 SU 50K3/3X	50kVA UPS, Tower mount. Input: Hardwired (Y, 3-phase, 4W 380/230V AC) 50/60Hz. Output: Hardwired (Y, 3-phase, 4W 380/230V AC, user-selectable. Includes power module and BP348V33 battery module. TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. Comm. ports: 1 RS-232, 1 DB9 & 1 AS-400. SNMP slot.  Use additional BP348V33 modules for extended runtime.	28,500.00
 SU 80K3/3X	80kVA UPS, Tower mount. Input: Hardwired (Y, 3-phase, 4W 380/230V AC) 50/60Hz. Output: Hardwired (Y, 3-phase, 4W 380/230V AC, user-selectable. Includes power module and BP348V66 battery module. TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. Comm. ports: 1 RS-232, 1 DB9 & 1 AS-400. SNMP slot.  Use additional BP348V66 modules for extended runtime.	35,649.00

WORLDWIDE INTELLIGENT SINGLE-PHASE UPS SYSTEMS

Tripp Lite offers a complete line of single-phase UPS systems for worldwide distribution. All models are single-phase. All models are for 230V AC nominal input/output voltage (50/60 Hz) operation with the exception of SU models, which accept 160-275V AC (50/60 Hz) input and deliver 200/208/220/230/240V AC output. SU models are True On-Line UPS Systems with Pure Sine-Wave Output, Zero Transfer Time and Full-Time Precision Voltage Regulation.

MODEL #	FEATURES	CONTROLLABLE OUTLETS	SUGGESTED RESALE
19" RACKMOUNT SMARTPRO® & SMARTONLINE™ INTELLIGENT UPS SYSTEMS			
SMX500RT1U	500VA UPS, 1U rack/tower mount. SmartPro Intelligent Line-Interactive modified sine wave. Comm. ports: 1 RS-232 & 1 USB. Outlets: 6 (IEC-320-C13). SNMP slot.	1	\$ 255.00
SMX750RT1U	750VA UPS, 1U rack/tower mount. SmartPro Intelligent Line-Interactive sine wave. Comm. ports: 1 RS-232 & 1 USB. Outlets: 6 (IEC-320-C13). SNMP slot.	2	499.00
SMX1000RT2U	1000VA UPS, 2U rack/tower mount. SmartPro Intelligent Line-Interactive sine wave. Comm. ports: 1 RS-232 & 1 USB. Outlets: 6. SNMP slot.	2	599.00
 SU INT1000RTXL2U	1000VA UPS, 2U rack/tower mount. SmartOnline Intelligent TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. Comm. port: 1 RS-232. Outlets: 6 (IEC-320-C13). SNMP slot.  Use BP36V15-2U for extended runtime.	N/A	855.00
 SMX1500RTXL2Ua	1500VA UPS, 2U rack/tower mount. SmartPro Intelligent Line-Interactive sine wave UPS. Comm. ports: 1 RS-232 & 1 USB. Outlets: 8 (IEC-320-C13). SNMP slot.  Use BP36V15-2U for extended runtime.	3	799.00
 SU INT1500RTXL2U	1500VA UPS, 2U rack/tower mount. SmartOnline Intelligent TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. Comm. port: 1 RS-232. Outlets: 6 (IEC-320-C13). SNMP slot.  Use BP48V242U for extended runtime.	2	927.00
 SU INT2200RTXL2U	2200VA UPS, 2U rack/tower mount. SmartOnline Intelligent TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. Comm. port: 1 RS-232. Outlets: 6 (four IEC-320-C13 & two IEC-320-C19). SNMP slot.  Use BP48V242U for extended runtime.	2	1499.00
 SMX3000XLRT2U	3000VA UPS, 2U rack/tower mount. SmartPro Intelligent Line-Interactive sine wave. Comm. ports: 2 RS-232 & 2 USB. Outlets: 9 (eight IEC-320-C13 & 1 IEC-320-C19). SNMP slot.  Use BP48V242U or BP48V60RT3U for extended runtime.	3	1355.00
 SU INT3000RTXL3U	3000VA UPS, 3U rack/tower mount. SmartOnline Intelligent TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. Comm. port: 1 RS-232. Outlets: 10 (eight IEC-320-C13 & two IEC-320-C19). SNMP slot.  Use BP72V12-2U or BP72V21-3U for extended runtime.	2	1879.00
 SMX5000XLRT3U	5000VA UPS, 3U (including internal batteries) rack/tower mount. SmartPro Intelligent Line-Interactive sine wave. 230V single phase input 230V output. Comm. ports: 1 RS-232, 1 DB9 contact closure & 1 USB. Outlets: 11 (eight IEC-320-C13 & three IEC-320-C19). SNMP slot.  Use BP48V60RT3U for extended runtime.	8	2427.00
 SU 6000RT3UHV	6000VA UPS, 3U (power module) & 3U (external battery pack, included) rack/tower mount. SmartOnline Intelligent TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. 200-240V 50/60 Hz. auto-sensing single phase hardwired input/output. Comm. ports: 1 RS-232 & 1 contact closure. SNMP slot. Alternate back panels on page 4.  Use BP240V10RT3U for extended runtime.	N/A Hardwire	4299.00
 SU 10KRT3UHV	10000VA UPS, 3U (power module) & 3U (external battery pack, included) rack/tower mount. SmartOnline Intelligent TRUE ON-LINE UPS, PURE SINE-WAVE, ZERO TRANSFER TIME. 200-240V 50/60 Hz. auto-sensing single phase input/output. Comm. ports: 1 RS-232 & 1 contact closure. Outlets: hardwired. SNMP slot.  Use BP240V10RT3U for extended runtime.	N/A Hardwire	5536.00

WORLDWIDE INTELLIGENT SINGLE-PHASE UPS SYSTEMS

MODEL #	FEATURES	CONTROLLABLE OUTLETS	SUGGESTED RESALE
TOWER SMARTPRO® INTELLIGENT UPS SYSTEMS			
SMARTINT700	700VA UPS, tower mount. SmartPro Intelligent Line-Interactive modified sine wave. Comm. port: 1 RS-232. Outlets: 5 (IEC-320-C13).	N/A	\$ 277.00
SMX750SLT	750VA UPS, SmartPro Intelligent Line-Interactive. Tower. Comm. ports: 1 RS-232 & 1 USB. Outlets: 8. SNMP slot.	N/A	299.00
SMARTINT1000	1000VA UPS, tower mount. SmartPro Intelligent Line-Interactive modified sine wave. Comm. port: 1 RS-232. Outlets: 5 (IEC-320-C13).	N/A	433.00
SMARTINT1500	1500VA UPS, tower mount. SmartPro Intelligent Line-Interactive modified sine wave. Comm. port: 2 RS-232. Outlets: 6 (IEC-320-C13).	1	541.00
SMARTINT2200VS	2200VA UPS, tower mount. SmartPro Intelligent Line-Interactive modified sine wave. Comm. port: 2 RS-232 & 2 USB. Outlets: 9 (eight IEC-320-C13 & one IEC-320-C19). SNMP slot.	3	827.00
SMARTINT3000VS	3000VA UPS, tower mount. SmartPro Intelligent Line-Interactive modified sine wave. Comm. port: 2 RS-232 & 2 USB. Outlets: 9 (eight IEC-320-C13 & one IEC-320-C19). [Use BP48V18 for extended runtime. SNMP slot.]	3	1204.00

WORLDWIDE OMNI VS (VALUE SERIES) LINE-INTERACTIVE UPS SYSTEMS

MODEL #	FEATURES	CONTROLLABLE OUTLETS	SUGGESTED RESALE
OMNIVSINT500	500VA UPS, tower mount. OmniSmart Line-Interactive modified sine wave. Comm. port: 1 DB9. Outlets: 3 (IEC-320-C13).	N/A	\$ 119.00
AVRX550U	550VA UPS, low profile. AVR Line-Interactive modified sine wave. Comm. port: 1 USB. Outlets: 6 (IEC-320-C13).	N/A	109.00
AVRX750U	750VA UPS, low profile. AVR Line-Interactive modified sine wave. Comm. port: 1 USB. Modem/fax protection. Outlets: 6 (IEC-320-C13).	N/A	169.00
OMNIVSINT800	800VA UPS, tower mount. OmniSmart Line-Interactive modified sine wave. Comm. port: 1 USB. Modem/fax protection. Outlets: 4 (IEC-320-C13).	N/A	189.00
OMNIVSINT1000	1000VA UPS, tower mount. OmniSmart Line-Interactive modified sine wave. Comm. port: 1 USB. Modem/fax protection. Outlets: 6 (IEC-320-C13).	N/A	265.00
OMNIVSINT1500XL	1500VA UPS, tower mount. OmniSmart Line-Interactive modified sine wave. Comm. port: 1 USB. Modem/fax/network protection. Outlets: 8 (IEC-320-C13). [Use BP24V14 or BP24V34 for extended runtime.]	N/A	332.00

WORLDWIDE INTERNET STANDBY UPS SYSTEMS

MODEL #	FEATURES	CONTROLLABLE OUTLETS	SUGGESTED RESALE
INTERNET500I	500VA UPS, tower mount. Internet Standby modified sine wave. Modem/fax protection. Outlets: 3 (IEC-320-C13).	N/A	\$ 152.00
INTERNETX525	525VA UPS, compact low-profile. Internet Standby modified sine wave. Comm. port: 1 USB. Modem/fax protection. Outlets: 6 (IEC-320-C13).	N/A	79.00
INTERNET700I	700VA UPS, tower mount. Internet Standby modified sine wave. Comm. port: 1 DB9. Modem/fax protection. Outlets: 3 (IEC-320-C13).	N/A	199.00

WORLDWIDE SURGE SUPPRESSORS

Tripp Lite Surge Suppressors offer the most reliable and cost-effective solutions for protecting all home and business equipment against damaging surges.

MODEL #	OUTLETS	CORD	FEATURES	QTY.	SUGGESTED RESALE
DEU2TEL	2	Direct Plug-In	230V 50/60 Hz., CEE 7/7 outlets & plug, modem/fax protection	12	\$ 23.99
FRA2TEL	2	Direct Plug-In	230V 50/60 Hz., CEE 7/7 outlets & French/Belgian plug, modem/fax protection	12	23.99
ISOBAR 4/220	4	6 ft.	220/240 volt, US 5-15R receptacles & 5-15P plug, 2 filter banks.	6	94.50
EURO-4	4	6 ft.	220/240 volt, IEC-320 receptacles, 2 filter banks, T.U.V. approved.	12	94.50
SUPER5DEU	5	2 m (6 ft.)	230V 50/60 Hz., CEE 7/7 outlets & plug	12	24.99
SUPER5FR	5	3 m (10 ft.)	230V 50/60 Hz., French/Belgian outlets & CEE 7/7 plug	12	24.99
SURGESAVER-BRI	5	2 m (6 ft.)	230V 50/60 Hz., British BS 1363 outlets & plug	12	29.99
SUPER6OMNI	6	2 m (6 ft.)	230V 50/60 Hz., Universal outlets & Italian plug	12	24.99
SUPER6OMNIB	6	2 m (6 ft.)	230V 50/60 Hz., Universal outlets & British BS 1363 plug	12	24.99
SUPER6OMNID	6	2 m (6 ft.)	230V 50/60 Hz., Universal outlets & CEE 7/7 plug	12	24.99

WORLDWIDE LINE CONDITIONERS/VOLTAGE REGULATORS

Tripp Lite Line Conditioners automatically adjust incoming voltage to keep equipment working continuously through low voltage (brownouts) or high voltages indefinitely without the use of a battery. They also provide complete surge protection.

MODEL #	WATTAGE	FEATURES	SUGGESTED RESALE
LR604	600	230V 50/60 Hz, 3 IEC-320 outlets	\$ 159.00
LR1000	1000	230V 50/60 Hz, 4 NEMA 5-15R outlets, 1 universal outlet adapter	209.00
LR2000	2000	230V 50/60 Hz, 2 NEMA 5-15R, 2 NEMA 6-15R & 2 IEC-320 outlets, 1 universal outlet adapter	399.00

WORLDWIDE INVERTERS WITH AUTOMATIC TRANSFER SWITCH AND CHARGER

12/24/36V DC TO 230V AC POWER CONVERSION. Peak-power, high-efficiency inverters with integrated advanced 3-stage chargers, frequency control and auto switching from AC to battery power. **Models do not include batteries.** Superior alternative to generators and provide safer, cleaner, simpler operation, without fumes, fuel or noise.

MODEL #	CONTINUOUS		OVERPOWER™		DOUBLEBOOST™		AC OUTLETS	FEATURES	SUGGESTED RESALE
	WATTAGE	WATTAGE*	WATTAGE*	WATTAGE*					
APSX750	750	1125	1500	2	750VA, 12V DC, RJ45 remote port. 20-amp regulated.	\$ 414.00			
APSX1250	1250	1875	2500	2	1250VA, 12V DC, RJ45 remote port. 30/7.5-amp (selectable) regulated charger.	616.00			
APSINT2012	2000	3000	4000	Hardwired	2000VA, 12V DC, RJ45 remote port. 60/15-amp (selectable) regulated charger.	904.00			
APSINT2424	2400	3600	4800	Hardwired	2400VA, 24V DC, RJ45 remote port. 30/7.5-amp (selectable) regulated charger.	1016.00			
APSINT3636VR	3600	5400	7200	Hardwired	3600VA, 36V DC, RJ45 remote port. 30-amp (selectable) regulated charger. Voltage regulated.	1272.00			

* OverPower duration (up to 1 hour). DoubleBoost duration (up to 10 seconds). Actual duration depends on battery age, battery charge level and ambient temperature. See page 10 for compatible remote module battery and battery case.

NOTEABLES™ NOTEBOOK ACCESSORIES

Tripp Lite offers a full line of premium-featured, cost-effective notebook accessories designed to ensure you get the most out of your notebook computer investment.

MODEL #	FEATURES	MASTER QTY.	SUGGESTED RESALE
NOTEBOOK CASES AND BACKPACKS			
NB1006BK	Premium Notebook Case On Wheels. Handle extends up to 27 inches.	3	\$ 179.95
NB1005BK	Corporate Top-Load Notebook Case.	10	159.95
NB1004BK	Executive Notebook Case.	8	139.95
NB1003BK	Traditional Notebook Case.	6	89.95
NB1002OL	Slim-Line Professional Brief.	9	99.95
NB1001BK	Profile Notebook Brief.	8	69.95
NB1000GY	Messenger Notebook Brief. Includes removable cell phone case.	7	49.95
NB1008BK	Super Notebook Backpack. Includes removable cell phone case.	8	119.95
NB1007GY	Collegiate Notebook Backpack.	4	99.95

MODEL #	FEATURES	MASTER QTY.	SUGGESTED RESALE
PERIPHERALS			
IN3004KBM	Wireless Multimedia Keyboard and Mouse. Includes a charging base/mouse stand.	6	94.95
IN3005KB	Multimedia Keyboard. Includes 12 customized hot keys.	6	34.95
IN3001RF	Mini Wireless Optical Mouse. Includes mini USB receiver and two AAA batteries.	12	54.95
IN3000WI	Mini Optical Mouse. Retractable cable extends up to 31 inches.	12	29.95
KP3040	Notebook Keypad. Asynchronous functionality. Includes two USB ports.	6	49.95
IN3003CAM2	Premier Notebook Clip-On Camera. Includes built-in microphone.	12	74.95
IN3002CAM1	Notebook Clip-On Camera. Ultra-compact size.	12	54.95
IN3006CG	Rapid Recharger. Includes a USB port and two AA and two AAA NiMH batteries.	12	34.95
PK3020KB	Notebook Peripheral Kit (Keyboard, Mouse and Hub).	6	79.95
PK3021LI	Notebook Peripheral Kit (Light, Mouse and Hub).	6	69.95
PK3022ET	Notebook Peripheral Kit (Network Cable, Mouse and Hub).	6	59.95

MODEL #	FEATURES	MASTER QTY.	SUGGESTED RESALE
STANDS, SECURITY AND COOLING			
SEC4000A	Notebook Combo Lock with Alarm. Includes internal vibration sensor and audible alarm.	12	54.95
SEC4001C	Notebook Combo Lock.	12	39.95
NS2000SR	Portable Notebook Stand. Includes one cooling fan and one USB port.	10	54.95
NS2001SR	Notebook Station. Includes one large cooling fan and one USB port.	6	74.95
NS2002BK	Articulating Notebook Arm. Adjustable to accommodate any position.	2	119.95
NC2003SR	Notebook Cooling Pad. Includes two built-in cooling pads.	6	39.95

MODEL #	FEATURES	MINIMUM ORDERING QTY.	SUGGESTED RESALE
CONNECTIVITY			
U222-007-R	7 Port USB 2.0 Certified Self- or Bus-Powered Hub, x7 A (F)/x1 A (M)	1	\$ 59.99
U222-004-R	4 Port USB 2.0 Certified Self- or Bus-Powered Ultra-Mini Compact Hub, x4 A (F)/x1 A (M)	10	49.99
U215-004-R	4 Port USB 2.0 Peripheral Sharing Switch. Connects up to four PCs to one printer.	1	69.99
U256-025-R	USB 2.0 External 2.5" Hard Drive Enclosure. Rugged metal case.	1	49.99
U032-004-R	Retractable USB 2.0 Device Cable, USB A (M)/USB B (M) - 4'	10	14.99
U034-004-R	Retractable USB 2.0 Extension Cable, USB A (M)/USB A (F) - 4'	10	14.99

FIBRE CHANNEL PATCH CABLES

MODEL #	FEATURES	MINIMUM ORDERING QTY.	SUGGESTED RESALE
N506-03M	Multimode Duplex 50/125 Fibre Channel Patch Cable - SC/SC - 3M	1	\$ 54.99
N516-03M	Multimode Duplex 50/125 Fibre Channel Patch Cable - LC/SC - 3M	1	69.99
N520-03M	Multimode Duplex 50/125 Fibre Channel Patch Cable - LC/LC - 3M	1	69.99

FIBER PATCH CABLES

MODEL #	FEATURES	MINIMUM ORDERING QTY.	SUGGESTED RESALE
MULTIMODE 62.5/125			
N302-006	Duplex Multimode 62.5/125 Fiber Patch Cable ST/ST - 6'	1	39.99
N304-006	Duplex Multimode 62.5/125 Fiber Patch Cable SC/ST - 6'	1	44.99
N306-006	Duplex Multimode 62.5/125 Fiber Patch Cable SC/SC - 6'	1	49.99
N308-006	Duplex Multimode 62.5/125 Fiber Patch Cable MTRJ/ST - 6'	1	59.99
N310-006	Duplex Multimode 62.5/125 Fiber Patch Cable MTRJ/SC - 6'	1	64.99
N312-02M	Duplex Multimode 62.5/125 Fiber Patch Cable MTRJ/MTRJ - 2M	1	69.99
N314-02M	Duplex Multimode 62.5/125 Fiber Patch Cable MTRJ/LC - 2M	1	74.99
N316-02M	Duplex Multimode 62.5/125 Fiber Patch Cable LC/SC - 2M	1	64.99
N318-02M	Duplex Multimode 62.5/125 Fiber Patch Cable LC/ST - 2M	1	64.99
MULTIMODE 50/125			
N506-02M	Multimode Duplex 50/125 Fiber Patch Cable SC/SC - 2M	1	49.99
N516-02M	Multimode Duplex 50/125 Fiber Patch Cable LC/SC - 2M	1	64.99
N520-02M	Multimode Duplex 50/125 Fiber Patch Cable LC/LC - 2M	1	64.99
SINGLEMODE 8.3/125			
N354-05M	Duplex Singlemode 8.3/125 Fiber Patch Cable SC/ST - 5M	1	99.99
N356-01M	Duplex Singlemode 8.3/125 Fiber Patch Cable SC/SC - 1M	1	79.99
N366-01M	Duplex Singlemode 8.3/125 Fiber Patch Cable LC/SC - 1M	1	89.99
10GB MULTIMODE 50/125			
N806-03M	10Gb Multimode 50/125 Duplex LSZH Aqua Fiber Patch Cable SC/SC - 3M	1	59.99
N816-03M	10Gb Multimode 50/125 Duplex LSZH Aqua Fiber Patch Cable LC/SC - 3M	1	84.99
N820-03M	10Gb Multimode 50/125 Duplex LSZH Aqua Fiber Patch Cable LC/LC - 3M	1	99.99

Fiber patch cables available in a variety of colors and lengths.

CATEGORY 6/CATEGORY 5E PATCH CABLES

MODEL #	FEATURES	MINIMUM ORDERING QTY.	SUGGESTED RESALE
CATEGORY 5E PATCH CABLES (SNAGLESS)			
N001-003-BL	Cat5e (350MHz) Blue Molded Snagless Patch Cable, RJ45M/M - 3'	10	\$ 4.99
N001-007-BL	Cat5e (350MHz) Blue Molded Snagless Patch Cable, RJ45M/M - 7'	10	6.99
N001-010-BL	Cat5e (350MHz) Blue Molded Snagless Patch Cable, RJ45M/M - 10'	10	7.99
N001-025-BL	Cat5e (350MHz) Blue Molded Snagless Patch Cable, RJ45M/M - 25'	10	11.99
CATEGORY 5E PATCH CABLES			
N002-003-GY	Cat5e (350MHz) Gray Molded Patch Cable, RJ45M/M - 3'	10	3.99
N002-007-GY	Cat5e (350MHz) Gray Molded Patch Cable, RJ45M/M - 7'	10	5.99
N002-010-GY	Cat5e (350MHz) Gray Molded Patch Cable, RJ45M/M - 10'	10	6.99
N002-025-GY	Cat5e (350MHz) Gray Molded Patch Cable, RJ45M/M - 25'	10	10.99
CATEGORY 5E PATCH CABLES (SHIELDED)			
N105-007-GY	Cat5e (350MHz) Gray Molded Shielded Patch Cable, RJ45M/M - 7'	10	9.99
N105-010-GY	Cat5e (350MHz) Gray Molded Shielded Patch Cable, RJ45M/M - 10'	10	11.99
N105-025-GY	Cat5e (350MHz) Gray Molded Shielded Patch Cable, RJ45M/M - 25'	1	19.99
N105-050-GY	Cat5e (350MHz) Gray Molded Shielded Patch Cable, RJ45M/M - 50'	1	24.99
CATEGORY 6 PATCH CABLES (SNAGLESS)			
N201-003-BL	Cat6 (550MHz) Blue Molded Snagless Patch Cable, RJ45M/M - 3'	10	9.99
N201-007-BL	Cat6 (550MHz) Blue Molded Snagless Patch Cable, RJ45M/M - 7'	10	14.99
N201-010-BL	Cat6 (550MHz) Blue Molded Snagless Patch Cable, RJ45M/M - 10'	10	16.99
N201-025-BL	Cat6 (550MHz) Blue Molded Snagless Patch Cable, RJ45M/M - 25'	10	27.99

PATCH PANELS & BULK CABLES

MODEL #	FEATURES	MINIMUM ORDERING QTY.	SUGGESTED RESALE
N060-002	Hinged Wall Mount Patch Panel Bracket - 2U	1	\$ 49.99
N060-004	Hinged Wall Mount Patch Panel Bracket - 4U	1	59.99
N222-01K-GY	Cat6 Gigabit Bulk Solid Gray PVC Cable - 1000'	1	200.00
N224-01K-GY	Cat6 Gigabit Bulk Solid Plenum Cable - 1000'	1	600.00
N252-012	Cat6 Patch Panel 568B - 12 Port	1	99.99
N252-024	Cat6 Patch Panel 568B - 24 Port	1	149.99
N252-048	Cat6 Patch Panel 568B - 48 Port	1	299.99

VIDEO SPLITTERS & MONITOR CABLES

MODEL #	FEATURES	MINIMUM ORDERING QTY.	SUGGESTED RESALE
B114-002-R	VGA/SVGA 350MHz Video Splitter - 2 Port - HD15 (M)/x2 (F)	4	\$ 59.99
B114-004-R	VGA/SVGA Video Splitter - 4 Port - HD15 (M)/x4 (F)	1	219.99
P500-006	SVGA Mon Ext Cbl w RGB coax HD15 (M/F) - 6'	10	29.99
P500-025	SVGA Mon Ext Gold Cbl w RGB coax HD15 (M/F) - 25'	1	34.99
P502-006	SVGA Monitor Cbl w RGB Coax HD15 (M/M) - 6'	10	31.99
P502-025	SVGA Monitor Gold Cbl w RGB Coax HD15 (M/M) - 25'	1	34.99
P556-006	DVI Cable - DVI Male to HD15 (M) - 6'	10	29.99
P560-006	DVI Dual Link TDMS Cable- DVI-D (M/M) - 6'	10	34.99
P560-010	DVI Dual Link TDMS Cable- DVI-D (M/M) - 10'	10	39.99
P561-006	DVI Single Link TDMS Cable- DVI-D (M/M) - 6'	10	29.99
P561-010	DVI Single Link TDMS Cable- DVI-D (M/M) - 10'	10	39.99
P566-006	HDMI to DVI Gold Digital Video Cable HDMI (M) / DVI (M) - 6'	1	49.99
P566-010	HDMI to DVI Gold Digital Video Cable HDMI (M) / DVI (M) - 10'	1	59.99
P568-006	HDMI Gold Digital Video Cable HDMI (M/M) - 6'	1	64.99
P568-010	HDMI Gold Digital Video Cable HDMI (M/M) - 10'	1	69.99


USB CABLES, HUBS & ADAPTERS

MODEL #	FEATURES	MINIMUM ORDERING QTY.	SUGGESTED RESALE
U022-006	USB 2.0 Certified Gold A/B Device Cable, A (M)/B (M) - 6'	10	\$ 14.99
U022-010	USB 2.0 Certified Gold A/B Device Cable, A (M)/B (M) - 10'	10	16.99
U024-006	USB Gold Extension Cable for USB 2.0 Cables, A (M/F) - 6'	10	14.99
U024-010	USB Gold Extension Cable for USB 2.0 Cables, A (M/F) - 10'	10	16.99
U026-016	USB 2.0 Certified Active Extension Cable - A (M/F) - 16'	1	49.99
U232-006	USB 2.0 Certified File Transfer Cable, USB A (M/M) - 6'	1	39.99
U222-004-R	4 Port USB 2.0 Certified Self- or Bus-Powered Ultra-Mini Compact Hub, x4 A (F)/x1 A (M)	10	49.99
U225-004-R	4 Port USB 2.0 Certified Hub, x4 A (F)/x1 A (M)	10	39.99
U209-000-R	USB to Serial Adapter	1	39.99
U209-004	USB to 4 Port Serial Adapter	1	299.00
B015-000	USB to PS/2 Adapter	1	19.99


KVM SWITCHES & ACCESSORIES

• "KVM" stands for "Keyboard/Video/Mouse"


- KVM Switches control over 4,000 computers with 1 keyboard, monitor and mouse console
- Full compatibility with all major operating systems and support for most keyboards and mice
- Adapters allow you to control USB or Sun computers through any Tripp Lite PS/2 KVM Switch
- Console Extender Kit enables a console to be located up to 500 ft. away from KVM Switch
- Unique "all-in-one" Cable Kits provide all necessary connectors in a single, easy-to-manage cable. Includes SVGA cable for superior video quality. Use one kit for each CPU connected




Model: B020-016



Model: B020-016



Model: B020-016



Model: B020-016

MODEL #	FEATURES	MINIMUM ORDERING QTY.	SUGGESTED RESALE
KVM SWITCHES			
B030-002-R	2 Port KVM Switch, - PS/2 - (with 2 Built-In Cable Kits)	1	\$ 59.99
B022-002-KT-R	2 Port KVM Switch, Desktop with two cables - PS/2	1	79.99
B034-002-R	2 Port KVM Switch, with Audio and Built-in Cables, USB	1	74.99
B022-004-R	4 Port KVM Switch - PS/2	1	99.99
B006-004-R	4 Port KVM Switch, (USB)	1	219.99
B004-008	8 Port KVM Switch, (w/On-Screen Display, PS/2, Non-Expandable) 1U Rackmount	1	199.99
B007-008	8 Port KVM Switch, (w/On-Screen Display, PS/2) 1U Rackmount	1	459.99
B020-008	8 Port KVM Switch, 15 Inch Console (with built-in slide out keyboard and tilt-up console) 1U Rackmount	1	2499.00
B020-008-17	8 Port KVM Switch, 17 Inch Console (with built-in slide out keyboard and tilt-up console) 1U Rackmount	1	3100.00
B020-016	16 Port KVM Switch, 15 Inch Console (with built-in slide out keyboard and tilt-up console) 1U Rackmount	1	2999.00
B020-016-17	16 Port KVM Switch, 17 Inch Console (with built-in slide out keyboard and tilt-up console) 1U Rackmount	1	3699.00
B022-016	16 Port KVM Switch, 1U Rackmount	1	899.00
B060-032	32 Port KVM Switch, 1U Rackmount, 4 user matrix KVM expansion unit—use with Cat5 cabling.	1	5000.00
KVM ADAPTERS, EXTENDER KIT & KVM CABLE KITS			
B062-001-PS2	PS/2 Console Interface for B060-032 KVM Switch	1	800.00
B062-001-USB	USB Console Interface for B060-032 KVM Switch	1	900.00
B054-001-PS2	PS/2 Server Interface for B060-032 KVM Switch	1	199.00
B054-001-USB	USB Server Interface for B060-032 KVM Switch	1	199.00
B054-001-SUN	SUN Server Interface for B060-032 KVM Switch	1	249.99
B011-000	Sun Console Converter for KVM Switches (except B006-004-R)	1	149.99
B013-000	KVM Console Extender Kit	1	300.00
B015-000	USB to PS/2 Adapter	1	19.99
B019-000	Two-Post Rackmount Bracket for B021 and B020 Series KVM Switch Consoles	1	99.99
B050-000	IP Remote Access Unit	1	999.00
P750-006	PS/2 Cable Kit for KVM Switch B004-008 - 6'	1	23.99
P750-010	PS/2 Cable Kit for KVM Switch B004-008 - 10'	1	34.99
P750-015	PS/2 Cable Kit for KVM Switch B004-008 - 15'	1	44.99
P754-006	PS/2 Cable Kit for KVM Switch B007-008 - 6'	10	23.99
P754-010	PS/2 Cable Kit for KVM Switch B007-008 - 10'	10	34.99
P754-015	PS/2 Cable Kit for KVM Switch B007-008 - 15'	1	44.99
P774-006	PS/2 Cable Kit for "B020-" and "B022-" series KVM Switches - 6'	1	29.99
P774-010	PS/2 Cable Kit for "B020-" and "B022-" series KVM Switches - 10'	1	39.99
P774-015	PS/2 Cable Kit for "B020-" and "B022-" series KVM Switches - 15'	1	59.99
P776-006	USB Cable Kit for "B020-" and "B022-" series KVM Switches - 6'	1	39.99
P776-010	USB Cable Kit for "B020-" and "B022-" series KVM Switches - 10'	1	49.99
P772-002	Daisy-Chain Cable Kit for KVM Switches B020-016, B020-008 and B022-016	1	29.99
P758-006	USB Cable Kit for KVM Switch B006-004-R - 6'	1	13.99
P758-010	USB Cable Kit for KVM Switch B006-004-R - 10'	1	29.99
1U RACKMOUNT CONSOLE			
B021-000	15 Inch 1U Rackmount Console (with built-in slide-out keyboard/touch pad and tilt-up 15 inch LCD monitor)	1	1999.00
B021-000-17	17 Inch 1U Rackmount Console (with built-in slide-out keyboard/touch pad and tilt-up 17 inch LCD monitor)	1	2499.00

This price list is effective on all orders received on and after **January 1, 2006**. The policy of Tripp Lite is one of continuous improvement, and prices and specifications are subject to change without notice. **TERMS:** Net 30 days on approved credit. Unearned discounts will be billed back. Subject to applicable government regulations, all shipments will be billed at prices in effect at time of shipment. **FREIGHT:** F.O.B. our Chicago plant. Title passes to purchaser when carrier signs our clean receipt. **MINIMUM INVOICE:** \$100.00. **RETURN OF MERCHANDISE:** Not accepted without prior permission in writing from Chicago office. All merchandise returned for credit must be returned prepaid and may be subject to a 15% handling charge plus cost of reconditioning and repacking.

LIMITED WARRANTY If it appears within the product's warranty period, from the date of delivery to Purchaser, that any products or component parts do not conform exactly to the specifications and physical descriptions referred to above, and the Purchaser, at his expense, returns the products or the component parts to the Seller together with a report of defects, the Seller shall review the inspection report and inspect the items and shall authorize, at its option, either the repair or replacement of any non-conforming products or component parts. The liability of the Seller to the Purchaser arising out of the supply of or the use of the products or component parts whether on warranty, contract or negligence, shall not in any case exceed the amount to be paid by the Seller in obtaining repair or replacement of non-conforming products or component parts, and upon the expiration of the warranty period all liability of the Seller shall terminate. This warranty shall give specific legal rights. You may have other rights which vary from state to state. Seller shall not be liable for any injury, loss or damage, direct or consequential, arising out of the use or the liability to use the product.

CONTACT US TODAY!

To Place Order: (773) 869-1797 • For Technical Assistance: (773) 869-1234
 For Fax Orders: (773) 869-1329
 For Return Information: (773) 869-1103 For General Office: (773) 869-1111

