

Emerson Network Power™ Cross Reference Chart

UPS's, PDUs, Monitoring & Management software,
and server racks and cabinets from Liebert®

Liebert PSP™ - Standby UPS protection

Description	Model Number	Rating	Ingram Micro® SKU
Economical, full featured UPS that delivers cost-effective power protection in a compact package.	PSP350MT3-120U	350 VA / 210W	BD4176
	PSP500MT3-120U	500 VA / 300W	BD4177

APC® SKU	Tripp Lite® SKU	Eaton® SKU
BK350	INTERNET350U	PW3105 350
BK500	POS500	PW3105 500

Liebert PSA™ UPS Line Interactive models

Description	Model Number	Rating	Ingram Micro SKU
The Liebert PSA is a line-interactive UPS with advanced shutdown, surge protection. It provides five minutes of backup at full load and is competitively priced, costing less than most desktop UPS models with comparable output ranges.	PSA500MT3-120U	500VA / 300W	Q93547
	PSA650MT3-120U	650VA / 390W	Q93548
	PSA1000MT3-120U	1000VA / 600W	Q93549
	PSA1500MT3-120U	1500VA / 900W	Q93550

APC SKU	Tripp Lite SKU	Eaton SKU
BR700G	OMNISMART500	05146548-5591
BR700G	OMNISMART700	05146554-5591
BR1000G	OMNISMART1050	05146560-5591
BR1500G	OMNISMART1400	05146566-5591

Liebert PSI™ UPS Line Interactive models

Description	Model Number	Rating	Ingram Micro SKU
The Liebert PSI™ UPS is a line-interactive UPS solutions for SMB customers. Competitively priced, the Liebert PSI offers great value for customers and high margins for partners.	PS1000RT3-120	1000VA / 900W	CA8545
	PS1500RT3-120	1500VA / 1350W	CA8546
	PS2200RT3-120	1920VA / 1920W	CA8547
	PS3000RT3-120	3000VA / 2700W	CA8548

APC SKU	Tripp Lite SKU	Eaton SKU
SUA1000RM2U or SMT1000RM2U	SMART1000RM2U	103003272-6591
SUA1500RM2U or SMT1500RM2U	SMART1500RM2U	103003275-6591
SUA2200RM2U or SMT2200RM2U	SMART2200RM2U	PW5130L2200-XL2U
SUA3000RM2U or SMT3000RM2U	N / A	N / A

The rack slide kits are included with the UPS's and the EBC's.

For assistance with Liebert products, contact Partner Support at 1-800-222-5877, menu option 4;
Outside US: +800-1155-4499; Email: channel@emerson.com

All notices are available via Market Memos located on the Partner Portal located at <http://partners.emersonnetworkpower.com> as well as via the Portal Alert as you log in.

July – August – September – 2013 – VR-01505 (R07-13)



Liebert® PSI™ UPS Line Interactive models - continued

Description	Model Number	Rating	Ingram Micro® SKU
	PS1000RT3-120W*	1000VA / 900W	CA8549
	PS1500RT3-120W*	1500VA / 1350W	CA8550
	PS2200RT3-120W*	1920VA / 1920W	CA8551
	PS3000RT3-120W*	3000VA / 2700W	CA8552

* Network card pre-installed.

APC® SKU	Tripp Lite® SKU	Eaton® SKU
N / A	N / A	N / A
N / A	N / A	N / A
N / A	N / A	N / A
N / A	N / A	N / A

Liebert PSI™-XR UPS Line Interactive models

Description	Model Number	Rating	Ingram Micro SKU
The Liebert PSI-XR UPS is a compact, line-interactive UPS for network closets and small data centers. It offers the same power protection features as the Liebert PSI, but with an extended battery runtime option.	PS1000RT3-120XR	1000VA / 900W	Q93571
	PS1500RT3-120XR	1500VA / 1350W	Q93572
	PS2200RT3-120XR	1920VA / 1920W	Q93573
	PS3000RT3-120XR	3000VA / 2700W	Q93574
	PS1000RT3120XRW*	1000VA / 900W	Q93575
	PS1500RT3120XRW*	1500VA / 1350W	Q93576
	PS2200RT3120XRW*	1920VA / 1920W	Q93577
	PS3000RT3120XRW*	3000VA / 2700W	Q93578
	IS-WEBRT3	IntelliSlot Ethernet card w/SNMP, MIB, cable	Q93585
	PSRT3-24VBXR	Battery cabinet-extended runtime for the 1000VA and 1500VA PSI-XR	Q93583
	PSRT3-48VBXR	Battery cabinet-extended runtime for 2200VA and 3000VA PSI-XR	Q93584

* Network card pre-installed.

APC SKU	Tripp Lite SKU	Eaton SKU
N / A	SMART750RML2U	PW5130L1000-XL2U
SMX1500RM2UNC	SMART1500RML2UA	PW5130L1500-XL2U
SMX2000RMLV2U	SMART2200RML2U	PW5130L2200-XL2U
SMX3000RMLV2U	SMART3000RML2U	PW5130L3000-XL2U
N / A	N / A	N / A
N / A	N / A	N / A
N / A	N / A	N / A
N / A	N / A	N / A
AP9617	SNMPWEBCARD	Connect UPS-BD
SMX48RMBP2U	BP36V15-2U BP36V42-3U	PW5130N1750-EBM2U
SMX120RMBP2U	BP48V60RT3U	PW5130N3000-EBM2U

The rack slide kits are included with the UPS's and the EBC's.

For assistance with Liebert products, contact Partner Support at 1-800-222-5877, menu option 4; Outside US: +800-1155-4499; Email: channel@emerson.com

Liebert® GXT3™ UPS True Online models

Description	Model Number	Rating	Ingram Micro® SKU
Liebert GXT3 is a single-phase, double conversion on-line UPS system available in 500 - 10,000VA. Rack or tower configurable, the Liebert GXT3 UPS offers customers a higher power factor, longer battery life, higher reliability and reduced cost of ownership.	GXT3-500RT120	500VA / 450W	CD3961
	GXT3-700RT120	700VA / 630W	CD3962
	GXT3-1000RT120	1000VA / 900W	CD3963
	GXT3-1500RT120	1500VA / 1350W	CD3964
	GXT3-2000RT120	2000VA / 1800W	CD3965
	GXT3-3000RT120	3000VA / 2700W	CD3966
	GXT3-3000RT208	3000 VA / 2700 W	CD3967
	GXT3-48VBATT	Extended runtime battery cabinet for GXT3-500 to 2000	CD3974
	GXT3-72VBATT	Extended runtime battery cabinet for GXT3-3000	CD3975
	IS-WEBCARD	IntelliSlot Ethernet card w/SNMP, MIB, cable	N89065
	GXT3-5000RT208	GXT3 5000 VA/ 4000 W 208V Rack / Tower	CT6936
	GXT3-6000RT208	GXT3 6000 VA/4800W 208V Rack / Tower	CT6937
	GXT3-6000RTL630	GXT3 6000 VA/4200W 208V	CT6948
	GXT3-8000RT208	GXT3 8000 VA/ 7200W 208V Rack / Tower	CT6954
	GXT3-10000RT208	GXT3 10000 VA/9000W 208V Rack / Tower	CT6955
	GXT3-144VBATT	Extended Battery Cabinet for GXT3-5000RT208 and GXT3-6000RT208	CT6939
	GXT3-144BATKIT	Internal Battery Kit for GXT3-5000RT208 and GXT3-6000RT208	CT6938
	GXT3-240BATKIT	Internal Battery Kit for GXT3-6000RTL630	CT6949
	GXT3-288RTBKIT	Internal Battery kit for GXT3-8000RT208 and GXT3-10000RT208	CT6956
	GXT3-288RTVBATT	External Battery Cabinet for GXT3-8000RT208 and GXT3-10000RT208	CT6957

APC® SKU	Tripp Lite® SKU	Eaton® SKU
N / A	N / A	N / A
N / A	N / A	PW9130L700R-XL2U
N / A	SU1000RTXL2U	PW9130L1000R-XL2U
SURTA1500RMLX2U	SU1500RTXL2Ua	PW9130L1500R-XL2U
N/A	SU2200RTXL2Ua	PW9130L2000R-XL2U
SURTA3000RMLX3U	SU3000RTXL3U	PW9130L3000R-XL2U
SURTD3000XLT	SU3000RTXL3UHV	PW9130G3000R-XL2U
SURTA48RMLXBP2U	BP48V24-2U	PW9130N1000R-EBM2U (700 & 1000VA) , PW9130N1500R-EBM2U (1500VA) ,
SURT192RMLXBP3U	BP72V122U	PW9130N3000R-EBM2U (200 & 300VA)
AP9630	SNMPWEBCARD	Connect UPS-BD
SURTD5000RMLXP3U	SU5000RT4UTF	9PX5KTF5
SURTD6000RMLXP3U	SU6000RT4U	9PX6KTF5
SURT6000RMLX3U	SU6000RT4UHV	9PX6K
SURT8000XLT-1TF3	SU8000RT3U1TF	9PX8KTF5
SURT10000XLT-1TF10K	SU10000RT3U2TF	9PX11KTF5
N/A	DP192V12-3U	9_EXEBM180RT
N/A	N/A	N/A
N/A	N/A	N/A
SURT192XLBP	BP240V10RT3U	9PXEB240RT
SURT192XLBP	BP240V10RT3U	9PXEB240RT

For assistance with Liebert products, contact Partner Support at 1-800-222-5877, menu option 4; Outside US: +800-1155-4499; Email: channel@emerson.com

Rack Rail Kits REQUIRED for the Liebert® GXT3™

Model Number	Description	Ingram Micro® SKU
RMKIT18-32	For all GXT3 UPSes - for 19" EIA server racks with 18" - 32" deep support rails	C32163
2UTELECOMRKIT	For GXT3 500VA-3000VA UPSs - center mount brackets for 19" wide telecom/relay racks	G22109
4UTELECOMRKIT	For GXT3-5000RT208, GXT3-6000RT208 - center mount brackets for 19" wide telecom/relay racks	L09441
RS600	For GXT3-6000RTL630, GXT3-8000RT208, GXT3-10000RT208 - center mount brackets for 19" wide telecom/relay racks	N89152
RS500	For GXT3-6000RTL630, GXT3-8000RT208, GXT3-10000RT208 - Flush mount shelf for 19" wide telecom/relay rack	-----

DCF Preconfigured Optimized Rack Systems

Model Number	Description	Ingram Micro® SKU	APC® SKU	Powerware Competitive SKU	Tripp Lite® SKU
F2611	42U 2000mm (78.1")H x 600mm (23.6")W x 1100mm (43.3")D with split locking side panels, (1) 75% Perforated Curved Front Door and (2) 75% Perforated Split Rear Doors. Locks on front and rear door, top cover, casters/leveling feet (2) Full Height PDU/Cable mgt brackets (1) Baying Kit RAL 7021 Black	LE1928	AR3100	10642G2	4220
F2612	42U 2000mm(78.1")H x 600mm (23.6")W x 1200mm (47.3")D with split locking side panels, (1) 75% Perforated Curved Front Door and (2) 75% Perforated Split Rear Doors. Locks on front and rear door, top cover, casters/leveling feet (2) Full Height PDU/Cable mgt brackets (1) Baying Kit RAL 7021 Black	LE1929	AR3300	10642G2 (1200 Deep)	4220D
F2811	42U 2000mm(78.1")H x 800mm (32")W x 1100mm (43.3")D with split locking side panels, (1) 75% Perforated Curved Front Door and (2) 75% Perforated Split Rear Doors. Locks on front and rear door, top cover, casters/leveling feet (2) Full Height PDU/Cable mgt brackets (1) Baying Kit RAL 7021 Black	LE1930	AR3150	10842 G2	4220W
F2812	42U 2000mm (78.1")H x 800mm (32")W x 1200mm (47.3")D with split locking side panels, (1) 75% Perforated Curved Front Door and (2) 75% Perforated Split Rear Doors. Locks on front and rear door, top cover, casters/leveling feet (2) Full Height PDU/Cable mgt brackets (1) Baying Kit RAL 7021 Black	LE1931	AR3350	NA	NA
F8611	48U 2250mm (88.6")H x 600mm (23.6")W x 1100mm (43.3")D with split locking side panels, (1) 75% Perforated Curved Front Door and (2) 75% Perforated Split Rear Doors. Locks on front and rear door, top cover, casters/leveling feet (2) Full Height PDU/Cable mgt brackets (1) Baying Kit RAL 7021 Black	LE1932	AR3107	10647G2	4820
F8612	48U 2250mm (88.6")H x 600mm (23.6")W x 1200mm (47.3")D with split locking side panels, (1) 75% Perforated Curved Front Door and (2) 75% Perforated Split Rear Doors. Locks on front and rear door, top cover, casters/leveling feet (2) Full Height PDU/Cable mgt brackets (1) Baying Kit RAL 7021 Black	LE1933	AR3307	10647G2 (1200 Deep)	4820D
F8811	48U 2250mm (88.6")H x 800mm (32")W x 1100mm (43.3")D with split locking side panels, (1) 75% Perforated Curved Front Door and (2) 75% Perforated Split Rear Doors. Locks on front and rear door, top cover, casters/leveling feet (2) Full Height PDU/Cable mgt brackets (1) Baying Kit RAL 7021 Black	LE1934	AR3157	NA	4820W
F8812	48U 2250mm (88.6")H x 800mm (32")W x 1200mm (47.3")D with split locking side panels, (1) 75% Perforated Curved Front Door and (2) 75% Perforated Split Rear Doors. Locks on front and rear door, top cover, casters/leveling feet (2) Full Height PDU/Cable mgt brackets (1) Baying Kit RAL 7021 Black	LE1935	AR3357	NA	NA

For assistance with Liebert products, contact Partner Support at 1-800-222-5877, menu option 4; Outside US: +800-1155-4499; Email: channel@emerson.com

DCF Rack Accessories

Part Number	Description	Ingram Micro® SKU
002185000	19" 1U Fixed Tool Less Shelf; 275lb load rating	K98154
535809G1	19" 1U Telescopic Shelf; 110lb load rating	DW4663
542777G1L	"L" Shaped depth adjustable Support Rails; 2 piece Kit 110lb load rating	GT8391
010200087	1U Plastic Tool less Blanking Panel, (box of 10)	DP8409
010200088	2U Plastic Tool less Blanking Panel, (box of 5)	DP8410
002185050	Tool Less Cable Management - Lobster Claw, Pack of (10)	M10461
002185060	Tool Less Cable Management - Velcro Strap, Pack of (10)	M10463
011171448	U 19" Mount Cable Routing Panel, with D rings 050400558 19" Cable trough	-----
548784P1	19" 1U Horizontal Cable Manager	-----
548785P1	19" 2U Horizontal Cable Manager	-----

For assistance with Liebert products, contact Partner Support at 1-800-222-5877, menu option 4;
Outside US: +800-1155-4499; Email: channel@emerson.com