

SYLVANIA LEDVANCE Luminaires Accessories Insert Card
Revised August 2019

All luminaires and retrofit kits are UL/ETL, FCC, RoHS

All luminaires and retrofit kits are backed by 5 year warranty

*LPW per LM79 report

**Dual (Motion/Daylight) Sensor (D), Photocontrol (P), Emergency (E)



Compatible Fixtures	Item#	Sales Part #	Product Description
High Bay	74449	HIBAY1A/BOTTOMLENS/16H5.....	Refractor Bottom Lens
Linear High Bay	71758	SENSOR1A/REMOTE/D.....	Sensor Remote
	74597	LNHIBA1A/08IN/WG/WH.....	Wire Guard for 100W, 150W, and 165W versions
	74598	LNHIBA1A/12IN/WG/WH.....	Wire Guard for 225W versions
Vapor Tight	74310	VAPOR1A/REMOTE.....	Vapor Tight Sensor Remote compatible with VAPOR1A
	74541	VAPOR1B/REMOTE.....	Vapor Tight Sensor Remote compatible with VAPOR1B
	74744	VAPOR1X/LENS/24D5.....	2ft Diffused Lens
	74538	VAPOR1X/LENS/48D5.....	4ft Diffused Lens
	74448	VAPOR1A/LENS/48EC.....	4ft Replacement Lens
	74920	VAPOR1A/CONN/BL.....	Tandem Wiring Connector
Panel	70132	SMKIT1A/14G/WH.....	Surface Mount Kit 1' x 4'
	70380	SMKIT1A/22G/WH.....	Surface Mount Kit 2' x 2'
	70381	SMKIT1A/24G/WH.....	Surface Mount Kit 2' x 4'
	60457	FK1A14GWH.....	Flange Kit 1' x 4'
	60458	FK1A22GWH.....	Flange Kit 2' x 2'
	60459	FK1A24GWH.....	Flange Kit 2' x 4'
Canopy	60683	CANOPY3A/MTGPLATE/12/BZ	12.5" Mounting Plate, Bronze
	60684	CANOPY3A/MTGPLATE/16/BZ	16" Mounting Plate, Bronze
	60685	CANOPY3A/MTGPLATE/12/WH	12.5" Mounting Plate, White
	60686	CANOPY3A/MTGPLATE/16/WH	16" Mounting Plate, White
Garage	74745	GARAG1A/MTGPLATE/16/SV.....	16" Mounting Plate, Silver Finish
	74921	GARAG1A/SHIELD.....	Polycarbonate Glare Shield
	74550	GARAG1A/CONN/1/SV.....	Wire Through Connector – (Set of 1)

SYLVANIA LEDVANCE Luminaires Accessories Insert Card
Revised August 2019

All luminaires and retrofit kits are UL/ETL, FCC, RoHS

All luminaires and retrofit kits are backed by 5 year warranty

*LPW per LM79 report

**Dual (Motion/Daylight) Sensor (D), Photocontrol (P), Emergency (E)



Compatible Fixtures	Item#	Sales Part #	Product Description
	74551	GARAG1A/CONN/2/SV.....	Wire Through Connector – (Set of 2)
	71758	SENSOR1A/REMOTE/D.....	Sensor Remote
Strip	60456	STRIP1AKOENDCAP.....	Strip end cap with knockout
	60000	STRIP1A/JOINERKIT/WH.....	Strip Joiner Kit
Dusk to Dawn	60127	AREADTD1A/ARM/24.....	Mounting Arm
Area Light	71733	AREAFLD1A/POLEMOUNT/BZ.....	Pole Mount, Bronze
	71734	AREAFLD1A/SLIPFITTER/BZ.....	Slip Fitter Mount Bronze
	60128	AREAFLD1A/RNDADAPT/BZ.....	Round Pole Adaptor, Bronze
	60129	AREAFLD1A/WALLMNT/BZ.....	Wall Mount Bracket, Bronze
	60130	AREAFLD1A/WALLTENON/BZ.....	Tenon Mount, Bronze
	60165	AREAFLD1ATRUNNIONBZ.....	Area Light Trunnion
	60163	AREAFLD1AVISOR01BZ.....	Area Light Visor
	60164	AREAFLD1AVISOR02BZ.....	Area Light Visor
	60659	POLESQS1A./20/11G/4IN/BZ.....	20' 11 gauge square straight pole
	60660	POLESQS1A/20/07G/4IN/BZ.....	20' 7 gauge square straight pole
	60661	POLESQS1A/25/11G/4IN/BZ.....	25' 11 gauge square straight pole
	60662	POLESQS1A/25/07G/4IN/BZ.....	25' 7 gauge square straight pole
	60663	POLESQS1A/30/11G/5IN/BZ.....	30' 11 gauge square straight pole
	60664	POLESQS1A/30/07G/5IN/BZ.....	30' 7 gauge square straight pole
	60665	POLESQS1A/ANJBOLT/304.....	¾" x 30" Anchor Bolt
	60666	POLESQS1A/ANJBOLT/364.....	1" x 36" Anchor Bolt
	60667	POLESQS1A/TENON./4IN./BZ.....	4" Tenon Mount, Bronze Finish
	60668	POLESQS1A/TENON/6IN./BZ.....	6" Tenon Mount, Bronze Finish
	60650	AREAFLD1APOLEMOUNTWH.....	Pole Mount, White
	60651	AREAFLD1ASLIPFITTERWH.....	Slip Fitter Mount White
	60652	AREAFLD1AWALLMNTWH.....	Wall Mount Bracket, White
	65013	POLESQS1A/DBLTENON/4IN/BZ.....	Double Tenon 4", Bronze
	65014	POLESQS1A/DBLTENON/5IN/BZ.....	Double Tenon 5", Bronze

SYLVANIA LEDVANCE Luminaires Accessories Insert Card
Revised August 2019

All luminaires and retrofit kits are UL/ETL, FCC, RoHS

All luminaires and retrofit kits are backed by 5 year warranty

*LPW per LM79 report

**Dual (Motion/Daylight) Sensor (D), Photocontrol (P), Emergency (E)



Compatible Fixtures	Item#	Sales Part #	Product Description
	65015	POLESQS1A/DBLBULHORN/4IN/BZ	Double Bullhorn 4", Bronze
	65016	POLESQS1A/DBLBULHORN/5IN/BZ	Double Bullhorn 5", Bronze
	60845	POLESQS1A/TPLBULHORN/4IN/BZ	4" Triple Bullhorn Bracket, Bronze Finish
	60846	POLESQS1A/TPLBULHORN/5IN/BZ	5" Triple Bullhorn Bracket, Bronze Finish
Slim Wall Pack	74392	SLMWPK1A/JBOX/BZ.....	Junction Box, Bronze Finish
	74393	SLMWPK1A/TRUNNION/BZ.....	Junction Box Trunnion Mount, Bronze Finish
	74394	SLMWPK1A/KNUCKLE/BZ.....	Junction Box Knuckle Mount, Bronze Finish
Wall Pack Cutoff	74396	WALPAK1C/LENS/BZ.....	Replacement Lens with Frame
Wall Pack Non-Cutoff	<u>30W - 80W</u>		
	74390	WALPAK1N/TOPVISOR/BZ.....	Top Visor, Bronze Finish
	74391	WALPAK1N/WIREGUARD.....	Wire Guard
	74397	WALPAK1N/LENS/BZ.....	Replacement Glass Lens with Frame
	74445	WALPAK1N/PICLENS/BZ.....	Polycarbonate Lens with Frame
	<u>105W</u>		
	74539	WALPAK3N/TOPVISOR/BZ.....	Top Visor, Bronze Finish
	74540	WALPAK3N/WIREGUARD.....	Wire Guard
	74595	WALPAK3N/LENS/BZ.....	Replacement Glass Lens with Frame
SMART+ Accessories	<u>Keypads</u>		
	70000	1KEYPAD.5WZBLVTLMN.....	1 Button multi-function Zigbee Keypad with room controller
	70550	2KEYPAD.5WZBLVTLMN.....	2 Button multi-function Zigbee Keypad with room controller
	75548	4KEYPAD.5WZBLVTLMN.....	4 Button multi-function Zigbee Keypad with room controller
	75547	8KEYPAD.5WZBLVTLMN.....	8 Button multi-function Zigbee Keypad with room controller

SYLVANIA LEDVANCE Luminaires Accessories Insert Card
Revised August 2019

All luminaires and retrofit kits are UL/ETL, FCC, RoHS

All luminaires and retrofit kits are backed by 5 year warranty

*LPW per LM79 report

**Dual (Motion/Daylight) Sensor (D), Photocontrol (P), Emergency (E)



Compatible Fixtures	Item#	Sales Part #	Product Description
(Compatible with SMART+ Products)	<u>Occupancy Sensors</u>		
	75568	450SQFOCCSEN2.4GHZBLVTLMN.....	450 Square Foot Wireless Zigbee Occupancy Sensor
	75567	1500SQFOCCSEN2.4GHZBLVTLMN...	1500 Square Foot Wireless Zigbee Occupancy Sensor
LED Retrofit Downlight	<u>Trim Rings</u>		
	75092	RT8TRIMALZAK 4/CS 1/SKU	Alzak trim for RT8
	75093	RT8TRIMSN 4/CS 1/SKU	Satin nickel trim for rt8
	75083	RT810TRIMEXT 6/CS 1/SKU	RT8 trim extender for 10" applications
	74991	RT812TRIMEXT	RT8 extension for 12" applications
	71709	LEDRT8FRAME	8" recessed rough-in frame
	75097	RT56TRIMBLK 4/CS 1/SKU	black trim for rt56
	75098	RT56TRIMORBZ 4/CS 1/SKU	Bronze trim for rt56
	75099	RT56TRIMSN 4/CS 1/SKU	satin nickle trim for rt56
	75082	RT68TRIMEXT	Trim extender for 8" applications
	71708	LEDRT6HOFAME	6" recessed rough-in frame
	75082	RT68TRIMEXT	Trim extender for 8" applications
	74992	LEDMD4TRIMDKBZ 4/CS 1/SKU	Dark bronze trim ring for 4" microdisk
	74993	LEDMD4TRIMBLK 4/CS 1/SKU	Black trim ring for 4" microdisk
	74994	LEDMD4TRIMORBZ 4/CS 1/SKU	Oil rubbed bronze trim ring for 4" microdisk
	74995	LEDMD4TRIMSN 4/CS 1/SKU	Nickel trim ring for 4" microdisk
	74996	LEDMD6TRIMDKBZ 4/CS 1/SKU	Dark bronze trim ring for 6" microdisk
	74997	LEDMD6TRIMBLK 4/CS 1/SKU	Black trim ring for 6" microdisk
	74998	LEDMD6TRIMORBZ 4/CS 1/SKU	Oil rubbed bronze trim ring for 6" microdisk
	74999	LEDMD6TRIMSN 4/CS 1/SKU	Nickel trim ring for 6" microdisk
	75082	RT68TRIMEXT 6/CS 1/SKU	Trim extender for 8" applications
75082	RT68TRIMEXT 6/CS 1/SKU	Trim extender for 8" applications	
75082	RT68TRIMEXT 6/CS 1/SKU	Trim extender for 8" applications	

SYLVANIA LEDVANCE Luminaires Accessories Insert Card
Revised August 2019

All luminaires and retrofit kits are UL/ETL, FCC, RoHS

All luminaires and retrofit kits are backed by 5 year warranty

*LPW per LM79 report

**Dual (Motion/Daylight) Sensor (D), Photocontrol (P), Emergency (E)



Compatible Fixtures	Item#	Sales Part #	Product Description
		<u>Emergency Battery Back-up Units</u>	
	60887	EMBB1A5WDC	Field installable emergency battery back-up unit 5W
	60888	EMBB1A8WDC	Field installable emergency battery back-up unit 8W
	60889	EMBB1A16WDC	Field installable emergency battery back-up unit 16W


SYLVANIA Luminaires Insert Card
Revised August 2019

All luminaires and retrofit kits are UL/ETL, FCC, RoHS
All luminaires and retrofit kits are backed by 5 year warranty

*LPW per LM79 report

**Dual (Motion/Daylight) Sensor (D), Photocontrol (P), Emergency (E)





Product Image	Item#	Sales Part #	Watt	Voltage	Dim	CRI/CCT	Dimensions	Lumens	LPW*	LED L70	Rating	Replaces Traditional equivalent up to	Options**	Color	DLC / E star
ValueLED™ Panel															
 Click for Panel IES Files	74243	PANELF1A/032UNVD835/14G/WH	32	120-277	0-10	835	47.8" x 11.8" x 1.7"	3200	102	≥50,000	Damp	2x28W T8	-	White	Standard // PRSKM3F9
	74244	PANELF1A/032UNVD840/14G/WH	32	120-277	0-10	840	47.8" x 11.8" x 1.7"	3300	104	≥50,000	Damp	2x28W T8	-	White	Standard // PYEUNHWZ
	74938	PANELF1A/032UNVD850/14G/WH	32	120-277	0-10	850	47.8" x 11.8" x 1.7"	3400	110	≥50,000	Damp	2x28W T8	-	White	Standard // PKE1Y62N
	74251	PANELF1A/032UNVD835/22G/WH	32	120-277	0-10	835	23.8" x 23.8" x 1.7"	3500	110	≥50,000	Damp	3x17W T8	-	White	Standard // PSK8H221
	74252	PANELF1A/032UNVD840/22G/WH	32	120-277	0-10	840	23.8" x 23.8" x 1.7"	3500	110	≥50,000	Damp	3x17W T8	-	White	Standard // PD89R2XF
	74797	PANELF1A/032UNVD850/22G/WH	32	120-277	0-10	850	23.8" x 23.8" x 1.7"	3500	114	≥50,000	Damp	3x17W T8	-	White	Standard // PTJG7KWA
	74247	PANELF1A/032UNVD835/24G/WH	32	120-277	0-10	835	47.8" x 23.8" x 1.7"	3300	104	≥50,000	Damp	2x32W T8	-	White	Standard // P717DPSU
	74248	PANELF1A/032UNVD840/24G/WH	32	120-277	0-10	840	47.8" x 23.8" x 1.7"	3300	104	≥50,000	Damp	2x32W T8	-	White	Standard // PDSW9DKR
	74935	PANELF1A/032UNVD850/24G/WH	32	120-277	0-10	850	47.8" x 23.8" x 1.7"	3500	112	≥50,000	Damp	2x32W T8	-	White	Standard // PJV5MJ42
	74249	PANELF1A/040UNVD835/24G/WH	40	120-277	0-10	835	47.8" x 23.8" x 1.7"	4200	109	≥50,000	Damp	3x32W T8	-	White	Standard // PNVN5SM3
	74250	PANELF1A/040UNVD840/24G/WH	40	120-277	0-10	840	47.8" x 23.8" x 1.7"	4200	110	≥50,000	Damp	3x32W T8	-	White	Standard // P45NYMQN
	74934	PANELF1A/040UNVD850/24G/WH	40	120-277	0-10	850	47.8" x 23.8" x 1.7"	4300	113	≥50,000	Damp	3x32W T8	-	White	Standard // P1T8DVOP
	74245	PANELF1A/032UNVD835/14G/WH/E	32	120-277	0-10	835	47.8" x 11.8" x 1.7"	3200	102	≥50,000	Damp	2x28W T8	E	White	-
	74246	PANELF1A/032UNVD840/14G/WH/E	32	120-277	0-10	840	47.8" x 11.8" x 1.7"	3300	104	≥50,000	Damp	2x28W T8	E	White	-
	74939	PANELF1A/035UNVD850/14G/WH/E	32	120-277	0-10	850	47.8" x 11.8" x 1.7"	3300	104	≥50,000	Damp	2x28W T8	E	White	-
	74253	PANELF1A/032UNVD835/22G/WH/E	32	120-277	0-10	835	23.8" x 23.8" x 1.7"	3500	110	≥50,000	Damp	2x32W T8	E	White	-
	74254	PANELF1A/032UNVD840/22G/WH/E	32	120-277	0-10	840	23.8" x 23.8" x 1.7"	3500	110	≥50,000	Damp	2x32W T8	E	White	-
	74798	PANELF1A/035UNVD850/22G/WH/E	32	120-277	0-10	850	23.8" x 23.8" x 1.7"	3500	110	≥50,000	Damp	2x32W T8	E	White	-
	74241	PANELF1A/040UNVD835/24G/WH/E	40	120-277	0-10	835	47.8" x 23.8" x 1.7"	4200	109	≥50,000	Damp	3x32W T8	E	White	-
	74239	PANELF1A/032UNVD835/24G/WH/E	32	120-277	0-10	835	47.8" x 23.8" x 1.7"	3300	104	≥50,000	Damp	2x32W T8	E	White	-
74240	PANELF1A/032UNVD840/24G/WH/E	32	120-277	0-10	840	47.8" x 23.8" x 1.7"	3300	104	≥50,000	Damp	2x32W T8	E	White	-	
74937	PANELF1A/035UNVD850/24G/WH/E	32	120-277	0-10	850	47.8" x 23.8" x 1.7"	3300	104	≥50,000	Damp	2x32W T8	E	White	-	
74242	PANELF1A/040UNVD840/24G/WH/E	40	120-277	0-10	840	47.8" x 23.8" x 1.7"	4200	110	≥50,000	Damp	3x32W T8	E	White	-	
74936	PANELF1A/040UNVD850/24G/WH/E	40	120-277	0-10	850	47.8" x 23.8" x 1.7"	4200	110	≥50,000	Damp	3x32W T8	E	White	-	

All luminaires and retrofit kits are UL/ETL, FCC, RoHS
All luminaires and retrofit kits are backed by 5 year warranty
*LPW per LM79 report



**Dual (Motion/Daylight) Sensor (D), Photocontrol (P), Emergency (E)

Product Image	Item#	Sales Part #	Watt	Voltage	Dim	CRI/CCT	Dimensions	Lumens	LPW*	LED L70	Rating	Replaces Traditional equivalent up to	Options**	Color	DLC / E star	
SMART+ LED Edge-Lit Panel																
	74746	LEDPANEL32WADJW22ZBS+	32	120-277	-	8ADJ	20.3" x 14.8" x 1.7"	3200	94	≥35,000	Damp	3x17W T8 / 2U31 T8	-	White	-	
	74523	LEDPANEL40WADJW24ZBS+	40	120-277	-	8ADJ	43.7" x 14.8" x 1.7"	4800	100	≥35,000	Damp	3x32W T8	-	White	-	
ValueLED™ Volumetric Troffer																
 Click For Volumetric IES Files	74352	VOLUME1A/042UNVD840/24G/WH	42	120-277	0-10	840	47.7" x 23.7" x 3.5"	3,500	107	≥100,000	Wet	2x32W T8	-	White	Standard // PA5BUKTA	
	74353	VOLUME1A/035UNVD840/22G/WH/E	35	120-277	0-10	840	23.7" x 23.7" x 3.5"	3,600	113	≥100,000	Wet	2x32W T8	E	White	Standard // PDXH34YH	
	74354	VOLUME1A/035UNVD835/22G/WH/E	35	120-277	0-10	835	23.7" x 23.7" x 3.5"	3,500	107	≥100,000	Wet	2x32W T8	E	White	Standard // PDD5NSP	
	74355	VOLUME1A/035UNVD840/22G/WH/E	35	120-277	0-10	840	23.7" x 23.7" x 3.5"	3,600	113	≥100,000	Wet	2x32W T7	E	White	Standard // PTSU2HGC	
	74441	VOLUME1A/042UNVD835/24G/WH	42	120-277	0-10	835	47.7" x 23.7" x 3.5"	4,400	103	≥100,000	Wet	2x32W T8	-	White	Standard // PJVKNHRH	
	74442	VOLUME1A/042UNVD835/24G/WH/H	42	120-277	0-10	835	47.7" x 23.7" x 3.5"	4,400	103	≥100,000	Wet	2x32W T8	-	White	Standard // PA5BUKTA	
	74443	VOLUME1A/042UNVD835/24G/WH/E	42	120-277	0-10	835	47.7" x 23.7" x 3.5"	4,400	103	≥100,000	Wet	2x32W T8	E	White	Standard // PKUTPV92	
	74444	VOLUME1A/042UNVD840/24G/WH/E	42	120-277	0-10	840	47.7" x 23.7" x 3.5"	4,400	103	≥100,000	Wet	2x32W T8	E	White	Standard // PA5BUKTA	
	71725	VOLUME2A/025UNVD835/22G/WH	25	120-277	0-10	835	23.7" x 23.7" x 3.5"	3,200	134	≥70,000	Wet	3x17W T8 / 2U31 T6	-	White	Standard // PJVKNHRH	
	71726	VOLUME2A/025UNVD840/22G/WH	25	120-277	0-10	840	23.7" x 23.7" x 3.5"	3,300	135	≥70,000	Wet	3x17W T8 / 2U31 T7	-	White	Premium // PADBVN25	
	71727	VOLUME2A/025UNVD835/22G/WH/E	25	120-277	0-10	835	23.7" x 23.7" x 3.5"	3,300	136	≥70,000	Wet	3x17W T8 / 2U31 T8	E	White	Premium // P2JTEGF	
	71728	VOLUME2A/025UNVD840/22G/WH/E	25	120-277	0-10	840	23.7" x 23.7" x 3.5"	3,300	136	≥70,000	Wet	3x17W T8 / 2U31 T8	E	White	Premium // PYH1YTF	
	74309	VOLUME2A/035UNVD835/24G/WH	35	120-277	0-10	835	47.7" x 23.7" x 3.5"	4,600	135	≥70,000	Wet	2x32W T8	-	White	Premium // P2JTEGF	
	74348	VOLUME2A/035UNVD840/24G/WH	35	120-277	0-10	840	47.7" x 23.7" x 3.5"	4,600	135	≥70,000	Wet	2x32W T8	-	White	Premium // PVAG25UJ	
	74349	VOLUME2A/035UNVD835/24G/WH/E	35	120-277	0-10	835	47.7" x 23.7" x 3.5"	4,600	135	≥70,000	Wet	2x32W T8	E	White	Premium // PRCC54JS	
	74356	VOLUME2A/035UNVD840/24G/WH/E	35	120-277	0-10	840	47.7" x 23.7" x 3.5"	4,600	138	≥70,000	Wet	2x32W T8	E	White	Premium // P7TZVZU2	
	60438	VOLUME3A/036UNVD835/24G/WH	36	120-277	0-10	835	47.7" x 23.7" x 3.6"	4,680	130	≥50,000	Damp	2x32W T8	-	White	Premium // PG95KWJ7	
	60439	VOLUME3A/036UNVD840/24G/WH	36	120-277	0-10	840	47.7" x 23.7" x 3.6"	4,680	130	≥50,000	Damp	2x32W T8	-	White	Premium // P28F439J	
	60440	VOLUME3A/036UNVD850/24G/WH	36	120-277	0-10	850	47.7" x 23.7" x 3.6"	4,680	130	≥50,000	Damp	2x32W T8	-	White	Premium // PENY2YPR	
	60444	VOLUME3A/028UNVD835/22G/WH	28	120-277	0-10	835	23.7" x 23.7" x 3.6"	3,500	125	≥50,000	Damp	3x17W T8 / 2U31 T8	-	White	Premium // PYID10U6	
60445	VOLUME3A/028UNVD840/22G/WH	28	120-277	0-10	840	23.7" x 23.7" x 3.6"	3,500	125	≥50,000	Damp	3x17W T8 / 2U31 T8	-	White	Premium // PJ60XC71		
60446	VOLUME3A/028UNVD850/22G/WH	28	120-277	0-10	850	23.7" x 23.7" x 3.6"	3,500	125	≥50,000	Damp	3x17W T8 / 2U31 T8	-	White	Premium // PBYNJZ00		
MTO	60441	VOLUME3A/036UNVD835/24G/WH/E	36	120-277	0-10	835	47.7" x 23.7" x 3.6"	4,680	130	≥50,000	Damp	2x32W T8	E	White	Premium // PG95KWJ7	
MTO	60442	VOLUME3A/036UNVD840/24G/WH/E	36	120-277	0-10	840	47.7" x 23.7" x 3.6"	4,680	130	≥50,000	Damp	2x32W T8	E	White	Premium // P28F439J	
MTO	60443	VOLUME3A/036UNVD850/24G/WH/E	36	120-277	0-10	850	47.7" x 23.7" x 3.6"	4,680	130	≥50,000	Damp	2x32W T8	E	White	Premium // PENY2YPR	
MTO	60447	VOLUME3A/028UNVD835/22G/WH/E	28	120-277	0-10	835	23.7" x 23.7" x 3.6"	3,500	125	≥50,000	Damp	3x17W T8 / 2U31 T8	E	White	Premium // PYID10U6	
MTO	60448	VOLUME3A/028UNVD840/22G/WH/E	28	120-277	0-10	840	23.7" x 23.7" x 3.6"	3,500	125	≥50,000	Damp	3x17W T8 / 2U31 T8	E	White	Premium // PJ60XC71	
MTO	60449	VOLUME3A/028UNVD850/22G/WH/E	28	120-277	0-10	850	23.7" x 23.7" x 3.6"	3,500	125	≥50,000	Damp	3x17W T8 / 2U31 T8	E	White	Premium // PBYNJZ00	
UltraLED™ Volumetric Troffer																
	60878	VOLUME4A/034UNVD835/24G/WH	34	120-277	0-10	835	47.7" x 23.7" x 3.6"	4,250	125	≥100,000	Damp	2x32W T8	-	White	Premium // PNOJNR28	
	60879	VOLUME4A/034UNVD840/24G/WH	34	120-277	0-10	840	47.7" x 23.7" x 3.6"	4,250	125	≥100,000	Damp	2x32W T8	-	White	Premium // P6YW7FFJ	
	60880	VOLUME4A/034UNVD850/24G/WH	34	120-277	0-10	850	47.7" x 23.7" x 3.6"	4,250	125	≥100,000	Damp	2x32W T8	-	White	Premium // PBL4GP3J	
	60869	VOLUME4A/026UNVD835/22G/WH	26	120-277	0-10	835	23.7" x 23.7" x 3.6"	3,250	125	≥100,000	Damp	3x17W T8 / 2U31 T8	-	White	Premium // PRGC7NEG	
	60870	VOLUME4A/026UNVD840/22G/WH	26	120-277	0-10	840	23.7" x 23.7" x 3.6"	3,250	125	≥100,000	Damp	3x17W T8 / 2U31 T8	-	White	Premium // PKHUWRLQ	
	60871	VOLUME4A/026UNVD850/22G/WH	26	120-277	0-10	850	23.7" x 23.7" x 3.6"	3,250	125	≥100,000	Damp	3x17W T8 / 2U31 T8	-	White	Premium // P170EK71	
UltraLED™ Retrofit Doorkit																
 IES Files	60616	RDORKIT3A023UNVD8352UWH	23	120-277	0-10	835	23.8" x 23.9" x 2.4"	2,900	130	≥100,000	Damp	2x32W T8	-	White	Premium // PIX3MRET	
	60617	RDORKIT3A023UNVD8402UWH	23	120-277	0-10	840	23.8" x 23.9" x 2.4"	2,900	130	≥100,000	Damp	2x32W T5	-	White	Premium // PLCT3RWA	
	60618	RDORKIT3A023UNVD8502UWH	23	120-277	0-10	850	23.8" x 23.9" x 2.4"	2,900	130	≥100,000	Damp	2x32W T6	-	White	Premium // P1O4SD9J	
	60619	RDORKIT3A033UNVD83524UWH	33	120-277	0-10	835	47.8" x 23.9" x 2.4"	4,100	130	≥100,000	Damp	2x32W T7	-	White	Premium // PTMU3F39	
	60620	RDORKIT3A033UNVD84024UWH	33	120-277	0-10	840	47.8" x 23.9" x 2.4"	4,100	130	≥100,000	Damp	2x32W T8	-	White	Premium // P1NW3BNZ	
	60621	RDORKIT3A033UNVD85024UWH	33	120-277	0-10	850	47.8" x 23.9" x 2.4"	4,100	130	≥100,000	Damp	2x32W T8	-	White	Premium // POVNXSXJ	



SYLVANIA Luminaires Insert Card
Revised August 2019

All luminaires and retrofit kits are UL/ETL, FCC, RoHS
All luminaires and retrofit kits are backed by 5 year warranty

*LPW per LM79 report

**Dual (Motion/Daylight) Sensor (D), Photocontrol (P), Emergency (E)







Product Image	Item#	Sales Part #	Watt	Voltage	Dim	CRI/CCT	Dimensions	Lumens	LPW*	LED L70	Rating	Replaces Traditional equivalent up to	Options**	Color	DLC / E star
ValueLED™ Troffer Kit															
 Click For Troffer IES Files	75460	LEDR/TROFF/2L/024/UNV/D/830/22/1	24	120-277	0-10	830	20.3" x 14.8" x 1.7"	3000	125	≥50,000	Damp	3x17W T8 / 2U31 T8	Minimum order quantity of 500ea with 120 day lead time	White	Standard // PTC3GKB9
	75461	LEDR/TROFF/2L/024/UNV/D/835/22/1	24	120-277	0-10	835	20.3" x 14.8" x 1.7"	3000	125	≥50,000	Damp	3x17W T8 / 2U31 T8		White	Standard // PA5KKJ8C
	75462	LEDR/TROFF/2L/024/UNV/D/840/22/1	24	120-277	0-10	840	20.3" x 14.8" x 1.7"	3000	125	≥50,000	Damp	3x17W T8 / 2U31 T8		White	Standard // PR4VT4MW
	75463	LEDR/TROFF/2L/024/UNV/D/850/22/1	24	120-277	0-10	850	20.3" x 14.8" x 1.7"	3000	125	≥50,000	Damp	3x17W T8 / 2U31 T8		White	Standard // P6P6WUNR
	75431	LEDR/TROFF/3L/026/UNV/D/830/22/1	26	120-277	0-10	830	20.3" x 14.8" x 1.7"	3200	123	≥50,000	Damp	3x17W T8 / 2U31 T8		White	Standard // P9Y1CH6E
	75432	LEDR/TROFF/3L/026/UNV/D/835/22/1	26	120-277	0-10	835	20.3" x 14.8" x 1.7"	3200	123	≥50,000	Damp	3x17W T8 / 2U31 T8		White	Standard // P2M18QSG
	75433	LEDR/TROFF/3L/026/UNV/D/840/22/1	26	120-277	0-10	840	20.3" x 14.8" x 1.7"	3200	123	≥50,000	Damp	3x17W T8 / 2U31 T8		White	Standard // P32V4H7P
	75434	LEDR/TROFF/3L/026/UNV/D/850/22/1	26	120-277	0-10	850	20.3" x 14.8" x 1.7"	3200	123	≥50,000	Damp	3x17W T8 / 2U31 T8		White	Standard // P32V4H7P
	75427	LEDR/TROFF/2L/027/UNV/D/830/24/1	27	120-277	0-10	830	43.7" x 14.8" x 1.7"	3200	119	≥50,000	Damp	3x32W T8		White	Standard // PFA45P3X
	75428	LEDR/TROFF/2L/027/UNV/D/835/24/1	27	120-277	0-10	835	43.7" x 14.8" x 1.7"	3200	119	≥50,000	Damp	3x32W T8		White	Standard // P1EESDG4
	75429	LEDR/TROFF/2L/027/UNV/D/840/24/1	27	120-277	0-10	840	43.7" x 14.8" x 1.7"	3200	119	≥50,000	Damp	3x32W T8		White	Standard // PFCRCDD6
	75430	LEDR/TROFF/2L/027/UNV/D/850/24/1	27	120-277	0-10	850	43.7" x 14.8" x 1.7"	3200	119	≥50,000	Damp	3x32W T8		White	Standard // PEC1ZGZF
	75059	LEDR/TROFF/3L/029/UNV/D/850/22/1	29	120-277	0-10	850	20.3" x 14.8" x 1.7"	3200	110	≥50,000	Damp	3x17W T8 / 2U31 T8	-	White	-
	75051	LEDR/TROFF/2L/029/UNV/D/830/24/1	29	120-277	0-10	830	43.7" x 14.8" x 1.7"	3200	110	≥50,000	Damp	3x32W T8	-	White	-
	75052	LEDR/TROFF/2L/029/UNV/D/835/24/1	29	120-277	0-10	835	43.7" x 14.8" x 1.7"	3200	110	≥50,000	Damp	3x32W T8	-	White	-
	75496	LEDR/TROFF/3L/040/UNV/D/830/24/1	40	120-277	0-10	830	43.7" x 14.8" x 1.7"	4800	120	≥50,000	Damp	3x32W T8	-	White	Standard // P6EJA92W
	75497	LEDR/TROFF/3L/040/UNV/D/835/24/1	40	120-277	0-10	835	43.7" x 14.8" x 1.7"	4800	120	≥50,000	Damp	3x32W T8	-	White	Standard // PK6CBYUN
	75498	LEDR/TROFF/3L/040/UNV/D/840/24/1	40	120-277	0-10	840	43.7" x 14.8" x 1.7"	4800	120	≥50,000	Damp	3x32W T8	-	White	Standard // PBHDCUDW
	75499	LEDR/TROFF/3L/040/UNV/D/850/24/1	40	120-277	0-10	850	43.7" x 14.8" x 1.7"	4800	120	≥50,000	Damp	3x32W T8	-	White	Standard // PYE1D4SA
SMART+ LED Troffer Kit															
	71507	LEDTROFF34WADJW22ZBS	34	120-277	-	8ADJ	20.3" x 14.8" x 1.7"	3200	94	≥35,000	Damp	3x17W T8 / 2U31 T8	-	White	-
	71506	LEDTROFF48WADJW22ZBS	48	120-277	-	8ADJ	43.7" x 14.8" x 1.7"	4800	100	≥35,000	Damp	3x32W T8	-	White	-

All luminaires and retrofit kits are UL/ETL, FCC, RoHS
All luminaires and retrofit kits are backed by 5 year warranty
*LPW per LM79 report

**Dual (Motion/Daylight) Sensor (D), Photocontrol (P), Emergency (E)



Product Image	Item#	Sales Part #	Watt	Voltage	Dim	CRI/CCT	Dimensions	Lumens	LPW*	LED L70	Rating	Replaces Traditional equivalent up to	Options**	Color	DLC / E star
Socket-based downlights															
	70520	LED/RT4/550/827	8	120	Phase-cut	827	5.04" x 2.90"	550	69	≥11000	Wet	50W Incandescent	T	White	E-Star
	70521	LED/RT4/550/830	8	120	Phase-cut	830	5.04" x 2.90"	550	69	≥11000	Wet	50W Incandescent	T	White	E-Star
	74181	LED/RT4/550/840	8	120	Phase-cut	840	5.04" x 2.90"	550	69	≥11000	Wet	50W Incandescent	T	White	E-Star
	74182	LED/RT4/550/850	8	120	Phase-cut	850	5.04" x 2.90"	550	69	≥11000	Wet	50W Incandescent	T	White	E-Star
	74285	LEDRT4/600/927/FL80	9	120	Phase-cut	927	3.4" x 7.37"	600	67	≥50000	Wet	50W Incandescent	T	White	E-Star // 2277198
	74286	LEDRT4/600/930/FL80	9	120	Phase-cut	930	3.4" x 7.37"	600	67	≥50000	Wet	50W Incandescent	T	White	E-Star // 2302708
	74288	LEDRT4/600/940/FL80	9	120	Phase-cut	940	3.4" x 7.37"	600	67	≥50000	Wet	50W Incandescent	T	White	E-Star // 2277201
	74289	LEDRT4/600/950/FL80	9	120	Phase-cut	950	3.4" x 7.37"	600	67	≥50000	Wet	50W Incandescent	T	White	E-Star // 2277273
	70387	LEDRT4/G/600/827	9	120	Phase-cut	827	3.4" x 7.28"	600	67	≥50000	Wet	50W Incandescent	T	White	E-Star // 2270707
	70395	LEDRT4/G/600/830	9	120	Phase-cut	830	3.4" x 7.28"	600	67	50000	Wet	50W Incandescent	T	White	E-Star // 2270536
	74404	LED/RT5/6/625/827	9	120	Phase-cut	827	5.04" x 3.18"	625	69	≥11000	Wet	50W Incandescent	T, TE	White	E-Star
	74405	LED/RT5/6/625/830	9	120	Phase-cut	830	5.04" x 3.18"	625	69	≥11000	Wet	50W Incandescent	T, TE	White	E-Star
	74406	LED/RT5/6/625/840	9	120	Phase-cut	840	5.04" x 3.18"	625	69	≥11000	Wet	50W Incandescent	T, TE	White	E-Star
	74407	LED/RT5/6/625/850	9	120	Phase-cut	850	5.04" x 3.18"	625	69	≥11000	Wet	50W Incandescent	T, TE	White	E-Star
 Click for RT Family IES Files	74290	LED/RT5/6/700/927/FL80	10	120	Phase-cut	927	5.04" x 3.18"	700	70	≥50000	Wet	65W Incandescent	T, TE	White	E-Star // 2277163
	74291	LED/RT5/6/700/930/FL80	10	120	Phase-cut	930	5.04" x 3.18"	700	70	≥50000	Wet	65W Incandescent	T, TE	White	E-Star // 2277157
	74292	LED/RT5/6/700/940/FL80	10	120	Phase-cut	940	5.04" x 3.18"	700	70	≥50000	Wet	65W Incandescent	T, TE	White	E-Star // 2277160
	74293	LED/RT5/6/700/950/FL80	10	120	Phase-cut	950	5.04" x 3.18"	700	70	≥50000	Wet	65W Incandescent	T, TE	White	E-Star // 2277161
	74294	LED/RT/5/6/900/927/FL80	13	120	Phase-cut	927	5.04" x 3.18"	900	69	≥50000	Wet	75W Incandescent	T, TE	White	E-Star // 2280960
	74295	LED/RT/5/6/900/930/FL80	13	120	Phase-cut	930	5.04" x 3.18"	900	69	≥50000	Wet	75W Incandescent	T, TE	White	E-Star // 2281079
	74296	LED/RT/5/6/900/930/RP	13	120	Phase-cut	930	5.04" x 3.18"	900	69	≥50000	Wet	75W Incandescent	T, TE	White	E-Star // 2281100
	74297	LED/RT/5/6/900/950/RP	13	120	Phase-cut	950	5.04" x 3.18"	900	69	≥50000	Wet	75W Incandescent	T, TE	White	E-Star // 2281101
	73466	LEDRT5/6/G/900/827/FL80/RP	13	120	Phase-cut	827	5.04" x 3.18"	900	69	≥50000	Wet	75W Incandescent	T, TE	White	E-Star // 2270521
	73467	LEDRT5/6/G/900/830	13	120	Phase-cut	830	5.04" x 3.18"	900	69	≥50000	Wet	75W Incandescent	T, TE	White	E-Star // 2302815
	79750	LED/RT5/6/1200/927	16	120	Phase-cut	927	5.04" x 3.18"	1200	75	≥50000	Wet	100W Incandescent	T, TE	White	E-Star // 2280047
	79751	LED/RT5/6/1200/930	16	120	Phase-cut	930	5.04" x 3.18"	1200	75	≥50000	Wet	100W Incandescent	T, TE	White	E-Star // 2280049
	79752	LED/RT5/6/1200/930RP	16	120	Phase-cut	930	5.04" x 3.18"	1200	75	≥50000	Wet	100W Incandescent	T, TE	White	E-Star // 2280050
	79753	LED/RT5/6/1200/940	16	120	Phase-cut	940	5.04" x 3.18"	1200	75	≥50000	Wet	100W Incandescent	T, TE	White	E-Star // 2280051

SYLVANIA Luminaires Insert Card
Revised August 2019

All luminaires and retrofit kits are UL/ETL, FCC, RoHS
All luminaires and retrofit kits are backed by 5 year warranty

*LPW per LM79 report

**Dual (Motion/Daylight) Sensor (D), Photocontrol (P), Emergency (E)



Product Image	Item#	Sales Part #	Watt	Voltage	Dim	CRI/CCT	Dimensions	Lumens	LPW*	LED L70	Rating	Replaces Traditional equivalent up to	Options**	Color	DLC / E star
ValueLED™ MicroDisk															
	40051	LED/MD4/650/DIM/927	8.5	120	Phase-cut	927	5.19" x 1.0"	650	74	≥50000	Wet	65W Incandescent	T	White	E-Star
	40052	LED/MD4/650/DIM/930	8.5	120	Phase-cut	930	5.19" x 1.0"	650	74	≥50000	Wet	65W Incandescent	T	White	E-Star
	40053	LED/MD4/650/DIM/940	8.5	120	Phase-cut	940	5.19" x 1.0"	650	74	≥50000	Wet	65W Incandescent	T	White	E-Star
	40054	LED/MD4/650/DIM/950	8.5	120	Phase-cut	950	5.19" x 1.0"	650	74	≥50000	Wet	65W Incandescent	T	White	E-Star
	40055	LED/MD6/900/DIM/927	12	120	Phase-cut	927	7.32" x 1.0"	900	75	≥50000	Wet	100W Incandescent	T	White	E-Star
	40056	LED/MD6/900/DIM/930	12	120	Phase-cut	930	7.32" x 1.0"	900	75	≥50000	Wet	100W Incandescent	T	White	E-Star
	40057	LED/MD6/900/DIM/940	12	120	Phase-cut	940	7.32" x 1.0"	900	75	≥50000	Wet	100W Incandescent	T	White	E-Star
	40058	LED/MD6/900/DIM/950	12	120	Phase-cut	950	7.32" x 1.0"	900	75	≥50000	Wet	100W Incandescent	T	White	E-Star
	75030	LED/MD4/700/830/UNV	8	120/277	0-10	830	5.19" x 1.0"	700	87	≥50000	Wet	65W Incandescent	T	White	E-Star // 2305116
	71196	LED/MD4/700/840/UNV	8	120/277	0-10	840	5.19" x 1.0"	700	87	≥50000	Wet	65W Incandescent	T	White	E-Star // 2305118
	75031	LED/MD4/700/850/UNV	8	120/277	0-10	850	5.19" x 1.0"	700	87	≥50000	Wet	65W Incandescent	T	White	E-Star // 2305119
	75032	LED/MD6/1100/830/UNV	13	120/277	0-10	830	7.32" x 1.0"	1100	85	≥50000	Wet	100W Incandescent	T	White	E-Star // 2305117
	71197	LED/MD6/1100/840/UNV	13	120/277	0-10	840	7.32" x 1.0"	1100	85	≥50000	Wet	100W Incandescent	T	White	E-Star // 2305120
	75033	LED/MD6/1100/850/UNV	13	120/277	0-10	850	7.32" x 1.0"	1100	85	≥50000	Wet	100W Incandescent	T	White	E-Star // 2305121
	60701	LEDMD4650935UNV	8	120/277	0-10	935	5.19" x 1.0"	650	87	≥50000	Wet	65W Incandescent	T	White	E-Star
	60703	LEDMD61100935UNV	13	120/277	0-10	935	7.32" x 1.0"	1100	85	≥50000	Wet	100W Incandescent	T	White	E-Star
	60700	LEDMD4650927UNV	8	120/277	0-10	927	5.19" x 1.0"	650	87	≥50000	Wet	65W Incandescent	T	White	E-Star
	60702	LEDMD61100927UNV	13	120/277	0-10	927	7.32" x 1.0"	1100	85	≥50000	Wet	100W Incandescent	T	White	E-Star
	60696	LEDMD4650930UNV	8	120/277	0-10	930	5.19" x 1.0"	650	87	≥50000	Wet	65W Incandescent	T	White	E-Star
	60694	LEDMD4650940UNV	8	120/277	0-10	940	5.19" x 1.0"	650	87	≥50000	Wet	65W Incandescent	T	White	E-Star
60697	LEDMD4650950UNV	8	120/277	0-10	950	5.19" x 1.0"	650	87	≥50000	Wet	65W Incandescent	T	White	E-Star	
60698	LEDMD61100930UNV	13	120/277	0-10	930	7.32" x 1.0"	1100	85	≥50000	Wet	100W Incandescent	T	White	E-Star	
60695	LEDMD61100940UNV	13	120/277	0-10	940	7.32" x 1.0"	1100	85	≥50000	Wet	100W Incandescent	T	White	E-Star	
60699	LEDMD61100950UNV	13	120/277	0-10	950	7.32" x 1.0"	1100	85	≥50000	Wet	100W Incandescent	T	White	E-Star	


SYLVANIA Luminaires Insert Card
Revised August 2019

All luminaires and retrofit kits are UL/ETL, FCC, RoHS
All luminaires and retrofit kits are backed by 5 year warranty

*LPW per LM79 report

**Dual (Motion/Daylight) Sensor (D), Photocontrol (P), Emergency (E)



Product Image	Item#	Sales Part #	Watt	Voltage	Dim	CRI/CCT	Dimensions	Lumens	LPW*	LED L70	Rating	Replaces Traditional equivalent up to	Options**	Color	DLC / E star
	60779	LEDRT8/R3A2000UD/930	23	120-277V	0-10V	930	9.46" x 5.08"	2000	87	≥50000	Wet	2 x 26W CFL	EMMB Ready	White	-
	60780	LEDRT8/R3A2000UD/935	23	120-277V	0-10V	935	9.46" x 5.08"	2000	87	≥50000	Wet	2 x 26W CFL	EMMB Ready	White	-
	60781	LEDRT8/R3A2000UD/940	23	120-277V	0-10V	940	9.46" x 5.08"	2000	87	≥50000	Wet	2 x 26W CFL	EMMB Ready	White	-
	60782	LEDRT8/R3A2000UD/950	23	120-277V	0-10V	950	9.46" x 5.08"	2000	87	≥50000	Wet	2 x 26W CFL	EMMB Ready	White	-
	60783	LEDRT8/R3A3000UD/930	32	120-277V	0-10V	930	9.46" x 5.08"	3000	94	≥50000	Wet	2 x 26W CFL	EMMB Ready	White	-
	60784	LEDRT8/R3A3000UD/935	32	120-277V	0-10V	935	9.46" x 5.08"	3000	94	≥50000	Wet	2 x 26W CFL	EMMB Ready	White	-
	60785	LEDRT8/R3A3000UD/940	32	120-277V	0-10V	940	9.46" x 5.08"	3000	94	≥50000	Wet	2 x 26W CFL	EMMB Ready	White	-
	60786	LEDRT8/R3A3000UD/950	32	120-277V	0-10V	950	9.46" x 5.08"	3000	94	≥50000	Wet	2 x 26W CFL	EMMB Ready	White	-
	60787	LEDRT8/R3A5000UD/930	54	120-277V	0-10V	930	9.46" x 5.51"	5000	93	≥50000	Wet	150W HPS / 175W MH	EMMB Ready	White	-
	60788	LEDRT8/R3A5000UD/935	54	120-277V	0-10V	935	9.46" x 5.51"	5000	93	≥50000	Wet	150W HPS / 175W MH	EMMB Ready	White	-
	60789	LEDRT8/R3A5000UD/940	54	120-277V	0-10V	940	9.46" x 5.51"	5000	92.59259	≥50000	Wet	150W HPS / 175W MH	EMMB Ready	White	-
ValueLED™ Slim Downlight															
Click for Slim Downlight IES Files	60057	SLMDNLR1A/014UNVT830/08J/WH	14	120	Phase-cut	830	8" x 1.57"	1050	75	≥50,000	Damp	18W CFL	-	White	E-Star // 2308391
	60056	SLMDNLR1A/014UNVT840/08J/WH	14	120	Phase-cut	840	8" x 1.57"	1000	80	≥50,000	Damp	18W CFL	-	White	E-Star // 2308390
	60058	SLMDNLR1A/014UNVT827/08J/WH	14	120	Phase-cut	827	8" x 1.57"	980	80	≥50,000	Damp	18W CFL	-	White	E-Star // 2308386
	60003	SLMDNLR1A/010UNVT827/06J/WH	10	120	Phase-cut	827	6" x 1.57"	700	70	≥50,000	Damp	18W CFL	-	White	E-Star //2308385
	60004	SLMDNLR1A/010UNVT830/06J/WH	10	120	Phase-cut	830	6" x 1.57"	750	75	≥50,000	Damp	18W CFL	-	White	E-Star // 2308388
	60005	SLMDNLR1A/010UNVT840/06J/WH	10	120	Phase-cut	840	6" x 1.57"	800	80	≥50,000	Damp	18W CFL	-	White	E-Star //2308389





SYLVANIA Luminaires Insert Card
Revised August 2019

All luminaires and retrofit kits are UL/ETL, FCC, RoHS
All luminaires and retrofit kits are backed by 5 year warranty


*LPW per LM79 report

**Dual (Motion/Daylight) Sensor (D), Photocontrol (P), Emergency (E)



Product Image	Item#	Sales Part #	Watt	Voltage	Dim	CRI/CCT	Dimensions	Lumens	LPW*	LED L70	Rating	Replaces Traditional equivalent up to	Options**	Color	DLC / E star
UltraLED™ Quad Downlight															
Click for Slim Downlight IES Files	40445	SLMDNLR1A/014UNVT830/08J/WH	25	120-277	0-10	930	11.02" 11.02" x 3.45"	2000	80	≥50,000	Damp	26W CFL	-	White	E-Star
	40446	SLMDNLR1A/014UNVT840/08J/WH	25	120-277	0-10	935	11.02" 11.02" x 3.45"	2000	80	≥50,000	Damp	26W CFL	-	White	E-Star
	40447	SLMDNLR1A/014UNVT827/08J/WH	25	120-277	0-10	940	11.02" 11.02" x 3.45"	2000	80	≥50,000	Damp	26W CFL	-	White	E-Star
ValueLED™ Strip															
	70525	STRIP1A/016UNVD835/24S/WH	16	120-277	0-10	835	24.1" x 2.48" x 3.13"	2000	124	≥50,000	Damp	1x32W	-	White	Standard // PHD8PZH6
	70526	STRIP1A/016UNVD840/24S/WH	16	120-277	0-10	840	24.1" x 2.48" x 3.13"	1900	119	≥50,000	Damp	1x32W	-	White	Standard // PM16IP3G
	70527	STRIP1A/016UNVD850/24S/WH	16	120-277	0-10	850	24.1" x 2.48" x 3.13"	2000	122	≥50,000	Damp	1x32W	-	White	Standard // PSIFS92
	74774	STRIP1A/032UNVD835/48S/WH	32	120-277	0-10	835	47.30" x 2.48" x 3.13"	3900	121	≥50,000	Damp	2x32W	-	White	Standard // PGBPQMDW
	74775	STRIP1A/032UNVD840/48S/WH	32	120-277	0-10	840	47.30" x 2.48" x 3.13"	4000	127	≥50,000	Damp	2x32W	-	White	Standard // PXS4TBQ9
	74776	STRIP1A/032UNVD850/48S/WH	32	120-277	0-10	850	47.30" x 2.48" x 3.13"	4000	124	≥50,000	Damp	2x32W	-	White	Standard // PB3FQPH5
Click for Strip IES Files	70522	STRIP1A/047UNVD835/48S/WH	47	120-277	0-10	835	47.30" x 2.48" x 3.13"	5900	123	≥50,000	Damp	3x32W	-	White	Standard // PYAGQ8PV
	70523	STRIP1A/047UNVD840/48S/WH	47	120-277	0-10	840	47.30" x 2.48" x 3.13"	6200	126	≥50,000	Damp	3x32W	-	White	Standard // PEX154ZA
	70524	STRIP1A/047UNVD850/48S/WH	47	120-277	0-10	850	47.30" x 2.48" x 3.13"	6000	124	≥50,000	Damp	3x32W	-	White	Standard // P7OPXWEM
ValueLED™ Wrap															
	74781	WRAP1A/018UNVD835/24S/WH	18	120-277	0-10	835	24" x 6.3" x 3.1"	2100	120	≥140,000	Damp	1x32W	-	White	Standard // PD9V5ZZ1
	74782	WRAP1A/018UNVD840/24S/WH	18	120-277	0-10	840	24" x 6.3" x 3.1"	2200	120	≥140,000	Damp	1x32W	-	White	Standard // POTMLJZG
	74783	WRAP1A/018UNVD850/24S/WH	18	120-277	0-10	850	24" x 6.3" x 3.1"	2200	120	≥140,000	Damp	1x32W	-	White	Standard // PO680RJ8
	74778	WRAP1A/026UNVD835/48S/WH	26	120-277	0-10	835	47.8" x 6.3" x 3.1"	3000	120	≥140,000	Damp	2x32W	-	White	Standard // PUV2XXMP
Click for Wrap IES Files	74779	WRAP1A/026UNVD840/48S/WH	26	120-277	0-10	840	47.8" x 6.3" x 3.1"	3100	120	≥140,000	Damp	2x32W	-	White	Standard // PL46DJAG
	74780	WRAP1A/026UNVD850/48S/WH	26	120-277	0-10	850	47.8" x 6.3" x 3.1"	3100	120	≥140,000	Damp	2x32W	-	White	Standard // PXZZLUHE



Product Image	Item#	Sales Part #	Watt	Voltage	Dim	CRI/CCT	Dimensions	Lumens	LPW*	LED L70	Rating	Replaces Traditional equivalent up to	Options**	Color	DLC / E star	
ValueLED™ High Bay																
Reflector	74234	HIBAY1A16H5	-	0	-	-	16.2" x 10.4"	-	-	-	-	-	-	-	-	-
Reflector	74395	HIBAY1A20ALH5	-	0	-	-	20.0" x 5.6"	-	-	-	-	-	-	-	-	-
 <p>Click for Refractor (74234) IES Files Click for Reflector (74395) IES Files</p>	74230	HIBAY1A100UNVD840/GR	100	120-277	0-10	840	7.0" x 13.4"	10800	108	≥63,000	Damp	250W HPS/MH	-	Gray	Standard // PHEF6ZRG	
	74231	HIBAY1A100UNVD850/GR	100	120-277	0-10	850	7.0" x 13.4"	10800	108	≥63,000	Damp	250W HPS/MH	-	Gray	Standard // PTBR62SD	
	74232	HIBAY1A200UNVD840/GR	200	120-277	0-10	840	8.8" x 15.2"	22200	114	≥150,000	Damp	400W HPS/MH	-	Gray	Standard // PWND5XP2	
	74233	HIBAY1A200UNVD850/GR	200	120-277	0-10	850	8.8" x 15.2"	22500	115	≥150,000	Damp	400W HPS/MH	-	Gray	Standard // PAQGPYH9	
	71731	HIBAY1A300UNVD840/GR	300	120-277	0-10	840	8.9" x 17.4"	33300	109	≥73,000	Damp	1000W HPS/MH	-	Gray	Standard // P4BVEDAE	
	71732	HIBAY1A300UNVD850/GR	300	120-277	0-10	850	8.9" x 17.4"	33700	110	≥73,000	Damp	1000W HPS/MH	-	Gray	Standard // PW4WDCKZ	
	74269	HIBAY1A100347D840/GR	100	347	0-10	840	7.0" x 13.4"	10800	108	≥63,000	Damp	250W HPS/MH	-	Gray	Standard // PP1NZ8KE	
	74272	HIBAY1A200347D850/GR	200	347	0-10	850	8.8" x 15.2"	20600	103	≥63,000	Damp	400W HPS/MH	-	Gray	Standard // PSL9JHBE	
	74509	HIBAY1A100HUV840/GR	100	347-480	0-10	840	7.0" x 13.4"	10800	108	≥150,000	Damp	250W HPS/MH	-	Gray	Standard // PS5W4XVN	
	74510	HIBAY1A100HUV850/GR	100	347-480	0-10	850	7.0" x 13.4"	10800	108	≥150,000	Damp	250W HPS/MH	-	Gray	Standard // PTUUGFFJ	
	74511	HIBAY1A200HUV840/GR	200	347-480	0-10	840	8.8" x 15.2"	23300	123	≥150,000	Damp	400W HPS/MH	-	Gray	Standard // PN7ZVBC9	
	74512	HIBAY1A200HUV850/GR	200	347-480	0-10	850	8.8" x 15.2"	23100	122	≥150,000	Damp	400W HPS/MH	-	Gray	Standard // P55UTPX8	
	74515	HIBAY1A200UNVD840/GR/E	200	120-277	0-10	840	16.2" x 23.6"	20900	107	≥150,000	Damp	400W HPS/MH	E	Gray	Standard // PWND5XP2	
	74516	HIBAY1A200UNVD850/GR/E	200	120-277	0-10	850	16.2" x 23.6"	22300	108	≥150,000	Damp	400W HPS/MH	E	Gray	Standard // PAQGPYH9	
	60147	HIBAY1A300HUV840GR	300	347-480	0-10	840	8.9" x 17.4"	33300	109	≥73,000	Damp	1000W HPS/MH	-	Gray	-	
	60148	HIBAY1A300HUV850GR	300	347-480	0-10	850	8.9" x 17.4"	33700	110	≥73,000	Damp	1000W HPS/MH	-	Gray	-	
	MTD	60101	HIBAY1A100UNVD835GR	100	120-277	0-10	835	7.0" x 13.4"	10800	108	≥63,000	Damp	250W HPS/MH	-	Gray	-
	MTD	60102	HIBAY1A200UNVD835GR	100	120-277	0-10	835	7.0" x 13.4"	10800	108	≥63,000	Damp	250W HPS/MH	-	Gray	-

SYLVANIA Luminaires Insert Card

Revised August 2019

All luminaires and retrofit kits are UL/ETL, FCC, RoHS
All luminaires and retrofit kits are backed by 5 year warranty

*LPW per LM79 report

**Dual (Motion/Daylight) Sensor (D), Photocontrol (P), Emergency (E)




Product Image	Item#	Sales Part #	Watt	Voltage	Dim	CRI/CCT	Dimensions	Lumens	LPW*	LED L70	Rating	Replaces Traditional equivalent up to	Options**	Color	DLC / E star	
	MT0	60582	LNHIBA2A/100HUV840/12A/WH	100	347-480	0-10	840	23.7" x 12.7" x 2.4"	12900	130	≥140,000	Dry	250W HPS/MH	-	White	PLR64P8K0QN2
	MT0	60583	LNHIBA2A/100HUV850/12W/WH	100	347-480	0-10	850	23.7" x 12.7" x 2.4"	12900	130	≥140,000	Dry	250W HPS/MH	-	White	PLEFHTPTZEZIS
	MT0	60584	LNHIBA2A/100HUV850/12A/WH	100	347-480	0-10	850	23.7" x 12.7" x 2.4"	12900	130	≥140,000	Dry	250W HPS/MH	-	White	PLK1BGD1FY9A
	MT0	60585	LNHIBA2A/100HUV840/14W/WH	100	347-480	0-10	840	45.9" x 12.7" x 2.4"	12900	130	≥140,000	Dry	250W HPS/MH	-	White	PL801WCPB2NO
	MT0	60586	LNHIBA2A/100HUV840/14A/WH	100	347-480	0-10	840	45.9" x 12.7" x 2.4"	12900	130	≥140,000	Dry	250W HPS/MH	-	White	PLEISAYHA5BF
	MT0	60587	LNHIBA2A/100HUV850/14W/WH	100	347-480	0-10	850	45.9" x 12.7" x 2.4"	12900	130	≥140,000	Dry	250W HPS/MH	-	White	PLK3E5BBZQG
	MT0	60588	LNHIBA2A/100HUV850/14A/WH	100	347-480	0-10	850	45.9" x 12.7" x 2.4"	12900	130	≥140,000	Dry	250W HPS/MH	-	White	PL7J29ZDPIU3
	MT0	60589	LNHIBA2A/120HUV840/12W/WH	120	347-480	0-10	840	23.7" x 12.7" x 2.4"	15400	130	≥140,000	Dry	250W HPS/MH	-	White	PLBMDLSJ0BYN
	MT0	60590	LNHIBA2A/120HUV840/12A/WH	120	347-480	0-10	840	23.7" x 12.7" x 2.4"	15400	130	≥140,000	Dry	250W HPS/MH	-	White	PLNX50HG4TE
	MT0	60591	LNHIBA2A/120HUV850/12W/WH	120	347-480	0-10	850	23.7" x 12.7" x 2.4"	15400	130	≥140,000	Dry	250W HPS/MH	-	White	PL017VIAQZPX
	MT0	60592	LNHIBA2A/120HUV850/12A/WH	120	347-480	0-10	850	23.7" x 12.7" x 2.4"	15400	130	≥140,000	Dry	250W HPS/MH	-	White	PLAPUJZLXCXT
	MT0	60593	LNHIBA2A/150HUV840/22W/WH	150	347-480	0-10	840	23.7" x 23.7" x 2.4"	19200	130	≥140,000	Dry	320W MH	-	White	PLJQVU2YVVT
	MT0	60594	LNHIBA2A/150HUV840/22A/WH	150	347-480	0-10	840	23.7" x 23.7" x 2.4"	19200	130	≥140,000	Dry	320W MH	-	White	PLEDJOUNVJRP
	MT0	60595	LNHIBA2A/150HUV850/22W/WH	150	347-480	0-10	850	23.7" x 23.7" x 2.4"	19200	130	≥140,000	Dry	320W MH	-	White	PLTHF76TW0W5
	MT0	60596	LNHIBA2A/150HUV850/22A/WH	150	347-480	0-10	850	23.7" x 23.7" x 2.4"	19200	130	≥140,000	Dry	320W MH	-	White	PL6XLKNWZ9QS
	MT0	60597	LNHIBA2A/150HUV840/14W/WH	150	347-480	0-10	840	45.9" x 12.7" x 2.4"	19200	130	≥140,000	Dry	320W MH	-	White	PLU2DRDTIUUG
	MT0	60598	LNHIBA2A/150HUV840/14A/WH	150	347-480	0-10	840	45.9" x 12.7" x 2.4"	19200	130	≥140,000	Dry	320W MH	-	White	PLW4K1DTRY5S
	MT0	60599	LNHIBA2A/150HUV850/14W/WH	150	347-480	0-10	850	45.9" x 12.7" x 2.4"	19200	130	≥140,000	Dry	320W MH	-	White	PLQDOCRWJ6DC
	MT0	60600	LNHIBA2A/150HUV850/14A/WH	150	347-480	0-10	850	45.9" x 12.7" x 2.4"	19200	130	≥140,000	Dry	320W MH	-	White	PLXPEQYM26RG
	MT0	60601	LNHIBA2A/200HUV840/14W/WH	200	347-480	0-10	840	45.9" x 12.7" x 2.4"	25800	130	≥140,000	Dry	400W MH	-	White	PL3VWQ03D1X0
	MT0	60602	LNHIBA2A/200HUV840/14A/WH	200	347-480	0-10	840	45.9" x 12.7" x 2.4"	25800	130	≥140,000	Dry	400W MH	-	White	PLTIPTB3LNZ3
	MT0	60603	LNHIBA2A/200HUV850/14W/WH	200	347-480	0-10	850	45.9" x 12.7" x 2.4"	25800	130	≥140,000	Dry	400W MH	-	White	PLNPAJU4VMS2
	MT0	60604	LNHIBA2A/200HUV850/14A/WH	200	347-480	0-10	850	45.9" x 12.7" x 2.4"	25800	130	≥140,000	Dry	400W MH	-	White	PLHN4N1R2FS9
	MT0	60605	LNHIBA2A/250HUV840/24W/WH	250	347-480	0-10	840	45.9" x 23.7" x 2.4"	32200	130	≥140,000	Dry	750W HPS	-	White	PL46TBP3D5AO
	MT0	60606	LNHIBA2A/250HUV840/24A/WH	250	347-480	0-10	840	45.9" x 23.7" x 2.4"	32200	130	≥140,000	Dry	750W HPS	-	White	PLM1EX673JFH
	MT0	60607	LNHIBA2A/250HUV850/24W/WH	250	347-480	0-10	850	45.9" x 23.7" x 2.4"	32200	130	≥140,000	Dry	750W HPS	-	White	PLKNWA4FSROS
	MT0	60608	LNHIBA2A/250HUV850/24A/WH	250	347-480	0-10	850	45.9" x 23.7" x 2.4"	32200	130	≥140,000	Dry	750W HPS	-	White	PLETYGDMRZKD
	MT0	60609	LNHIBA2A/300HUV840/24W/WH	300	347-480	0-10	840	45.9" x 23.7" x 2.4"	38700	130	≥140,000	Dry	1000W HPS	-	White	PLORD3MO97X8
	MT0	60610	LNHIBA2A/300HUV840/24A/WH	300	347-480	0-10	840	45.9" x 23.7" x 2.4"	38700	130	≥140,000	Dry	1000W HPS	-	White	PLWVNW/PJ33WV
	MT0	60611	LNHIBA2A/300HUV850/24W/WH	300	347-480	0-10	850	45.9" x 23.7" x 2.4"	38700	130	≥140,000	Dry	1000W HPS	-	White	PLTB7QR6RPJ9
	MT0	60612	LNHIBA2A/300HUV850/24A/WH	300	347-480	0-10	850	45.9" x 23.7" x 2.4"	38700	130	≥140,000	Dry	1000W HPS	-	White	PLK5YTEINDG







All luminaires and retrofit kits are UL/ETL, FCC, RoHS
All luminaires and retrofit kits are backed by 5 year warranty
*LPW per LM79 report
**Dual (Motion/Daylight) Sensor (D), Photocontrol (P), Emergency (E)



Product Image	Item#	Sales Part #	Watt	Voltage	Dim	CRI/CCT	Dimensions	Lumens	LPW*	LED L70	Rating	Replaces Traditional equivalent up to	Options**	Color	DLC / E star	
UltraLED™ Vapor Tight																
 <p>Click for Vapor Tight IES Files</p>	74530	VAPOR1A/025UNVD840/24EC/GR	25	120-277	0-10	840	24.9" x 4.0" x 3.3"	3100	135	≥122,000	IP65	70W HPS	-	Gray	Premium // PSN1FP79	
	74531	VAPOR1A/025UNVD850/24EC/GR	25	120-277	0-10	850	24.9" x 4.0" x 3.3"	3100	137	≥122,000	IP65	70W HPS	-	Gray	Premium // PPUEJ3FK	
	74532	VAPOR1B/025UNVD840/24EC/GR/D	25	120-277	0-10	840	24.9" x 4.0" x 3.3"	3100	135	≥122,000	IP65	70W HPS	D	Gray	Premium // PLZSC43CSRQF	
	74533	VAPOR1B/025UNVD850/24EC/GR/D	25	120-277	0-10	850	24.9" x 4.0" x 3.3"	3100	137	≥122,000	IP65	70W HPS	D	Gray	Premium // PLWHK8GPPC0R	
	60074	VAPOR1B/025UNVD840/24EC/GR/E	25	120-277	0-10	840	48.5" x 4.0" x 3.3"	3100	135	≥122,000	IP65	70W HPS	-	Gray	Premium // PLBOXGMOBHHJ	
	60075	VAPOR1B/025UNVD850/24EC/GR/E	25	120-277	0-10	850	24.9" x 4.0" x 3.3"	3100	137	≥122,000	IP65	70W HPS	-	Gray	Premium // PL8DCUJ0Y1VL	
	74534	VAPOR1B/020UNVD840/48EC/GR	20	120-277	0-10	840	48.5" x 3.4" x 3.3"	2600	127	≥122,000	IP65	70W HPS	-	Gray	Premium // PL5DXDVCKDJH	
	74535	VAPOR1B/020UNVD850/48EC/GR	20	120-277	0-10	850	48.5" x 3.4" x 3.3"	2600	128	≥122,000	IP65	70W HPS	-	Gray	Premium // PLYZ34VCFSSD	
	74536	VAPOR1B/020UNVD840/48EC/GR/D	20	120-277	0-10	840	48.5" x 3.4" x 3.3"	2600	127	≥122,000	IP65	70W HPS	D	Gray	Premium // PL5HDWS27PWW	
	74537	VAPOR1B/020UNVD850/48EC/GR/D	20	120-277	0-10	850	48.5" x 3.4" x 3.3"	2600	128	≥122,000	IP65	70W HPS	D	Gray	Premium // PLYZ34VCFSSD	
	60043	VAPOR1B/020UNVD840/48EC/GR/E	20	120-277	0-10	840	48.5" x 3.4" x 3.3"	2600	127	≥122,000	IP65	70W HPS	-	Gray	Premium // PL5HDWS27PWW	
	60044	VAPOR1B/020UNVD850/48EC/GR/E	20	120-277	0-10	850	48.5" x 3.4" x 3.3"	2600	128	≥122,000	IP65	70W HPS	-	Gray	Premium // PLYZ34VCFSSD	
	60045	VAPOR1B/020UNVD840/48EC/GR/D	20	120-277	0-10	840	48.5" x 3.4" x 3.3"	2600	127	≥122,000	IP65	70W HPS	D	Gray	Premium // PL5HDWS27PWW	
	60046	VAPOR1B/020UNVD850/48EC/GR/D	20	120-277	0-10	850	48.5" x 3.4" x 3.3"	2600	128	≥122,000	IP65	70W HPS	D	Gray	Premium // PLZ2CGRK3SA9	
	74376	VAPOR1B/040UNVD840/48EC/GR	40	120-277	0-10	840	48.5" x 4.0" x 3.3"	5300	139	≥122,000	IP65	70W MH	-	Gray	Premium // PVYCF6UR	
	74377	VAPOR1B/040UNVD850/48EC/GR	40	120-277	0-10	850	48.5" x 4.0" x 3.3"	5300	137	≥122,000	IP65	70W MH	-	Gray	Premium // PC3PTT8W	
	74378	VAPOR1B/040UNVD840/48EC/GR/D	40	120-277	0-10	840	48.5" x 4.0" x 3.3"	5400	140	≥122,000	IP65	70W MH	D	Gray	Premium // PVYCF6UR	
	74379	VAPOR1B/040UNVD850/48EC/GR/D	40	120-277	0-10	850	48.5" x 4.0" x 3.3"	5400	137	≥122,000	IP65	70W MH	D	Gray	Premium // PC3PTT8W	
	74554	VAPOR1B/040UNVD840/48EC/GR/E	40	120-277	0-10	840	48.5" x 4.0" x 3.3"	5300	139	≥122,000	IP65	70W MH	E	Gray	Premium // PVYCF6UR	
	74555	VAPOR1B/040UNVD850/48EC/GR/E	40	120-277	0-10	850	48.5" x 4.0" x 3.3"	5300	137	≥122,000	IP65	70W MH	E	Gray	Premium // PC3PTT8W	
	74556	VAPOR1B/040UNVD840/48EC/GR/D	40	120-277	0-10	840	48.5" x 4.0" x 3.3"	5400	140	≥122,000	IP65	70W MH	DE	Gray	Premium // PVYCF6UR	
	74557	VAPOR1B/040UNVD850/48EC/GR/D	40	120-277	0-10	850	48.5" x 4.0" x 3.3"	5400	137	≥122,000	IP65	70W MH	DE	Gray	Premium // PC3PTT8W	
	60047	VAPOR2B/040UNVD840/48EC/GR	40	120-277	0-10	840	48.1" x 4.8" x 3.3"	5000	129	≥122,000	IP66	70W MH	-	Gray	Premium // PL4PJB186SR2	
	60048	VAPOR2B/040UNVD850/48EC/GR	40	120-277	0-10	850	48.1" x 4.8" x 3.3"	5100	131	≥122,000	IP66	70W MH	-	Gray	Premium // PLUL4LZWX42N	
	60049	VAPOR2B/040UNVD840/48EC/GR/D	40	120-277	0-10	840	48.1" x 4.8" x 3.3"	5000	129	≥122,000	IP66	70W MH	D	Gray	Premium // PL4PJB186SR2	
	60050	VAPOR2B/040UNVD850/48EC/GR/D	40	120-277	0-10	850	48.1" x 4.8" x 3.3"	5100	131	≥122,000	IP66	70W MH	D	Gray	Premium // PL1HBBN5V4JD	
	74552	VAPOR1A/050HUV840/48EC/GR	50	347-480	0-10	840	48.5" x 4.0" x 3.3"	5700	111	≥122,000	IP65	70W MH	-	Gray	Standard // PBA4FDDB	
	74553	VAPOR1A/050HUV850/48EC/GR	50	347-480	0-10	850	48.5" x 4.0" x 3.3"	5700	111	≥84,000	IP65	70W MH	-	Gray	Standard // PQGF9FAQ	
	60376	VAPOR1B050HUV84048ECGRD	50	347-480	0-10	840	48.5" x 4.0" x 3.3"	5000	105	≥84,000	IP65	70W MH	D	Gray	PLGL81QF6HR	
	60377	VAPOR1B050HUV85048ECGRD	50	347-480	0-10	850	48.5" x 4.0" x 3.3"	5000	105	≥84,000	IP65	70W MH	D	Gray	PLKHOKINBLT1	
	60363	VAPOR1B/065HUV840/96EC/GR	65	347-480	0-10	840	96" x 4.0" x 3.3"	8500	130	≥120,000	IP65	250W MH	-	Gray	PL9Z93ZLR5S	
	60364	VAPOR1B/065HUV850/96EC/GR	65	347-480	0-10	850	96" x 4.0" x 3.3"	8500	130	≥120,000	IP65	250W MH	-	Gray	PLZV3V7B8GP	
	60365	VAPOR1B/065HUV840/96EC/GR/D	65	347-480	0-10	840	96" x 4.0" x 3.3"	8500	130	≥120,000	IP65	250W MH	D	Gray	PLKZMA7C0TJ	
60366	VAPOR1B/065HUV850/96EC/GR/D	65	347-480	0-10	850	96" x 4.0" x 3.3"	8500	130	≥120,000	IP65	250W MH	D	Gray	PLOWI6CR773E		
60355	VAPOR1B/065UNVD840/96EC/GR	65	120-277	0-10	840	96" x 4.0" x 3.3"	8750	135	≥120,000	IP65	250W MH	-	Gray	Premium // PLIIQ03MOQQU		
60356	VAPOR1B/065UNVD850/96EC/GR	65	120-277	0-10	850	96" x 4.0" x 3.3"	8750	135	≥120,000	IP65	250W MH	-	Gray	Premium // PLKH42XGYH09		
60357	VAPOR1B/065UNVD840/96EC/GR/D	65	120-277	0-10	840	96" x 4.0" x 3.3"	8750	135	≥120,000	IP65	250W MH	D	Gray	Premium // PLIIQ03MOQQU		
60358	VAPOR1B/065UNVD850/96EC/GR/D	65	120-277	0-10	850	96" x 4.0" x 3.3"	8750	135	≥120,000	IP65	250W MH	D	Gray	Premium // PLKH42XGYH09		
60359	VAPOR1B/065UNVD840/96EC/GR/E	65	120-277	0-10	840	96" x 4.0" x 3.3"	8750	135	≥120,000	IP65	250W MH	E	Gray	Premium // PLIIQ03MOQQU		
60360	VAPOR1B/065UNVD850/96EC/GR/E	65	120-277	0-10	850	96" x 4.0" x 3.3"	8750	135	≥120,000	IP65	250W MH	E	Gray	Premium // PLKH42XGYH09		
60361	VAPOR1B/065UNVD840/96EC/GR/D	65	120-277	0-10	840	96" x 4.0" x 3.3"	8750	135	≥120,000	IP65	250W MH	DE	Gray	Premium		
60362	VAPOR1B/065UNVD850/96EC/GR/D	65	120-277	0-10	850	96" x 4.0" x 3.3"	8750	135	≥120,000	IP65	250W MH	DE	Gray	Premium		

All luminaires and retrofit kits are UL/ETL, FCC, RoHS
All luminaires and retrofit kits are backed by 5 year warranty
*LPW per LM79 report
**Dual (Motion/Daylight) Sensor (D), Photocontrol (P), Emergency (E)



Product Image	Item#	Sales Part #	Watt	Voltage	Dim	CRI/CCT	Dimensions	Lumens	LPW*	LED L70	Rating	Replaces Traditional equivalent up to	Options**	Color	DLC / E star	
ValueLED™ Canopy 10"																
	60151	CANOPY3A/020UNV740/10S5/WH	20	120-277	-	740	10.3" x 10.3" x 3.9"	2000	110	≥150,000	Wet	up to 70W HPS/MH	-	White	Premium // PL9E473O9N3B	
	60152	CANOPY3A/020UNV750/10S5/WH	20	120-277	-	750	10.3" x 10.3" x 3.9"	2000	110	≥150,000	Wet	up to 70W HPS/MH	-	White	Premium // PL62LKS24Y0V	
	60153	CANOPY3A/040UNV740/10S5/WH	40	120-277	-	740	10.3" x 10.3" x 3.9"	4700	125	≥150,000	Wet	up to 150W HPS/MH	-	White	Premium // PLEF97Q05E9F	
	60154	CANOPY3A/040UNV750/10S5/WH	40	120-277	-	750	10.3" x 10.3" x 3.9"	4700	125	≥150,000	Wet	up to 150W HPS/MH	-	White	Premium // PLS94U3PVLTF	
	60155	CANOPY3A/055UNV740/10S5/WH	55	120-277	-	740	10.3" x 10.3" x 3.9"	6800	127	≥150,000	Wet	up to 250W HPS/MH	-	White	Premium // PLSVYU6DT67B	
	60156	CANOPY3A/055UNV750/10S5/WH	55	120-277	-	750	10.3" x 10.3" x 3.9"	6800	127	≥150,000	Wet	up to 250W HPS/MH	-	White	Premium // PLHY32R4EQJU	
	60157	CANOPY3A/020UNV740/10S5/BZ	20	120-277	-	740	10.3" x 10.3" x 3.9"	2000	110	≥150,000	Wet	up to 70W HPS/MH	-	Bronze	Premium // PL9E473O9N3B	
	60158	CANOPY3A/020UNV750/10S5/BZ	20	120-277	-	750	10.3" x 10.3" x 3.9"	2000	110	≥150,000	Wet	up to 70W HPS/MH	-	Bronze	Premium // PL62LKS24Y0V	
	60159	CANOPY3A/040UNV740/10S5/BZ	40	120-277	-	740	10.3" x 10.3" x 3.9"	4700	125	≥150,000	Wet	up to 150W HPS/MH	-	Bronze	Premium // PLEF97Q05E9F	
	60160	CANOPY3A/040UNV750/10S5/BZ	40	120-277	-	750	10.3" x 10.3" x 3.9"	4700	125	≥150,000	Wet	up to 150W HPS/MH	-	Bronze	Premium // PLS94U3PVLTF	
	60161	CANOPY3A/055UNV740/10S5/BZ	55	120-277	-	740	10.3" x 10.3" x 3.9"	6800	127	≥150,000	Wet	up to 250W HPS/MH	-	Bronze	Premium // PLSVYU6DT67B	
	60162	CANOPY3A/055UNV750/10S5/BZ	55	120-277	-	750	10.3" x 10.3" x 3.9"	6800	127	≥150,000	Wet	up to 250W HPS/MH	-	Bronze	Premium // PLHY32R4EQJU	
	MTO	60555	CANOPY3A04034774010S5BZ	40	120-277	-	740	10.3" x 10.3" x 3.9"	4700	125	≥150,000	Wet	up to 150W HPS/MH	-	Bronze	Premium // PL11B8NSV4ID
	MTO	60556	CANOPY3A04034775010S5BZ	40	347	-	750	10.3" x 10.3" x 3.9"	4700	125	≥150,000	Wet	up to 150W HPS/MH	-	Bronze	Standard // PBA4FDDB
	MTO	60557	CANOPY3A05534774010S5BZ	55	347	-	740	10.3" x 10.3" x 3.9"	6800	127	≥150,000	Wet	up to 250W HPS/MH	-	Bronze	Standard // PQG9F9AQV
	MTO	60558	CANOPY3A05534775010S5BZ	55	347	-	750	10.3" x 10.3" x 3.9"	6800	127	≥150,000	Wet	up to 250W HPS/MH	-	Bronze	Premium // PE4YXKWZ
	MTO	60559	CANOPY3A04034774010S5WH	40	347	-	740	10.3" x 10.3" x 3.9"	4700	125	≥150,000	Wet	up to 150W HPS/MH	-	White	Premium // PL8EACW2YEB0
MTO	60560	CANOPY3A04034775010S5WH	40	347	-	750	10.3" x 10.3" x 3.9"	4700	125	≥150,000	Wet	up to 150W HPS/MH	-	White	Premium // PLIQO3MQOQU	
MTO	60561	CANOPY3A05534774010S5WH	55	347	-	740	10.3" x 10.3" x 3.9"	6800	127	≥150,000	Wet	up to 250W HPS/MH	-	White	Premium // PLK42XGHH09	
MTO	60562	CANOPY3A05534775010S5WH	55	347	-	750	10.3" x 10.3" x 3.9"	6800	127	≥150,000	Wet	up to 250W HPS/MH	-	White	Premium // PLIQO3MQOQU	
UltraLED™ Canopy 12"																
Round																
 Click for 12" Canopy ES.	60398	CANOPY2A/025UNVD840/12R5/WH	25	120-277	0-10	840	12.6" x 3.4"	3375	135	≥150,000	IP66	70W HPS	-	White	Premium // P640EF21	
	60399	CANOPY2A/025UNVD850/12R5/WH	25	120-277	0-10	850	12.6" x 3.4"	3375	135	≥150,000	IP66	70W HPS	-	White	Premium // P1MCWFXA	
	60400	CANOPY2A/035UNVD840/12R5/WH	35	120-277	0-10	840	12.6" x 3.4"	4725	135	≥150,000	IP66	150W HPS	-	White	Premium // PQ2827DV	
	60401	CANOPY2A/035UNVD850/12R5/WH	35	120-277	0-10	850	12.6" x 3.4"	4725	135	≥150,000	IP66	150W HPS	-	White	Premium // PEAKNFYP	
	60402	CANOPY2A/045UNVD840/12R5/WH	45	120-277	0-10	840	12.6" x 3.4"	6075	135	≥150,000	IP66	175W MH	-	White	Premium // P97UPWGB	
	60403	CANOPY2A/045UNVD850/12R5/WH	45	120-277	0-10	850	12.6" x 3.4"	6075	135	≥150,000	IP66	175W MH	-	White	Premium // P9W90MJ1	
	60404	CANOPY2A/065UNVD840/12R5/WH	65	120-277	0-10	840	12.6" x 3.4"	8775	135	≥150,000	IP66	250W HPS/MH	-	White	Premium	
	60405	CANOPY2A/065UNVD850/12R5/WH	65	120-277	0-10	850	12.6" x 3.4"	8755	135	≥150,000	IP66	250W HPS/MH	-	White	Premium	
	60406	CANOPY2A/025UNVD840/12R5/BZ	25	120-277	0-10	840	12.6" x 3.4"	3375	135	≥150,000	IP66	70W HPS	-	Bronze	Premium // P640EF21	
	60407	CANOPY2A/025UNVD850/12R5/BZ	25	120-277	0-10	850	12.6" x 3.4"	3375	135	≥150,000	IP66	70W HPS	-	Bronze	Premium // P1MCWFXA	
	60408	CANOPY2A/035UNVD840/12R5/BZ	35	120-277	0-10	840	12.6" x 3.4"	4725	135	≥150,000	IP66	150W HPS	-	Bronze	Premium // PQ2827DV	
	60409	CANOPY2A/035UNVD850/12R5/BZ	35	120-277	0-10	850	12.6" x 3.4"	4725	135	≥150,000	IP66	150W HPS	-	Bronze	Premium // PEAKNFYP	
	60410	CANOPY2A/045UNVD840/12R5/BZ	45	120-277	0-10	840	12.6" x 3.4"	6075	135	≥150,000	IP66	175W MH	-	Bronze	Premium // P97UPWGB	
	60411	CANOPY2A/045UNVD850/12R5/BZ	45	120-277	0-10	850	12.6" x 3.4"	6075	135	≥150,000	IP66	175W MH	-	Bronze	Premium // P9W90MJ1	
	60412	CANOPY2A/065UNVD840/12R5/BZ	65	120-277	0-10	840	12.6" x 3.4"	8775	125	≥150,000	IP66	250W HPS/MH	-	Bronze	Premium	
	60413	CANOPY2A/065UNVD850/12R5/BZ	65	120-277	0-10	850	12.6" x 3.4"	8755	125	≥150,000	IP66	250W HPS/MH	-	Bronze	Premium	
	UltraLED™ Square Canopy 12"															
 Click for 12" Canopy ES.	60414	CANOPY2A/025UNVD840/12S5/WH	25	120-277	0-10	840	12.6" x 12.6" x 3.4"	3375	135	≥150,000	IP66	70W HPS	-	White	Premium // PPN3LO3J	
	60415	CANOPY2A/025UNVD850/12S5/WH	25	120-277	0-10	850	12.6" x 12.6" x 3.4"	3375	135	≥150,000	IP66	70W HPS	-	White	Premium // PIY3TEYP	
	60416	CANOPY2A/035UNVD840/12S5/WH	35	120-277	0-10	840	12.6" x 12.6" x 3.4"	4725	135	≥150,000	IP66	150W HPS	-	White	Premium // PCS1620E	
	60417	CANOPY2A/035UNVD850/12S5/WH	35	120-277	0-10	850	12.6" x 12.6" x 3.4"	4725	135	≥150,000	IP66	150W HPS	-	White	Premium // PGMJHXGY	
	60418	CANOPY2A/045UNVD840/12S5/WH	45	120-277	0-10	840	12.6" x 12.6" x 3.4"	6075	135	≥150,000	IP66	175W MH	-	White	Premium // P3VF9Z8B	
	60419	CANOPY2A/045UNVD850/12S5/WH	45	120-277	0-10	850	12.6" x 12.6" x 3.4"	6075	135	≥150,000	IP66	175W MH	-	White	Premium // POTAS1MD	
	60420	CANOPY2A/065UNVD840/12S5/WH	65	120-277	0-10	840	12.6" x 12.6" x 3.4"	8775	135	≥150,000	IP66	250W HPS/MH	-	White	Premium // PVOTTSP9	
	60421	CANOPY2A/065UNVD850/12S5/WH	65	120-277	0-10	850	12.6" x 12.6" x 3.4"	8755	135	≥150,000	IP66	250W HPS/MH	-	White	Premium // P07POM9A	
	60422	CANOPY2A/025UNVD840/12S5/BZ	25	120-277	0-10	840	12.6" x 12.6" x 3.4"	3375	135	≥150,000	IP66	70W HPS	-	Bronze	Premium // PPN3LO3J	
	60423	CANOPY2A/025UNVD850/12S5/BZ	25	120-277	0-10	850	12.6" x 12.6" x 3.4"	3375	135	≥150,000	IP66	70W HPS	-	Bronze	Premium // PIY3TEYP	
	60424	CANOPY2A/035UNVD840/12S5/BZ	35	120-277	0-10	840	12.6" x 12.6" x 3.4"	4725	135	≥150,000	IP66	150W HPS	-	Bronze	Premium // PCS1620E	
	60425	CANOPY2A/035UNVD850/12S5/BZ	35	120-277	0-10	850	12.6" x 12.6" x 3.4"	4725	135	≥150,000	IP66	150W HPS	-	Bronze	Premium // PGMJHXGY	
	60426	CANOPY2A/045UNVD840/12S5/BZ	45	120-277	0-10	840	12.6" x 12.6" x 3.4"	6075	135	≥150,000	IP66	175W MH	-	Bronze	Premium // P3VF9Z8B	
	60427	CANOPY2A/045UNVD850/12S5/BZ	45	120-277	0-10	850	12.6" x 12.6" x 3.4"	6075	135	≥150,000	IP66	175W MH	-	Bronze	Premium // POTAS1MD	
	60428	CANOPY2A/065UNVD840/12S5/BZ	65	120-277	0-10	840	12.6" x 12.6" x 3.4"	8775	125	≥150,000	IP66	250W HPS/MH	-	Bronze	Premium // PVOTTSP9	
	60429	CANOPY2A/065UNVD850/12S5/BZ	65	120-277	0-10	850	12.6" x 12.6" x 3.4"	8755	125	≥150,000	IP66	250W HPS/MH	-	Bronze	Premium // P07POM9A	
	UltraLED™ Garage															
	74501	GARAG1A/035UNVD740/G5/SV	35	120-277	0-10	740	12.5" x 12.5" x 2.3"	4200	123	≥125,000	IP66	150W MH	-	Silver	Premium // P1C2BD45	
	74502	GARAG1A/035UNVD750/G5/SV	35	120-277	0-10	750	12.5" x 12.5" x 2.3"	4200	119	≥125,000	IP66	150W MH	-	Silver	Premium // PUMXMH72	
	74503	GARAG1A/055UNVD740/G5/SV	55	120-277	0-10	740	12.5" x 12.5" x 2.3"	6200	119	≥125,000	IP66	175W MH	-	Silver	Premium // PP7YMNTN	
	74504	GARAG1A/055UNVD750/G5/SV	55	120-277	0-10	750	12.5" x 12.5" x 2.3"	6200	118	≥125,000	IP66	175W MH	-	Silver	Premium // PBNNJGE3	
	74505	GARAG1A/035UNVD740/G5/SV/D	35	120-277	0-10	740	12.5" x 12.5" x 2.3"	4200	123	≥125,000	IP66	150W MH	D	Silver	Premium // P3WPXN1S	
	74506	GARAG1A/035UNVD750/G5/SV/D	35	120-277	0-10	750	12.5" x 12.5" x 2.3"	4200	119	≥125,000	IP66	150W MH	D	Silver	Premium // PBU3B7ES	

www.sylvania.com/luminaires

SYLVANIA Luminaires Insert Card
Revised August 2019

All luminaires and retrofit kits are UL/ETL, FCC, RoHS
All luminaires and retrofit kits are backed by 5 year warranty

*LPW per LM79 report

**Dual (Motion/Daylight) Sensor (D), Photocontrol (P), Emergency (E)






Product Image	Item#	Sales Part #	Watt	Voltage	Dim	CRI/CCT	Dimensions	Lumens	LPW*	LED L70	Rating	Replaces Traditional equivalent up to	Options**	Color	DLC / E star
Click for Garage IES Files	74507	GARAG1A/0655UNVD740/G5/SV/D	55	120-277	0-10	740	12.5" x 12.5" x 2.3"	6200	119	≥125,000	IP66	175W MH	D	Silver	Premium // P4JG8K1P
	74508	GARAG1A/0655UNVD750/G5/SV/D	55	120-277	0-10	750	12.5" x 12.5" x 2.3"	6200	118	≥125,000	IP66	175W MH	D	Silver	Premium // PCD7ZE5Y

All luminaires and retrofit kits are UL/ETL, FCC, RoHS
All luminaires and retrofit kits are backed by 5 year warranty

*LPW per LM79 report

**Dual (Motion/Daylight) Sensor (D), Photocontrol (P), Emergency (E)



Product Image	Item#	Sales Part #	Watt	Voltage	Dim	CRI/CCT	Dimensions	Lumens	LPW*	LED L70	Rating	Replaces Traditional equivalent up to	Options**	Color	DLC / E star
UltraLED™ Slim Flood															
 Click for Slim Flood IES Files 	74906	SLMFLD1A/020UNV830/WF/BZ	20	120-277	-	830	9.1" x 1.6" x 10.5"	2000	103	≥150,000	IP66	70W HPS/MH	-	Bronze	Standard // PFM8K7QD
	74907	SLMFLD1A/020UNV840/WF/BZ	20	120-277	-	840	9.1" x 1.6" x 10.5"	2200	111	≥150,000	IP66	70W HPS/MH	-	Bronze	Premium // P4S6P9M1
	74908	SLMFLD1A/030UNV840/WF/BZ	30	120-277	-	840	9.1" x 1.6" x 10.5"	3400	110	≥150,000	IP66	100W HPS/MH	-	Bronze	Premium // PXTZRXA9
	74909	SLMFLD1A/030UNV850/WF/BZ	30	120-277	-	850	9.1" x 1.6" x 10.5"	3500	114	≥150,000	IP66	100W HPS/MH	-	Bronze	Premium // PFJFETGF
	74910	SLMFLD1A/050UNV840/WF/BZ	50	120-277	-	840	10.6" x 1.6" x 11.3"	6100	119	≥150,000	IP66	175W HPS/MH	-	Bronze	Premium // PGFD8JS6
	74911	SLMFLD1A/050UNV850/WF/BZ	50	120-277	-	850	10.6" x 1.6" x 11.3"	6300	121	≥150,000	IP66	175W HPS/MH	-	Bronze	Premium // PHGWBG3C
	60108	SLMFLD1A/100UNV840/WF/BZ	100	120-277	-	840	12.4" x 2.4" x 14.8"	12300	123	≥150,000	IP66	400W HPS/MH	-	Bronze	Premium // P85IPW00
	60109	SLMFLD1A/100UNV850/WF/BZ	100	120-277	-	850	12.4" x 2.4" x 14.8"	12300	123	≥150,000	IP66	400W HPS/MH	-	Bronze	Premium // PSKPHPU4
	60191	SLMFLD1A/020UNVD830/WF/BZ/D	20	120-277	-	830	9.1" x 1.6" x 10.5"	2000	103	≥150,000	IP66	70W HPS/MH	-	Bronze	-
	60192	SLMFLD1A/020UNVD840/WF/BZ/D	20	120-277	-	840	9.1" x 1.6" x 10.5"	2200	111	≥150,000	IP66	70W HPS/MH	-	Bronze	-
	60193	SLMFLD1A/030UNVD840/WF/BZ/D	30	120-277	-	840	9.1" x 1.6" x 10.5"	3400	110	≥150,000	IP66	100W HPS/MH	-	Bronze	-
	60194	SLMFLD1A/030UNVD850/WF/BZ/D	30	120-277	-	850	9.1" x 1.6" x 10.5"	3500	114	≥150,000	IP66	100W HPS/MH	-	Bronze	-
	60195	SLMFLD1A/050UNVD840/WF/BZ/D	50	120-277	-	840	10.6" x 1.6" x 11.3"	6100	119	≥150,000	IP66	175W HPS/MH	-	Bronze	-
	60196	SLMFLD1A/050UNVD850/WF/BZ/D	50	120-277	-	850	10.6" x 1.6" x 11.3"	6300	121	≥150,000	IP66	175W HPS/MH	-	Bronze	-
	60197	SLMFLD1A/100UNVD840/WF/BZ/D	100	120-277	-	840	12.4" x 2.4" x 14.8"	12300	123	≥150,000	IP66	400W HPS/MH	-	Bronze	-
	60199	SLMFLD1A/100UNVD850/WF/BZ/D	100	120-277	-	850	12.4" x 2.4" x 14.8"	12300	123	≥150,000	IP66	400W HPS/MH	-	Bronze	-
	60200	SLMFLD1A/020UNV830/WFTR/BZ	20	120-277	-	830	9.1" x 1.6" x 10.5"	2000	103	≥150,000	IP66	70W HPS/MH	-	Bronze	Standard // PFM8K7QD
	60201	SLMFLD1A/020UNV840/WFTR/BZ	20	120-277	-	840	9.1" x 1.6" x 10.5"	2200	111	≥150,000	IP66	70W HPS/MH	-	Bronze	Premium // P4S6P9M1
	60202	SLMFLD1A/030UNV840/WFTR/BZ	30	120-277	-	840	9.1" x 1.6" x 10.5"	3400	110	≥150,000	IP66	100W HPS/MH	-	Bronze	Premium // PXTZRXA9
	60203	SLMFLD1A/030UNV850/WFTR/BZ	30	120-277	-	850	9.1" x 1.6" x 10.5"	3500	114	≥150,000	IP66	100W HPS/MH	-	Bronze	Premium // PFJFETGF
60204	SLMFLD1A/050UNV840/WFTR/BZ	50	120-277	-	840	10.6" x 1.6" x 11.3"	6100	119	≥150,000	IP66	175W HPS/MH	-	Bronze	Premium // PGFD8JS6	
60205	SLMFLD1A/050UNV850/WFTR/BZ	50	120-277	-	850	10.6" x 1.6" x 11.3"	6300	121	≥150,000	IP66	175W HPS/MH	-	Bronze	Premium // PHGWBG3C	
ValueLED™ Bullet Flood Light															
 Click for Bullet Flood IES Files	60179	BULLTFL1A/020UNV740/MF/BZ	20	120-277	-	740	5.5" X 8.8"	2000	105	≥150,000	-	150W Halogen	-	Bronze	Standard // PLEYLVUB2MPF
	60180	BULLTFL1A/020UNV750/MF/BZ	20	120-277	-	750	5.5" X 8.8"	2000	105	≥150,000	-	150W Halogen	-	Bronze	Standard // PLE72ALWIM5U
	60254	BULLTFL1A/015UNV730/MF/BZ	15	120-277	-	730	5.5" X 8.8"	1250	105	≥150,000	-	35W HPS	-	Bronze	Standard // PL4UJ21M287N4
	60181	BULLTFL1A/015UNV740/MF/BZ	15	120-277	-	740	5.5" X 8.8"	1250	105	≥150,000	-	35W HPS	-	Bronze	Standard // PLRCDWEYQ5AX
	60182	BULLTFL1A/015UNV750/MF/BZ	15	120-277	-	750	5.5" X 8.8"	1250	105	≥150,000	-	35W HPS	-	Bronze	Standard // PL1AD7RDGYDK
	60255	BULLTFL1A/005UNV730/MF/BZ	5	120-277	-	730	2.5" x 6"	525	105	≥150,000	-	50W Halogen	-	Bronze	Standard // PLBOFCS0A3DD
	60183	BULLTFL1A/005UNV740/MF/BZ	5	120-277	-	740	2.5" x 6"	525	105	≥150,000	-	50W Halogen	-	Bronze	Premium // PLFOWQJA31QR
	60184	BULLTFL1A/005UNV750/MF/BZ	5	120-277	-	750	2.5" x 6"	525	105	≥150,000	-	50W Halogen	-	Bronze	Premium // PLBDU6D0FMF6

All luminaires and retrofit kits are UL/ETL, FCC, RoHS
All luminaires and retrofit kits are backed by 5 year warranty
*LPW per LM79 report

**Dual (Motion/Daylight) Sensor (D), Photocontrol (P), Emergency (E)



Product Image	Item#	Sales Part #	Watt	Voltage	Dim	CRI/CCT	Dimensions	Lumens	LPW*	LED L70	Rating	Replaces Traditional equivalent up to	Options**	Color	DLC / E star	
UltraLED™ Area Light																
	70956	AREAFLD1A070UNVD840/T3/BZ	70	120-277	0-10	840	12.2" x 12.5" x 4.3"	8100	116	≥140,000	IP66	175W HID	-	Bronze	Premium // P4LNTD2X	
MTD	71078	AREAFLD1A070UNVD840/T4/BZ	70	120-277	0-10	840	12.2" x 12.5" x 4.3"	8200	117	≥140,000	IP66	175W HID	-	Bronze	Premium // PQ9N46I8	
MTD	71079	AREAFLD1A070UNVD840/T5/BZ	70	120-277	0-10	840	12.2" x 12.5" x 4.3"	8500	121	≥140,000	IP66	175W HID	-	Bronze	Premium // PB4B7DA4	
	71153	AREAFLD1A070UNVD850/T3/BZ	70	120-277	0-10	850	12.2" x 12.5" x 4.3"	8600	123	≥140,000	IP66	175W HID	-	Bronze	Premium // P5D08JOO	
MTD	71170	AREAFLD1A070UNVD850/T4/BZ	70	120-277	0-10	850	12.2" x 12.5" x 4.3"	8700	125	≥140,000	IP66	175W HID	-	Bronze	Premium // PSLEGPU0	
MTD	71171	AREAFLD1A070UNVD850/T5/BZ	70	120-277	0-10	850	12.2" x 12.5" x 4.3"	9000	130	≥140,000	IP66	175W HID	-	Bronze	Premium // PJ91ZPYQ	
MTD	60632	AREAFLD1A070UNVD840T3WH	70	120-277	0-10	840	12.2" x 12.5" x 4.3"	8100	116	≥140,000	IP66	175W HID	-	White	Premium // P4LNTD2X	
MTD	60633	AREAFLD1A070UNVD840T4WH	70	120-277	0-10	840	12.2" x 12.5" x 4.3"	8200	117	≥140,000	IP66	175W HID	-	White	Premium // PQ9N46I8	
MTD	60634	AREAFLD1A070UNVD840T5WH	70	120-277	0-10	840	12.2" x 12.5" x 4.3"	8500	121	≥140,000	IP66	175W HID	-	White	Premium // PB4B7DA4	
MTD	60635	AREAFLD1A070UNVD850T3WH	70	120-277	0-10	850	12.2" x 12.5" x 4.3"	8600	123	≥140,000	IP66	175W HID	-	White	Premium // P5D08JOO	
MTD	60636	AREAFLD1A070UNVD850T4WH	70	120-277	0-10	850	12.2" x 12.5" x 4.3"	8700	125	≥140,000	IP66	175W HID	-	White	Premium // PSLEGPU0	
MTD	60637	AREAFLD1A070UNVD850T5WH	70	120-277	0-10	850	12.2" x 12.5" x 4.3"	9000	130	≥140,000	IP66	175W HID	-	White	Premium // PJ91ZPYQ	
	60037	AREAFLD1A110UNVD840/T3/BZ	110	120-277	0-10	840	15.2" x 12.5" x 4.3"	12600	117	≥140,000	IP66	250W HPS/MH	-	Bronze	Premium // PJPZ6ZK9	
MTD	60038	AREAFLD1A110UNVD840/T4/BZ	110	120-277	0-10	840	15.2" x 12.5" x 4.3"	12700	117	≥140,000	IP66	250W HPS/MH	-	Bronze	Premium // PG7X6OA7	
MTD	60039	AREAFLD1A110UNVD840/T5/BZ	110	120-277	0-10	840	15.2" x 12.5" x 4.3"	13300	123	≥140,000	IP66	250W HPS/MH	-	Bronze	Premium // PTQ2JXIN	
	60040	AREAFLD1A110UNVD850/T3/BZ	110	120-277	0-10	850	15.2" x 12.5" x 4.3"	13300	124	≥140,000	IP66	250W HPS/MH	-	Bronze	Premium // PPI0X0GO	
MTD	60041	AREAFLD1A110UNVD850/T4/BZ	110	120-277	0-10	850	15.2" x 12.5" x 4.3"	13300	125	≥140,000	IP66	250W HPS/MH	-	Bronze	Premium // P6IAUM7D	
MTD	60042	AREAFLD1A110UNVD850/T5/BZ	110	120-277	0-10	850	15.2" x 12.5" x 4.3"	13300	124	≥140,000	IP66	250W HPS/MH	-	Bronze	Premium // POGJZYXL	
MTD	60638	AREAFLD1A110UNVD840T3WH	110	120-277	0-10	840	15.2" x 12.5" x 4.3"	12600	117	≥140,000	IP66	250W HPS/MH	-	White	Premium // PJPZ6ZK9	
MTD	60639	AREAFLD1A110UNVD840T4WH	110	120-277	0-10	840	15.2" x 12.5" x 4.3"	12700	117	≥140,000	IP66	250W HPS/MH	-	White	Premium // PG7X6OA7	
MTD	60640	AREAFLD1A110UNVD840T5WH	110	120-277	0-10	840	15.2" x 12.5" x 4.3"	13300	123	≥140,000	IP66	250W HPS/MH	-	White	Premium // PTQ2JXIN	
MTD	60641	AREAFLD1A110UNVD850T3WH	110	120-277	0-10	850	15.2" x 12.5" x 4.3"	13300	124	≥140,000	IP66	250W HPS/MH	-	White	Premium // PPI0X0GO	
MTD	60642	AREAFLD1A110UNVD850T4WH	110	120-277	0-10	850	15.2" x 12.5" x 4.3"	13300	125	≥140,000	IP66	250W HPS/MH	-	White	Premium // P6IAUM7D	
MTD	60643	AREAFLD1A110UNVD850T5WH	110	120-277	0-10	850	15.2" x 12.5" x 4.3"	13300	124	≥140,000	IP66	250W HPS/MH	-	White	Premium // POGJZYXL	
	60031	AREAFLD1A145UNVD840/T3/BZ	145	120-277	0-10	840	15.2" x 12.5" x 4.3"	17000	116	≥140,000	IP66	400W HPS/MH	-	Bronze	Premium // PL6N6KY0	
MTD	60032	AREAFLD1A145UNVD840/T4/BZ	145	120-277	0-10	840	15.2" x 12.5" x 4.3"	17100	117	≥140,000	IP66	400W HPS/MH	-	Bronze	Premium // PEQMO7RG	
MTD	60033	AREAFLD1A145UNVD840/T5/BZ	145	120-277	0-10	840	15.2" x 12.5" x 4.3"	17900	122	≥140,000	IP66	400W HPS/MH	-	Bronze	Premium // PET6Q7WP	
	60034	AREAFLD1A145UNVD850/T3/BZ	145	120-277	0-10	850	15.2" x 12.5" x 4.3"	17000	117	≥140,000	IP66	400W HPS/MH	-	Bronze	Premium // PET6Q7WP	
MTD	60035	AREAFLD1A145UNVD850/T4/BZ	145	120-277	0-10	850	15.2" x 12.5" x 4.3"	17000	117	≥140,000	IP66	400W HPS/MH	-	Bronze	Premium // PGSMRTP6	
MTD	60036	AREAFLD1A145UNVD850/T5/BZ	145	120-277	0-10	850	15.2" x 12.5" x 4.3"	17900	123	≥140,000	IP66	400W HPS/MH	-	Bronze	Premium // PGRH4KE	
MTD	60644	AREAFLD1A145UNVD840T3WH	145	120-277	0-10	840	15.2" x 12.5" x 4.3"	17000	116	≥140,000	IP66	400W HPS/MH	-	White	Premium // PL6N6KY0	
MTD	60645	AREAFLD1A145UNVD840T4WH	145	120-277	0-10	840	15.2" x 12.5" x 4.3"	17100	117	≥140,000	IP66	400W HPS/MH	-	White	Premium // PEQMO7RG	
MTD	60646	AREAFLD1A145UNVD840T5WH	145	120-277	0-10	840	15.2" x 12.5" x 4.3"	17900	122	≥140,000	IP66	400W HPS/MH	-	White	Premium // PET6Q7WP	
MTD	60647	AREAFLD1A145UNVD850T3WH	145	120-277	0-10	850	15.2" x 12.5" x 4.3"	17000	117	≥140,000	IP66	400W HPS/MH	-	White	Premium // PET6Q7WP	
MTD	60648	AREAFLD1A145UNVD850T4WH	145	120-277	0-10	850	15.2" x 12.5" x 4.3"	17000	117	≥140,000	IP66	400W HPS/MH	-	White	Premium // PGSMRTP6	
MTD	60649	AREAFLD1A145UNVD850T5WH	145	120-277	0-10	850	15.2" x 12.5" x 4.3"	17900	123	≥140,000	IP66	400W HPS/MH	-	White	Premium // PGRH4KE	
	60231	AREAFLD1A220UNVD840T3BZ	220	120-277	0-10	840	20.9" x 12.5" x 4.3"	27900	128	≥140,000	IP66	up to 1000 HPS/MH	-	Bronze	Premium // PLT1T0QALPHG	
MTD	60227	AREAFLD1A220UNVD840T4BZ	220	120-277	0-10	840	20.9" x 12.5" x 4.3"	28500	130	≥140,000	IP66	up to 1000 HPS/MH	-	Bronze	Premium // PLMCDV1W0QID	
	60228	AREAFLD1A220UNVD840T5BZ	220	120-277	0-10	840	20.9" x 12.5" x 4.3"	29000	130	≥140,000	IP66	up to 1000 HPS/MH	-	Bronze	Premium // PL3T0060UG2L	
MTD	60229	AREAFLD1A220UNVD850T3BZ	220	120-277	0-10	850	20.9" x 12.5" x 4.3"	27900	128	≥140,000	IP66	up to 1000 HPS/MH	-	Bronze	Premium // PLV71A7DX62T	
MTD	60230	AREAFLD1A220UNVD850T4BZ	220	120-277	0-10	850	20.9" x 12.5" x 4.3"	28500	130	≥140,000	IP66	up to 1000 HPS/MH	-	Bronze	Premium // PLB17HMX9TIW	
	60231	AREAFLD1A220UNVD850T5BZ	220	120-277	0-10	850	20.9" x 12.5" x 4.3"	29000	130	≥140,000	IP66	up to 1000 HPS/MH	-	Bronze	Premium // PLQYVMHY02X9	



SYLVANIA Luminaires Insert Card
Revised August 2019

All luminaires and retrofit kits are UL/ETL, FCC, RoHS
All luminaires and retrofit kits are backed by 5 year warranty

*LPW per LM79 report

**Dual (Motion/Daylight) Sensor (D), Photocontrol (P), Emergency (E)



Product Image	Item#	Sales Part #	Watt	Voltage	Dim	CRI/CCT	Dimensions	Lumens	LPW*	LED L70	Rating	Replaces Traditional equivalent up to	Options**	Color	DLC / E star	
	MT0	60083	AREAFD1A070UNVD840T3BZD	70	120-277	0-10	840	12.2" x 12.5" x 4.3"	8100	116	≥140,000	IP66	175W HID	D	Bronze	Premium // P4LNTD2X
	MT0	60084	AREAFD1A070UNVD840T4BZD	70	120-277	0-10	840	12.2" x 12.5" x 4.3"	8200	117	≥140,000	IP66	175W HID	D	Bronze	Premium // PQ9N46I8
	MT0	60085	AREAFD1A070UNVD840T5BZD	70	120-277	0-10	840	12.2" x 12.5" x 4.3"	8500	121	≥140,000	IP66	175W HID	D	Bronze	Premium // PB4B7DA4
	MT0	60086	AREAFD1A070UNVD850T3BZD	70	120-277	0-10	850	12.2" x 12.5" x 4.3"	8600	123	≥140,000	IP66	175W HID	D	Bronze	Premium // P5D08J00
	MT0	60087	AREAFD1A070UNVD850T4BZD	70	120-277	0-10	850	12.2" x 12.5" x 4.3"	8700	125	≥140,000	IP66	175W HID	D	Bronze	Premium // PSLEGPU0
	MT0	60088	AREAFD1A070UNVD850T5BZD	70	120-277	0-10	850	12.2" x 12.5" x 4.3"	9000	130	≥140,000	IP66	175W HID	D	Bronze	Premium // PJ91ZPYQ
	MT0	60386	AREAFD1A/070HUV840T3/BZ	70	347-480	0-10	840	12.2" x 12.5" x 4.3"	8100	116	≥140,000	IP66	175W HID	D	Bronze	Premium // PL3F05TXF2D
	MT0	60387	AREAFD1A/070HUV840T4/BZ	70	347-480	0-10	840	12.2" x 12.5" x 4.3"	8200	117	≥140,000	IP66	175W HID	D	Bronze	Premium // PL75W HID
	MT0	60388	AREAFD1A/070HUV840T5/BZ	70	347-480	0-10	840	12.2" x 12.5" x 4.3"	8500	121	≥140,000	IP66	175W HID	D	Bronze	Premium // PLLC712N1RM
	MT0	60389	AREAFD1A/070HUV850T3/BZ	70	347-480	0-10	850	12.2" x 12.5" x 4.3"	8600	123	≥140,000	IP66	175W HID	D	Bronze	Premium // PLZPOLVU4HGA
	MT0	60390	AREAFD1A/070HUV850T4/BZ	70	347-480	0-10	850	12.2" x 12.5" x 4.3"	8700	125	≥140,000	IP66	175W HID	D	Bronze	Premium // PL75W HID
	HUV	60391	AREAFD1A/070HUV850T5/BZ	70	347-480	0-10	850	12.2" x 12.5" x 4.3"	9000	130	≥140,000	IP66	175W HID	D	Bronze	Premium // PL0270QKFGX8
	MT0	60089	AREAFD1A110UNVD840T3BZD	110	120-277	0-10	840	15.2" x 12.5" x 4.3"	12600	117	≥140,000	IP66	250W HPS/MH	D	Bronze	Premium // PTQ2JXIN
	MT0	60090	AREAFD1A110UNVD840T4BZD	110	120-277	0-10	840	15.2" x 12.5" x 4.3"	12700	117	≥140,000	IP66	250W HPS/MH	D	Bronze	Premium // PG7X60A7
	MT0	60091	AREAFD1A110UNVD840T5BZD	110	120-277	0-10	840	15.2" x 12.5" x 4.3"	13300	123	≥140,000	IP66	250W HPS/MH	D	Bronze	Premium // PTQ2JXIN
	MT0	60092	AREAFD1A110UNVD850T3BZD	110	120-277	0-10	850	15.2" x 12.5" x 4.3"	13300	124	≥140,000	IP66	250W HPS/MH	D	Bronze	Premium // PPI0XOGO
	MT0	60093	AREAFD1A110UNVD850T4BZD	110	120-277	0-10	850	15.2" x 12.5" x 4.3"	13300	125	≥140,000	IP66	250W HPS/MH	D	Bronze	Premium // POGJZYXL
	MT0	60094	AREAFD1A110UNVD850T5BZD	110	120-277	0-10	850	15.2" x 12.5" x 4.3"	13300	124	≥140,000	IP66	250W HPS/MH	D	Bronze	Premium // P6IAUM7D
	MT0	60392	AREAFD1A/110HUV840T3/BZ	110	347-480	0-10	840	15.2" x 12.5" x 4.3"	12600	117	≥140,000	IP66	250W HPS/MH	D	Bronze	Premium // PLLNS1XS5TTS
	MT0	60393	AREAFD1A/110HUV840T4/BZ	110	347-480	0-10	840	15.2" x 12.5" x 4.3"	12700	117	≥140,000	IP66	250W HPS/MH	D	Bronze	Premium // PL30GXRPSJVL
	MT0	60394	AREAFD1A/110HUV840T5/BZ	110	347-480	0-10	840	15.2" x 12.5" x 4.3"	13300	123	≥140,000	IP66	250W HPS/MH	D	Bronze	Premium // PL0FTTCMULQL
	MT0	60395	AREAFD1A/110HUV850T3/BZ	110	347-480	0-10	850	15.2" x 12.5" x 4.3"	13300	124	≥140,000	IP66	250W HPS/MH	D	Bronze	Premium // PLIBXCZE7S0V
	MT0	60396	AREAFD1A/110HUV850T4/BZ	110	347-480	0-10	850	15.2" x 12.5" x 4.3"	13300	125	≥140,000	IP66	250W HPS/MH	D	Bronze	Premium // PLZ52DY6RUFJ
	MT0	60397	AREAFD1A/110HUV850T5/BZ	110	347-480	0-10	850	15.2" x 12.5" x 4.3"	13300	124	≥140,000	IP66	250W HPS/MH	D	Bronze	Premium // PLXVC5UY2ENI
	MT0	60095	AREAFD1A145UNVD840T3BZD	145	120-277	0-10	840	15.2" x 12.5" x 4.3"	17000	116	≥140,000	IP66	400W HPS/MH	D	Bronze	Premium // PL6N6KYO
	MT0	60096	AREAFD1A145UNVD840T4BZD	145	120-277	0-10	840	15.2" x 12.5" x 4.3"	17100	117	≥140,000	IP66	400W HPS/MH	D	Bronze	Premium // PX4GHYA4
	MT0	60097	AREAFD1A145UNVD840T5BZD	145	120-277	0-10	840	15.2" x 12.5" x 4.3"	17900	122	≥140,000	IP66	400W HPS/MH	D	Bronze	Premium // PEQMO7RG
	MT0	60098	AREAFD1A145UNVD850T3BZD	145	120-277	0-10	850	15.2" x 12.5" x 4.3"	17000	117	≥140,000	IP66	400W HPS/MH	D	Bronze	Premium // PET6Q7WP
	MT0	60099	AREAFD1A145UNVD850T4BZD	145	120-277	0-10	850	15.2" x 12.5" x 4.3"	17000	117	≥140,000	IP66	400W HPS/MH	D	Bronze	Premium // POGSMRTIP6
	MT0	60100	AREAFD1A145UNVD850T5BZD	145	120-277	0-10	850	15.2" x 12.5" x 4.3"	17900	123	≥140,000	IP66	400W HPS/MH	D	Bronze	Premium // PGRH4KE
MT0	60380	AREAFD1A/145HUV840T3/BZ	145	347-480	0-10	840	15.2" x 12.5" x 4.3"	17000	116	≥140,000	IP66	400W HPS/MH	-	Bronze	Premium // PLRHN9HA1P1H	
MT0	60381	AREAFD1A/145HUV840T4/BZ	145	347-480	0-10	840	15.2" x 12.5" x 4.3"	17100	117	≥140,000	IP66	400W HPS/MH	-	Bronze	Premium // PLAMEFT4GL5D	
MT0	60382	AREAFD1A/145HUV840T5/BZ	145	347-480	0-10	840	15.2" x 12.5" x 4.3"	17900	122	≥140,000	IP66	400W HPS/MH	-	Bronze	Premium // PLW08CZISUTQ	
MT0	60383	AREAFD1A/145HUV850T3/BZ	145	347-480	0-10	850	15.2" x 12.5" x 4.3"	17000	117	≥140,000	IP66	400W HPS/MH	-	Bronze	Premium // PL3WBGQU8BE1	
MT0	60384	AREAFD1A/145HUV850T4/BZ	145	347-480	0-10	850	15.2" x 12.5" x 4.3"	17000	117	≥140,000	IP66	400W HPS/MH	-	Bronze	Premium // PL1Q4PYBR5BA	
MT0	60385	AREAFD1A/145HUV850T5/BZ	145	347-480	0-10	850	15.2" x 12.5" x 4.3"	17900	123	≥140,000	IP66	400W HPS/MH	-	Bronze	Premium // PLAMRN7DWGZ5	
MT0	60232	AREAFD1A/220HUV840T3/BZ	220	347-480	0-10	840	20.9" x 12.5" x 4.3"	27900	128	≥140,000	IP66	up to 1000 HPS/MH	-	Bronze	Premium // PLVTCSE9EU2	
MT0	60233	AREAFD1A/220HUV840T4/BZ	220	347-480	0-10	840	20.9" x 12.5" x 4.3"	28500	130	≥140,000	IP66	up to 1000 HPS/MH	-	Bronze	Premium // PL2N0C6EDI12	
MT0	60234	AREAFD1A/220HUV840T5/BZ	220	347-480	0-10	840	20.9" x 12.5" x 4.3"	29000	130	≥140,000	IP66	up to 1000 HPS/MH	-	Bronze	Premium // PL5E7GNLSOIL	
MT0	60235	AREAFD1A/220HUV850T3/BZ	220	347-480	0-10	850	20.9" x 12.5" x 4.3"	27900	128	≥140,000	IP66	up to 1000 HPS/MH	-	Bronze	Premium // PLASBFN3JUE03	
MT0	60236	AREAFD1A/220HUV850T4/BZ	220	347-480	0-10	850	20.9" x 12.5" x 4.3"	28500	130	≥140,000	IP66	up to 1000 HPS/MH	-	Bronze	Premium // PL7F0KXEAKEAR7	
MT0	60237	AREAFD1A/220HUV850T5/BZ	220	347-480	0-10	850	20.9" x 12.5" x 4.3"	29000	130	≥140,000	IP66	up to 1000 HPS/MH	-	Bronze	Premium // PLFFDR9TPASW	
ValueLED™ Dusk to Dawn																
	60110	AREADTD1A/040UNV840/NC/GR	40	120-277	0-10	840	11.4" x 7.6" x 6.9"	4800	126	≥135,000	Wet	150W HPS/MH	-	Gray	Premium // PLOPIH2JBABL	
	60111	AREADTD1A/040UNV840/NC/GR	40	120-277	0-10	850	11.4" x 7.6" x 6.9"	4800	126	≥135,000	Wet	150W HPS/MH	-	Gray	Premium // PLOPIH2JBABL	
	60238	AREADTD1A/020UNV840/NC/GR	20	120-277	0-10	840	11.4" x 7.6" x 6.9"	2300	123	≥135,000	Wet	70W HPS/MH	-	Gray	Premium // PLJMJKU4J7R71	
	60239	AREADTD1A/020UNV850/NC/GR	20	120-277	0-10	850	11.4" x 7.6" x 6.9"	2300	123	≥135,000	Wet	70W HPS/MH	-	Gray	Premium // PLC1MNNM28K9	


SYLVANIA Luminaires Insert Card
Revised August 2019

All luminaires and retrofit kits are UL/ETL, FCC, RoHS
All luminaires and retrofit kits are backed by 5 year warranty

*LPW per LM79 report

**Dual (Motion/Daylight) Sensor (D), Photocontrol (P), Emergency (E)




Product Image	Item#	Sales Part #	Watt	Voltage	Dim	CRI/CCT	Dimensions	Lumens	LPW*	LED L70	Rating	Replaces Traditional equivalent up to	Options**	Color	DLC / E star
ValueLED™ Slim Wall Pack															
 <p>MTD</p> <p>Click for Slim Wall Pack IES Files</p>	74340	SLMWPk1A/013UNV740/CO/BZ	13	120-277	-	740	7.5" x 2.8" x 8.0"	1400	113	≥150,000	Wet	100W INC	-	Bronze	Standard // PPPU425M
	74341	SLMWPk1A/013UNV750/CO/BZ	13	120-277	-	750	7.5" x 2.8" x 8.0"	1400	113	≥150,000	Wet	100W INC	-	Bronze	Standard // PVQFEWP7
	74192	SLMWPk1A/030UNV740/CO/BZ	30	120-277	-	740	7.5" x 2.8" x 8.0"	2800	92	≥125,000	Wet	70W HPS	-	Bronze	Standard // P6XYU2GH
	74195	SLMWPk1A/030UNV750/CO/BZ	30	120-277	-	750	7.5" x 2.8" x 8.0"	2800	84	≥125,000	Wet	70W HPS	-	Bronze	-
	74193	SLMWPk1A/040UNV740/CO/BZ	40	120-277	-	740	7.5" x 2.8" x 8.0"	4100	99	≥125,000	Wet	100W HPS/MH	-	Bronze	Standard // PKHGQQN8
	74196	SLMWPk1A/040UNV750/CO/BZ	40	120-277	-	750	7.5" x 2.8" x 8.0"	3900	98	≥125,000	Wet	100W HPS/MH	-	Bronze	Standard // P2DN6MUP
	74194	SLMWPk1A/060UNV740/CO/BZ	60	120-277	-	740	7.5" x 2.8" x 8.0"	5500	94	≥125,000	Wet	175W MH	-	Bronze	Standard // P7Q43S13
	74197	SLMWPk1A/060UNV750/CO/BZ	60	120-277	-	750	7.5" x 2.8" x 8.0"	5100	83	≥125,000	Wet	175W MH	-	Bronze	-
	74342	SLMWPk1A/013120740/CO/BZ/P	13	120	-	740	7.5" x 2.8" x 8.0"	1400	113	≥150,000	Wet	100W INC	P	Bronze	Standard // PPPU425M
	74343	SLMWPk1A/013120750/CO/BZ/P	13	120	-	750	7.5" x 2.8" x 8.0"	1400	113	≥150,000	Wet	100W INC	P	Bronze	Standard // PVQFEWP7
	74204	SLMWPk1A/030120740/CO/BZ/P	30	120	-	740	7.5" x 2.8" x 8.0"	2800	92	≥125,000	Wet	70W HPS	P	Bronze	Standard // P6XYU2GH
	74207	SLMWPk1A/030120750/CO/BZ/P	30	120	-	750	7.5" x 2.8" x 8.0"	2800	84	≥125,000	Wet	70W HPS	P	Bronze	-
	74205	SLMWPk1A/040120740/CO/BZ/P	40	120	-	740	7.5" x 2.8" x 8.0"	4100	99	≥125,000	Wet	100W HPS/MH	P	Bronze	Standard // PKHGQQN8
	74208	SLMWPk1A/040120750/CO/BZ/P	40	120	-	750	7.5" x 2.8" x 8.0"	3900	98	≥125,000	Wet	100W HPS/MH	P	Bronze	Standard // P2DN6MUP
	74206	SLMWPk1A/060120740/CO/BZ/P	60	120	-	740	7.5" x 2.8" x 8.0"	5500	94	≥125,000	Wet	175W MH	P	Bronze	Standard // P7Q43S13
	74209	SLMWPk1A/060120750/CO/BZ/P	60	120	-	750	7.5" x 2.8" x 8.0"	5100	83	≥125,000	Wet	175W MH	P	Bronze	-
	72966	SLMWPk1A/030347750/CO/BZ	30	347	-	750	7.5" x 2.8" x 8.0"	3400	109	≥125,000	Wet	70W HPS	-	Bronze	Standard // PEQRD3S
	72992	SLMWPk1A/040347750/CO/BZ	40	347	-	750	7.5" x 2.8" x 8.0"	4300	104	≥125,000	Wet	100W HPS/MH	-	Bronze	Standard // PZ4XX59
	74381	SLMWPk2A/030UNV750/CO/BZ	30	120-277	-	750	7.5" x 2.8" x 8.0"	3300	112	≥125,000	Wet	70W HPS	-	Bronze	Premium // P1B9NEHA
	74380	SLMWPk2A/060UNV740/CO/BZ	60	120-277	-	740	7.5" x 2.8" x 8.0"	7000	117	≥125,000	Wet	175W MH	-	Bronze	Premium // PZTXHSW8
74382	SLMWPk2A/060UNV750/CO/BZ	60	120-277	-	750	7.5" x 2.8" x 8.0"	7200	121	≥125,000	Wet	175W MH	-	Bronze	Premium // PY3VKT8N6	
74384	SLMWPk2A/030120750/CO/BZ/P	30	120	-	750	7.5" x 2.8" x 8.0"	3300	112	≥125,000	Wet	70W HPS	P	Bronze	Premium // P7UEG7PC	
74383	SLMWPk2A/060120740/CO/BZ/P	60	120	-	740	7.5" x 2.8" x 8.0"	7000	117	≥125,000	Wet	175W MH	P	Bronze	Premium // P1JA86BW	
74385	SLMWPk2A/060120750/CO/BZ/P	60	120	-	750	7.5" x 2.8" x 8.0"	7200	121	≥125,000	Wet	175W MH	P	Bronze	Premium // PAWUN8BW	

SYLVANIA Luminaires Insert Card
Revised August 2019

All luminaires and retrofit kits are UL/ETL, FCC, RoHS
All luminaires and retrofit kits are backed by 5 year warranty
*LPW per LM79 report

**Dual (Motion/Daylight) Sensor (D), Photocontrol (P), Emergency (E)



Product Image	Item#	Sales Part #	Watt	Voltage	Dim	CRI/CCT	Dimensions	Lumens	LPW*	LED L70	Rating	Replaces Traditional equivalent up to	Options**	Color	DLC / E star	
ValueLED™ Cutoff Wall Pack																
		74186	WALPAK1C/036UNV740/CO/BZ	36	120-277	-	740	14.4" x 11.4" x 9.5"	3300	92	≥150,000	Wet	100W HPS/MH	-	Bronze	Standard // PE5UD3UD
		74189	WALPAK1C/036UNV750/CO/BZ	36	120-277	-	750	14.4" x 11.4" x 9.5"	2900	82	≥150,000	Wet	100W HPS/MH	-	Bronze	-
		74187	WALPAK1C/050UNV740/CO/BZ	50	120-277	-	740	14.4" x 11.4" x 9.5"	5200	107	≥150,000	Wet	175W MH	-	Bronze	Standard // P6T4RCNJ
		74190	WALPAK1C/050UNV750/CO/BZ	50	120-277	-	750	14.4" x 11.4" x 9.5"	5000	102	≥150,000	Wet	175W MH	-	Bronze	Standard // PSG7JV5S
		74191	WALPAK1C/075UNV750/CO/BZ	75	120-277	-	750	14.4" x 11.4" x 9.5"	6400	88	≥150,000	Wet	250W HPS/MH	-	Bronze	-
	MTO	74213	WALPAK1C/036UNV750/CO/BZ/P	36	120-277	-	750	14.4" x 11.4" x 9.5"	2900	82	≥150,000	Wet	100W HPS/MH	P	Bronze	Standard // PMAA71SJ
	MTO	74211	WALPAK1C/050UNV740/CO/BZ/P	50	120-277	-	740	14.4" x 11.4" x 9.5"	5200	107	≥150,000	Wet	175W MH	P	Bronze	Standard // P6T4RCNJ
	MTO	74214	WALPAK1C/050UNV750/CO/BZ/P	50	120-277	-	750	14.4" x 11.4" x 9.5"	5000	102	≥150,000	Wet	175W MH	P	Bronze	Standard // PMAA71SJ
	MTO	74212	WALPAK1C/075UNV740/CO/BZ/P	75	120-277	-	740	14.4" x 11.4" x 9.5"	6600	91	≥150,000	Wet	250W HPS/MH	P	Bronze	-
	MTO	74215	WALPAK1C/075UNV750/CO/BZ/P	75	120-277	-	750	14.4" x 11.4" x 9.5"	6400	88	≥150,000	Wet	250W HPS/MH	P	Bronze	-
		72993	WALPAK1C/040347750/CO/BZ	40	347	-	750	14.4" x 11.4" x 9.5"	4500	107	≥150,000	Wet	100W HPS/MH	-	Bronze	Standard // PZGDQ7YH
		72994	WALPAK1C/055347750/CO/BZ	55	347	-	750	14.4" x 11.4" x 9.5"	5500	101	≥150,000	Wet	175W MH	-	Bronze	Standard // P RTP6URR
		72995	WALPAK1C/080347750/CO/BZ	80	347	-	750	14.4" x 11.4" x 9.5"	8900	113	≥150,000	Wet	250W HPS/MH	-	Bronze	Standard // PY7QRM68
	MTO	74497	WALPAK1C/050UNV740/CO/BZ/E	50	120-277	-	740	14.4" x 11.4" x 9.5"	5200	107	≥50,000	Wet	175W MH	E	Bronze	Standard // PSG7JV5S
	MTO	74498	WALPAK1C/050UNV750/CO/BZ/E	50	120-277	-	750	14.4" x 11.4" x 9.5"	5000	102	≥50,000	Wet	175W MH	E	Bronze	Standard // PRTB8AXP
	74912	WALPAK2C/030UNV740/CO/BZ	30	120-277	-	840	14.4" x 5.7" x 9.3"	3800	135	≥150,000	Wet	100W HPS/MH	-	Bronze	Premium // PV3Y96B9	
	74915	WALPAK2C/030UNV750/CO/BZ	30	120-277	-	850	14.4" x 5.7" x 9.3"	3800	135	≥150,000	Wet	100W HPS/MH	-	Bronze	Premium // PQDT6ZXH	
	74913	WALPAK2C/050UNV740/CO/BZ	50	120-277	-	840	14.4" x 5.7" x 9.3"	6200	126	≥150,000	Wet	175W MH	-	Bronze	Premium // PNYDDQ9N	
	74916	WALPAK2C/050UNV750/CO/BZ	50	120-277	-	850	14.4" x 5.7" x 9.3"	6300	128	≥150,000	Wet	175W MH	-	Bronze	Premium // P4EPRQ3C	
	74914	WALPAK2C/075UNV740/CO/BZ	75	120-277	-	840	14.4" x 5.7" x 9.3"	9000	120	≥150,000	Wet	250W HPS/MH	-	Bronze	Premium // PHJYT777	
	74917	WALPAK2C/075UNV750/CO/BZ	75	120-277	-	850	14.4" x 5.7" x 9.3"	9100	121	≥150,000	Wet	250W HPS/MH	-	Bronze	Premium // PV4TVU8M	
	75569	WALPAK2C030UNV740COBZP	25	120-277	-	740	14.4" x 5.7" x 9.3"	3800	135	≥150,000	Wet	100W HPS/MH	P	Bronze	Premium // PV3Y96B9	
MTO	75572	WALPAK2C030UNV750COBZP	50	120-277	-	750	14.4" x 5.7" x 9.3"	3800	135	≥150,000	Wet	100W HPS/MH	P	Bronze	Premium // PQDT6ZXH	
MTO	75570	WALPAK2C050UNV740COBZP	25	120-277	-	740	14.4" x 5.7" x 9.3"	6200	126	≥150,000	Wet	175W MH	P	Bronze	Premium // PNYDDQ9N	
MTO	75573	WALPAK2C050UNV750COBZP	75	120-277	-	750	14.4" x 5.7" x 9.3"	6300	128	≥150,000	Wet	175W MH	P	Bronze	Premium // P4EPRQ3C	
MTO	75571	WALPAK2C075UNV740COBZP	50	120-277	-	740	14.4" x 5.7" x 9.3"	9000	120	≥150,000	Wet	250W HPS/MH	P	Bronze	Premium // PHJYT777	
MTO	75574	WALPAK2C075UNV750COBZP	75	120-277	-	750	14.4" x 5.7" x 9.3"	9100	121	≥150,000	Wet	250W HPS/MH	P	Bronze	Premium // PV4TVU8M	
MTO	60563	WALPAK2C050HUV740COBZ	50	347-480	-	740	14.4" x "7.1" x 9.3"	9000	120	≥150,000	Wet	250W HPS/MH	-	Bronze	Premium // PHJYT777	
MTO	60564	WALPAK2C050HUV750COBZ	50	347-480	-	740	14.4" x "7.1" x 9.3"	9000	120	≥150,000	Wet	250W HPS/MH	-	Bronze	Premium // PHJYT777	
MTO	60565	WALPAK2C075HUV740COBZ	75	347-480	-	750	14.4" x "7.1" x 9.3"	9100	121	≥150,000	Wet	250W HPS/MH	-	Bronze	Premium // PV4TVU8M	
MTO	60566	WALPAK2C075HUV750COBZ	75	347-480	-	750	14.4" x "7.1" x 9.3"	9100	121	≥150,000	Wet	250W HPS/MH	-	Bronze	Premium // PV4TVU8M	
	60628	WALPAK2C/030UNV740/CO/WH	30	120-277	-	730	14.3" x 5.7" x 9.3"	3800	135	≥150,000	Wet	100W HPS/MH	-	White	-	
	60629	WALPAK2C/030UNV750/CO/WH	30	120-277	-	730	14.3" x 5.7" x 9.3"	3800	135	≥150,000	Wet	100W HPS/MH	-	White	-	
	60630	WALPAK2C/050UNV740/CO/WH	50	120-277	-	750	14.3" x 5.7" x 9.3"	6200	126	≥150,000	Wet	175W MH	-	White	-	
	60631	WALPAK2C/050UNV750/CO/WH	50	120-277	-	750	14.3" x 5.7" x 9.3"	6300	128	≥150,000	Wet	175W MH	-	White	-	





SYLVANIA Luminaires Insert Card
Revised August 2019

All luminaires and retrofit kits are UL/ETL, FCC, RoHS
All luminaires and retrofit kits are backed by 5 year warranty

*LPW per LM79 report



**Dual (Motion/Daylight) Sensor (D), Photocontrol (P), Emergency (E)



Product Image	Item#	Sales Part #	Watt	Voltage	Dim	CRI/CCT	Dimensions	Lumens	LPW*	LED L70	Rating	Replaces Traditional equivalent up to	Options**	Color	DLC / E star	
ValueLED™ Small Wall Pack																
 Click for Small Wall Pack IES Files	60064	SMWLPAK1N/015UNV740/NC/BZ	15	120-277	-	740	6.9" x 5.2" x 11"	1765	117	≥150,000	Wet	50W HPS/MH	-	Bronze	Standard // PLPMOENZKS8G	
	60065	SMWLPAK1N/015UNV750/NC/BZ	15	120-277	-	750	6.9" x 5.2" x 11"	1765	117	≥150,000	Wet	50W HPS/MH	-	Bronze	Standard // PLIX5VRGM70Q	
	60066	SMWLPAK1N/015UNV740/NC/BZ/P	15	120-277	-	740	6.9" x 5.2" x 11"	1765	117	≥150,000	Wet	50W HPS/MH	P	Bronze	Standard // PLPMOENZKS8G	
	60067	SMWLPAK1N/015UNV750/NC/BZ/P	15	120-277	-	750	6.9" x 5.2" x 11"	1765	117	≥150,000	Wet	50W HPS/MH	P	Bronze	Standard // PLIX5VRGM70Q	
ValueLED™ Jelly Jars																
 Click here for Jelly Jar IES Files	60167	JELYJAR1A/010UNV740/CM/GR	10	120-277	-	740	4.6" x 5.6" x 10.8"	900	90	≥150,000	Wet	75W Incandescent	-	Gray	-	
	60168	JELYJAR1A/010UNV750/CM/GR	10	120-277	-	750	4.6" x 5.6" x 10.8"	900	90	≥150,000	Wet	75W Incandescent	-	Gray	-	
	60169	JELYJAR1A/010UNV740/PM/GR	10	120-277	-	740	4.1" X 4.6" X 11.4"	900	90	≥150,000	Wet	75W Incandescent	-	Gray	-	
	60170	JELYJAR1A/010UNV750/PM/GR	10	120-277	-	750	4.1" X 4.6" X 11.4"	900	90	≥150,000	Wet	75W Incandescent	-	Gray	-	
	60171	JELYJAR1A/010UNV740/WM/GR	10	120-277	-	750	4.1" X 7.5" X 12.0"	900	90	≥150,000	Wet	75W Incandescent	-	Gray	-	
	60172	JELYJAR1A/010UNV750/WM/GR	10	120-277	-	750	4.1" X 7.5" X 12.0"	900	90	≥150,001	Wet	75W Incandescent	-	Gray	-	
UltraLED™ Square Light																
 Click here for Square Light IES Files	60208	SQLIGHT1A/013UNV740/WM/BZ	13	120-277	-	740	4.9" X 6.4" X 4.9"	1390	109	≥150,000	Wet	75W Incandescent	-	Bronze	Premium // P3P4IN3Y	
	60209	SQLIGHT1A/013UNV750/WM/BZ	13	120-277	-	750	4.9" X 6.4" X 4.9"	1390	109	≥150,000	Wet	75W Incandescent	-	Bronze	Premium // P02899DN	
	60210	SQLIGHT1A/026UNV740/DM/BZ	26	120-277	-	740	4.9" X 6.4" X 9"	2750	105	≥150,000	Wet	75W Incandescent	-	Bronze	-	
	60211	SQLIGHT1A/026UNV750/DM/BZ	26	120-277	-	750	4.9" X 6.4" X 9"	2750	105	≥150,000	Wet	75W Incandescent	-	Bronze	-	
	60212	SQLIGHT1A/013UNV740/CM/BZ	13	120-277	-	740	4.9" X 6.4" X 6.9"	1390	109	≥150,000	Wet	75W Incandescent	-	Bronze	Premium // P02899DN	
	60213	SQLIGHT1A/013UNV750/CM/BZ	13	120-277	-	750	4.9" X 6.4" X 6.9"	1390	109	≥150,001	Wet	75W Incandescent	-	Bronze	Premium // P7415BIM	
	60214	SQLIGHT1A/013UNV740/PM/BZ	13	120-277	-	740	4.9" X 6.4" X 46"	1390	109	≥150,001	Wet	75W Incandescent	-	Bronze	Premium // P7415BIM	
	60215	SQLIGHT1A/013UNV750/PM/BZ	13	120-277	-	750	4.9" X 6.4" X 46"	1390	109	≥150,001	Wet	75W Incandescent	-	Bronze	Premium // P0DIP4E8	
ValueLED™ Bulkhead																
 Click for IES files	60206	BULKHED1A/010UNV840/SM/BL	10	120-277	-	840	11.2" x 7.1" x 5.5"	900	90	≥150,000	Wet	75W Incandescent	-	Bronze	E-Star // 2327165	
	60207	BULKHED1A/010UNV850/SM/BL	10	120-277	-	850	11.2" x 7.1" x 5.5"	900	90	≥150,000	Wet	75W Incandescent	-	Bronze	E-Star // 2327166	

All luminaires and retrofit kits are UL/ETL, FCC, RoHS
All luminaires and retrofit kits are backed by 5 year warranty
*LPW per LM79 report
**Dual (Motion/Daylight) Sensor (D), Photocontrol (P), Emergency (E)



Product Image	Item#	Sales Part #	Watt	Voltage	Dim	CRI/CCT	Dimensions	Lumens	LPW*	LED L70	Rating	Replaces Traditional equivalent up to	Options**	Color	DLC / E star	
UltraLED™ Non-Cutoff Wallpack																
		74217	WALPAK1N/050UNV740/NC/BZ/P	50	120-277	-	740	14.4" x 7.1" x 9.3"	5000	104	≥150,000	Wet	175W MH	P	Bronze	-
	MTO	72996	WALPAK1N/040347750/NC/BZ	40	347	-	750	14.4" x 7.1" x 9.3"	4300	102	≥150,000	Wet	100W HPS/MH	-	Bronze	-
	MTO	72997	WALPAK1N/055347750/NC/BZ	55	347	-	750	14.4" x 7.1" x 9.3"	6300	108	≥150,000	Wet	175W MH	-	Bronze	-
	MTO	72998	WALPAK1N/080347750/NC/BZ	80	347	-	750	14.4" x 7.1" x 9.3"	9400	120	≥150,000	Wet	250W HPS/MH	-	Bronze	Standard // PFNYPGYE
	MTO	60570	WALPAK2N/075HUV750/NC/BZ	75	347-480	-	750	14.4" x 7.1" x 9.3"	9200	121	≥150,000	Wet	250W HPS/MH	-	Bronze	Standard // PLBX40RR024U
	MTO	60569	WALPAK2N/075HUV740/NC/BZ	75	347-480	-	740	14.4" x 7.1" x 9.3"	8900	118	≥150,000	Wet	250W HPS/MH	-	Bronze	Standard // PLGWX0U2DQBQ
	MTO	60568	WALPAK2N/050HUV750/NC/BZ	50	347-480	-	750	14.4" x 7.1" x 9.3"	5600	116	≥150,000	Wet	100W HPS/MH	-	Bronze	Standard // PLJ8R7NXOGAS
	MTO	60567	WALPAK2N/050HUV740/NC/BZ	50	347-480	-	740	14.4" x 7.1" x 9.3"	5500	113	≥150,000	Wet	100W HPS/MH	-	Bronze	Standard // PL6UA7H29O76
		74499	WALPAK1N/050UNV740/NC/BZ/E	50	120-277	-	740	14.4" x 7.1" x 9.3"	5000	104	≥50,000	Wet	175W MH	E	Bronze	Standard // PCP57V7P
		74500	WALPAK1N/050UNV750/NC/BZ/E	50	120-277	-	750	14.4" x 7.1" x 9.3"	5300	108	≥50,000	Wet	175W MH	E	Bronze	Standard // PCP57V7P
		74386	WALPAK2N/030UNV740/NC/BZ	30	120-277	-	740	14.4" x 7.1" x 9.3"	3400	122	≥150,000	Wet	100W HPS/MH	-	Bronze	Premium // PAC1VZ5Y
		74482	WALPAK2N/030UNV750/NC/BZ	30	120-277	-	750	14.4" x 7.1" x 9.3"	3500	125	≥150,000	Wet	100W HPS/MH	-	Bronze	Premium // PUBWK52V
		60622	WALPAK2N/030UNV740/NC/WH	30	120-277	-	740	14.4" x 7.1" x 9.3"	3400	122	≥150,000	Wet	100W HPS/MH	-	White	-
		60623	WALPAK2N/030UNV750/NC/WH	30	120-277	-	750	14.4" x 7.1" x 9.3"	3500	125	≥150,000	Wet	100W HPS/MH	-	White	-
		60624	WALPAK2N/050UNV740/NC/WH	50	120-277	-	740	14.4" x 7.1" x 9.3"	5500	113	≥150,000	Wet	175W MH	-	White	-
		60625	WALPAK2N/050UNV750/NC/WH	50	120-277	-	750	14.4" x 7.1" x 9.3"	5600	116	≥150,000	Wet	175W MH	-	White	-
		60626	WALPAK2N/075UNV740/NC/WH	75	120-277	-	740	14.4" x 7.1" x 9.3"	8900	118	≥150,000	Wet	250W HPS/MH	-	White	-
		60627	WALPAK2N/075UNV750/NC/WH	75	120-277	-	750	14.4" x 7.1" x 9.3"	9200	121	≥150,000	Wet	250W HPS/MH	-	White	-
		74485	WALPAK2N/050UNV740/NC/BZ	50	120-277	-	740	14.4" x 7.1" x 9.3"	5500	113	≥150,000	Wet	175W MH	-	Bronze	Standard // PS83V2ZC
		74486	WALPAK2N/050UNV750/NC/BZ	50	120-277	-	750	14.4" x 7.1" x 9.3"	5600	116	≥150,000	Wet	175W MH	-	Bronze	Standard // PHE19DZR
		74489	WALPAK2N/075UNV740/NC/BZ	75	120-277	-	740	14.4" x 7.1" x 9.3"	8900	118	≥150,000	Wet	250W HPS/MH	-	Bronze	Standard // P61EECWH
		74490	WALPAK2N/075UNV750/NC/BZ	75	120-277	-	750	14.4" x 7.1" x 9.3"	9200	121	≥150,000	Wet	250W HPS/MH	-	Bronze	Standard // PVVA4SY2
		74387	WALPAK2N/030UNV740/NC/BZ/P	30	120-277	-	740	14.4" x 7.1" x 9.3"	3400	122	≥150,000	Wet	100W HPS/MH	P	Bronze	Premium // PAC1VZ5Y
		74483	WALPAK2N/030UNV750/NC/BZ/P	30	120-277	-	750	14.4" x 7.1" x 9.3"	3500	125	≥150,000	Wet	100W HPS/MH	P	Bronze	Premium // PUBWK52V
		74487	WALPAK2N/050UNV740/NC/BZ/P	50	120-277	-	740	14.4" x 7.1" x 9.3"	5500	113	≥150,000	Wet	175W MH	P	Bronze	Standard // PS83V2ZC
		74488	WALPAK2N/050UNV750/NC/BZ/P	50	120-277	-	750	14.4" x 7.1" x 9.3"	5600	116	≥150,000	Wet	175W MH	P	Bronze	Standard // PHE19DZR
		74491	WALPAK2N/075UNV740/NC/BZ/P	75	120-277	-	740	14.4" x 7.1" x 9.3"	8900	118	≥150,000	Wet	250W HPS/MH	P	Bronze	Standard // P61EECWH
		74492	WALPAK2N/075UNV750/NC/BZ/P	75	120-277	-	750	14.4" x 7.1" x 9.3"	9200	121	≥150,000	Wet	250W HPS/MH	P	Bronze	Standard // PVVA4SY2
		74528	WALPAK3N/105UNV740/NC/BZ	105	120-277	-	740	18" x 9.37" x 9.84"	12500	120	≥150,000	Wet	400W HPS/MH	-	Bronze	Standard // PW1HXVP2
		74529	WALPAK3N/105UNV750/NC/BZ	105	120-277	-	750	18" x 9.37" x 9.84"	12500	120	≥150,000	Wet	400W HPS/MH	-	Bronze	Standard // PD2TMNPR
	MTO	60145	WALPAK3N105UNV740NCBZP	105	120-277	-	740	18" x 9.37" x 9.84"	12500	120	≥150,000	Wet	400W HPS/MH	P	Bronze	Standard
	MTO	60146	WALPAK3N105UNV750NCBZP	105	120-277	-	750	18" x 9.37" x 9.84"	12500	120	≥150,000	Wet	400W HPS/MH	P	Bronze	Standard
ValueLED™ Exit and Emergency Lights																
		60763	EMLIGHT1A/3DVTHS/S/WH	3	120/277	-	-	-	-	≥150,000	Damp	75W Incandescent	E	White	-	
		60764	EMLIGHT1B/3DVTNR/S/WH	3	120/277	-	-	-	-	≥150,000	Damp	75W Incandescent	E	White	-	
		60761	EXIT1A/RDV/U/WH/EM	-	120/277	-	-	-	-	≥150,000	Damp	75W Incandescent	E	White	-	
		60762	EXIT1A/GDV/U/WH/EM	-	120/277	-	-	-	-	≥150,000	Damp	75W Incandescent	E	White	-	
		60759	EXITCOMB01A/RDVTHS/U/WH/EM	3	120/277	-	-	-	-	≥150,000	Damp	75W Incandescent	E	White	-	
		60760	EXITCOMB01A/GDVTHS/U/WH/EM	3	120/277	-	-	-	-	≥150,001	Damp	75W Incandescent	E	White	-	

SYLVANIA Luminaires Insert Card
Revised August 2019

All luminaires and retrofit kits are UL/ETL, FCC, RoHS
All luminaires and retrofit kits are backed by 5 year warranty

*LPW per LM79 report

**Dual (Motion/Daylight) Sensor (D), Photocontrol (P), Emergency (E)



Product Image	Item#	Sales Part #	Watt	Voltage	Dim	CRI/CCT	Dimensions	Lumens	LPW*	LED L70	Rating	Replaces Traditional equivalent up to	Options**	Color	DLC / E star
ValueLED™ Indoor Surface Mount & Residential Fixtures															
	74347	LEDSLIMUCCONVER9IN	4.5	120	Phase-cut	827	9" x 2.4" x .5"	352	82	≥35,000	Damp	15W INC	-	White	E-Star
	74346	LEDSLIMUCCONVER12IN	6	120	Phase-cut	827	12" x 2.4" x .5"	406	71	≥35,000	Damp	25W INC	-	White	E-Star
	74345	LEDSLIMUCCONVER18IN	8	120	Phase-cut	827	18" x 2.4" x .5"	626	82	≥35,000	Damp	30W INC	-	White	E-Star
	74344	LEDSLIMUCCONVER24IN	10	120	Phase-cut	827	24" x 2.4" x .5"	756	78	≥35,000	Damp	40W INC	-	White	E-Star
	74263	SURFACER1A/025120T827/14S/WH	25	120	Phase-cut	827	14.0" x 4.5"	1500	60	≥50,000	Dry	100W INC	-	White	E-Star // 2274362
	74264	SURFACER1A/025120T840/14S/WH	25	120	Phase-cut	840	14.0" x 4.5"	1600	65	≥50,000	Dry	100W INC	-	White	E-Star
	74305	LEDFLUSHRND11IN16DIM827WH	17.5	120	Phase-cut	827	11" x 3.6"	1000	57	≥50,000	Dry	75W INC	-	White	E-Star // 2291268
	74306	LEDFLUSHRND11IN16DIM840WH	17.5	120	Phase-cut	840	11" x 3.6"	1200	68	≥50,000	Dry	75W INC	-	White	E-Star
	71405	LEDFLUSHRND12IN15DIM830BN	15	120	Phase-cut	830	12" x 3.5"	1000	67	≥35,000	Dry	75W INC	-	White	E-Star // 2287201
	71406	LEDFLUSHRND12IN15DIM840BN	15	120	Phase-cut	840	12" x 3.5"	1000	67	≥35,000	Dry	75W INC	-	White	E-Star // 2287202
	71403	LEDFLUSHRND10IN15DIM830BN	15	120	Phase-cut	830	10" x 3.5"	1000	67	≥35,000	Dry	75W INC	-	White	E-Star // 2287199
	71404	LEDFLUSHRND10IN15DIM840BN	15	120	Phase-cut	840	10" x 3.5"	1000	67	≥35,000	Dry	75W INC	-	White	E-Star // 2287200
	74303	LEDFLUSHSQ11IN16DIM827WH	17.5	120	Phase-cut	827	11" x 11" x 3.3"	1000	57	≥35,000	Dry	75W INC	-	White	E-Star // 2291267
	74304	LEDFLUSHSQ11IN16DIM840WH	17.5	120	Phase-cut	840	11" x 11" x 3.3"	1200	68	≥35,000	Dry	75W INC	-	White	E-Star
	74307	LEDFLUSHRNDTRM11IN20DIM827V	21	120	Phase-cut	827	11" x 3.3"	1000	47	≥35,000	Dry	75W INC	-	White	E-Star // 2291403
	74308	LEDFLUSHRNDTRM11IN20DIM840V	21	120	Phase-cut	840	11" x 3.3"	1200	57	≥35,000	Dry	75W INC	-	White	E-Star
	74302	LEDFLUSHDOME11IN20DIM827BN	21	120	Phase-cut	827	11" x 4"	1000	47	≥35,000	Dry	75W INC	-	White	E-Star
	71500	LEDFLUSHDRM11IN15DIM830WH	15	120	Phase-cut	830	11" x 3"	1000	67	≥50,000	Damp	75W INC	-	White	E-Star // 2287203
	71505	LEDFLUSHDRM11IN15DIM840WH	15	120	Phase-cut	840	11" x 3"	1000	67	≥50,000	Damp	75W INC	-	White	E-Star
	60131	SHPLGHT/40120/48PL/WH/PID	40	120	-	840	48" x 5.2" x 1.7"	4000	100	≥50,000	Dry	100W HPS/MH	-	White	E-Star
60025	TBKT500L/5120840/12PL/WH/PID	5	120	-	840	12" x 1"	500	100	≥30,000	Dry	75W INC	-	White	E-Star	

All luminaires and retrofit kits are UL/ETL, FCC, RoHS
All luminaires and retrofit kits are backed by 5 year warranty
*LPW per LM79 report

**Dual (Motion/Daylight) Sensor (D), Photocontrol (P), Emergency (E)



Product Image	Item#	Sales Part #	Watt	Voltage	Dim	CRI/CCT	Dimensions	Lumens	LPW*	LED L70	Rating	Replaces Traditional equivalent up to	Options**	Color	DLC / E star	
ValueLED™ Vintage Fixtures with LED A19 or ST19 included*																
												Bulb Included:				
	60114	CAGEPENDANT/12030/BLVID/CC	6.5	120	Phase-Cut	927	4x5" 48"	800	123		Dry	1 x Clear Vintage ST19	-		E-Star	
	60117	FCTYPENDANT/1209/BLVID/CC	8.5	120	Phase-Cut	927	9" x 48"	800	94		Dry	1 x Clear Vintage A19	-		E-Star	
	60029	CAGEPENDANTPLG12030BLVID	-	120	Phase-Cut	-	4.5" x 186"	-	-		Dry	No Bulb	-		-	
	60028	CONEPENDANTPLG12030CGBLVID	-	120	Phase-Cut	-	7.2" x 188"	-	-		Dry	No Bulb	-		-	
	60113	BELLPENDANT/12030/CGBLVID/CC	6.5	120	Phase-Cut	927	5.5" x 50"	800	123		Dry	1 x Clear Vintage ST19	-		E-Star	
	60124	MTLDRUMFLUSH/12011/SGBLVID/C	8.5	120	Phase-Cut	927	11" x 3.8"	1600	123		Dry	2 x Clear Vintage A19	-		E-Star	
	60126	ANTDRUMFLUSH/12011/SGBLVID/C	8.5	120	Phase-Cut	927	11" x 3.7"	1600	123		Dry	2 x Clear Vintage A19	-		E-Star	
	60125	RINGDRUMFLUSH/12011/SGBLVID/	8.5	120	Phase-Cut	927	11" x 5.7"	1600	123		Dry	2 x Clear Vintage A19	-		E-Star	
	60120	BARNFLUSH/1208/CGBLVID/CC	6.5	120	Phase-Cut	927	8" x 8"	800	123		Dry	1 x Clear Vintage ST19	-		E-Star	
	60116	BARNCAGEFLUSH/1209/SGBLVID/C	8.5	120	Phase-Cut	927	9" x 8.5"	800	94		Dry	1 x Clear Vintage A19	-		E-Star	
	60115	CAGEFLUSH/12086/SGBLVID/CC	8.5	120	Phase-Cut	927	5.9" x 8"	800	94		Dry	1 x Clear Vintage A19	-		E-Star	
	60027	JELLYJARFLUSH/1206/CG/BLVID	-	120	Phase-Cut	927	5.9" x 8"	-	-		Dry	No Bulb	-		-	
	60121	FCTRYSCONCE/1207/BLVOD/CC	8.5	120	Phase-Cut	927	11" x 12.8" x 11.4"	800	94		Wet	1 x Clear Vintage A19	-		E-Star	
60122	RSTFCTRYSCONCE/1207/BLVOD/C	8.5	120	Phase-Cut	927	11" x 11.5" x 13.5"	800	94		Wet	1 x Clear Vintage A19	-		E-Star		
60123	PANFCTRYSCONCE/1207/BLVOD/C	8.5	120	Phase-Cut	927	11" x 16.2" x 11.5"	800	94		Wet	1 x Clear Vintage A19	-		E-Star		
UltraLED™ Bollard																
	MT0	60653	BOLLARD1A038347830R8FBZ	38	347	-	3000 K	8" x 36"	3900	110	≥50,000	Wet	up to 100W HPS/MH	-	Bronze	Standard // PLTQH43Y9ZMM
	MT0	60654	BOLLARD1A038347840R8FBZ	38	347	-	4000 K	8" x 36"	3900	110	≥50,000	Wet	up to 100W HPS/MH	-	Bronze	Standard // PLM508FA9U0J
	MT0	60655	BOLLARD1A038347850R8FBZ	38	347	-	5000 K	8" x 36"	3900	110	≥50,000	Wet	up to 100W HPS/MH	-	Bronze	Standard // PLMWST3QF15E
	MT0	60656	BOLLARD1A038347830R8RBZ	38	347	-	3000 K	8" x 36"	3900	110	≥50,000	Wet	up to 100W HPS/MH	-	Bronze	Standard // PLEJE6K03PQZ
	MT0	60657	BOLLARD1A038347840R8RBZ	38	347	-	4000 K	8" x 36"	3900	110	≥50,000	Wet	up to 100W HPS/MH	-	Bronze	Standard // PL3B4K6WLX9Z
	MT0	60658	BOLLARD1A038347850R8RBZ	38	347	-	5000 K	8" x 36"	3900	110	≥50,000	Wet	up to 100W HPS/MH	-	Bronze	Standard // PLA118M09CAU
		60173	BOLLARD1A/018UNV830/R8F/BZ	18	120-277	-	3000 K	8" x 36"	2000	110	≥50,000	Wet	up to 50W HPS/MH	-	Bronze	Standard // PLTQH43Y9ZMM
		60174	BOLLARD1A/018UNV840/R8F/BZ	18	120-277	-	4000 K	8" x 36"	2000	110	≥50,000	Wet	up to 50W HPS/MH	-	Bronze	Standard // PLM508FA9U0J
		60175	BOLLARD1A/018UNV850/R8F/BZ	18	120-277	-	5000 K	8" x 36"	2000	110	≥50,000	Wet	up to 50W HPS/MH	-	Bronze	Standard // PLMWST3QF15E
		60176	BOLLARD1A/038UNV830/R8F/BZ	38	120-277	-	3000 K	8" x 36"	3900	110	≥50,000	Wet	up to 100W HPS/MH	-	Bronze	Standard // PLEJE6K03PQZ
		60177	BOLLARD1A/038UNV840/R8F/BZ	38	120-277	-	4000 K	8" x 36"	3900	110	≥50,000	Wet	up to 100W HPS/MH	-	Bronze	Standard // PL3B4K6WLX9Z
		60178	BOLLARD1A/038UNV850/R8F/BZ	38	120-277	-	5000 K	8" x 43"	3900	110	≥50,000	Wet	up to 100W HPS/MH	-	Bronze	Standard // PLA118M09CAU
		60185	BOLLARD1A/018UNV830/R8R/BZ	18	120-277	-	3000 K	8" x 36"	2000	110	≥50,000	Wet	up to 50W HPS/MH	-	Bronze	Standard // PLOTHR8XTH7M
		60186	BOLLARD1A/018UNV840/R8R/BZ	18	120-277	-	4000 K	8" x 36"	2000	110	≥50,000	Wet	up to 50W HPS/MH	-	Bronze	Standard // PL40DTYM82BJ
		60187	BOLLARD1A/018UNV850/R8R/BZ	18	120-277	-	5000 K	8" x 36"	2000	110	≥50,000	Wet	up to 50W HPS/MH	-	Bronze	Standard // PLS74KL8AMXF
		60188	BOLLARD1A/038UNV830/R8R/BZ	38	120-277	-	3000 K	8" x 36"	3900	110	≥50,000	Wet	up to 100W HPS/MH	-	Bronze	Standard // PLV5I01RDARG
		60189	BOLLARD1A/038UNV840/R8R/BZ	38	120-277	-	4000 K	8" x 36"	3900	110	≥50,000	Wet	up to 100W HPS/MH	-	Bronze	Standard // PLYGNGXN0W
		60190	BOLLARD1A/038UNV850/R8R/BZ	38	120-277	-	5000 K	8" x 36"	3900	110	≥50,000	Wet	up to 100W HPS/MH	-	Bronze	Standard // PL7ZTAKM5Q0P

[Click for MS files](#)