

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Hewlett-Packard	Logo
Company name *	Hewlett-Packard Company	
Contact information *	Hans Wendschlag <u>http://www.hp.com/hpinfo/globalcitizenship/environment/contactem</u> <u>ail.html</u>	
Internet site *	http://www.hp.com/hpinfo/globalcitizenship/environment/	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Type of product * Desktop PC				
Commercial name *	HP ProDesk 600 G1 Small Form Factor Business PC				
Model number *	600 G1 SFF				
Issue date *	6/11/2013				
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 🗌 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Quality Control F		
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	600 G1 SFF		
Issue date *	6/11/2013	Logo	(III)

Product	Product environmental attributes - Legal requirements			
Item		Require Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-	\boxtimes		
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\square		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			\boxtimes
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)	\boxtimes		
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).			\square
	Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\square		
	http://www.hp.com/hpinfo/globalcitizenship/environment/productdata/reachdesktop-pcs.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\square		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical	\square		
	or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\square		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	$\overline{\boxtimes}$		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials	لات		
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\square		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	\boxtimes		
	Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model nu	odel number * 600 G1 SFF					
Issue dat	te *	6/11/2013	Logo	1		
					/	
Product	environ	mental attributes - Market requirements - Environmental conscious of	lesign F	Require	ment	met
Item	*=manda	tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P6		nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).				
P7	Design	mbly recycling				
P7.1*		mbly, recycling t have to be treated separately are easily separable		\square		
P7.2*		aterials in covers/housing have no surface coating.				⊢⊢
P7.3*		arts >100g consist of one material or of easily separable materials.				⊢⊢
P7.4*		arts >25g have material codes according to ISO 11469 referring ISO 1043.				⊢⊢
P7.5	-	arts are free from metal inlays or have inlays that can be removed with commonly a	wailable tools			╞
P7.6*	-	re easily separable. (This requirement does not apply to safety/regulatory labels).			<u> </u>	<u> </u>
F7.0	Product					
P7.7*		g can be done e.g. with processor, memory, cards or drives		\square		
P7.8*		g can be done using commonly available tools			╞	╞
P7.9.						⊢⊢
P7.10		rts are available after end of production for: 5 years				
17.10		s available after end of production for: years and substance requirements				
P7.11*		cover/housing material type:				
	Material	type: Recycled ABS Material type: PC Materia	al type: >PBT-GF	30 FR (4	0)<	
P7.12	Electrica	cable insulation materials of power cables are PVC free.				
P7.13	Electrica	cable insulation materials of signal cables are PVC free			\square	
P7.14	All cover	/housing plastic parts >25g are free from chlorine and bromine.			Π	
P7.15	All printe Note B2)	d circuit boards (without components) >25g are halogen free. as defined in IEC6	61249-2-21. (See	\boxtimes		
P7.16	Flame re	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4: >PBT-GF30 FR (40)< ,PBT FR(40)		\square		
P7.17	Alt. 1					
		I specifications of flame retardants in printed circuit boards >25g (without compone	nts):			
	TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:				
	Alt. 2					
		I specifications of flame retardants in printed circuit boards (without components) >	25g according	\bowtie		
		3-4: ISO 1043-4 (FR(40) for DOPO) , FR(40) ; FR(16)	0 0			
P7.18	Alt. 1					
		etarded plastic parts >25g contain the following flame retardant substances ations above 0.1%:	s/preparations in			
		ent: No legal limits exist, this is a market requirement.				
		ical name: , CAS #:				
	2. Chem	cal name: , CAS #:				
		cal name: , CAS #:				
	Alt. 2 Chemica	I specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
		F30 FR (40)<; FR22; FR(40), PBT FR(40)		\square		
P7.19	Plastic p	arts >25g are free from flame retardant substances/ preparations above 0.1% class 5, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	sified as R45,			
P7.20		lastic parts' weight >25g, recycled material content is 14.8% .				
P7.21		lastic parts' weight >25g, biobased material content is 0%.				
P7.22		irces are free from mercury				\square
	If mercur	y is used specify: Number of lamps: and max. mercury content per lamp:	mg			
P8	Batterie					
P8.1*		hemical composition: lithium/manganese dioxide				<u>Ц</u>
P8.2	Batteries	meet the requirements of the following voluntary program/s:				\boxtimes

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	600 G1 S	FF						
Issue date *	6/11/2013	3				Logo		
							W	
			•			L	.	
Item	onmental att	ributes - Market re	quirements (con	tinued)			Requiremen Yes No	
	gy consumpt	ion					100 110	n.a.
		following power levels	or energy consump	otions are report	ted:			
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level 230 V AC	at	Reference / S modes and test n	Standard for energy nethod *	′
ENERGY STAR® (System Short Id		16.12 W	16.44 W	16.22 W		ENERGY STAR® Requirements for	[®] Program r Computers: Ver. 6.0	
ENERGY STAR® (System Long Idl		14.80 W	14.15 W	13.19 W		ENERGY STAR® Requirements for	[®] Program r Computers: Ver. 6.0	
ENERGY STAR® Sleep Mode* (S3 "Standby") With V (WOL) Enabled	- Windows	1.43 W	1.44 W	1.52 W		ENERGY STAR® Requirements for	[®] Program r Computers: Ver. 6.0	
System Off/Appa (ACPI S5) With V LAN(WOL) Enab Unit connected to AC adapter conn In-One PC, if app	Vake On led* (Test o AC Mains, ected to All-	0.57 W	0.58 W	0.64 W		ENERGY STAR® Requirements for	ଂ Program r Computers: Ver. 6.0	
ETEC * Annual Energy C (calculated value input voltage	onsumption	71.73 kWh/year	71.91 kWh/year	70.24 kWh/ye	ear	ENERGY STAR® Requirements for	ໍ Program r Computers: Ver. 6.0	
Display resolution	n*: Me	gapixels (Applies onl	y to Integrated PCs	(All-In-One PC)		ENERGY STAR® Requirements for	[®] Program r Displays (Ver. 6.0)	
Print Speed *	: Ir	nages per minute						
Default time to er	nter energy sav	ve mode: minu	utes			ENERGY STAR® Requirements for	[®] Program r Computers: Ver. 6.0	
P9.2* Inform	mation about th	he energy save functio	n is provided with th	ne product.			\square	
ENE		the energy requirement version: 6.0 Tier:	nts of the following v Product categor		m/s:			
P10 Emis	sions							
P10.1 Mode		Declared according to lode description	ISO 9296	Declared	1	Declared A	\ woighted	
		iode description		A-weighted		sound pressure l		
				sound power			-	_
				level L_{WAd} (B)	Oper	rator position 🔀	Bystander positions	5
						Desktop 🔀	(only if product is no	t
Idla	*	Fans on, HDD spinnin	e (if enerlies ble)	* 2.0		or Desk side	operator attended	
Idle		•		* 3.6		2	6	
Oper	ation *	Fans on, HDD spinnin	g	* 3.6		2	6	
Othe	r mode							-
	sured accordin	g to: 🔀 ISO7779 🔀	ECMA-74		1			1
		Other	(only if not covere	d by ECMA-74 v	vith Lp	Am measurement o	listance m)	
P10.2 The	aroduct meets	the acoustic noise req	uirements of the fol	lowing voluntary	progra	am/s:		

Model number *	600 G1 SFF		
Issue date *	6/11/2013	Logo	(II)

Product	environmental attributes - Market requirements (continued)	Require		met
Item		Yes	No	n.a.
	Chemical emissions from printing products			
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard 📃, other specify:			\boxtimes
P10.4	Typical emission rate (print phase) is (mg/h):			\boxtimes
	Dust Ozone Styrene Benzene TVOC			
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			\boxtimes
	Dust Ozone Styrene Benzene TVOC			
B / A A	Electromagnetic emissions			
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary			
D44	program/s:			
P11 P11.1*	Consumable materials for printing products A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			
			⊢⊢	
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.			\boxtimes
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			\boxtimes
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			\square
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.		╞	
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): <i>PAPER/Corrugated</i> weight (kg): 2.3			
1 10.1	Product packaging material type(s): PALASTIC/Polyethylene low density weight (kg): 0.056			
	Product packaging material type(s): PLASTIC/EPE-Expanded Polyethylene weight (kg): 0.11			
	Product packaging material type(s): PLASTIC/Polypropylene weight (kg): 0.015			
P13.2*	Product plastic packaging is free from PVC.	\boxtimes		
P13.3*	Specify media for user and product documentation (tick box):			Ē
	Electronic 🔀, Paper 🔲, Other 🗌			-
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled			
	fiber: 10 %			
Rev.	User and product documentation do not contain chlorine bleached paper	\square		
P13.5				
P14	Additional information (See Note B4)			
All sections	1. Product environmental information contained in this declaration is valid as of the date the declaration is pub external standards referenced in the IT Eco-Declaration may invalidate some information contained in this dec	lisned. C	nange	es to
P9	1. The energy measurements presented in this declaration are for a typically configured PC featuring a ha			
10	efficiency power supply, and a Microsoft Windows® operating system.		100, 0	ingri
	2. HP Personal Computers are offered in multiple configurations. The system power consumption measurem			ge as
	the configuration changes (i.e. as hard disk drives, memory, graphics cards, and other components are chang	ed or add	ed).	
	3. HP computers marked with the ENERGY STAR® Logo are gualified with the applicable U.S. Environmental	Protectio	n Aa	ency
	(EPA) ENERGY STAR specifications for computers. For more information about HP's ENERGY STAR qualifie			
	www.hp.com/go/energystar and select the applicable product category to find PC models that meet the ENER			-
	specifications.			
P10	1. Acoustic noise information published on the ECMA 370 The Eco Declaration represents a typically configure			
	model only. If optional items with moving parts are added, like extra hard disks or graphic cards with fans etc,	these ca	n cha	nge
	acoustic noise values for which HP can take no responsibility.			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19



ecma 🔊 IT-Företagen

Company environmental profile - THE ECO DECLARATION

Brand	HP	Logo
Company name *	Hewlett-Packard Company	
Contact information *	HP Environmental Contact Centre (ECC)	
	environment@hp.com	
Internet site *	www.hp.com/hpinfo/globalcitizenship/environment/index.html	
Issue date *	2014-06	
Intended market *	🔀 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas	Other
Additional information		

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under C6.

Quality	Quality control		ent met
Item		Yes	No
QC1 *	The company enforces an internal quality control system to ensure the correctness of this eco declaration	\square	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control.	\boxtimes	

Compa	Company environmental profile - Legal requirements Requirement me					
Item		Yes	No	n.a.		
C1	Product recycling					
C1.1*	The company participates in a system or has its own system for collection and recycling of end of lif products in countries where the company puts them on the market and where required (see legal reference					
C2	Battery recycling					
C2.1*	The company participates in a system or has its own system for collection and recycling of batteries i countries where the company puts products on the market (see legal reference) or pays eco tax / fee where required.					
C3	Packaging recycling					
C3.1*	The company participates in a system or has its own system for collection and recycling of packagin material in countries where the company puts products on the market and where required (see legareference)					

Company environmental profile - Market requirements			Requirement met			
Item		Yes	No	n.a.		
C4 Environmental policy and environmental managem	ent					
C4.1* The company has a documented environmental policy	approved by the management.	\boxtimes				
C4.2* The company has an environmental management syst Product development	em covering:	\square				
Manufacturing			H			
If so certified according to: 🔀 ISO 14001 🔀 Other as						
C4.3 The company regularly publishes an environmental reg		\boxtimes				
If so, it meets the recommendations of 🔀 The Global	Reporting Initiative 🗌 Other as specified in C6		_	_		
C5 Recycling						
C5.1* Information about the product, battery & packaging tal	ke back system (C1, C2, C3) is available in printed or	\boxtimes				
electronic format.						
C6 Additional information						
HP has received ISO 14001 certification for its man						
	Imaging Products and Related Operations) and for product design for its <u>Personal Systems Products</u> and LaserJet an					
	<u>Enterprise Printing Products</u> . The product design certifications include HP-wide product environmental design					
processes (such as HP's <u>General Specification for</u>	processes (such as HP's <u>General Specification for the Environment</u>) that cover all HP products.					
HP is committed to responsible business practices	HP is committed to responsible business practices and <u>transparency</u> in its <u>global citizenship</u> policies and performanc We have a long history of working with suppliers to monitor and improve their social and environmental responsibilit					
(SER) performance when required, as well as impro	oving standards in the industry. HP endorses the E	ICC <u>Co</u>	<u>de of</u>	-		
Conduct in its entirety, and we have supplemented						
well as HP's Student and Dispatch Worker Guidance						
(PRC). HP also has a strong Global Human Rights						
	processes regarding conflict minerals. HP conducts due diligence on its supply chain annually including requesting					
	information about our suppliers' own due diligence and the smelters and refiners used. HP was the first IT company					
publish its <u>supply chain smelter list</u> . HP follows the Global Reporting Initiative (GRI) guidelines as a basis for repo The GRI index provides easy reference to HP's Living Progress Report (LPR) content. HP offers take back services						

products and printing suppliers in some 70 countries. Please refer to HP's <u>Living Progress Report</u> for more details on our global efforts.

Legal references Europe Annex A

Reference	Declaration item
2002/96/EC (WEEE directive)	C1.1
2006/66/EC (Battery and accumulators Directive)	C1.2
2004/12/EC (Directive on packaging and packaging waste)	C1.3