



| Engine   | Trans.                             | Axle Ratio | GVWR  | Payload | Base Weight |         |         | GAWR  |      | GCWR  | Max. Trailer Weight Rating |
|--|------------------------------------|------------|-------|---------|-------------|---------|---------|-------|------|-------|----------------------------|
|  |                                    |            |       |         | Total       | Front   | Rear    | Front | Rear |       |                            |
| <b>RAM 2500 4X2 REG TRADESMAN 8' BOX</b>             |                                    |            |       |         |             |         |         |       |      |       |                            |
| 6.4L V8 MID DUTY HEMI MDS ENGINE                     | 8-SPD AUTO 8HP75-LCV TRANSMISSION  | 3.73       | 10000 | 4010    | 5988.35     | 3400.83 | 2587.52 | 5500  | 6000 | 21500 | 15040                      |
| 6.4L V8 MID DUTY HEMI MDS ENGINE                     | 8-SPD AUTO 8HP75-LCV TRANSMISSION  | 4.10       | 10000 | 4010    | 5988.35     | 3400.83 | 2587.52 | 5500  | 6000 | 24000 | 17540                      |
| 6.7L I6 CUMMINS TURBO DIESEL ENGINE                  | 6-SPD AUTOMATIC 68RFE TRANSMISSION | 3.73       | 10000 | 3160    | 6843.89     | 4212.22 | 2631.67 | 5500  | 6000 | 27000 | 19680                      |
| <b>RAM 2500 4X2 REG TRADESMAN 8' BOX CANADA ONLY</b> |                                    |            |       |         |             |         |         |       |      |       |                            |
| 6.4L V8 MID DUTY HEMI MDS ENGINE                     | 8-SPD AUTO 8HP75-LCV TRANSMISSION  | 3.73       | 9900  | 3950    | 5952.83     | 3398.31 | 2554.52 | 5500  | 6000 | 21500 | 15080                      |
| 6.4L V8 MID DUTY HEMI MDS ENGINE                     | 8-SPD AUTO 8HP75-LCV TRANSMISSION  | 4.10       | 9900  | 3950    | 5952.83     | 3398.31 | 2554.52 | 5500  | 6000 | 24000 | 17580                      |
| 6.7L I6 CUMMINS TURBO DIESEL ENGINE                  | 6-SPD AUTOMATIC 68RFE TRANSMISSION | 3.73       | 9900  | 3060    | 6843.71     | 4213.56 | 2630.15 | 5500  | 6000 | 27000 | 19680                      |

**2020 RAM 2500 (DJ) BASE WEIGHT GCW AND TRAILER TOW**



| Engine   | Trans.                             | Axle Ratio | GVWR  | Payload | Base Weight |         |         | GAWR  |      | GCWR  | Max. Trailer Weight Rating |
|--|------------------------------------|------------|-------|---------|-------------|---------|---------|-------|------|-------|----------------------------|
|  |                                    |            |       |         | Total       | Front   | Rear    | Front | Rear |       |                            |
| <b>RAM 2500 4X2 CREW TRADESMAN 6.4' BOX</b>                |                                    |            |       |         |             |         |         |       |      |       |                            |
| 6.4L V8 MID DUTY HEMI MDS ENGINE                           | 8-SPD AUTO 8HP75-LCV TRANSMISSION  | 3.73       | 10000 | 3660    | 6343.06     | 3559.52 | 2783.54 | 5500  | 6000 | 21500 | 14690                      |
| 6.4L V8 MID DUTY HEMI MDS ENGINE                           | 8-SPD AUTO 8HP75-LCV TRANSMISSION  | 4.10       | 10000 | 3660    | 6343.06     | 3559.52 | 2783.54 | 5500  | 6000 | 24000 | 17190                      |
| 6.7L I6 CUMMINS TURBO DIESEL ENGINE                        | 6-SPD AUTOMATIC 68RFE TRANSMISSION | 3.73       | 10000 | 2770    | 7233.68     | 4398.37 | 2835.31 | 5500  | 6000 | 27000 | 19310                      |
| <b>RAM 2500 4X2 CREW TRADESMAN 6.4' RAMBOX</b>             |                                    |            |       |         |             |         |         |       |      |       |                            |
| 6.4L V8 MID DUTY HEMI MDS ENGINE                           | 8-SPD AUTO 8HP75-LCV TRANSMISSION  | 3.73       | 10000 | 3540    | 6456.41     | 3553.91 | 2902.5  | 5500  | 6000 | 21500 | 14570                      |
| 6.4L V8 MID DUTY HEMI MDS ENGINE                           | 8-SPD AUTO 8HP75-LCV TRANSMISSION  | 4.10       | 10000 | 3540    | 6456.41     | 3553.91 | 2902.5  | 5500  | 6000 | 24000 | 17070                      |
| 6.7L I6 CUMMINS TURBO DIESEL ENGINE                        | 6-SPD AUTOMATIC 68RFE TRANSMISSION | 3.73       | 10000 | 2660    | 7343.82     | 4369.44 | 2974.38 | 5500  | 6000 | 27000 | 19180                      |
| <b>RAM 2500 4X2 CREW TRADESMAN 6.4' BOX CANADA ONLY</b>    |                                    |            |       |         |             |         |         |       |      |       |                            |
| 6.4L V8 MID DUTY HEMI MDS ENGINE                           | 8-SPD AUTO 8HP75-LCV TRANSMISSION  | 3.73       | 9900  | 3560    | 6343.06     | 3559.52 | 2783.54 | 5500  | 6000 | 21500 | 14690                      |
| 6.4L V8 MID DUTY HEMI MDS ENGINE                           | 8-SPD AUTO 8HP75-LCV TRANSMISSION  | 4.10       | 9900  | 3560    | 6343.06     | 3559.52 | 2783.54 | 5500  | 6000 | 24000 | 17190                      |
| 6.7L I6 CUMMINS TURBO DIESEL ENGINE                        | 6-SPD AUTOMATIC 68RFE TRANSMISSION | 3.73       | 9900  | 2680    | 7216.72     | 4379.79 | 2836.93 | 5500  | 6000 | 27000 | 19310                      |
| <b>RAM 2500 4X2 CREW TRADESMAN 6.4' RAMBOX CANADA ONLY</b> |                                    |            |       |         |             |         |         |       |      |       |                            |
| 6.4L V8 MID DUTY HEMI MDS ENGINE                           | 8-SPD AUTO 8HP75-LCV TRANSMISSION  | 3.73       | 9900  | 3440    | 6456.41     | 3553.91 | 2902.5  | 5500  | 6000 | 21500 | 14570                      |
| 6.4L V8 MID DUTY HEMI MDS ENGINE                           | 8-SPD AUTO 8HP75-LCV TRANSMISSION  | 4.10       | 9900  | 3440    | 6456.41     | 3553.91 | 2902.5  | 5500  | 6000 | 24000 | 17070                      |
| 6.7L I6 CUMMINS TURBO DIESEL ENGINE                        | 6-SPD AUTOMATIC 68RFE TRANSMISSION | 3.73       | 9900  | 2610    | 7287.5      | 4255.84 | 3031.66 | 5500  | 6000 | 27000 | 18820                      |

**2020 RAM 2500 (DJ) BASE WEIGHT GCW AND TRAILER TOW**



| Engine  | Trans.                             | Axle Ratio | GVWR  | Payload | Base Weight |         |         | GAWR  |      | GCWR  | Max. Trailer Weight Rating |
|---|------------------------------------|------------|-------|---------|-------------|---------|---------|-------|------|-------|----------------------------|
|   |                                    |            |       |         | Total       | Front   | Rear    | Front | Rear |       |                            |
| <b>RAM 2500 4X2 CREW TRADESMAN 8' BOX</b>             |                                    |            |       |         |             |         |         |       |      |       |                            |
| 6.4L V8 MID DUTY HEMI MDS ENGINE                      | 8-SPD AUTO 8HP75-LCV TRANSMISSION  | 3.73       | 10000 | 3520    | 6477.63     | 3688.49 | 2789.14 | 5500  | 6000 | 21500 | 14550                      |
| 6.4L V8 MID DUTY HEMI MDS ENGINE                      | 8-SPD AUTO 8HP75-LCV TRANSMISSION  | 4.10       | 10000 | 3520    | 6477.63     | 3688.49 | 2789.14 | 5500  | 6000 | 24000 | 17050                      |
| 6.7L I6 CUMMINS TURBO DIESEL ENGINE                   | 6-SPD AUTOMATIC 68RFE TRANSMISSION | 3.73       | 10000 | 2630    | 7372.3      | 4531.7  | 2840.6  | 5500  | 6000 | 27000 | 19150                      |
| <b>RAM 2500 4X2 CREW TRADESMAN 8' BOX CANADA ONLY</b> |                                    |            |       |         |             |         |         |       |      |       |                            |
| 6.4L V8 MID DUTY HEMI MDS ENGINE                      | 8-SPD AUTO 8HP75-LCV TRANSMISSION  | 3.73       | 9900  | 3420    | 6477.63     | 3688.49 | 2789.14 | 5500  | 6000 | 21500 | 14550                      |
| 6.4L V8 MID DUTY HEMI MDS ENGINE                      | 8-SPD AUTO 8HP75-LCV TRANSMISSION  | 4.10       | 9900  | 3420    | 6477.63     | 3688.49 | 2789.14 | 5500  | 6000 | 24000 | 17050                      |
| 6.7L I6 CUMMINS TURBO DIESEL ENGINE                   | 6-SPD AUTOMATIC 68RFE TRANSMISSION | 3.73       | 9900  | 2530    | 7370.93     | 4527.32 | 2843.61 | 5500  | 6000 | 27000 | 19150                      |

**2020 RAM 2500 (DJ) BASE WEIGHT GCW AND TRAILER TOW**



| Engine  | Trans.                             | Axle Ratio | GVWR  | Payload | Base Weight |         |         | GAWR  |      | GCWR  | Max. Trailer Weight Rating |
|---|------------------------------------|------------|-------|---------|-------------|---------|---------|-------|------|-------|----------------------------|
|   |                                    |            |       |         | Total       | Front   | Rear    | Front | Rear |       |                            |
| <b>RAM 2500 4X4 MEGA BIG HORN/ 6.4' BOX</b>               |                                    |            |       |         |             |         |         |       |      |       |                            |
| 6.4L V8 MID DUTY HEMI MDS ENGINE                          | 8-SPD AUTO 8HP75-LCV TRANSMISSION  | 3.73       | 10000 | 2940    | 7061.36     | 4061.29 | 3000.07 | 5500  | 6390 | 21500 | 13970                      |
| 6.4L V8 MID DUTY HEMI MDS ENGINE                          | 8-SPD AUTO 8HP75-LCV TRANSMISSION  | 4.10       | 10000 | 2940    | 7061.36     | 4061.29 | 3000.07 | 5500  | 6390 | 24000 | 16460                      |
| 6.7L I6 CUMMINS TURBO DIESEL ENGINE                       | 6-SPD AUTOMATIC 68RFE TRANSMISSION | 3.73       | 10000 | 2040    | 7955.59     | 4894.97 | 3060.62 | 6000  | 6040 | 25265 | 15690                      |
| <b>RAM 2500 4X4 MEGA BIG HORN/LONE STAR 6.4' RAMBOX</b>   |                                    |            |       |         |             |         |         |       |      |       |                            |
| 6.4L V8 MID DUTY HEMI MDS ENGINE                          | 8-SPD AUTO 8HP75-LCV TRANSMISSION  | 3.73       | 10000 | 2790    | 7205.22     | 4075.07 | 3130.15 | 5500  | 6390 | 21500 | 13820                      |
| 6.4L V8 MID DUTY HEMI MDS ENGINE                          | 8-SPD AUTO 8HP75-LCV TRANSMISSION  | 4.10       | 10000 | 2790    | 7205.22     | 4075.07 | 3130.15 | 5500  | 6390 | 24000 | 16320                      |
| 6.7L I6 CUMMINS TURBO DIESEL ENGINE                       | 6-SPD AUTOMATIC 68RFE TRANSMISSION | 3.73       | 10000 | 1930    | 8070.42     | 4890.36 | 3180.06 | 6000  | 6040 | 25265 | 14550                      |
| <b>RAM 2500 4X4 MEGA BIG HORN/ 6.4' BOX CANADA ONLY</b>   |                                    |            |       |         |             |         |         |       |      |       |                            |
| 6.4L V8 MID DUTY HEMI MDS ENGINE                          | 8-SPD AUTO 8HP75-LCV TRANSMISSION  | 3.73       | 9900  | 2840    | 7061.36     | 4061.29 | 3000.07 | 5500  | 6390 | 21500 | 13970                      |
| 6.4L V8 MID DUTY HEMI MDS ENGINE                          | 8-SPD AUTO 8HP75-LCV TRANSMISSION  | 4.10       | 9900  | 2840    | 7061.36     | 4061.29 | 3000.07 | 5500  | 6390 | 24000 | 16460                      |
| 6.7L I6 CUMMINS TURBO DIESEL ENGINE                       | 6-SPD AUTOMATIC 68RFE TRANSMISSION | 3.73       | 9900  | 1940    | 7955.59     | 4894.97 | 3060.62 | 6000  | 6040 | 25265 | 14690                      |
| <b>RAM 2500 4X4 MEGA BIG HORN 6.4' RAMBOX CANADA ONLY</b> |                                    |            |       |         |             |         |         |       |      |       |                            |
| 6.4L V8 MID DUTY HEMI MDS ENGINE                          | 8-SPD AUTO 8HP75-LCV TRANSMISSION  | 3.73       | 9900  | 2690    | 7205.22     | 4075.07 | 3130.15 | 5500  | 6390 | 21500 | 13820                      |
| 6.4L V8 MID DUTY HEMI MDS ENGINE                          | 8-SPD AUTO 8HP75-LCV TRANSMISSION  | 4.10       | 9900  | 2690    | 7205.22     | 4075.07 | 3130.15 | 5500  | 6390 | 24000 | 16320                      |
| 6.7L I6 CUMMINS TURBO DIESEL ENGINE                       | 6-SPD AUTOMATIC 68RFE TRANSMISSION | 3.73       | 9900  | 1830    | 8070.42     | 4890.36 | 3180.06 | 6000  | 6040 | 25265 | 13550                      |

**2020 RAM 2500 (DJ) BASE WEIGHT GCW AND TRAILER TOW**



| Engine   | Trans.                             | Axle Ratio | GVWR  | Payload | Base Weight |         |         | GAWR  |      | GCWR  | Max. Trailer Weight Rating |
|--|------------------------------------|------------|-------|---------|-------------|---------|---------|-------|------|-------|----------------------------|
|  |                                    |            |       |         | Total       | Front   | Rear    | Front | Rear |       |                            |
| <b>RAM 2500 4X4 REG TRADESMAN 8' BOX</b>             |                                    |            |       |         |             |         |         |       |      |       |                            |
| 6.4L V8 MID DUTY HEMI MDS ENGINE                     | 8-SPD AUTO 8HP75-LCV TRANSMISSION  | 3.73       | 10000 | 3690    | 6309.89     | 3688.31 | 2621.58 | 5500  | 6000 | 21500 | 14720                      |
| 6.4L V8 MID DUTY HEMI MDS ENGINE                     | 8-SPD AUTO 8HP75-LCV TRANSMISSION  | 4.10       | 10000 | 3690    | 6309.89     | 3688.31 | 2621.58 | 5500  | 6000 | 24000 | 17220                      |
| 6.7L I6 CUMMINS TURBO DIESEL ENGINE                  | 6-SPD AUTOMATIC 68RFE TRANSMISSION | 3.73       | 10000 | 2810    | 7194.15     | 4515.84 | 2678.31 | 5750  | 6000 | 27000 | 19330                      |
| <b>RAM 2500 4X4 REG TRADESMAN 8' BOX CANADA ONLY</b> |                                    |            |       |         |             |         |         |       |      |       |                            |
| 6.4L V8 MID DUTY HEMI MDS ENGINE                     | 8-SPD AUTO 8HP75-LCV TRANSMISSION  | 3.73       | 9900  | 3580    | 6321.48     | 3695.8  | 2625.68 | 5500  | 6000 | 21500 | 14710                      |
| 6.4L V8 MID DUTY HEMI MDS ENGINE                     | 8-SPD AUTO 8HP75-LCV TRANSMISSION  | 4.10       | 9900  | 3580    | 6321.48     | 3695.8  | 2625.68 | 5500  | 6000 | 24000 | 17210                      |
| 6.7L I6 CUMMINS TURBO DIESEL ENGINE                  | 6-SPD AUTOMATIC 68RFE TRANSMISSION | 3.73       | 9900  | 2710    | 7194.15     | 4515.84 | 2678.31 | 5750  | 6000 | 27000 | 19330                      |

**2020 RAM 2500 (DJ) BASE WEIGHT GCW AND TRAILER TOW**



| Engine   | Trans.                             | Axle Ratio | GVWR  | Payload | Base Weight |         |         | GAWR  |      | GCWR  | Max. Trailer Weight Rating |
|--|------------------------------------|------------|-------|---------|-------------|---------|---------|-------|------|-------|----------------------------|
|  |                                    |            |       |         | Total       | Front   | Rear    | Front | Rear |       |                            |
| <b>RAM 2500 4X4 CREW TRADESMAN 6.4' BOX</b>                            |                                    |            |       |         |             |         |         |       |      |       |                            |
| 6.4L V8 MID DUTY HEMI MDS ENGINE                                       | 8-SPD AUTO 8HP75-LCV TRANSMISSION  | 3.73       | 10000 | 3350    | 6648.79     | 3847.03 | 2801.76 | 5500  | 6000 | 21500 | 14380                      |
| 6.4L V8 MID DUTY HEMI MDS ENGINE                                       | 8-SPD AUTO 8HP75-LCV TRANSMISSION  | 4.10       | 10000 | 3350    | 6648.79     | 3847.03 | 2801.76 | 5500  | 6000 | 24000 | 16880                      |
| 6.7L I6 CUMMINS TURBO DIESEL ENGINE                                    | 6-SPD AUTOMATIC 68RFE TRANSMISSION | 3.73       | 10000 | 2490    | 7508.33     | 4660.7  | 2847.63 | 5750  | 6000 | 27000 | 19020                      |
| <b>RAM 2500 4X4 CREW TRADESMAN 6.4' RAMBOX</b>                         |                                    |            |       |         |             |         |         |       |      |       |                            |
| 6.4L V8 MID DUTY HEMI MDS ENGINE                                       | 8-SPD AUTO 8HP75-LCV TRANSMISSION  | 3.73       | 10000 | 3220    | 6777.47     | 3849.02 | 2928.45 | 5500  | 6000 | 21500 | 14250                      |
| 6.4L V8 MID DUTY HEMI MDS ENGINE                                       | 8-SPD AUTO 8HP75-LCV TRANSMISSION  | 4.10       | 10000 | 3220    | 6777.47     | 3849.02 | 2928.45 | 5500  | 6000 | 24000 | 16750                      |
| 6.7L I6 CUMMINS TURBO DIESEL ENGINE                                    | 6-SPD AUTOMATIC 68RFE TRANSMISSION | 3.73       | 10000 | 2350    | 7645.67     | 4673.16 | 2972.51 | 5750  | 6000 | 27000 | 18790                      |
| <b>RAM 2500 4X4 CREW TRADESMAN W/ PWR -WAGON EQUIPMENT 6.4' BOX</b>    |                                    |            |       |         |             |         |         |       |      |       |                            |
| 6.4L V8 MID DUTY HEMI MDS ENGINE                                       | 8-SPD AUTO 8HP75-LCV TRANSMISSION  | 4.10       | 8565  | 1620    | 6943.87     | 4086.68 | 2857.19 | 4750  | 6200 | 18000 | 10580                      |
| <b>RAM 2500 4X4 CREW TRADESMAN W/ PWR -WAGON EQUIPMENT 6.4' RAMBOX</b> |                                    |            |       |         |             |         |         |       |      |       |                            |
| 6.4L V8 MID DUTY HEMI MDS ENGINE                                       | 8-SPD AUTO 8HP75-LCV TRANSMISSION  | 4.10       | 8565  | 1500    | 7061.23     | 4090    | 2971.23 | 4750  | 6200 | 18000 | 10290                      |
| <b>RAM 2500 4X4 CREW TRADESMAN 6.4' BOX CANADA ONLY</b>                |                                    |            |       |         |             |         |         |       |      |       |                            |
| 6.4L V8 MID DUTY HEMI MDS ENGINE                                       | 8-SPD AUTO 8HP75-LCV TRANSMISSION  | 3.73       | 9900  | 3240    | 6657.92     | 3856.99 | 2800.93 | 5500  | 6000 | 21500 | 14370                      |
| 6.4L V8 MID DUTY HEMI MDS ENGINE                                       | 8-SPD AUTO 8HP75-LCV TRANSMISSION  | 4.10       | 9900  | 3240    | 6657.92     | 3856.99 | 2800.93 | 5500  | 6000 | 24000 | 16870                      |
| 6.7L I6 CUMMINS TURBO DIESEL ENGINE                                    | 6-SPD AUTOMATIC 68RFE TRANSMISSION | 3.73       | 9900  | 2380    | 7516.38     | 4646.93 | 2869.45 | 5750  | 6000 | 27000 | 19010                      |
| <b>RAM 2500 4X4 CREW TRADESMAN 6.4' RAMBOX CANADA ONLY</b>             |                                    |            |       |         |             |         |         |       |      |       |                            |
| 6.4L V8 MID DUTY HEMI MDS ENGINE                                       | 8-SPD AUTO 8HP75-LCV TRANSMISSION  | 3.73       | 9900  | 3150    | 6750.83     | 3831.03 | 2919.8  | 5500  | 6000 | 21500 | 14280                      |
| 6.4L V8 MID DUTY HEMI MDS ENGINE                                       | 8-SPD AUTO 8HP75-LCV TRANSMISSION  | 4.10       | 9900  | 3150    | 6750.83     | 3831.03 | 2919.8  | 5500  | 6000 | 24000 | 16780                      |
| 6.7L I6 CUMMINS TURBO DIESEL ENGINE                                    | 6-SPD AUTOMATIC 68RFE TRANSMISSION | 3.73       | 9900  | 2260    | 7636.48     | 4647.23 | 2989.25 | 5750  | 6000 | 27000 | 17890                      |

**2020 RAM 2500 (DJ) BASE WEIGHT GCW AND TRAILER TOW**



| Engine  | Trans.                             | Axle Ratio | GVWR  | Payload | Base Weight |         |         | GAWR  |      | GCWR  | Max. Trailer Weight Rating |
|---|------------------------------------|------------|-------|---------|-------------|---------|---------|-------|------|-------|----------------------------|
|   |                                    |            |       |         | Total       | Front   | Rear    | Front | Rear |       |                            |
| <b>RAM 2500 4X4 CREW TRADESMAN 8' BOX</b>             |                                    |            |       |         |             |         |         |       |      |       |                            |
| 6.4L V8 MID DUTY HEMI MDS ENGINE                      | 8-SPD AUTO 8HP75-LCV TRANSMISSION  | 3.73       | 10000 | 3160    | 6837.54     | 4002.13 | 2835.41 | 5500  | 6000 | 21500 | 14190                      |
| 6.4L V8 MID DUTY HEMI MDS ENGINE                      | 8-SPD AUTO 8HP75-LCV TRANSMISSION  | 4.10       | 10000 | 3160    | 6837.54     | 4002.13 | 2835.41 | 5500  | 6000 | 24000 | 16690                      |
| 6.7L I6 CUMMINS TURBO DIESEL ENGINE                   | 6-SPD AUTOMATIC 68RFE TRANSMISSION | 3.73       | 10000 | 2300    | 7702.93     | 4822.77 | 2880.16 | 5750  | 6000 | 25525 | 17350                      |
| <b>RAM 2500 4X4 CREW TRADESMAN 8' BOX CANADA ONLY</b> |                                    |            |       |         |             |         |         |       |      |       |                            |
| 6.4L V8 MID DUTY HEMI MDS ENGINE                      | 8-SPD AUTO 8HP75-LCV TRANSMISSION  | 3.73       | 9900  | 3070    | 6827.1      | 3998.58 | 2828.52 | 5500  | 6000 | 21500 | 14200                      |
| 6.4L V8 MID DUTY HEMI MDS ENGINE                      | 8-SPD AUTO 8HP75-LCV TRANSMISSION  | 4.10       | 9900  | 3070    | 6827.1      | 3998.58 | 2828.52 | 5500  | 6000 | 24000 | 16700                      |
| 6.7L I6 CUMMINS TURBO DIESEL ENGINE                   | 6-SPD AUTOMATIC 68RFE TRANSMISSION | 3.73       | 9900  | 2190    | 7708.42     | 4825.86 | 2882.56 | 5750  | 6000 | 25525 | 17170                      |

**2020 RAM 2500 (DJ) BASE WEIGHT GCW AND TRAILER TOW**

---

## NOTES

1. Payload and Max Trailer Weights are ESTIMATED values.
2. All values are shown in pounds unless otherwise stated.
3. Payload and Max Trailer Weight values are rounded to the nearest 10lb.
4. Payload = GVWR – Base Weight
5. Payload and Trailer Weight Rating are mutually exclusive.
6. GAWRs, GVWRs and GCWRs should never be exceeded.
7. Trailer Weight Rating and Tow Vehicle Trailing Weight are calculated as specified in SAE J2807.
  - Passenger Weight = 300 lb
  - Options Weight = 100 lb
  - Tongue weight: 10 percent of the gross trailer weight for Conventional Hitch, 15 percent of the gross trailer weight for 5th Wheel or Gooseneck hitch.
  - Trailing Equipment Weight: 75 lb for Conventional Hitch, 70 lb for Gooseneck and 250 lb for 5th Wheel.
  - Payload and GAWR should never be exceeded and must account for all of the above weights, including the appropriate trailering equipment and tongue weight.
  - Box Off Body Completion Weight = 80 lb per foot from end of cab to end of frame.
8. Maximum Capability.