Overview

HP EliteBook 1050 G1



- 1. Speakers
- 2. Power button

- Left
- 3. USB 3.0 Charging Port (left), USB 3.0 (right)
- 4. Security lock slot (Lock sold separately.)



Overview



Right

- 8. (2) USB Type-C[™] with Thunderbolt[™] ports (Supporting DisplayPort 1.3, USB 3.1 Gen2, PCIe Gen 3 devices)
- 9. HDMI 2.0 (Cable not included.)
- 10. Audio-out/Audio-in combo jack
- 11. SD card reader
- 12. Fingerprint sensor (Optional)
- 13. Glass clickpad

- 1. Ambient light sensor
- 2. IR sensors
- 3. Privacy camera (optional)
- 4. IR camera (optional)
- 5. Web cam (Optional)
- 6. Web cam LED
- 7. Power connector

Overview

AT A GLANCE

- Windows 10 Pro 64, Home 64 Plus, Pro 64 Plus, or FreeDOS
- Full performance industrial design, Aluminum chassis with HP's pike silver color and premium logo. Backlit keyboard in full aluminum deck, chemically strengthened glass touchpad, and collaboration keys. HP Spill Resistant Keyboard with Durakeys, touchpad buttons with Duracoat finish. Diamond cut edges for touchpad and finger print sensor
- Passed MIL-STD-810G testing¹
- Powerful NVIDIA[®] discrete graphics: NVIDIA[®] GeForce[®] GTX 1050 (optional)
- Intel[®] Integrated graphics: Intel[®] HD Graphics 630
- Choice of 8th generation Intel[®] Core[™] i7 hexa-core with vPro[™] or Intel[®] Core[™] i5 quad-core with vPro[™] technology
- Up to two SODIMMs, for system memory up to 32 GB DDR4-2667 MHz
- Supports multi-display, including up to three (3) displays without a docking solution, with hybrid graphics enabled
- Two (2) Thunderbolt[™] 3 ports (supporting DP 1.3, USB 3.1, PCIe Gen 3 devices) on the new USB-CTM connector for high speed data/video/audio transfer support²
- Bang and Olufsen audio optimized for high fidelity audio with immersive surround sound with a discrete amp, deep, rich bass and crystal clear dialog without distortion at high volume
- Long life battery solution with a 4-cell (64 WHr) or 6-cell (96 WHr)
- Widescreen 39.6 cm (15.6")-inch diagonal LED-backlit display: FHD (1920x1080, 400 nit) with ultrawide viewing angle, antiglare, and ambient light sensor; FHD (1920x1080, 650 nit) with ultrawide viewing angle, anti-glare, HP SureView; UHD (3840x2160, 400 nit) with ultrawide viewing angle, anti-glare, and ambient light sensor
- Optional HD webcam and IR camera
- Wireless connectivity options:
- Intel® Dual Band Wireless-AC 9560 802.11 AC/a/b/g/n (2x2) WiFi® and Bluetooth® 5.0 combo adaptor (vPro™) or,
- Intel® Dual Band Wireless-AC 9560 802.11 AC/a/b/g/n (2x2) WiFi® and Bluetooth® 5.0 combo adaptor (non-vPro™)
- Two (2) dedicated M.2 drive slots
- Security features including HP Client Security Manager, HP SureClick, HP WorkWise, HP SureView, and HP SureStart Gen 4
- Low halogen HP BIOS technology, including HP Sure Start to identify and recover from unknown BIOS attacks

1. MIL-STD-810G testing is not intended to demonstrate fitness of U.S. Department of Defense (DoD) contract requirements or for military use. Test results are not a guarantee of future performance under these test conditions. Accidental damage requires an optional HP Accidental Damage Protection Care Pack.

2.Thunderbolt[™]3 ports supports DisplayPort 1.3, USB 3.1 Gen 2, and PCIe Gen 3 devices over the new USB-C port connector. The port is compatible with existing DisplayPort displays, devices, and cables. Install all the latest drivers for your Thunderbolt[™] device before connecting the device to the Thunderbolt[™] port. Thunderbolt[™] cable and Thunderbolt[™] device (sold separately) must be compatible with Windows[®]. To determine whether your device is Thunderbolt[™] Certified for Windows, see https://thunderbolttechnology.net/products.

NOTE: See important legal disclosures for all listed specs in their respective features sections.

Features

PRODUCT NAME

HP EliteBook 1050 G1

OPERATING SYSTEM

Preinstalled

Windows 10 Pro 64¹ Windows 10 Pro 64 (National Academic only) ^{1,2} Windows 10 Home 64¹ Windows 10 Home Single Language 64¹ FreeDOS 2.0

1. Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows 10 is automatically updated, which is always enabled. ISP fees may apply and additional requirements may apply over time for updates. See http://www.windows.com/.

2. Some devices for academic use will automatically be updated to Windows 10 Pro Education with the Windows 10 Anniversary Update. Features vary; see https://aka.ms/ProEducation for Windows 10 Pro Education feature information.

PROCESSORS

Intel[®] Core[™] i5-8300H with Intel[®] UHD Graphics 630 Graphics (2.3 GHz base frequency, up to 4 GHz with Intel[®] Turbo Boost Technology, 8 MB L3 cache, 4 cores) ^{3,4,5}

Intel[®] Core[™] i5-8400H vPro[™] processor with Intel[®] UHD Graphics 630 Graphics (2.5 GHz base frequency, up to 4.2 GHz with Intel[®] Turbo Boost Technology, 8 MB L3 cache, 4 cores) ^{2,3,4}

Intel[®] Core[™] i7-8750H with Intel[®] UHD Graphics 630 Graphics (2.2 GHz base frequency, up to 4.1 GHz with Intel[®] Turbo Boost Technology, 9 MB L3 cache, 6 cores) ^{2,3,4}

Intel[®] Core[™] i7-8850H vPro[™] processor with Intel[®] UHD Graphics 630 Graphics (2.6 GHz base frequency, up to 4.3 GHz with Intel[®] Turbo Boost Technology, 9 MB L3 cache, 6 cores) ^{2,3,4}

Processor Family

8th Generation Intel[®] CoreTM i7 processor (i7-8850H and i7-8750H models) ⁴ 8th Generation Intel[®] CoreTM i5 processor (i5-8400H and i5-8300H models) ⁴

3. Multicore is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance.

4. Processor speed denotes maximum performance mode; processors will run at lower speeds in battery optimization mode.
5. In accordance with Microsoft's support policy, HP does not support the Windows 8 or Windows 7 operating system on products configured with Intel and AMD 7th generation and forward processors or provide any Windows 8 or Windows 7 drivers on http://www.support.hp.com.

CHIPSET

Chipset is integrated with processor.



Features

GRAPHICS

Integrated Intel[®] UHD Graphics 630 ⁶

Discrete

NVIDIA® GeForce® GTX 1050 (4 GB DDR5 dedicated) 7

6. HD content required to view HD images.

7. Integrated graphics depends on processor. NVIDIA[®] Optimus[™] technology requires an Intel processor, plus an NVIDIA[®] GeForce[®] discrete graphics configuration and is available on Windows 10 Pro OS. With NVIDIA[®] Optimus[™] technology, full enablement of all discrete graphics video and display features may not be supported on all systems (e.g. OpenGL applications will run on the integrated GPU or the APU as the case may be).

DISPLAY

39.6 cm (15.6") diagonal FHD IPS eDP + PSR anti-glare LED-backlit, 400 cd/m², 100% sRGB with Ambient light sensor (1920 x 1080) ^{6,8,9}

39.6 cm (15.6") diagonal FHD IPS eDP + PSR anti-glare LED-backlit, 400 cd/m², 100% sRGB for HD camera with Ambient light sensor (1920 x 1080) ^{6,8,9}

39.6 cm (15.6") diagonal FHD IPS eDP + PSR anti-glare LED-backlit, 400 cd/m², 100% sRGB for HD camera and IR camera with Ambient light sensor (1920 x 1080) ^{6,8,9}

39.6 cm (15.6") diagonal UHD IPS eDP + PSR anti-glare LED-backlit, 400 cd/m², 100% sRGB with Ambient light sensor (3840 x 2160) ^{6,8,9}

39.6 cm (15.6") diagonal UHD IPS eDP + PSR anti-glare LED-backlit, 400 cd/m², 100% sRGB for HD camera with Ambient light sensor (3840 x 2160) ^{6,8,9}

39.6 cm (15.6") diagonal UHD IPS eDP + PSR anti-glare LED-backlit, 400 cd/m², 100% sRGB for HD camera and IR camera with Ambient light sensor (3840 x 2160) ^{6,8,9}

6. HD content required to view HD images.

8. Resolutions are dependent upon monitor capability, and resolution and color depth settings.

9. Sold separately or as an optional feature.



Features

STORAGE AND DRIVES

Primary M.2 Storage

SATA

512 GB M.2 SATA FIPS 140-2 SSD TLC ¹⁰ 256 GB SATA SED (Opal 2) TLC ¹⁰

PCle

256 GB PCIe[®] NVMe[™] M.2 SSD TLC ¹⁰ 512 GB PCIe[®] NVMe[™] M.2 SSD TLC ¹⁰ 1 TB PCIe[®] NVMe[™] M.2 SSD TLC ¹⁰ 2 TB PCIe[®] NVMe[™] M.2 SSD TLC ¹⁰ 256 GB PCIe[®] NVMe[™] M.2 SED SSD TLC Opal 2 ¹⁰ 512 GB PCIe[®] NVMe[™] M.2 SED SSD TLC Opal 2 ¹⁰

Secondary Storage

SATA 512 GB M.2 SATA FIPS 140-2 SSD TLC ¹⁰ 256 GB SATA SED (Opal 2) TLC ¹⁰

PCIe 256 GB PCIe[®] NVMe[™] M.2 SSD TLC ¹⁰ 512 GB PCIe[®] NVMe[™] M.2 SSD TLC ¹⁰ 1 TB PCIe[®] NVMe[™] M.2 SSD TLC ¹⁰ 2 TB PCIe[®] NVMe[™] M.2 SSD TLC ¹⁰ 256 GB PCIe[®] NVMe[™] M.2 SED SSD TLC Opal 2 ¹⁰ 512 GB PCIe[®] NVMe[™] M.2 SED SSD TLC Opal 2 ¹⁰

10. For storage drives, GB = 1 billion bytes. TB = 1 trillion bytes. Actual formatted capacity is less. Up to 30 GB (for Windows 10) is reserved for system recovery software.



Features

Maximum Memory 32 GB DDR4-2666 SDRAM ¹¹

Memory

8 GB DDR4-2666 SDRAM (1 x 8 GB) ¹¹ 8 GB DDR4-2666 SDRAM (2 x 4 GB) ¹¹ 16 GB DDR4-2666 SDRAM (2 X 8 GB) ¹¹ 16 GB DDR4-2666 SDRAM (1 X 16 GB) ¹¹ 32 GB DDR4-2666 SDRAM (2 X 16 GB) ¹¹

Memory Slots 2 SODIMM Both slots are upgradeable System runs at 2666 Supports Dual Channel Memory

11. Due to the non-industry standard nature of some third-party memory modules, we recommend HP branded memory to ensure compatibility. If you mix memory speeds, the system will perform at the lower memory speed.

NETWORKING/COMMUNICATIONS

WLAN

Intel[®] Dual Band Wireless-AC 9560 802.11a/b/g/n/ac (2x2) Wi-Fi[®] and Bluetooth[®] 5 Combo, vPro^{™ 12} Intel[®] Dual Band Wireless-AC 9560 802.11a/b/g/n/ac (2x2) Wi-Fi[®] and Bluetooth[®] 5 Combo, non-vPro^{™ 12}

NFC

HP Module with NXP NFC Controller NPC300 I2C NCI

Miracast

Support for Miracast 13

12. WLAN is an optional or ad-on feature and requires internet service and sold separately. Availability of public wireless access points limited. The specifications for the 802.11ac WLAN are draft specifications and are not final. If the final specifications differ from the draft specifications, it may affect the ability of the notebook to communicate with other 802.11ac WLAN devices. 13. Miracast is a wireless technology your PC can use to project your screen to TVs, projectors, and streaming.

COMPATIBILITY

HP Thunderbolt Dock 230W G2 HP Thunderbolt Dock 230W G2 cable (2UK38AA) (3XB95AA)



Features

AUDIO/MULTIMEDIA

Audio

HP Bang & Olufsen Audio HP Noise Cancellation Software HP Clear Sound Amp Camera Privacy Shutter Skype for Business Certification Intel SST Audio Microphone (Dual Array) Microphone (World Facing)

Camera 720p HD camera ⁶ HD IR webcam ^{6,14}

6. HD content required to view HD images.
 14. Internet access required.

Features

KEYBOARDS/POINTING DEVICES/BUTTONS & FUNCTION KEYS

Keyboard

DuraKeys Optional backlit

Pointing Device

Glass ClickPad with chemically etched surface, gesture support, two-way scroll, two-finger zoom (pinch)

Function Keys

F1 - Display switching F2 - Sure View (if supported otherwise blank) F3 - Brightness <down> F4 - Brightness <up> F5 - Audio mute (with an LED) F6 - Volume <down> F7 - Volume <up> F8 - Mic mute (with an LED) F9 - Backlit (if supported otherwise blank) F10 - NumLock (with an LED) F11 - Wireless (with an LED) F12 - Calendar Share screen (with an LED) Pick Up/Accept/ Answer/Hold (with an LED) Hang Up/Decline/ Reject (with an LED)



Features

SOFTWARE AND SECURITY

Preinstalled Software

BIOS

HP BIOSphere Gen4 ¹⁴ HP Drive Lock & Automatic Drive Lock BIOS Update via Network Master Boot Record Security Power On Authentication Secure Erase ¹⁵ Absolute Persistence Module ¹⁶ Pre-boot Authentication HP Wireless Wakeup

Software

HP Native Miracast Support ¹² HP Velocity HP ePrint Driver + JetAdvantage ¹⁷ HP Hotkey Support - CMIT HP Recovery Manager HP Jumpstart HP Support Assistant ¹⁸ HP Noise Cancellation Software HP PhoneWise ²⁵ Buy Office (Sold separately)

Manageability Features

HP Driver Packs ¹⁹ HP System Software Manager (SSM) HP BIOS Config Utility (BCU) HP Client Catalog HP Manageability Integration Kit Gen2 [20] Ivanti Management Suite ²¹

Client Security Software

HP Client Security Suite Gen4 ²² including: HP Security Manager ²³ (including Credential Manager, HP Password Manager, HP Spare Key) HP Fingerprint Sensor ²⁷ HP Device Access Manager HP Power On Authentication Microsoft Defender ²⁴ Security Management



Features

- Secure Erase 18
- TPM 2.0 Embedded Security Chip shipped with Windows 10 (Common Criteria EAL4+ Certified)
- SATA 0,1 port disablement (viaBIOS)
- RAID configurations ²⁸
- Serial, USB enable/disable (viaBIOS)
- Power-on password (viaBIOS)
- Setup password (viaBIOS)
- Support for chassis padlocks and cable lock devices
- Integrated hood sensor
- HP Sure Click ³¹
- HP Sure Start Gen4²⁶
- HP Sure Run²⁹
- HP Sure Recover ³⁰

Security

трм

Model: Version: Revision: FIPS 140-2 Compliant:

IPv6 Certification:

No

MD5 Hash: Please follow the instructions below to access MD5 Hash.

UEFI version:

12. Miracast is a wireless technology your PC can use to project your screen to TVs, projectors, and streaming.

14. HP BIOSphere Gen4 requires Intel® or AMD 8th Gen processors. Features may vary depending on the platform and configurations.

15. Secure Erase for the methods outlined in the National Institute of Standards and Technology Special Publication 800-88 "Clear" sanitation method.

16. Absolute agent is shipped turned off, and will be activated when customers activate a purchased subscription. Subscriptions can be purchased for terms ranging multiple years. Service is limited, check with Absolute for availability outside the U.S. The Absolute Recovery Guarantee is a limited warranty. Certain conditions apply. For full details visit:

http://www.absolute.com/company/legal/agreements/ computrace-agreement. Data Delete is an optional service provided by Absolute Software. If utilized, the Recovery Guarantee is null and void. In order to use the Data Delete service, customers must first sign a Pre-Authorization Agreement and either obtain a PIN or purchase one or more RSA SecurID tokens from Absolute Software.



Features

17. HP ePrint Driver requires an Internet connection to HP web-enabled printer and HP ePrint account registration (for a list of eligible printers, supported documents and image types and other HP ePrint details, see www.hp.com/go/eprintcenter). Print times and connection speeds may vary.

18. HP Support Assistant requires Windows and Internet access.

19. HP Driver Packs not preinstalled, however available for download at http://www.hp.com/go/clientmanagement.

20. HP Manageability Integration Kit can be downloaded from http://www8.hp.com/us/en/ads/clientmanagement/overview.html

21. Ivanti Management Suite subscription required.

22. HP Client Security Suite Gen 4 requires Windows and Intel® or AMD 8th generation processors.

23. HP Password Manager requires Internet Explorer or Chrome or FireFox. Some websites and applications may not be supported. User may need to enable or allow the add-on / extension in the internet browser.

24. Microsoft Defender requires Windows 10. Opt in and internet connection required for updates.

25. HP PhoneWise Client may not be available with HP Workwise. For supported platforms and HP PhoneWise system requirements see www.hp.com/go/HPPhoneWise.

26. HP Sure Start Gen4 is available on HP EliteBook products equipped with Intel[®] 8th generation processors.

27. HP Fingerprint Sensor sold separately or as an optional feature.

28. RAID configuration is optional and does require a second hard drive.

29. HP Sure Run is available on HP Elite products equipped with 8th generation Intel® or AMD® processors.

30. HP Sure Recover is available on HP Elite PCs with 8th generation Intel[®] or AMD processors and requires an open, wired network connection. Not available on platforms with multiple internal storage drives, Intel[®] Optane[™]. You must back up important files, data, photos, videos, etc. before use to avoid loss of data.

31. HP Sure Click is available on select HP platforms and supports Microsoft[®] Internet Explorer, Google Chrome, and Chromium[™]. Supported attachments include Microsoft Office (Word, Excel, PowerPoint) and PDF files in read only mode. Check http://h20195.www2.hp.com/v2/GetDocument.aspx?docname=4AA7-0922ENW for all compatible platforms as they become available.



Features

POWER

Power Supply

HP Smart 150 W Slim External AC power adapter

Primary Battery

HP Long Life 6-cell, 95.6 Wh Li-ion polymer ^{32, 33} HP Long Life 4-cell, 64 Wh Li-ion polymer ^{32, 33}

Power Cord

1.0m 3-wire plug (with ground pin)

Battery Life

Up to 16 hours ³⁹

32. Recharges the battery up to 50% within 30 minutes when the system is off or in standby mode. Power adapter with a minimum capacity of 65 watts is required. After charging has reached 50% capacity, charging will return to normal. Charging time may vary +/-10% due to System tolerance.

33. Recharges the battery up to 90% within 90 minutes when the system is off or in standby mode when used with the power adapter provided with the notebook. After charging has reached 90% capacity, charging speed will return to normal. Charging time may vary +/-10% due to System tolerance

39. Windows 10 MM14 battery life will vary depending on various factors including product model, configuration, loaded applications, features, use, wireless functionality, and power management settings. The maximum capacity of the battery will naturally decrease with time and usage. See www.bapco.com for additional details.

WEIGHTS & DIMENSIONS

Weight

Starting at 4.54 lb ³⁴ Starting at 2.06 kg ³⁴

Dimensions (w x d x h)

14.17 x 9.65 x 0.74 in 36 x 25.4 x 1.89 cm

34. Weight will vary by configuration.



Features

Ports

2 USB 3.1 Type-C[™] with Thunderbolt[™] support
1 USB 3.0 (charging)
1 USB 3.0
1 HDMI 2.0 (with Discrete graphics) ³⁵
1 HDMI 1.4 (with Integrated graphics) ³⁵
1 Headphone/microphone combo jack
1 AC power port

Expansion Slots

1 SD Media Reader Slot Supports SD, SDHC, SDXC

35. Cables are not included.

SERVICE AND SUPPORT

HP Services offers 1 year and 90 day limited warranty options depending on country. Batteries have a default one year limited warranty except for Long Life batteries which will have same 1-year or 3-year limited warranty as the platform. Onsite service and extended coverage is also available. HP Care Pack Services are optional extended service contracts that go beyond the standard limited warranties. Service levels and response times for HP Care Packs may vary depending on your geographic location. To choose the right level of service for your HP product, use the HP Care Pack Services Lookup Tool at: http://www.hp.com/go/cpc ³⁶

36. HP Care Packs are sold separately. Service levels and response times for HP Care Packs may vary depending on your geographic location. Service starts on date of hardware purchase. Restrictions and limitations apply. For details, visit www.hp.com/go/cpc. HP services are governed by the applicable HP terms and conditions of service provided or indicated to Customer at the time of purchase. Customer may have additional statutory rights according to applicable local laws, and such rights are not in any way affected by the HP terms and conditions of service or the HP Limited Warranty provided with your HP Product.

Features

ENVIRONMENTAL & INDUSTRY

HP EliteBook 1050 G1 Notebook PC

Eco-Label Certifications	This product has received or is in the process of being certified to the following approvals and may				
& declarations	be labeled with one or more of the		- ··· •		
	• IT ECO declaration				
	•US ENERGY STAR [®]				
	• EPEAT [®] Gold registered in the Ur	nited States. See http://www.epeat	.net for registration status in		
	your country. Search keyword ger	erator on HP's 3rd party option sto	ore for solar generator		
	accessories at http://www.hp.com		5		
System Configuration	_	nergy Consumption and Declared	Noise Emissions data for the		
	Notebook model is based on a Typ	pically Configured Notebook.			
Energy Consumption					
(in accordance with US					
ENERGY STAR® test					
method)	115VAC, 60Hz	230VAC, 50Hz	100VAC, 60Hz		
Normal Operation	14.76 W	14.96 W	14.65 W		
Normal Operation (Short idle)	14.76 W	14.96 W	14.05 W		
Normal Operation	6.01 W	6.47 W	6.17 W		
(Long idle)					
Sleep	0.78 W	0.82 W	0.76 W		
Off	0.58 W	0.58 W	0.54 W		
	NOTE: Energy efficiency data liste	ed is for an ENERGY STAR [®] complia	nt product if offered within the		
	NOTE: Energy efficiency data listed is for an ENERGY STAR [®] compliant product if offered within the model family. HP computers marked with the ENERGY STAR [®] Logo are compliant with the applicable				
	U.S. Environmental Protection Agency (EPA) ENERGY STAR [®] specifications for computers. If a model				
	family does not offer ENERGY STAR [®] compliant configurations, then energy efficiency data listed is				
	for a typically configured PC featuring a hard disk drive, a high efficiency power supply, and a				
	Microsoft Windows [®] operating system.				
Heat Dissipation*	115VAC, 60Hz	230VAC, 50Hz	100VAC, 60Hz		
P	,	,	,		
Normal Operation	50 BTU/hr	50 BTU/hr	50 BTU/hr		
(Short idle)					
Normal Operation	21 BTU/hr	22 BTU/hr	21 BTU/hr		
(Long idle)					
Sleep	3 BTU/hr	3 BTU/hr	3 BTU/hr		
Off	2 BTU/hr	2 BTU/hr	2 BTU/hr		
	NOTE: Heat dissination is calcula	ted based on the measured watts	assuming the service level is		
	attained for one hour.				
	attained for one nour.				



Features

Declared Noise Emissions		Sound Power	Sc	ound Pressure
(in accordance with	(L _{wad} , bels)			_{pAm} , decibels)
ISO 7779 and ISO 9296)		(LWAG, DELS)		pam, decidets/
ISU / / /9 and ISU 9296)				
Typically Configured – Idle		2.8		16
Typically configured falle		2.0		10
Fixed Disk – Random		3.3		25
writes				
Longevity and Upgrading		can be upgraded, possibly extending its /or components contained in the produc		ral years. Upgradeable
	Spare parts a production.	re available throughout the warranty p	eriod and or for up	to 5 years after the end of
Batteries		s) in this product comply with EU Direct	ve 2006/66/EC	
	Ratteries use	ed in the product do not contain:		
		iter the1ppm by weight		
		eater than 20ppm by weight		
	Battory cizo:	CR2032 (coin cell)		
	Battery type:			
Additional Information		t is in compliance with the Restrictions	of Hazardous Subs	tances (RoHS) directive -
	2011/65/EC.			
	• This HP pro Directive – 20	duct is designed to comply with the Wa	ste Electrical and E	lectronic Equipment (WEEE)
		t is in compliance with California Propo	sition 65 (State of (alifornia: Safe Drinking
		oxic Enforcement Act of 1986).		Sur Drinking
	• This product is in compliance with the IEEE 1680 (EPEAT) standard at the <gold> level in the U.S. See http://www.epeat.net for registration status by country. Search keyword generator on HP's 3rd party option store for solar generator accessories at http://www.hp.com/go/options</gold>			
		ts weighing over 25 grams used in the p		per IS011469 and IS01043.
		t contains 0% post-consumer recycled		- f 1: f -
Packaging Materials	• This produc External:	t is 95.1% recycle-able when properly on PAPER/Corrugated	lisposed of at end o	295 g
rackaying riateriats			-	_
	Internal:	PLASTIC/Polyethylene Expanded - EP		50 g
Material Usage	Thic product	PLASTIC/Polyethylene low density – does not contain any of the following s		10 g
Material Usage		neral Specification for the Environment		s of regulatory limits (refer
		p.com/hpinfo/globalcitizenship/enviro		F)·
	 Asbestos 	······································		
	• Certain Azo	Colorants		
	 Certain Bro 	minated Flame Retardants – may not be	e used as flame reta	ardants in plastics
	 Cadmium Chlorinated Hydrocarbons Chlorinated Paraffins Formaldehyde Halogenated Diphenyl Methanes Lead carbonates and sulfates Lead and Lead compounds Mercuric Oxide Batteries Nickel – finishes must not be used on the external surface designed to be frequently handled or carried by the user. 			
				be frequently handled or
	Ozone Depleting Substances			



Features

	Polybrominated Biphenyls (PBBs)
	Polybrominated Biphenyl Ethers (PBBEs)
	Polybrominated Biphenyl Oxides (PBBOs)
	 Polychlorinated Biphenyl (PCB) Polychlorinated Terphenyls (PCT)
	• Polyvinyl Chloride (PVC) – except for wires and cables, and certain retail packaging has been
	voluntarily removed from most applications.
	Radioactive Substances
	• Tributyl Tin (TBT), Triphenyl Tin (TPT), Tributyl Tin Oxide (TBTO)
Packaging Usage	This product does not contain any of the following substances in excess of regulatory limits (refer
555	to the HP General Specification for the Environment at
	http://www.hp.com/hpinfo/globalcitizenship/environment/pdf/gse.pdf):
	• Asbestos
	Certain Azo Colorants
	• Certain Brominated Flame Retardants – may not be used as flame retardants in plastics
	• Cadmium
	Chlorinated Hydrocarbons
	Chlorinated Paraffins
	• Formaldehyde
	Halogenated Diphenyl Methanes
	Lead carbonates and sulfates
	Lead and Lead compounds
	Mercuric Oxide Batteries
	• Nickel – finishes must not be used on the external surface designed to be frequently handled or
	carried by the user.
	Ozone Depleting Substances
	Polybrominated Biphenyls (PBBs)
	Polybrominated Biphenyl Ethers (PBBEs)
	Polybrominated Biphenyl Oxides (PBBOs)
	Polychlorinated Biphenyl (PCB)
	• Polychlorinated Terphenyls (PCT)
	 Polyvinyl Chloride (PVC) – except for wires and cables, and certain retail packaging has been
	voluntarily removed from most applications.
	Radioactive Substances
	Tributyl Tin (TBT), Triphenyl Tin (TPT), Tributyl Tin Oxide (TBTO)
End-of-life Management	HP Inc. offers end-of-life HP product return and recycling programs in many geographic areas. To
and Recycling	recycle your product, please go to: http://www.hp.com/go/reuse-recycle or contact your nearest HP
	sales office. Products returned to HP will be recycled, recovered or disposed of in a responsible
	manner.
	The EU WEEE directive (2002/95/EC) requires manufacturers to provide treatment information for
	each product type for use by treatment facilities. This information (product disassembly
	instructions) is posted on the Hewlett Packard web site at: http://www.hp.com/go/recyclers. These
	instructions may be used by recyclers and other WEEE treatment facilities as well as HP OEM
	customers who integrate and re-sell HP equipment.
	Global Citizenship Report



Features

http://www.hp.com/hpinfo/globalcitizenship/gcreport/index.html
Eco-label certifications
http://www8.hp.com/us/en/hp-information/environment/ecolabels.html
ISO 14001 certificates:
http://www.hp.com/hpinfo/globalcitizenship/environment/pdf/PC_GBU_Product_Design_ISO_14K _Certificate.pdf
and
http://www.hp.com/hpinfo/globalcitizenship/environment/pdf/cert.pdf



Technical Specifications

SYSTEM UNIT

Stand-Alone Power	Nominal Operating	19V
Requirements (AC Power)	Voltage	
	Average Operating Power	Win 10
	Integrated graphics	
	Discrete Graphics	< 1 FOW
Townsersture	Max Operating Power Operating	< 150W 32° to 95° F (0° to 35° C) (not writing optical)
Temperature	Operating	-41° to 95° F (5° to 35° C) (writing optical)
	Non-operating	-4° to 140° F (-20° to 60° C)
Relative Humidity	Operating	10% to 90%, non-condensing
	Non-operating	5% to 95%, 101.6° F (38.7° C) maximum wet bulb temperature
Shock	Operating	Half sine wave shock: 40G, 2ms duration
	Non-operating	Half sine wave shock: 240G, 2ms duration
Random Vibration	Operating	Nominal 0.75 grms
	Non-operating	Nominal 1.50 grms
Altitude (unpressurized)	Operating	-50 to 10,000 ft (-15.24 to 3,048 m)
	Non-operating	-50 to 40,000 ft (-15.24 to 12,192 m)
Planned Industry Standard	UL	Yes
Certifications	CSA	Yes
	FCC Compliance	Yes
	ENERGY STAR 6.0 [®]	Selected models ¹
	EPEAT	Gold ²
	ICES	Planned
	Australia /	Yes
	NZ A-Tick Compliance	Yes
	כככ	Yes
	Japan VCCI Compliance	Yes
	КС	Yes
	BSMI	Yes
	CE Marking Compliance	Yes
	BNCI or BELUS	Planned
	CIT	Planned
	GOST	Yes
	Saudi Arabian Compliance (ICCP)	e Planned
	SABS	Planned
	UKRSERTCOMPUTER	Planned

1. Configurations of the HP EliteBook 1050 G1 that are ENERGY STAR[®] qualified are identified as HP EliteBook 1050 G1 ENERGY STAR on HP websites and on http://www.energystar.gov.

2. EPEAT[®] registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country. Search keyword generator on HP's 3rd party option store for solar generator accessories at www.hp.com/go/options.



Technical Specifications

DISPLAYS

Panel LCD 15.6 inch FHD (1920x1080) Anti-Glare WLED UWVA 72percent cg 400nits eDP 1.3 + PSR slim N.B.

Outline Dimensions (W x H x D)	350.96 x 216.75 (mm) max.
Active Area	344.16 x 193.59 (mm) typ.
Weight	370 g (max)
Diagonal Size	15.6 (inch)
Thickness	3.2 (mm) max.
Interface	eDP 1.3 + PSR (2 lane)
Surface Treatment	Anti-glare (AG)
Touch Enabled	N/A
Contrast Ratio	600:1 (typical)
Refresh Rate	60 Hz
Brightness	400 nit typical
Pixel Resolution	1920 X 1080 (FHD)
Format	RGB
Backlight	LED
Color Gamut Coverage	72% (sRGB)
Color Depth	6bit (Hi FRC supportive w/ condition to enable)
Viewing Angle	85/85/85/85 (Left/Right/Down/Up) (typical)



Panel LCD 15.6 inch FHD (1920x1080) Anti-Glare WLED UWVA 72percent cg 650nits eDP 1.4+PSR ultraslim NB

Privacy

Technical Specifications

Outline Dimensions (W × H × D)	350.96 x 216.75 (mm) max.
Active Area	344.16 x 193.59 (mm) typ.
Weight	320 g (max)
Diagonal Size	15.6 (inch)
Thickness	2.6typ.2.8max (mm)
Interface	eDP 1.3 + PSR (2 lane)
Surface Treatment	Anti-glare (AG)
Touch Enabled	N/A
Contrast Ratio	Sharing mode: 600:1 (typ.) Privacy mode: 150:1 (typ.) 110:1(min.)
Refresh Rate	120 Hz
Brightness	650 nit typical
Pixel Resolution	1920 X 1080 (FHD)
Format	RGB
Backlight	LED
Color Gamut Coverage	Sharing mode: 72% (sRGB) Privacy mode: 60% (sRGB)
Color Depth	6bit + FRC
Viewing Angle	Sharing mode: 85/85/85/85 Privacy mode: 50/50/85/85



Panel LCD 15.6 inch UHD

UWVA 72percent cq 400nits

eDP 1.3 + PSR ultraslim N.B.

Technical Specifications

Outline Dimensions 350.96 x 216.75 (mm) max. (3840x2160) Anti-Glare WLED $(W \times H \times D)$ **Active Area** 344.2176 x 193.6224 (mm) typ. 320 g (max) Weight **Diagonal Size** 15.6 (inch) Thickness 2.6 (mm) max. Interface eDP 1.3 + PSR (4 lane) Surface Treatment Anti-glare (AG) **Touch Enabled** N/A **Contrast Ratio** 1200:1 (typical) **Refresh Rate** 60 Hz Brightness 400 nit typical **Pixel Resolution** 3840 x 2160 (UHD) Format RGB Backlight LED **Color Gamut Coverage** 72% (sRGB) **Color Depth** 6bit (Hi FRC supportive w/ condition to enable) **Viewing Angle** 85/85/85/85 (Left/Right/Down/Up) (typical)

NOTE: All specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.



Technical Specifications

STORAGE

(III)

SSD 1TB 2280 PCIe-3x4 NVMe Three Layer Cell single-sided	Form Factor	M.2 2280		
The Layer Cell Single-Sheu	Capacity	1TB		
	NAND Type	TLC		
	Height	0.09 in (2.3 mm)		
	Width	0.87 in (22 mm)		
	Weight	0.02 lb (<10 g)		
	Interface	PCIe NVMe Gen3X4		
	Maximum Sequential Read	2900 MB/s~ 3000 MB/s		
	Maximum Sequential Write	Up to 2000 MB/s		
	Logical Blocks	2,000,409,264		
	Operating Temperature	32° to 158°F (0° to 70°C) [ambient temp]		
	Features	ATA Security, TRIM; L1.2		
SSD 256GB 2280 M2 PCIe-3x4 SS NVMe TLC	Form Factor	M.2 2280		
JS MUNICI LC	Capacity	256 GB		
	NAND Type	TLC		
	Height	0.09 in (2.3 mm)		
	Width	0.87 in (22 mm)		
	Weight	0.02 lb (<10 g)		
	Interface	PCIe NVMe Gen3X4		
	Maximum Sequential Read	2580 MB/s~ 2600 MB/s		
	Maximum Sequential Write	1000 MB/s~ 1100 MB/s		
	Logical Blocks	500,118,192		
	Operating Temperature	32° to 158°F (0° to 70°C) [ambient temp]		
	Features	ATA Security,TRIM; L1.2		
SSD 256GB 2280 M2 SATA-3	Form Factor	M.2 2280		
Self Encrypted OPAL2 Three Layer Cell	Capacity	256 GB		
	NAND Type	TLC		
	Height	0.09 in (2.3 mm)		
	Width	0.87 in (22 mm)		
	Weight	0.02 lb (<10 g)		
	Interface	АТА-8, ЅАТА 3.0		
	Maximum Sequential Read	530 MB/s~ 560 MB/s		
	Maximum Sequential Write	500 MB/s~ 530 MB/s		
	Logical Blocks	500,118,192		
	Operating Temperature	32° to 158°F (0° to 70°C) [ambient temp]		

Technical Specifications

	Features	ATA Security; TCG Opal 2.0, DIPM; TRIM; DEVSLP
SSD 256GB 2280 PCIe-3x4 Form Factor		M.2 2280
NVMe Self Encrypted OPAL2 Three Layer Cell	Capacity	256 GB
	NAND Type	TLC
	Height	0.09 in (2.3 mm)
	Width	0.87 in (22 mm)
	Weight	0.02 lb (<10 g)
	Interface	PCIe NVMe Gen3X4
	Maximum Sequential Read	2580 MB/s~ 2600 MB/s
	Maximum Sequential Write	1000 MB/s~ 1100 MB/s
	Logical Blocks	500,118,192
	Operating Temperature	32° to 158°F (0° to 70°C) [ambient temp]
	Features	ATA Security (Option); TCG Opal 2.0; TRIM; L1.2
SSD 2TB 2280 PCIe-3x4 NVMe Three Layer Cell single-sided	Form Factor	M.2 2280
rinee Layer Cell Single-Sideu	Capacity	2 TB
	NAND Type	TLC
	Height	0.09 in (2.3 mm)
	Width	0.87 in (22 mm)
	Weight	0.02 lb (<10 g)
	Interface	PCIe NVMe Gen3X4
	Maximum Sequential Read	Up to 2900MB/s
	Maximum Sequential Write	Up to 2100 MB/s
	Logical Blocks	3,907,029,168
	Operating Temperature	32° to 158°F (0° to 70°C) [ambient temp]
	Features	ATA Security, TRIM; L1.2
SSD 512GB 2280 M2 PCIe-3x4	Form Factor	M.2 2280
SS NVMe TLC	Capacity	512 GB
	NAND Type	TLC
	Height	0.09 in (2.3 mm)
	Width	0.87 in (22 mm)
	Weight	0.02 lb (<10 g)
	Interface	PCIe NVMe Gen3X4
	Maximum Sequential Read	2800 MB/s~ 2900 MB/s
	Maximum Sequential Write	1000 MB/s~ 1800 MB/s

Not all configuration components are available in all regions/countries c05987484 — DA16227— Worldwide — Version 8 — October 19, 2018

Technical Specifications

	Operating Temperature	32° to 158°F (0° to 70°C) [ambient temp]
	Features	ATA Security, TRIM; L1.2
SSD 512GB 2280 PCle-3x4	Form Factor	M.2 2280
NVMe Self Encrypted OPAL2 Three Layer Cell	Capacity	2 TB
Three Layer Cell	NAND Type	TLC
	Height	0.09 in (2.3 mm)
	Width	0.87 in (22 mm)
	Weight	0.02 lb (<10 g)
	Interface	PCIe NVMe Gen3X4
	Maximum Sequential Read	Up to 2900MB/s
	Maximum Sequential Write	Up to 2100 MB/s
	Logical Blocks	3,907,029,168
	Operating Temperature	32° to 158°F (0° to 70°C) [ambient temp]
	Features	ATA Security,TRIM; L1.2
SSD 512GB 2280 M2 SATA-3	Form Factor	M.2 2280
Three Layer Cell Federal	Capacity	512 GB
Information Processing Standard	NAND Type	TLC
	Height	0.09 in (2.3 mm)
	Width	0.87 in (22 mm)
	Weight	0.02 lb (<10 g)
	Interface	ACS-3, SATA 3.2
	Maximum Sequential Read	Up to 530MB/s
	Maximum Sequential Write	Up to 400MB/s
	Logical Blocks	1,000,215,215
	Operating Temperature	32° to 158°F (0° to 70°C) [ambient temp]
	Features	ATA Security; TCG Opal 2.0; FIPS; DIPM; TRIM; DEVSLP

NOTE: For storage drives, GB = 1 billion bytes. TB = 1 trillion bytes. Actual formatted capacity is less. Up to 30 GB (for Windows 10) is reserved for system recovery software.



Technical Specifications

POWER

AC Adapter 150 Watt Smart PFC Slim Barrel 4.5mm - Vesta	Dimensions Weight Input	6.02 x 2.60 x .87 in ((153 x 66 x 22 mm) 0.71 lbs (320 g) 100 to 240 VAC Input Efficiency 88% min at 115 VAC		
		Input frequency range	47 to 63 Hz	
		Input AC current		
	Output	-	2.9 A at 90 VAC, 1.45 A at 180 VAC 150W	
	output	Output power DC output	19.5V	
		-		
		Hold-up time	5 msec at 115 VAC input	
		Output current limit	<16A, Over voltage protection- 29V max automatic shutdown	
	Connector	3 pin/grounded, mates wi	th interchangeable cords	
	Environmental Design	Operating temperature	32° to 95° F (0° to 35° C)	
		Non-operating (storage) temperature	-4° to 185° F (-20° to 85° C)	
		Altitude	32° to 104° F (0° to 40° C)	
		Humidity	'-4° to 149° F (-20° to 65° C)	
		Storage Humidity	0 to 10,000 ft (0 to 3,048 m)	
	EMI and Safety Certifications	•		
Battery ZG 4 Cell WHr 64 Long Life -PL Fast Charge	Dimensions (H × W × L) Weight Cells/Type	7.9 x 3.49 x 0.32 in (20.08 x 8.86 x 0.81cm) 0.619lb (281g) 4-cell; Polymer		
	Energy	Voltage	15.4V	
	Liici gy	Amp-hour capacity	4.155Ah	
		Watt-hour capacity	64Wh	
	Temprature	Operating (Charging)	32° to 113° F (0° to 45° C)	
		Operating (Discharging)	14° to 140° F (-10° to 60° C)	
	Fuel Gauge LED	No		
	Optional Travel Battery Available	No		



Technical Specifications

Battery ZG 6 Cell WHr 95				
Long Life -PL Fast Charge	Dimensions (H x W x L)	13.02 x 3.51 x 0.319 in (33.08 x 8.92 x0.81cm)		
	Weight	1.12lb (420g)		
	Cells/Type	6-cell; Polymer		
	Energy	Voltage	11.55V	
		Amp-hour capacity	8.31Ah	
		Watt-hour capacity	95Wh	
	Temprature	Operating (Charging)	32° to 122°F (0° to 50° C)	
		Operating (Discharging)	14° to 140° F (-10° to 60° C)	
	Fuel Gauge LED	No		
	Warranty	3 year		
	Optional Travel Battery Available	No		

* 3-year platform warranty is required for a 3-year Long Life Battery warranty.

Docking station model	Total number of supported displays (incl. the notebook display)	Max.resolutions supported	Dock Connectors	Technical limitations
HP Elite 120W TB3 Dock	3	Dual 4K @ 60Hz	2xDP, 1xVGA, 1xTB	Dual 4k only with one display in to DP and + TB port or USB-C alt mode + TB port
HP USB-C Universal Dock	3	Single 4K @ 60Hz (3840 x 1440)	1xHDMI, 2xDP	
HP Thunderbolt Dock 230W G2	1 2 3 4 displays	4096 x 2160 @ 60Hz Dual 4K @ 60Hz supported but is dependent on host capability	1 USB-C [™] data and charging port (15W) 1 USB-C [™] DisplayPort [™] – data and charging (15W) 1 USB-C [™] Thunderbolt [™] port 2 USB 3.0 ports 1 USB 3.0 charging port 1 Power Adapter port 2 DisplayPort [™] ports 1 Ethernet port (10/100/1000) 1 combo audio port 1 Security lock slot	
HP USB-C Travel Dock	2	Dual 4K @ 60Hz	2xDP	Single external display Only HDMI or VGA at the time
HP USB-C Mini Dock	2	Single 5K @ 60Hz	1xHDMI, 1xVGA	Single external display Only HDMI or VGA at the time



Technical Specifications



HP EliteBook 1050 G1

Technical Specifications

COUNTRY OF ORIGIN

China



Summary of Changes

Date of change:	Version History:		Description of change:	
June 28, 2018	v1 to v2	Added	Environmental tab	
August 15, 2018	v2 to v3	Updated	Display section, Software Workwise, at a glance and Docking	
September 26, 2018	v3 to v4	Updated	Power section, footnote 33	
October 5, 2018	v4 to v5	Update	Compatibility section and it's specs added	
October 16, 2018	v5 to v6	Update	Specs for HP Thunderbolt Dock 230W G2 compatibility added.	
October 17, 2018	V6 to v7	Update	Footnotes 32 and 33 set on Power section page 13.	
October 19, 2018	V7 to V8		Thunderbolt Dock Audio Module row removed from supported displays specs table at Power section	

Copyright © 2018 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products are set forth in the express limited warranty statements accompanying such products. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. Intel, Core, Thunderbolt and Intel vPro are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries. NVIDIA, the NVIDIA logo, GeForce are trademarks and/or registered trademarks of VIDIA Corporation in the U.S. and other countries. USB Type-C[™] and USB-C[™] are trademarks of USB Implementers Forum. SD, SDHC and SDXC are registered trademarks of SD-3C in the United States, other countries or both. ENERGY STAR is a registered trademark of the U.S. Environmental Protection Agency. Microsoft and Windows are either registered trademarks or trademarks or Microsoft Corporation in the United States and/or other countries.

