

	GE		GRAPHICS APPROVAL Approvals designate all items on	SKU LISTING INFO: REVISION (DATE) PA:	93129894 NPI CYNC Thermostate 6421602 1 (05-26-21) CN
	Lighting		checklist have been reviewed & are correct in addition to other	BAR CODE SPEC:	☐ 100% No BWR ☐ 80% No BWR ■ N/A
	A SAVANT COMPANY		organizational responsibilities.	INSERT (IF SHARED):	None
	REVIEWED DATE	SIGNATURE	PACKAGING GRAPHICS	SUPPLIER PROJECT:	N/A
_				PRINT METHOD:	Offset/Litho Flexo (direct)
PMS Cool Gray 11 C	☐ Proof Re	ading – Spelling	Website	GE DIE:	DL-61236
	Proof against TDS reques			PK (VERSION):	PK-00107047-1

PC93129894 TRC THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER





PC93129894 HSC

THIS ART IS SUPPLIED AT 100% SCALE
DO NOT RESIZE. RESHAPE OR ALTER



	GE GRAPHICS APPR OVAL	SKU LISTING INFO:	93129894 NPI CYNC Thermostate 6421602
Process Process	Approvals designate all items on	DEVICION (DATE) DA.	1 (05-27-21) CN
CYAN MAGENTA	Lighting checklist have been reviewed & are correct in addition to other	BAR CODE SPEC:	☐ 100% No BWR ☐ 80% No BWR ■ N/A
	A SAVANT COMPANY organizational responsibilities.	INSERT (IF SHARED):	NONE
Process YELLOW BLACK	REVIEWED SIGNATURE PACKAGING GRAPHICS	SUPPLIER PROJECT:	N/A
		PRINT METHOD:	☐ Offset/Litho ☐ Flexo (direct)
	☐ Proof Reading - Spelling ☐ Website	GE DIE	NOT CONTROLLED
PMS COOL GRAY 11	Proof against TDS request Graphics Printability	PK (VERSION):	PK-00107051-1

PC93129894 QSG

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

4.5"

Let's See What Your Smart Thermostat Can Do



4.5"

Takes control of your climate

Schedule your Smart Thermostat in the **Cync App** to optimize your comfort and maximize energy savings



Makes comfort more consistent


Pair your Smart Thermostat with a **room sensor** (sold separately) to provide comfortable temperatures throughout your home



Helps set your perfect scenes

Create scenes in the **Cync App** with your Smart Thermostat and Cync or C by GE Smart Bulbs to create the perfect environment, like a going to bed scene that slowly dims the lights as the temperature decreases.


PK-00107051-1




PC93129894 QSG

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

4.5" **Smart Thermostat Controls** HEATING *COOLING > * SCHEDULE HEAT Increase Temperature Decrease Temperature Change Fan Mode Change Mode Change Hold Status · On (Runs continuously) · Auto · Schedule (Run your schedule) · Hold (Maintains current temperature · Auto (Runs when Heat setpoint indefinitely heating or cooling) · Cool remporary Hold (Maintains current · Off temperature setpoint until next scheduled event)



4.5"



PC93129894 ING

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

	GE		ODADUUGG ADDD OVAL	SKU LISTING INFO:	93129894 NPI CYNC Thermostate 6421602	
Process Process	The second second second		GRAPHICS APPR OVAL Approvals designate all items on	REVISION (DATE) PA:	1 (05-27-21) CN	
CYAN MAGENTA	Light	ing	checklist have been reviewed & are correct in addition to other	BAR CODE SPEC:	☐ 100% No BWR ☐ 80% No BWR ■ N/A	
	A SAVANT COMP.		organizational responsibilities	INSERT (IF SHARED):	NONE	
Process YELLOW BLACK	REVIEWED DATE	SIGNATURE	PACKAGING GRAPHICS	SUPPLIER PROJECT:	N/A	
				PRINT METHOD:	☐ Offset/Litho ☐ Flexo (direct)	
	☐ Proof Rea	iding - Spelling	Website	GE DIE	NOT CONTROLLED	
PMS PMS Cool Gray 6 C COOL GRAY 11			st Graphics Printability	PK (VERSION):	PK-00107052-1	

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

A SAVANT COMPANY REVIEWED DATE Process BLACK ☐ Proof Reading - Spelling ☐ Website PMS COOL GRAY 11 Proof against TDS request Graphics Printability 4.5" **Compatibility Requirements** Simple DIY Set Up

The Cync™ Smart Thermostat works with most central residential heating and cooling systems. **Heating:** Up to 2 stages Cooling: Up to 2 stages Download the Cync App, powered by Savant, **Heat Pumps:** Up to 4 heating stages and up to 2 cooling stages on your smartphone Install your Thermostat Add your Thermostat to the Cync App NOTE: If you're installing the thermostat without the Cync App, skip to page 16 for For set up help, visit support.gelighting.com or call 1-844-302-2943 PC93129894 ING

1 (05-27-21) CN

NOT CONTROLLED

PK-00107052-1

NONE

N/A

93129894 NPI CYNC Thermostate 6421602

☐ Offset/Litho ☐ Flexo (direct)

☐ 100% No BWR ☐ 80% No BWR ■ N/A

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

SKU LISTING INFO:

REVISION (DATE) PA:

BAR CODE SPEC:

INSERT (IF SHARED):

SUPPLIER PROJECT:

PRINT METHOD:

PK (VERSION):

GE DIE

4.5"


GRAPHICS APPR OVAL

Approvals designate all items or checklist have been reviewed & are correct in addition to other

organizational responsibilities.

PACKAGING GRAPHICS

SIGNATURE



4.5"

PC93129894 ING

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

4.5" 4.5" Let's Do It INCLUDED YOU'LL NEED Thermostat Back Plate Trim Plate (Optional) Phillips Screwdriver Anchors (1/4" drill bit) Power Extender Kit 2 Screws & Wire Labels (Required when C-wire 2 Wall Anchors isn't present)

93129894 NPI CYNC Thermostate 6421602 SKU LISTING INFO: **GRAPHICS APPR OVAL** 1 (05-27-21) CN REVISION (DATE) PA: Approvals designate all items or checklist have been reviewed & are correct in addition to other ☐ 100% No BWR ■ 80% No BWR ■ N/A BAR CODE SPEC: organizational responsibilities. NONE A SAVANT COMPANY INSERT (IF SHARED): REVIEWED DATE Process SIGNATURE PACKAGING GRAPHICS SUPPLIER PROJECT: N/A BLACK ☐ Offset/Litho ☐ Flexo (direct) PRINT METHOD: NOT CONTROLLED GE DIE Proof Reading - Spelling Website PMS Cool Gray & C PMS COOL GRAY 11 Proof against TDS request Graphics Printability PK-00107052-1 PK (VERSION):

PC93129894 ING

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

		GE		ODADUIOS ADDD OVAL	SKU LISTING INFO:	93129894 NPI CYNC Thermostate 6421602
Process	Process			GRAPHICS APPR OVAL Approvals designate all items on	REVISION (DATE) PA:	1 (05-27-21) CN
CYAN	CYAN MAGENTA	Lighting		checklist have been reviewed & are correct in addition to other	BAR CODE SPEC:	☐ 100% No BWR ☐ 80% No BWR ■ N/A
	A SAVANT COMPANY		organizational responsibilities.	INSERT (IF SHARED):	NONE	
Process YELLOW	Process BLACK	REVIEWED DATE	SIGNATURE	PACKAGING GRAPHICS	SUPPLIER PROJECT:	N/A
					PRINT METHOD:	☐ Offset/Litho ☐ Flexo (direct)
		☐ Proof Red	ading - Spelling	☐ Website	GE DIE	NOT CONTROLLED
PMS Cool Gray 6 C	PMS COOL GRAY 11	☐ Proof ago	ainst TDS reque	st Graphics Printability	PK (VERSION):	PK-00107052-1

4.5"

PC93129894 ING

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

93129894 NPI CYNC Thermostate 6421602 SKU LISTING INFO: **GRAPHICS APPR OVAL** 1 (05-27-21) CN REVISION (DATE) PA: Approvals designate all items or checklist have been reviewed & are correct in addition to other ☐ 100% No BWR ■ 80% No BWR ■ N/A BAR CODE SPEC: organizational responsibilities. A SAVANT COMPANY INSERT (IF SHARED): REVIEWED DATE Process SIGNATURE PACKAGING GRAPHICS SUPPLIER PROJECT: N/A BLACK ☐ Offset/Litho ☐ Flexo (direct) PRINT METHOD: NOT CONTROLLED GE DIE Proof Reading - Spelling Website PMS COOL GRAY 11 ☐ Proof against TDS request ☐ Graphics Printability PK-00107052-1 PK (VERSION):

4.5" 4.5" BEFORE YOU DO ANYTHING! **Choosing a Location** Turn Off the Power! To ensure proper temperature and humidity reading, please install your thermostat in a location that meets the following requirements: STEP 1 Power off your HVAC System. ON ES Before doing anything, power off your system. Check for a master switch at On an interior wall 4' to 6' above the floor your HVAC equipment. If there isn't a master switch, please turn off the power at the circuit breaker box. Away from grills and Out of direct sunlight registers or other heating and cooling sources For set up help, visit support.gelighting.com or call 1-844-302-2943

PC93129894 ING

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

	GE G	DARWOO ARRE OVAL	SKU LISTING INFO:	93129894 NPI CYNC Thermostate 6421602	
Process Process	An	RAPHICS APPR OVAL provals designate all items on	REVISION (DATE) PA:	1 (05-27-21) CN	
CYAN MAGENTA		ecklist have been reviewed & e correct in addition to other	BAR CODE SPEC:	☐ 100% No BWR ☐ 80% No BWR ■ N/A	
	A SAVANT COMPANY Or	organizational responsibilities.	INSERT (IF SHARED):	NONE	
Process Process PLACK	REVIEWED SIGNATURE	PACKAGING GRAPHICS	SUPPLIER PROJECT:	N/A	
			PRINT METHOD:	Offset/Litho Flexo (direct)	
	☐ Proof Reading - Spelling	Website	GE DIE	NOT CONTROLLED	
PMS PMS Cool Gray 6 C COOL GRAY 11	☐ Proof against TDS request		PK (VERSION):	PK-00107052-1	

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

4.5" **Label the Wires** STEP 2 STEP 1 Remove the cover from the old Please take a picture of the thermostat. If you don't see screws wires coming out of the wall for reference later. on the thermostat, it should just pull off. STEP 3 ▲ If the old thermostat has 110/120V wires with wire nuts, it Using the wire labels provided, is a high voltage system and label each wire based on where it's not compatible with the Cync™ connected to the old thermostat base Thermostat. NOTE: if your thermostat is using "W" and "Y" terminals, please use the "W1" and "Y1" labels, respectively If you don't have a common wire, labeled "C", please go to Install RC RH G Y W C Power Extender Kit on page 16. If you used the common wire, labeled "C" above, please go to the next page

For set up help, visit support.gelighting.com or call 1-844-302-2943

93129894 NPI CYNC Thermostate 6421602 SKU LISTING INFO: **GRAPHICS APPR OVAL** 1 (05-27-21) CN REVISION (DATE) PA: Approvals designate all items on checklist have been reviewed & are correct in addition to other ☐ 100% No BWR ☐ 80% No BWR ■ N/A BAR CODE SPEC: organizational responsibilities. A SAVANT COMPANY INSERT (IF SHARED): REVIEWED DATE Process SIGNATURE PACKAGING GRAPHICS SUPPLIER PROJECT: N/A BLACK ☐ Offset/Litho ☐ Flexo (direct) PRINT METHOD: NOT CONTROLLED GE DIE Proof Reading - Spelling Website PMS Cool Gray & C PMS COOL GRAY 11 Proof against TDS request Graphics Printability PK-00107052-1 PK (VERSION):

PC93129894 ING

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

	GE GRAPHICS APPR OVAL	SKU LISTING INFO:	93129894 NPI CYNC Thermostate 6421602
Process Process	Approvals designate all items on	REVISION (DATE) PA:	1 (05-27-21) CN
CYAN MAGENTA	LIGITIO are correct in addition to other	BAR CODE SPEC:	☐ 100% No BWR ☐ 80% No BWR ■ N/A
	A SAVANT COMPANY organizational responsibilities.	INSERT (IF SHARED):	NONE
Process YELLOW BLACK	REVIEWED SIGNATURE PACKAGING GRAPHICS	SUPPLIER PROJECT:	N/A
		PRINT METHOD:	Offset/Litho Flexo (direct)
	☐ Proof Reading - Spelling ☐ Website	GE DIE	NOT CONTROLLED
PMS PMS Cool Gray 6 C COOL GRAY 11	Proof against TDS request Graphics Printability	PK (VERSION):	PK-00107052-1

93129894 NPI CYNC Thermostate 6421602 SKU LISTING INFO: **GRAPHICS APPR OVAL** 1 (05-27-21) CN REVISION (DATE) PA: Approvals designate all items or checklist have been reviewed & are correct in addition to other ☐ 100% No BWR ☐ 80% No BWR ■ N/A BAR CODE SPEC: organizational responsibilities. NONE A SAVANT COMPANY INSERT (IF SHARED): REVIEWED DATE Process SIGNATURE PACKAGING GRAPHICS SUPPLIER PROJECT: N/A BLACK ☐ Offset/Litho ☐ Flexo (direct) PRINT METHOD: NOT CONTROLLED GE DIE Proof Reading - Spelling Website PMS COOL GRAY 1 Proof against TDS request Graphics Printability PK-00107052-1 PK (VERSION):

PC93129894 ING

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

Attach Back Plate To Wall (optional)

STEP 1

Remove the old thermostat base by unscrewing it from the wall. Be sure the wires don't fall back into the wall.

STEP 2

Position the back plate on the wall and use the built-in level to make sure it's straight. Mark the mounting locations on the wall with a pencil. If installing in a new location, follow the location recommendations on page 6.


STEP 3

Drill mounting holes for the drywall anchors using 1/4" drill bit.

STEP 4

4.5"

Insert the wall anchors and position the back plate so that it aligns with the mounting holes. If the mounting holes from your old thermostat are still visible, proceed to the **Attach Trim Plate To Wall** instructions on page 11. If the back plate covers the the old holes, insert and tighten the screws with a Phillips screwdriver and proceed to the **Connect Wires** step on the next page.



STEP 1

If the trim plate is needed, place it between the back plate and the wall and then secure the back plate to the wall using the provided screws. You may have to center the trim plate with the back plate before tightening the screws down.

For set up help, visit support.gelighting.com or call 1-844-302-2943

PC93129894 ING

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

		GE	GRAPHICS APPR OVAL	SKU LISTING INFO:	93129894 NPI CYNC Thermostate 6421602
Process	Process	The second secon	Approvals designate all items on	REVISION (DATE) PA:	1 (05-27-21) CN
CYAN	MAGENTA	Lighting	checklist have been reviewed & are correct in addition to other organizational responsibilities.	BAR CODE SPEC:	☐ 100% No BWR ☐ 80% No BWR ■ N/A
		A SAVANT COMPANY		INSERT (IF SHARED):	NONE
Process YELLOW	Process BLACK	REVIEWED SIGNATURE	PACKAGING GRAPHICS	SUPPLIER PROJECT:	N/A
				PRINT METHOD:	☐ Offset/Litho ☐ Flexo (direct)
		Proof Reading - Spellin	g Website	GE DIE	NOT CONTROLLED
PMS Cool Gray 6 C	PMS COOL GRAY 11		est Graphics Printability	PK (VERSION):	PK-00107052-1

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

4.5" 4.5" **Connect Wires** Turn the Power Back On STEP 1 Press the lever to slide the wire into the terminal. The lever will STEP 1 stay depressed when the wire Power on your HVAC equipment ON DE OFF and your Cync™ Thermostat will Insert Y Label into Y1 terminal automatically power on. Insert W Label into W1 terminal nsert G Label into G empine STEP 2 Insert & Label into Oterming Follow the directions in the Cync™ Once inserted, give the wire a App to finish the setup process. little tug to ensure it is securely in place. To release, press the lever of the terminal block and pull out the wire. Once all the wires are installed, try and push excess wires back into For set up help, visit support gelighting.com or call 1-844-302-2943 the wall STEP 2 Attach the Cvnc™ thermostat Congratulations! to the wall plate. You've completed the Thermostat installation

93129894 NPI CYNC Thermostate 6421602 SKU LISTING INFO: **GRAPHICS APPR OVAL** 1 (05-27-21) CN REVISION (DATE) PA: Approvals designate all items or checklist have been reviewed & are correct in addition to other ☐ 100% No BWR ■ 80% No BWR ■ N/A BAR CODE SPEC: organizational responsibilities. A SAVANT COMPANY INSERT (IF SHARED): REVIEWED DATE Process SIGNATURE PACKAGING GRAPHICS SUPPLIER PROJECT: N/A BLACK ☐ Offset/Litho ☐ Flexo (direct) PRINT METHOD: NOT CONTROLLED GE DIE ☐ Proof Reading - Spelling ☐ Website PMS COOL GRAY 11 Proof against TDS request Graphics Printability PK-00107052-1 PK (VERSION):

PC93129894 ING

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

		GE	GRAPHICS APPR OVAL	SKU LISTING INFO:	93129894 NPI CYNC Thermostate 6421602
Process	Process	The second secon	Approvals designate all items on	REVISION (DATE) PA:	1 (05-27-21) CN
CYAN	MAGENTA	Lighting	checklist have been reviewed & are correct in addition to other organizational responsibilities.	BAR CODE SPEC:	☐ 100% No BWR ☐ 80% No BWR ■ N/A
		A SAVANT COMPANY		INSERT (IF SHARED):	NONE
Process	Process BLACK	REVIEWED SIGNATURE	PACKAGING GRAPHICS	SUPPLIER PROJECT:	N/A
				PRINT METHOD:	☐ Offset/Litho ☐ Flexo (direct)
		Proof Reading - Spellir	ng Website	GE DIE	NOT CONTROLLED
PMS Cool Gray 6 C	PMS COOL GRAY 11		est Graphics Printability	PK (VERSION):	PK-00107052-1

93129894 NPI CYNC Thermostate 6421602 SKU LISTING INFO: **GRAPHICS APPR OVAL** 1 (05-27-21) CN REVISION (DATE) PA: Approvals designate all items or checklist have been reviewed & are correct in addition to other ☐ 100% No BWR ☐ 80% No BWR ■ N/A BAR CODE SPEC: organizational responsibilities. NONE A SAVANT COMPANY INSERT (IF SHARED): REVIEWED DATE Process SIGNATURE PACKAGING GRAPHICS SUPPLIER PROJECT: N/A BLACK ☐ Offset/Litho ☐ Flexo (direct) PRINT METHOD: NOT CONTROLLED GE DIE Proof Reading - Spelling Website PMS PMS Proof against TDS request Graphics Printability PK-00107052-1 PK (VERSION):

PC93129894 ING

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

Optimize The Temperature In The Room **Enable Your Voice Assistant** (Room Sensor sold separately) The optional Room Sensors (sold separately) measures the temperature Click settings in the Cync App. Then click the voice assistant you'd like to enable and follow the in-app setup instructions. away from your thermostat. Place the sensors in the rooms you spend the most time in during the day. **AMAZON ALEXA** Set the schedules in the Cync App so that your HVAC adjusts temperature To set up, open the Alexa app, search for the Cync skill, to the room you're in during different times of day. follow the setup instructions. Morning/Afternoon: Home Office TRY THIS ... Evening: Family Room Alexa, turn the heat off. Alexa, set temperature to 68 degrees. Nighttime: Bedroom Group your thermostat with Cync smart lights and create To set up, open the Hey Google or Google Home app, bedtime/wake up scenes search for the Cync action, follow the setup instructions. that adjust the lighting TRY THIS ... and temperature in your Hey Google, set temperature to 72 degrees. bedroom. Hey Google, I'm leaving. Hey Google, turn on air conditioning For set up help, visit support.gelighting.com or call 1-844-302-2943 Amazon, Alexa, and all related logos are trademarks of Amazon.com, Inc. or its affiliates. Google and other related marks and logos are trademarks of Google LLC.

PC93129894 ING

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

	GE	ODADINOS ADDO OVAL	SKU LISTING INFO:	93129894 NPI CYNC Thermostate 6421602	1
Process Process	The second secon	GRAPHICS APPR OVAL Approvals designate all items on	REVISION (DATE) PA:	1 (05-27-21) CN	
CYAN MAGENTA	Lighting	checklist have been reviewed & are correct in addition to other	BAR CODE SPEC:	☐ 100% No BWR ☐ 80% No BWR ■ N/A	
	A SAVANT COMPANY	organizational responsibilities.	INSERT (IF SHARED):	NONE	
Process YELLOW BLACK	REVIEWED SIGNATURE	PACKAGING GRAPHICS	SUPPLIER PROJECT:	N/A	
			PRINT METHOD:	☐ Offset/Litho ☐ Flexo (direct)	
	☐ Proof Reading - Spelling	Website	GE DIE	NOT CONTROLLED	
PMS PMS Cool Gray 6 C COOL GRAY 11		st Graphics Printability	PK (VERSION):	PK-00107052-1	

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

4.5" Install Power Extender Kit (PEK) Installation Without Using The Cync App 04 - Single Compressor Heat Pump You can set up your thermostat In some cases there may not without the Cync App. Follow the set be enough wires running to 05 - Two Compressors of 2 Speed your new Cync™ thermostat, up steps below. Compressor Heat Pump (1so to provide power to your Please note the default is a new thermostat, the PFK is conventional system with single used to provide power to 06 - Two Compressors or 2 Speed stage heating and cooling. Heat Pump (2-AUX) your new Cync™ thermostat. To select a different HVAC System 07 - Two Stage Conventional Type, press and hold the "+" and "-" buttons simultaneously for 10 08 - Two Stage Conventional RGYW 09 - Two Stage Conventional The current temperature digits will Heating/Cooling show a code 01 through 09 Once the preferred code is Using the up/down arrows to select selected, press and hold the "+" the correct system below and "-" buttons simultaneously for 01 - Single Stage Conventional 5 seconds 02 - Single stage Conventional Please note features like schedule will not be enabled until the thermostat is commissioned 03 - Single Stage Conventional Heating/Cooling For set up help, visit support.gelighting.com or call 1-844-302-2943 16

93129894 NPI CYNC Thermostate 6421602 SKU LISTING INFO: **GRAPHICS APPR OVAL** 1 (05-27-21) CN REVISION (DATE) PA: Approvals designate all items or checklist have been reviewed & are correct in addition to other ■ 80% No BWR ■ N/A BAR CODE SPEC: ☐ 100% No BWR organizational responsibilities. NONE A SAVANT COMPANY INSERT (IF SHARED): REVIEWED DATE Process SIGNATURE SUPPLIER PROJECT: N/A PACKAGING GRAPHICS BLACK ☐ Offset/Litho ☐ Flexo (direct) PRINT METHOD: NOT CONTROLLED GE DIE Proof Reading - Spelling Website PMS PMS Proof against TDS request Graphics Printability PK-00107052-1 PK (VERSION): COOL GRAY 1

PC93129894 ING

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

		GE	GRAPHICS APPR OVAL	SKU LISTING INFO:	93129894 NPI CYNC Thermostate 6421602
Process	Process		Approvals designate all items on	REVISION (DATE) PA:	1 (05-27-21) CN
CYAN	CYAN MAGENTA	Lighting	checklist have been reviewed & are correct in addition to other	BAR CODE SPEC:	☐ 100% No BWR ☐ 80% No BWR ■ N/A
		A SAVANT COMPANY	organizational responsibilities.	INSERT (IF SHARED):	NONE
Process YELLOW	Process BLACK	REVIEWED SIGNATUR	PACKAGING GRAPHICS	SUPPLIER PROJECT:	N/A
				PRINT METHOD:	☐ Offset/Litho ☐ Flexo (direct)
		Proof Reading - Spell	ng Website	GE DIE	NOT CONTROLLED
PMS Cool Gray 6 C	PMS COOL GRAY 11		uest Graphics Printability	PK (VERSION):	PK-00107052-1

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

4.5" **Check Your Wiring Configuration Locate Your HVAC System** The Power Extender Kit requires your system to have either of the following: 4 wires W/WI, Y/YI, G, and R (or Re or RH) or 3 wires Y/YI, G, and R (or Re or RH) 981881 STEP 1 STEP 2 Take your Power Extender Kit, wire labels, tools, your Do you have these wires? smartphone, and go to your HVAC system. Continue to the NEXT PAGE The Power Extender Kit will work with your system!

For set up help, visit support gelighting.com or call 1-844-302-2943

Your wiring is not compatible with

the Cync thermostat.

93129894 NPI CYNC Thermostate 6421602 SKU LISTING INFO: **GRAPHICS APPR OVAL** 1 (05-27-21) CN REVISION (DATE) PA: Approvals designate all items or checklist have been reviewed & are correct in addition to other ☐ 100% No BWR ■ 80% No BWR ■ N/A BAR CODE SPEC: organizational responsibilities. A SAVANT COMPANY INSERT (IF SHARED): REVIEWED DATE Process SIGNATURE PACKAGING GRAPHICS SUPPLIER PROJECT: N/A BLACK ☐ Offset/Litho ☐ Flexo (direct) PRINT METHOD: NOT CONTROLLED GE DIE ☐ Proof Reading - Spelling ☐ Website PMS COOL GRAY 11 Proof against TDS request Graphics Printability PK-00107052-1 PK (VERSION):

PC93129894 ING

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

	GE		ODADINOS ADDO OVAL	SKU LISTING INFO:	93129894 NPI CYNC Thermostate 6421602	
Process Process			GRAPHICS APPR OVAL Approvals designate all items on	REVISION (DATE) PA:	1 (05-27-21) CN	
CYAN MAGENTA	Ligh	ting	checklist have been reviewed & are correct in addition to other	BAR CODE SPEC:	☐ 100% No BWR ☐ 80% No BWR ■ N/A	
	A SAVANT COM		organizational responsibilities.	INSERT (IF SHARED):	NONE	
Process YELLOW BLACK	REVIEWED DATE	SIGNATURE	PACKAGING GRAPHICS	SUPPLIER PROJECT:	N/A	
DEACH DEACH				PRINT METHOD:	☐ Offset/Litho ☐ Flexo (direct)	
	☐ Proof Re	eading – Spelling	Website	GE DIE	NOT CONTROLLED	
PMS PMS Cool Gray 6 C COOL GRAY 11			est Graphics Printability	PK (VERSION):	PK-00107052-1	

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

4.5" **Locate The Thermostat Wiring Label The Wires** Inside Your HVAC System Open your HVAC system's cover to reveal the control board. **▲ WARNING:** HVAC systems contain high voltage wires. Use caution when Label only the R, Y or YI, G, working with the control board. and W or WI wires with the matching labels provided. If you have more than one wire going into these terminals, only label those going to your thermostat. Take a picture of the wires connected to your control board. You may need to reference this photo later on. For set up help, visit support gelighting.com or call 1-844-302-2943 20

93129894 NPI CYNC Thermostate 6421602 SKU LISTING INFO: **GRAPHICS APPR OVAL** 1 (05-27-21) CN REVISION (DATE) PA: Approvals designate all items or checklist have been reviewed & are correct in addition to other ☐ 100% No BWR ■ 80% No BWR ■ N/A BAR CODE SPEC: organizational responsibilities. INSERT (IF SHARED): REVIEWED DATE Process SIGNATURE PACKAGING GRAPHICS SUPPLIER PROJECT: N/A BLACK ☐ Offset/Litho ☐ Flexo (direct) PRINT METHOD: NOT CONTROLLED GE DIE ☐ Proof Reading - Spelling ☐ Website PMS COOL GRAY 11 Proof against TDS request Graphics Printability PK-00107052-1 PK (VERSION):

PC93129894 ING

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

	GE GRAPHICS APPR OVAL	SKU LISTING INFO:	93129894 NPI CYNC Thermostate 6421602
Process Process	Approvals designate all items on	REVISION (DATE) PA:	1 (05-27-21) CN
CYAN MAGENTA	LIGITIO are correct in addition to other	BAR CODE SPEC:	☐ 100% No BWR ☐ 80% No BWR ■ N/A
	A SAVANT COMPANY organizational responsibilities.	INSERT (IF SHARED):	NONE
Process YELLOW BLACK	REVIEWED SIGNATURE PACKAGING GRAPHICS	SUPPLIER PROJECT:	N/A
		PRINT METHOD:	Offset/Litho Flexo (direct)
	☐ Proof Reading - Spelling ☐ Website	GE DIE	NOT CONTROLLED
PMS PMS Cool Gray 6 C COOL GRAY 11	Proof against TDS request Graphics Printability	PK (VERSION):	PK-00107052-1

93129894 NPI CYNC Thermostate 6421602 SKU LISTING INFO: **GRAPHICS APPR OVAL** 1 (05-27-21) CN REVISION (DATE) PA: checklist have been reviewed & are correct in addition to other organizational responsibilities. ☐ 100% No BWR ☐ 80% No BWR ■ N/A BAR CODE SPEC: INSERT (IF SHARED): REVIEWED DATE Process BLACK SIGNATURE PACKAGING GRAPHICS SUPPLIER PROJECT: N/A ☐ Offset/Litho ☐ Flexo (direct) PRINT METHOD: NOT CONTROLLED GE DIE ☐ Proof Reading - Spelling ☐ Website PMS COOL GRAY 1 Proof against TDS request Graphics Printability PK-00107052-1 PK (VERSION):


PC93129894 ING

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

Disconnect the Wires Insert the Wires Into the PEK Connect the wires you disconnected from the control board into their matching gray terminal blocks on the Power Extender Kit. STEP 1 Disconnect the wires labeled R, Y, G, and W from the control board. For set up help, visit support gelighting.com or call 1-844-302-2943 22

PC93129894 ING

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER



93129894 NPI CYNC Thermostate 6421602 SKU LISTING INFO: **GRAPHICS APPR OVAL** 1 (05-27-21) CN REVISION (DATE) PA: Approvals designate all items or checklist have been reviewed & are correct in addition to other ☐ 100% No BWR ■ 80% No BWR ■ N/A BAR CODE SPEC: organizational responsibilities. A SAVANT COMPANY INSERT (IF SHARED): REVIEWED DATE Process SIGNATURE PACKAGING GRAPHICS SUPPLIER PROJECT: N/A BLACK ☐ Offset/Litho ☐ Flexo (direct) PRINT METHOD: NOT CONTROLLED GE DIE Proof Reading - Spelling Website PMS COOL GRAY 1 Proof against TDS request Graphics Printability PK-00107052-1 PK (VERSION):

PC93129894 ING

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

4.5" 4.5" **PEK Installation** Check Power Extender Kit Installation Check that you have installed the Power Extender Kit correctly. It should be installed between your thermostat wiring and your control board. STEP 1 Once again, tug on the wires gently to ensure they are securely connected. For set up help, visit support.gelighting.com or call 1-844-302-2943 25

PC93129894 ING

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

	GE	ODADINOS ADDO OVAL	SKU LISTING INFO:	93129894 NPI CYNC Thermostate 6421602
Process CYAN Process MAGENTA	Lighting	GRAPHICS APPR OVAL Approvals designate all items on checklist have been reviewed & are correct in addition to other	REVISION (DATE) PA:	1 (05-27-21) CN
			BAR CODE SPEC:	☐ 100% No BWR ☐ 80% No BWR ■ N/A
	A SAVANT COMPANY	organizational responsibilities.	INSERT (IF SHARED):	NONE
Process YELLOW Process BLACK	REVIEWED SIGNATURE	PACKAGING GRAPHICS	SUPPLIER PROJECT:	N/A
		i i	PRINT METHOD:	Offset/Litho Flexo (direct)
	☐ Proof Reading – Spelling ☐ Website ☐ Proof against TDS request ☐ Graphics Printability		GE DIE	NOT CONTROLLED
PMS PMS Cool Gray 6 C COOL GRAY 11			PK (VERSION):	PK-00107052-1

93129894 NPI CYNC Thermostate 6421602 SKU LISTING INFO: **GRAPHICS APPR OVAL** 1 (05-27-21) CN REVISION (DATE) PA: Approvals designate all items or checklist have been reviewed & are correct in addition to other ☐ 100% No BWR ☐ 80% No BWR ■ N/A BAR CODE SPEC: organizational responsibilities. NONE A SAVANT COMPANY INSERT (IF SHARED): REVIEWED DATE Process SIGNATURE PACKAGING GRAPHICS SUPPLIER PROJECT: N/A BLACK ☐ Offset/Litho ☐ Flexo (direct) PRINT METHOD: NOT CONTROLLED GE DIE ☐ Proof Reading - Spelling ☐ Website PMS Cool Gray & C PMS COOL GRAY 11 Proof against TDS request Graphics Printability PK-00107052-1 PK (VERSION):


PC93129894 ING

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

4.5" 4.5" Mount The PEK STEP 1 Mount the Power Extender Kit inside your HVAC Return to page 10 to complete system using the integrated thermostat installation magnet, taking care not to strain the wires. Close the HVAC cover panel securely and return to your TIP: Make sure your HVAC panel is fully closed. Some systems will not turn on if the cover panel has not been closed properly. For set up help, visit support.gelighting.com or call 1-844-302-2943 26

PC93129894 ING

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER



THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

4.5" Like your new Thermostat? Share your experience! Leave a review where you purchased the product. PK-00107052-1 GE is a trademark of General Electric Company. Used under trademark license.