





EXHIBIT 3 - EUT INTERNAL PHOTOGRAPHS

<p>EUT Housing and Board View 1</p>	 <p>A photograph showing the internal components of an EUT housing. On the left is the white plastic housing, and on the right is the printed circuit board (PCB). The PCB is populated with various electronic components, including a large integrated circuit (IC) and several smaller components. A black ruler with white markings is placed below the components for scale, showing measurements in millimeters. The ruler is oriented vertically, with the 0 mark at the top and the 100 mark at the bottom. The background is a blue textured surface.</p>
<p>EUT Housing and Board View 2</p>	 <p>A photograph showing the internal components of an EUT housing from a different perspective. On the left is the white plastic housing, and on the right is the printed circuit board (PCB). The PCB is populated with various electronic components, including a large integrated circuit (IC) and several smaller components. A black ruler with white markings is placed below the components for scale, showing measurements in millimeters. The ruler is oriented vertically, with the 0 mark at the top and the 100 mark at the bottom. The background is a blue textured surface.</p>

<p>Solder Board-Component View 1</p>	 <p>A photograph of a white PCB component with two rectangular cutouts and a circular pad. It is placed on a black ruler with white markings. The ruler shows dimensions in millimeters, with the component's length being approximately 45 mm and its width approximately 25 mm. The component is positioned against the 10 mm mark on the ruler.</p>
<p>Solder Board-Component View 2</p>	 <p>A photograph of the same white PCB component from a different angle. It shows a circular gold-colored pad in the center and various surface markings, including "SR4 M TVI" and "2022/07/22". The component is placed on a black ruler with white markings, showing a length of approximately 45 mm and a width of approximately 25 mm. The component is positioned against the 10 mm mark on the ruler.</p>

