



8 Restrict Band

8.1 Test Result

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5180	Ant1	4500	-42.78	3.72	56.17	Peak	68.2	Pass
NVNT	a	5180	Ant1	4500	-52.34	3.72	46.61	Average	54	Pass
NVNT	a	5180	Ant1	4980.9	-38.57	3.72	60.38	Peak	68.2	Pass
NVNT	a	5180	Ant1	4963.4	-49.2	3.72	49.75	Average	54	Pass
NVNT	a	5180	Ant1	5150	-41.13	3.72	57.82	Peak	68.2	Pass
NVNT	a	5180	Ant1	5150	-51.23	3.72	47.72	Average	54	Pass
NVNT	a	5240	Ant1	5350	-43.38	3.72	55.57	Peak	68.2	Pass
NVNT	a	5240	Ant1	5350	-51.77	3.72	47.18	Average	54	Pass
NVNT	a	5240	Ant1	5449.92	-39.37	3.72	59.58	Peak	68.2	Pass
NVNT	a	5240	Ant1	5447.76	-49.52	3.72	49.43	Average	54	Pass
NVNT	a	5240	Ant1	5460	-42.75	3.72	56.2	Peak	68.2	Pass
NVNT	a	5240	Ant1	5460	-51.06	3.72	47.89	Average	54	Pass
NVNT	a	5260	Ant1	4500	-42.65	3.72	56.3	Peak	68.2	Pass
NVNT	a	5260	Ant1	4500	-52.49	3.72	46.46	Average	54	Pass
NVNT	a	5260	Ant1	4957.08	-38.04	3.72	60.91	Peak	68.2	Pass
NVNT	a	5260	Ant1	4897.8	-49.81	3.72	49.14	Average	54	Pass
NVNT	a	5260	Ant1	5150	-43.12	3.72	55.83	Peak	68.2	Pass
NVNT	a	5260	Ant1	5150	-51.51	3.72	47.44	Average	54	Pass
NVNT	a	5320	Ant1	5350	-42.16	3.72	56.79	Peak	68.2	Pass
NVNT	a	5320	Ant1	5350	-51.3	3.72	47.65	Average	54	Pass
NVNT	a	5320	Ant1	5447.4	-37.9	3.72	61.05	Peak	68.2	Pass
NVNT	a	5320	Ant1	5447.8	-49.38	3.72	49.57	Average	54	Pass
NVNT	a	5320	Ant1	5460	-44.07	3.72	54.88	Peak	68.2	Pass
NVNT	a	5320	Ant1	5460	-51.19	3.72	47.76	Average	54	Pass
NVNT	a	5500	Ant1	5460	-39.94	3.72	59.01	Peak	68.2	Pass
NVNT	a	5500	Ant1	5460	-50.13	3.72	48.82	Average	54	Pass
NVNT	a	5500	Ant1	5468.4	-38.2	3.72	60.75	Peak	68.2	Pass
NVNT	a	5500	Ant1	5461.2	-49.94	3.72	49.01	Average	54	Pass
NVNT	a	5500	Ant1	5470	-41.14	3.72	57.81	Peak	68.2	Pass
NVNT	a	5500	Ant1	5470	-50.88	3.72	48.07	Average	54	Pass
NVNT	a	5700	Ant1	5725	-50.95	3.72	48	Peak	68.2	Pass
NVNT	a	5700	Ant1	5725	-58.26	3.72	40.69	Average	54	Pass
NVNT	a	5700	Ant1	5729	-46.37	3.72	52.58	Peak	68.2	Pass
NVNT	a	5700	Ant1	5734.2	-58.19	3.72	40.76	Average	54	Pass
NVNT	a	5700	Ant1	5735	-49.82	3.72	49.13	Peak	68.2	Pass



NVNT	a	5700	Ant1	5735	-58.86	3.72	40.09	Average	54	Pass
NVNT	a	5180	Ant2	4500	-41.05	3.86	58.04	Peak	68.2	Pass
NVNT	a	5180	Ant2	4500	-52.25	3.86	46.84	Average	54	Pass
NVNT	a	5180	Ant2	4826.2	-38.84	3.86	60.25	Peak	68.2	Pass
NVNT	a	5180	Ant2	4966.2	-49.59	3.86	49.5	Average	54	Pass
NVNT	a	5180	Ant2	5150	-40.1	3.86	58.99	Peak	68.2	Pass
NVNT	a	5180	Ant2	5150	-51.36	3.86	47.73	Average	54	Pass
NVNT	a	5240	Ant2	5350	-40.87	3.86	58.22	Peak	68.2	Pass
NVNT	a	5240	Ant2	5350	-51.34	3.86	47.75	Average	54	Pass
NVNT	a	5240	Ant2	5449.44	-38.53	3.86	60.56	Peak	68.2	Pass
NVNT	a	5240	Ant2	5447.04	-49.12	3.86	49.97	Average	54	Pass
NVNT	a	5240	Ant2	5460	-41.75	3.86	57.34	Peak	68.2	Pass
NVNT	a	5240	Ant2	5460	-50.63	3.86	48.46	Average	54	Pass
NVNT	a	5260	Ant2	4500	-42.08	3.86	57.01	Peak	68.2	Pass
NVNT	a	5260	Ant2	4500	-51.91	3.86	47.18	Average	54	Pass
NVNT	a	5260	Ant2	4925.1	-38.72	3.86	60.37	Peak	68.2	Pass
NVNT	a	5260	Ant2	5025.72	-49.47	3.86	49.62	Average	54	Pass
NVNT	a	5260	Ant2	5150	-42.09	3.86	57	Peak	68.2	Pass
NVNT	a	5260	Ant2	5150	-51.32	3.86	47.77	Average	54	Pass
NVNT	a	5320	Ant2	5350	-40.23	3.86	58.86	Peak	68.2	Pass
NVNT	a	5320	Ant2	5350	-50.74	3.86	48.35	Average	54	Pass
NVNT	a	5320	Ant2	5448.2	-38.19	3.86	60.9	Peak	68.2	Pass
NVNT	a	5320	Ant2	5447.8	-48.7	3.86	50.39	Average	54	Pass
NVNT	a	5320	Ant2	5460	-42.64	3.86	56.45	Peak	68.2	Pass
NVNT	a	5320	Ant2	5460	-50.7	3.86	48.39	Average	54	Pass
NVNT	a	5500	Ant2	5460	-40.12	3.86	58.97	Peak	68.2	Pass
NVNT	a	5500	Ant2	5460	-49.24	3.86	49.85	Average	54	Pass
NVNT	a	5500	Ant2	5460.8	-39.89	3.86	59.2	Peak	68.2	Pass
NVNT	a	5500	Ant2	5460.2	-49.12	3.86	49.97	Average	54	Pass
NVNT	a	5500	Ant2	5470	-43.31	3.86	55.78	Peak	68.2	Pass
NVNT	a	5500	Ant2	5470	-50.64	3.86	48.45	Average	54	Pass
NVNT	a	5700	Ant2	5725	-39.52	3.86	59.57	Peak	68.2	Pass
NVNT	a	5700	Ant2	5725	-49.78	3.86	49.31	Average	54	Pass
NVNT	a	5700	Ant2	5725.4	-38.42	3.86	60.67	Peak	68.2	Pass
NVNT	a	5700	Ant2	5730.4	-49.65	3.86	49.44	Average	54	Pass
NVNT	a	5700	Ant2	5735	-41.31	3.86	57.78	Peak	68.2	Pass
NVNT	a	5700	Ant2	5735	-49.94	3.86	49.15	Average	54	Pass
NVNT	n20	5180	Ant1	4500	-42.65	3.72	56.3	Peak	68.2	Pass
NVNT	n20	5180	Ant1	4500	-52.22	3.72	46.73	Average	54	Pass
NVNT	n20	5180	Ant1	4793.3	-38.41	3.72	60.54	Peak	68.2	Pass
NVNT	n20	5180	Ant1	4962.7	-49.45	3.72	49.5	Average	54	Pass
NVNT	n20	5180	Ant1	5150	-41.61	3.72	57.34	Peak	68.2	Pass
NVNT	n20	5180	Ant1	5150	-51.42	3.72	47.53	Average	54	Pass



NVNT	n20	5240	Ant1	5350	-42.57	3.72	56.38	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5350	-51.92	3.72	47.03	Average	54	Pass
NVNT	n20	5240	Ant1	5451.84	-38.66	3.72	60.29	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5448	-49.55	3.72	49.4	Average	54	Pass
NVNT	n20	5240	Ant1	5460	-42.72	3.72	56.23	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5460	-50.91	3.72	48.04	Average	54	Pass
NVNT	n20	5260	Ant1	4500	-42.84	3.72	56.11	Peak	68.2	Pass
NVNT	n20	5260	Ant1	4500	-52.1	3.72	46.85	Average	54	Pass
NVNT	n20	5260	Ant1	4645.08	-38.36	3.72	60.59	Peak	68.2	Pass
NVNT	n20	5260	Ant1	4897.8	-49.74	3.72	49.21	Average	54	Pass
NVNT	n20	5260	Ant1	5150	-39.23	3.72	59.72	Peak	68.2	Pass
NVNT	n20	5260	Ant1	5150	-51.28	3.72	47.67	Average	54	Pass
NVNT	n20	5320	Ant1	5350	-41.91	3.72	57.04	Peak	68.2	Pass
NVNT	n20	5320	Ant1	5350	-51.15	3.72	47.8	Average	54	Pass
NVNT	n20	5320	Ant1	5372.4	-38.8	3.72	60.15	Peak	68.2	Pass
NVNT	n20	5320	Ant1	5449	-49.46	3.72	49.49	Average	54	Pass
NVNT	n20	5320	Ant1	5460	-42.59	3.72	56.36	Peak	68.2	Pass
NVNT	n20	5320	Ant1	5460	-51.4	3.72	47.55	Average	54	Pass
NVNT	n20	5500	Ant1	5460	-41.95	3.72	57	Peak	68.2	Pass
NVNT	n20	5500	Ant1	5460	-49.88	3.72	49.07	Average	54	Pass
NVNT	n20	5500	Ant1	5469.4	-39.32	3.72	59.63	Peak	68.2	Pass
NVNT	n20	5500	Ant1	5460.4	-49.83	3.72	49.12	Average	54	Pass
NVNT	n20	5500	Ant1	5470	-41.38	3.72	57.57	Peak	68.2	Pass
NVNT	n20	5500	Ant1	5470	-50.82	3.72	48.13	Average	54	Pass
NVNT	n20	5700	Ant1	5725	-40.12	3.72	58.83	Peak	68.2	Pass
NVNT	n20	5700	Ant1	5725	-50.06	3.72	48.89	Average	54	Pass
NVNT	n20	5700	Ant1	5728.6	-39.87	3.72	59.08	Peak	68.2	Pass
NVNT	n20	5700	Ant1	5732	-49.67	3.72	49.28	Average	54	Pass
NVNT	n20	5700	Ant1	5735	-41.53	3.72	57.42	Peak	68.2	Pass
NVNT	n20	5700	Ant1	5735	-50.09	3.72	48.86	Average	54	Pass
NVNT	n20	5180	Ant2	4500	-42.23	3.86	56.86	Peak	68.2	Pass
NVNT	n20	5180	Ant2	4500	-52.36	3.86	46.73	Average	54	Pass
NVNT	n20	5180	Ant2	5081	-39.18	3.86	59.91	Peak	68.2	Pass
NVNT	n20	5180	Ant2	4964.1	-49.52	3.86	49.57	Average	54	Pass
NVNT	n20	5180	Ant2	5150	-41.97	3.86	57.12	Peak	68.2	Pass
NVNT	n20	5180	Ant2	5150	-51.54	3.86	47.55	Average	54	Pass
NVNT	n20	5240	Ant2	5350	-43.6	3.86	55.49	Peak	68.2	Pass
NVNT	n20	5240	Ant2	5350	-51.41	3.86	47.68	Average	54	Pass
NVNT	n20	5240	Ant2	5450.4	-38.57	3.86	60.52	Peak	68.2	Pass
NVNT	n20	5240	Ant2	5446.8	-49.24	3.86	49.85	Average	54	Pass
NVNT	n20	5240	Ant2	5460	-42.15	3.86	56.94	Peak	68.2	Pass
NVNT	n20	5240	Ant2	5460	-51.05	3.86	48.04	Average	54	Pass
NVNT	n20	5260	Ant2	4500	-41.74	3.86	57.35	Peak	68.2	Pass



NVNT	n20	5260	Ant2	4500	-51.99	3.86	47.1	Average	54	Pass
NVNT	n20	5260	Ant2	5106.84	-38.35	3.86	60.74	Peak	68.2	Pass
NVNT	n20	5260	Ant2	5028.06	-49.39	3.86	49.7	Average	54	Pass
NVNT	n20	5260	Ant2	5150	-41.18	3.86	57.91	Peak	68.2	Pass
NVNT	n20	5260	Ant2	5150	-51.38	3.86	47.71	Average	54	Pass
NVNT	n20	5320	Ant2	5350	-42.99	3.86	56.1	Peak	68.2	Pass
NVNT	n20	5320	Ant2	5350	-51.02	3.86	48.07	Average	54	Pass
NVNT	n20	5320	Ant2	5456.4	-39.3	3.86	59.79	Peak	68.2	Pass
NVNT	n20	5320	Ant2	5448	-48.95	3.86	50.14	Average	54	Pass
NVNT	n20	5320	Ant2	5460	-43.5	3.86	55.59	Peak	68.2	Pass
NVNT	n20	5320	Ant2	5460	-50.82	3.86	48.27	Average	54	Pass
NVNT	n20	5500	Ant2	5460	-40.94	3.86	58.15	Peak	68.2	Pass
NVNT	n20	5500	Ant2	5460	-49.83	3.86	49.26	Average	54	Pass
NVNT	n20	5500	Ant2	5464	-38.8	3.86	60.29	Peak	68.2	Pass
NVNT	n20	5500	Ant2	5460.4	-49.54	3.86	49.55	Average	54	Pass
NVNT	n20	5500	Ant2	5470	-41.58	3.86	57.51	Peak	68.2	Pass
NVNT	n20	5500	Ant2	5470	-50.76	3.86	48.33	Average	54	Pass
NVNT	n20	5700	Ant2	5725	-39.83	3.86	59.26	Peak	68.2	Pass
NVNT	n20	5700	Ant2	5725	-49.69	3.86	49.4	Average	54	Pass
NVNT	n20	5700	Ant2	5727.6	-38.78	3.86	60.31	Peak	68.2	Pass
NVNT	n20	5700	Ant2	5727	-49.33	3.86	49.76	Average	54	Pass
NVNT	n20	5700	Ant2	5735	-40.63	3.86	58.46	Peak	68.2	Pass
NVNT	n20	5700	Ant2	5735	-50	3.86	49.09	Average	54	Pass
NVNT	n40	5190	Ant1	4500	-41.17	3.72	57.78	Peak	68.2	Pass
NVNT	n40	5190	Ant1	4500	-51.68	3.72	47.27	Average	54	Pass
NVNT	n40	5190	Ant1	5129.26	-38.6	3.72	60.35	Peak	68.2	Pass
NVNT	n40	5190	Ant1	4966.47	-48.58	3.72	50.37	Average	54	Pass
NVNT	n40	5190	Ant1	5150	-39.86	3.72	59.09	Peak	68.2	Pass
NVNT	n40	5190	Ant1	5150	-50	3.72	48.95	Average	54	Pass
NVNT	n40	5230	Ant1	5350	-42.47	3.72	56.48	Peak	68.2	Pass
NVNT	n40	5230	Ant1	5350	-50.56	3.72	48.39	Average	54	Pass
NVNT	n40	5230	Ant1	5450.82	-38.06	3.72	60.89	Peak	68.2	Pass
NVNT	n40	5230	Ant1	5457.03	-47.56	3.72	51.39	Average	54	Pass
NVNT	n40	5230	Ant1	5460	-42	3.72	56.95	Peak	68.2	Pass
NVNT	n40	5230	Ant1	5460	-50.92	3.72	48.03	Average	54	Pass
NVNT	n40	5270	Ant1	4500	-42.77	3.72	56.18	Peak	68.2	Pass
NVNT	n40	5270	Ant1	4500	-51.6	3.72	47.35	Average	54	Pass
NVNT	n40	5270	Ant1	4796.46	-38.97	3.72	59.98	Peak	68.2	Pass
NVNT	n40	5270	Ant1	4964.94	-48.31	3.72	50.64	Average	54	Pass
NVNT	n40	5270	Ant1	5150	-42.4	3.72	56.55	Peak	68.2	Pass
NVNT	n40	5270	Ant1	5150	-50.64	3.72	48.31	Average	54	Pass
NVNT	n40	5310	Ant1	5350	-43.58	3.72	55.37	Peak	68.2	Pass
NVNT	n40	5310	Ant1	5350	-50.95	3.72	48	Average	54	Pass



NVNT	n40	5310	Ant1	5439.4	-39.2	3.72	59.75	Peak	68.2	Pass
NVNT	n40	5310	Ant1	5386.2	-48.41	3.72	50.54	Average	54	Pass
NVNT	n40	5310	Ant1	5460	-43.77	3.72	55.18	Peak	68.2	Pass
NVNT	n40	5310	Ant1	5460	-51.33	3.72	47.62	Average	54	Pass
NVNT	n40	5510	Ant1	5460	-41.4	3.72	57.55	Peak	68.2	Pass
NVNT	n40	5510	Ant1	5460	-49.65	3.72	49.3	Average	54	Pass
NVNT	n40	5510	Ant1	5469.4	-38.3	3.72	60.65	Peak	68.2	Pass
NVNT	n40	5510	Ant1	5468.2	-48.79	3.72	50.16	Average	54	Pass
NVNT	n40	5510	Ant1	5470	-43.49	3.72	55.46	Peak	68.2	Pass
NVNT	n40	5510	Ant1	5470	-49.79	3.72	49.16	Average	54	Pass
NVNT	n40	5670	Ant1	5725	-40.44	3.72	58.51	Peak	68.2	Pass
NVNT	n40	5670	Ant1	5725	-49.72	3.72	49.23	Average	54	Pass
NVNT	n40	5670	Ant1	5728	-39.22	3.72	59.73	Peak	68.2	Pass
NVNT	n40	5670	Ant1	5729.8	-49.33	3.72	49.62	Average	54	Pass
NVNT	n40	5670	Ant1	5735	-40.06	3.72	58.89	Peak	68.2	Pass
NVNT	n40	5670	Ant1	5735	-49.43	3.72	49.52	Average	54	Pass
NVNT	n40	5190	Ant2	4500	-43.1	3.86	55.99	Peak	68.2	Pass
NVNT	n40	5190	Ant2	4500	-51.14	3.86	47.95	Average	54	Pass
NVNT	n40	5190	Ant2	4659.14	-39.06	3.86	60.03	Peak	68.2	Pass
NVNT	n40	5190	Ant2	4965.74	-47.78	3.86	51.31	Average	54	Pass
NVNT	n40	5190	Ant2	5150	-40.54	3.86	58.55	Peak	68.2	Pass
NVNT	n40	5190	Ant2	5150	-49.96	3.86	49.13	Average	54	Pass
NVNT	n40	5230	Ant2	5350	-42.33	3.86	56.76	Peak	68.2	Pass
NVNT	n40	5230	Ant2	5350	-50.28	3.86	48.81	Average	54	Pass
NVNT	n40	5230	Ant2	5400.33	-38.05	3.86	61.04	Peak	68.2	Pass
NVNT	n40	5230	Ant2	5448.66	-47.8	3.86	51.29	Average	54	Pass
NVNT	n40	5230	Ant2	5460	-40.78	3.86	58.31	Peak	68.2	Pass
NVNT	n40	5230	Ant2	5460	-49.35	3.86	49.74	Average	54	Pass
NVNT	n40	5270	Ant2	4500	-42.7	3.86	56.39	Peak	68.2	Pass
NVNT	n40	5270	Ant2	4500	-50.63	3.86	48.46	Average	54	Pass
NVNT	n40	5270	Ant2	5024.07	-38.87	3.86	60.22	Peak	68.2	Pass
NVNT	n40	5270	Ant2	5036.22	-47.46	3.86	51.63	Average	54	Pass
NVNT	n40	5270	Ant2	5150	-41.66	3.86	57.43	Peak	68.2	Pass
NVNT	n40	5270	Ant2	5150	-50.04	3.86	49.05	Average	54	Pass
NVNT	n40	5310	Ant2	5350	-43.38	3.86	55.71	Peak	68.2	Pass
NVNT	n40	5310	Ant2	5350	-50.7	3.86	48.39	Average	54	Pass
NVNT	n40	5310	Ant2	5412	-38.77	3.86	60.32	Peak	68.2	Pass
NVNT	n40	5310	Ant2	5367.8	-48.44	3.86	50.65	Average	54	Pass
NVNT	n40	5310	Ant2	5460	-40.02	3.86	59.07	Peak	68.2	Pass
NVNT	n40	5310	Ant2	5460	-50.66	3.86	48.43	Average	54	Pass
NVNT	n40	5510	Ant2	5460	-41.18	3.86	57.91	Peak	68.2	Pass
NVNT	n40	5510	Ant2	5460	-50.28	3.86	48.81	Average	54	Pass
NVNT	n40	5510	Ant2	5464	-38.44	3.86	60.65	Peak	68.2	Pass



NVNT	n40	5510	Ant2	5461.6	-48.78	3.86	50.31	Average	54	Pass
NVNT	n40	5510	Ant2	5470	-43.16	3.86	55.93	Peak	68.2	Pass
NVNT	n40	5510	Ant2	5470	-49.58	3.86	49.51	Average	54	Pass
NVNT	n40	5670	Ant2	5725	-40.47	3.86	58.62	Peak	68.2	Pass
NVNT	n40	5670	Ant2	5725	-49.23	3.86	49.86	Average	54	Pass
NVNT	n40	5670	Ant2	5726.2	-38.28	3.86	60.81	Peak	68.2	Pass
NVNT	n40	5670	Ant2	5731.2	-48.38	3.86	50.71	Average	54	Pass
NVNT	n40	5670	Ant2	5735	-40.44	3.86	58.65	Peak	68.2	Pass
NVNT	n40	5670	Ant2	5735	-49.6	3.86	49.49	Average	54	Pass
NVNT	ac20	5180	Ant1	4500	-42.92	3.72	56.03	Peak	68.2	Pass
NVNT	ac20	5180	Ant1	4500	-52.03	3.72	46.92	Average	54	Pass
NVNT	ac20	5180	Ant1	4922.1	-39.25	3.72	59.7	Peak	68.2	Pass
NVNT	ac20	5180	Ant1	4963.4	-49.06	3.72	49.89	Average	54	Pass
NVNT	ac20	5180	Ant1	5150	-40.05	3.72	58.9	Peak	68.2	Pass
NVNT	ac20	5180	Ant1	5150	-51.25	3.72	47.7	Average	54	Pass
NVNT	ac20	5240	Ant1	5350	-42.75	3.72	56.2	Peak	68.2	Pass
NVNT	ac20	5240	Ant1	5350	-51.12	3.72	47.83	Average	54	Pass
NVNT	ac20	5240	Ant1	5446.56	-37.08	3.72	61.87	Peak	68.2	Pass
NVNT	ac20	5240	Ant1	5447.04	-48.27	3.72	50.68	Average	54	Pass
NVNT	ac20	5240	Ant1	5460	-43.1	3.72	55.85	Peak	68.2	Pass
NVNT	ac20	5240	Ant1	5460	-51.07	3.72	47.88	Average	54	Pass
NVNT	ac20	5260	Ant1	4500	-42.5	3.72	56.45	Peak	68.2	Pass
NVNT	ac20	5260	Ant1	4500	-51.94	3.72	47.01	Average	54	Pass
NVNT	ac20	5260	Ant1	4622.46	-39.17	3.72	59.78	Peak	68.2	Pass
NVNT	ac20	5260	Ant1	5027.28	-49.22	3.72	49.73	Average	54	Pass
NVNT	ac20	5260	Ant1	5150	-41.88	3.72	57.07	Peak	68.2	Pass
NVNT	ac20	5260	Ant1	5150	-51.4	3.72	47.55	Average	54	Pass
NVNT	ac20	5320	Ant1	5350	-42.31	3.72	56.64	Peak	68.2	Pass
NVNT	ac20	5320	Ant1	5350	-50.62	3.72	48.33	Average	54	Pass
NVNT	ac20	5320	Ant1	5447.4	-38.26	3.72	60.69	Peak	68.2	Pass
NVNT	ac20	5320	Ant1	5449	-48.79	3.72	50.16	Average	54	Pass
NVNT	ac20	5320	Ant1	5460	-41.9	3.72	57.05	Peak	68.2	Pass
NVNT	ac20	5320	Ant1	5460	-51.1	3.72	47.85	Average	54	Pass
NVNT	ac20	5500	Ant1	5460	-38.97	3.72	59.98	Peak	68.2	Pass
NVNT	ac20	5500	Ant1	5460	-47.71	3.72	51.24	Average	54	Pass
NVNT	ac20	5500	Ant1	5466	-38.52	3.72	60.43	Peak	68.2	Pass
NVNT	ac20	5500	Ant1	5470	-47.27	3.72	51.68	Average	54	Pass
NVNT	ac20	5500	Ant1	5470	-39.29	3.72	59.66	Peak	68.2	Pass
NVNT	ac20	5500	Ant1	5470	-47.27	3.72	51.68	Average	54	Pass
NVNT	ac20	5700	Ant1	5725	-37.91	3.72	61.04	Peak	68.2	Pass
NVNT	ac20	5700	Ant1	5725	-46.64	3.72	52.31	Average	54	Pass
NVNT	ac20	5700	Ant1	5732.2	-36.56	3.72	62.39	Peak	68.2	Pass
NVNT	ac20	5700	Ant1	5725	-46.64	3.72	52.31	Average	54	Pass



NVNT	ac20	5700	Ant1	5735	-37.85	3.72	61.1	Peak	68.2	Pass
NVNT	ac20	5700	Ant1	5735	-47.85	3.72	51.1	Average	54	Pass
NVNT	ac20	5180	Ant2	4500	-42.81	3.86	56.28	Peak	68.2	Pass
NVNT	ac20	5180	Ant2	4500	-52.23	3.86	46.86	Average	54	Pass
NVNT	ac20	5180	Ant2	4934.7	-39.39	3.86	59.7	Peak	68.2	Pass
NVNT	ac20	5180	Ant2	4963.4	-48.74	3.86	50.35	Average	54	Pass
NVNT	ac20	5180	Ant2	5150	-42.47	3.86	56.62	Peak	68.2	Pass
NVNT	ac20	5180	Ant2	5150	-51.62	3.86	47.47	Average	54	Pass
NVNT	ac20	5240	Ant2	5350	-41.03	3.86	58.06	Peak	68.2	Pass
NVNT	ac20	5240	Ant2	5350	-51.09	3.86	48	Average	54	Pass
NVNT	ac20	5240	Ant2	5363.76	-39.23	3.86	59.86	Peak	68.2	Pass
NVNT	ac20	5240	Ant2	5448.48	-48.7	3.86	50.39	Average	54	Pass
NVNT	ac20	5240	Ant2	5460	-41.44	3.86	57.65	Peak	68.2	Pass
NVNT	ac20	5240	Ant2	5460	-51.12	3.86	47.97	Average	54	Pass
NVNT	ac20	5260	Ant2	4500	-42.32	3.86	56.77	Peak	68.2	Pass
NVNT	ac20	5260	Ant2	4500	-51.49	3.86	47.6	Average	54	Pass
NVNT	ac20	5260	Ant2	4886.1	-38.26	3.86	60.83	Peak	68.2	Pass
NVNT	ac20	5260	Ant2	4897.8	-49.31	3.86	49.78	Average	54	Pass
NVNT	ac20	5260	Ant2	5150	-41.09	3.86	58	Peak	68.2	Pass
NVNT	ac20	5260	Ant2	5150	-51.39	3.86	47.7	Average	54	Pass
NVNT	ac20	5320	Ant2	5350	-42.56	3.86	56.53	Peak	68.2	Pass
NVNT	ac20	5320	Ant2	5350	-50.78	3.86	48.31	Average	54	Pass
NVNT	ac20	5320	Ant2	5450.8	-38	3.86	61.09	Peak	68.2	Pass
NVNT	ac20	5320	Ant2	5450	-48.78	3.86	50.31	Average	54	Pass
NVNT	ac20	5320	Ant2	5460	-42.92	3.86	56.17	Peak	68.2	Pass
NVNT	ac20	5320	Ant2	5460	-50.51	3.86	48.58	Average	54	Pass
NVNT	ac20	5500	Ant2	5460	-41.95	3.86	57.14	Peak	68.2	Pass
NVNT	ac20	5500	Ant2	5460	-49.63	3.86	49.46	Average	54	Pass
NVNT	ac20	5500	Ant2	5464.2	-36.5	3.86	62.59	Peak	68.2	Pass
NVNT	ac20	5500	Ant2	5461.4	-49	3.86	50.09	Average	54	Pass
NVNT	ac20	5500	Ant2	5470	-42.05	3.86	57.04	Peak	68.2	Pass
NVNT	ac20	5500	Ant2	5470	-50.26	3.86	48.83	Average	54	Pass
NVNT	ac20	5700	Ant2	5725	-38.96	3.86	60.13	Peak	68.2	Pass
NVNT	ac20	5700	Ant2	5725	-49.72	3.86	49.37	Average	54	Pass
NVNT	ac20	5700	Ant2	5728	-36.72	3.86	62.37	Peak	68.2	Pass
NVNT	ac20	5700	Ant2	5732.2	-49.12	3.86	49.97	Average	54	Pass
NVNT	ac20	5700	Ant2	5735	-40.77	3.86	58.32	Peak	68.2	Pass
NVNT	ac20	5700	Ant2	5735	-50.31	3.86	48.78	Average	54	Pass
NVNT	ac40	5190	Ant1	4500	-42.54	3.72	56.41	Peak	68.2	Pass
NVNT	ac40	5190	Ant1	4500	-50.37	3.72	48.58	Average	54	Pass
NVNT	ac40	5190	Ant1	4874.49	-38.29	3.72	60.66	Peak	68.2	Pass
NVNT	ac40	5190	Ant1	4966.47	-47.85	3.72	51.1	Average	54	Pass
NVNT	ac40	5190	Ant1	5150	-41.23	3.72	57.72	Peak	68.2	Pass



NVNT	ac40	5190	Ant1	5150	-49.59	3.72	49.36	Average	54	Pass
NVNT	ac40	5230	Ant1	5350	-42.15	3.72	56.8	Peak	68.2	Pass
NVNT	ac40	5230	Ant1	5350	-51.16	3.72	47.79	Average	54	Pass
NVNT	ac40	5230	Ant1	5364.69	-38.68	3.72	60.27	Peak	68.2	Pass
NVNT	ac40	5230	Ant1	5450.01	-47.29	3.72	51.66	Average	54	Pass
NVNT	ac40	5230	Ant1	5460	-39.71	3.72	59.24	Peak	68.2	Pass
NVNT	ac40	5230	Ant1	5460	-50.64	3.72	48.31	Average	54	Pass
NVNT	ac40	5270	Ant1	4500	-42.12	3.72	56.83	Peak	68.2	Pass
NVNT	ac40	5270	Ant1	4500	-51.71	3.72	47.24	Average	54	Pass
NVNT	ac40	5270	Ant1	5058.9	-39.23	3.72	59.72	Peak	68.2	Pass
NVNT	ac40	5270	Ant1	4892.04	-47.76	3.72	51.19	Average	54	Pass
NVNT	ac40	5270	Ant1	5150	-42.38	3.72	56.57	Peak	68.2	Pass
NVNT	ac40	5270	Ant1	5150	-50.77	3.72	48.18	Average	54	Pass
NVNT	ac40	5310	Ant1	5350	-44.03	3.72	54.92	Peak	68.2	Pass
NVNT	ac40	5310	Ant1	5350	-50.66	3.72	48.29	Average	54	Pass
NVNT	ac40	5310	Ant1	5374	-37.18	3.72	61.77	Peak	68.2	Pass
NVNT	ac40	5310	Ant1	5356.4	-48.86	3.72	50.09	Average	54	Pass
NVNT	ac40	5310	Ant1	5460	-43.47	3.72	55.48	Peak	68.2	Pass
NVNT	ac40	5310	Ant1	5460	-50.52	3.72	48.43	Average	54	Pass
NVNT	ac40	5510	Ant1	5460	-40.91	3.72	58.04	Peak	68.2	Pass
NVNT	ac40	5510	Ant1	5460	-50.31	3.72	48.64	Average	54	Pass
NVNT	ac40	5510	Ant1	5463	-40.62	3.72	58.33	Peak	68.2	Pass
NVNT	ac40	5510	Ant1	5463.2	-49.27	3.72	49.68	Average	54	Pass
NVNT	ac40	5510	Ant1	5470	-42.24	3.72	56.71	Peak	68.2	Pass
NVNT	ac40	5510	Ant1	5470	-49.89	3.72	49.06	Average	54	Pass
NVNT	ac40	5670	Ant1	5725	-41.35	3.72	57.6	Peak	68.2	Pass
NVNT	ac40	5670	Ant1	5725	-49.78	3.72	49.17	Average	54	Pass
NVNT	ac40	5670	Ant1	5728.4	-39.93	3.72	59.02	Peak	68.2	Pass
NVNT	ac40	5670	Ant1	5728	-48.11	3.72	50.84	Average	54	Pass
NVNT	ac40	5670	Ant1	5735	-41.35	3.72	57.6	Peak	68.2	Pass
NVNT	ac40	5670	Ant1	5735	-49.75	3.72	49.2	Average	54	Pass
NVNT	ac40	5190	Ant2	4500	-42	3.86	57.09	Peak	68.2	Pass
NVNT	ac40	5190	Ant2	4500	-50.91	3.86	48.18	Average	54	Pass
NVNT	ac40	5190	Ant2	4873.03	-38.68	3.86	60.41	Peak	68.2	Pass
NVNT	ac40	5190	Ant2	4969.39	-48.25	3.86	50.84	Average	54	Pass
NVNT	ac40	5190	Ant2	5150	-39.8	3.86	59.29	Peak	68.2	Pass
NVNT	ac40	5190	Ant2	5150	-49.97	3.86	49.12	Average	54	Pass
NVNT	ac40	5230	Ant2	5350	-40.19	3.86	58.9	Peak	68.2	Pass
NVNT	ac40	5230	Ant2	5350	-50.18	3.86	48.91	Average	54	Pass
NVNT	ac40	5230	Ant2	5450.82	-39	3.86	60.09	Peak	68.2	Pass
NVNT	ac40	5230	Ant2	5449.74	-47.43	3.86	51.66	Average	54	Pass
NVNT	ac40	5230	Ant2	5460	-41.05	3.86	58.04	Peak	68.2	Pass
NVNT	ac40	5230	Ant2	5460	-49.6	3.86	49.49	Average	54	Pass



NVNT	ac40	5270	Ant2	4500	-42.28	3.86	56.81	Peak	68.2	Pass
NVNT	ac40	5270	Ant2	4500	-50.87	3.86	48.22	Average	54	Pass
NVNT	ac40	5270	Ant2	5079.96	-37.74	3.86	61.35	Peak	68.2	Pass
NVNT	ac40	5270	Ant2	5036.22	-47.59	3.86	51.5	Average	54	Pass
NVNT	ac40	5270	Ant2	5150	-40.88	3.86	58.21	Peak	68.2	Pass
NVNT	ac40	5270	Ant2	5150	-50.61	3.86	48.48	Average	54	Pass
NVNT	ac40	5310	Ant2	5350	-43.22	3.86	55.87	Peak	68.2	Pass
NVNT	ac40	5310	Ant2	5350	-50.15	3.86	48.94	Average	54	Pass
NVNT	ac40	5310	Ant2	5431.8	-38.91	3.86	60.18	Peak	68.2	Pass
NVNT	ac40	5310	Ant2	5445	-48.11	3.86	50.98	Average	54	Pass
NVNT	ac40	5310	Ant2	5460	-41.55	3.86	57.54	Peak	68.2	Pass
NVNT	ac40	5310	Ant2	5460	-50.56	3.86	48.53	Average	54	Pass
NVNT	ac40	5510	Ant2	5460	-42.16	3.86	56.93	Peak	68.2	Pass
NVNT	ac40	5510	Ant2	5460	-50.14	3.86	48.95	Average	54	Pass
NVNT	ac40	5510	Ant2	5467.8	-40.14	3.86	58.95	Peak	68.2	Pass
NVNT	ac40	5510	Ant2	5463.8	-48.92	3.86	50.17	Average	54	Pass
NVNT	ac40	5510	Ant2	5470	-42.19	3.86	56.9	Peak	68.2	Pass
NVNT	ac40	5510	Ant2	5470	-50.39	3.86	48.7	Average	54	Pass
NVNT	ac40	5670	Ant2	5725	-40.34	3.86	58.75	Peak	68.2	Pass
NVNT	ac40	5670	Ant2	5725	-49.39	3.86	49.7	Average	54	Pass
NVNT	ac40	5670	Ant2	5728	-39.36	3.86	59.73	Peak	68.2	Pass
NVNT	ac40	5670	Ant2	5733.8	-48.32	3.86	50.77	Average	54	Pass
NVNT	ac40	5670	Ant2	5735	-42.15	3.86	56.94	Peak	68.2	Pass
NVNT	ac40	5670	Ant2	5735	-48.76	3.86	50.33	Average	54	Pass
NVNT	ac80	5210	Ant1	4500	-43.33	3.72	55.62	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	4500	-50.93	3.72	48.02	Average	54	Pass
NVNT	ac80	5210	Ant1	4991.38	-38.38	3.72	60.57	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	4755.17	-47.36	3.72	51.59	Average	54	Pass
NVNT	ac80	5210	Ant1	5150	-41.55	3.72	57.4	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5150	-49.35	3.72	49.6	Average	54	Pass
NVNT	ac80	5290	Ant1	4500	-43.35	3.72	55.6	Peak	68.2	Pass
NVNT	ac80	5290	Ant1	4500	-52.04	3.72	46.91	Average	54	Pass
NVNT	ac80	5290	Ant1	5142.06	-38.75	3.72	60.2	Peak	68.2	Pass
NVNT	ac80	5290	Ant1	4966.32	-47.8	3.72	51.15	Average	54	Pass
NVNT	ac80	5290	Ant1	5150	-42.61	3.72	56.34	Peak	68.2	Pass
NVNT	ac80	5290	Ant1	5150	-49.98	3.72	48.97	Average	54	Pass
NVNT	ac80	5530	Ant1	5460	-42.29	3.72	56.66	Peak	68.2	Pass
NVNT	ac80	5530	Ant1	5460	-50.1	3.72	48.85	Average	54	Pass
NVNT	ac80	5530	Ant1	5470	-40.21	3.72	58.74	Peak	68.2	Pass
NVNT	ac80	5530	Ant1	5465.8	-48.28	3.72	50.67	Average	54	Pass
NVNT	ac80	5530	Ant1	5470	-40.21	3.72	58.74	Peak	68.2	Pass
NVNT	ac80	5530	Ant1	5470	-49.75	3.72	49.2	Average	54	Pass
NVNT	ac80	5610	Ant1	5725	-40.63	3.72	58.32	Peak	68.2	Pass



NVNT	ac80	5610	Ant1	5725	-49.46	3.72	49.49	Average	54	Pass
NVNT	ac80	5610	Ant1	5725.98	-39.83	3.72	59.12	Peak	68.2	Pass
NVNT	ac80	5610	Ant1	5735	-48.59	3.72	50.36	Average	54	Pass
NVNT	ac80	5610	Ant1	5735	-41.63	3.72	57.32	Peak	68.2	Pass
NVNT	ac80	5610	Ant1	5735	-48.59	3.72	50.36	Average	54	Pass
NVNT	ac80	5210	Ant2	4500	-42.11	3.86	56.98	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	4500	-51.13	3.86	47.96	Average	54	Pass
NVNT	ac80	5210	Ant2	4586.11	-38.72	3.86	60.37	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	4627.98	-48.08	3.86	51.01	Average	54	Pass
NVNT	ac80	5210	Ant2	5150	-40.97	3.86	58.12	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	5150	-50.21	3.86	48.88	Average	54	Pass
NVNT	ac80	5290	Ant2	4500	-43.09	3.86	56	Peak	68.2	Pass
NVNT	ac80	5290	Ant2	4500	-50.93	3.86	48.16	Average	54	Pass
NVNT	ac80	5290	Ant2	4765.35	-38.73	3.86	60.36	Peak	68.2	Pass
NVNT	ac80	5290	Ant2	4968.93	-47.58	3.86	51.51	Average	54	Pass
NVNT	ac80	5290	Ant2	5150	-41.97	3.86	57.12	Peak	68.2	Pass
NVNT	ac80	5290	Ant2	5150	-50.72	3.86	48.37	Average	54	Pass
NVNT	ac80	5530	Ant2	5460	-41.11	3.86	57.98	Peak	68.2	Pass
NVNT	ac80	5530	Ant2	5460	-50.42	3.86	48.67	Average	54	Pass
NVNT	ac80	5530	Ant2	5465.4	-40.58	3.86	58.51	Peak	68.2	Pass
NVNT	ac80	5530	Ant2	5469.4	-48.73	3.86	50.36	Average	54	Pass
NVNT	ac80	5530	Ant2	5470	-41.41	3.86	57.68	Peak	68.2	Pass
NVNT	ac80	5530	Ant2	5470	-49.56	3.86	49.53	Average	54	Pass
NVNT	ac80	5610	Ant2	5725	-41.75	3.86	57.34	Peak	68.2	Pass
NVNT	ac80	5610	Ant2	5725	-49.49	3.86	49.6	Average	54	Pass
NVNT	ac80	5610	Ant2	5732.335	-38.87	3.86	60.22	Peak	68.2	Pass
NVNT	ac80	5610	Ant2	5728.44	-47.58	3.86	51.51	Average	54	Pass
NVNT	ac80	5610	Ant2	5735	-40.88	3.86	58.21	Peak	68.2	Pass
NVNT	ac80	5610	Ant2	5735	-49.41	3.86	49.68	Average	54	Pass
NVNT	ax20	5180	Ant1	4500	-42.94	3.72	56.01	Peak	68.2	Pass
NVNT	ax20	5180	Ant1	4500	-51.24	3.72	47.71	Average	54	Pass
NVNT	ax20	5180	Ant1	4959.2	-38.66	3.72	60.29	Peak	68.2	Pass
NVNT	ax20	5180	Ant1	4894.1	-48.42	3.72	50.53	Average	54	Pass
NVNT	ax20	5180	Ant1	5150	-40.46	3.72	58.49	Peak	68.2	Pass
NVNT	ax20	5180	Ant1	5150	-51.17	3.72	47.78	Average	54	Pass
NVNT	ax20	5240	Ant1	5350	-43.52	3.72	55.43	Peak	68.2	Pass
NVNT	ax20	5240	Ant1	5350	-50.82	3.72	48.13	Average	54	Pass
NVNT	ax20	5240	Ant1	5448.24	-37.28	3.72	61.67	Peak	68.2	Pass
NVNT	ax20	5240	Ant1	5446.56	-48.6	3.72	50.35	Average	54	Pass
NVNT	ax20	5240	Ant1	5460	-41.44	3.72	57.51	Peak	68.2	Pass
NVNT	ax20	5240	Ant1	5460	-50.27	3.72	48.68	Average	54	Pass
NVNT	ax20	5260	Ant1	4500	-42.76	3.72	56.19	Peak	68.2	Pass
NVNT	ax20	5260	Ant1	4500	-52.33	3.72	46.62	Average	54	Pass



NVNT	ax20	5260	Ant1	5055.36	-38.94	3.72	60.01	Peak	68.2	Pass
NVNT	ax20	5260	Ant1	5030.4	-48.63	3.72	50.32	Average	54	Pass
NVNT	ax20	5260	Ant1	5150	-42.2	3.72	56.75	Peak	68.2	Pass
NVNT	ax20	5260	Ant1	5150	-51.32	3.72	47.63	Average	54	Pass
NVNT	ax20	5320	Ant1	5350	-42.54	3.72	56.41	Peak	68.2	Pass
NVNT	ax20	5320	Ant1	5350	-51.48	3.72	47.47	Average	54	Pass
NVNT	ax20	5320	Ant1	5449.4	-38.82	3.72	60.13	Peak	68.2	Pass
NVNT	ax20	5320	Ant1	5448.6	-48.44	3.72	50.51	Average	54	Pass
NVNT	ax20	5320	Ant1	5460	-44.25	3.72	54.7	Peak	68.2	Pass
NVNT	ax20	5320	Ant1	5460	-50.82	3.72	48.13	Average	54	Pass
NVNT	ax20	5500	Ant1	5460	-40.56	3.72	58.39	Peak	68.2	Pass
NVNT	ax20	5500	Ant1	5460	-49.73	3.72	49.22	Average	54	Pass
NVNT	ax20	5500	Ant1	5461.2	-39.31	3.72	59.64	Peak	68.2	Pass
NVNT	ax20	5500	Ant1	5466.2	-49.06	3.72	49.89	Average	54	Pass
NVNT	ax20	5500	Ant1	5470	-42.09	3.72	56.86	Peak	68.2	Pass
NVNT	ax20	5500	Ant1	5470	-50.21	3.72	48.74	Average	54	Pass
NVNT	ax20	5700	Ant1	5725	-41.62	3.72	57.33	Peak	68.2	Pass
NVNT	ax20	5700	Ant1	5725	-49.91	3.72	49.04	Average	54	Pass
NVNT	ax20	5700	Ant1	5727.8	-38.96	3.72	59.99	Peak	68.2	Pass
NVNT	ax20	5700	Ant1	5729	-48.9	3.72	50.05	Average	54	Pass
NVNT	ax20	5700	Ant1	5735	-41.08	3.72	57.87	Peak	68.2	Pass
NVNT	ax20	5700	Ant1	5735	-49.79	3.72	49.16	Average	54	Pass
NVNT	ax20	5180	Ant2	4500	-42.51	3.86	56.58	Peak	68.2	Pass
NVNT	ax20	5180	Ant2	4500	-51.54	3.86	47.55	Average	54	Pass
NVNT	ax20	5180	Ant2	4979.5	-38.59	3.86	60.5	Peak	68.2	Pass
NVNT	ax20	5180	Ant2	4967.6	-47.85	3.86	51.24	Average	54	Pass
NVNT	ax20	5180	Ant2	5150	-41.08	3.86	58.01	Peak	68.2	Pass
NVNT	ax20	5180	Ant2	5150	-51.45	3.86	47.64	Average	54	Pass
NVNT	ax20	5240	Ant2	5350	-41.64	3.86	57.45	Peak	68.2	Pass
NVNT	ax20	5240	Ant2	5350	-50.75	3.86	48.34	Average	54	Pass
NVNT	ax20	5240	Ant2	5449.68	-38.48	3.86	60.61	Peak	68.2	Pass
NVNT	ax20	5240	Ant2	5446.8	-48.51	3.86	50.58	Average	54	Pass
NVNT	ax20	5240	Ant2	5460	-40.77	3.86	58.32	Peak	68.2	Pass
NVNT	ax20	5240	Ant2	5460	-50.31	3.86	48.78	Average	54	Pass
NVNT	ax20	5260	Ant2	4500	-41.99	3.86	57.1	Peak	68.2	Pass
NVNT	ax20	5260	Ant2	4500	-51.4	3.86	47.69	Average	54	Pass
NVNT	ax20	5260	Ant2	4911.84	-38.6	3.86	60.49	Peak	68.2	Pass
NVNT	ax20	5260	Ant2	5027.28	-48.78	3.86	50.31	Average	54	Pass
NVNT	ax20	5260	Ant2	5150	-41.36	3.86	57.73	Peak	68.2	Pass
NVNT	ax20	5260	Ant2	5150	-51.1	3.86	47.99	Average	54	Pass
NVNT	ax20	5320	Ant2	5350	-42.73	3.86	56.36	Peak	68.2	Pass
NVNT	ax20	5320	Ant2	5350	-49.76	3.86	49.33	Average	54	Pass
NVNT	ax20	5320	Ant2	5448.4	-37.83	3.86	61.26	Peak	68.2	Pass



NVNT	ax20	5320	Ant2	5448.4	-48.49	3.86	50.6	Average	54	Pass
NVNT	ax20	5320	Ant2	5460	-42.18	3.86	56.91	Peak	68.2	Pass
NVNT	ax20	5320	Ant2	5460	-50.43	3.86	48.66	Average	54	Pass
NVNT	ax20	5500	Ant2	5460	-41.45	3.86	57.64	Peak	68.2	Pass
NVNT	ax20	5500	Ant2	5460	-49.9	3.86	49.19	Average	54	Pass
NVNT	ax20	5500	Ant2	5460.6	-39.85	3.86	59.24	Peak	68.2	Pass
NVNT	ax20	5500	Ant2	5463.8	-49.15	3.86	49.94	Average	54	Pass
NVNT	ax20	5500	Ant2	5470	-41.78	3.86	57.31	Peak	68.2	Pass
NVNT	ax20	5500	Ant2	5470	-50.47	3.86	48.62	Average	54	Pass
NVNT	ax20	5700	Ant2	5725	-40.19	3.86	58.9	Peak	68.2	Pass
NVNT	ax20	5700	Ant2	5725	-48.84	3.86	50.25	Average	54	Pass
NVNT	ax20	5700	Ant2	5731	-38.55	3.86	60.54	Peak	68.2	Pass
NVNT	ax20	5700	Ant2	5725	-48.84	3.86	50.25	Average	54	Pass
NVNT	ax20	5700	Ant2	5735	-42.09	3.86	57	Peak	68.2	Pass
NVNT	ax20	5700	Ant2	5735	-49.27	3.86	49.82	Average	54	Pass
NVNT	ax40	5190	Ant1	4500	-42.25	3.72	56.7	Peak	68.2	Pass
NVNT	ax40	5190	Ant1	4500	-51.41	3.72	47.54	Average	54	Pass
NVNT	ax40	5190	Ant1	5015.38	-38.24	3.72	60.71	Peak	68.2	Pass
NVNT	ax40	5190	Ant1	4964.28	-48.29	3.72	50.66	Average	54	Pass
NVNT	ax40	5190	Ant1	5150	-41.66	3.72	57.29	Peak	68.2	Pass
NVNT	ax40	5190	Ant1	5150	-50.8	3.72	48.15	Average	54	Pass
NVNT	ax40	5230	Ant1	5350	-42.75	3.72	56.2	Peak	68.2	Pass
NVNT	ax40	5230	Ant1	5350	-50.96	3.72	47.99	Average	54	Pass
NVNT	ax40	5230	Ant1	5420.58	-39.32	3.72	59.63	Peak	68.2	Pass
NVNT	ax40	5230	Ant1	5447.85	-48.46	3.72	50.49	Average	54	Pass
NVNT	ax40	5230	Ant1	5460	-40.89	3.72	58.06	Peak	68.2	Pass
NVNT	ax40	5230	Ant1	5460	-50.63	3.72	48.32	Average	54	Pass
NVNT	ax40	5270	Ant1	4500	-43.4	3.72	55.55	Peak	68.2	Pass
NVNT	ax40	5270	Ant1	4500	-51.08	3.72	47.87	Average	54	Pass
NVNT	ax40	5270	Ant1	4815.9	-38.64	3.72	60.31	Peak	68.2	Pass
NVNT	ax40	5270	Ant1	4963.32	-48.57	3.72	50.38	Average	54	Pass
NVNT	ax40	5270	Ant1	5150	-41.64	3.72	57.31	Peak	68.2	Pass
NVNT	ax40	5270	Ant1	5150	-50.74	3.72	48.21	Average	54	Pass
NVNT	ax40	5310	Ant1	5350	-42.25	3.72	56.7	Peak	68.2	Pass
NVNT	ax40	5310	Ant1	5350	-50.81	3.72	48.14	Average	54	Pass
NVNT	ax40	5310	Ant1	5398.4	-39.82	3.72	59.13	Peak	68.2	Pass
NVNT	ax40	5310	Ant1	5401.2	-49.81	3.72	49.14	Average	54	Pass
NVNT	ax40	5310	Ant1	5460	-42.72	3.72	56.23	Peak	68.2	Pass
NVNT	ax40	5310	Ant1	5460	-51.2	3.72	47.75	Average	54	Pass
NVNT	ax40	5510	Ant1	5460	-42.48	3.72	56.47	Peak	68.2	Pass
NVNT	ax40	5510	Ant1	5460	-50.77	3.72	48.18	Average	54	Pass
NVNT	ax40	5510	Ant1	5468.4	-40.11	3.72	58.84	Peak	68.2	Pass
NVNT	ax40	5510	Ant1	5466.8	-50.1	3.72	48.85	Average	54	Pass



NVNT	ax40	5510	Ant1	5470	-44.11	3.72	54.84	Peak	68.2	Pass
NVNT	ax40	5510	Ant1	5470	-50.87	3.72	48.08	Average	54	Pass
NVNT	ax40	5670	Ant1	5725	-41.14	3.72	57.81	Peak	68.2	Pass
NVNT	ax40	5670	Ant1	5725	-49.67	3.72	49.28	Average	54	Pass
NVNT	ax40	5670	Ant1	5727	-39.56	3.72	59.39	Peak	68.2	Pass
NVNT	ax40	5670	Ant1	5729.8	-49.04	3.72	49.91	Average	54	Pass
NVNT	ax40	5670	Ant1	5735	-40.62	3.72	58.33	Peak	68.2	Pass
NVNT	ax40	5670	Ant1	5735	-49.95	3.72	49	Average	54	Pass
NVNT	ax40	5190	Ant2	4500	-42.86	3.86	56.23	Peak	68.2	Pass
NVNT	ax40	5190	Ant2	4500	-51.43	3.86	47.66	Average	54	Pass
NVNT	ax40	5190	Ant2	4848.21	-38.47	3.86	60.62	Peak	68.2	Pass
NVNT	ax40	5190	Ant2	4968.66	-48.5	3.86	50.59	Average	54	Pass
NVNT	ax40	5190	Ant2	5150	-40.4	3.86	58.69	Peak	68.2	Pass
NVNT	ax40	5190	Ant2	5150	-51.01	3.86	48.08	Average	54	Pass
NVNT	ax40	5230	Ant2	5350	-43.52	3.86	55.57	Peak	68.2	Pass
NVNT	ax40	5230	Ant2	5350	-50.76	3.86	48.33	Average	54	Pass
NVNT	ax40	5230	Ant2	5447.85	-38.13	3.86	60.96	Peak	68.2	Pass
NVNT	ax40	5230	Ant2	5447.85	-48.36	3.86	50.73	Average	54	Pass
NVNT	ax40	5230	Ant2	5460	-42.24	3.86	56.85	Peak	68.2	Pass
NVNT	ax40	5230	Ant2	5460	-50.2	3.86	48.89	Average	54	Pass
NVNT	ax40	5270	Ant2	4500	-40.82	3.86	58.27	Peak	68.2	Pass
NVNT	ax40	5270	Ant2	4500	-51.18	3.86	47.91	Average	54	Pass
NVNT	ax40	5270	Ant2	4986	-38.4	3.86	60.69	Peak	68.2	Pass
NVNT	ax40	5270	Ant2	5031.36	-46.93	3.86	52.16	Average	54	Pass
NVNT	ax40	5270	Ant2	5150	-41.38	3.86	57.71	Peak	68.2	Pass
NVNT	ax40	5270	Ant2	5150	-50.45	3.86	48.64	Average	54	Pass
NVNT	ax40	5310	Ant2	5350	-43.26	3.86	55.83	Peak	68.2	Pass
NVNT	ax40	5310	Ant2	5350	-51.02	3.86	48.07	Average	54	Pass
NVNT	ax40	5310	Ant2	5439.6	-37.21	3.86	61.88	Peak	68.2	Pass
NVNT	ax40	5310	Ant2	5458.4	-49.58	3.86	49.51	Average	54	Pass
NVNT	ax40	5310	Ant2	5460	-41.2	3.86	57.89	Peak	68.2	Pass
NVNT	ax40	5310	Ant2	5460	-50.6	3.86	48.49	Average	54	Pass
NVNT	ax40	5510	Ant2	5460	-42.51	3.86	56.58	Peak	68.2	Pass
NVNT	ax40	5510	Ant2	5460	-50.05	3.86	49.04	Average	54	Pass
NVNT	ax40	5510	Ant2	5464.6	-38.77	3.86	60.32	Peak	68.2	Pass
NVNT	ax40	5510	Ant2	5466.8	-49.19	3.86	49.9	Average	54	Pass
NVNT	ax40	5510	Ant2	5470	-45	3.86	54.09	Peak	68.2	Pass
NVNT	ax40	5510	Ant2	5470	-50.5	3.86	48.59	Average	54	Pass
NVNT	ax40	5670	Ant2	5725	-42.14	3.86	56.95	Peak	68.2	Pass
NVNT	ax40	5670	Ant2	5725	-49.5	3.86	49.59	Average	54	Pass
NVNT	ax40	5670	Ant2	5729.4	-40.5	3.86	58.59	Peak	68.2	Pass
NVNT	ax40	5670	Ant2	5734	-48.89	3.86	50.2	Average	54	Pass
NVNT	ax40	5670	Ant2	5735	-41.49	3.86	57.6	Peak	68.2	Pass



NVNT	ax40	5670	Ant2	5735	-49.29	3.86	49.8	Average	54	Pass
NVNT	ax80	5210	Ant1	4500	-42.63	3.72	56.32	Peak	68.2	Pass
NVNT	ax80	5210	Ant1	4500	-51.5	3.72	47.45	Average	54	Pass
NVNT	ax80	5210	Ant1	5116.99	-38.48	3.72	60.47	Peak	68.2	Pass
NVNT	ax80	5210	Ant1	4613.76	-48.07	3.72	50.88	Average	54	Pass
NVNT	ax80	5210	Ant1	5150	-40.71	3.72	58.24	Peak	68.2	Pass
NVNT	ax80	5210	Ant1	5150	-49.94	3.72	49.01	Average	54	Pass
NVNT	ax80	5290	Ant1	4500	-43.42	3.72	55.53	Peak	68.2	Pass
NVNT	ax80	5290	Ant1	4500	-50.61	3.72	48.34	Average	54	Pass
NVNT	ax80	5290	Ant1	4979.37	-39.21	3.72	59.74	Peak	68.2	Pass
NVNT	ax80	5290	Ant1	4967.19	-48.01	3.72	50.94	Average	54	Pass
NVNT	ax80	5290	Ant1	5150	-41.39	3.72	57.56	Peak	68.2	Pass
NVNT	ax80	5290	Ant1	5150	-49.89	3.72	49.06	Average	54	Pass
NVNT	ax80	5530	Ant1	5460	-41.14	3.72	57.81	Peak	68.2	Pass
NVNT	ax80	5530	Ant1	5460	-49.24	3.72	49.71	Average	54	Pass
NVNT	ax80	5530	Ant1	5460.4	-40.76	3.72	58.19	Peak	68.2	Pass
NVNT	ax80	5530	Ant1	5460.2	-49.08	3.72	49.87	Average	54	Pass
NVNT	ax80	5530	Ant1	5470	-41.25	3.72	57.7	Peak	68.2	Pass
NVNT	ax80	5530	Ant1	5470	-51.57	3.72	47.38	Average	54	Pass
NVNT	ax80	5610	Ant1	5725	-40.8	3.72	58.15	Peak	68.2	Pass
NVNT	ax80	5610	Ant1	5725	-50.9	3.72	48.05	Average	54	Pass
NVNT	ax80	5610	Ant1	5732.745	-39.92	3.72	59.03	Peak	68.2	Pass
NVNT	ax80	5610	Ant1	5734.59	-50.76	3.72	48.19	Average	54	Pass
NVNT	ax80	5610	Ant1	5735	-41.79	3.72	57.16	Peak	68.2	Pass
NVNT	ax80	5610	Ant1	5735	-50.76	3.72	48.19	Average	54	Pass
NVNT	ax80	5210	Ant2	4500	-43.13	3.86	55.96	Peak	68.2	Pass
NVNT	ax80	5210	Ant2	4500	-51.69	3.86	47.4	Average	54	Pass
NVNT	ax80	5210	Ant2	4962.94	-38.46	3.86	60.63	Peak	68.2	Pass
NVNT	ax80	5210	Ant2	4754.38	-47.81	3.86	51.28	Average	54	Pass
NVNT	ax80	5210	Ant2	5150	-42.22	3.86	56.87	Peak	68.2	Pass
NVNT	ax80	5210	Ant2	5150	-50.4	3.86	48.69	Average	54	Pass
NVNT	ax80	5290	Ant2	4500	-42.69	3.86	56.4	Peak	68.2	Pass
NVNT	ax80	5290	Ant2	4500	-49.95	3.86	49.14	Average	54	Pass
NVNT	ax80	5290	Ant2	4974.15	-38.55	3.86	60.54	Peak	68.2	Pass
NVNT	ax80	5290	Ant2	4965.45	-47.77	3.86	51.32	Average	54	Pass
NVNT	ax80	5290	Ant2	5150	-42.44	3.86	56.65	Peak	68.2	Pass
NVNT	ax80	5290	Ant2	5150	-50.59	3.86	48.5	Average	54	Pass
NVNT	ax80	5530	Ant2	5460	-40.71	3.86	58.38	Peak	68.2	Pass
NVNT	ax80	5530	Ant2	5460	-49.15	3.86	49.94	Average	54	Pass
NVNT	ax80	5530	Ant2	5465.6	-40.13	3.86	58.96	Peak	68.2	Pass
NVNT	ax80	5530	Ant2	5460	-49.15	3.86	49.94	Average	54	Pass
NVNT	ax80	5530	Ant2	5470	-42.79	3.86	56.3	Peak	68.2	Pass
NVNT	ax80	5530	Ant2	5470	-50.25	3.86	48.84	Average	54	Pass



NVNT	ax80	5610	Ant2	5725	-40.57	3.86	58.52	Peak	68.2	Pass
NVNT	ax80	5610	Ant2	5725	-49.11	3.86	49.98	Average	54	Pass
NVNT	ax80	5610	Ant2	5731.31	-39.92	3.86	59.17	Peak	68.2	Pass
NVNT	ax80	5610	Ant2	5729.26	-47.87	3.86	51.22	Average	54	Pass
NVNT	ax80	5610	Ant2	5735	-42.03	3.86	57.06	Peak	68.2	Pass
NVNT	ax80	5610	Ant2	5735	-50.16	3.86	48.93	Average	54	Pass



Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5180	Sum	4500	-36.932	--	58.298	Peak	68.2	Pass
NVNT	a	5180	Sum	4500	-47.056	--	48.174	Average	54	Pass
NVNT	a	5180	Sum	4980.9	-33.392	--	61.838	Peak	68.2	Pass
NVNT	a	5180	Sum	4963.4	-44.056	--	51.174	Average	54	Pass
NVNT	a	5180	Sum	5150	-35.540	--	59.690	Peak	68.2	Pass
NVNT	a	5180	Sum	5150	-46.011	--	49.219	Average	54	Pass
NVNT	a	5240	Sum	5350	-37.213	--	58.017	Peak	68.2	Pass
NVNT	a	5240	Sum	5350	-46.380	--	48.850	Average	54	Pass
NVNT	a	5240	Sum	5449.92	-33.845	--	61.385	Peak	68.2	Pass
NVNT	a	5240	Sum	5447.76	-44.140	--	51.090	Average	54	Pass
NVNT	a	5240	Sum	5460	-37.170	--	58.060	Peak	68.2	Pass
NVNT	a	5240	Sum	5460	-45.670	--	49.560	Average	54	Pass
NVNT	a	5260	Sum	4500	-37.215	--	58.015	Peak	68.2	Pass
NVNT	a	5260	Sum	4500	-47.052	--	48.178	Average	54	Pass
NVNT	a	5260	Sum	4957.08	-32.975	--	62.255	Peak	68.2	Pass
NVNT	a	5260	Sum	4897.8	-44.449	--	50.781	Average	54	Pass
NVNT	a	5260	Sum	5150	-37.530	--	57.700	Peak	68.2	Pass
NVNT	a	5260	Sum	5150	-46.196	--	49.034	Average	54	Pass
NVNT	a	5320	Sum	5350	-36.233	--	58.997	Peak	68.2	Pass
NVNT	a	5320	Sum	5350	-45.868	--	49.362	Average	54	Pass
NVNT	a	5320	Sum	5447.4	-32.727	--	62.503	Peak	68.2	Pass
NVNT	a	5320	Sum	5447.8	-43.909	--	51.321	Average	54	Pass
NVNT	a	5320	Sum	5460	-38.335	--	56.895	Peak	68.2	Pass
NVNT	a	5320	Sum	5460	-45.781	--	49.449	Average	54	Pass
NVNT	a	5500	Sum	5460	-34.736	--	60.494	Peak	68.2	Pass
NVNT	a	5500	Sum	5460	-44.588	--	50.642	Average	54	Pass
NVNT	a	5500	Sum	5468.4	-33.382	--	61.848	Peak	68.2	Pass
NVNT	a	5500	Sum	5461.2	-44.422	--	50.808	Average	54	Pass
NVNT	a	5500	Sum	5470	-36.424	--	58.806	Peak	68.2	Pass
NVNT	a	5500	Sum	5470	-45.550	--	49.680	Average	54	Pass
NVNT	a	5700	Sum	5725	-38.840	--	56.390	Peak	68.2	Pass
NVNT	a	5700	Sum	5725	-48.528	--	46.702	Average	54	Pass
NVNT	a	5700	Sum	5729	-37.029	--	58.201	Peak	68.2	Pass
NVNT	a	5700	Sum	5734.2	-48.413	--	46.817	Average	54	Pass
NVNT	a	5700	Sum	5735	-40.065	--	55.165	Peak	68.2	Pass
NVNT	a	5700	Sum	5735	-48.794	--	46.436	Average	54	Pass



NVNT	n20	5180	Sum	4500	-35.631	--	59.599	Peak	68.2	Pass
NVNT	n20	5180	Sum	4500	-45.490	--	49.740	Average	54	Pass
NVNT	n20	5180	Sum	4793.3	-31.983	--	63.247	Peak	68.2	Pass
NVNT	n20	5180	Sum	4962.7	-42.685	--	52.545	Average	54	Pass
NVNT	n20	5180	Sum	5150	-34.988	--	60.242	Peak	68.2	Pass
NVNT	n20	5180	Sum	5150	-44.680	--	50.550	Average	54	Pass
NVNT	n20	5240	Sum	5350	-36.262	--	58.968	Peak	68.2	Pass
NVNT	n20	5240	Sum	5350	-44.853	--	50.377	Average	54	Pass
NVNT	n20	5240	Sum	5451.84	-31.813	--	63.417	Peak	68.2	Pass
NVNT	n20	5240	Sum	5448	-42.589	--	52.641	Average	54	Pass
NVNT	n20	5240	Sum	5460	-35.620	--	59.610	Peak	68.2	Pass
NVNT	n20	5240	Sum	5460	-44.180	--	51.050	Average	54	Pass
NVNT	n20	5260	Sum	4500	-35.446	--	59.784	Peak	68.2	Pass
NVNT	n20	5260	Sum	4500	-45.243	--	49.987	Average	54	Pass
NVNT	n20	5260	Sum	4645.08	-31.554	--	63.676	Peak	68.2	Pass
NVNT	n20	5260	Sum	4897.8	-42.758	--	52.472	Average	54	Pass
NVNT	n20	5260	Sum	5150	-33.311	--	61.919	Peak	68.2	Pass
NVNT	n20	5260	Sum	5150	-44.530	--	50.700	Average	54	Pass
NVNT	n20	5320	Sum	5350	-35.624	--	59.606	Peak	68.2	Pass
NVNT	n20	5320	Sum	5350	-44.283	--	50.947	Average	54	Pass
NVNT	n20	5320	Sum	5372.4	-32.246	--	62.984	Peak	68.2	Pass
NVNT	n20	5320	Sum	5449	-42.393	--	52.837	Average	54	Pass
NVNT	n20	5320	Sum	5460	-36.228	--	59.002	Peak	68.2	Pass
NVNT	n20	5320	Sum	5460	-44.295	--	50.935	Average	54	Pass
NVNT	n20	5500	Sum	5460	-34.607	--	60.623	Peak	68.2	Pass
NVNT	n20	5500	Sum	5460	-43.054	--	52.176	Average	54	Pass
NVNT	n20	5500	Sum	5469.4	-32.247	--	62.983	Peak	68.2	Pass
NVNT	n20	5500	Sum	5460.4	-42.879	--	52.351	Average	54	Pass
NVNT	n20	5500	Sum	5470	-34.680	--	60.550	Peak	68.2	Pass
NVNT	n20	5500	Sum	5470	-43.989	--	51.241	Average	54	Pass
NVNT	n20	5700	Sum	5725	-33.169	--	62.061	Peak	68.2	Pass
NVNT	n20	5700	Sum	5725	-43.067	--	52.163	Average	54	Pass
NVNT	n20	5700	Sum	5728.6	-32.481	--	62.749	Peak	68.2	Pass
NVNT	n20	5700	Sum	5732	-42.693	--	52.537	Average	54	Pass
NVNT	n20	5700	Sum	5735	-34.249	--	60.981	Peak	68.2	Pass
NVNT	n20	5700	Sum	5735	-43.243	--	51.987	Average	54	Pass
NVNT	n40	5190	Sum	4500	-36.404	--	58.826	Peak	68.2	Pass
NVNT	n40	5190	Sum	4500	-46.255	--	48.975	Average	54	Pass
NVNT	n40	5190	Sum	5129.26	-33.475	--	61.755	Peak	68.2	Pass
NVNT	n40	5190	Sum	4966.47	-43.069	--	52.161	Average	54	Pass
NVNT	n40	5190	Sum	5150	-34.795	--	60.435	Peak	68.2	Pass
NVNT	n40	5190	Sum	5150	-44.731	--	50.499	Average	54	Pass
NVNT	n40	5230	Sum	5350	-37.171	--	58.059	Peak	68.2	Pass



NVNT	n40	5230	Sum	5350	-45.218	--	50.012	Average	54	Pass
NVNT	n40	5230	Sum	5450.82	-32.800	--	62.430	Peak	68.2	Pass
NVNT	n40	5230	Sum	5457.03	-42.373	--	52.857	Average	54	Pass
NVNT	n40	5230	Sum	5460	-36.342	--	58.888	Peak	68.2	Pass
NVNT	n40	5230	Sum	5460	-45.133	--	50.097	Average	54	Pass
NVNT	n40	5270	Sum	4500	-37.492	--	57.738	Peak	68.2	Pass
NVNT	n40	5270	Sum	4500	-46.031	--	49.199	Average	54	Pass
NVNT	n40	5270	Sum	4796.46	-33.683	--	61.547	Peak	68.2	Pass
NVNT	n40	5270	Sum	4964.94	-42.782	--	52.448	Average	54	Pass
NVNT	n40	5270	Sum	5150	-36.909	--	58.321	Peak	68.2	Pass
NVNT	n40	5270	Sum	5150	-45.195	--	50.035	Average	54	Pass
NVNT	n40	5310	Sum	5350	-38.262	--	56.968	Peak	68.2	Pass
NVNT	n40	5310	Sum	5350	-45.617	--	49.613	Average	54	Pass
NVNT	n40	5310	Sum	5439.4	-33.810	--	61.420	Peak	68.2	Pass
NVNT	n40	5310	Sum	5386.2	-43.162	--	52.068	Average	54	Pass
NVNT	n40	5310	Sum	5460	-37.025	--	58.205	Peak	68.2	Pass
NVNT	n40	5310	Sum	5460	-45.862	--	49.368	Average	54	Pass
NVNT	n40	5510	Sum	5460	-36.076	--	59.154	Peak	68.2	Pass
NVNT	n40	5510	Sum	5460	-44.571	--	50.659	Average	54	Pass
NVNT	n40	5510	Sum	5469.4	-33.084	--	62.146	Peak	68.2	Pass
NVNT	n40	5510	Sum	5468.2	-43.530	--	51.700	Average	54	Pass
NVNT	n40	5510	Sum	5470	-38.132	--	57.098	Peak	68.2	Pass
NVNT	n40	5510	Sum	5470	-44.469	--	50.761	Average	54	Pass
NVNT	n40	5670	Sum	5725	-35.192	--	60.038	Peak	68.2	Pass
NVNT	n40	5670	Sum	5725	-44.311	--	50.919	Average	54	Pass
NVNT	n40	5670	Sum	5728	-33.661	--	61.569	Peak	68.2	Pass
NVNT	n40	5670	Sum	5729.8	-43.768	--	51.462	Average	54	Pass
NVNT	n40	5670	Sum	5735	-34.913	--	60.317	Peak	68.2	Pass
NVNT	n40	5670	Sum	5735	-44.223	--	51.007	Average	54	Pass
NVNT	ac20	5180	Sum	4500	-36.063	--	59.167	Peak	68.2	Pass
NVNT	ac20	5180	Sum	4500	-45.330	--	49.900	Average	54	Pass
NVNT	ac20	5180	Sum	4922.1	-32.520	--	62.710	Peak	68.2	Pass
NVNT	ac20	5180	Sum	4963.4	-42.094	--	53.136	Average	54	Pass
NVNT	ac20	5180	Sum	5150	-34.312	--	60.918	Peak	68.2	Pass
NVNT	ac20	5180	Sum	5150	-44.633	--	50.597	Average	54	Pass
NVNT	ac20	5240	Sum	5350	-34.991	--	60.239	Peak	68.2	Pass
NVNT	ac20	5240	Sum	5350	-44.304	--	50.926	Average	54	Pass
NVNT	ac20	5240	Sum	5446.56	-31.239	--	63.991	Peak	68.2	Pass
NVNT	ac20	5240	Sum	5447.04	-41.682	--	53.548	Average	54	Pass
NVNT	ac20	5240	Sum	5460	-35.377	--	59.853	Peak	68.2	Pass
NVNT	ac20	5240	Sum	5460	-44.294	--	50.936	Average	54	Pass
NVNT	ac20	5260	Sum	4500	-35.607	--	59.623	Peak	68.2	Pass
NVNT	ac20	5260	Sum	4500	-44.905	--	50.325	Average	54	Pass



NVNT	ac20	5260	Sum	4622.46	-31.883	--	63.347	Peak	68.2	Pass
NVNT	ac20	5260	Sum	5027.28	-42.465	--	52.765	Average	54	Pass
NVNT	ac20	5260	Sum	5150	-34.660	--	60.570	Peak	68.2	Pass
NVNT	ac20	5260	Sum	5150	-44.594	--	50.636	Average	54	Pass
NVNT	ac20	5320	Sum	5350	-35.634	--	59.596	Peak	68.2	Pass
NVNT	ac20	5320	Sum	5350	-43.900	--	51.330	Average	54	Pass
NVNT	ac20	5320	Sum	5447.4	-31.325	--	63.905	Peak	68.2	Pass
NVNT	ac20	5320	Sum	5449	-41.984	--	53.246	Average	54	Pass
NVNT	ac20	5320	Sum	5460	-35.587	--	59.643	Peak	68.2	Pass
NVNT	ac20	5320	Sum	5460	-43.989	--	51.241	Average	54	Pass
NVNT	ac20	5500	Sum	5460	-33.432	--	61.798	Peak	68.2	Pass
NVNT	ac20	5500	Sum	5460	-41.779	--	53.451	Average	54	Pass
NVNT	ac20	5500	Sum	5466	-30.577	--	64.653	Peak	68.2	Pass
NVNT	ac20	5500	Sum	5470	-41.262	--	53.868	Average	54	Pass
NVNT	ac20	5500	Sum	5470	-33.675	--	61.555	Peak	68.2	Pass
NVNT	ac20	5500	Sum	5470	-41.735	--	53.495	Average	54	Pass
NVNT	ac20	5700	Sum	5725	-31.611	--	63.619	Peak	68.2	Pass
NVNT	ac20	5700	Sum	5725	-41.936	--	53.294	Average	54	Pass
NVNT	ac20	5700	Sum	5732.2	-29.840	--	65.390	Peak	68.2	Pass
NVNT	ac20	5700	Sum	5725	-41.924	--	53.306	Average	54	Pass
NVNT	ac20	5700	Sum	5735	-32.291	--	62.939	Peak	68.2	Pass
NVNT	ac20	5700	Sum	5735	-42.127	--	53.103	Average	54	Pass
NVNT	ac40	5190	Sum	4500	-35.456	--	59.774	Peak	68.2	Pass
NVNT	ac40	5190	Sum	4500	-43.835	--	51.395	Average	54	Pass
NVNT	ac40	5190	Sum	4874.49	-31.683	--	63.547	Peak	68.2	Pass
NVNT	ac40	5190	Sum	4966.47	-41.248	--	53.882	Average	54	Pass
NVNT	ac40	5190	Sum	5150	-33.644	--	61.586	Peak	68.2	Pass
NVNT	ac40	5190	Sum	5150	-42.978	--	52.252	Average	54	Pass
NVNT	ac40	5230	Sum	5350	-34.244	--	60.986	Peak	68.2	Pass
NVNT	ac40	5230	Sum	5350	-43.834	--	51.396	Average	54	Pass
NVNT	ac40	5230	Sum	5364.69	-32.039	--	63.191	Peak	68.2	Pass
NVNT	ac40	5230	Sum	5450.01	-41.560	--	53.670	Average	54	Pass
NVNT	ac40	5230	Sum	5460	-33.538	--	61.692	Peak	68.2	Pass
NVNT	ac40	5230	Sum	5460	-43.280	--	51.950	Average	54	Pass
NVNT	ac40	5270	Sum	4500	-35.400	--	59.830	Peak	68.2	Pass
NVNT	ac40	5270	Sum	4500	-44.462	--	50.768	Average	54	Pass
NVNT	ac40	5270	Sum	5058.9	-31.609	--	63.621	Peak	68.2	Pass
NVNT	ac40	5270	Sum	4892.04	-41.872	--	53.358	Average	54	Pass
NVNT	ac40	5270	Sum	5150	-34.753	--	60.477	Peak	68.2	Pass
NVNT	ac40	5270	Sum	5150	-43.887	--	51.343	Average	54	Pass
NVNT	ac40	5310	Sum	5350	-36.799	--	58.431	Peak	68.2	Pass
NVNT	ac40	5310	Sum	5350	-43.593	--	51.637	Average	54	Pass
NVNT	ac40	5310	Sum	5374	-31.172	--	64.058	Peak	68.2	Pass



NVNT	ac40	5310	Sum	5356.4	-41.662	--	53.568	Average	54	Pass
NVNT	ac40	5310	Sum	5460	-35.589	--	59.641	Peak	68.2	Pass
NVNT	ac40	5310	Sum	5460	-43.739	--	51.491	Average	54	Pass
NVNT	ac40	5510	Sum	5460	-34.699	--	60.531	Peak	68.2	Pass
NVNT	ac40	5510	Sum	5460	-43.422	--	51.808	Average	54	Pass
NVNT	ac40	5510	Sum	5463	-33.569	--	61.661	Peak	68.2	Pass
NVNT	ac40	5510	Sum	5463.2	-42.288	--	52.942	Average	54	Pass
NVNT	ac40	5510	Sum	5470	-35.414	--	59.816	Peak	68.2	Pass
NVNT	ac40	5510	Sum	5470	-43.336	--	51.894	Average	54	Pass
NVNT	ac40	5670	Sum	5725	-34.007	--	61.223	Peak	68.2	Pass
NVNT	ac40	5670	Sum	5725	-42.777	--	52.453	Average	54	Pass
NVNT	ac40	5670	Sum	5728.4	-32.830	--	62.400	Peak	68.2	Pass
NVNT	ac40	5670	Sum	5728	-41.415	--	53.815	Average	54	Pass
NVNT	ac40	5670	Sum	5735	-34.937	--	60.293	Peak	68.2	Pass
NVNT	ac40	5670	Sum	5735	-42.418	--	52.812	Average	54	Pass
NVNT	ac80	5210	Sum	4500	-35.867	--	59.363	Peak	68.2	Pass
NVNT	ac80	5210	Sum	4500	-44.230	--	51.000	Average	54	Pass
NVNT	ac80	5210	Sum	4991.38	-31.749	--	63.481	Peak	68.2	Pass
NVNT	ac80	5210	Sum	4755.17	-40.910	--	54.320	Average	54	Pass
NVNT	ac80	5210	Sum	5150	-34.445	--	60.785	Peak	68.2	Pass
NVNT	ac80	5210	Sum	5150	-42.965	--	52.265	Average	54	Pass
NVNT	ac80	5290	Sum	4500	-36.415	--	58.815	Peak	68.2	Pass
NVNT	ac80	5290	Sum	4500	-44.640	--	50.590	Average	54	Pass
NVNT	ac80	5290	Sum	5142.06	-31.939	--	63.291	Peak	68.2	Pass
NVNT	ac80	5290	Sum	4966.32	-41.886	--	53.344	Average	54	Pass
NVNT	ac80	5290	Sum	5150	-35.472	--	59.758	Peak	68.2	Pass
NVNT	ac80	5290	Sum	5150	-43.539	--	51.691	Average	54	Pass
NVNT	ac80	5530	Sum	5460	-34.850	--	60.380	Peak	68.2	Pass
NVNT	ac80	5530	Sum	5460	-43.459	--	51.771	Average	54	Pass
NVNT	ac80	5530	Sum	5470	-33.593	--	61.637	Peak	68.2	Pass
NVNT	ac80	5530	Sum	5465.8	-41.702	--	53.528	Average	54	Pass
NVNT	ac80	5530	Sum	5470	-33.977	--	61.253	Peak	68.2	Pass
NVNT	ac80	5530	Sum	5470	-42.852	--	52.378	Average	54	Pass
NVNT	ac80	5610	Sum	5725	-34.362	--	60.868	Peak	68.2	Pass
NVNT	ac80	5610	Sum	5725	-42.674	--	52.556	Average	54	Pass
NVNT	ac80	5610	Sum	5725.98	-32.515	--	62.715	Peak	68.2	Pass
NVNT	ac80	5610	Sum	5735	-41.247	--	53.883	Average	54	Pass
NVNT	ac80	5610	Sum	5735	-34.432	--	60.798	Peak	68.2	Pass
NVNT	ac80	5610	Sum	5735	-42.186	--	53.044	Average	54	Pass
NVNT	ax20	5180	Sum	4500	-35.915	--	59.285	Peak	68.2	Pass
NVNT	ax20	5180	Sum	4500	-44.589	--	50.611	Average	54	Pass
NVNT	ax20	5180	Sum	4959.2	-31.823	--	63.377	Peak	68.2	Pass
NVNT	ax20	5180	Sum	4894.1	-41.320	--	53.880	Average	54	Pass



NVNT	ax20	5180	Sum	5150	-33.963	--	61.237	Peak	68.2	Pass
NVNT	ax20	5180	Sum	5150	-44.509	--	50.691	Average	54	Pass
NVNT	ax20	5240	Sum	5350	-35.663	--	59.537	Peak	68.2	Pass
NVNT	ax20	5240	Sum	5350	-43.983	--	51.217	Average	54	Pass
NVNT	ax20	5240	Sum	5448.24	-31.047	--	64.153	Peak	68.2	Pass
NVNT	ax20	5240	Sum	5446.56	-41.753	--	53.447	Average	54	Pass
NVNT	ax20	5240	Sum	5460	-34.286	--	60.914	Peak	68.2	Pass
NVNT	ax20	5240	Sum	5460	-43.489	--	51.711	Average	54	Pass
NVNT	ax20	5260	Sum	4500	-35.551	--	59.649	Peak	68.2	Pass
NVNT	ax20	5260	Sum	4500	-45.032	--	50.168	Average	54	Pass
NVNT	ax20	5260	Sum	5055.36	-31.963	--	63.237	Peak	68.2	Pass
NVNT	ax20	5260	Sum	5030.4	-41.905	--	53.295	Average	54	Pass
NVNT	ax20	5260	Sum	5150	-34.952	--	60.248	Peak	68.2	Pass
NVNT	ax20	5260	Sum	5150	-44.406	--	50.794	Average	54	Pass
NVNT	ax20	5320	Sum	5350	-35.835	--	59.365	Peak	68.2	Pass
NVNT	ax20	5320	Sum	5350	-43.721	--	51.479	Average	54	Pass
NVNT	ax20	5320	Sum	5449.4	-31.488	--	63.712	Peak	68.2	Pass
NVNT	ax20	5320	Sum	5448.6	-41.664	--	53.536	Average	54	Pass
NVNT	ax20	5320	Sum	5460	-36.276	--	58.924	Peak	68.2	Pass
NVNT	ax20	5320	Sum	5460	-43.817	--	51.383	Average	54	Pass
NVNT	ax20	5500	Sum	5460	-34.189	--	61.011	Peak	68.2	Pass
NVNT	ax20	5500	Sum	5460	-43.015	--	52.185	Average	54	Pass
NVNT	ax20	5500	Sum	5461.2	-32.775	--	62.425	Peak	68.2	Pass
NVNT	ax20	5500	Sum	5466.2	-42.305	--	52.895	Average	54	Pass
NVNT	ax20	5500	Sum	5470	-35.129	--	60.071	Peak	68.2	Pass
NVNT	ax20	5500	Sum	5470	-43.539	--	51.661	Average	54	Pass
NVNT	ax20	5700	Sum	5725	-34.034	--	61.166	Peak	68.2	Pass
NVNT	ax20	5700	Sum	5725	-42.533	--	52.667	Average	54	Pass
NVNT	ax20	5700	Sum	5727.8	-31.946	--	63.254	Peak	68.2	Pass
NVNT	ax20	5700	Sum	5729	-42.069	--	53.131	Average	54	Pass
NVNT	ax20	5700	Sum	5735	-34.763	--	60.437	Peak	68.2	Pass
NVNT	ax20	5700	Sum	5735	-42.717	--	52.483	Average	54	Pass
NVNT	ax40	5190	Sum	4500	-37.166	--	58.034	Peak	68.2	Pass
NVNT	ax40	5190	Sum	4500	-46.159	--	49.041	Average	54	Pass
NVNT	ax40	5190	Sum	5015.38	-33.050	--	62.150	Peak	68.2	Pass
NVNT	ax40	5190	Sum	4964.28	-43.095	--	52.105	Average	54	Pass
NVNT	ax40	5190	Sum	5150	-35.988	--	59.212	Peak	68.2	Pass
NVNT	ax40	5190	Sum	5150	-45.605	--	49.595	Average	54	Pass
NVNT	ax40	5230	Sum	5350	-37.709	--	57.491	Peak	68.2	Pass
NVNT	ax40	5230	Sum	5350	-45.642	--	49.558	Average	54	Pass
NVNT	ax40	5230	Sum	5420.58	-33.673	--	61.527	Peak	68.2	Pass
NVNT	ax40	5230	Sum	5447.85	-43.173	--	52.027	Average	54	Pass
NVNT	ax40	5230	Sum	5460	-35.993	--	59.207	Peak	68.2	Pass




NVNT	ax40	5230	Sum	5460	-45.240	--	49.960	Average	54	Pass
NVNT	ax40	5270	Sum	4500	-37.202	--	57.998	Peak	68.2	Pass
NVNT	ax40	5270	Sum	4500	-45.853	--	49.347	Average	54	Pass
NVNT	ax40	5270	Sum	4815.9	-33.310	--	61.890	Peak	68.2	Pass
NVNT	ax40	5270	Sum	4963.32	-42.756	--	52.444	Average	54	Pass
NVNT	ax40	5270	Sum	5150	-36.304	--	58.896	Peak	68.2	Pass
NVNT	ax40	5270	Sum	5150	-45.395	--	49.805	Average	54	Pass
NVNT	ax40	5310	Sum	5350	-37.270	--	57.930	Peak	68.2	Pass
NVNT	ax40	5310	Sum	5350	-45.615	--	49.585	Average	54	Pass
NVNT	ax40	5310	Sum	5398.4	-33.609	--	61.591	Peak	68.2	Pass
NVNT	ax40	5310	Sum	5401.2	-44.483	--	50.717	Average	54	Pass
NVNT	ax40	5310	Sum	5460	-36.952	--	58.248	Peak	68.2	Pass
NVNT	ax40	5310	Sum	5460	-45.755	--	49.445	Average	54	Pass
NVNT	ax40	5510	Sum	5460	-37.232	--	57.968	Peak	68.2	Pass
NVNT	ax40	5510	Sum	5460	-45.286	--	49.914	Average	54	Pass
NVNT	ax40	5510	Sum	5468.4	-34.409	--	60.791	Peak	68.2	Pass
NVNT	ax40	5510	Sum	5466.8	-44.551	--	50.649	Average	54	Pass
NVNT	ax40	5510	Sum	5470	-39.100	--	56.100	Peak	68.2	Pass
NVNT	ax40	5510	Sum	5470	-45.499	--	49.701	Average	54	Pass
NVNT	ax40	5670	Sum	5725	-36.158	--	59.042	Peak	68.2	Pass
NVNT	ax40	5670	Sum	5725	-44.362	--	50.838	Average	54	Pass
NVNT	ax40	5670	Sum	5727	-34.563	--	60.637	Peak	68.2	Pass
NVNT	ax40	5670	Sum	5729.8	-43.738	--	51.462	Average	54	Pass
NVNT	ax40	5670	Sum	5735	-35.605	--	59.595	Peak	68.2	Pass
NVNT	ax40	5670	Sum	5735	-44.486	--	50.714	Average	54	Pass
NVNT	ax80	5210	Sum	4500	-36.076	--	59.124	Peak	68.2	Pass
NVNT	ax80	5210	Sum	4500	-44.795	--	50.405	Average	54	Pass
NVNT	ax80	5210	Sum	5116.99	-31.669	--	63.531	Peak	68.2	Pass
NVNT	ax80	5210	Sum	4613.76	-41.135	--	54.065	Average	54	Pass
NVNT	ax80	5210	Sum	5150	-34.611	--	60.589	Peak	68.2	Pass
NVNT	ax80	5210	Sum	5150	-43.367	--	51.833	Average	54	Pass
NVNT	ax80	5290	Sum	4500	-36.233	--	58.967	Peak	68.2	Pass
NVNT	ax80	5290	Sum	4500	-43.461	--	51.739	Average	54	Pass
NVNT	ax80	5290	Sum	4979.37	-32.061	--	63.139	Peak	68.2	Pass
NVNT	ax80	5290	Sum	4967.19	-41.086	--	54.114	Average	54	Pass
NVNT	ax80	5290	Sum	5150	-35.091	--	60.109	Peak	68.2	Pass
NVNT	ax80	5290	Sum	5150	-43.431	--	51.769	Average	54	Pass
NVNT	ax80	5530	Sum	5460	-34.115	--	61.085	Peak	68.2	Pass
NVNT	ax80	5530	Sum	5460	-42.393	--	52.807	Average	54	Pass
NVNT	ax80	5530	Sum	5460.4	-33.628	--	61.572	Peak	68.2	Pass
NVNT	ax80	5530	Sum	5460.2	-42.315	--	52.885	Average	54	Pass
NVNT	ax80	5530	Sum	5470	-35.164	--	60.036	Peak	68.2	Pass
NVNT	ax80	5530	Sum	5470	-44.049	--	51.151	Average	54	Pass



NVNT	ax80	5610	Sum	5725	-33.881	--	61.319	Peak	68.2	Pass
NVNT	ax80	5610	Sum	5725	-43.098	--	52.102	Average	54	Pass
NVNT	ax80	5610	Sum	5732.745	-33.119	--	62.081	Peak	68.2	Pass
NVNT	ax80	5610	Sum	5734.59	-42.256	--	52.944	Average	54	Pass
NVNT	ax80	5610	Sum	5735	-35.109	--	60.091	Peak	68.2	Pass
NVNT	ax80	5610	Sum	5735	-43.644	--	51.556	Average	54	Pass




8.2 Test Graphs






Restrict Band NVNT a 5240MHz Ant1 Peak




Restrict Band NVNT a 5240MHz Ant1 Average






Restrict Band NVNT a 5260MHz Ant1 Peak




Restrict Band NVNT a 5260MHz Ant1 Average






Restrict Band NVNT a 5320MHz Ant1 Peak




Restrict Band NVNT a 5320MHz Ant1 Average






Restrict Band NVNT a 5500MHz Ant1 Peak




Restrict Band NVNT a 5500MHz Ant1 Average








Restrict Band NVNT a 5700MHz Ant1 Peak




Restrict Band NVNT a 5700MHz Ant1 Average










Restrict Band NVNT a 5240MHz Ant2 Peak




Restrict Band NVNT a 5240MHz Ant2 Average








Restrict Band NVNT a 5320MHz Ant2 Peak




Restrict Band NVNT a 5320MHz Ant2 Average










Restrict Band NVNT a 5500MHz Ant2 Peak



Restrict Band NVNT a 5500MHz Ant2 Average













Restrict Band NVNT n20 5240MHz Ant1 Peak




Restrict Band NVNT n20 5240MHz Ant1 Average












Restrict Band NVNT n20 5320MHz Ant1 Peak







Restrict Band NVNT n20 5320MHz Ant1 Average























Restrict Band NVNT n20 5320MHz Ant2 Peak







Restrict Band NVNT n20 5320MHz Ant2 Average





















Restrict Band NVNT n40 5310MHz Ant1 Peak




Restrict Band NVNT n40 5310MHz Ant1 Average










Restrict Band NVNT n40 5670MHz Ant1 Peak




Restrict Band NVNT n40 5670MHz Ant1 Average










Restrict Band NVNT n40 5230MHz Ant2 Peak




Restrict Band NVNT n40 5230MHz Ant2 Average










Restrict Band NVNT n40 5310MHz Ant2 Peak




Restrict Band NVNT n40 5310MHz Ant2 Average








Restrict Band NVNT n40 5670MHz Ant2 Peak




Restrict Band NVNT n40 5670MHz Ant2 Average






Restrict Band NVNT ac20 5180MHz Ant1 Peak




Restrict Band NVNT ac20 5180MHz Ant1 Average






Restrict Band NVNT ac20 5240MHz Ant1 Peak




Restrict Band NVNT ac20 5240MHz Ant1 Average






Restrict Band NVNT ac20 5260MHz Ant1 Peak




Restrict Band NVNT ac20 5260MHz Ant1 Average






Restrict Band NVNT ac20 5320MHz Ant1 Peak




Restrict Band NVNT ac20 5320MHz Ant1 Average






Restrict Band NVNT ac20 5500MHz Ant1 Peak




Restrict Band NVNT ac20 5500MHz Ant1 Average






Restrict Band NVNT ac20 5700MHz Ant1 Peak




Restrict Band NVNT ac20 5700MHz Ant1 Average






Restrict Band NVNT ac20 5180MHz Ant2 Peak




Restrict Band NVNT ac20 5180MHz Ant2 Average






Restrict Band NVNT ac20 5240MHz Ant2 Peak




Restrict Band NVNT ac20 5240MHz Ant2 Average






Restrict Band NVNT ac20 5260MHz Ant2 Peak




Restrict Band NVNT ac20 5260MHz Ant2 Average






Restrict Band NVNT ac20 5320MHz Ant2 Peak




Restrict Band NVNT ac20 5320MHz Ant2 Average






Restrict Band NVNT ac20 5500MHz Ant2 Peak




Restrict Band NVNT ac20 5500MHz Ant2 Average






Restrict Band NVNT ac20 5700MHz Ant2 Peak




Restrict Band NVNT ac20 5700MHz Ant2 Average






Restrict Band NVNT ac40 5190MHz Ant1 Peak




Restrict Band NVNT ac40 5190MHz Ant1 Average






Restrict Band NVNT ac40 5230MHz Ant1 Peak




Restrict Band NVNT ac40 5230MHz Ant1 Average






Restrict Band NVNT ac40 5270MHz Ant1 Peak




Restrict Band NVNT ac40 5270MHz Ant1 Average






Restrict Band NVNT ac40 5310MHz Ant1 Peak




Restrict Band NVNT ac40 5310MHz Ant1 Average






Restrict Band NVNT ac40 5510MHz Ant1 Peak




Restrict Band NVNT ac40 5510MHz Ant1 Average








Restrict Band NVNT ac40 5670MHz Ant1 Peak




Restrict Band NVNT ac40 5670MHz Ant1 Average








Restrict Band NVNT ac40 5230MHz Ant2 Peak




Restrict Band NVNT ac40 5230MHz Ant2 Average






Restrict Band NVNT ac40 5270MHz Ant2 Peak




Restrict Band NVNT ac40 5270MHz Ant2 Average






Restrict Band NVNT ac40 5310MHz Ant2 Peak




Restrict Band NVNT ac40 5310MHz Ant2 Average






Restrict Band NVNT ac40 5510MHz Ant2 Peak




Restrict Band NVNT ac40 5510MHz Ant2 Average






Restrict Band NVNT ac40 5670MHz Ant2 Peak




Restrict Band NVNT ac40 5670MHz Ant2 Average








Restrict Band NVNT ac80 5210MHz Ant1 Peak




Restrict Band NVNT ac80 5210MHz Ant1 Average








Restrict Band NVNT ac80 5530MHz Ant1 Peak




Restrict Band NVNT ac80 5530MHz Ant1 Average






Restrict Band NVNT ac80 5610MHz Ant1 Peak




Restrict Band NVNT ac80 5610MHz Ant1 Average








Restrict Band NVNT ac80 5210MHz Ant2 Peak




Restrict Band NVNT ac80 5210MHz Ant2 Average








Restrict Band NVNT ac80 5530MHz Ant2 Peak




Restrict Band NVNT ac80 5530MHz Ant2 Average






Restrict Band NVNT ac80 5610MHz Ant2 Peak




Restrict Band NVNT ac80 5610MHz Ant2 Average






Restrict Band NVNT ax20 5180MHz Ant1 Peak




Restrict Band NVNT ax20 5180MHz Ant1 Average






Restrict Band NVNT ax20 5240MHz Ant1 Peak




Restrict Band NVNT ax20 5240MHz Ant1 Average





Restrict Band NVNT ax20 5260MHz Ant1 Peak



Restrict Band NVNT ax20 5260MHz Ant1 Average

