INTEGRA



VIAFLO Lightweight Electronic Pipettes
Your Pipette Tips Will Never Loosen, Leak Or Fall Off Again!

VIAFLO electronic pipettes together with INTEGRA's wide range of GripTips form a perfect pipetting system. GripTips snap into place with minimal tip loading effort, providing a secure connection. GripTips never fall off and are always perfectly

The ultra lightweight, well balanced design of the VIAFLO pipettes feature unsurpassed multichannel pipetting ergonomics. even during prolonged pipetting sessions.

aligned, resulting in superior accuracy and

precision results.


The color screen together with the easy to navigate touch wheel user interface promote ease of set up and operation. All VIAFLO pipettes offer a choice of predefined pipetting modes covering typical applications as well as custom multi-step programs for specific tasks.



GripTips snap on

Do your pipette tips ever loosen, leak or fall off? This is a common issue in laboratories, caused by the use of universal pipette tips. Such tips require "hammering on" which stretches the shape of the pipette tip rim. The stretched pipette tip rim immediately starts moving back to its original shape, away from the tip cone. This can cause leaking, misaligned tips and even pipette tips that completely fall off the pipette!

The rim of the GripTips snap over the lobes, attaching firmly. As a result, GripTips will never accidently fall off, even after several touch-offs. A shoulder provides a positive stop to prevent over-tightening of the tip. It can only be attached up to that point and no further. This means, the tip is either on or off, but cannot be in between. Unlike competitive pipettes, hammering the pipette into the tips to make sure they attach correctly is not required.



Versatile user interface

A color screen and proven touch wheel interface offer quick and comprehensive menu navigation. Simply by moving a finger over the touch wheel, menus and settings can be accessed. All menus are spelled out on the clear to read screen making memorizing abbreviations unnecessary.



A choice of ten predefined pipetting modes provides users with convenient solutions for the most common liquid handling tasks. Standard pipetting routines, such as repeat dispensing or serial dilutions can be executed with minimal set up time.

For more elaborate pipetting routines, up to 40 personalized custom programs can be created and saved. Custom programs can contain up to 98 individual steps based upon the following basic operations: Aspirate, Dispense, Mix, Purge and Prompt.

Ergonomic design

The new VIAFLO pipette offers perfect balance, an ultra lightweight design, unsurpassed operational comfort and is ideal for both left and right handed users. The effortless tip attachment and ejection forces add to the ergonomic benefits that accompany the use of VIAFLO electronic pipettes.



ASSIST / ASSIST PLUS

Automating multichannel pipettes for best results and unmatched ergonomics

The ASSIST pipetting robot family automates INTEGRA's electronic multichannel pipettes to free scientists from routine pipetting tasks, such as serial dilutions, sample reformatting and reagent addition. It provides excellent pipetting reproducibility and sets a new standard for ergonomics.

ASSIST / ASSIST PLUS Ordering InformationPart No.ASSIST base unit4500ASSIST PLUS base unit4505Bluetooth module for VIAFLO / VOYAGER pipettes4221

Repeat Dispense

Multiple dispensing of aliquots of the same volume without refilling the pipette tips after each dispense for rapid microplate filling.



Serial Dilute

Sequential transfer of a defined volume from one column to the next followed by a defined mix for convenient serial dilutions.



Manual Pipet

Only aspirate and dispense while the RUN button is being held down. Unlike a manual pipette, both volume and speed values can be set. Manual pipet mode can also be used to measure unknown volumes and perform titrations. The actual volume in the pipette tip is also shown on the display!





ASSIST PLUS

973301_V10_Flyer_VIAFLO_Pipettes_EN

Ordering information

VIAFLO Electronic Pipettes Single 0.5 - 12.5 μl 2 - 50 μl 5 - 125 μl 10 - 300 μl 20 - 1250 μl 100 - 5000 μl 20 - 12.5 μl	
2 - 50 μl	rt No.
5 - 125 μ 4 10 - 300 μ 4 50 - 1250 μ 4 100 - 5000 μ 4 100 - 300 μ 4	011
10 - 300 μ 4 50 - 1250 μ 4 100 - 5000 μ 4 2 100 - 5000 μ 4 2 2 - 50 μ 4 2 10 - 300 μ 4 3 10 - 300 μ 5 10 - 300 μ 5 10 - 300 μ 6 10 -	016
Eight 2-50 μ 4-2-50 1-2-50	012
Eight 2-50 μ 4-2-50 1-2-50	013
Eight 0.5 - 12.5 µl 2 2 - 50 µl 2 5 - 125 µl 2 10 - 300 µl 2 50 - 1250 µl 2 Twelve 0.5 - 12.5 µl 2 2 - 50 µl 2 5 - 125 µl 2 2 - 50 µl 2 5 - 125 µl 2	014
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	015
5 - 125 μ 4 10 - 300 μ 4 50 - 1250 μ 4 10 1250 μ 4 10 1250 μ 4 12 1250 μ 4 12 1250 μ 4 12 1250 μ 4 12	621
Twelve 0.5 - 12.5 µl 2 2 - 50 µl 2 5 - 125 µl 2 5 - 125 µl 2	626
Twelve 0.5 - 12.5 µl 2 2 - 50 µl 2 5 - 12.5 µl 2 5 - 12.5 µl 2 5 - 12.5 µl 2	622
Twelve 0.5 - 12.5 µl 2 2 - 50 µl 4 5 - 125 µl 4	623
2 - 50 µl 2 5 - 125 µl 4	624
5 - 125 µl	631
5-125 μι	636
10, 300 ul	632
10 - 300 μι	633
50 - 1250 µl	634
Sixteen 0.5 -12.5 µl 4	641
2 - 50 µl	646
5 - 125 µl	642

Instruments do not include a power supply. Choose your desired charging option below.

Charging options	Part No.
Linear stand (Holds up to 4 charging stations; mains adapter and charging stations sold separate	e) 3215
Mains adapter, for use with linear stand	3216
Charging station for linear stand (incl. connection cable)	3217
Charging/communication station for linear stand (incl. connection cable and USB cable)	3218
Mains adapter for electronic pipette	4200
Single pipette charging stand, incl. mains adapter	4210
Charging/communication stand, incl. mains adapter	4211
Carousel charging stand for 4 pipettes, incl. mains adapter	4215

GripTips for use with VIAFLO pipettes

For more GripTip options, including Low Retention, Wide Bore, and long/short versions, please refer to our website.

GripTips		Part No.	Part No.	Part No.
GripTip Size	Description	Sterile Filter	Sterile	Non-Sterile
12.5 µl	5 Racks of 384 GripTips	4415	4414	4413
50 μl / 125 μl	5 Racks of 384 GripTips	4425	4424	4423
300 μΙ	5 Racks of 96 GripTips	4435	4434	4433
1250 µl	5 Racks of 96 GripTips	4445	4444	4443
5000 μΙ	5 Racks of 48 GripTips	4455	4454	4453

Bulk GripTips		Part No.	Part No.
GripTip Size	Description	Sterile	Non-Sterile
12.5 µl	1 Bag of 1000 GripTips		4411
50 μl / 125 μl	1 Bag of 1000 GripTips		4421
300 μΙ	1 Bag of 1000 GripTips		4431
1250 µl	1 Bag of 500 GripTips		4441
5000 µl	1 Bag of 250 GripTips		4451
5000 µl	1 Bag of 100 GripTips, individually wrapped	4456	

GripTip GREEN CHOICE Inserts		Part No.	Part No.
GripTip Size	Description	Pre-Sterilized	Non-Sterile
12.5 µl	5 Inserts of 384 GripTips	4416	4412
50 μl / 125 μl	5 Inserts of 384 GripTips	4426	4422
300 µl	5 Inserts of 96 GripTips	4436	4432
1250 µl	5 Inserts of 96 GripTips	4446	4442

Charging options

Pipettes can be charged directly with the pipette mains adapter (4200). The single pipette charging stand (4210) and the carousel charging stand (4215) offer space saving charging options. The charging/communication stand (4211) additionally enables the communication of a pipette with a PC and VIALINK, a pipette management software from INTEGRA.



4210/4211

The linear stand (3215)accommodates all types of INTEGRA pipettes.It can be easily converted into a charging stand, by equipping up to four charging stations (3217) and a mains adapter (3216).

Alternatively, a charging communication station (3218) can be equipped to enable the communication of a pipette with a PC and VIALINK.



Reagent reservoirs

Disposable reservoir inserts designed to save you money and space, while keeping dead volume to a minimum. Available in 10 ml, 25 ml, and 100 ml configurations, as well as polystyrene polypropylene and divided versions.





INTEGRA Biosciences Corp. Hudson, NH 03051, USA T +1 603 578 5800

F +1 603 577 5529 info-us@integra-biosciences.com INTEGRA Biosciences Ltd. Thatcham, Berks RG19 4EP, UK

T: +44 1635 797000 F: +44 1635 797001 info-uk@integra-biosciences.com



