

HSUPA

Voltage								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VL	NT	216.83	0.117054	±2.5	PASS
Band2	9262	1	VN	NT	172.41	0.093074	±2.5	PASS
Band2	9262	1	VH	NT	156.56	0.084517	±2.5	PASS
Band2	9262	2	VL	NT	97.32	0.052537	±2.5	PASS
Band2	9262	2	VN	NT	221.19	0.119407	±2.5	PASS
Band2	9262	2	VH	NT	127.03	0.068576	±2.5	PASS
Band2	9262	3	VL	NT	81.60	0.044051	±2.5	PASS
Band2	9262	3	VN	NT	146.71	0.079200	±2.5	PASS
Band2	9262	3	VH	NT	151.70	0.081894	±2.5	PASS
Band2	9262	4	VL	NT	193.47	0.104443	±2.5	PASS
Band2	9262	4	VN	NT	177.14	0.095627	±2.5	PASS
Band2	9262	4	VH	NT	175.96	0.094990	±2.5	PASS
Band2	9400	1	VL	NT	162.46	0.086415	±2.5	PASS
Band2	9400	1	VN	NT	190.22	0.101181	±2.5	PASS
Band2	9400	1	VH	NT	116.36	0.061894	±2.5	PASS
Band2	9400	2	VL	NT	172.35	0.091676	±2.5	PASS
Band2	9400	2	VN	NT	194.70	0.103564	±2.5	PASS
Band2	9400	2	VH	NT	181.11	0.096335	±2.5	PASS
Band2	9400	3	VL	NT	156.97	0.083495	±2.5	PASS
Band2	9400	3	VN	NT	172.58	0.091798	±2.5	PASS
Band2	9400	3	VH	NT	146.93	0.078154	±2.5	PASS
Band2	9400	4	VL	NT	132.48	0.070468	±2.5	PASS
Band2	9400	4	VN	NT	220.09	0.117069	±2.5	PASS
Band2	9400	4	VH	NT	174.29	0.092707	±2.5	PASS
Band2	9538	1	VL	NT	183.61	0.096252	±2.5	PASS
Band2	9538	1	VN	NT	164.64	0.086307	±2.5	PASS
Band2	9538	1	VH	NT	92.01	0.048233	±2.5	PASS
Band2	9538	2	VL	NT	172.82	0.090596	±2.5	PASS
Band2	9538	2	VN	NT	147.58	0.077364	±2.5	PASS
Band2	9538	2	VH	NT	98.71	0.051746	±2.5	PASS
Band2	9538	3	VL	NT	115.07	0.060322	±2.5	PASS
Band2	9538	3	VN	NT	135.50	0.071032	±2.5	PASS
Band2	9538	3	VH	NT	150.56	0.078926	±2.5	PASS
Band2	9538	4	VL	NT	191.21	0.100236	±2.5	PASS
Band2	9538	4	VN	NT	177.41	0.093002	±2.5	PASS
Band2	9538	4	VH	NT	136.52	0.071566	±2.5	PASS

Voltage								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	VL	NT	98.56	0.119264	±2.5	PASS
Band5	4132	1	VN	NT	91.75	0.111024	±2.5	PASS
Band5	4132	1	VH	NT	123.46	0.149395	±2.5	PASS
Band5	4132	2	VL	NT	140.49	0.170002	±2.5	PASS
Band5	4132	2	VN	NT	105.29	0.127408	±2.5	PASS
Band5	4132	2	VH	NT	112.29	0.135879	±2.5	PASS
Band5	4132	3	VL	NT	78.05	0.094446	±2.5	PASS
Band5	4132	3	VN	NT	93.78	0.113480	±2.5	PASS
Band5	4132	3	VH	NT	107.77	0.130409	±2.5	PASS
Band5	4132	4	VL	NT	98.05	0.118647	±2.5	PASS
Band5	4132	4	VN	NT	53.60	0.064860	±2.5	PASS
Band5	4132	4	VH	NT	95.90	0.116045	±2.5	PASS
Band5	4182	1	VL	NT	122.76	0.146772	±2.5	PASS
Band5	4182	1	VN	NT	149.19	0.178372	±2.5	PASS
Band5	4182	1	VH	NT	92.74	0.110880	±2.5	PASS
Band5	4182	2	VL	NT	107.62	0.128670	±2.5	PASS
Band5	4182	2	VN	NT	94.16	0.112578	±2.5	PASS
Band5	4182	2	VH	NT	111.13	0.132867	±2.5	PASS
Band5	4182	3	VL	NT	121.37	0.145110	±2.5	PASS
Band5	4182	3	VN	NT	122.31	0.146234	±2.5	PASS
Band5	4182	3	VH	NT	112.26	0.134218	±2.5	PASS
Band5	4182	4	VL	NT	109.66	0.131110	±2.5	PASS
Band5	4182	4	VN	NT	199.92	0.239024	±2.5	PASS
Band5	4182	4	VH	NT	134.57	0.160892	±2.5	PASS
Band5	4233	1	VL	NT	44.95	0.053095	±2.5	PASS
Band5	4233	1	VN	NT	86.67	0.102374	±2.5	PASS
Band5	4233	1	VH	NT	135.77	0.160371	±2.5	PASS
Band5	4233	2	VL	NT	79.42	0.093811	±2.5	PASS
Band5	4233	2	VN	NT	135.31	0.159828	±2.5	PASS
Band5	4233	2	VH	NT	123.98	0.146445	±2.5	PASS
Band5	4233	3	VL	NT	46.14	0.054500	±2.5	PASS
Band5	4233	3	VN	NT	149.19	0.176223	±2.5	PASS
Band5	4233	3	VH	NT	79.71	0.094153	±2.5	PASS
Band5	4233	4	VL	NT	93.63	0.110595	±2.5	PASS
Band5	4233	4	VN	NT	132.52	0.156532	±2.5	PASS
Band5	4233	4	VH	NT	124.07	0.146551	±2.5	PASS

RCM

Temperature								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	7.02	0.003790	±2.5	PASS
Band2	9262	1	NV	-20	6.98	0.003768	±2.5	PASS
Band2	9262	1	NV	-10	7.75	0.004184	±2.5	PASS
Band2	9262	1	NV	0	7.58	0.004092	±2.5	PASS
Band2	9262	1	NV	10	7.75	0.004184	±2.5	PASS
Band2	9262	1	NV	20	7.49	0.004043	±2.5	PASS
Band2	9262	1	NV	30	7.75	0.004184	±2.5	PASS
Band2	9262	1	NV	40	7.40	0.003995	±2.5	PASS
Band2	9262	1	NV	50	7.50	0.004049	±2.5	PASS
Band2	9262	2	NV	-30	6.81	0.003676	±2.5	PASS
Band2	9262	2	NV	-20	7.25	0.003914	±2.5	PASS
Band2	9262	2	NV	-10	7.03	0.003795	±2.5	PASS
Band2	9262	2	NV	0	7.15	0.003860	±2.5	PASS
Band2	9262	2	NV	10	6.78	0.003660	±2.5	PASS
Band2	9262	2	NV	20	6.72	0.003628	±2.5	PASS
Band2	9262	2	NV	30	6.59	0.003558	±2.5	PASS
Band2	9262	2	NV	40	6.46	0.003487	±2.5	PASS
Band2	9262	2	NV	50	6.73	0.003633	±2.5	PASS
Band2	9262	3	NV	-30	6.52	0.003520	±2.5	PASS
Band2	9262	3	NV	-20	6.39	0.003450	±2.5	PASS
Band2	9262	3	NV	-10	6.58	0.003552	±2.5	PASS
Band2	9262	3	NV	0	6.48	0.003498	±2.5	PASS
Band2	9262	3	NV	10	6.29	0.003396	±2.5	PASS
Band2	9262	3	NV	20	6.00	0.003239	±2.5	PASS
Band2	9262	3	NV	30	6.09	0.003288	±2.5	PASS
Band2	9262	3	NV	40	6.21	0.003352	±2.5	PASS
Band2	9262	3	NV	50	6.09	0.003288	±2.5	PASS
Band2	9262	4	NV	-30	5.99	0.003234	±2.5	PASS
Band2	9262	4	NV	-20	6.37	0.003439	±2.5	PASS
Band2	9262	4	NV	-10	6.54	0.003531	±2.5	PASS
Band2	9262	4	NV	0	6.24	0.003369	±2.5	PASS
Band2	9262	4	NV	10	6.21	0.003352	±2.5	PASS
Band2	9262	4	NV	20	6.44	0.003477	±2.5	PASS
Band2	9262	4	NV	30	5.80	0.003131	±2.5	PASS
Band2	9262	4	NV	40	6.07	0.003277	±2.5	PASS
Band2	9262	4	NV	50	6.55	0.003536	±2.5	PASS

Band2	9400	1	NV	-30	5.94	0.003160	±2.5	PASS
Band2	9400	1	NV	-20	6.44	0.003426	±2.5	PASS
Band2	9400	1	NV	-10	6.14	0.003266	±2.5	PASS
Band2	9400	1	NV	0	6.16	0.003277	±2.5	PASS
Band2	9400	1	NV	10	6.14	0.003266	±2.5	PASS
Band2	9400	1	NV	20	6.13	0.003261	±2.5	PASS
Band2	9400	1	NV	30	5.87	0.003122	±2.5	PASS
Band2	9400	1	NV	40	6.12	0.003255	±2.5	PASS
Band2	9400	1	NV	50	6.07	0.003229	±2.5	PASS
Band2	9400	2	NV	-30	6.14	0.003266	±2.5	PASS
Band2	9400	2	NV	-20	6.20	0.003298	±2.5	PASS
Band2	9400	2	NV	-10	5.85	0.003112	±2.5	PASS
Band2	9400	2	NV	0	6.10	0.003245	±2.5	PASS
Band2	9400	2	NV	10	6.01	0.003197	±2.5	PASS
Band2	9400	2	NV	20	6.37	0.003388	±2.5	PASS
Band2	9400	2	NV	30	5.84	0.003106	±2.5	PASS
Band2	9400	2	NV	40	6.37	0.003388	±2.5	PASS
Band2	9400	2	NV	50	6.49	0.003452	±2.5	PASS
Band2	9400	3	NV	-30	6.59	0.003505	±2.5	PASS
Band2	9400	3	NV	-20	6.62	0.003521	±2.5	PASS
Band2	9400	3	NV	-10	6.28	0.003340	±2.5	PASS
Band2	9400	3	NV	0	6.44	0.003426	±2.5	PASS
Band2	9400	3	NV	10	6.26	0.003330	±2.5	PASS
Band2	9400	3	NV	20	6.15	0.003271	±2.5	PASS
Band2	9400	3	NV	30	6.13	0.003261	±2.5	PASS
Band2	9400	3	NV	40	6.52	0.003468	±2.5	PASS
Band2	9400	3	NV	50	6.28	0.003340	±2.5	PASS
Band2	9400	4	NV	-30	6.37	0.003388	±2.5	PASS
Band2	9400	4	NV	-20	6.46	0.003436	±2.5	PASS
Band2	9400	4	NV	-10	6.22	0.003309	±2.5	PASS
Band2	9400	4	NV	0	5.82	0.003096	±2.5	PASS
Band2	9400	4	NV	10	6.41	0.003410	±2.5	PASS
Band2	9400	4	NV	20	5.89	0.003133	±2.5	PASS
Band2	9400	4	NV	30	6.17	0.003282	±2.5	PASS
Band2	9400	4	NV	40	6.13	0.003261	±2.5	PASS
Band2	9400	4	NV	50	6.44	0.003426	±2.5	PASS
Band2	9538	1	NV	-30	5.87	0.003077	±2.5	PASS
Band2	9538	1	NV	-20	5.90	0.003093	±2.5	PASS
Band2	9538	1	NV	-10	6.36	0.003334	±2.5	PASS
Band2	9538	1	NV	0	6.17	0.003234	±2.5	PASS

Band2	9538	1	NV	10	6.04	0.003166	±2.5	PASS
Band2	9538	1	NV	20	5.82	0.003051	±2.5	PASS
Band2	9538	1	NV	30	6.37	0.003339	±2.5	PASS
Band2	9538	1	NV	40	5.97	0.003130	±2.5	PASS
Band2	9538	1	NV	50	6.24	0.003271	±2.5	PASS
Band2	9538	2	NV	-30	5.89	0.003088	±2.5	PASS
Band2	9538	2	NV	-20	5.91	0.003098	±2.5	PASS
Band2	9538	2	NV	-10	5.99	0.003140	±2.5	PASS
Band2	9538	2	NV	0	5.99	0.003140	±2.5	PASS
Band2	9538	2	NV	10	5.75	0.003014	±2.5	PASS
Band2	9538	2	NV	20	5.89	0.003088	±2.5	PASS
Band2	9538	2	NV	30	5.69	0.002983	±2.5	PASS
Band2	9538	2	NV	40	5.80	0.003040	±2.5	PASS
Band2	9538	2	NV	50	5.95	0.003119	±2.5	PASS
Band2	9538	3	NV	-30	6.13	0.003213	±2.5	PASS
Band2	9538	3	NV	-20	6.01	0.003151	±2.5	PASS
Band2	9538	3	NV	-10	5.99	0.003140	±2.5	PASS
Band2	9538	3	NV	0	5.98	0.003135	±2.5	PASS
Band2	9538	3	NV	10	5.64	0.002957	±2.5	PASS
Band2	9538	3	NV	20	5.76	0.003020	±2.5	PASS
Band2	9538	3	NV	30	5.62	0.002946	±2.5	PASS
Band2	9538	3	NV	40	5.81	0.003046	±2.5	PASS
Band2	9538	3	NV	50	5.89	0.003088	±2.5	PASS
Band2	9538	4	NV	-30	5.69	0.002983	±2.5	PASS
Band2	9538	4	NV	-20	5.49	0.002878	±2.5	PASS
Band2	9538	4	NV	-10	5.80	0.003040	±2.5	PASS
Band2	9538	4	NV	0	5.37	0.002815	±2.5	PASS
Band2	9538	4	NV	10	5.63	0.002951	±2.5	PASS
Band2	9538	4	NV	20	5.63	0.002951	±2.5	PASS
Band2	9538	4	NV	30	5.51	0.002888	±2.5	PASS
Band2	9538	4	NV	40	6.19	0.003245	±2.5	PASS
Band2	9538	4	NV	50	6.29	0.003297	±2.5	PASS
Band5	4132	1	NV	-30	1.85	0.002239	±2.5	PASS
Band5	4132	1	NV	-20	2.55	0.003086	±2.5	PASS
Band5	4132	1	NV	-10	2.83	0.003424	±2.5	PASS
Band5	4132	1	NV	0	2.91	0.003521	±2.5	PASS
Band5	4132	1	NV	10	3.09	0.003739	±2.5	PASS
Band5	4132	1	NV	20	3.08	0.003727	±2.5	PASS
Band5	4132	1	NV	30	3.08	0.003727	±2.5	PASS
Band5	4132	1	NV	40	3.20	0.003872	±2.5	PASS

Band5	4132	1	NV	50	3.48	0.004211	±2.5	PASS
Band5	4132	2	NV	-30	3.55	0.004296	±2.5	PASS
Band5	4132	2	NV	-20	3.48	0.004211	±2.5	PASS
Band5	4132	2	NV	-10	3.63	0.004393	±2.5	PASS
Band5	4132	2	NV	0	3.48	0.004211	±2.5	PASS
Band5	4132	2	NV	10	3.36	0.004066	±2.5	PASS
Band5	4132	2	NV	20	3.29	0.003981	±2.5	PASS
Band5	4132	2	NV	30	3.35	0.004054	±2.5	PASS
Band5	4132	2	NV	40	3.35	0.004054	±2.5	PASS
Band5	4132	2	NV	50	3.19	0.003860	±2.5	PASS
Band5	4132	3	NV	-30	3.17	0.003836	±2.5	PASS
Band5	4132	3	NV	-20	3.12	0.003775	±2.5	PASS
Band5	4132	3	NV	-10	3.29	0.003981	±2.5	PASS
Band5	4132	3	NV	0	3.08	0.003727	±2.5	PASS
Band5	4132	3	NV	10	2.85	0.003449	±2.5	PASS
Band5	4132	3	NV	20	2.96	0.003582	±2.5	PASS
Band5	4132	3	NV	30	3.08	0.003727	±2.5	PASS
Band5	4132	3	NV	40	2.85	0.003449	±2.5	PASS
Band5	4132	3	NV	50	2.89	0.003497	±2.5	PASS
Band5	4132	4	NV	-30	2.78	0.003364	±2.5	PASS
Band5	4132	4	NV	-20	2.93	0.003545	±2.5	PASS
Band5	4132	4	NV	-10	2.65	0.003207	±2.5	PASS
Band5	4132	4	NV	0	2.65	0.003207	±2.5	PASS
Band5	4132	4	NV	10	2.56	0.003098	±2.5	PASS
Band5	4132	4	NV	20	2.67	0.003231	±2.5	PASS
Band5	4132	4	NV	30	2.60	0.003146	±2.5	PASS
Band5	4132	4	NV	40	2.75	0.003328	±2.5	PASS
Band5	4132	4	NV	50	2.64	0.003195	±2.5	PASS
Band5	4182	1	NV	-30	2.88	0.003443	±2.5	PASS
Band5	4182	1	NV	-20	2.74	0.003276	±2.5	PASS
Band5	4182	1	NV	-10	2.89	0.003455	±2.5	PASS
Band5	4182	1	NV	0	2.86	0.003419	±2.5	PASS
Band5	4182	1	NV	10	2.74	0.003276	±2.5	PASS
Band5	4182	1	NV	20	2.79	0.003336	±2.5	PASS
Band5	4182	1	NV	30	2.84	0.003396	±2.5	PASS
Band5	4182	1	NV	40	2.62	0.003132	±2.5	PASS
Band5	4182	1	NV	50	3.04	0.003635	±2.5	PASS
Band5	4182	2	NV	-30	2.86	0.003419	±2.5	PASS
Band5	4182	2	NV	-20	2.87	0.003431	±2.5	PASS
Band5	4182	2	NV	-10	3.03	0.003623	±2.5	PASS

Band5	4182	2	NV	0	2.88	0.003443	±2.5	PASS
Band5	4182	2	NV	10	2.75	0.003288	±2.5	PASS
Band5	4182	2	NV	20	2.90	0.003467	±2.5	PASS
Band5	4182	2	NV	30	2.90	0.003467	±2.5	PASS
Band5	4182	2	NV	40	2.82	0.003372	±2.5	PASS
Band5	4182	2	NV	50	2.85	0.003407	±2.5	PASS
Band5	4182	3	NV	-30	3.00	0.003587	±2.5	PASS
Band5	4182	3	NV	-20	2.92	0.003491	±2.5	PASS
Band5	4182	3	NV	-10	2.88	0.003443	±2.5	PASS
Band5	4182	3	NV	0	2.86	0.003419	±2.5	PASS
Band5	4182	3	NV	10	2.97	0.003551	±2.5	PASS
Band5	4182	3	NV	20	2.63	0.003144	±2.5	PASS
Band5	4182	3	NV	30	2.81	0.003360	±2.5	PASS
Band5	4182	3	NV	40	2.74	0.003276	±2.5	PASS
Band5	4182	3	NV	50	2.95	0.003527	±2.5	PASS
Band5	4182	4	NV	-30	2.78	0.003324	±2.5	PASS
Band5	4182	4	NV	-20	2.95	0.003527	±2.5	PASS
Band5	4182	4	NV	-10	2.82	0.003372	±2.5	PASS
Band5	4182	4	NV	0	2.94	0.003515	±2.5	PASS
Band5	4182	4	NV	10	2.69	0.003216	±2.5	PASS
Band5	4182	4	NV	20	2.81	0.003360	±2.5	PASS
Band5	4182	4	NV	30	2.78	0.003324	±2.5	PASS
Band5	4182	4	NV	40	2.99	0.003575	±2.5	PASS
Band5	4182	4	NV	50	2.80	0.003348	±2.5	PASS
Band5	4233	1	NV	-30	2.71	0.003201	±2.5	PASS
Band5	4233	1	NV	-20	2.84	0.003355	±2.5	PASS
Band5	4233	1	NV	-10	2.84	0.003355	±2.5	PASS
Band5	4233	1	NV	0	2.74	0.003236	±2.5	PASS
Band5	4233	1	NV	10	2.82	0.003331	±2.5	PASS
Band5	4233	1	NV	20	2.78	0.003284	±2.5	PASS
Band5	4233	1	NV	30	2.80	0.003307	±2.5	PASS
Band5	4233	1	NV	40	2.86	0.003378	±2.5	PASS
Band5	4233	1	NV	50	2.90	0.003425	±2.5	PASS
Band5	4233	2	NV	-30	2.62	0.003095	±2.5	PASS
Band5	4233	2	NV	-20	2.70	0.003189	±2.5	PASS
Band5	4233	2	NV	-10	2.86	0.003378	±2.5	PASS
Band5	4233	2	NV	0	2.73	0.003225	±2.5	PASS
Band5	4233	2	NV	10	2.78	0.003284	±2.5	PASS
Band5	4233	2	NV	20	2.85	0.003366	±2.5	PASS
Band5	4233	2	NV	30	2.90	0.003425	±2.5	PASS

Band5	4233	2	NV	40	2.74	0.003236	±2.5	PASS
Band5	4233	2	NV	50	2.82	0.003331	±2.5	PASS
Band5	4233	3	NV	-30	2.72	0.003213	±2.5	PASS
Band5	4233	3	NV	-20	2.83	0.003343	±2.5	PASS
Band5	4233	3	NV	-10	2.73	0.003225	±2.5	PASS
Band5	4233	3	NV	0	2.68	0.003166	±2.5	PASS
Band5	4233	3	NV	10	2.75	0.003248	±2.5	PASS
Band5	4233	3	NV	20	2.77	0.003272	±2.5	PASS
Band5	4233	3	NV	30	2.65	0.003130	±2.5	PASS
Band5	4233	3	NV	40	2.47	0.002918	±2.5	PASS
Band5	4233	3	NV	50	2.71	0.003201	±2.5	PASS
Band5	4233	4	NV	-30	2.71	0.003201	±2.5	PASS
Band5	4233	4	NV	-20	2.97	0.003508	±2.5	PASS
Band5	4233	4	NV	-10	2.65	0.003130	±2.5	PASS
Band5	4233	4	NV	0	2.79	0.003296	±2.5	PASS
Band5	4233	4	NV	10	2.72	0.003213	±2.5	PASS
Band5	4233	4	NV	20	2.87	0.003390	±2.5	PASS
Band5	4233	4	NV	30	2.67	0.003154	±2.5	PASS
Band5	4233	4	NV	40	3.08	0.003638	±2.5	PASS
Band5	4233	4	NV	50	2.75	0.003248	±2.5	PASS

HSDPA

Voltage								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VL	NT	-6.31	-0.003406	±2.5	PASS
Band2	9262	1	VN	NT	-6.15	-0.003320	±2.5	PASS
Band2	9262	1	VH	NT	-6.67	-0.003601	±2.5	PASS
Band2	9262	2	VL	NT	-6.64	-0.003585	±2.5	PASS
Band2	9262	2	VN	NT	-7.50	-0.004049	±2.5	PASS
Band2	9262	2	VH	NT	-7.45	-0.004022	±2.5	PASS
Band2	9262	3	VL	NT	-6.87	-0.003709	±2.5	PASS
Band2	9262	3	VN	NT	-8.50	-0.004589	±2.5	PASS
Band2	9262	3	VH	NT	-9.97	-0.005382	±2.5	PASS
Band2	9262	4	VL	NT	-9.16	-0.004945	±2.5	PASS
Band2	9262	4	VN	NT	-6.79	-0.003666	±2.5	PASS
Band2	9262	4	VH	NT	-10.04	-0.005420	±2.5	PASS
Band2	9262	5	VL	NT	-10.47	-0.005652	±2.5	PASS
Band2	9262	5	VN	NT	-8.29	-0.004475	±2.5	PASS
Band2	9262	5	VH	NT	-10.81	-0.005836	±2.5	PASS
Band2	9400	1	VL	NT	-7.51	-0.003995	±2.5	PASS
Band2	9400	1	VN	NT	-8.85	-0.004707	±2.5	PASS
Band2	9400	1	VH	NT	-9.13	-0.004856	±2.5	PASS
Band2	9400	2	VL	NT	-11.14	-0.005926	±2.5	PASS
Band2	9400	2	VN	NT	-9.91	-0.005271	±2.5	PASS
Band2	9400	2	VH	NT	-9.00	-0.004787	±2.5	PASS
Band2	9400	3	VL	NT	-8.94	-0.004755	±2.5	PASS
Band2	9400	3	VN	NT	-9.81	-0.005218	±2.5	PASS
Band2	9400	3	VH	NT	-10.29	-0.005473	±2.5	PASS
Band2	9400	4	VL	NT	-10.24	-0.005447	±2.5	PASS
Band2	9400	4	VN	NT	-10.36	-0.005511	±2.5	PASS
Band2	9400	4	VH	NT	-11.96	-0.006362	±2.5	PASS
Band2	9400	5	VL	NT	-7.90	-0.004202	±2.5	PASS
Band2	9400	5	VN	NT	-7.80	-0.004149	±2.5	PASS
Band2	9400	5	VH	NT	-7.59	-0.004037	±2.5	PASS
Band2	9538	1	VL	NT	-7.85	-0.004115	±2.5	PASS
Band2	9538	1	VN	NT	-9.86	-0.005169	±2.5	PASS
Band2	9538	1	VH	NT	-9.60	-0.005033	±2.5	PASS
Band2	9538	2	VL	NT	-5.73	-0.003004	±2.5	PASS
Band2	9538	2	VN	NT	-7.82	-0.004099	±2.5	PASS
Band2	9538	2	VH	NT	-9.06	-0.004749	±2.5	PASS

Voltage								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9538	3	VL	NT	-8.12	-0.004257	±2.5	PASS
Band2	9538	3	VN	NT	-9.31	-0.004880	±2.5	PASS
Band2	9538	3	VH	NT	-7.63	-0.004000	±2.5	PASS
Band2	9538	4	VL	NT	-9.25	-0.004849	±2.5	PASS
Band2	9538	4	VN	NT	-6.63	-0.003476	±2.5	PASS
Band2	9538	4	VH	NT	-7.88	-0.004131	±2.5	PASS
Band2	9538	5	VL	NT	-12.47	-0.006537	±2.5	PASS
Band2	9538	5	VN	NT	-6.69	-0.003507	±2.5	PASS
Band2	9538	5	VH	NT	-10.06	-0.005274	±2.5	PASS
Band5	4132	1	VL	NT	-6.12	-0.007406	±2.5	PASS
Band5	4132	1	VN	NT	-5.69	-0.006885	±2.5	PASS
Band5	4132	1	VH	NT	-5.75	-0.006958	±2.5	PASS
Band5	4132	2	VL	NT	-6.83	-0.008265	±2.5	PASS
Band5	4132	2	VN	NT	-7.27	-0.008797	±2.5	PASS
Band5	4132	2	VH	NT	-7.15	-0.008652	±2.5	PASS
Band5	4132	3	VL	NT	-6.72	-0.008132	±2.5	PASS
Band5	4132	3	VN	NT	-7.83	-0.009475	±2.5	PASS
Band5	4132	3	VH	NT	-7.32	-0.008858	±2.5	PASS
Band5	4132	4	VL	NT	-5.82	-0.007043	±2.5	PASS
Band5	4132	4	VN	NT	-6.57	-0.007950	±2.5	PASS
Band5	4132	4	VH	NT	-6.17	-0.007466	±2.5	PASS
Band5	4132	5	VL	NT	-8.49	-0.010273	±2.5	PASS
Band5	4132	5	VN	NT	-7.25	-0.008773	±2.5	PASS
Band5	4132	5	VH	NT	-10.59	-0.012815	±2.5	PASS
Band5	4182	1	VL	NT	-6.67	-0.007975	±2.5	PASS
Band5	4182	1	VN	NT	-8.58	-0.010258	±2.5	PASS
Band5	4182	1	VH	NT	-7.02	-0.008393	±2.5	PASS
Band5	4182	2	VL	NT	-6.84	-0.008178	±2.5	PASS
Band5	4182	2	VN	NT	-5.66	-0.006767	±2.5	PASS
Band5	4182	2	VH	NT	-7.54	-0.009015	±2.5	PASS
Band5	4182	3	VL	NT	-7.66	-0.009158	±2.5	PASS
Band5	4182	3	VN	NT	-7.85	-0.009385	±2.5	PASS
Band5	4182	3	VH	NT	-5.65	-0.006755	±2.5	PASS
Band5	4182	4	VL	NT	-6.74	-0.008058	±2.5	PASS
Band5	4182	4	VN	NT	-6.95	-0.008309	±2.5	PASS
Band5	4182	4	VH	NT	-6.48	-0.007747	±2.5	PASS
Band5	4182	5	VL	NT	-6.14	-0.007341	±2.5	PASS

Voltage								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4182	5	VN	NT	-10.31	-0.012327	±2.5	PASS
Band5	4182	5	VH	NT	-6.55	-0.007831	±2.5	PASS
Band5	4233	1	VL	NT	-7.68	-0.009072	±2.5	PASS
Band5	4233	1	VN	NT	-6.11	-0.007217	±2.5	PASS
Band5	4233	1	VH	NT	-8.08	-0.009544	±2.5	PASS
Band5	4233	2	VL	NT	-6.40	-0.007560	±2.5	PASS
Band5	4233	2	VN	NT	-6.43	-0.007595	±2.5	PASS
Band5	4233	2	VH	NT	-6.69	-0.007902	±2.5	PASS
Band5	4233	3	VL	NT	-8.75	-0.010335	±2.5	PASS
Band5	4233	3	VN	NT	-8.67	-0.010241	±2.5	PASS
Band5	4233	3	VH	NT	-9.38	-0.011080	±2.5	PASS
Band5	4233	4	VL	NT	-8.02	-0.009473	±2.5	PASS
Band5	4233	4	VN	NT	-5.25	-0.006201	±2.5	PASS
Band5	4233	4	VH	NT	-7.77	-0.009178	±2.5	PASS
Band5	4233	5	VL	NT	-9.08	-0.010725	±2.5	PASS
Band5	4233	5	VN	NT	-9.47	-0.011186	±2.5	PASS
Band5	4233	5	VH	NT	-4.94	-0.005835	±2.5	PASS

HSUPA

Temperature								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	5.46	0.002948	±2.5	PASS
Band2	9262	1	NV	-20	5.95	0.003212	±2.5	PASS
Band2	9262	1	NV	-10	6.26	0.003379	±2.5	PASS
Band2	9262	1	NV	0	6.83	0.003687	±2.5	PASS
Band2	9262	1	NV	10	6.90	0.003725	±2.5	PASS
Band2	9262	1	NV	20	7.11	0.003838	±2.5	PASS
Band2	9262	1	NV	30	6.62	0.003574	±2.5	PASS
Band2	9262	1	NV	40	6.72	0.003628	±2.5	PASS
Band2	9262	1	NV	50	6.74	0.003639	±2.5	PASS
Band2	9262	2	NV	-30	6.35	0.003428	±2.5	PASS
Band2	9262	2	NV	-20	6.37	0.003439	±2.5	PASS
Band2	9262	2	NV	-10	6.24	0.003369	±2.5	PASS
Band2	9262	2	NV	0	5.87	0.003169	±2.5	PASS
Band2	9262	2	NV	10	6.32	0.003412	±2.5	PASS
Band2	9262	2	NV	20	6.09	0.003288	±2.5	PASS
Band2	9262	2	NV	30	5.84	0.003153	±2.5	PASS

Band2	9262	2	NV	40	5.87	0.003169	±2.5	PASS
Band2	9262	2	NV	50	6.01	0.003244	±2.5	PASS
Band2	9262	3	NV	-30	5.89	0.003180	±2.5	PASS
Band2	9262	3	NV	-20	5.56	0.003002	±2.5	PASS
Band2	9262	3	NV	-10	5.61	0.003029	±2.5	PASS
Band2	9262	3	NV	0	5.44	0.002937	±2.5	PASS
Band2	9262	3	NV	10	5.61	0.003029	±2.5	PASS
Band2	9262	3	NV	20	5.46	0.002948	±2.5	PASS
Band2	9262	3	NV	30	5.60	0.003023	±2.5	PASS
Band2	9262	3	NV	40	5.51	0.002975	±2.5	PASS
Band2	9262	3	NV	50	5.56	0.003002	±2.5	PASS
Band2	9262	4	NV	-30	5.27	0.002845	±2.5	PASS
Band2	9262	4	NV	-20	5.35	0.002888	±2.5	PASS
Band2	9262	4	NV	-10	5.01	0.002705	±2.5	PASS
Band2	9262	4	NV	0	5.04	0.002721	±2.5	PASS
Band2	9262	4	NV	10	5.46	0.002948	±2.5	PASS
Band2	9262	4	NV	20	5.14	0.002775	±2.5	PASS
Band2	9262	4	NV	30	5.36	0.002894	±2.5	PASS
Band2	9262	4	NV	40	4.91	0.002651	±2.5	PASS
Band2	9262	4	NV	50	5.11	0.002759	±2.5	PASS
Band2	9262	5	NV	-30	5.29	0.002856	±2.5	PASS
Band2	9262	5	NV	-20	5.38	0.002904	±2.5	PASS
Band2	9262	5	NV	-10	4.83	0.002607	±2.5	PASS
Band2	9262	5	NV	0	5.01	0.002705	±2.5	PASS
Band2	9262	5	NV	10	4.76	0.002570	±2.5	PASS
Band2	9262	5	NV	20	5.04	0.002721	±2.5	PASS
Band2	9262	5	NV	30	5.06	0.002732	±2.5	PASS
Band2	9262	5	NV	40	5.21	0.002813	±2.5	PASS
Band2	9262	5	NV	50	5.10	0.002753	±2.5	PASS
Band2	9400	1	NV	-30	5.37	0.002856	±2.5	PASS
Band2	9400	1	NV	-20	4.99	0.002654	±2.5	PASS
Band2	9400	1	NV	-10	5.01	0.002665	±2.5	PASS
Band2	9400	1	NV	0	5.39	0.002867	±2.5	PASS
Band2	9400	1	NV	10	4.97	0.002644	±2.5	PASS
Band2	9400	1	NV	20	5.11	0.002718	±2.5	PASS
Band2	9400	1	NV	30	5.16	0.002745	±2.5	PASS
Band2	9400	1	NV	40	4.74	0.002521	±2.5	PASS
Band2	9400	1	NV	50	5.40	0.002872	±2.5	PASS
Band2	9400	2	NV	-30	5.29	0.002814	±2.5	PASS
Band2	9400	2	NV	-20	5.16	0.002745	±2.5	PASS

Band2	9400	2	NV	-10	4.96	0.002638	±2.5	PASS
Band2	9400	2	NV	0	5.13	0.002729	±2.5	PASS
Band2	9400	2	NV	10	5.14	0.002734	±2.5	PASS
Band2	9400	2	NV	20	5.34	0.002840	±2.5	PASS
Band2	9400	2	NV	30	4.95	0.002633	±2.5	PASS
Band2	9400	2	NV	40	4.94	0.002628	±2.5	PASS
Band2	9400	2	NV	50	5.44	0.002894	±2.5	PASS
Band2	9400	3	NV	-30	5.27	0.002803	±2.5	PASS
Band2	9400	3	NV	-20	4.94	0.002628	±2.5	PASS
Band2	9400	3	NV	-10	5.16	0.002745	±2.5	PASS
Band2	9400	3	NV	0	5.37	0.002856	±2.5	PASS
Band2	9400	3	NV	10	4.86	0.002585	±2.5	PASS
Band2	9400	3	NV	20	5.21	0.002771	±2.5	PASS
Band2	9400	3	NV	30	4.96	0.002638	±2.5	PASS
Band2	9400	3	NV	40	5.02	0.002670	±2.5	PASS
Band2	9400	3	NV	50	5.11	0.002718	±2.5	PASS
Band2	9400	4	NV	-30	5.06	0.002691	±2.5	PASS
Band2	9400	4	NV	-20	5.14	0.002734	±2.5	PASS
Band2	9400	4	NV	-10	5.39	0.002867	±2.5	PASS
Band2	9400	4	NV	0	5.46	0.002904	±2.5	PASS
Band2	9400	4	NV	10	5.04	0.002681	±2.5	PASS
Band2	9400	4	NV	20	5.32	0.002830	±2.5	PASS
Band2	9400	4	NV	30	5.07	0.002697	±2.5	PASS
Band2	9400	4	NV	40	5.15	0.002739	±2.5	PASS
Band2	9400	4	NV	50	4.89	0.002601	±2.5	PASS
Band2	9400	5	NV	-30	5.56	0.002957	±2.5	PASS
Band2	9400	5	NV	-20	4.92	0.002617	±2.5	PASS
Band2	9400	5	NV	-10	5.06	0.002691	±2.5	PASS
Band2	9400	5	NV	0	5.26	0.002798	±2.5	PASS
Band2	9400	5	NV	10	5.15	0.002739	±2.5	PASS
Band2	9400	5	NV	20	5.19	0.002761	±2.5	PASS
Band2	9400	5	NV	30	5.11	0.002718	±2.5	PASS
Band2	9400	5	NV	40	5.24	0.002787	±2.5	PASS
Band2	9400	5	NV	50	5.18	0.002755	±2.5	PASS
Band2	9538	1	NV	-30	5.10	0.002674	±2.5	PASS
Band2	9538	1	NV	-20	5.02	0.002632	±2.5	PASS
Band2	9538	1	NV	-10	4.70	0.002464	±2.5	PASS
Band2	9538	1	NV	0	5.14	0.002694	±2.5	PASS
Band2	9538	1	NV	10	5.31	0.002784	±2.5	PASS
Band2	9538	1	NV	20	5.11	0.002679	±2.5	PASS

Band2	9538	1	NV	30	5.36	0.002810	±2.5	PASS
Band2	9538	1	NV	40	5.21	0.002731	±2.5	PASS
Band2	9538	1	NV	50	5.18	0.002715	±2.5	PASS
Band2	9538	2	NV	-30	5.17	0.002710	±2.5	PASS
Band2	9538	2	NV	-20	5.27	0.002763	±2.5	PASS
Band2	9538	2	NV	-10	5.39	0.002826	±2.5	PASS
Band2	9538	2	NV	0	5.25	0.002752	±2.5	PASS
Band2	9538	2	NV	10	4.99	0.002616	±2.5	PASS
Band2	9538	2	NV	20	4.89	0.002563	±2.5	PASS
Band2	9538	2	NV	30	5.34	0.002799	±2.5	PASS
Band2	9538	2	NV	40	5.46	0.002862	±2.5	PASS
Band2	9538	2	NV	50	4.91	0.002574	±2.5	PASS
Band2	9538	3	NV	-30	5.19	0.002721	±2.5	PASS
Band2	9538	3	NV	-20	5.23	0.002742	±2.5	PASS
Band2	9538	3	NV	-10	4.96	0.002600	±2.5	PASS
Band2	9538	3	NV	0	5.48	0.002873	±2.5	PASS
Band2	9538	3	NV	10	5.24	0.002747	±2.5	PASS
Band2	9538	3	NV	20	5.04	0.002642	±2.5	PASS
Band2	9538	3	NV	30	5.21	0.002731	±2.5	PASS
Band2	9538	3	NV	40	5.42	0.002841	±2.5	PASS
Band2	9538	3	NV	50	5.46	0.002862	±2.5	PASS
Band2	9538	4	NV	-30	5.36	0.002810	±2.5	PASS
Band2	9538	4	NV	-20	5.41	0.002836	±2.5	PASS
Band2	9538	4	NV	-10	5.26	0.002757	±2.5	PASS
Band2	9538	4	NV	0	5.25	0.002752	±2.5	PASS
Band2	9538	4	NV	10	5.31	0.002784	±2.5	PASS
Band2	9538	4	NV	20	5.16	0.002705	±2.5	PASS
Band2	9538	4	NV	30	5.56	0.002915	±2.5	PASS
Band2	9538	4	NV	40	5.39	0.002826	±2.5	PASS
Band2	9538	4	NV	50	5.50	0.002883	±2.5	PASS
Band2	9538	5	NV	-30	5.08	0.002663	±2.5	PASS
Band2	9538	5	NV	-20	5.40	0.002831	±2.5	PASS
Band2	9538	5	NV	-10	5.29	0.002773	±2.5	PASS
Band2	9538	5	NV	0	5.09	0.002668	±2.5	PASS
Band2	9538	5	NV	10	5.26	0.002757	±2.5	PASS
Band2	9538	5	NV	20	5.32	0.002789	±2.5	PASS
Band2	9538	5	NV	30	5.06	0.002653	±2.5	PASS
Band2	9538	5	NV	40	5.26	0.002757	±2.5	PASS
Band2	9538	5	NV	50	5.21	0.002731	±2.5	PASS
Band5	4132	1	NV	-30	1.55	0.001876	±2.5	PASS

Band5	4132	1	NV	-20	2.52	0.003049	±2.5	PASS
Band5	4132	1	NV	-10	1.52	0.001839	±2.5	PASS
Band5	4132	1	NV	0	1.87	0.002263	±2.5	PASS
Band5	4132	1	NV	10	2.00	0.002420	±2.5	PASS
Band5	4132	1	NV	20	2.95	0.003570	±2.5	PASS
Band5	4132	1	NV	30	1.90	0.002299	±2.5	PASS
Band5	4132	1	NV	40	2.27	0.002747	±2.5	PASS
Band5	4132	1	NV	50	2.42	0.002928	±2.5	PASS
Band5	4132	2	NV	-30	3.01	0.003642	±2.5	PASS
Band5	4132	2	NV	-20	2.62	0.003170	±2.5	PASS
Band5	4132	2	NV	-10	1.93	0.002335	±2.5	PASS
Band5	4132	2	NV	0	3.00	0.003630	±2.5	PASS
Band5	4132	2	NV	10	2.73	0.003303	±2.5	PASS
Band5	4132	2	NV	20	2.95	0.003570	±2.5	PASS
Band5	4132	2	NV	30	3.01	0.003642	±2.5	PASS
Band5	4132	2	NV	40	3.25	0.003933	±2.5	PASS
Band5	4132	2	NV	50	2.78	0.003364	±2.5	PASS
Band5	4132	3	NV	-30	2.85	0.003449	±2.5	PASS
Band5	4132	3	NV	-20	1.36	0.001646	±2.5	PASS
Band5	4132	3	NV	-10	2.95	0.003570	±2.5	PASS
Band5	4132	3	NV	0	2.37	0.002868	±2.5	PASS
Band5	4132	3	NV	10	3.40	0.004114	±2.5	PASS
Band5	4132	3	NV	20	2.55	0.003086	±2.5	PASS
Band5	4132	3	NV	30	2.63	0.003182	±2.5	PASS
Band5	4132	3	NV	40	3.23	0.003909	±2.5	PASS
Band5	4132	3	NV	50	2.31	0.002795	±2.5	PASS
Band5	4132	4	NV	-30	3.03	0.003667	±2.5	PASS
Band5	4132	4	NV	-20	2.37	0.002868	±2.5	PASS
Band5	4132	4	NV	-10	2.17	0.002626	±2.5	PASS
Band5	4132	4	NV	0	3.44	0.004163	±2.5	PASS
Band5	4132	4	NV	10	2.95	0.003570	±2.5	PASS
Band5	4132	4	NV	20	1.76	0.002130	±2.5	PASS
Band5	4132	4	NV	30	1.99	0.002408	±2.5	PASS
Band5	4132	4	NV	40	3.01	0.003642	±2.5	PASS
Band5	4132	4	NV	50	2.52	0.003049	±2.5	PASS
Band5	4132	5	NV	-30	3.24	0.003921	±2.5	PASS
Band5	4132	5	NV	-20	2.70	0.003267	±2.5	PASS
Band5	4132	5	NV	-10	3.60	0.004356	±2.5	PASS
Band5	4132	5	NV	0	2.98	0.003606	±2.5	PASS
Band5	4132	5	NV	10	3.15	0.003812	±2.5	PASS

Band5	4132	5	NV	20	2.75	0.003328	±2.5	PASS
Band5	4132	5	NV	30	3.30	0.003993	±2.5	PASS
Band5	4132	5	NV	40	3.61	0.004368	±2.5	PASS
Band5	4132	5	NV	50	2.58	0.003122	±2.5	PASS
Band5	4182	1	NV	-30	2.93	0.003503	±2.5	PASS
Band5	4182	1	NV	-20	3.02	0.003611	±2.5	PASS
Band5	4182	1	NV	-10	2.70	0.003228	±2.5	PASS
Band5	4182	1	NV	0	2.57	0.003073	±2.5	PASS
Band5	4182	1	NV	10	2.49	0.002977	±2.5	PASS
Band5	4182	1	NV	20	3.35	0.004005	±2.5	PASS
Band5	4182	1	NV	30	2.91	0.003479	±2.5	PASS
Band5	4182	1	NV	40	2.32	0.002774	±2.5	PASS
Band5	4182	1	NV	50	2.57	0.003073	±2.5	PASS
Band5	4182	2	NV	-30	2.96	0.003539	±2.5	PASS
Band5	4182	2	NV	-20	3.66	0.004376	±2.5	PASS
Band5	4182	2	NV	-10	2.99	0.003575	±2.5	PASS
Band5	4182	2	NV	0	3.06	0.003659	±2.5	PASS
Band5	4182	2	NV	10	3.00	0.003587	±2.5	PASS
Band5	4182	2	NV	20	2.63	0.003144	±2.5	PASS
Band5	4182	2	NV	30	3.20	0.003826	±2.5	PASS
Band5	4182	2	NV	40	2.19	0.002618	±2.5	PASS
Band5	4182	2	NV	50	3.43	0.004101	±2.5	PASS
Band5	4182	3	NV	-30	3.38	0.004041	±2.5	PASS
Band5	4182	3	NV	-20	3.47	0.004149	±2.5	PASS
Band5	4182	3	NV	-10	3.03	0.003623	±2.5	PASS
Band5	4182	3	NV	0	2.68	0.003204	±2.5	PASS
Band5	4182	3	NV	10	2.28	0.002726	±2.5	PASS
Band5	4182	3	NV	20	3.15	0.003766	±2.5	PASS
Band5	4182	3	NV	30	2.32	0.002774	±2.5	PASS
Band5	4182	3	NV	40	2.73	0.003264	±2.5	PASS
Band5	4182	3	NV	50	2.15	0.002571	±2.5	PASS
Band5	4182	4	NV	-30	2.30	0.002750	±2.5	PASS
Band5	4182	4	NV	-20	2.68	0.003204	±2.5	PASS
Band5	4182	4	NV	-10	2.37	0.002834	±2.5	PASS
Band5	4182	4	NV	0	2.95	0.003527	±2.5	PASS
Band5	4182	4	NV	10	2.46	0.002941	±2.5	PASS
Band5	4182	4	NV	20	2.30	0.002750	±2.5	PASS
Band5	4182	4	NV	30	2.65	0.003168	±2.5	PASS
Band5	4182	4	NV	40	2.32	0.002774	±2.5	PASS
Band5	4182	4	NV	50	3.83	0.004579	±2.5	PASS

Band5	4182	5	NV	-30	3.00	0.003587	±2.5	PASS
Band5	4182	5	NV	-20	3.08	0.003682	±2.5	PASS
Band5	4182	5	NV	-10	2.46	0.002941	±2.5	PASS
Band5	4182	5	NV	0	2.20	0.002630	±2.5	PASS
Band5	4182	5	NV	10	2.20	0.002630	±2.5	PASS
Band5	4182	5	NV	20	2.87	0.003431	±2.5	PASS
Band5	4182	5	NV	30	2.68	0.003204	±2.5	PASS
Band5	4182	5	NV	40	3.10	0.003706	±2.5	PASS
Band5	4182	5	NV	50	3.03	0.003623	±2.5	PASS
Band5	4233	1	NV	-30	2.45	0.002894	±2.5	PASS
Band5	4233	1	NV	-20	3.36	0.003969	±2.5	PASS
Band5	4233	1	NV	-10	2.80	0.003307	±2.5	PASS
Band5	4233	1	NV	0	2.88	0.003402	±2.5	PASS
Band5	4233	1	NV	10	3.35	0.003957	±2.5	PASS
Band5	4233	1	NV	20	2.33	0.002752	±2.5	PASS
Band5	4233	1	NV	30	2.12	0.002504	±2.5	PASS
Band5	4233	1	NV	40	2.30	0.002717	±2.5	PASS
Band5	4233	1	NV	50	2.55	0.003012	±2.5	PASS
Band5	4233	2	NV	-30	2.92	0.003449	±2.5	PASS
Band5	4233	2	NV	-20	3.02	0.003567	±2.5	PASS
Band5	4233	2	NV	-10	3.30	0.003898	±2.5	PASS
Band5	4233	2	NV	0	2.73	0.003225	±2.5	PASS
Band5	4233	2	NV	10	3.00	0.003544	±2.5	PASS
Band5	4233	2	NV	20	2.55	0.003012	±2.5	PASS
Band5	4233	2	NV	30	3.25	0.003839	±2.5	PASS
Band5	4233	2	NV	40	3.12	0.003685	±2.5	PASS
Band5	4233	2	NV	50	2.07	0.002445	±2.5	PASS
Band5	4233	3	NV	-30	3.28	0.003874	±2.5	PASS
Band5	4233	3	NV	-20	2.28	0.002693	±2.5	PASS
Band5	4233	3	NV	-10	3.05	0.003603	±2.5	PASS
Band5	4233	3	NV	0	3.70	0.004370	±2.5	PASS
Band5	4233	3	NV	10	3.48	0.004111	±2.5	PASS
Band5	4233	3	NV	20	2.83	0.003343	±2.5	PASS
Band5	4233	3	NV	30	2.84	0.003355	±2.5	PASS
Band5	4233	3	NV	40	2.90	0.003425	±2.5	PASS
Band5	4233	3	NV	50	2.16	0.002551	±2.5	PASS
Band5	4233	4	NV	-30	1.98	0.002339	±2.5	PASS
Band5	4233	4	NV	-20	2.65	0.003130	±2.5	PASS
Band5	4233	4	NV	-10	2.63	0.003107	±2.5	PASS
Band5	4233	4	NV	0	3.39	0.004004	±2.5	PASS


Band5	4233	4	NV	10	2.13	0.002516	±2.5	PASS
Band5	4233	4	NV	20	2.97	0.003508	±2.5	PASS
Band5	4233	4	NV	30	2.65	0.003130	±2.5	PASS
Band5	4233	4	NV	40	2.50	0.002953	±2.5	PASS
Band5	4233	4	NV	50	2.70	0.003189	±2.5	PASS
Band5	4233	5	NV	-30	2.46	0.002906	±2.5	PASS
Band5	4233	5	NV	-20	2.58	0.003047	±2.5	PASS
Band5	4233	5	NV	-10	2.80	0.003307	±2.5	PASS
Band5	4233	5	NV	0	3.17	0.003744	±2.5	PASS
Band5	4233	5	NV	10	2.23	0.002634	±2.5	PASS
Band5	4233	5	NV	20	3.18	0.003756	±2.5	PASS
Band5	4233	5	NV	30	2.47	0.002918	±2.5	PASS
Band5	4233	5	NV	40	2.26	0.002670	±2.5	PASS
Band5	4233	5	NV	50	2.80	0.003307	±2.5	PASS

Appendix G: Modulation Characteristics


Test Result

Band	Channel	Result	Verdict
Band2	9262	PASS	PASS
Band2	9400	PASS	PASS
Band2	9538	PASS	PASS
Band5	4132	PASS	PASS
Band5	4182	PASS	PASS
Band5	4233	PASS	PASS


Test Graphs




Band2-9538



Band5-4132



Band5-4182



Band5-4233

