




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	42.36	54.00	-11.64	1.02	3	Vertical	303	1.50	41.34	33.50	4.81	37.29
AV	5.272G	93.53	Inf	-Inf	0.71	3	Vertical	303	1.50	92.82	33.16	4.87	37.32
AV	5.35G	44.78	54.00	-9.22	0.67	3	Vertical	303	1.50	44.11	33.10	4.91	37.34
PK	5.091G	54.03	74.00	-19.97	0.70	3	Vertical	303	1.50	53.33	33.20	4.78	37.28
PK	5.273G	105.18	Inf	-Inf	0.70	3	Vertical	303	1.50	104.48	33.15	4.87	37.32
PK	5.35G	57.39	74.00	-16.61	0.67	3	Vertical	303	1.50	56.72	33.10	4.91	37.34
PK	5.481G	55.92	68.20	-12.28	0.77	3	Vertical	303	1.50	55.15	33.19	4.95	37.37

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.145G	42.15	54.00	-11.85	0.99	3	Horizontal	327	1.85	41.16	33.47	4.81	37.29
AV	5.265G	91.27	Inf	-Inf	0.72	3	Horizontal	327	1.85	90.55	33.17	4.87	37.32
AV	5.364G	43.12	54.00	-10.88	0.64	3	Horizontal	327	1.85	42.48	33.07	4.91	37.34
PK	5.132G	54.11	74.00	-19.89	0.90	3	Horizontal	327	1.85	53.21	33.39	4.80	37.29
PK	5.265G	102.67	Inf	-Inf	0.72	3	Horizontal	327	1.85	101.95	33.17	4.87	37.32
PK	5.35G	55.09	74.00	-18.91	0.67	3	Horizontal	327	1.85	54.42	33.10	4.91	37.34
PK	5.482G	54.27	68.20	-13.93	0.77	3	Horizontal	327	1.85	53.50	33.19	4.95	37.37




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.94	54.00	-5.06	1.02	3	Vertical	300	1.02	47.92	33.50	4.81	37.29
AV	5.1924G	92.47	Inf	-Inf	0.87	3	Vertical	300	1.02	91.60	33.33	4.84	37.30
AV	5.4108G	47.90	54.00	-6.10	0.58	3	Vertical	300	1.02	47.32	33.00	4.93	37.35
PK	5.1312G	60.51	74.00	-13.49	0.90	3	Vertical	300	1.02	59.61	33.39	4.80	37.29
PK	5.1912G	104.09	Inf	-Inf	0.88	3	Vertical	300	1.02	103.21	33.34	4.84	37.30
PK	5.4516G	61.04	74.00	-12.96	0.59	3	Vertical	300	1.02	60.45	33.01	4.94	37.36
PK	5.4696G	58.66	68.20	-9.54	0.71	3	Vertical	300	1.02	57.95	33.12	4.95	37.36

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1048G	46.93	54.00	-7.07	0.74	3	Horizontal	321	1.97	46.19	33.23	4.79	37.28
AV	5.2224G	90.27	Inf	-Inf	0.80	3	Horizontal	321	1.97	89.47	33.26	4.85	37.31
AV	5.4228G	45.61	54.00	-8.39	0.59	3	Horizontal	321	1.97	45.02	33.00	4.94	37.35
PK	5.1228G	59.18	74.00	-14.82	0.85	3	Horizontal	321	1.97	58.33	33.34	4.80	37.29
PK	5.2056G	102.39	Inf	-Inf	0.82	3	Horizontal	321	1.97	101.57	33.29	4.84	37.31
PK	5.4084G	57.48	74.00	-16.52	0.58	3	Horizontal	321	1.97	56.90	33.00	4.93	37.35
PK	5.4696G	56.12	68.20	-12.08	0.71	3	Horizontal	321	1.97	55.41	33.12	4.95	37.36




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	42.42	54.00	-11.58	0.65	3	Vertical	300	1.72	41.77	33.06	4.95	37.36
AV	5.4952G	101.14	Inf	-Inf	0.85	3	Vertical	300	1.72	100.29	33.27	4.95	37.37
PK	5.4552G	54.60	74.00	-19.40	0.61	3	Vertical	300	1.72	53.99	33.03	4.94	37.36
PK	5.4634G	56.00	68.20	-12.20	0.67	3	Vertical	300	1.72	55.33	33.08	4.95	37.36
PK	5.4956G	109.44	Inf	-Inf	0.85	3	Vertical	300	1.72	108.59	33.27	4.95	37.37

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4578G	41.88	54.00	-12.12	0.63	3	Horizontal	333	1.50	41.25	33.05	4.94	37.36
AV	5.5046G	99.82	Inf	-Inf	0.88	3	Horizontal	333	1.50	98.94	33.29	4.96	37.37
PK	5.4548G	53.86	74.00	-20.14	0.61	3	Horizontal	333	1.50	53.25	33.03	4.94	37.36
PK	5.469G	55.12	68.20	-13.08	0.70	3	Horizontal	333	1.50	54.42	33.11	4.95	37.36
PK	5.5046G	108.23	Inf	-Inf	0.88	3	Horizontal	333	1.50	107.35	33.29	4.96	37.37



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.9924G	36.84	54.00	-17.16	4.11	3	Vertical	34	1.34	32.73	38.92	7.57	42.38
PK	10.99768G	48.54	74.00	-25.46	4.08	3	Vertical	34	1.34	44.46	38.90	7.57	42.39

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99216G	36.92	54.00	-17.08	4.11	3	Horizontal	292	1.29	32.81	38.92	7.57	42.38
PK	11.00832G	48.97	74.00	-25.03	4.07	3	Horizontal	292	1.29	44.90	38.88	7.57	42.38

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7008G	99.41	Inf	-Inf	1.59	3	Vertical	306	1.72	97.82	33.80	5.08	37.29
PK	5.6988G	111.09	Inf	-Inf	1.58	3	Vertical	306	1.72	109.51	33.79	5.08	37.29
PK	5.7252G	57.30	68.20	-10.90	1.73	3	Vertical	306	1.72	55.57	33.90	5.11	37.28

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6984G	98.86	Inf	-Inf	1.58	3	Horizontal	333	1.01	97.28	33.79	5.08	37.29
PK	5.6976G	110.73	Inf	-Inf	1.57	3	Horizontal	333	1.01	109.16	33.78	5.08	37.29
PK	5.7744G	55.93	68.20	-12.27	2.00	3	Horizontal	333	1.01	53.93	34.10	5.15	37.25



5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40024G	38.50	54.00	-15.50	5.13	3	Vertical	9	1.74	33.37	39.30	7.74	41.91
PK	11.38864G	50.66	74.00	-23.34	5.13	3	Vertical	9	1.74	45.53	39.32	7.73	41.92

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40136G	38.53	54.00	-15.47	5.13	3	Horizontal	189	1.50	33.40	39.30	7.74	41.91
PK	11.40416G	49.74	74.00	-24.26	5.12	3	Horizontal	189	1.50	44.62	39.29	7.74	41.91



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4528G	42.52	54.00	-11.48	0.60	3	Vertical	299	1.97	41.92	33.02	4.94	37.36
AV	5.492G	97.51	Inf	-Inf	0.83	3	Vertical	299	1.97	96.68	33.25	4.95	37.37
PK	5.4408G	54.85	74.00	-19.15	0.58	3	Vertical	299	1.97	54.27	33.00	4.94	37.36
PK	5.47G	60.71	68.20	-7.49	0.71	3	Vertical	299	1.97	60.00	33.12	4.95	37.36
PK	5.4924G	109.60	Inf	-Inf	0.83	3	Vertical	299	1.97	108.77	33.25	4.95	37.37

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	41.84	54.00	-12.16	0.64	3	Horizontal	333	1.50	41.20	33.06	4.94	37.36
AV	5.5084G	95.54	Inf	-Inf	0.87	3	Horizontal	333	1.50	94.67	33.28	4.96	37.37
PK	5.4568G	54.08	74.00	-19.92	0.62	3	Horizontal	333	1.50	53.46	33.04	4.94	37.36
PK	5.4672G	55.35	68.20	-12.85	0.69	3	Horizontal	333	1.50	54.66	33.10	4.95	37.36
PK	5.5084G	107.47	Inf	-Inf	0.87	3	Horizontal	333	1.50	106.60	33.28	4.96	37.37



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99392G	36.81	54.00	-17.19	4.10	3	Vertical	46	1.90	32.71	38.91	7.57	42.38
PK	11.03088G	48.61	74.00	-25.39	4.07	3	Vertical	46	1.90	44.54	38.84	7.58	42.35

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99568G	36.79	54.00	-17.21	4.09	3	Horizontal	336	1.14	32.70	38.91	7.57	42.39
PK	11.0384G	48.07	74.00	-25.93	4.07	3	Horizontal	336	1.14	44.00	38.82	7.59	42.34

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	42.14	54.00	-11.86	0.67	3	Vertical	300	1.88	41.47	33.10	4.91	37.34
AV	5.453G	44.58	54.00	-9.42	0.60	3	Vertical	300	1.88	43.98	33.02	4.94	37.36
AV	5.492G	93.84	Inf	-Inf	0.83	3	Vertical	300	1.88	93.01	33.25	4.95	37.37
PK	5.291G	54.50	68.20	-13.70	0.68	3	Vertical	300	1.88	53.82	33.12	4.88	37.32
PK	5.452G	55.77	74.00	-18.23	0.59	3	Vertical	300	1.88	55.18	33.01	4.94	37.36
PK	5.47G	58.44	68.20	-9.76	0.71	3	Vertical	300	1.88	57.73	33.12	4.95	37.36
PK	5.492G	104.77	Inf	-Inf	0.83	3	Vertical	300	1.88	103.94	33.25	4.95	37.37
PK	5.731G	55.84	68.20	-12.36	1.76	3	Vertical	300	1.88	54.08	33.92	5.11	37.27

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	41.60	54.00	-12.40	0.67	3	Horizontal	332	1.50	40.93	33.10	4.91	37.34
AV	5.448G	42.07	54.00	-11.93	0.58	3	Horizontal	332	1.50	41.49	33.00	4.94	37.36
AV	5.508G	92.31	Inf	-Inf	0.87	3	Horizontal	332	1.50	91.44	33.28	4.96	37.37
PK	5.338G	54.38	68.20	-13.82	0.67	3	Horizontal	332	1.50	53.71	33.10	4.90	37.33
PK	5.433G	54.59	74.00	-19.41	0.58	3	Horizontal	332	1.50	54.01	33.00	4.94	37.36
PK	5.464G	54.29	68.20	-13.91	0.67	3	Horizontal	332	1.50	53.62	33.08	4.95	37.36
PK	5.507G	105.59	Inf	-Inf	0.88	3	Horizontal	332	1.50	104.71	33.29	4.96	37.37
PK	5.743G	56.18	68.20	-12.02	1.82	3	Horizontal	332	1.50	54.36	33.97	5.12	37.27



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.12688G	37.32	54.00	-16.68	4.23	3	Vertical	3	1.50	33.09	38.85	7.62	42.24
PK	11.124G	49.80	74.00	-24.20	4.23	3	Vertical	3	1.50	45.57	38.85	7.62	42.24

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.12944G	37.32	54.00	-16.68	4.25	3	Horizontal	6	1.06	33.07	38.86	7.62	42.23
PK	11.13232G	48.90	74.00	-25.10	4.26	3	Horizontal	6	1.06	44.64	38.86	7.63	42.23

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4524G	49.03	54.00	-4.97	0.59	3	Vertical	299	1.98	48.44	33.01	4.94	37.36
AV	5.492G	91.22	Inf	-Inf	0.83	3	Vertical	299	1.98	90.39	33.25	4.95	37.37
PK	5.35G	58.32	74.00	-15.68	0.67	3	Vertical	299	1.98	57.65	33.10	4.91	37.34
PK	5.4512G	61.44	74.00	-12.56	0.59	3	Vertical	299	1.98	60.85	33.01	4.94	37.36
PK	5.468G	60.49	68.20	-7.71	0.70	3	Vertical	299	1.98	59.79	33.11	4.95	37.36
PK	5.492G	103.10	Inf	-Inf	0.83	3	Vertical	299	1.98	102.27	33.25	4.95	37.37
PK	5.7284G	60.89	68.20	-7.31	1.75	3	Vertical	299	1.98	59.14	33.91	5.11	37.27

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.408G	44.65	54.00	-9.35	0.58	3	Horizontal	333	1.50	44.07	33.00	4.93	37.35
AV	5.5088G	89.44	Inf	-Inf	0.87	3	Horizontal	333	1.50	88.57	33.28	4.96	37.37
PK	5.3468G	54.20	68.20	-14.00	0.67	3	Horizontal	333	1.50	53.53	33.10	4.91	37.34
PK	5.4092G	57.33	74.00	-16.67	0.58	3	Horizontal	333	1.50	56.75	33.00	4.93	37.35
PK	5.468G	58.71	68.20	-9.49	0.70	3	Horizontal	333	1.50	58.01	33.11	4.95	37.36
PK	5.5088G	102.03	Inf	-Inf	0.87	3	Horizontal	333	1.50	101.16	33.28	4.96	37.37
PK	5.7716G	58.11	68.20	-10.09	1.98	3	Horizontal	333	1.50	56.13	34.09	5.15	37.26



5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.2744G	38.08	54.00	-15.92	4.88	3	Vertical	0	1.50	33.20	39.25	7.69	42.06
PK	11.12976G	49.55	74.00	-24.45	4.25	3	Vertical	0	1.50	45.30	38.86	7.62	42.23

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.284G	38.06	54.00	-15.94	4.91	3	Horizontal	178	1.50	33.15	39.27	7.69	42.05
PK	11.17264G	50.04	74.00	-23.96	4.41	3	Horizontal	178	1.50	45.63	38.95	7.64	42.18



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	AV	5.367G	49.05	54.00	-4.95	3	Horizontal	17	1.72
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	Pass	AV	5.406G	53.65	54.00	-0.35	3	Horizontal	14	1.75
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	PK	5.463G	64.99	68.20	-3.21	3	Horizontal	13	1.58
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX	Pass	PK	5.7656G	67.72	68.20	-0.48	3	Horizontal	13	1.62
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	PK	6.0426G	60.38	68.20	-7.82	3	Horizontal	339	1.50



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1_(MCS0)_RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.142G	46.89	54.00	-7.11	3	Vertical	315	2.85
5290MHz	Pass	AV	5.262G	89.15	Inf	-Inf	3	Vertical	315	2.85
5290MHz	Pass	AV	5.36G	47.00	54.00	-7.00	3	Vertical	315	2.85
5290MHz	Pass	PK	5.148G	59.02	74.00	-14.98	3	Vertical	315	2.85
5290MHz	Pass	PK	5.262G	101.13	Inf	-Inf	3	Vertical	315	2.85
5290MHz	Pass	PK	5.36G	59.18	74.00	-14.82	3	Vertical	315	2.85
5290MHz	Pass	PK	5.511G	58.41	68.20	-9.79	3	Vertical	315	2.85
5290MHz	Pass	AV	5.144G	46.96	54.00	-7.04	3	Horizontal	17	1.72
5290MHz	Pass	AV	5.266G	97.42	Inf	-Inf	3	Horizontal	17	1.72
5290MHz	Pass	AV	5.367G	49.05	54.00	-4.95	3	Horizontal	17	1.72
5290MHz	Pass	PK	5.148G	59.79	74.00	-14.21	3	Horizontal	17	1.72
5290MHz	Pass	PK	5.268G	109.94	Inf	-Inf	3	Horizontal	17	1.72
5290MHz	Pass	PK	5.367G	62.69	74.00	-11.31	3	Horizontal	17	1.72
5290MHz	Pass	PK	5.523G	59.36	68.20	-8.84	3	Horizontal	17	1.72
5290MHz	Pass	PK	10.58186G	54.84	68.20	-13.36	3	Vertical	77	1.58
5290MHz	Pass	PK	10.5819G	54.63	68.20	-13.57	3	Horizontal	174	1.90
5530MHz	Pass	AV	5.35G	46.25	54.00	-7.75	3	Vertical	354	1.70
5530MHz	Pass	AV	5.354G	46.32	54.00	-7.68	3	Vertical	354	1.70
5530MHz	Pass	AV	5.514G	82.67	Inf	-Inf	3	Vertical	354	1.70
5530MHz	Pass	PK	5.292G	59.45	68.20	-8.75	3	Vertical	354	1.70
5530MHz	Pass	PK	5.389G	58.31	74.00	-15.69	3	Vertical	354	1.70
5530MHz	Pass	PK	5.464G	57.60	68.20	-10.60	3	Vertical	354	1.70
5530MHz	Pass	PK	5.515G	94.71	Inf	-Inf	3	Vertical	354	1.70
5530MHz	Pass	PK	5.733G	60.18	68.20	-8.02	3	Vertical	354	1.70
5530MHz	Pass	AV	5.35G	46.50	54.00	-7.50	3	Horizontal	13	1.58
5530MHz	Pass	AV	5.46G	49.22	54.00	-4.78	3	Horizontal	13	1.58
5530MHz	Pass	AV	5.505G	97.56	Inf	-Inf	3	Horizontal	13	1.58
5530MHz	Pass	PK	5.327G	59.02	68.20	-9.18	3	Horizontal	13	1.58
5530MHz	Pass	PK	5.458G	62.92	74.00	-11.08	3	Horizontal	13	1.58
5530MHz	Pass	PK	5.463G	64.99	68.20	-3.21	3	Horizontal	13	1.58
5530MHz	Pass	PK	5.504G	110.66	Inf	-Inf	3	Horizontal	13	1.58
5530MHz	Pass	PK	5.727G	59.89	68.20	-8.31	3	Horizontal	13	1.58
5530MHz	Pass	AV	11.06266G	41.55	54.00	-12.45	3	Vertical	139	1.76
5530MHz	Pass	PK	11.06226G	54.69	74.00	-19.31	3	Vertical	139	1.76
5530MHz	Pass	AV	11.06478G	41.43	54.00	-12.57	3	Horizontal	317	2.45
5530MHz	Pass	PK	11.06338G	54.49	74.00	-19.51	3	Horizontal	317	2.45
5610MHz	Pass	AV	5.393G	46.39	54.00	-7.61	3	Vertical	5	1.50
5610MHz	Pass	AV	5.578G	82.02	Inf	-Inf	3	Vertical	5	1.50
5610MHz	Pass	PK	5.366G	58.90	74.00	-15.10	3	Vertical	5	1.50
5610MHz	Pass	PK	5.468G	57.83	68.20	-10.37	3	Vertical	5	1.50
5610MHz	Pass	PK	5.578G	94.24	Inf	-Inf	3	Vertical	5	1.50
5610MHz	Pass	PK	5.736G	60.49	68.20	-7.71	3	Vertical	5	1.50
5610MHz	Pass	AV	5.37G	46.69	54.00	-7.31	3	Horizontal	18	1.69
5610MHz	Pass	AV	5.648G	97.73	Inf	-Inf	3	Horizontal	18	1.69
5610MHz	Pass	PK	5.382G	59.60	74.00	-14.40	3	Horizontal	18	1.69
5610MHz	Pass	PK	5.465G	61.38	68.20	-6.82	3	Horizontal	18	1.69
5610MHz	Pass	PK	5.645G	109.28	Inf	-Inf	3	Horizontal	18	1.69
5610MHz	Pass	PK	5.83G	61.16	68.20	-7.04	3	Horizontal	18	1.69
5610MHz	Pass	AV	11.21504G	42.35	54.00	-11.65	3	Vertical	89	1.49
5610MHz	Pass	PK	11.22352G	55.32	74.00	-18.68	3	Vertical	89	1.49
5610MHz	Pass	AV	11.21666G	42.22	54.00	-11.78	3	Horizontal	292	1.81
5610MHz	Pass	PK	11.21768G	55.52	74.00	-18.48	3	Horizontal	292	1.81
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.3948G	46.21	54.00	-7.79	3	Vertical	324	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7272G	85.59	Inf	-Inf	3	Vertical	324	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4236G	58.48	74.00	-15.52	3	Vertical	324	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	58.00	68.20	-10.20	3	Vertical	324	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7272G	97.47	Inf	-Inf	3	Vertical	324	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9108G	59.89	68.20	-8.31	3	Vertical	324	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4188G	46.58	54.00	-7.42	3	Horizontal	15	1.59
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6852G	98.11	Inf	-Inf	3	Horizontal	15	1.59




RSE TX above 1GHz_Non-Beamforming_Radio 2_Multi-RU_O-435E Appendix D.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4056G	58.99	74.00	-15.01	3	Horizontal	15	1.59
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	58.15	68.20	-10.05	3	Horizontal	15	1.59
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6864G	110.52	Inf	-Inf	3	Horizontal	15	1.59
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9516G	60.39	68.20	-7.81	3	Horizontal	15	1.59
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37984G	42.76	54.00	-11.24	3	Vertical	322	1.62
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38408G	55.81	74.00	-18.19	3	Vertical	322	1.62
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3792G	42.79	54.00	-11.21	3	Horizontal	284	2.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37854G	55.98	74.00	-18.02	3	Horizontal	284	2.50
5775MHz	Pass	AV	5.751G	85.29	Inf	-Inf	3	Vertical	321	3.00
5775MHz	Pass	PK	5.523G	59.46	68.20	-8.74	3	Vertical	321	3.00
5775MHz	Pass	PK	5.7534G	96.20	Inf	-Inf	3	Vertical	321	3.00
5775MHz	Pass	PK	6.0138G	59.67	68.20	-8.53	3	Vertical	321	3.00
5775MHz	Pass	AV	5.7582G	96.98	Inf	-Inf	3	Horizontal	339	1.50
5775MHz	Pass	PK	5.5446G	59.19	68.20	-9.01	3	Horizontal	339	1.50
5775MHz	Pass	PK	5.7594G	109.41	Inf	-Inf	3	Horizontal	339	1.50
5775MHz	Pass	PK	6.0426G	60.38	68.20	-7.82	3	Horizontal	339	1.50
5775MHz	Pass	AV	11.54782G	42.58	54.00	-11.42	3	Vertical	1	2.33
5775MHz	Pass	PK	11.55164G	55.48	74.00	-18.52	3	Vertical	1	2.33
5775MHz	Pass	AV	11.54768G	42.56	54.00	-11.44	3	Horizontal	205	2.84
5775MHz	Pass	PK	11.54578G	55.83	74.00	-18.17	3	Horizontal	205	2.84
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1396G	48.16	54.00	-5.84	3	Vertical	305	2.90
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1804G	88.12	Inf	-Inf	3	Vertical	305	2.90
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.4408G	48.15	54.00	-5.85	3	Vertical	305	2.90
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1396G	63.11	74.00	-10.89	3	Vertical	305	2.90
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1828G	100.85	Inf	-Inf	3	Vertical	305	2.90
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3532G	63.85	74.00	-10.15	3	Vertical	305	2.90
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4672G	60.55	68.20	-7.65	3	Vertical	305	2.90
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1468G	51.55	54.00	-2.45	3	Horizontal	14	1.75
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2044G	95.88	Inf	-Inf	3	Horizontal	14	1.75
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.406G	53.65	54.00	-0.35	3	Horizontal	14	1.75
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1384G	68.44	74.00	-5.56	3	Horizontal	14	1.75
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1876G	108.32	Inf	-Inf	3	Horizontal	14	1.75
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3544G	70.67	74.00	-3.33	3	Horizontal	14	1.75
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4696G	64.99	68.20	-3.21	3	Horizontal	14	1.75
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.49556G	54.41	68.20	-13.79	3	Vertical	90	2.79
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.50496G	54.15	68.20	-14.05	3	Horizontal	286	1.55
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.3828G	48.22	54.00	-5.78	3	Vertical	313	2.98
5570MHz	Pass	AV	5.5028G	85.12	Inf	-Inf	3	Vertical	313	2.98
5570MHz	Pass	PK	5.2736G	59.02	68.20	-9.18	3	Vertical	313	2.98
5570MHz	Pass	PK	5.3816G	60.61	74.00	-13.39	3	Vertical	313	2.98
5570MHz	Pass	PK	5.4608G	57.98	68.20	-10.22	3	Vertical	313	2.98
5570MHz	Pass	PK	5.504G	97.10	Inf	-Inf	3	Vertical	313	2.98
5570MHz	Pass	PK	5.768G	61.61	68.20	-6.59	3	Vertical	313	2.98
5570MHz	Pass	AV	5.3828G	52.45	54.00	-1.55	3	Horizontal	13	1.62
5570MHz	Pass	AV	5.5052G	94.30	Inf	-Inf	3	Horizontal	13	1.62
5570MHz	Pass	PK	5.348G	60.67	68.20	-7.53	3	Horizontal	13	1.62
5570MHz	Pass	PK	5.384G	66.01	74.00	-7.99	3	Horizontal	13	1.62
5570MHz	Pass	PK	5.468G	61.64	68.20	-6.56	3	Horizontal	13	1.62
5570MHz	Pass	PK	5.5028G	106.92	Inf	-Inf	3	Horizontal	13	1.62
5570MHz	Pass	PK	5.7656G	67.72	68.20	-0.48	3	Horizontal	13	1.62
5570MHz	Pass	AV	11.13622G	41.96	54.00	-12.04	3	Vertical	29	2.39
5570MHz	Pass	PK	11.13632G	54.92	74.00	-19.08	3	Vertical	29	2.39
5570MHz	Pass	AV	11.14166G	41.74	54.00	-12.26	3	Horizontal	137	2.69
5570MHz	Pass	PK	11.13716G	54.33	74.00	-19.67	3	Horizontal	137	2.69

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.142G	46.89	54.00	-7.11	7.25	3	Vertical	315	2.85	39.64	33.17	8.08	34.00
AV	5.262G	89.15	Inf	-Inf	7.15	3	Vertical	315	2.85	82.00	32.98	8.16	33.99
AV	5.36G	47.00	54.00	-7.00	7.11	3	Vertical	315	2.85	39.89	32.88	8.22	33.99
PK	5.148G	59.02	74.00	-14.98	7.27	3	Vertical	315	2.85	51.75	33.19	8.08	34.00
PK	5.262G	101.13	Inf	-Inf	7.15	3	Vertical	315	2.85	93.98	32.98	8.16	33.99
PK	5.36G	59.18	74.00	-14.82	7.11	3	Vertical	315	2.85	52.07	32.88	8.22	33.99
PK	5.511G	58.41	68.20	-9.79	7.30	3	Vertical	315	2.85	51.11	32.98	8.30	33.98

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	46.96	54.00	-7.04	7.26	3	Horizontal	17	1.72	39.70	33.18	8.08	34.00
AV	5.266G	97.42	Inf	-Inf	7.14	3	Horizontal	17	1.72	90.28	32.97	8.16	33.99
AV	5.367G	49.05	54.00	-4.95	7.10	3	Horizontal	17	1.72	41.95	32.87	8.22	33.99
PK	5.148G	59.79	74.00	-14.21	7.27	3	Horizontal	17	1.72	52.52	33.19	8.08	34.00
PK	5.268G	109.94	Inf	-Inf	7.13	3	Horizontal	17	1.72	102.81	32.96	8.16	33.99
PK	5.367G	62.69	74.00	-11.31	7.10	3	Horizontal	17	1.72	55.59	32.87	8.22	33.99
PK	5.523G	59.36	68.20	-8.84	7.27	3	Horizontal	17	1.72	52.09	32.95	8.31	33.99



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.58186G	54.84	68.20	-13.36	15.78	3	Vertical	77	1.58	39.06	38.95	11.41	34.58

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5819G	54.63	68.20	-13.57	15.79	3	Horizontal	174	1.90	38.84	38.96	11.41	34.58

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1396G	48.16	54.00	-5.84	7.24	3	Vertical	305	2.90	40.92	33.16	8.08	34.00
AV	5.1804G	88.12	Inf	-Inf	7.25	3	Vertical	305	2.90	80.87	33.14	8.11	34.00
AV	5.4408G	48.15	54.00	-5.85	7.08	3	Vertical	305	2.90	41.07	32.80	8.26	33.98
PK	5.1396G	63.11	74.00	-10.89	7.24	3	Vertical	305	2.90	55.87	33.16	8.08	34.00
PK	5.1828G	100.85	Inf	-Inf	7.24	3	Vertical	305	2.90	93.61	33.13	8.11	34.00
PK	5.3532G	63.85	74.00	-10.15	7.11	3	Vertical	305	2.90	56.74	32.89	8.21	33.99
PK	5.4672G	60.55	68.20	-7.65	7.17	3	Vertical	305	2.90	53.38	32.87	8.28	33.98

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_TX

5250MHz Straddle 5.25-5.35GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1468G	51.55	54.00	-2.45	7.27	3	Horizontal	14	1.75	44.28	33.19	8.08	34.00
AV	5.2044G	95.88	Inf	-Inf	7.21	3	Horizontal	14	1.75	88.67	33.09	8.12	34.00
AV	5.406G	53.65	54.00	-0.35	7.05	3	Horizontal	14	1.75	46.60	32.80	8.24	33.99
PK	5.1384G	68.44	74.00	-5.56	7.23	3	Horizontal	14	1.75	61.21	33.15	8.08	34.00
PK	5.1876G	108.32	Inf	-Inf	7.23	3	Horizontal	14	1.75	101.09	33.12	8.11	34.00
PK	5.3544G	70.67	74.00	-3.33	7.11	3	Horizontal	14	1.75	63.56	32.89	8.21	33.99
PK	5.4696G	64.99	68.20	-3.21	7.18	3	Horizontal	14	1.75	57.81	32.88	8.28	33.98



5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.49556G	54.41	68.20	-13.79	15.45	3	Vertical	90	2.79	38.96	38.70	11.38	34.63

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.50496G	54.15	68.20	-14.05	15.45	3	Horizontal	286	1.55	38.70	38.70	11.38	34.63



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	46.25	54.00	-7.75	7.12	3	Vertical	354	1.70	39.13	32.90	8.21	33.99
AV	5.354G	46.32	54.00	-7.68	7.11	3	Vertical	354	1.70	39.21	32.89	8.21	33.99
AV	5.514G	82.67	Inf	-Inf	7.28	3	Vertical	354	1.70	75.39	32.97	8.30	33.99
PK	5.292G	59.45	68.20	-8.75	7.11	3	Vertical	354	1.70	52.34	32.92	8.18	33.99
PK	5.389G	58.31	74.00	-15.69	7.06	3	Vertical	354	1.70	51.25	32.82	8.23	33.99
PK	5.464G	57.60	68.20	-10.60	7.16	3	Vertical	354	1.70	50.44	32.86	8.28	33.98
PK	5.515G	94.71	Inf	-Inf	7.28	3	Vertical	354	1.70	87.43	32.97	8.30	33.99
PK	5.733G	60.18	68.20	-8.02	8.07	3	Vertical	354	1.70	52.11	33.67	8.48	34.08

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	46.50	54.00	-7.50	7.12	3	Horizontal	13	1.58	39.38	32.90	8.21	33.99
AV	5.46G	49.22	54.00	-4.78	7.13	3	Horizontal	13	1.58	42.09	32.84	8.27	33.98
AV	5.505G	97.56	Inf	-Inf	7.31	3	Horizontal	13	1.58	90.25	32.99	8.30	33.98
PK	5.327G	59.02	68.20	-9.18	7.11	3	Horizontal	13	1.58	51.91	32.90	8.20	33.99
PK	5.458G	62.92	74.00	-11.08	7.12	3	Horizontal	13	1.58	55.80	32.83	8.27	33.98
PK	5.463G	64.99	68.20	-3.21	7.14	3	Horizontal	13	1.58	57.85	32.85	8.27	33.98
PK	5.504G	110.66	Inf	-Inf	7.31	3	Horizontal	13	1.58	103.35	32.99	8.30	33.98
PK	5.727G	59.89	68.20	-8.31	8.05	3	Horizontal	13	1.58	51.84	33.65	8.48	34.08

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06266G	41.55	54.00	-12.45	16.02	3	Vertical	139	1.76	25.53	38.70	11.63	34.31
PK	11.06226G	54.69	74.00	-19.31	16.02	3	Vertical	139	1.76	38.67	38.70	11.63	34.31

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06478G	41.43	54.00	-12.57	16.02	3	Horizontal	317	2.45	25.41	38.70	11.63	34.31
PK	11.06338G	54.49	74.00	-19.51	16.02	3	Horizontal	317	2.45	38.47	38.70	11.63	34.31

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3828G	48.22	54.00	-5.78	7.07	3	Vertical	313	2.98	41.15	32.83	8.23	33.99
AV	5.5028G	85.12	Inf	-Inf	7.31	3	Vertical	313	2.98	77.81	32.99	8.30	33.98
PK	5.2736G	59.02	68.20	-9.18	7.12	3	Vertical	313	2.98	51.90	32.95	8.16	33.99
PK	5.3816G	60.61	74.00	-13.39	7.08	3	Vertical	313	2.98	53.53	32.84	8.23	33.99
PK	5.4608G	57.98	68.20	-10.22	7.13	3	Vertical	313	2.98	50.85	32.84	8.27	33.98
PK	5.504G	97.10	Inf	-Inf	7.31	3	Vertical	313	2.98	89.79	32.99	8.30	33.98
PK	5.768G	61.61	68.20	-6.59	8.20	3	Vertical	313	2.98	53.41	33.77	8.52	34.09

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3828G	52.45	54.00	-1.55	7.07	3	Horizontal	13	1.62	45.38	32.83	8.23	33.99
AV	5.5052G	94.30	Inf	-Inf	7.31	3	Horizontal	13	1.62	86.99	32.99	8.30	33.98
PK	5.348G	60.67	68.20	-7.53	7.12	3	Horizontal	13	1.62	53.55	32.90	8.21	33.99
PK	5.384G	66.01	74.00	-7.99	7.07	3	Horizontal	13	1.62	58.94	32.83	8.23	33.99
PK	5.468G	61.64	68.20	-6.56	7.17	3	Horizontal	13	1.62	54.47	32.87	8.28	33.98
PK	5.5028G	106.92	Inf	-Inf	7.31	3	Horizontal	13	1.62	99.61	32.99	8.30	33.98
PK	5.7656G	67.72	68.20	-0.48	8.19	3	Horizontal	13	1.62	59.53	33.76	8.52	34.09



5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.13622G	41.96	54.00	-12.04	16.17	3	Vertical	29	2.39	25.79	38.77	11.67	34.27
PK	11.13632G	54.92	74.00	-19.08	16.17	3	Vertical	29	2.39	38.75	38.77	11.67	34.27

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14166G	41.74	54.00	-12.26	16.18	3	Horizontal	137	2.69	25.56	38.78	11.67	34.27
PK	11.13716G	54.33	74.00	-19.67	16.17	3	Horizontal	137	2.69	38.16	38.77	11.67	34.27

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.751G	85.29	Inf	-Inf	8.11	3	Vertical	321	3.00	77.18	33.70	8.50	34.09
PK	5.523G	59.46	68.20	-8.74	7.27	3	Vertical	321	3.00	52.19	32.95	8.31	33.99
PK	5.7534G	96.20	Inf	-Inf	8.12	3	Vertical	321	3.00	88.08	33.71	8.50	34.09
PK	6.0138G	59.67	68.20	-8.53	8.56	3	Vertical	321	3.00	51.11	34.10	8.66	34.20

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7582G	96.98	Inf	-Inf	8.15	3	Horizontal	339	1.50	88.83	33.73	8.51	34.09
PK	5.5446G	59.19	68.20	-9.01	7.23	3	Horizontal	339	1.50	51.96	32.91	8.32	34.00
PK	5.7594G	109.41	Inf	-Inf	8.16	3	Horizontal	339	1.50	101.25	33.74	8.51	34.09
PK	6.0426G	60.38	68.20	-7.82	8.60	3	Horizontal	339	1.50	51.78	34.10	8.71	34.21



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54782G	42.58	54.00	-11.42	16.56	3	Vertical	1	2.33	26.02	38.81	11.85	34.10
PK	11.55164G	55.48	74.00	-18.52	16.55	3	Vertical	1	2.33	38.93	38.79	11.86	34.10

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54768G	42.56	54.00	-11.44	16.56	3	Horizontal	205	2.84	26.00	38.81	11.85	34.10
PK	11.54578G	55.83	74.00	-18.17	16.57	3	Horizontal	205	2.84	39.26	38.82	11.85	34.10



**RSE TX above 1GHz_Non-Beamforming_Radio 2_Channel
Puncturing_O-435E**

Appendix D.8

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX	Pass	PK	5.1192G	70.10	74.00	-3.90	3	Vertical	297	2.07
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	Pass	AV	5.351G	44.87	54.00	-9.13	3	Vertical	302	1.76
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	Pass	PK	5.466G	61.60	68.20	-6.60	3	Vertical	294	1.91
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX	Pass	PK	5.4608G	66.55	68.20	-1.65	3	Vertical	302	1.93



**RSE TX above 1GHz_Non-Beamforming_Radio 2_Channel
Puncturing_O-435E**

Appendix D.8

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.148G	42.52	54.00	-11.48	3	Vertical	302	1.76
5290MHz	Pass	AV	5.252G	93.89	Inf	-Inf	3	Vertical	302	1.76
5290MHz	Pass	AV	5.351G	44.87	54.00	-9.13	3	Vertical	302	1.76
5290MHz	Pass	PK	5.149G	57.20	74.00	-16.80	3	Vertical	302	1.76
5290MHz	Pass	PK	5.252G	107.08	Inf	-Inf	3	Vertical	302	1.76
5290MHz	Pass	PK	5.361G	61.54	74.00	-12.46	3	Vertical	302	1.76
5290MHz	Pass	PK	5.518G	56.79	68.20	-11.41	3	Vertical	302	1.76
5290MHz	Pass	AV	5.145G	42.36	54.00	-11.64	3	Horizontal	315	2.02
5290MHz	Pass	AV	5.262G	91.30	Inf	-Inf	3	Horizontal	315	2.02
5290MHz	Pass	AV	5.362G	43.57	54.00	-10.43	3	Horizontal	315	2.02
5290MHz	Pass	PK	5.128G	56.42	74.00	-17.58	3	Horizontal	315	2.02
5290MHz	Pass	PK	5.262G	104.11	Inf	-Inf	3	Horizontal	315	2.02
5290MHz	Pass	PK	5.359G	59.16	74.00	-14.84	3	Horizontal	315	2.02
5290MHz	Pass	PK	5.485G	56.34	68.20	-11.86	3	Horizontal	315	2.02
5290MHz	Pass	AV	10.61104G	35.99	54.00	-18.01	3	Vertical	49	1.50
5290MHz	Pass	PK	10.60928G	50.64	74.00	-23.36	3	Vertical	49	1.50
5290MHz	Pass	AV	10.60528G	35.78	54.00	-18.22	3	Horizontal	299	1.50
5290MHz	Pass	PK	10.564G	50.23	68.20	-17.97	3	Horizontal	299	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	AV	5.35G	42.02	54.00	-11.98	3	Vertical	294	1.91
5530MHz	Pass	AV	5.451G	44.90	54.00	-9.10	3	Vertical	294	1.91
5530MHz	Pass	AV	5.511G	94.19	Inf	-Inf	3	Vertical	294	1.91
5530MHz	Pass	PK	5.28G	56.16	68.20	-12.04	3	Vertical	294	1.91
5530MHz	Pass	PK	5.459G	60.33	74.00	-13.67	3	Vertical	294	1.91
5530MHz	Pass	PK	5.466G	61.60	68.20	-6.60	3	Vertical	294	1.91
5530MHz	Pass	PK	5.493G	107.31	Inf	-Inf	3	Vertical	294	1.91
5530MHz	Pass	PK	5.776G	56.51	68.20	-11.69	3	Vertical	294	1.91
5530MHz	Pass	AV	5.35G	41.48	54.00	-12.52	3	Horizontal	349	1.38
5530MHz	Pass	AV	5.457G	43.18	54.00	-10.82	3	Horizontal	349	1.38
5530MHz	Pass	AV	5.498G	91.13	Inf	-Inf	3	Horizontal	349	1.38
5530MHz	Pass	PK	5.328G	55.72	68.20	-12.48	3	Horizontal	349	1.38
5530MHz	Pass	PK	5.458G	57.57	74.00	-16.43	3	Horizontal	349	1.38
5530MHz	Pass	PK	5.465G	56.62	68.20	-11.58	3	Horizontal	349	1.38
5530MHz	Pass	PK	5.497G	106.16	Inf	-Inf	3	Horizontal	349	1.38
5530MHz	Pass	PK	5.762G	57.46	68.20	-10.74	3	Horizontal	349	1.38
5530MHz	Pass	AV	11.02656G	35.42	54.00	-18.58	3	Vertical	123	1.21
5530MHz	Pass	PK	11.07216G	50.02	74.00	-23.98	3	Vertical	123	1.21
5530MHz	Pass	AV	11.02672G	35.42	54.00	-18.58	3	Horizontal	149	1.50
5530MHz	Pass	PK	11.07136G	49.89	74.00	-24.11	3	Horizontal	149	1.50
5610MHz	Pass	AV	5.453G	42.21	54.00	-11.79	3	Vertical	297	1.92
5610MHz	Pass	AV	5.591G	93.47	Inf	-Inf	3	Vertical	297	1.92
5610MHz	Pass	PK	5.369G	56.05	74.00	-17.95	3	Vertical	297	1.92
5610MHz	Pass	PK	5.465G	55.88	68.20	-12.32	3	Vertical	297	1.92
5610MHz	Pass	PK	5.591G	107.19	Inf	-Inf	3	Vertical	297	1.92
5610MHz	Pass	PK	5.767G	57.54	68.20	-10.66	3	Vertical	297	1.92
5610MHz	Pass	AV	5.41G	41.52	54.00	-12.48	3	Horizontal	335	1.49
5610MHz	Pass	AV	5.634G	90.70	Inf	-Inf	3	Horizontal	335	1.49
5610MHz	Pass	PK	5.434G	55.88	74.00	-18.12	3	Horizontal	335	1.49
5610MHz	Pass	PK	5.469G	55.94	68.20	-12.26	3	Horizontal	335	1.49
5610MHz	Pass	PK	5.633G	103.58	Inf	-Inf	3	Horizontal	335	1.49
5610MHz	Pass	PK	5.828G	57.25	68.20	-10.95	3	Horizontal	335	1.49
5610MHz	Pass	AV	11.23584G	35.90	54.00	-18.10	3	Vertical	203	1.50
5610MHz	Pass	PK	11.23904G	50.10	74.00	-23.90	3	Vertical	203	1.50
5610MHz	Pass	AV	11.23728G	36.11	54.00	-17.89	3	Horizontal	131	1.50
5610MHz	Pass	PK	11.23488G	50.80	74.00	-23.20	3	Horizontal	131	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	-	-	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.448G	41.96	54.00	-12.04	3	Vertical	299	1.97
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.671G	92.90	Inf	-Inf	3	Vertical	299	1.97
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.452G	55.37	74.00	-18.63	3	Vertical	299	1.97
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.464G	55.01	68.20	-13.19	3	Vertical	299	1.97



**RSE TX above 1GHz_Non-Beamforming_Radio 2_Channel
Puncturing_O-435E**

Appendix D.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.688G	105.92	Inf	-Inf	3	Vertical	299	1.97
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.933G	57.74	68.20	-10.46	3	Vertical	299	1.97
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	41.51	54.00	-12.49	3	Horizontal	338	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.695G	91.41	Inf	-Inf	3	Horizontal	338	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.454G	55.37	74.00	-18.63	3	Horizontal	338	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.467G	56.46	68.20	-11.74	3	Horizontal	338	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.699G	104.98	Inf	-Inf	3	Horizontal	338	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.878G	58.54	68.20	-9.66	3	Horizontal	338	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.40864G	36.91	54.00	-17.09	3	Vertical	146	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38768G	50.91	74.00	-23.09	3	Vertical	146	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.4088G	36.85	54.00	-17.15	3	Horizontal	121	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.41136G	51.57	74.00	-22.43	3	Horizontal	121	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.13G	47.55	54.00	-6.45	3	Vertical	297	2.07
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.2296G	91.78	Inf	-Inf	3	Vertical	297	2.07
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3904G	47.21	54.00	-6.79	3	Vertical	297	2.07
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1192G	70.10	74.00	-3.90	3	Vertical	297	2.07
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.2284G	105.31	Inf	-Inf	3	Vertical	297	2.07
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4012G	67.57	74.00	-6.43	3	Vertical	297	2.07
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4672G	62.86	68.20	-5.34	3	Vertical	297	2.07
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1432G	46.00	54.00	-8.00	3	Horizontal	320	1.81
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.2044G	89.31	Inf	-Inf	3	Horizontal	320	1.81
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.4036G	44.96	54.00	-9.04	3	Horizontal	320	1.81
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1228G	69.48	74.00	-4.52	3	Horizontal	320	1.81
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1852G	101.61	Inf	-Inf	3	Horizontal	320	1.81
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4036G	64.01	74.00	-9.99	3	Horizontal	320	1.81
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4744G	57.26	68.20	-10.94	3	Horizontal	320	1.81
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.47264G	50.62	68.20	-17.58	3	Vertical	342	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.47616G	50.25	68.20	-17.95	3	Horizontal	229	1.45
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.0904G	48.17	54.00	-5.83	3	Vertical	294	2.04
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.2296G	92.94	Inf	-Inf	3	Vertical	294	2.04
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.4288G	49.49	54.00	-4.51	3	Vertical	294	2.04
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1492G	67.48	74.00	-6.52	3	Vertical	294	2.04
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.2296G	105.85	Inf	-Inf	3	Vertical	294	2.04
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3904G	68.68	74.00	-5.32	3	Vertical	294	2.04
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.49G	62.97	68.20	-5.23	3	Vertical	294	2.04
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.082G	45.79	54.00	-8.21	3	Horizontal	319	1.91
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.202G	90.32	Inf	-Inf	3	Horizontal	319	1.91
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.4252G	45.98	54.00	-8.02	3	Horizontal	319	1.91
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1432G	68.31	74.00	-5.69	3	Horizontal	319	1.91
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1852G	103.78	Inf	-Inf	3	Horizontal	319	1.91
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3784G	64.82	74.00	-9.18	3	Horizontal	319	1.91
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4804G	59.32	68.20	-8.88	3	Horizontal	319	1.91
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.47056G	49.75	68.20	-18.45	3	Vertical	341	2.43
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.50256G	50.01	68.20	-18.19	3	Horizontal	43	1.26
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.3912G	47.64	54.00	-6.36	3	Vertical	302	1.93
5570MHz	Pass	AV	5.5112G	90.80	Inf	-Inf	3	Vertical	302	1.93
5570MHz	Pass	PK	5.3348G	60.70	68.20	-7.50	3	Vertical	302	1.93
5570MHz	Pass	PK	5.42G	66.09	74.00	-7.91	3	Vertical	302	1.93
5570MHz	Pass	PK	5.4608G	66.55	68.20	-1.65	3	Vertical	302	1.93
5570MHz	Pass	PK	5.5328G	104.11	Inf	-Inf	3	Vertical	302	1.93
5570MHz	Pass	PK	5.7716G	63.71	68.20	-4.49	3	Vertical	302	1.93
5570MHz	Pass	AV	5.4512G	44.65	54.00	-9.35	3	Horizontal	336	1.45
5570MHz	Pass	AV	5.6336G	88.08	Inf	-Inf	3	Horizontal	336	1.45
5570MHz	Pass	PK	5.3192G	56.63	68.20	-11.57	3	Horizontal	336	1.45
5570MHz	Pass	PK	5.4452G	60.60	74.00	-13.40	3	Horizontal	336	1.45
5570MHz	Pass	PK	5.4644G	60.06	68.20	-8.14	3	Horizontal	336	1.45
5570MHz	Pass	PK	5.6324G	101.42	Inf	-Inf	3	Horizontal	336	1.45
5570MHz	Pass	PK	5.726G	62.77	68.20	-5.43	3	Horizontal	336	1.45
5570MHz	Pass	AV	11.1552G	35.66	54.00	-18.34	3	Vertical	98	2.83



**RSE TX above 1GHz_Non-Beamforming_Radio 2_Channel
Puncturing_O-435E**


Appendix D.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5570MHz	Pass	PK	11.13456G	50.10	74.00	-23.90	3	Vertical	98	2.83
5570MHz	Pass	AV	11.15584G	35.90	54.00	-18.10	3	Horizontal	1	1.32
5570MHz	Pass	PK	11.1776G	49.95	74.00	-24.05	3	Horizontal	1	1.32
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4512G	47.09	54.00	-6.91	3	Vertical	301	1.96
5570MHz	Pass	AV	5.5112G	90.64	Inf	-Inf	3	Vertical	301	1.96
5570MHz	Pass	PK	5.35G	62.67	74.00	-11.33	3	Vertical	301	1.96
5570MHz	Pass	PK	5.4596G	65.50	74.00	-8.50	3	Vertical	301	1.96
5570MHz	Pass	PK	5.4644G	64.47	68.20	-3.73	3	Vertical	301	1.96
5570MHz	Pass	PK	5.5112G	104.30	Inf	-Inf	3	Vertical	301	1.96
5570MHz	Pass	PK	5.726G	65.45	68.20	-2.75	3	Vertical	301	1.96
5570MHz	Pass	AV	5.4596G	45.24	54.00	-8.76	3	Horizontal	360	1.50
5570MHz	Pass	AV	5.5004G	86.50	Inf	-Inf	3	Horizontal	360	1.50
5570MHz	Pass	PK	5.336G	56.04	68.20	-12.16	3	Horizontal	360	1.50
5570MHz	Pass	PK	5.4464G	61.29	74.00	-12.71	3	Horizontal	360	1.50
5570MHz	Pass	PK	5.462G	59.52	68.20	-8.68	3	Horizontal	360	1.50
5570MHz	Pass	PK	5.4992G	99.43	Inf	-Inf	3	Horizontal	360	1.50
5570MHz	Pass	PK	5.7848G	59.69	68.20	-8.51	3	Horizontal	360	1.50
5570MHz	Pass	AV	11.15536G	35.84	54.00	-18.16	3	Vertical	228	1.50
5570MHz	Pass	PK	11.13024G	50.19	74.00	-23.81	3	Vertical	228	1.50
5570MHz	Pass	AV	11.17136G	35.84	54.00	-18.16	3	Horizontal	74	1.52
5570MHz	Pass	PK	11.14096G	50.16	74.00	-23.84	3	Horizontal	74	1.52



5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX


5250MHz Straddle 5.15-5.25GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.13G	47.55	54.00	-6.45	0.89	3	Vertical	297	2.07	46.66	33.38	4.80	37.29
AV	5.2296G	91.78	Inf	-Inf	0.78	3	Vertical	297	2.07	91.00	33.24	4.85	37.31
AV	5.3904G	47.21	54.00	-6.79	0.60	3	Vertical	297	2.07	46.61	33.02	4.93	37.35
PK	5.1192G	70.10	74.00	-3.90	0.83	3	Vertical	297	2.07	69.27	33.32	4.80	37.29
PK	5.2284G	105.31	Inf	-Inf	0.78	3	Vertical	297	2.07	104.53	33.24	4.85	37.31
PK	5.4012G	67.57	74.00	-6.43	0.58	3	Vertical	297	2.07	66.99	33.00	4.93	37.35
PK	5.4672G	62.86	68.20	-5.34	0.69	3	Vertical	297	2.07	62.17	33.10	4.95	37.36

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX

5250MHz Straddle 5.15-5.25GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1432G	46.00	54.00	-8.00	0.98	3	Horizontal	320	1.81	45.02	33.46	4.81	37.29
AV	5.2044G	89.31	Inf	-Inf	0.83	3	Horizontal	320	1.81	88.48	33.29	4.84	37.30
AV	5.4036G	44.96	54.00	-9.04	0.58	3	Horizontal	320	1.81	44.38	33.00	4.93	37.35
PK	5.1228G	69.48	74.00	-4.52	0.85	3	Horizontal	320	1.81	68.63	33.34	4.80	37.29
PK	5.1852G	101.61	Inf	-Inf	0.89	3	Horizontal	320	1.81	100.72	33.36	4.83	37.30
PK	5.4036G	64.01	74.00	-9.99	0.58	3	Horizontal	320	1.81	63.43	33.00	4.93	37.35
PK	5.4744G	57.26	68.20	-10.94	0.74	3	Horizontal	320	1.81	56.52	33.15	4.95	37.36




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX

5250MHz Straddle 5.15-5.25GHz_TX



5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX


5250MHz Straddle 5.15-5.25GHz_TX





5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	42.52	54.00	-11.48	1.01	3	Vertical	302	1.76	41.51	33.49	4.81	37.29
AV	5.252G	93.89	Inf	-Inf	0.74	3	Vertical	302	1.76	93.15	33.20	4.86	37.32
AV	5.351G	44.87	54.00	-9.13	0.67	3	Vertical	302	1.76	44.20	33.10	4.91	37.34
PK	5.149G	57.20	74.00	-16.80	1.01	3	Vertical	302	1.76	56.19	33.49	4.81	37.29
PK	5.252G	107.08	Inf	-Inf	0.74	3	Vertical	302	1.76	106.34	33.20	4.86	37.32
PK	5.361G	61.54	74.00	-12.46	0.65	3	Vertical	302	1.76	60.89	33.08	4.91	37.34
PK	5.518G	56.79	68.20	-11.41	0.86	3	Vertical	302	1.76	55.93	33.26	4.96	37.36

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.145G	42.36	54.00	-11.64	0.99	3	Horizontal	315	2.02	41.37	33.47	4.81	37.29
AV	5.262G	91.30	Inf	-Inf	0.73	3	Horizontal	315	2.02	90.57	33.18	4.87	37.32
AV	5.362G	43.57	54.00	-10.43	0.65	3	Horizontal	315	2.02	42.92	33.08	4.91	37.34
PK	5.128G	56.42	74.00	-17.58	0.88	3	Horizontal	315	2.02	55.54	33.37	4.80	37.29
PK	5.262G	104.11	Inf	-Inf	0.73	3	Horizontal	315	2.02	103.38	33.18	4.87	37.32
PK	5.359G	59.16	74.00	-14.84	0.65	3	Horizontal	315	2.02	58.51	33.08	4.91	37.34
PK	5.485G	56.34	68.20	-11.86	0.79	3	Horizontal	315	2.02	55.55	33.21	4.95	37.37



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61104G	35.99	54.00	-18.01	4.49	3	Vertical	49	1.50	31.50	39.12	7.41	42.04
PK	10.60928G	50.64	74.00	-23.36	4.49	3	Vertical	49	1.50	46.15	39.12	7.41	42.04

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60528G	35.78	54.00	-18.22	4.48	3	Horizontal	299	1.50	31.30	39.11	7.40	42.03
PK	10.564G	50.23	68.20	-17.97	4.27	3	Horizontal	299	1.50	45.96	38.88	7.39	42.00



RSE TX above 1GHz_Non-Beamforming_Radio 2_Channel
Puncturing_O-435E

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	42.02	54.00	-11.98	0.67	3	Vertical	294	1.91	41.35	33.10	4.91	37.34
AV	5.451G	44.90	54.00	-9.10	0.59	3	Vertical	294	1.91	44.31	33.01	4.94	37.36
AV	5.511G	94.19	Inf	-Inf	0.87	3	Vertical	294	1.91	93.32	33.28	4.96	37.37
PK	5.28G	56.16	68.20	-12.04	0.70	3	Vertical	294	1.91	55.46	33.14	4.88	37.32
PK	5.459G	60.33	74.00	-13.67	0.63	3	Vertical	294	1.91	59.70	33.05	4.94	37.36
PK	5.466G	61.60	68.20	-6.60	0.69	3	Vertical	294	1.91	60.91	33.10	4.95	37.36
PK	5.493G	107.31	Inf	-Inf	0.84	3	Vertical	294	1.91	106.47	33.26	4.95	37.37
PK	5.776G	56.51	68.20	-11.69	2.01	3	Vertical	294	1.91	54.50	34.10	5.16	37.25

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	41.48	54.00	-12.52	0.67	3	Horizontal	349	1.38	40.81	33.10	4.91	37.34
AV	5.457G	43.18	54.00	-10.82	0.62	3	Horizontal	349	1.38	42.56	33.04	4.94	37.36
AV	5.498G	91.13	Inf	-Inf	0.87	3	Horizontal	349	1.38	90.26	33.29	4.95	37.37
PK	5.328G	55.72	68.20	-12.48	0.67	3	Horizontal	349	1.38	55.05	33.10	4.90	37.33
PK	5.458G	57.57	74.00	-16.43	0.63	3	Horizontal	349	1.38	56.94	33.05	4.94	37.36
PK	5.465G	56.62	68.20	-11.58	0.68	3	Horizontal	349	1.38	55.94	33.09	4.95	37.36
PK	5.497G	106.16	Inf	-Inf	0.86	3	Horizontal	349	1.38	105.30	33.28	4.95	37.37
PK	5.762G	57.46	68.20	-10.74	1.93	3	Horizontal	349	1.38	55.53	34.05	5.14	37.26



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02656G	35.42	54.00	-18.58	4.07	3	Vertical	123	1.21	31.35	38.85	7.58	42.36
PK	11.07216G	50.02	74.00	-23.98	4.10	3	Vertical	123	1.21	45.92	38.80	7.60	42.30

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02672G	35.42	54.00	-18.58	4.07	3	Horizontal	149	1.50	31.35	38.85	7.58	42.36
PK	11.07136G	49.89	74.00	-24.11	4.10	3	Horizontal	149	1.50	45.79	38.80	7.60	42.30



5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3912G	47.64	54.00	-6.36	0.60	3	Vertical	302	1.93	47.04	33.02	4.93	37.35
AV	5.5112G	90.80	Inf	-Inf	0.87	3	Vertical	302	1.93	89.93	33.28	4.96	37.37
PK	5.3348G	60.70	68.20	-7.50	0.67	3	Vertical	302	1.93	60.03	33.10	4.90	37.33
PK	5.42G	66.09	74.00	-7.91	0.58	3	Vertical	302	1.93	65.51	33.00	4.93	37.35
PK	5.4608G	66.55	68.20	-1.65	0.65	3	Vertical	302	1.93	65.90	33.06	4.95	37.36
PK	5.5328G	104.11	Inf	-Inf	0.83	3	Vertical	302	1.93	103.28	33.23	4.96	37.36
PK	5.7716G	63.71	68.20	-4.49	1.98	3	Vertical	302	1.93	61.73	34.09	5.15	37.26

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4512G	44.65	54.00	-9.35	0.59	3	Horizontal	336	1.45	44.06	33.01	4.94	37.36
AV	5.6336G	88.08	Inf	-Inf	1.03	3	Horizontal	336	1.45	87.05	33.33	5.01	37.31
PK	5.3192G	56.63	68.20	-11.57	0.66	3	Horizontal	336	1.45	55.97	33.10	4.89	37.33
PK	5.4452G	60.60	74.00	-13.40	0.58	3	Horizontal	336	1.45	60.02	33.00	4.94	37.36
PK	5.4644G	60.06	68.20	-8.14	0.68	3	Horizontal	336	1.45	59.38	33.09	4.95	37.36
PK	5.6324G	101.42	Inf	-Inf	1.03	3	Horizontal	336	1.45	100.39	33.33	5.01	37.31
PK	5.726G	62.77	68.20	-5.43	1.73	3	Horizontal	336	1.45	61.04	33.90	5.11	37.28



5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1552G	35.66	54.00	-18.34	4.35	3	Vertical	98	2.83	31.31	38.91	7.64	42.20
PK	11.13456G	50.10	74.00	-23.90	4.27	3	Vertical	98	2.83	45.83	38.87	7.63	42.23

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX

5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15584G	35.90	54.00	-18.10	4.35	3	Horizontal	1	1.32	31.55	38.91	7.64	42.20
PK	11.1776G	49.95	74.00	-24.05	4.42	3	Horizontal	1	1.32	45.53	38.96	7.64	42.18



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.804G	47.32	54.00	-6.68	Vertical
Mode 2	Pass	AV	11.33956G	45.16	54.00	-8.84	Horizontal



Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.804G	47.32	54.00	-6.68	3	Vertical	312	1.02
Mode 1	Pass	AV	4.82395G	38.69	54.00	-15.31	3	Vertical	356	2.51
Mode 1	Pass	AV	11.33905G	45.28	54.00	-8.72	3	Vertical	319	1.50
Mode 1	Pass	PK	4.80447G	54.21	74.00	-19.79	3	Vertical	312	1.02
Mode 1	Pass	PK	4.82385G	47.95	74.00	-26.05	3	Vertical	356	2.51
Mode 1	Pass	PK	11.34093G	57.19	74.00	-16.81	3	Vertical	319	1.50
Mode 1	Pass	AV	4.80403G	44.07	54.00	-9.93	3	Horizontal	35	1.00
Mode 1	Pass	AV	4.8239G	37.48	54.00	-16.52	3	Horizontal	343	1.50
Mode 1	Pass	AV	11.33962G	45.19	54.00	-8.81	3	Horizontal	353	1.50
Mode 1	Pass	PK	4.80449G	52.09	74.00	-21.91	3	Horizontal	35	1.00
Mode 1	Pass	PK	4.82406G	47.69	74.00	-26.31	3	Horizontal	35	1.50
Mode 1	Pass	PK	11.33914G	57.08	74.00	-16.92	3	Horizontal	353	1.50
Mode 2	Pass	AV	4.80389G	44.76	54.00	-9.24	3	Vertical	33	1.00
Mode 2	Pass	AV	4.824G	37.24	54.00	-16.76	3	Vertical	344	1.57
Mode 2	Pass	AV	11.34052G	44.92	54.00	-9.08	3	Vertical	58	2.44
Mode 2	Pass	AV	11.40031G	45.04	54.00	-8.96	3	Vertical	360	1.50
Mode 2	Pass	PK	4.80358G	52.49	74.00	-21.51	3	Vertical	33	1.00
Mode 2	Pass	PK	4.82415G	47.57	74.00	-26.43	3	Vertical	344	1.57
Mode 2	Pass	PK	11.34063G	57.12	74.00	-16.88	3	Vertical	58	2.44
Mode 2	Pass	PK	11.39994G	57.60	74.00	-16.40	3	Vertical	360	1.50
Mode 2	Pass	AV	4.8041G	44.60	54.00	-9.40	3	Horizontal	34	1.00
Mode 2	Pass	AV	4.82393G	37.06	54.00	-16.94	3	Horizontal	344	1.60
Mode 2	Pass	AV	11.33956G	45.16	54.00	-8.84	3	Horizontal	148	1.50
Mode 2	Pass	AV	11.39923G	45.09	54.00	-8.91	3	Horizontal	291	1.50
Mode 2	Pass	PK	4.80377G	52.16	74.00	-21.84	3	Horizontal	34	1.00
Mode 2	Pass	PK	4.82411G	47.99	74.00	-26.01	3	Horizontal	344	1.60
Mode 2	Pass	PK	11.34086G	57.45	74.00	-16.55	3	Horizontal	148	1.50
Mode 2	Pass	PK	11.39992G	57.53	74.00	-16.47	3	Horizontal	291	1.50

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.804G	47.32	54.00	-6.68	3.77	3	Vertical	312	1.02	43.55	32.32	6.51	35.06
AV	4.82395G	38.69	54.00	-15.31	3.88	3	Vertical	356	2.51	34.81	32.40	6.54	35.06
AV	11.33905G	45.28	54.00	-8.72	15.57	3	Vertical	319	1.50	29.71	39.08	10.56	34.07
PK	4.80447G	54.21	74.00	-19.79	3.77	3	Vertical	312	1.02	50.44	32.32	6.51	35.06
PK	4.82385G	47.95	74.00	-26.05	3.88	3	Vertical	356	2.51	44.07	32.40	6.54	35.06
PK	11.34093G	57.19	74.00	-16.81	15.57	3	Vertical	319	1.50	41.62	39.08	10.56	34.07

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80403G	44.07	54.00	-9.93	3.77	3	Horizontal	35	1.00	40.30	32.32	6.51	35.06
AV	4.8239G	37.48	54.00	-16.52	3.88	3	Horizontal	343	1.50	33.60	32.40	6.54	35.06
AV	11.33962G	45.19	54.00	-8.81	15.57	3	Horizontal	353	1.50	29.62	39.08	10.56	34.07
PK	4.80449G	52.09	74.00	-21.91	3.77	3	Horizontal	35	1.00	48.32	32.32	6.51	35.06
PK	4.82406G	47.69	74.00	-26.31	3.88	3	Horizontal	35	1.50	43.81	32.40	6.54	35.06
PK	11.33914G	57.08	74.00	-16.92	15.57	3	Horizontal	353	1.50	41.51	39.08	10.56	34.07

Radiated Emissions above 1GHz_Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80389G	44.76	54.00	-9.24	3.77	3	Vertical	33	1.00	40.99	32.32	6.51	35.06
AV	4.824G	37.24	54.00	-16.76	3.88	3	Vertical	344	1.57	33.36	32.40	6.54	35.06
AV	11.34052G	44.92	54.00	-9.08	15.57	3	Vertical	58	2.44	29.35	39.08	10.56	34.07
AV	11.40031G	45.04	54.00	-8.96	15.52	3	Vertical	360	1.50	29.52	39.00	10.57	34.05
PK	4.80358G	52.49	74.00	-21.51	3.76	3	Vertical	33	1.00	48.73	32.31	6.51	35.06
PK	4.82415G	47.57	74.00	-26.43	3.88	3	Vertical	344	1.57	43.69	32.40	6.54	35.06
PK	11.34063G	57.12	74.00	-16.88	15.57	3	Vertical	58	2.44	41.55	39.08	10.56	34.07
PK	11.39994G	57.60	74.00	-16.40	15.52	3	Vertical	360	1.50	42.08	39.00	10.57	34.05

Radiated Emissions above 1GHz_Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.8041G	44.60	54.00	-9.40	3.77	3	Horizontal	34	1.00	40.83	32.32	6.51	35.06
AV	4.82393G	37.06	54.00	-16.94	3.88	3	Horizontal	344	1.60	33.18	32.40	6.54	35.06
AV	11.33956G	45.16	54.00	-8.84	15.57	3	Horizontal	148	1.50	29.59	39.08	10.56	34.07
AV	11.39923G	45.09	54.00	-8.91	15.52	3	Horizontal	291	1.50	29.57	39.00	10.57	34.05
PK	4.80377G	52.16	74.00	-21.84	3.77	3	Horizontal	34	1.00	48.39	32.32	6.51	35.06
PK	4.82411G	47.99	74.00	-26.01	3.88	3	Horizontal	344	1.60	44.11	32.40	6.54	35.06
PK	11.34086G	57.45	74.00	-16.55	15.57	3	Horizontal	148	1.50	41.88	39.08	10.56	34.07
PK	11.39992G	57.53	74.00	-16.47	15.52	3	Horizontal	291	1.50	42.01	39.00	10.57	34.05



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.80401G	45.88	54.00	-8.12	Vertical
Mode 2	Pass	AV	4.80398G	45.75	54.00	-8.25	Vertical



Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.80401G	45.88	54.00	-8.12	3	Vertical	73	1.39
Mode 1	Pass	AV	4.93297G	34.13	54.00	-19.87	3	Vertical	358	1.28
Mode 1	Pass	AV	7.27785G	39.43	54.00	-14.57	3	Vertical	360	1.10
Mode 1	Pass	AV	10.98668G	44.04	54.00	-9.96	3	Vertical	192	1.50
Mode 1	Pass	PK	4.80347G	52.43	74.00	-21.57	3	Vertical	73	1.39
Mode 1	Pass	PK	4.93669G	46.24	74.00	-27.76	3	Vertical	358	1.28
Mode 1	Pass	PK	7.25472G	51.37	74.00	-22.63	3	Vertical	360	1.10
Mode 1	Pass	PK	11.0135G	56.29	74.00	-17.71	3	Vertical	192	1.50
Mode 1	Pass	AV	4.80401G	40.35	54.00	-13.65	3	Horizontal	67	1.58
Mode 1	Pass	AV	4.93504G	34.29	54.00	-19.71	3	Horizontal	53	1.23
Mode 1	Pass	AV	7.26984G	39.93	54.00	-14.07	3	Horizontal	358	1.53
Mode 1	Pass	AV	10.98581G	44.13	54.00	-9.87	3	Horizontal	177	1.50
Mode 1	Pass	PK	4.8045G	48.61	74.00	-25.39	3	Horizontal	67	1.58
Mode 1	Pass	PK	4.92316G	46.57	74.00	-27.43	3	Horizontal	53	1.23
Mode 1	Pass	PK	7.25607G	51.10	74.00	-22.90	3	Horizontal	358	1.53
Mode 1	Pass	PK	10.98581G	56.80	74.00	-17.20	3	Horizontal	177	1.50
Mode 2	Pass	AV	4.80398G	45.75	54.00	-8.25	3	Vertical	326	1.13
Mode 2	Pass	AV	7.26912G	39.17	54.00	-14.83	3	Vertical	4	1.55
Mode 2	Pass	AV	11.00279G	44.08	54.00	-9.92	3	Vertical	340	1.50
Mode 2	Pass	AV	11.15572G	44.06	54.00	-9.94	3	Vertical	274	1.50
Mode 2	Pass	PK	4.80341G	52.30	74.00	-21.70	3	Vertical	326	1.13
Mode 2	Pass	PK	7.26563G	51.45	74.00	-22.55	3	Vertical	4	1.55
Mode 2	Pass	PK	11.0031G	56.00	74.00	-18.00	3	Vertical	340	1.50
Mode 2	Pass	PK	11.15626G	55.64	74.00	-18.36	3	Vertical	274	1.50
Mode 2	Pass	AV	4.80407G	40.52	54.00	-13.48	3	Horizontal	61	1.50
Mode 2	Pass	AV	7.27066G	39.45	54.00	-14.55	3	Horizontal	349	1.50
Mode 2	Pass	AV	11.00207G	44.13	54.00	-9.87	3	Horizontal	332	1.50
Mode 2	Pass	AV	11.16331G	44.08	54.00	-9.92	3	Horizontal	78	2.58
Mode 2	Pass	PK	4.80401G	48.66	74.00	-25.34	3	Horizontal	61	1.50
Mode 2	Pass	PK	7.26993G	51.78	74.00	-22.22	3	Horizontal	349	1.50
Mode 2	Pass	PK	10.99964G	56.41	74.00	-17.59	3	Horizontal	332	1.50
Mode 2	Pass	PK	11.15623G	55.81	74.00	-18.19	3	Horizontal	78	2.58

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80401G	45.88	54.00	-8.12	3.77	3	Vertical	73	1.39	42.11	32.32	6.51	35.06
AV	4.93297G	34.13	54.00	-19.87	4.48	3	Vertical	358	1.28	29.65	32.90	6.65	35.07
AV	7.27785G	39.43	54.00	-14.57	9.82	3	Vertical	360	1.10	29.61	36.80	8.27	35.25
AV	10.98668G	44.04	54.00	-9.96	15.03	3	Vertical	192	1.50	29.01	38.73	10.48	34.18
PK	4.80347G	52.43	74.00	-21.57	3.76	3	Vertical	73	1.39	48.67	32.31	6.51	35.06
PK	4.93669G	46.24	74.00	-27.76	4.50	3	Vertical	358	1.28	41.74	32.92	6.65	35.07
PK	7.25472G	51.37	74.00	-22.63	9.77	3	Vertical	360	1.10	41.60	36.80	8.25	35.28
PK	11.0135G	56.29	74.00	-17.71	14.98	3	Vertical	192	1.50	41.31	38.67	10.48	34.17

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80401G	40.35	54.00	-13.65	3.77	3	Horizontal	67	1.58	36.58	32.32	6.51	35.06
AV	4.93504G	34.29	54.00	-19.71	4.49	3	Horizontal	53	1.23	29.80	32.91	6.65	35.07
AV	7.26984G	39.93	54.00	-14.07	9.80	3	Horizontal	358	1.53	30.13	36.80	8.26	35.26
AV	10.98581G	44.13	54.00	-9.87	15.03	3	Horizontal	177	1.50	29.10	38.73	10.48	34.18
PK	4.8045G	48.61	74.00	-25.39	3.77	3	Horizontal	67	1.58	44.84	32.32	6.51	35.06
PK	4.92316G	46.57	74.00	-27.43	4.41	3	Horizontal	53	1.23	42.16	32.84	6.64	35.07
PK	7.25607G	51.10	74.00	-22.90	9.78	3	Horizontal	358	1.53	41.32	36.80	8.25	35.27
PK	10.98581G	56.80	74.00	-17.20	15.03	3	Horizontal	177	1.50	41.77	38.73	10.48	34.18

Radiated Emissions above 1GHz_Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80398G	45.75	54.00	-8.25	3.77	3	Vertical	326	1.13	41.98	32.32	6.51	35.06
AV	7.26912G	39.17	54.00	-14.83	9.80	3	Vertical	4	1.55	29.37	36.80	8.26	35.26
AV	11.00279G	44.08	54.00	-9.92	15.00	3	Vertical	340	1.50	29.08	38.69	10.48	34.17
AV	11.15572G	44.06	54.00	-9.94	15.01	3	Vertical	274	1.50	29.05	38.61	10.52	34.12
PK	4.80341G	52.30	74.00	-21.70	3.76	3	Vertical	326	1.13	48.54	32.31	6.51	35.06
PK	7.26563G	51.45	74.00	-22.55	9.80	3	Vertical	4	1.55	41.65	36.80	8.26	35.26
PK	11.0031G	56.00	74.00	-18.00	15.00	3	Vertical	340	1.50	41.00	38.69	10.48	34.17
PK	11.15626G	55.64	74.00	-18.36	15.01	3	Vertical	274	1.50	40.63	38.61	10.52	34.12

Radiated Emissions above 1GHz_Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80407G	40.52	54.00	-13.48	3.77	3	Horizontal	61	1.50	36.75	32.32	6.51	35.06
AV	7.27066G	39.45	54.00	-14.55	9.80	3	Horizontal	349	1.50	29.65	36.80	8.26	35.26
AV	11.00207G	44.13	54.00	-9.87	15.01	3	Horizontal	332	1.50	29.12	38.70	10.48	34.17
AV	11.16331G	44.08	54.00	-9.92	15.03	3	Horizontal	78	2.58	29.05	38.63	10.52	34.12
PK	4.80401G	48.66	74.00	-25.34	3.77	3	Horizontal	61	1.50	44.89	32.32	6.51	35.06
PK	7.26993G	51.78	74.00	-22.22	9.80	3	Horizontal	349	1.50	41.98	36.80	8.26	35.26
PK	10.99964G	56.41	74.00	-17.59	15.01	3	Horizontal	332	1.50	41.40	38.70	10.48	34.17
PK	11.15623G	55.81	74.00	-18.19	15.01	3	Horizontal	78	2.58	40.80	38.61	10.52	34.12