

## Series 8, induction cooktop, 80 cm PXY875KW1E



### Included accessories

1 x adjustment strip 750 - 780 mm

### Optional accessories

HEZ390012 : Steaming Rack for Stainless Steel roaste  
HEZ39050 : Wireless temperature sensor for cooktop  
HEZ390512 : Teppan Yaki (large)  
HEZ390522 : Griddle Plate  
HEZ9ES100 : Espresso maker 4 cups  
HEZ9FE280 : Iron pan Ø 18 / 28 cm  
HEZ9SE060 : 6 pieces Set

- **TFT-touchdisplay:** easy to use colour display touch control navigation and vivid colours.
- **Extended FlexZone:** maximum space on your cooktop for large cookware.
- **PerfectCook:** the sensor prevents overcooking and boiling over by precise controlling of the cooking temperature.
- **MoveMode:** the automatic setting of cooking levels allows fast boiling on the front, cooking on the middle and simmering on the rear cooking zone.
- **PerfectFry:** the smart way to fry.

### Technical Data

Product name/family : Cooking zone ceramic

Construction type : Built-in

Energy input : Electric

Total number of positions that can be used at the same time : 4

Min. required niche size for installation (HxWxD) : 51 x 750-780 x 490-500 mm

Width of the appliance : 816 mm

Dimensions : 51 x 816 x 527 mm

Dimensions of the packed product (HxWxD) : 126 x 953 x 603 mm

Net weight : 18.9 kg

Gross weight : 18.9 kg

Residual heat indicator : Separate

Location of control panel : Hob front

Color of surface : Alu, brushed, Black

Length electrical supply cord : 110 cm

EAN code : 4242002949147

Voltage : 220-240 V

Frequency : 50; 60 Hz



4 242002 949147

## Series 8, induction cooktop, 80 cm PXY875KW1E

- 80 cm: space for 4 pots or pans.

### Design

- Stainless steel side trims with bevelled front.

### Flexibility of cooking zones

- 2 Flex Induction zones + extension zone: use cookware within the 40cm long zone or even place cookware horizontally on the extended zone.
- Cooking zone front left: 230 mm, 200 mm, 2.2 KW (max. power 3.7 KW)
- Cooking zone rear left: 230 mm, 200 mm, 2.2 KW (max. power 3.7 KW)
- Cooking zone rear right: 230 mm, 200 mm, 2.2 KW (max. power 3.7 KW)
- Cooking zone front right: 230 mm, 200 mm, 2.2 KW (max. power 3.7 KW)

### Comfort & Convenience

- Easy to operate TFT touch display - easy to explore all available functions thanks to full-text information and images.
- 17 power levels: precisely adapt the heat with 17 power levels (9 main levels and 8 intermediate levels).
- Keep warm function: keep dishes warm at preset low power level.
- Timer with automatic switch off for all zones: switches off the cooking zone at the end of the time set (e.g. for boiled eggs).
- Alarm clock  
: an alarm sounds at the end of the time set (e.g. for pasta).
- Timer / Alarm clock: shows how much time has passed since starting the timer (e.g. for potatoes).

### Time saving & Efficiency

- PowerBoost: rapid heating for large pots of water, automatically turns off right on time to prevent overheating : boil water more quickly thanks to 50% more energy than at the highest standard level.
- PanBoost: heat up pans more quickly than at the highest standard level while protecting the pan coating.
- When moving a pot to a different cooking zone, transfer all previous settings to the new zone at the touch of a button.
- QuickStart: Quick and automatic first pot detection: when switching on, the cooktop automatically selects the cooking zone with cookware (placed in off-mode).
- ReStart function: in case of unintentional switch-off, restore all previous settings by switching on the cooktop again within 4 seconds.

### Cooking Assistance

- BoschAssist: easily find the right temperature setting for a certain dish in the touch display.
- PerfectCook sensor ready (sensor sold separately) prevents overboiling of pots with the automatic temperature regulation of the sensor (attached to the pot).
- 5 frying and 5 cooking levels  
: prevents overcooking with the automatic temperature regulation of the integrated sensor.

### Connectivity

- HomeConnect enabled: check if the cooktop is switched off even when not at home, and find recipes or additional functions in the Home Connect app. [www.home-connect.co.nz](http://www.home-connect.co.nz)
- Cooktop to Hood: automatically activates the hood when cooking, thanks to the WiFi connection of cooktop and suitable hood.


### Safety

- Digital 2 stage residual heat indicator: indicates which cooking zones are still hot or warm.
- Childproof lock: prevent unintended activation of the cooktop.
- WipeProtection: wipe overboiled liquids without unintentionally changing settings (blocking all touch buttons for 30 seconds).
- Automatic Safety switch-off: for safety reasons, heating stops after a preset time without interaction (customizable).
- Energy consumption: shows the electricity consumption of the last cooking process.

### Installation




- Dimensions of the product (HxWxD mm): 51 x 816 x 527
- Required niche size for installation (HxWxD mm) : 51 x 750 x (490 - 500)
- Min. worktop thickness: 16 mm
- Connected load: 7.4 KW
- Power cord: 1.1 m, loose insert in packaging

## Series 8, induction cooktop, 80 cm PXY875KW1E




①  
Ventilation gap must  
be present

All measurements in mm



Measurements in mm



①  
Ventilation gap must  
be present

All measurements in mm