

NMMS.E192450 Power Conversion Equipment

[Page Bottom](#)

Power Conversion Equipment

[See General Information for Power Conversion Equipment](#)

SIEMENS AG

E192450

I DT MC R&D 5 6
FRAUENAUER STR 80
91056 ERLANGEN, GERMANY

Investigated to ANSI/UL 508C

AC/AC converters. open type, power modules water-cooled, frame size G, "Series SINAMICS S120" Model(s) 6SL3315-1TE33-1AAx, 6SL3315-1TE35-0AAx

AC/DC converters, basic line modules, frame size F, "Series SINAMICS S120" Model(s) 6SL3330-1TE34-2AA(x), 6SL3330-1TE35-3AA(x), 6SL3330-1TE38-2AA(x), 6SL3330-1TG33-0AA(x), 6SL3330-1TG34-3AA(x), 6SL3330-1TG36-8AA(x), 6SL3330-1TH33-0AA(x), 6SL3330-1TH34-3AA(x), 6SL3330-1TH36-8AA(x)

AC/DC converters, basic line modules, frame size G, "Series SINAMICS S120" Model(s) 6SL3-330-1TE41-2AA(x), 6SL3-330-1TE41-5AA(x), 6SL3-330-1TE41-8AA(x), 6SL3-330-1TG41-1AA(x), 6SL3-330-1TG41-4AA(x), 6SL3-330-1TG41-8AA(x), 6SL3-330-1TH41-1AA(x), 6SL3-330-1TH41-4AA(x), 6SL3-330-1TH41-8AA(x)

AC/DC converters, basic line modules, frame size G, "Series SINAMICS S150" Model(s) 6SL3320-1TE32-6AA.

AC/DC converters, smart line modules, frame size H, "Series SINAMICS S120" Model(s) 6SL3330-6TE41-1AA(x), 6SL3330-6TG38-8AA(x)

AC/DC converters. open type, active line modules water-cooled, frame size G, "Series SINAMICS S120" Model(s) 6SL3335-7TE35-0AA

AC/DC converters. open type, active line modules water-cooled, frame size H, "Series SINAMICS S120" Model(s) 6SL3335-7TE35-8AAx, 6SL3335-7TE38-4AAx, 6SL3335-7TG35-8AAx, 6SL3335-7TG37-4AAx, 6SL3335-7TG38-1AAx

AC/DC converters. open type, basic line modules water-cooled, frame size F, "Series SINAMICS S120" Model(s) 6SL3335-1TE41-2Aax, 6SL3335-1TG34-2Aax, 6SL3335-1TG37-3Aax, 6SL3335-1TG37-4Aax

AC/DC converters. open type, basic line modules water-cooled, frame size G, "Series SINAMICS S120" Model(s) 6SL3335-1TE41-7AAx, 6SL3335-1TG41-3AAx, 6SL3335-1TG41-7AAx

AC/DC converters. open type, power modules water-cooled, frame size F, "Series SINAMICS S120" Model(s) 6SL3325-1TE32-1AAx, 6SL3325-1TE32-6AAx, 6SL3325-1TG31-0AAx, 6SL3325-1TG31-5AAx

Accessories, voltage clamping modules, open type, "Series SINAMICS" Model(s) 6SL3100-1VE00-0A...

Brake resistor modules Model(s) 6SL3100-1BE22-5AA0, 6SN1113-1AA00-0CA0, 6SN1113-1AA00-0DA0, 6SN1113-1AB01-0BAx

Carrier modules Model(s) 6SN1162-1AA00-0AA0

CCU boxes for SINUMERIK 810D Model(s) 6FC5447-0AA00-xxxx, 6FC5447-0AA01-xxxx

Closed loop control units, "Series SIMODRIVE" Model(s) 611A, 611D

Closed loop control units Model(s) 6SN1118-xxxx-xxxxx

Closed loop control units HLA Model(s) 6SN1115-0BA11-xxxx

Closed loop control units sinus Model(s) 6SN1121-0BA11-xxxx, 6SN1122-0BA11-xxxx

DC-AC units, smart line modules, frame size J, "Series SINAMICS S120" Model(s) 6SL3330-6TE41-3AA(x), 6SL3330-6TE41-7AA(x), 6SL3330-6TG41-2AA(x), 6SL3330-6TG41-7AA(x)

DC/AC converters. open type, active line modules water-cooled, frame size J, "Series SINAMICS S120" Model(s) 6SL3335-7TG41-3AAx

DC/AC converters. open type, motor modules water-cooled, frame size G, "Series SINAMICS S120" Model(s) 6SL3325-1TE33-1AAx, 6SL3325-1TE35-0AAx, 6SL3325-1TG32-2AAx, 6SL3325-1TG33-3AAx

DC/AC converters. open type, motor modules water-cooled, frame size H, "Series SINAMICS S120" Model(s) 6SL3325-1TE36-1AAx, 6SL3325-1TE38-4AAx, 6SL3325-1TG35-8AAx, 6SL3325-1TG37-4AAx, 6SL3325-1TG38-0AAx

DC/AC converters. open type, motor modules water-cooled, frame size J, "Series SINAMICS S120" Model(s) 6SL3325-1TE41-0AAx, 6SL3325-1TE41-4AAx, 6SL3325-1TG38-1AAx, 6SL3325-1TG41-0AAx, 6SL3325-1TG41-3AAx

Double motor modules, "Series SINAMICS S120" Model(s) 6SL3120-2TE13-0Axx, 6SL3120-2TE15-0Axx, 6SL3120-2TE21-0Axx, 6SL3120-2TE21-8Axx, 6SL3120-2VE15-0Axx, 6SL3121-2TE13-0Axx, 6SL3121-2TE15-0Axx, 6SL3121-2TE21-0Axx, 6SL3121-2TE21-8Axx, 6SL3121-2VE21-0Axx

Enclosed, Inverter (AC-DC), "Series SINAMICS S120" Model(s) 6SL3320-1TE41-4AS(x)

Expansion units for SINUMERK 810D Model(s) 6FC5412-0FA10-xxxx

Filter modules Model(s) 6SN1161-1DA00-0AAx

Frame Size D Model(s) 6SL3223-0DE31-8B.., 6SL3223-0DE32-2A.., 6SL3223-0DE32-2B.., 6SL3223-0DE33-0A.., 6SL3223-0DE33-0B..

Framesize E Model(s) 6SL3223-0DE33-7A.., 6SL3223-0DE33-7B.., 6SL3223-0DE34-5A.., 6SL3223-0DE34-5B..

Framesize F Model(s) 6SL3223-0DE35-5A.., 6SL3223-0DE35-5B.., 6SL3223-0DE37-5A.., 6SL3223-0DE37-5B.., 6SL3223-0DE38-8A.., 6SL3223-0DE38-8B..

I/O extensions Model(s) 6SN1114-0NA0x-xxxx

Infeed modules Model(s) 6SN1145-1xxxx-xxxx, 6SN1146-1xxxx-xxxx

Modular variable speed motor controllers, open type, "Series SIMODRIVE" Model(s) 611A, 611D, 611U

Modular variable speed motor controllers, open type, "Series SINUMERIK" Model(s) 810D

Monitoring modules Model(s) 6SN1112-1AC01-xxxx

Motion control units Model(s) 6SN1117-0DG21-xxxx

Motor modules, "Series SINAMICS S120" Model(s) 6SL3120-1TE13-0Axx, 6SL3120-1TE15-0Axx, 6SL3120-1TE21-0Axx, 6SL3120-1TE21-8Axx, 6SL3120-1TE23-0Axx, 6SL3120-1TE24-5Axx, 6SL3120-1TE26-0Axx, 6SL3120-1TE28-5Axx, 6SL3120-1TE31-3Axx, 6SL3120-1TE32-0Axx, 6SL3120-1VE21-0Axx, 6SL3120-1VE21-8Axx, 6SL3120-1VE22-0Axx, 6SL3121-1TE13-0Axx, 6SL3121-1TE15-0Axx, 6SL3121-1TE21-0Axx, 6SL3121-1TE21-8Axx, 6SL3121-1TE23-0Axx, 6SL3121-1TE24-5Axx, 6SL3121-1TE26-0Axx, 6SL3121-1TE28-5Axx, 6SL3121-1TE31-3Axx, 6SL3121-1TE32-0Axx, 6SL3125-1TE32-0A

open type solid-state DC/AC converter, "Series SINAMICS S120" Model(s) 6SL3120-1TE13-0A.., 6SL3120-1TE15-0A.., 6SL3120-1TE21-0A.., 6SL3120-1TE21-8A.., 6SL3120-1TE23-0A.., 6SL3120-2TE13-0A.., 6SL3120-2TE15-0A.., 6SL3120-2TE21-0A.., 6SL3120-2TE21-8A..

Open type, AC Drive, "Series PM230 IP20" Model(s) 6SL3210-1NE24-5A.., 6SL3210-1NE24-5U.., 6SL3210-1NE26-0A.., 6SL3210-1NE26-0U.., 6SL3210-1NE27-5A.., 6SL3210-1NE27-5U.., 6SL3210-1NE28-8A.., 6SL3210-1NE28-8U.., 6SL3210-1NE31-1A.., 6SL3210-1NE31-1U.., 6SL3210-1NE31-5A.., 6SL3210-1NE31-5U..

Open type, AC Drive, "Series SINAMICS G120 PM 330," Model(s) 6SL3310-1PE32-1A.., 6SL3310-1PE32-5A.., 6SL3310-1PE33-0A.., 6SL3310-1PE33-7A.., 6SL3310-1PE34-6A.., 6SL3310-1PE35-8A.., 6SL3310-1PE36-6A.., 6SL3310-1PE37-4A.., 6SL3310-1UE32-1A.., 6SL3310-1UE32-5A.., 6SL3310-1UE33-0A.., 6SL3310-1UE33-7A.., 6SL3310-1UE34-6A.., 6SL3310-1UE35-8A.., 6SL3310-1UE36-6A.., 6SL3310-1UE37-4A..

Accessory, Mounting Kit for line-side cable connection left, Cat. No. 6SL3366-1LG00-0P..

Accessory, Mounting Kit for line-side cable connection left, Cat.No. 6SL3366-1LH00-0P..

Open type, Converter (DC-AC), "Series SINAMICS S120" Model(s) 6SL3325-1TE37-5Axx, 6SL3325-1TE41-4ASx, 6SL3325-1TG34-7Axx, 6SL3325-1TG41-6Axx

Open type, Inverter (AC-DC), "Series SINAMICS S120" Model(s) 6SL3325-7TE41-2Axx, 6SL3335-7TE36-1Axx, 6SL3335-7TE37-5Axx, 6SL3335-7TE41-0Axx, 6SL3335-7TE41-4Axx, 6SL3335-7TG34-7Axx, 6SL3335-7TG41-0Axx, 6SL3335-7TG41-6Axx

Open Type, Power Conversion Equipment, SINAMICS Control Supply Module (CSM) Model(s) 6SL3100-1DE22-0Axx, where x can be any digit, A5E00314659, A5E02656013

Overvoltage protection units Model(s) 6SN1111-0AB00-xxxx

Power conversion equipment accessories, open type, filters for use with Siemens drives Model(s) 6SL3100-0BE21-6Abx, 6SL3100-0BE23-6Abx, 6SL3100-0BE25-5Abx, 6SL3100-0BE28-0Abx, 6SL3100-0BE31-2Abx

Power conversion equipment, enclosed type Model(s) Series PM230 IP55 Single Motor Modules, AC/AC converters

Power conversion equipment, enclosed type, frame sizes D, E and F, "Series MICROMASTER 436" Model(s) 6SE6436-2xxxx-xDxx, 6SE6436-2xxxx-xExx, 6SE6436-2xxxx-xFxx

Power conversion equipment, enclosed type, frame sizes D, E and F, "Series MICROMASTER 436 IP 54" Model(s) 6SE6436-5xxxx-xDxx, 6SE6436-5xxxx-xExx, 6SE6436-5xxxx-xFxx

Power Conversion Equipment, Modular Drive System, SINAMICS S120M, consisting of the following modules: Model(s) Enclosed Integrated Motor Modules, Cat. No. 6SL3532-6DF71-0R.., 6SL3540-6DF71-0R.., 6SL3542-6DF71-0R.., 6SL3562-6DF71-0R.., 6SL3563-6DF71-0R.., 6SL3563-6DC71-0R..

Enclosed, Drive-Cliq Extension, 6SL3555-0AA00-6AB.,

Enclosed, Hybrid Cabinet Bushing, 6SL3555-2DA00-0AA.

Open type, Adapter Module, 6SL3555-2BC10-0A..

Power conversion equipment, open type, active line modules, frame sizes F, G, H and J, "Series SINAMICS S120" Model(s) 6SL3330-7TE32-1AA., 6SL3330-7TE32-6AA., 6SL3330-7TE33-8AA., 6SL3330-7TE35-0AA., 6SL3330-7TE36-1AA(x), 6SL3330-7TE37-5AA(x), 6SL3330-7TE38-4AA(x), 6SL3330-7TE41-0AA(x), 6SL3330-7TE41-2AA(x), 6SL3330-7TE41-4AA(x), 6SL3330-7TG35-8AA(x), 6SL3330-7TG37-4AA(x), 6SL3330-7TG41-0AA(x), 6SL3330-7TG41-3AA(x)

Power conversion equipment, open type, active modules, frame sizes F and G, "Series SINAMICS S150" Model(s) 6SL3330-7TE32-1AB., 6SL3330-7TE32-6AB., 6SL3330-7TE33-1A.., 6SL3330-7TE33-8AB., 6SL3330-7TE35-0AB., 6SL3330-7TG31-4AB., 6SL3330-7TG33-1AB.

Power conversion equipment, open type, active, smart or basic line modules, "Series SINAMICS S120" Model(s) 6SL3130-1TE22-0Axx, 6SL3130-1TE24-0Axx, 6SL3130-1TE31-0Axx, 6SL3130-6AE15-0Axx, 6SL3130-6AE21-0Axx, 6SL3130-6TE21-6Axx, 6SL3130-6TE23-6Axx, 6SL3130-6TE25-5Axx, 6SL3130-6VE21-6Axx, 6SL3130-7TE21-6Axx, 6SL3130-7TE23-6Axx, 6SL3130-7TE25-5Axx, 6SL3130-7TE28-0Axx, 6SL3130-7TE31-2Axx, 6SL3130-7VE21-6Axx, 6SL3131-6AE15-0Axx, 6SL3131-6AE21-0Axx, 6SL3131-6TE21-6Axx, 6SL3131-6TE23-6Axx, 6SL3131-6TE25-5Axx, 6SL3131-7TE21-6Axx, 6SL3131-7TE23-6Axx, 6SL3131-7TE25-5Axx, 6SL3131-7TE28-0Axx, 6SL3131-7TE31-2Axx, 6SL3135-7TE31-2Axx, 6SL3136-6TE21-6Axx

Power conversion equipment, open type, frame size A, "Series SINAMICS S120 PM340" Model(s) 6SL3210-1SB11-0AAx, 6SL3210-1SB12-3AAx, 6SL3210-1SB12-3UAX, 6SL3210-1SB14-0AAx, 6SL3210-1SB14-0UAX, SL3210-1SB11-0UAX

Power conversion equipment, open type, frame size D, liquid cooled without filter version, 400V/15kW, "Series SINAMICS G120/S120 PM240/PM340" Model(s) 6SL3215-1SE23-8U..

Power conversion equipment, open type, frame size D, liquid cooled without filter version, 400V/22kW, "Series SINAMICS G120/S120 PM240/PM340" Model(s) 6SL3215-1SE26-0U..

Power conversion equipment, open type, frame size D, unfiltered version, 400V/15kW, "Series SINAMICS G120/S120 PM240/PM340" Model(s) 6SL3224-0BE31-5U.. / 6SL3210-1SE23-8U..

Power conversion equipment, open type, frame size D, unfiltered version, 400V/18kW, "Series SINAMICS G120/S120 PM240/PM340" Model(s) 6SL3224-0BE31-8U.. / 6SL3210-1SE24-5U..

Power conversion equipment, open type, frame size D, unfiltered version, 400V/22kW, "Series SINAMICS G120/S120 PM240/PM340" Model(s) 6SL3224-0BE32-2U.. / 6SL3210-1SE26-0U..

Power conversion equipment, open type, frame size D, with integrated filter modules, 400V/15kW, "Series SINAMICS G120 PM250" Model(s) 6SL3225-0BE31-5A..

Power conversion equipment, open type, frame size D, with integrated filter modules, 400V/15kW, "Series SINAMICS G120/S120 PM240/PM340" Model(s) 6SL3224-0BE31-5A.. / 6SL3210-1SE23-8A..

Power conversion equipment, open type, frame size D, with integrated filter modules, 400V/18kW, "Series SINAMICS G120 PM250" Model(s) 6SL3225-0BE31-8A..

Power conversion equipment, open type, frame size D, with integrated filter modules, 400V/18kW, "Series SINAMICS G120/S120 PM240/PM340" Model(s) 6SL3224-0BE31-8A.. / 6SL3210-1SE24-5A..

Power conversion equipment, open type, frame size D, with integrated filter modules, 400V/22kW, "Series SINAMICS G120 PM250" Model(s) 6SL3225-0BE32-2A..

Power conversion equipment, open type, frame size D, with integrated filter modules, 400V/22kW, "Series SINAMICS G120/S120 PM240/PM340" Model(s) 6SL3224-0BE32-2A.. / 6SL3210-1SE26-0A

Power conversion equipment, open type, frame size D, without integrated filter modules, 400V/30kW, "Series SINAMICS G120 PM250" Model(s) 6SL3225-0BE31-5U, 6SL3225-0BE31-8U, 6SL3225-0BE32-2U

Power conversion equipment, open type, frame size E, liquid cooled without filter version, 400V/30kW, "Series SINAMICS G120/S120 PM240/PM340" Model(s) 6SL3215-1SE27-5U..

Power conversion equipment, open type, frame size E, liquid cooled without filter version, 400V/37kW, "Series SINAMICS G120/S120 PM240/PM340" Model(s) 6SL3215-1SE31-0U..

Power conversion equipment, open type, frame size E, unfiltered version, 400V/30kW, "Series SINAMICS G120/S120 PM240/PM340" Model(s) 6SL3224-0BE33-0U.. / 6SL3210-1SE27-5U..

Power conversion equipment, open type, frame size E, unfiltered version, 400V/37kW, "Series SINAMICS G120/S120 PM240/PM340" Model(s) 6SL3224-0BE33-7U.. / 6SL3210-1SE29-0U..

Power conversion equipment, open type, frame size E, with integrated filter modules, 400V/30kW, "Series SINAMICS G120 PM250" Model(s) 6SL3225-0BE33-0A..

Power conversion equipment, open type, frame size E, with integrated filter modules, 400V/37kW, "Series SINAMICS G120 PM250" Model(s) 6SL3225-0BE33-7A..

Power conversion equipment, open type, frame size E, with integrated filter modules, 400V/30kW, "Series SINAMICS G120/S120 PM240/PM340" Model(s) 6SL3224-0BE33-0A.. / 6SL3210-1SE27-5A..

Power conversion equipment, open type, frame size E, with integrated filter modules, 400V/37kW, "Series SINAMICS G120/S120 PM240/PM340" Model(s) 6SL3224-0BE33-7A.. / 6SL3210-1SE31-0A..

Power conversion equipment, open type, frame size E, with integrated filter modules, 400V/55kW, "Series SINAMICS G120 PM250" Model(s) 6SL3225-0BE35-5A..

Power conversion equipment, open type, frame size E, with integrated filter modules, 400V/75kW, "Series SINAMICS G120 PM250" Model(s) 6SL3225-0BE37-5A..

Power conversion equipment, open type, frame size E, without integrated filter modules, 400V/30kW, "Series SINAMICS G120/S120 PM240/PM340" Model(s) 6SL3225-0BE33-0U, 6SL3225-0BE33-7U

Power conversion equipment, open type, frame size F, unfiltered version, 400V/110kW, "Series SINAMICS G120/S120 PM240/PM340" Model(s) 6SL3224-0BE41-1U..

Power conversion equipment, open type, frame size F, unfiltered version, 400V/45kW, "Series SINAMICS G120/S120 PM240/PM340" Model(s) 6SL3224-0BE34-5U.. / 6SL3210-1SE31-1U..

Power conversion equipment, open type, frame size F, unfiltered version, 400V/55kW, "Series SINAMICS G120/S120 PM240/PM340" Model(s) 6SL3224-0BE35-5U.. / 6SL3210-1SE31-1A..

Power conversion equipment, open type, frame size F, unfiltered version, 400V/75kW, "Series SINAMICS G120/S120 PM240/PM340" Model(s) 6SL3224-0BE37-5U.. / 6SL3210-1SE31-5U..

Power conversion equipment, open type, frame size F, unfiltered version, 400V/90kW, "Series SINAMICS G120/S120 PM240/PM340" Model(s) 6SL3224-0BE38-8U..

Power conversion equipment, open type, frame size F, with integrated filter modules, 400V/45kW, "Series SINAMICS G120 PM250" Model(s) 6SL3225-0BE34-5A..

Power conversion equipment, open type, frame size F, with integrated filter modules, 400V/45kW, "Series SINAMICS G120/S120 PM240/PM340" Model(s) 6SL3224-0BE34-5A.. / 6SL3210-1SE31-1A..

Power conversion equipment, open type, frame size F, with integrated filter modules, 400V/55kW, "Series SINAMICS G120/S120 PM240/PM340" Model(s) 6SL3224-0BE35-5A.. / 6SL3210-1SE31-5A.., 6SL3224-0BE37-5A.. / 6SL3210-1SE31-8A..

Power conversion equipment, open type, frame size F, without filter version, 400V/45kW, "Series SINAMICS G120 PM340" Model(s) 6SL3215-1SL31-1U..

Power conversion equipment, open type, frame size F, without filter version, 400V/75kW, "Series SINAMICS G120 PM340" Model(s) 6SL3215-1SL31-8U..

Power conversion equipment, open type, frame size F, without integrated filter modules, 400V/30kW, "Series SINAMICS G120 PM250" Model(s) 6SL3225-0BE34-5U, 6SL3225-0BE35-5U, 6SL3225-0BE37-5U

Power conversion equipment, open type, frame sizes D, E and F, "Series MICROMASTER 430" Model(s) 6SE6430-2xxxx-xDxx, 6SE6430-2xxxx-xExx, 6SE6430-2xxxx-xFxx

Power conversion equipment, open type, frame sizes D, E and F, "Series MICROMASTER 440" Model(s) 6SE6440-2xxxx-xDxx, 6SE6440-2xxxx-xExx, 6SE6440-2xxxx-xFxx

Power conversion equipment, open type, frame sizes FX and GX, "Series MICROMASTER 430" Model(s) 6SE6430-2UD41-1F.., 6SE6430-2UD41-3F.., 6SE6430-2UD41-6G(x), 6SE6430-2UD42-0G(x), 6SE6430-2UD42-5G(x)

Power conversion equipment, open type, frame sizes FX and GX, "Series MICROMASTER 440" Model(s) 6SE6440-2UD38-8F.., 6SE6440-2UD41-1F.., 6SE6440-2UD41-3G(x), 6SE6440-2UD41-6G(x), 6SE6440-2UD42-0G(x)

Power conversion equipment, open type, motor modules, frame size J, "Series SINAMICS S120" Model(s) 6SL3320-1TE41-0AA(x), 6SL3320-1TE41-2AA(x), 6SL3320-1TE41-4AA(x), 6SL3320-1TG37-4AA(x), 6SL3320-1TG38-1AA(x), 6SL3320-1TG38-8AA(x), 6SL3320-1TG41-0AA(x), 6SL3320-1TG41-3AA(x)

Power conversion equipment, open type, motor modules, frame sizes F and G, "Series SINAMICS S150" Model(s) 6SL3320-1TE32-1AC., 6SL3320-1TE32-6AC., 6SL3320-1TE33-1AC., 6SL3320-1TE33-8AC., 6SL3320-1TE35-0ACx, 6SL3320-1TG28-5AC., 6SL3320-1TG31-0ACx, 6SL3320-1TG31-2A., 6SL3320-1TG31-5A..

Power conversion equipment, open type, motor modules, frame sizes F, G, H and J, "Series SINAMICS S120" Model(s) 6SL3320-1TE32-1AA.., 6SL3320-1TE32-6AAx, 6SL3320-1TE33-1AA., 6SL3320-1TE33-8AA., 6SL3320-1TE35-0AA., 6SL3320-1TE36-1AA(x), 6SL3320-1TE37-5AA(x), 6SL3320-1TE38-4AA(x), 6SL3320-1TG28-5AA., 6SL3320-1TG31-0A., 6SL3320-1TG31-2A., 6SL3320-1TG31-5A., 6SL3320-1TG31-8AA., 6SL3320-1TG32-2A., 6SL3320-1TG32-6A., 6SL3320-1TG33-3A., 6SL3320-1TG34-1AA(x), 6SL3320-1TG34-7AA(x), 6SL3320-1TG35-8AA(x)

Power conversion equipment, open type, power modules, frame sizes F, G, H and J, "Series SINAMICS G130" Model(s) 6SL3310-1GE36-1AA(x), 6SL3310-1GE37-5AA(x), 6SL3310-1GE38-4AA(x), 6SL3310-1GE41-0AA(x), 6SL3310-1GF31-8AA(x), 6SL3310-1GF32-2AA(x), 6SL3310-1GF32-6AA(x), 6SL3310-1GF33-3AA(x), 6SL3310-1GF34-1AA(x), 6SL3310-1GF34-7AA(x), 6SL3310-1GF35-8AA(x), 6SL3310-1GF37-4AA(x), 6SL3310-1GF38-1AA(x), 6SL3310-1GE32-1A., 6SL3310-1GE32-6A., 6SL3310-1GE33-1AA(x), 6SL3310-1GE33-8AA(x), 6SL3310-1GE35-0AA(x)

Power conversion equipment, open type, power modules, frame sizes F, G, H and J, "Series SINAMICS G150" Model(s) 6SL3310-1TE36-1AB(x), 6SL3310-1TE37-5AB(x), 6SL3310-1TE38-4AB(x), 6SL3310-1TE41-0AB(x), 6SL3310-1TF31-8AB(x), 6SL3310-1TF32-2AB(x), 6SL3310-1TF32-6AB(x), 6SL3310-1TF33-3AB(x), 6SL3310-1TF34-1AB(x), 6SL3310-1TF34-7AB(x), 6SL3310-1TF35-8AB(x), 6SL3310-1TF37-4AB(x), 6SL3310-1TF38-1AB(x), 6SL3310-1TE32-1AB., 6SL3310-1TE32-6AB., 6SL3310-1TE33-1AB(x), 6SL3310-1TE33-8AB(x), 6SL3310-1TE35-0AB(x)

Power conversion equipment, open type, power modules, frame sizes F, G, H and J, "Series SINAMICS S120" Model(s) 6SL3310-1TE36-1AA(x), 6SL3310-1TE37-5AA(x), 6SL3310-1TE38-4AA(x), 6SL3310-1TE41-0AA(x), 6SL3224-0XE41-3UA(x), 6SL3224-0XE41-6UA(x), 6SL3224-0XE42-0UA(x), 6SL3310-1TE32-1AA., 6SL3310-1TE32-6AA., 6SL3310-1TE33-1AA(x), 6SL3310-1TE33-8AA., 6SL3310-1TE35-0AA(x)

Power conversion equipment, open type, power modules, frame sizes F, G, H and J, "Series SINAMICS S150" Model(s) 6SL3310-1TE36-1AC(x), 6SL3310-1TE37-5AC(x), 6SL3310-1TE38-4AC(x), 6SL3310-1TE41-0AC(x), 6SL3310-1TE32-1AC., 6SL3310-1TE32-6AC., 6SL3310-1TE33-1AC., 6SL3310-1TE33-8AC(x), 6SL3310-1TE35-0AC(x)

Power conversion equipment, open type, smart line modules, frame size G, "Series SINAMICS S120" Model(s) 6SL3330-6TE35-5A., 6SL3330-6TE37-3A., 6SL3330-6TG35-5A..

Power modules Model(s) 6SN1123-1Axxx-xxxx, 6SN1124-1Axxx-xxxx

Profibus DP modules Model(s) 6SN1114-0NB0x-xxxx

Submodules Model(s) 6SN1114-0AA0x-xxxx

Investigated to UL 61800-5-1

Open type, AC Drive, "Series SINAMICS G120 PM 330," Model(s) 6SL3310-1PE38-4A., 6SL3310-1PE38-8A., 6SL3310-1PE41-0A., 6SL3310-1PG35-8A., 6SL3310-1PG36-5A., 6SL3310-1PG37-2A., 6SL3310-1UE38-4A., 6SL3310-1UE38-8A., 6SL3310-1UE41-0A., 6SL3310-1UG35-8A., 6SL3310-1UG36-5A., 6SL3310-1UG37-2A..

Open type, AC Drive, "SINAMICS SERIES PM 240-2" Model(s) Model(s)?Models without line filter: Frame Size D, cat. nos. 6SL3210-1PC24-2UL., 6SL3210-1PC25-4UL., 6SL3210-1PC26-8UL., 6SL3210-1PE23-8UL., 6SL3210-1PE24-5UL., 6SL3210-1PE26-0UL., 6SL3210-1PE27-5UL., 6SL3210-1PH21-4UL., 6SL3210-1PH22-0UL., 6SL3210-1PH22-3UL., 6SL3210-1PH22-7UL., 6SL3210-1PH23-5UL., 6SL3210-1PH24-2UL.; Frame Size E, cat. nos. 6SL3210-1PC28-0UL., 6SL3210-1PC31-1UL., 6SL3210-1PE28-8UL., 6SL3210-1PE31-1UL., 6SL3210-1PH25-2UL., 6SL3210-1PH26-2UL.; Frame Size F, cat. nos. 6SL3210-1PC31-3UL., 6SL3210-1PC31-6UL., 6SL3210-1PC31-8UL., 6SL3210-1PE31-5UL., 6SL3210-1PE31-8UL., 6SL3210-1PE32-1UL., 6SL3210-1PE32-5UL., 6SL3210-1PH28-0UL., 6SL3210-1PH31-0UL., 6SL3210-1PH31-2UL., 6SL3210-1PH31-4UL. Models with line filter: Frame Size D, cat. nos. 6SL3210-1PE23-8AL., 6SL3210-1PE24-5AL., 6SL3210-1PE26-0AL., 6SL3210-1PE27-5AL., 6SL3210-1PH21-4AL., 6SL3210-1PH22-0AL., 6SL3210-1PH22-3AL., 6SL3210-1PH22-7AL., 6SL3210-1PH23-5AL., 6SL3210-1PH24-2AL.; Frame Size E, cat. nos. 6SL3210-1PE28-8AL., 6SL3210-1PE31-1AL., 6SL3210-1PH25-2AL., 6SL3210-1PH26-2AL.; Frame Size F, cat. nos. 6SL3210-1PE31-5AL., 6SL3210-1PE31-8AL., 6SL3210-1PE32-1AL., 6SL3210-1PE32-5AL., 6SL3210-1PH28-0AL., 6SL3210-1PH31-0AL., 6SL3210-1PH31-2AL., 6SL3210-1PH31-4AL.

Open type, AC Drive, "SINAMICS SERIES PM 240P-2" Model(s) Models Without Line Filter: Frame Size D, cat. Nos.: 6SL3210-1RE23-8UL., 6SL3210-1RE24-5UL., 6SL3210-1RE26-0UL., 6SL3210-1RE27-5UL., 6SL3210-1RH21-4UL., 6SL3210-1RH22-0UL., 6SL3210-1RH22-3UL., 6SL3210-1RH22-7UL., 6SL3210-1RH23-5UL., 6SL3210-1RH24-2UL. Frame Size E cat. Nos.: 6SL3210-1RE28-8UL., 6SL3210-1RE31-1UL., 6SL3210-1RH25-2UL., 6SL3210-1RH26-2UL. Frame Size F, cat. Nos: 6SL3210-1RE31-5UL., 6SL3210-1RE31-8UL., 6SL3210-1RE32-1UL., 6SL3210-1RE32-5UL. 6SL3210-1RH28-0UL., 6SL3210-1RH31-0UL., 6SL3210-1RH31-2UL. Models with Line Filter Frame Size D, cat. Nos.: 6SL3210-1RE23-8AL., 6SL3210-1RE24-5AL., 6SL3210-1RE26-0AL., 6SL3210-1RE27-5AL., 6SL3210-1RH21-4AL., 6SL3210-1RH22-0AL., 6SL3210-1RH22-3AL., 6SL3210-1RH22-7AL., 6SL3210-1RH23-5AL., 6SL3210-1RH24-2AL. Frame Size E, cat. Nos.: 6SL3210-1RE28-8AL., 6SL3210-1RE31-1AL., 6SL3210-1RH25-2AL. Frame Size F, cat. Nos.: 6SL3210-1RE31-5AL., 6SL3210-1RE31-8AL., 6SL3210-1RE32-1AL., 6SL3210-1RE32-5AL. 6SL3210-1RH28-0AL., 6SL3210-1RH31-0AL., 6SL3210-1RH31-2AL., 6SL3210-1RH31-4AL.

. - where "." denotes any letter or number

x - Where "." denotes any letter/number.

Last Updated on 2016-04-05

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2016 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with

permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2016 UL LLC".



NMMS7.E192450 Power Conversion Equipment Certified for Canada

[Page Bottom](#)

Power Conversion Equipment Certified for Canada

[See General Information for Power Conversion Equipment Certified for Canada](#)

SIEMENS AG

E192450

I DT MC R&D 5 6
FRAUENAUERSTRASSE 80
91056 ERLANGEN, GERMANY

Investigated to CAN/CSA C22.2 No. 14-13

Open type, Converter (DC-AC), "Series SINAMICS S120" Model(s) 6SL3325-1TE37-5AAx, 6SL3325-1TE41-4ASx, 6SL3325-1TG34-7AAx

Open type, Inverter (AC-DC), "Series SINAMICS S120" Model(s) 6SL3335-7TE37-5AAx, 6SL3335-7TG34-7AAx

Investigated to CAN/CSA C22.2 No. 274

AC/AC converters, open type, power modules water-cooled, frame size G, "Series SINAMICS S120" Model(s) 6SL3315-1TE33-1AAx, 6SL3315-1TE35-0AAx

AC/DC converters, basic line modules, frame size F, "Series SINAMICS S120" Model(s) 6SL3330-1TE34-2AA(x), 6SL3330-1TE35-3AA(x), 6SL3330-1TE38-2AA(x), 6SL3330-1TG33-0AA(x), 6SL3330-1TG34-3AA(x), 6SL3330-1TG36-8AA(x), 6SL3330-1TH33-0AA(x), 6SL3330-1TH34-3AA(x), 6SL3330-1TH36-8AA(x)

AC/DC converters, basic line modules, frame size G, "Series SINAMICS S120" Model(s) 6SL3-330-1TE41-2AA(x), 6SL3-330-1TE41-5AA(x), 6SL3-330-1TE41-8AA(x), 6SL3-330-1TG41-1AA(x), 6SL3-330-1TG41-4AA(x), 6SL3-330-1TG41-8AA(x), 6SL3-330-1TH41-1AA(x), 6SL3-330-1TH41-4AA(x), 6SL3-330-1TH41-8AA(x)

AC/DC converters, basic line modules, frame size G, "Series SINAMICS S150" Model(s) 6SL3320-1TE32-6AA.

AC/DC converters, smart line modules, frame size H, "Series SINAMICS S120" Model(s) 6SL3330-6TE41-1AA(x), 6SL3330-6TG38-8AA(x)

AC/DC converters, open type, active line modules water-cooled, frame size G, "Series SINAMICS S120" Model(s) 6SL3335-7TE35-0AA

AC/DC converters, open type, active line modules water-cooled, frame size H, "Series SINAMICS S120" Model(s) 6SL3335-7TE35-8AAx, 6SL3335-7TE38-4AAx, 6SL3335-7TG35-8AAx, 6SL3335-7TG37-4AAx, 6SL3335-7TG38-1AAx

AC/DC converters, open type, basic line modules water-cooled, frame size F, "Series SINAMICS S120" Model(s) 6SL3335-1TE41-2AAx, 6SL3335-1TG34-2AAx, 6SL3335-1TG37-3AAx, 6SL3335-1TG37-4AAx

AC/DC converters, open type, basic line modules water-cooled, frame size G, "Series SINAMICS S120" Model(s) 6SL3335-1TE41-7AAx, 6SL3335-1TG41-3AAx, 6SL3335-1TG41-7AAx

AC/DC converters, open type, power modules water-cooled, frame size F, "Series SINAMICS S120" Model(s) 6SL3325-1TE32-1AAx, 6SL3325-1TE32-6AAx, 6SL3325-1TG31-0AAx, 6SL3325-1TG31-5AAx

Accessories, voltage clamping modules, open type, "Series SINAMICS" Model(s) 6SL3100-1VE00-0A...

Brake resistor modules Model(s) 6SL3100-1BE22-5AA0, 6SN1113-1AA00-0CA0, 6SN1113-1AA00-0DA0, 6SN1113-1AB01-0BAx

Carrier modules Model(s) 6SN1162-1AA00-0AA0

CCU boxes for SINUMERIK 810D Model(s) 6FC5447-0AA00-xxxx, 6FC5447-0AA01-xxxx

Closed loop control units, "Series SIMODRIVE" Model(s) 611A, 611D

Closed loop control units Model(s) 6SN1118-xxxx-xxxx

Closed loop control units HLA Model(s) 6SN1115-0BA11-xxxx

Closed loop control units sinus Model(s) 6SN1121-0BA11-xxxx, 6SN1122-0BA11-xxxx

DC-AC units, smart line modules, frame size J, "Series SINAMICS S120" Model(s) 6SL3330-6TE41-3AA(x), 6SL3330-6TE41-7AA(x), 6SL3330-6TG41-2AA(x), 6SL3330-6TG41-7AA(x)

DC/AC converters, open type, active line modules water-cooled, frame size J, "Series SINAMICS S120" Model(s) 6SL3335-7TG41-3AAx

DC/AC converters, open type, motor modules water-cooled, frame size G, "Series SINAMICS S120" Model(s) 6SL3325-1TE33-1AAx, 6SL3325-1TE35-0AAx, 6SL3325-1TG32-2AAx, 6SL3325-1TG33-3AAx

DC/AC converters, open type, motor modules water-cooled, frame size H, "Series SINAMICS S120" Model(s) 6SL3325-1TE36-1AAx, 6SL3325-1TE38-4AAx, 6SL3325-1TG35-8AAx, 6SL3325-1TG37-4AAx, 6SL3325-1TG38-0AAx

DC/AC converters, open type, motor modules water-cooled, frame size J, "Series SINAMICS S120" Model(s) 6SL3325-1TE41-0AAx, 6SL3325-1TE41-4AAx, 6SL3325-1TG38-1AAx, 6SL3325-1TG41-0AAx, 6SL3325-1TG41-3AAx

Double motor modules, "Series SINAMICS S120" Model(s) 6SL3120-2TE13-0Axx, 6SL3120-2TE15-0Axx, 6SL3120-2TE21-0Axx, 6SL3120-2TE21-8Axx, 6SL3120-2VE15-0Axx, 6SL3121-2TE13-0Axx, 6SL3121-2TE15-0Axx, 6SL3121-2TE21-0Axx, 6SL3121-2TE21-8Axx, 6SL3121-2VE21-0Axx

Enclosed, Inverter (AC-DC), "Series SINAMICS S120" Model(s) 6SL3320-1TE41-4AS(x)

Expansion units for SINUMERK 810D Model(s) 6FC5412-0FA10-xxxx

Filter modules Model(s) 6SN1161-1DA00-0AAX

I/O extensions Model(s) 6SN1114-0NA0x-xxxx

Infeed modules Model(s) 6SN1145-1xxxx-xxxx, 6SN1146-1xxxx-xxxx

Modular variable speed motor controllers, open type, "Series SIMODRIVE" Model(s) 611A, 611D, 611U

Modular variable speed motor controllers, open type, "Series SINUMERIK" Model(s) 810D

Monitoring modules Model(s) 6SN1112-1AC01-xxxx

Motion control units Model(s) 6SN1117-0DG21-xxxx

Motor modules, "Series SINAMICS S120" Model(s) 6SL3120-1TE13-0Axx, 6SL3120-1TE15-0Axx, 6SL3120-1TE21-0Axx, 6SL3120-1TE21-8Axx, 6SL3120-1TE23-0Axx, 6SL3120-1TE24-5Axx, 6SL3120-1TE26-0Axx, 6SL3120-1TE28-5Axx, 6SL3120-1TE31-3Axx, 6SL3120-1TE32-0Axx, 6SL3120-1VE21-0Axx, 6SL3120-1VE21-8Axx, 6SL3120-1VE22-0Axx, 6SL3121-1TE13-0Axx, 6SL3121-1TE15-0Axx, 6SL3121-1TE21-0Axx, 6SL3121-1TE21-8Axx, 6SL3121-1TE23-0Axx, 6SL3121-1TE24-5Axx, 6SL3121-1TE26-0Axx, 6SL3121-1TE28-5Axx, 6SL3121-1TE31-3Axx, 6SL3121-1TE32-0Axx, 6SL3125-1TE32-0A

Open type, AC Drive, "Series PM230 IP20" Model(s) 6SL3210-1NE24-5A., 6SL3210-1NE24-5U., 6SL3210-1NE26-0A., 6SL3210-1NE26-0U., 6SL3210-1NE27-5A., 6SL3210-1NE27-5U., 6SL3210-1NE28-8A., 6SL3210-1NE28-8U., 6SL3210-1NE31-1A., 6SL3210-1NE31-1U., 6SL3210-1NE31-5A., 6SL3210-1NE31-5U.

Open type, AC Drive, "Series SINAMICS G120 PM 330," Model(s) 6SL3310-1PE32-1A., 6SL3310-1PE32-5A., 6SL3310-1PE33-0A., 6SL3310-1PE33-7A., 6SL3310-1PE34-6A., 6SL3310-1PE35-8A., 6SL3310-1PE36-6A., 6SL3310-1PE37-4A., 6SL3310-1PE38-4A., 6SL3310-1PE38-8A., 6SL3310-1PE41-0A., 6SL3310-1PG35-8A., 6SL3310-1PG36-5A., 6SL3310-1PG37-2A., 6SL3310-1UE32-1A., 6SL3310-1UE32-5A., 6SL3310-1UE33-0A., 6SL3310-1UE33-7A., 6SL3310-1UE34-6A., 6SL3310-1UE35-8A., 6SL3310-1UE36-6A., 6SL3310-1UE37-4A., 6SL3310-1UE38-4A., 6SL3310-1UE38-8A., 6SL3310-1UE41-0A., 6SL3310-1UG35-8A., 6SL3310-1UG36-5A., 6SL3310-1UG37-2A.

Accessory, Mounting Kit for line-side cable connection left, Cat. No. 6SL3366-1LG00-0P..

Accessory, Mounting Kit for line-side cable connection left, Cat.No. 6SL3366-1LH00-0P..

Open type, AC Drive, "SINAMICS SERIES PM 240-2" Model(s) Model(s)?Models without line filter: Frame Size D, cat. nos. 6SL3210-1PC24-2UL., 6SL3210-1PC25-4UL., 6SL3210-1PC26-8UL., 6SL3210-1PE23-8UL., 6SL3210-1PE24-5UL., 6SL3210-1PE26-0UL., 6SL3210-1PE27-5UL., 6SL3210-1PH21-4UL., 6SL3210-1PH22-0UL., 6SL3210-1PH22-3UL., 6SL3210-1PH22-7UL., 6SL3210-1PH23-5UL., 6SL3210-1PH24-2UL.; Frame Size E, cat. nos. 6SL3210-1PC28-0UL., 6SL3210-1PC31-1UL., 6SL3210-1PE28-8UL., 6SL3210-1PE31-1UL., 6SL3210-1PH25-2UL., 6SL3210-1PH26-2UL.; Frame Size F, cat. nos. 6SL3210-1PC31-3UL., 6SL3210-1PC31-6UL., 6SL3210-1PC31-8UL., 6SL3210-1PE31-5UL., 6SL3210-1PE31-8UL., 6SL3210-1PE32-1UL., 6SL3210-1PE32-5UL., 6SL3210-1PH28-0UL., 6SL3210-1PH31-0UL., 6SL3210-1PH31-2UL., 6SL3210-1PH31-4UL. Models with line filter: Frame Size D, cat. nos. 6SL3210-1PE23-8AL., 6SL3210-1PE24-5AL., 6SL3210-1PE26-0AL., 6SL3210-1PE27-5AL., 6SL3210-1PH21-4AL., 6SL3210-1PH22-0AL., 6SL3210-1PH22-3AL., 6SL3210-1PH22-7AL., 6SL3210-1PH23-5AL., 6SL3210-1PH24-2AL.; Frame Size E, cat. nos. 6SL3210-1PE28-8AL., 6SL3210-1PE31-1AL., 6SL3210-1PH25-2AL., 6SL3210-1PH26-2AL.; Frame Size F, cat. nos. 6SL3210-1PE31-5AL., 6SL3210-1PE31-8AL., 6SL3210-1PE32-1AL., 6SL3210-1PE32-5AL., 6SL3210-1PH28-0AL., 6SL3210-1PH31-0AL., 6SL3210-1PH31-2AL., 6SL3210-1PH31-4AL.

Open type, AC Drive, "SINAMICS SERIES PM 240P-2" Model(s) Models Without Line Filter: Frame Size D, cat. Nos.: 6SL3210-1RE23-8UL., 6SL3210-1RE24-5UL., 6SL3210-1RE26-0UL., 6SL3210-1RE27-5UL., 6SL3210-1RH21-4UL., 6SL3210-1RH22-0UL., 6SL3210-1RH22-3UL., 6SL3210-1RH22-7UL., 6SL3210-1RH23-5UL., 6SL3210-1RH24-2UL. Frame Size E cat. Nos.: 6SL3210-1RE28-8UL., 6SL3210-1RE31-1UL., 6SL3210-1RH25-2UL., 6SL3210-1RH26-2UL. Frame Size F, cat Nos: 6SL3210-1RE31-5UL., 6SL3210-1RE31-8UL., 6SL3210-1RE32-1UL., 6SL3210-1RE32-5UL. 6SL3210-1RH28-0UL., 6SL3210-1RH31-0UL., 6SL3210-1RH31-2UL. Models with Line Filter Frame Size D, cat. Nos.: 6SL3210-1RE23-8AL., 6SL3210-1RE24-5AL., 6SL3210-1RE26-0AL., 6SL3210-1RE27-5AL., 6SL3210-1RH21-4AL., 6SL3210-1RH22-0AL., 6SL3210-1RH22-3AL., 6SL3210-1RH22-7AL., 6SL3210-1RH23-5AL., 6SL3210-1RH24-2AL. Frame Size E, cat. Nos.: 6SL3210-1RE28-8AL., 6SL3210-1RE31-1AL., 6SL3210-1RH25-2AL. Frame Size F, cat. Nos.: 6SL3210-1RE31-5AL., 6SL3210-1RE31-8AL., 6SL3210-1RE32-1AL., 6SL3210-1RE32-5AL. 6SL3210-1RH28-0AL., 6SL3210-1RH31-0AL., 6SL3210-1RH31-2AL., 6SL3210-1RH31-4AL.

Open type, Converter (DC-AC), "Series SINAMICS S120" Model(s) 6SL3325-1TG41-6AAX

Open type, Inverter (AC-DC), "Series SINAMICS S120" Model(s) 6SL3325-7TE41-2AAX, 6SL3335-7TE36-1AAX, 6SL3335-7TE41-0AAX, 6SL3335-7TE41-4AAX, 6SL3335-7TG41-0AAX, 6SL3335-7TG41-6AAX

Open Type, Power Conversion Equipment, SINAMICS Control Supply Module (CSM) Model(s) 6SL3100-1DE22-0Axx, where x can be any digit, A5E00314659, A5E02656013

Overvoltage protection units Model(s) 6SN1111-0AB00-xxxx

Power conversion equipment accessories, open type, filters for use with Siemens drives Model(s) 6SL3100-0BE21-6Abx, 6SL3100-0BE23-6Abx, 6SL3100-0BE25-5Abx, 6SL3100-0BE28-0Abx, 6SL3100-0BE31-2Abx

Power conversion equipment, enclosed type, frame sizes D, E and F, "Series MICROMASTER 436" Model(s) 6SE6436-2xxxx-xDxx, 6SE6436-2xxxx-xExx, 6SE6436-2xxxx-xFxx

Power conversion equipment, enclosed type, frame sizes D, E and F, "Series MICROMASTER 436 IP 54" Model(s) 6SE6436-5xxxx-xDxx, 6SE6436-5xxxx-xExx, 6SE6436-5xxxx-xFxx

Power Conversion Equipment, Modular Drive System, SINAMICS S120M, consisting of the following modules: Model(s) Enclosed Integrated Motor Modules, Cat. No. 6SL3532-6DF71-0R., 6SL3540-6DF71-0R., 6SL3542-6DF71-0R., 6SL3562-6DF71-0R., 6SL3563-6DF71-0R., 6SL3563-6DC71-0R..

Enclosed, Drive-Cliq Extension, 6SL3555-0AA00-6AB.,

Enclosed, Hybrid Cabinet Bushing, 6SL3555-2DA00-0AA.

Open type, Adapter Module, 6SL3555-2BC10-0A..

Power conversion equipment, open type, active line modules, frame sizes F, G, H and J, "Series SINAMICS S120" Model(s) 6SL3330-7TE32-1AA., 6SL3330-7TE32-6AA., 6SL3330-7TE33-8AA., 6SL3330-7TE35-0AA., 6SL3330-7TE36-1AA(x), 6SL3330-7TE37-5AA(x), 6SL3330-7TE38-4AA(x), 6SL3330-7TE41-0AA(x), 6SL3330-7TE41-2AA(x), 6SL3330-7TE41-4AA(x), 6SL3330-7TG35-8AA(x), 6SL3330-7TG37-4AA(x), 6SL3330-7TG41-0AA(x), 6SL3330-7TG41-3AA(x)

Power conversion equipment, open type, active modules, frame sizes F and G, "Series SINAMICS S150" Model(s) 6SL3330-7TE32-1AB., 6SL3330-7TE32-6AB., 6SL3330-7TE33-1A., 6SL3330-7TE33-8AB., 6SL3330-7TE35-0AB., 6SL3330-7TG31-4AB., 6SL3330-7TG33-1AB.

Power conversion equipment, open type, active, smart or basic line modules, "Series SINAMICS S120" Model(s) 6SL3130-1TE22-0Axx, 6SL3130-1TE24-0Axx, 6SL3130-1TE31-0Axx, 6SL3130-6AE15-0Axx, 6SL3130-6AE21-0Axx, 6SL3130-6TE21-6Axx, 6SL3130-6TE23-6Axx, 6SL3130-6TE25-5Axx, 6SL3130-6VE21-6Axx, 6SL3130-7TE21-6Axx, 6SL3130-7TE23-6Axx, 6SL3130-7TE25-5Axx, 6SL3130-7TE28-0Axx, 6SL3130-7TE31-2Axx, 6SL3130-7VE21-6Axx, 6SL3131-6AE15-0Axx, 6SL3131-6AE21-0Axx, 6SL3131-6TE21-6Axx, 6SL3131-6TE23-6Axx, 6SL3131-6TE25-5Axx, 6SL3131-7TE21-6Axx, 6SL3131-7TE23-6Axx, 6SL3131-7TE25-5Axx, 6SL3131-7TE28-0Axx, 6SL3131-7TE31-2Axx, 6SL3135-7TE31-2Axx, 6SL3136-6TE21-6Axx

Power conversion equipment, open type, frame size A, "Series SINAMICS S120 PM340" Model(s) 6SL3210-1SB11-0AAx, 6SL3210-1SB12-3AAx, 6SL3210-1SB12-3UAX, 6SL3210-1SB14-0AAx, 6SL3210-1SB14-0UAX, 6SL3210-1SB11-0UAX

Power conversion equipment, open type, frame size D, liquid cooled without filter version, 400V/15kW, "Series SINAMICS G120/S120 PM240/PM340" Model(s) 6SL3215-1SE23-8U..

Power conversion equipment, open type, frame size D, liquid cooled without filter version, 400V/22kW, "Series SINAMICS G120/S120 PM240/PM340" Model(s) 6SL3215-1SE26-0U..

Power conversion equipment, open type, frame size D, unfiltered version, 400V/15kW, "Series SINAMICS G120/S120 PM240/PM340" Model(s) 6SL3224-0BE31-5U.. / 6SL3210-1SE23-8U..

Power conversion equipment, open type, frame size D, unfiltered version, 400V/18kW, "Series SINAMICS G120/S120 PM240/PM340" Model(s) 6SL3224-0BE31-8U.. / 6SL3210-1SE24-5U..

Power conversion equipment, open type, frame size D, unfiltered version, 400V/22kW, "Series SINAMICS G120/S120 PM240/PM340" Model(s) 6SL3224-0BE32-2U.. / 6SL3210-1SE26-0U..

Power conversion equipment, open type, frame size D, with integrated filter modules, 400V/15kW, "Series SINAMICS G120 PM250" Model(s) 6SL3225-0BE31-5A..

Power conversion equipment, open type, frame size D, with integrated filter modules, 400V/15kW, "Series SINAMICS G120/S120 PM240/PM340" Model(s) 6SL3224-0BE31-5A.. / 6SL3210-1SE23-8A..

Power conversion equipment, open type, frame size D, with integrated filter modules, 400V/18kW, "Series SINAMICS G120 PM250" Model(s) 6SL3225-0BE31-8A..

Power conversion equipment, open type, frame size D, with integrated filter modules, 400V/18kW, "Series SINAMICS G120/S120 PM240/PM340" Model(s) 6SL3224-0BE31-8A.. / 6SL3210-1SE24-5A..

Power conversion equipment, open type, frame size D, with integrated filter modules, 400V/22kW, "Series SINAMICS G120 PM250" Model(s) 6SL3225-0BE32-2A..

Power conversion equipment, open type, frame size D, with integrated filter modules, 400V/22kW, "Series SINAMICS G120/S120 PM240/PM340" Model(s) 6SL3224-0BE32-2A.. / 6SL3210-1SE26-0A

Power conversion equipment, open type, frame size D, without integrated filter modules, 400V/30kW, "Series SINAMICS G120 PM250" Model(s) 6SL3225-0BE31-5U, 6SL3225-0BE31-8U, 6SL3225-0BE32-2U

Power conversion equipment, open type, frame size E, liquid cooled without filter version, 400V/30kW, "Series SINAMICS G120/S120 PM240/PM340" Model(s) 6SL3215-1SE27-5U..

Power conversion equipment, open type, frame size E, liquid cooled without filter version, 400V/37kW, "Series SINAMICS G120/S120 PM240/PM340" Model(s) 6SL3215-1SE31-0U..

Power conversion equipment, open type, frame size E, unfiltered version, 400V/30kW, "Series SINAMICS G120/S120 PM240/PM340" Model(s) 6SL3224-0BE33-0U.. / 6SL3210-1SE27-5U..

Power conversion equipment, open type, frame size E, unfiltered version, 400V/37kW, "Series SINAMICS G120/S120 PM240/PM340" Model(s) 6SL3224-0BE33-7U.. / 6SL3210-1SE29-0U..

Power conversion equipment, open type, frame size E, with integrated filter modules, 400V/30kW, "Series SINAMICS G120 PM250" Model(s) 6SL3225-0BE33-0A..

Power conversion equipment, open type, frame size E, with integrated filter modules, 400V/37kW, "Series SINAMICS G120 PM250" Model(s) 6SL3225-0BE33-7A..

Power conversion equipment, open type, frame size E, with integrated filter modules, 400V/30kW, "Series SINAMICS G120/S120 PM240/PM340" Model(s) 6SL3224-0BE33-0A.. / 6SL3210-1SE27-5A..

Power conversion equipment, open type, frame size E, with integrated filter modules, 400V/37kW, "Series SINAMICS G120/S120 PM240/PM340" Model(s) 6SL3224-0BE33-7A.. / 6SL3210-1SE31-0A..

Power conversion equipment, open type, frame size E, with integrated filter modules, 400V/55kW, "Series SINAMICS G120 PM250" Model(s) 6SL3225-0BE35-5A..

Power conversion equipment, open type, frame size E, with integrated filter modules, 400V/75kW, "Series SINAMICS G120 PM250" Model(s) 6SL3225-0BE37-5A..

Power conversion equipment, open type, frame size E, without integrated filter modules, 400V/30kW, "Series SINAMICS G120/S120 PM240/PM340" Model(s) 6SL3225-0BE33-0U, 6SL3225-0BE33-7U

Power conversion equipment, open type, frame size F, unfiltered version, 400V/110kW, "Series SINAMICS G120/S120 PM240/PM340" Model(s) 6SL3224-0BE41-1U..

Power conversion equipment, open type, frame size F, unfiltered version, 400V/45kW, "Series SINAMICS G120/S120 PM240/PM340" Model(s) 6SL3224-0BE34-5U.. / 6SL3210-1SE31-1U..

Power conversion equipment, open type, frame size F, unfiltered version, 400V/55kW, "Series SINAMICS G120/S120 PM240/PM340" Model(s) 6SL3224-0BE35-5U.. / 6SL3210-1SE31-1A..

Power conversion equipment, open type, frame size F, unfiltered version, 400V/75kW, "Series SINAMICS G120/S120 PM240/PM340" Model(s) 6SL3224-0BE37-5U.. / 6SL3210-1SE31-5U..

Power conversion equipment, open type, frame size F, unfiltered version, 400V/90kW, "Series SINAMICS G120/S120 PM240/PM340" Model(s) 6SL3224-0BE38-8U..

Power conversion equipment, open type, frame size F, with integrated filter modules, 400V/45kW, "Series SINAMICS G120 PM250" Model(s) 6SL3225-0BE34-5A..

Power conversion equipment, open type, frame size F, with integrated filter modules, 400V/45kW, "Series SINAMICS G120/S120 PM240/PM340" Model(s) 6SL3224-0BE34-5A.. / 6SL3210-1SE31-1A..

Power conversion equipment, open type, frame size F, with integrated filter modules, 400V/55kW, "Series SINAMICS G120/S120 PM240/PM340" Model(s) 6SL3224-0BE35-5A.. / 6SL3210-1SE31-5A.., 6SL3224-0BE37-5A.. / 6SL3210-1SE31-8A..

Power conversion equipment, open type, frame size F, without filter version, 400V/45kW, "Series SIMANICS G120 PM340" Model (s) 6SL3215-1SL31-1U..

Power conversion equipment, open type, frame size F, without filter version, 400V/75kW, "Series SIMANICS G120 PM340" Model (s) 6SL3215-1SL31-8U..

Power conversion equipment, open type, frame size F, without integrated filter modules, 400V/30kW, "Series SINAMICS G120 PM250" Model(s) 6SL3225-0BE34-5U, 6SL3225-0BE35-5U, 6SL3225-0BE37-5U

Power conversion equipment, open type, frame sizes D, E and F, "Series MICROMASTER 430" Model(s) 6SE6430-2xxxx-xDxx, 6SE6430-2xxxx-xExx, 6SE6430-2xxxx-xFxx

Power conversion equipment, open type, frame sizes D, E and F, "Series MICROMASTER 440" Model(s) 6SE6440-2xxxx-xDxx, 6SE6440-2xxxx-xExx, 6SE6440-2xxxx-xFxx

Power conversion equipment, open type, frame sizes FX and GX, "Series MICROMASTER 430" Model(s) 6SE6430-2UD41-1F.., 6SE6430-2UD41-3F.., 6SE6430-2UD41-6G(x), 6SE6430-2UD42-0G(x), 6SE6430-2UD42-5G(x)

Power conversion equipment, open type, frame sizes FX and GX, "Series MICROMASTER 440" Model(s) 6SE6440-2UD38-8F.., 6SE6440-2UD41-1F.., 6SE6440-2UD41-3G(x), 6SE6440-2UD41-6G(x), 6SE6440-2UD42-0G(x)

Power conversion equipment, open type, motor modules, frame size J, "Series SINAMICS S120" Model(s) 6SL3320-1TE41-0AA(x), 6SL3320-1TE41-2AA(x), 6SL3320-1TE41-4AA(x), 6SL3320-1TG37-4AA(x), 6SL3320-1TG38-1AA(x), 6SL3320-1TG38-8AA(x), 6SL3320-1TG41-0AA(x), 6SL3320-1TG41-3AA(x)

Power conversion equipment, open type, motor modules, frame sizes F and G, "Series SINAMICS S150" Model(s) 6SL3320-1TE32-1AC., 6SL3320-1TE32-6AC., 6SL3320-1TE33-1AC., 6SL3320-1TE33-8AC., 6SL3320-1TE35-0ACx, 6SL3320-1TG28-5AC., 6SL3320-1TG31-0Acx, 6SL3320-1TG31-2A., 6SL3320-1TG31-5A..

Power conversion equipment, open type, motor modules, frame sizes F, G, H and J, "Series SINAMICS S120" Model(s) 6SL3320-1TE32-1AA.., 6SL3320-1TE32-6AAx, 6SL3320-1TE33-1AA., 6SL3320-1TE33-8AA., 6SL3320-1TE35-0AA., 6SL3320-1TE36-1AA(x), 6SL3320-1TE37-5AA(x), 6SL3320-1TE38-4AA(x), 6SL3320-1TG28-5AA., 6SL3320-1TG31-0A., 6SL3320-1TG31-2A., 6SL3320-1TG31-5A., 6SL3320-1TG31-8AA., 6SL3320-1TG32-2A., 6SL3320-1TG32-6A., 6SL3320-1TG33-3A., 6SL3320-1TG34-1AA(x), 6SL3320-1TG34-7AA(x), 6SL3320-1TG35-8AA(x)

Power conversion equipment, open type, power modules, frame sizes F, G, H and J, "Series SINAMICS G130" Model(s) 6SL3-310-1GE36-1AA(x), 6SL3-310-1GE37-5AA(x), 6SL3-310-1GE38-4AA(x), 6SL3-310-1GE41-0AA(x), 6SL3-310-1GF31-8AA(x), 6SL3-310-1GF32-2AA(x), 6SL3-310-1GF32-6AA(x), 6SL3-310-1GF33-3AA(x), 6SL3-310-1GF34-1AA(x), 6SL3-310-1GF34-7AA(x), 6SL3-310-1GF35-8AA(x), 6SL3-310-1GF37-4AA(x), 6SL3-310-1GF38-1AA(x), 6SL3310-1GE32-1A., 6SL3310-1GE32-6A., 6SL3310-1GE33-1AA(x), 6SL3310-1GE33-8AA(x), 6SL3310-1GE35-0AA(x)

Power conversion equipment, open type, power modules, frame sizes F, G, H and J, "Series SINAMICS G150" Model(s) 6SL3-310-1TE36-1AB(x), 6SL3-310-1TE37-5AB(x), 6SL3-310-1TE38-4AB(x), 6SL3-310-1TE41-0AB(x), 6SL3-310-1TF31-8AB(x), 6SL3-310-1TF32-2AB(x), 6SL3-310-1TF32-6AB(x), 6SL3-310-1TF33-3AB(x), 6SL3-310-1TF34-1AB(x), 6SL3-310-1TF34-7AB(x), 6SL3-310-1TF35-8AB(x), 6SL3-310-1TF37-4AB(x), 6SL3-310-1TF38-1AB(x), 6SL3310-1TE32-1AB., 6SL3310-1TE32-6AB., 6SL3310-1TE33-1AB(x), 6SL3310-1TE33-8AB(x), 6SL3310-1TE35-0AB(x)

Power conversion equipment, open type, power modules, frame sizes F, G, H and J, "Series SINAMICS S120" Model(s) 6SL3-310-1TE36-1AA(x), 6SL3-310-1TE37-5AA(x), 6SL3-310-1TE38-4AA(x), 6SL3-310-1TE41-0AA(x), 6SL3224-0XE41-3UA(x), 6SL3224-0XE41-6UA(x), 6SL3224-0XE42-0UA(x), 6SL3310-1TE32-1AA., 6SL3310-1TE32-6AA., 6SL3310-1TE33-1AA(x), 6SL3310-1TE33-8AA., 6SL3310-1TE35-0AA(x)

Power conversion equipment, open type, power modules, frame sizes F, G, H and J, "Series SINAMICS S150" Model(s) 6SL3-310-1TE36-1AC(x), 6SL3-310-1TE37-5AC(x), 6SL3-310-1TE38-4AC(x), 6SL3-310-1TE41-0AC(x), 6SL3310-1TE32-1AC., 6SL3310-1TE32-6AC., 6SL3310-1TE33-1AC., 6SL3310-1TE33-8AC(x), 6SL3310-1TE35-0AC(x)

Power conversion equipment, open type, smart line modules, frame size G, "Series SINAMICS S120" Model(s) 6SL3330-6TE35-5A., 6SL3330-6TE37-3A., 6SL3330-6TG35-5A..

Power modules Model(s) 6SN1123-1Axxx-xxxx, 6SN1124-1Axxx-xxxx

Profibus DP modules Model(s) 6SN1114-0NB0x-xxxx

Submodules Model(s) 6SN1114-0AA0x-xxxx

Investigated to CAN/CSA C22.2. No. 14-10

open type solid-state DC/AC converter, "Series SINAMICS S120" Model(s) 6SL3120-1TE13-0A., 6SL3120-1TE15-0A., 6SL3120-1TE21-0A., 6SL3120-1TE21-8A., 6SL3120-1TE23-0A., 6SL3120-2TE13-0A., 6SL3120-2TE15-0A., 6SL3120-2TE21-0A., 6SL3120-2TE21-8A..

. - where "." denotes any letter or number

x - Where "." denotes any letter/number.

Last Updated on 2016-04-05

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2016 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2016 UL LLC".