

# BE11000

## Tri-Band Whole Home Mesh Wi-Fi 7 System



Includes Latest  
6 GHz Wi-Fi Band



Deco BE65 Pro




# Highlights

## A True Whole Home Multi-Gigabit Mesh Wi-Fi

### The Ultimate Backhaul: Stronger and More Flexible

Deco BE65 Pro can connect a wireless and wired backhaul with each unit simultaneously. With MLO, it greatly improves overall throughput and reduces latency, delivering broader coverage with more stable and reliable connections.



 **Backwards Compatible**  
Supports all Wi-Fi generations and devices\*\*

### Unrivaed Wi-Fi 7

Connect more devices at faster speeds with smoother connections and less interference.




Multi-Link Operation  
(MLO)<sup>Δ</sup>



320 MHz  
Bandwidth<sup>Δ</sup>



4K-QAM<sup>Δ</sup>




Multi-RU<sup>Δ</sup>

# Highlights


## Seamless AI-Driven Mesh

Built-in AI-Roaming technology delivers optimal connection as you move from room to room.‡



 Seamless Roaming with One Wi-Fi Name


 Sophisticated Algorithms

 Self-Learning Capability

 Customized Wi-Fi


## Enhanced Security – HomeShield

Rest easy knowing your home network is protected with TP-Link's advanced encrypted security, HomeShield.\*



 Network Protection

 Parental Controls

 Quality of Service (QoS)

 Comprehensive Reports

# Features



## Wi-Fi Speed

Faster Wi-Fi speed with stronger whole home Wi-Fi generated from Wi-Fi 6E

- Superior Wireless Speed – Combines wireless speeds up to 5764Mbps over 6 GHz, 4324Mbps over 5 GHz, and 688 Mbps over 2.4 GHz
- OFDMA – Provides 4× greater capacity for more simultaneous connections
- More Devices Connected – Connects over 200 Devices<sup>†</sup>



## TP-Link HomeShield

TP-Link's premium security services keep your home network safe with cutting-edge features for network and IoT protection.<sup>§</sup>

- Network Protection – Detects cyber threats to keep your privacy and connected devices well protected
- Parental Controls – Manages online time and blocks inappropriate content to keep families healthy online
- Quality of Service (QoS) – Prioritizes your bandwidth needs to get a faster networking experience
- Comprehensive Reports – Gains full statistics and insights to help you know your home network better

Note: HomeShield includes the Free Basic Plan. Fees apply for the Pro Plan.  
Visit <https://www.tp-link/homeshield> for more information.



## Easy Setup by Deco App

Easily set up Decos and find the ideal spot to place each unit

- Auto Connection Test – Tests the internet connection of your Decos and helps to identify a suitable location for them
- Remote Management – Manages your Deco network from a smartphone or tablet via the app, no matter where you find yourself
- Online Upgrade – Keeps informed of the latest firmware updates



## Security

Safeguard your home network with a firewall and wireless encryption

- Encryption for Secure Network – WPA/WPA2/WPA3 encryptions provide active protection against security threats
- Firewall – Protects your network devices from malicious attacks
- Blocklist – Add specific devices to blocklist to protect your network from unauthorized users



## Two Modes in One

Choose the Wireless Router mode or Access Point mode for your network needs

- Wireless Router Mode – Creates an instant private wireless network
- Access Point Mode – Creates Wi-Fi access for any existing wired network



## Work with All Deco Models

Form a Mesh network with your desired Deco models


- Compatible with All Deco Models – All Deco models can work together. Just expand Mesh Wi-Fi coverage anytime by adding more Decos
- Deco Mesh Technology – Eliminates dead zones and provides uninterrupted WiFi throughout your home



# Specifications

## Hardware

- Ethernet Port: 2× 5 Gbps WAN/LAN Ports + 1× 2.5 Gbps WAN/LAN Ports
- Button: 1 RESET button at the bottom, 1 WPS button on the back
- Port: 1× USB Port
- Power Consumption (without power adapter): 29 W max
- Dimensions (W × D × H): 4.23 × 4.23 × 6.93 in (107.5 × 107.5 × 176 mm)
- Power Adapter Input: 100-240 V ~ 50/60 Hz 1A
- Power Adapter Output: 12 V  $\equiv$  3.3 A



1× 2.5 Gbps  
WAN/LAN Port

2× 5 Gbps  
WAN/LAN Ports

1× USB Port

## Wireless

- Wireless Standards: IEEE 802.11b/g/n/ax/be 2.4 GHz,IEEE 802.11a/n/ac/ax/be 5GHz, IEEE 802.11ax/be 6 GHz
- Mesh protocol: 802.11k/v/r
- Frequency: 2.4 GHz, 5 GHz, 6 GHz
- Signal Rate: 5764 Mbps (6 GHz) + 4324 Mbps (5 GHz) + 688 Mbps (2.4 GHz)<sup>†</sup>
- Transmit Power: FCC: <30 dBm (2.4 GHz), <30 dBm (5 GHz), <30 dBm (6 GHz)
- Wireless Security: WPA/WPA2-PSK/WPA3<sup>‡</sup> encryptions

## Others

- Certification: FCC, RoHS
- Environment:
  - Operating Temperature: 0°C~40°C (32°F~104°F)
  - Storage Temperature: -40°C~60°C (-40 °F~140 °F)
  - Operating Humidity: 10%~90% RH
  - Storage Humidity: 5%~90% RH
- Package Contents for Deco BE65 Pro(3-pack):
  - 3 Deco BE65 Pro units
  - 1 RJ45 Ethernet cable
  - 3 Power adapters
  - 1 Quick Installation Guide

## Software

- Working Mode: Router, Access Point
- WAN Type: Dynamic IP/Static IP/PPPoE/L2TP/PPTP
- DHCP: Server
- Protocols: Supports IPv4 and IPv6
- Guest Network: 2.4 GHz Guest Network×1, 5 GHz Guest Network×1, 6 GHz Guest Network ×1
- IoT Network: IoT Network×1
- MLO Network: MLO Network×1
- VPN Server/Client: OpenVPN, PPTP, L2TP/IPSec, WireGuard
- Features: TP-Link HomeShield\*, Multi-Link Operation (MLO)<sup>^</sup>, 320 MHz Bandwidth<sup>^</sup>, 4K-QAM<sup>^</sup>, Multi-RU<sup>^</sup>, MU-MIMO<sup>^</sup>, OFDMA<sup>^</sup>, BSS Color<sup>^</sup>
- Management: Local Management; Remote Management; Multi-Managers

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Specifications are subject to change without notice. Google, Google Home, and Google Play are trademarks of Google LLC. All the brands and product names are trademarks or registered trademarks of their respective holders.

<sup>†</sup>Maximum wireless signal rates are the physical rates derived from IEEE Standard 802.11 specifications. Connection to over 200 devices is based on laboratory test data, which analyzed the connections of different devices on the 6 GHz, 5 GHz, and 2.4 GHz bands simultaneously. These devices simulated a typical home scenario by running simultaneous applications in the same room that included 4K video, 1080p video, 720p video, file downloading, web browsing, IP cameras, and other IoT devices. Actual wireless data throughput, wireless coverage, and connected devices are not guaranteed and will vary as a result of internet service provider factors, network conditions, client limitations, and environmental factors, including building materials, obstacles, volume and density of traffic, and client location.

<sup>‡</sup>Clients need to support 802.11k/v/r and may require additional setup. Performance may vary depending on the client device.

<sup>^</sup>Use of Wi-Fi 7 (802.11be), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax), and other features including MLO, 320 MHz Bandwidth, 4K-QAM, Multi-RU, OFDMA, MU-MIMO, and BSS Color requires clients to also support the corresponding features. The 320 MHz bandwidth is only available on the 6 GHz band. Not all 320 MHz channels may be available in the 6 GHz band in some regions/countries due to regulatory restrictions.

<sup>§</sup>5G/2.5G internet speeds require compatible service plans and equipment. All WAN/LAN ports will operate as either WAN or LAN ports. Only one port can serve as a WAN port at a time.

<sup>‡</sup>Use of WPA3 requires clients to also support the corresponding feature.

<sup>\*</sup>HomeShield includes both basic and advanced features. Advanced features require a paid subscription. For details, visit [tp-link.com/homeshield](https://tp-link.com/homeshield)

<sup>\*\*</sup>Wi-Fi generations represent the wireless standard IEEE 802.11 a/b/g/n/ac/ax/be.

<sup>※</sup>4.2× faster Wi-Fi speed refers to the theoretical speeds of Wi-Fi 7 clients when connected to Deco BE65 Pro compared with a 2×2 MIMO Wi-Fi 6 or Wi-Fi 6E mesh. Wi-Fi 7 clients need to support Multi-Link Operation (MLO) and the 6 GHz band to reach up to 10 Gbps when connected to the 5 GHz and 6 GHz bands of Deco BE65 Pro simultaneously. 2×2 MIMO Wi-Fi 6 and Wi-Fi 6E mesh may only provide 2402 Mbps on the 5 GHz or 6 GHz bands separately.

<sup>※※</sup>4× Lower Latency refers to the latency improvement of Wi-Fi 7 mesh compared to Wi-Fi 6/6E mesh, based on laboratory test data. The test conditions had the same 5 GHz or 6 GHz single-frequency wireless interference and tested the maximum latencies of Wi-Fi 7 clients (with MLO turned on) connecting to the 5 GHz and 6 GHz bands of Deco BE65 Pro (with MLO turned on) simultaneously and to the 5 GHz or 6 GHz bands of a Wi-Fi 6/6E mesh (without the MLO function).

<sup>‡‡</sup>Users may require an extra modem device that is compatible with their internet service provider to gain internet access.

Actual network speed may be limited by the rate of the product's Ethernet WAN or LAN port, the rate supported by the network cable, internet service provider factors, and other environmental conditions.

This Deco may not support all the mandatory features as ratified in the IEEE 802.11be specification.

Further software upgrades for feature availability may be required.

©2024 TP-Link

[www.tp-link.com](https://www.tp-link.com)

TP-Link BE11000 Whole Home Mesh Wi-Fi 7 System Deco BE65 Pro