

Panasonic

**COMMERCIAL FOOD SERVICES
PRODUCT CATALOGUE**



2021/2022

WELCOME TO THE RANGE OF COMMERCIAL FOOD SERVICE PRODUCTS FROM PANASONIC

Whilst you are probably aware of the Panasonic brand, what you probably didn't know is that Panasonic have been supplying commercial kitchens with products for over 50 years. We have been supplying international customers with a wide range of Commercial Food Service products, specifically designed to meet the needs of the Hospitality industry.

Based on our success globally including Europe, North America, Japan, China and other parts of Asia. Panasonic is now bringing some of these ranges to Australia for the Food Service and Hospitality market.

Panasonic has a long history of producing quality products and in 2018 celebrated our 100 year anniversary since foundation. This longevity has been built on the back of long relationships with the market and working pro-actively with our customers to build a better future.

The Commercial Food Services division has a dedicated B2B team that will manage the launch of an exciting new future for the Panasonic brand.

We will be talking to you, our customers, on expanding the range in the future and hope you enjoy using our products.



WHY PANASONIC



Panasonic prides itself on producing premium products that are built to last, essential in a commercial kitchen environment. We build-in unique design features, conduct extensive testing and manage strict quality assessment procedures, that have resulted in a solid track record of performing in any conditions. We don't compromise on quality.

To ensure a dedicated B2B approach, we operate from within the Hussmann Australia Pty Ltd (a Panasonic company), a market leader in the manufacture and supply of supermarket fridge and freezer cabinets across Australia. In Sydney we have over 17,000 sq metres of factory/warehouse where we keep a vast range of parts and extensive stock to support fast turnaround orders and speedy repairs. It is this network and warehousing capacity that enables us to maximise our reach for service and support.

We are dedicated to the long term position of Panasonic Commercial Food Service products, so much so that we offer up to 2 years warranty on parts for our commercial series refrigeration range, backed up with a nation-wide service team and a unique in-field warranty on our microwaves, where any issues or delays in repairing your microwave will be covered by a loan machine until the repairs can be completed!

So with this network and experience we promise to deliver: Quality, Innovation and Experience.

And we guarantee it!

Commercial Refrigerators HP SERIES UPRIGHT & UNDERBENCH

- Pillarless Design
 - Effective utilisation of full space
 - Large items can be stored easily
- Standard Equipped Forced Evaporation System
- Tested in 43°C Environment
- Single Phase (Easy Installation)
- Smaller Size but Larger Capacity
- Various Width on Single Door Split and 2 Door Split



UPRIGHT COMMERCIAL REFRIGERATORS



SINGLE SPLIT DOOR SRR-681HP(AUS)

EXTERNAL DIMENSIONS:
W620 x D800 x H1995mm*

CAPACITY: 471L

WEIGHT: 98kg



SINGLE SPLIT DOOR SRR-781HP(AUS)

EXTERNAL DIMENSIONS:
W745 x D800 x H1995mm*

CAPACITY: 598L

WEIGHT: 104kg



2 DOOR SPLIT DOOR SRR-1281HP(AUS)

EXTERNAL DIMENSIONS:
W1210 x D800 x H1995mm*

CAPACITY: 1080L

WEIGHT: 131kg



2 DOOR SPLIT DOOR SRR-1581HP(AUS)

EXTERNAL DIMENSIONS:
W1460 x D800 x H1995mm*

CAPACITY: 1312L

WEIGHT: 148kg



3 DOOR SPLIT DOOR SRR-1881HP(AUS)

EXTERNAL DIMENSIONS:
W1800 x D800 x H1995mm*

CAPACITY: 1667L

WEIGHT: 181kg

* Heights shown are with Castors. +75mm for legs (uprights), +20mm for legs (underbench) as an option. Depths exclude door handles.



Centre-Pillarless
Design



Forced
Evaporation



220-240V/50Hz
Single Phase



Heater
Defrost



Castors Standard
(Leg Option)



Left Door Opening
Model Available
(on request)



2 Year Parts/
1 Year Labour
Warranty

UNDERBENCH COMMERCIAL REFRIGERATORS

SLIMLINE TYPE



2 DOOR TYPE SUR-1261HP(AUH)

EXTERNAL DIMENSIONS:
W1200 x D600 x H850mm*

CAPACITY: 214L

WEIGHT: 78kg



2 DOOR TYPE SUR-1561HP(AUH)

EXTERNAL DIMENSIONS:
W1500 x D600 x H850mm*

CAPACITY: 296L

WEIGHT: 86kg



3 DOOR TYPE SUR-1861HP(AUH)

EXTERNAL DIMENSIONS:
W1800 x D600 x H850mm*

CAPACITY: 377L

WEIGHT: 99kg

LARGE CAPACITY TYPE



2 DOOR TYPE SUR-1271HP(AUS)

EXTERNAL DIMENSIONS:
W1200 x D750 x H850mm*

CAPACITY: 280L

WEIGHT: 84kg



2 DOOR TYPE SUR-1571HP(AUS)

EXTERNAL DIMENSIONS:
W1500 x D750 x H850mm*

CAPACITY: 393L

WEIGHT: 95kg



3 DOOR TYPE SUR-1871HP(AUS)

EXTERNAL DIMENSIONS:
W1800 x D750 x H850mm*

CAPACITY: 495L

WEIGHT: 110kg

* Heights shown are with Castors. +75mm for legs (uprights), +20mm for legs (underbench) as an option. Depths exclude door handles.



Centre-Pillarless
Design



Forced
Evaporation



220-240V/50Hz
Single Phase



LED
Lighting



Heater
Defrost



Castors Standard
(Legs Optional)



2 Year Parts/
1 Year Labour
Warranty

SLIMLINE TYPE



UNDERBENCH WITH GLASS DOORS

BR-1261HP(AUH)

EXTERNAL DIMENSIONS:
W1200 × D600 × H850mm*

CAPACITY: 214L

WEIGHT: 78Kg



UNDERBENCH WITH GLASS DOORS

BR-1561HP(AUH)

EXTERNAL DIMENSIONS:
W1500 × D600 × H850mm*

CAPACITY: 296L

WEIGHT: 86Kg



UNDERBENCH WITH GLASS DOORS

BR-1861HP(AUH)

EXTERNAL DIMENSIONS:
W1800 × D600 × H850mm*

CAPACITY: 377L

WEIGHT: 99Kg

LARGE CAPACITY TYPE



UNDERBENCH WITH GLASS DOORS

BR-1271HP(AUH)

EXTERNAL DIMENSIONS:
W1200 × D750 × H850mm*

CAPACITY: 280L

WEIGHT: 84Kg



UNDERBENCH WITH GLASS DOORS

BR-1571HP(AUH)

EXTERNAL DIMENSIONS:
W1500 × D750 × H850mm*

CAPACITY: 393L

WEIGHT: 95Kg



UNDERBENCH WITH GLASS DOORS

BR-1871HP(AUH)

EXTERNAL DIMENSIONS:
W1800 × D750 × H850mm*

CAPACITY: 495L

WEIGHT: 110Kg

* Heights shown are with Castors. +75mm for legs (uprights), +20mm for legs (underbench) as an option. Depths exclude door handles.



Centre-Pillarless
Design



Forced
Evaporation



LED
Lighting



Castors Standard
(Legs Optional)



2 Year Parts/
1 Year Labour
Warranty

DRAWER TYPE



UNDERBENCH WITH SOLID DOORS

SUR-1271HP(AUH)-NN

EXTERNAL DIMENSIONS:
W1200 × D750 × H850mm*

CAPACITY: 280L

WEIGHT: 100Kg



UNDERBENCH WITH SOLID DOORS

SUR-1571HP(AUH)-NN

EXTERNAL DIMENSIONS:
W1500 × D750 × H850mm*

CAPACITY: 393L

WEIGHT: 116Kg



UNDERBENCH WITH SOLID DOORS

SUR-1871HP(AUH)-NNN

EXTERNAL DIMENSIONS:
W1800 × D750 × H850mm*

CAPACITY: 495L

WEIGHT: 130Kg

DOOR & DRAWER TYPE



UNDERBENCH WITH SOLID DOORS

SUR-1271HP(AUH)-DW

EXTERNAL DIMENSIONS:
W1200 × D750 × H850mm*

CAPACITY: 280L

WEIGHT: 95Kg



UNDERBENCH WITH SOLID DOORS

SUR-1571HP(AUH)-DW

EXTERNAL DIMENSIONS:
W1500 × D750 × H850mm*

CAPACITY: 393L

WEIGHT: 110Kg



UNDERBENCH WITH SOLID DOORS

SUR-1871HP(AUH)-DWW

EXTERNAL DIMENSIONS:
W1800 × D750 × H850mm*

CAPACITY: 495L

WEIGHT: 126Kg

* Heights shown are with Castors. +75mm for legs (uprights), +20mm for legs (underbench) as an option. Depths exclude door handles.

Drawer Series GN Basin Layout




Centre-Pillarless
Design



Castors Standard
(Legs Optional)



2 Year Parts/
1 Year Labour
Warranty



1271



1571



1871



PIZZA/SALAD PREP BENCH

SUR-1871HPZ-(AUH)

EXTERNAL DIMENSIONS:
W1800 × D750 × H1030mm*

CAPACITY: 495L

WEIGHT: 120Kg

KEY FEATURES

- No centre pillar for large item storage
- High-quality stainless steel
- Smaller size but larger capacity
- Operational under 43°C
- Designed for easy cleaning
- Anti-bacteria handles and shelves
- Detachable refrigeration system
- Wide temperature setting (-8~+10°C)
- Single metal top cover for easy operation
- Removable 30cm cutting board
- Castors as standard
- 2year parts/ 1year labour for warranty

Bottom shelf for better air flow




Round corners for easy cleaning



* Heights shown are with Castors. +75mm for legs (uprights), +20mm for legs (underbench) as an option. Depths exclude door handles.

Grab'n Go

- Multi use Open Deck
- R-290 Refrigerant
- Night blinds Included
- 3M1 Refrigeration Rating for Food & Beverage use
(ex. S6N141)
- Self-contained
- Available in Various Widths



GRAB-N-GO CABINETS



**SELF CONTAINED UPRIGHT
CHILLER CABINET**
H1T-10/14/19/26*

EXTERNAL DIMENSIONS:
W1040/1350/1980/2600 x D860 x H2090mm



**MULTI-DECK SELF CONTAINED
CHILLER CABINET H1A***

EXTERNAL DIMENSIONS:
W1243 x D895 x H2065mm
WEIGHT: 193kg



BEVERAGE UNIT SGN141s*

EXTERNAL DIMENSIONS:
W650 x D719 x H1400mm
WEIGHT: 90kg



Internal and External
Powder Coating



LED Canopy
Lighting



Ticket
Strips



Galvanised
Base



Digital
Controller



Night
Blinds



2 Year Parts/
1 Year Labour
Warranty

* Shelf Dividers and Shelf Mats sold as optional extras

Commercial Freezers HP SERIES UPRIGHT & UNDERBENCH

- **Pillarless Design**
 - Effective utilisation of full space
 - Large items can be stored easily
- **Standard Equipped Forced Evaporation System**
- **Single Phase (Easy Installation)**
- **Smaller Size but Larger Capacity**
- **Various Width on Single Door Split and 2 Door Split**



UPRIGHT COMMERCIAL FREEZER



SINGLE SPLIT DOOR SRF-681HP(AUS)

EXTERNAL DIMENSIONS:
W620 x D800 x H1995mm*

CAPACITY: 471L

WEIGHT: 98kg



SINGLE SPLIT DOOR SRF-781HP(AUS)

EXTERNAL DIMENSIONS:
W745 x D800 x H1995mm*

CAPACITY: 598L

WEIGHT: 104kg



2 DOOR SPLIT DOOR SRF-1281HP(AUS)

EXTERNAL DIMENSIONS:
W1210 x D800 x H1995mm*

CAPACITY: 1080L

WEIGHT: 131kg



2 DOOR SPLIT DOOR SRF-1581HP(AUS)

EXTERNAL DIMENSIONS:
W1460 x D800 x H1995mm*

CAPACITY: 1312L

WEIGHT: 148kg



3 DOOR SPLIT DOOR SRF-1881HP(AUS)

EXTERNAL DIMENSIONS:
W1800 x D800 x H1995mm*

CAPACITY: 1667L

WEIGHT: 181kg

* Heights shown are with Castors. +75mm for legs (uprights), +20mm for legs (underbench) as an option. Depths exclude door handles.



Centre-Pillarless
Design



Forced
Evaporation



220-240V/50HZ
Single Phase



Heater
Defrost



Castors Standard
(Legs Optional)



Left Door Opening
Model Available
(on request)



2 Year Parts/
1 Year Labour
Warranty

UNDERBENCH COMMERCIAL FREEZER



2 DOOR TYPE SUF-1271HP(AUS)

EXTERNAL DIMENSIONS:
W1200 x D750 x H850mm*

CAPACITY: 280L

WEIGHT: 84kg



2 DOOR TYPE SUF-1571HP(AUS)

EXTERNAL DIMENSIONS:
W1500 x D750 x H850mm*

CAPACITY: 393L

WEIGHT: 105kg



3 DOOR TYPE SUF-1871HP(AUS)

EXTERNAL DIMENSIONS:
W1800 x D750 x H850mm*

CAPACITY: 495L

WEIGHT: 120kg

* Heights shown are with Castors. +75mm for legs (uprights), +20mm for legs (underbench) as an option. Depths exclude door handles.



Centre-Pillarless
Design



Forced
Evaporation



220-240V/50HZ
Single Phase



Heater
Defrost



Castors Standard
(Legs Optional)



2 Year Parts/
1 Year Labour
Warranty



Microwaves

- Range of Light, Medium and Heavy Duty Options
- Extensive Quality Control Testing
- Stackable and Compact
- Only Manufacturer of Both Magnetrons and Microwaves
- Internationally used across the Food Service Sector



MICROWAVE OVENS, WHICH ONE'S RIGHT FOR ME?

MICROWAVES FOR REHEATING AND DEFROSTING



**LIGHT DUTY
CONSUMER PRODUCT**

NN-SF574S

FOOD COURTS • CAFÉS

UP TO 15 TIMES PER DAY



**MEDIUM DUTY
NE-1037**

RESTAURANTS • HOTELS • CLUBS

LARGE CAFÉS • BISTROS

UP TO 100 TIMES PER DAY



**HEAVY DUTY
NE-1878 & NE-1853**

QSR • CATERING GROUPS

LARGE KITCHENS

100 TO 200 TIMES PER DAY

MICROWAVES FOR FAST COOKING AND GRILLING



Cooks
frozen pizza
in 10min



Cooks
frozen pizza
in 2.5min



**NE-C1275 & NE-SCV2
MICROWAVE | GRILL | BAKE**
CAFES • BISTROS • RESTAURANTS

The ideal solution to cook, toast, bake, grill and reheat a wide range of fresh or frozen foods, such as toasted sandwiches, pastries or pizza, in fact anything needing a crisped, browned finish.


MICROWAVES WITH **INVERTER** TECHNOLOGY - DISCOVER THE DIFFERENCE

INVERTER V/S CONVENTIONAL MICROWAVES

Conventional microwaves repeatedly turn power on and off in order to maintain the power level. As a result, the food heats or defrosts unevenly or is even overcooked. Inverter microwaves, by contrast vary the power level leading to optimal cooking and defrosting results.

INVERTER MICROWAVES CAN USE UP TO 6.3% LESS ENERGY

With Inverter microwaves, because the power output actually varies, you can save up to 6.3% on energy consumption*, which is good for the environment and great for your wallet.



* Compared to NE-1853 (2650W Inverter microwave compared to 2830W LC type microwave). Excludes NN-SF574

LIGHT DUTY CONSUMER MICROWAVE OVEN



FLATBED INVERTER MICROWAVE

NN-SF574S

1000W MICROWAVE

EXTERNAL DIMENSIONS:
W529 x H326 x D422mm

CAVITY DIMENSIONS:
W354 x H230 x D338mm

CAPACITY: 27L

COMMERCIAL WARRANTY:
6 months

KEY FEATURES

- **FLATBED TECHNOLOGY**

Panasonic's Flatbed technology with no turntable, provides 31% more cooking area than a conventional turntable model and is super simple to clean up microwave messes. Plus you can also utilise the whole surface space meaning rectangular dishes will fit with ease.

- **INVERTER TECHNOLOGY
WITH PRECISE POWER CONTROL**

Softening hard food such as ice cream, chocolate and cheese proves easy with the dedicated 'melt & soften' function.

- **SIMPLE, MODERN DESIGN**

Featuring a stainless steel panel and frameless design the NN-SF574 integrates into any kitchen.

- **16 MENU OPTIONS**

With 16 Pre-programed menu options, the microwave will do the thinking for you and determine the time and power settings required - so all you need to do is press 'start'.

TECHNICAL SPECIFICATIONS

Inverter	Yes
Outside Dimensions	Approx. W529 x H326 x D422 mm
Oven Cavity Dimensions	Approx. W354 x H230 x D338 mm
Cavity Volume	27 L
Microwave Power	1,000W
Net Weight	Approx. 11.7 kg

MEDIUM DUTY MICROWAVE OVEN



MEDIUM DUTY MICROWAVE

NE-1037

1000W MICROWAVE

EXTERNAL DIMENSIONS:
W510 x D360 x H306mm

CAVITY DIMENSIONS:
W330 x D330 x H205mm

CAPACITY: 22L

WEIGHT: 18.6kg

WARRANTY:
1 Year

KEY FEATURES

- Side Open
- Programmable Memory Pads
- 3 Power Levels
- 3 Stage Cooking
- x2 Double Quantity Pad
- 10 Preset Menu Programs
- Programmable Lock
- Stainless Steel Cabinet & Cavity
- Increase Durability Door Hinge
- Flat Cavity
- Space Saving with Only 360mm Depth

TECHNICAL SPECIFICATIONS

Output Power	1000W	
Power Source	240V, 50Hz Single Phase	
Plug Type	10amp	
Required Power	6.6A 1490W	
Material	Face of Door/Base	Stainless Steel
	Cabinet	Stainless Steel
	Cavity	Stainless Steel
	Base plate	Sealed-in ceramic
Door Design	Side Open	
Program	Power Level	3 Levels
	Memory	10 programs
Stage Cooking	3 stages	
Memory lock	Yes	
Multiple quantity keys	Yes (X2 for 2 dishes)	

OPTIONAL ACCESSORY

Trim Kit - 96E14-006.



HEAVY DUTY INVERTER MICROWAVE OVEN



**INVERTER
INSIDE**
See Page 18

Available
Q2 2022

ALL METAL DOOR INVERTER MICROWAVE

NE-1878

1800W MICROWAVE

EXTERNAL DIMENSIONS:
W422 x D476 x H337mm

CAVITY DIMENSIONS:
W330 x D310 x H175mm

CAPACITY: 18L

WEIGHT: 17.5kg

WARRANTY:
2 Years

KEY FEATURES

- FULL METAL DOOR**
 Full metal door design with no inner door film means it is ideal for easy cleaning and longer lifespan.
- SPLATTER SHIELD DETECTION**
 Automatically stops the unit when the ceiling plate is not in place, preventing damage to the cavity (comes with two shields).
- EVEN HEATING**
 You can cook, reheat or defrost your food without creating cold spots or overcooking edges.
- ENERGY SAVING**
 Saves up to 6.3% on energy consumption (compared to Panasonic NE-1853).
- FEATHER LIGHT... ALMOST**
 Lighter and more portable unit (40% less heavy compared to Panasonic NE-1853).
- COMPACT DESIGN**
 Thanks to its compact design, the unit is stackable - saving you a valuable space in your kitchen.

TECHNICAL SPECIFICATIONS

Power Source	230-240V, 50Hz Single Phase	
Plug Type	15amp	
Required Power	11.6A 2650W	
Material	Face of Door/Base	Stainless Steel
	Cabinet	Stainless Steel
	Cavity	Stainless Steel
	Base plate	Sealed-in ceramic
Door Design	Side Open	
Program	Power Level	10 Levels
	Memory	30 programs
	Stage Cooking	5 stages
	Memory lock	Yes
	Multiple quantity keys	Yes (X2 for 2 dishes, X3 for 3 dishes)
Display	LCD	
Oven Lamp	LED	
Stackable	Yes	

HEAVY DUTY MICROWAVE OVEN



HEAVY DUTY MICROWAVE

NE-1853

1800W MICROWAVE

EXTERNAL DIMENSIONS:

W422 x D508 x H377mm

CAVITY DIMENSIONS:

W330 x D3108 x H175mm

CAPACITY: 18L

WEIGHT: 30kg

WARRANTY:

2 Years

KEY FEATURES

- 1800W of Cooking Power
- 2 Magnetrons
- Dual Power Feed for More Consistent, Even Cooking
- Side Open
- Programmable Memory Pads
- 15 power Levels
- 5 Stage Cooking
- Easy Extension Pad +10s/+20s
- 30 Preset Menu Programs
- Programmable Lock
- Easy to Clean Air Filter
- Stainless Steel Cabinet & Cavity
- Removable Ceiling Splatter Shield
- Energy Efficient LED Lighting & LCD Display

TECHNICAL SPECIFICATIONS

Power Source	240V, 50Hz Single Phase	
Plug Type	15amp	
Required Power	12.3A 2830W	
Material	Face of Door/Base	Stainless Steel
	Cabinet	Stainless Steel
	Cavity	Stainless Steel
	Base plate	Sealed-in ceramic
Door Design	Side Open	
Program	Power Level	15 Levels
	Memory	30 programs
	Stage Cooking	5 stages
	Memory lock	Yes
	Multiple quantity keys	Yes (X2 for 2 dishes, X3 for 3 dishes)
Display	LCD	
Oven Lamp	LED	
Stackable	Yes	

OPTIONAL ACCESSORY

Microsave® Liner - NE-CPS2A - Minimises cleaning time and extends the microwave's lifespan by providing total protection for the cavity, roof, sides, back and base.



HEAVY DUTY COMBINATION MICROWAVE OVEN



Cooks frozen pizza in 10min

HEAVY DUTY COMBINATION MICROWAVE

NE-C1275

1150W MICROWAVE
1800W CONVECTION OVEN
1800W GRILL

EXTERNAL DIMENSIONS:
W600 x D484 x H383mm

CAVITY DIMENSIONS:
W406 x D336 x H217mm

CAPACITY: 29.6L

WEIGHT: 41kg

WARRANTY:
2 Years

KEY FEATURES

- 1800W Convection Oven, 1800W Grill, 1150W Microwave
- High speed Fan Grill and Grill Convection functions for faster browning results
- Combination Options include: Microwave + Grill; Microwave + Convection; Microwave + Fan Grill; and Microwave + Grill Convection
- Preset Combi keys offer 5 popular combination options which can be selected with one touch
- Microwave has 6 power levels. Dual emission bottom energy feed ensures even heating
- Convection oven settings range from 100°C – 250°C
- 4 element Quartz Grill with 2 power levels and recessed elements
- Three fast 'Preheat' settings – up to 240°C on continuous standby (will maintain temperature for up to 4 hours of non use).
- 2 shelf positions
- Up to 99 programs available, each can be preset with up to 3 stages of combination or single cooking cycles
- Programmable manually or via SD Memory Card and your Personal Computer
- Fast cool feature to quickly reduce oven temperature for easy cleaning and low temperature cooking
- Beep tone option and clean air filter reminder
- Program lock

TECHNICAL SPECIFICATIONS

Power Source	230-240V / 50Hz, Single phase
Plug Type	15amp
Power Requirement	2900W 12.2A
Power Supply	AUS/NZ
Frequency	2450 MHz
Net Weight	41kg (inc accessories)
Cubic Capacity	29.6 litres (1 cu.ft)
Output Power	
Microwave	1150w
Grill	1800w
Convection Oven	1800w
MICROWAVE	
Power Levels	6
Timer	
High, Medium	Up to 15 mins
Low, Simmer, Defrost, Stand	Up to 1 hour
CONVECTION OVEN	
Temperature Range	100°C – 250°C
Timer	Up to 1 hour 40 mins
GRILL	
Timer (min)	Up to 1 hour
Power Levels	2

FAST COOK CONVECTION MICROWAVE OVEN



Cooks
frozen pizza
in 2.5min

FAST COOK CONVECTION MICROWAVE

NE-SCV2

1200W MICROWAVE
1350W CONVECTION OVEN
1800W GRILL

EXTERNAL DIMENSIONS:
W474 x D565 x H412mm

CAVITY DIMENSIONS:
W270 x D330 x H110mm

CAPACITY: 10L

WEIGHT: 38.1kg

WARRANTY: 2 years

KEY FEATURES

- **MULTI-FUNCTION CONVECTION COOKING**
The ideal solution to cook, toast, bake, grill and reheat a wide range of fresh or frozen foods, such as toasted sandwiches, pastries or pizza, in fact anything needing a crisped, browned finish.
- **SPACE SAVING DESIGN**
Maximum flexibility as it easily fits on a small worktop. Stackable unit allows you to add a second unit without using additional bench space
- **EFFICIENT PERFORMANCES**
Speed convection with twin inverter technology ensures great results with minimum time
- **OPTIMUM COOKING MADE EASY**
Panasonic exclusive Twin Inverter technology cooks food evenly with no cold spots, always providing optimum cooking results
- **VENTLESS COOKING OPERATION**
With the built in catalytic converter
- **EASY TO CLEAN CAVITY**
Reduce cleaning times and simplify maintenance thanks to the Ceramic Base Tray
- **MENU FLEXIBILITY**
The SD Card allows rapid menu changes and updates for up to 999 cooking menu settings. In addition you food images can be loaded onto the control panel to be used as buttons.

TECHNICAL SPECIFICATIONS

Power Consumption	230-240V, 50HZ, Single Phase, 16amp
Plug Type	20amp
High Frequency Output	1200 to 0W / Switchable in 9 steps
Convection Heater Output	1350W Temperature adjustable 180 to 250°
Grill Heater Output	1800W (2 Step Switchable)
Preheat Adjustment Range	150°C (standby Preheat), 180°C, 250°C
Memory Capacity	10 to 1,000
Weight	Approx 37.4kg
Door Opening Direction	Vertical

Rice Cookers

- Uniform Cooking by Triple Coil
- Double Thermal Fuse for Superior Safety
- Micro Switch Control for More Durability
- Product Compliant to Australian Standards





COMMERCIAL RICE COOKERS



40 CUP RICE COOKER SR-GA721F

DIMENSIONS:
W466 x D558 x H366mm

CAPACITY: 7.2L

WARRANTY:
1 Year



30 CUP RICE COOKER SR-GA541F

DIMENSIONS:
W466 x D558 x H338mm

CAPACITY: 5.4L

WARRANTY:
1 Year



23 CUP RICE COOKER SR-GA421F

DIMENSIONS:
W367 x D424 x H289mm

CAPACITY: 4.2L

WARRANTY:
1 Year

TECHNICAL SPECIFICATIONS

Model number	SR-GA721F	SR-GA541F	SR-GA421F
Power	240V/ 15A	240V/ 10A	240V/ 10A
Pans	Non-stick pan	Non-stick pan	Non-stick pan
Rice cooking	Yes	Yes	Yes
Keep warm	5hr	5hr	5hr
Weight	15.0kg	13.5kg	6.4kg



Triple Coil for
Uniform Cooking



Micro Switch Control for
More Durability*



Double Thermal Fuse
for Superior Safety



Stainless Steel
Lid



Cooks Any
Style of Rice

*Only for GA721 and GA541

COMMERCIAL RICE COOKERS



20 CUP RICE COOKER

SR-UH36

DIMENSIONS:
W428 x D384 x H347mm

CAPACITY: 3.6L

WARRANTY:
1 Year

Available
Q1 2022

KEY FEATURES

- Hinged lid with silicone seal
- 360° Double keep warm function
- 12 Hours keep warm technology enables rice cooking neither overcooked nor undercooked
- Triple Micro switch for Safety
- Glass wool insulation
- Anodised aluminium pan
- Stainless steel lid
- 1400W
- Cooks up to 2kg of rice

TECHNICAL SPECIFICATIONS

Model number	SR-UH36
Power Source	230V/10A
Power Consumption	1400W
Pan Thickness	1.95mm
Rice cooking	Yes
Keep warm	12hr
Weight	8.2kg



Scoop
Holder



Steam
Vent



Dew
Collector



Lid
Heater



Side
Heater



Triple Micro switch
for Safety

Contact Details

Husmann Australia Pty. Ltd.

(ACN: 002 366 887)

a Panasonic Company

Address

66 Glendenning Road,
Glendenning, NSW 2761

Phone

02 8805 0400

www.husmann.com.au

Customer Service

02 8805 0400

Panasonic@husmann.com

Accounts & Administration

02 8805 0400

au_accounts@husmann.com

Warranty

1300 720 660(Bevizz)

warranty.aus@husmann.com

McAlpine Husman Ltd. New Zealand

Address

2-6 Niall Burgess Road
Mt Wellington, Auckland 1060

Phone

0800 473 374

Email

commercialnz@husmann.com

www.mcalpinehusmann.co.nz