



Nothing but **HEAVY DUTY**.™

# NEWS

## TRANSPORT EDITION



### MAINTENANCE



SEE PAGES 2-12

### ENGINE WORK



SEE PAGES 13-15

### REPAIRS



SEE PAGES 16-22

### BODY WORK



SEE PAGES 23-25



# M12

**PORTABLE** PRODUCTIVITY.  
**TRADE** FOCUSED.  
**SYSTEM** WIDE.

**ONE SYSTEM 115 SOLUTIONS**

SEE THE FULL RANGE ONLINE ▶



# M18

**PERFORMANCE** DRIVEN.  
**TRADE** FOCUSED.  
**SYSTEM** WIDE.

**ONE SYSTEM 290 SOLUTIONS**

SEE THE FULL RANGE ONLINE ▶



## LIGHTING



**86 SOLUTIONS**

SEE THE FULL RANGE ONLINE ▶



## PACKOUT™ MODULAR STORAGE SYSTEM

OVER **100** POSSIBLE COMBINATIONS

SEE THE FULL RANGE ONLINE ▶



## PERSONAL PROTECTIVE EQUIPMENT & WORKWEAR



OVER **850** SOLUTIONS

SEE THE FULL RANGE ONLINE ▶



STAY SAFE!  
STAY PRODUCTIVE.

## HAND TOOLS



OVER **1000** SOLUTIONS

SEE THE FULL RANGE ONLINE ▶



## ACCESSORIES



OVER **3000** SOLUTIONS

SEE THE FULL RANGE ONLINE ▶



**NEW**  
**M18**  
**REDLITHIUM™**  
**FORGE™**

**MOST POWER | FASTEST CHARGING | LONGEST LIFE\***



**1 NEW LITHIUM CELL TECHNOLOGIES**

New lithium cell technologies provide higher power, less heat generation and faster charging

**2 NEXT GENERATION ELECTRONICS**

Innovative next generation electronics maximise full power delivery and accelerate charge speed

**3 MECHANICAL REDESIGN**

With a laser welded, fully enclosed cell carrier, coupled with a rubber overmould, FORGE™ provides advanced thermal management and vibration protection

**4 ADVANCED PROTECTION**

With patented ingress coating to protect against water and debris, and resistant housing to protect against common oils, greases and solvents, FORGE™ boasts the longest life\*

**REDLITHIUM™**  
**FORGE™**  
MOST POWER  
FASTEST CHARGING  
LONGEST LIFE

**NEW**

**REDLITHIUM™**  
HIGH OUTPUT  
MORE POWER

**REDLITHIUM™**



An active cooling system providing high speed cooling to COOL-CYCLE™ capable batteries. The cooling system improves thermal management, helping the battery packs cool while charging, decreasing downtime on the job.



M18 DBSC | ART.# 4932492531

**M18 DUAL BAY SUPERCHARGER**

15 MIN SUPERCHARGE TO 80%

SIMULTANEOUSLY CHARGES TWO M18™ BATTERIES

COMPATIBLE WITH ALL M18™ BATTERIES

REDLINK™ INTELLIGENCE, CHARGER COMMUNICATES WITH THE BATTERY PACK TO ENSURE OPTIMISED CHARGE SPEED AND PERFORMANCE



**REDLITHIUM™**

M18 FB6 | ART.# 4932492533

**M18 FORGE BATTERY 6.0 AH**

HIGH OUTPUT™ 12.0 AH POWER IN A SMALLER SIZE

LONGEST LIFE FOR THE MOST RECHARGES AND BEST PERFORMANCE OVER THE LIFE OF THE PACK

RESISTANT HOUSING DESIGNED TO PROVIDE INCREASED PROTECTION AGAINST COMMON OILS, SOLVENTS, AND GREASES

ENHANCED ONBOARD FUEL GAUGE WITH READABILITY IN DIRECT SUN LIGHT



**REDLITHIUM™**



VIEW THE MILWAUKEE® M18™ BATTERY AND CHARGER RANGE

**CHARGING TIME COMPARISON**

**M18™ DUAL BAY SUPERCHARGER**

M18 DBSC  
ART.# 4932492531

**M12™ - M18™ FASTCHARGER**

M12-18 FC  
ART.# 4932451079

**M12™ - M18™ CHARGER**

M12-18 C  
ART.# 4932352959

	NEW								
	M18 FB6 4932479265	M18 HB12 4932464260	M18 HB8 4932471070	M18 HB5.5 4932464712	M18 HB3 4932471069	M18 B5-CR 4932479265	M18 B5 4932430483	M18 B4 4932430063	M18 B2 4932430062
<b>M18™ DUAL BAY SUPERCHARGER</b>	15 MIN	45 MIN	33 MIN	25 MIN	25 MIN	42 MIN	42 MIN	36 MIN	16 MIN
<b>M12™ - M18™ FASTCHARGER</b>	25 MIN	60 MIN	45 MIN	35 MIN	35 MIN	59 MIN	59 MIN	52 MIN	26 MIN
<b>M12™ - M18™ CHARGER</b>	60 MIN	130 MIN	87 MIN	60 MIN	36 MIN	59 MIN	59 MIN	52 MIN	26 MIN
	115 MIN	250 MIN	167 MIN	115 MIN	65 MIN	100 MIN	100 MIN	80 MIN	40 MIN

UP TO 80% CHARGED  
UP TO 100% CHARGED  
UP TO 100% CHARGED  
UP TO 100% CHARGED

# MAINTENANCE

**NEW** M18 FHIW2F12-502X | ART.# 4933492784

## M18 FUEL 1/2" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING

1491 NM FASTENING TORQUE

2034 NM NUT BUSTING TORQUE

4-MODE DRIVE CONTROL

Mode 4 provides maximum nut busting torque and switches to 750 rpm after breakaway for maximum control

INCREASED GEARCASE DURABILITY

TRI-LED'S FOR INCREASED WORKSPACE VISIBILITY

COMPACT 193 MM BODY



ALSO AVAILABLE AS A BARE UNIT




M18 FHIW2F12-0X  
ART.# 4933492782

KIT INCLUDES:



STAY SAFE. STAY PRODUCTIVE.

BANDED HEARING PROTECTION  
SEE PAGE 37



REDLITHIUM™

**NEW** M18 BLHIWF12-502X | ART.# 4933498205

## M18 1/2" BRUSHLESS HIGH TORQUE IMPACT WRENCH

1085 NM FASTENING TORQUE

1627 NM NUT BUSTING TORQUE

LED LIGHT

221 MM BODY



KIT INCLUDES:



Milwaukee PERFECTMATCH  
1/2" IMPACT SOCKET SET STD-13PC  
4932480456



REDLITHIUM™

# GET THE RIGHT IMPACT WRENCH FOR THE JOB



MILWAUKEE®  
IMPACT SOCKETS

SEE PAGE 6

COMPACT

MID TORQUE

HIGH PERFORMANCE

COMPACT			MID TORQUE	HIGH PERFORMANCE						
138 Nm	339 Nm	339 Nm	745 Nm	1085 Nm	1356 Nm	1491 Nm	1627 Nm	2033 Nm	2576 Nm	
M12*	M16*	M16*	M20*	M33*	M33*	M36*	M33*	M42*	M42*	
M12 BIW12-202C ART.# 4933464616	M12 FIWF12-622X ART.# 4933464617	M18 FIW2F12-502X ART.# 4933478445	M18 FMTIW2F12-502X ART.# 4933478451	M18 BLHIWF12-502X ART.# 4933498205	M18 ONEFHIWF12-502X ART.# 4933459728	M18 FHIW2F12-502X ART.# 4933471259	M18 ONEFHIWF34-502X ART.# 4933459731	M18 ONEFHIWF1-802X ART.# 4933459734	M18 ONEFHIWF1D-121C ART.# 4933471756	M18 ONEFHIWF12-503X ART.# 4933464770

\*Recommended max bolt size

REDLITHIUM™ HIGH OUTPUT BATTERY TECHNOLOGY

**NEW** M18 BLPP2E-502B | ART.# 4933498206

## M12 FUEL

KIT CONTAINS

- M18 BLHIWF
- M18 BLSAG115XPD
- 2 x M18 B5
- M12-18 C
- Kit Bag



IN THIS KIT



M18 BLHIWF12  
ART.# 4933498205

- 1085Nm fastening torque
- 1627Nm nut busting torque
- 221mm body
- LED light
- 11,000 RPM
- Compact and Lightweight
- Integrated Fixtec System
- Non-lockable safety paddle switch with line-lock-out function
- Safety clutch protects user the from kickback injuries



M18 BLSAG115XPD  
ART.# 4933493911

RUBBER SLEEVE FOR M12 FIWF ART.# 4932478758	RUBBER SLEEVE FOR M18 FIW2F ART.# 4932478770	RUBBER SLEEVE FOR M18 FMTIW2F ART.# 4932478771	RUBBER SLEEVE FOR M18 FHIW2F12 ART.# 4932493560

REDLITHIUM™

M12 FPTR-202X | ART.# 4933480755 (Also available as 0-version)

**M12 FUEL INSIDER™ PASS-THROUGH RATCHET**



KIT INCLUDES:



M12 FHIR14LR-0 | ART.# 4933480790

**M12 FUEL HIGH SPEED LONG REACH RATCHET 1/4"**



KIT INCLUDES:



M12 FHIR38LR-0 | ART.# 4933480791

**M12 FUEL HIGH SPEED LONG REACH RATCHET 3/8"**



KIT INCLUDES:



M12 FHIR14-0 | ART.# 4933478171 (Available as 0-version only)

**M12 FUEL 1/4" HIGH SPEED RATCHET**



KIT INCLUDES:



Also available with 3/8" square reception:

M12 FHIR38-0 | ART.# 4933478172

**M12 FUEL 3/8" HIGH SPEED RATCHET**



KIT INCLUDES:



M12 ONEFTR38-201C | ART.# 4933464968 (Also available as 0-version)

**M12 FUEL ONE-KEY™ 3/8" DIGITAL TORQUE WRENCH**



KIT INCLUDES:



Also available with 1/2" reception



M12 ONEFTR12-201C ART.# 4933464971

M12 FRAIWF12-0 | ART.# 4933471699

**M12 FUEL 1/2" RIGHT ANGLE IMPACT WRENCH**



KIT INCLUDES:



**PERFECT MATCH IMPACT RATED SOCKETS & IMPACT TOOLS**



For the range of new SHOCKWAVE™ Impact Duty sockets see page 10



MAINTENANCE

TRANSPORT EDITION

MAINTENANCE

THE EXTENSIVE **SHOCKWAVE™** **IMPACT DUTY SOCKET RANGE**  
JUST GOT BIGGER

**SHOCKWAVE** **IMPACT DUTY**



**1/4" IMPACT SOCKETS**



Hex socket rail + clips 1/4" 350 mm-1 pc  
Hex socket rail extra clips 1/4"-10 pc  
Hex socket ShW 1/4" deep set-12 pc

ART.# 4932480444 4932480445 4932480453

**1/4" SHOCKWAVE™ IMPACT DUTY SQUARE SOCKETS - DEEP**

Table with 2 columns: SIZE (mm) and ART.#. Rows include sizes from 4 to 13 mm.



**3/8" IMPACT SOCKETS**



3/8" SHOCKWAVE™ IMPACT DUTY socket set (9 pc) - standard  
3/8" SHOCKWAVE™ IMPACT DUTY socket set (9 pc) - deep

ART.# 4932480454 4932480455  
INCLUDES 8 x STD sockets: 8,10,12,13,14,15,17,19 mm, 1 x adaptor 1/4" Hex - 3/8" square, 8 x deep sockets: 8,10,12,13,14,15,17,19 mm, 1 x adaptor 1/4" Hex - 3/8" square

**3/8" SHOCKWAVE™ IMPACT DUTY SQUARE SOCKETS - STANDARD**

Table with 2 columns: SIZE (mm) and ART.#. Rows include sizes from 8 to 22 mm.

**3/8" SHOCKWAVE™ IMPACT DUTY SQUARE SOCKETS - DEEP**

Table with 2 columns: SIZE (mm) and ART.#. Rows include sizes from 8 to 22 mm.

**1/2" IMPACT SOCKETS**



ART.# 4932451568  
INCLUDES 1/2" impact sockets: 17 / 19 / 21 mm

ART.# 4932480456 4932480457  
INCLUDES 10 x STD sockets: 10,12,13,14,15,17,19,21,22,24, 1 x universal joint 15°, 1 x adaptor 1/4" Hex - 1/2" square, 1 x extension 150 mm, 10 x deep sockets: 10, 11, 12, 13, 14, 17, 19, 21, 22, 24 mm

**1/2" SHOCKWAVE™ IMPACT DUTY SQUARE SOCKETS - STANDARD**

Table with 2 columns: SIZE (mm) and ART.#. Rows include sizes from 8 to 32 mm.

**1/2" SHOCKWAVE™ IMPACT DUTY SQUARE SOCKETS - DEEP**

Table with 2 columns: SIZE (mm) and ART.#. Rows include sizes from 8 to 32 mm.

**3/4" IMPACT SOCKETS**

Table with 2 columns: SIZE (mm) and ART.#. Rows include sizes from 17 to 50 mm.

Table with 2 columns: SIZE (mm) and ART.#. Rows include sizes from 17 to 50 mm.

**ADAPTORS & EXTENSIONS**

Table with 3 columns: DRIVE SIZE, DESCRIPTION, and ART.#. Lists various adaptor and extension tools.

**VERSATILE SOCKETS.**  
**ANTI-ROLL WRENCH READY.**

1/4", 3/8" & 1/2" DRIVE SOCKETS



**FOUR FLAT™ SIDES**  
Anti-roll, wrench-ready, Improved grip for hand tightening

**STAMPED SIZES**  
Quick, easy size identification

**CHROME-PLATED**  
Rust protection; professional look; easy cleaning

Summary table of socket ranges including 1/4" Drive Sockets, 3/8" Drive Sockets, 1/2" Drive Sockets, and Ratchets. Includes a QR code to view the full range.

MAINTENANCE

TRANSPORT EDITION

MAINTENANCE

M12 UCL-0 | ART.# 4933478868 (Available as 0-version only)

**M12 UNDERCARRIAGE LIGHT**



3 light output modes with a 30 cm magnetic storage tray

Dual joints swivel 300° horizontally and 180° vertically for full under carriage illumination

Magnetic base for mounting applications

**FEATURES:**

- TRUEVIEW™ high definition lighting with up to 1200 lumens
- Up to 15 hours of run time on M12™ 4.0 Ah battery pack
- Designed for the on-the-go needs of automotive maintenance and service trades
- Dual joints swivel 300° horizontally and 180° vertically to ensure full undercarriage illumination coverage
- Magnetic base for mounting applications & 30 cm magnetic storage tray to hold nuts & bolts

**KIT INCLUDES:**



**1200 LUMENS**

High	1200 Lumens	5 hr
Medium	800 Lumens	8 hr
Low	600 Lumens	15 hr

**REDLITHIUM™**

L4 SL550-301 | ART.# 4933478869

**USB RECHARGEABLE STICK LIGHT 550 LUMENS**



4 light output modes with impact and chemical resistant lens

Versatile attachment with magnet or hang hook

220° vertical light head rotations

**550 LUMENS**

**IP54**

INSPECTION		
High	250 Lumens	2 hr
Low	100 Lumens	5 hr
DUAL PANEL		
High	550 Lumens	2 hr
Low	250 Lumens	5 hr
SINGLE PANEL		
High	550 Lumens	2 hr
Low	250 Lumens	5 hr

**KIT INCLUDES:**



**REDLITHIUM™ USB**

# ENGINE WORK

M12 UHL-0 | ART.# 4933459432 (Available as 0-version only)

**M12 LED UNDERHOOD LIGHT**



**UNDER HOOD**

**UNDER CARRIAGE**

**ANYWHERE ELSE**

Perfect for work in the engine thanks to downward light and hands free use

Ability to be mounted or rested on the ground

A detachable light bar is useful inside the cabin for fleet modifications to new vehicles, wiring work, or for the exterior for finding scratches or dents in the body and many other applications

MOUNTING HOOKS EXTEND **119 CM - 196 CM (47" - 77")**

COVERING WIDE CARS AND TRUCKS.

**KIT INCLUDES:**



High	1350 Lumens	4 hr
Low	600 Lumens	6 hr

HANG ANYWHERE WITH **STAINLESS STEEL HOOK**

**FISHGUARD™ HOOKS FOR LASTING PROTECTION**

**2X THE GRIPPING SURFACE**

**2000 LUMENS**

**IP54**

**REDLITHIUM™**

L4 NL400-301 | ART.# 4933479898

**USB RECHARGEABLE NECK LIGHT 400 LUMENS**



130° vertical light head rotations for complete light head adjustability

Up to 400 lumens

Up to 8 hours of run time

IP50 rated for dust resistance and can withstand up to 2 m drops

Ergonomic, sweat resistant band for increased comfort

Resistance to most chemicals found in auto body shops

**KIT INCLUDES:**



**REDLITHIUM™**

MAINTENANCE

TRANSPORT EDITION

ENGINE WORK

**NEW** M12 ATB-0C | ART.# 4933480755  
**M12 AUTOMOTIVE TECHNICIAN BORESCOPE**

4.3" LCD SCREEN

720 P RESOLUTION

Delivers crisp, clear images to be able to look for fine chips in engine block, hairline cracks in valves and small fuel or oil leaks

INTERCHANGEABLE CAMERA & CABLE

FRONT & SIDE VIEW CAMERA

KIT INCLUDES:



**REDLITHIUM™**

2267-40 | ART.# 4933451906  
**10:1 INFRARED TEMP-GUN™**

FEATURES:

- 10:1 distance to spot ratio, a 1 m spot from 10 m away
- Up to -30°C to 400°C temperature range
- Premium LCD display for high readability
- Simplified buttons and setup for faster scanning
- Raised over-moulding protects lens and screen from direct impact

KIT INCLUDES:



FOR MOTOR HEALTH CHECKS



2212-20 | ART.# 4933447776  
**AUTO VOLTAGE / CONTINUITY TESTER**

KIT INCLUDES:



2200-40 | ART.# 4932352561  
**VOLTAGE DETECTOR**

KIT INCLUDES:



# COMBINATION SPANNERS

SCAN TO VIEW THE FULL COMBINATION SPANNER RANGE & SETS



## MAXBITE™ COMBINATION SPANNERS

Description	Art.#
MAXBITE™ metric combination spanner - 6 mm	4932480197
MAXBITE™ metric combination spanner - 7 mm	4932480198
MAXBITE™ metric combination spanner - 23 mm	4932480199
MAXBITE™ metric combination spanner - 24 mm	4932480200
MAXBITE™ metric combination spanner - 25 mm	4932480201
MAXBITE™ metric combination spanner - 26 mm	4932480202
MAXBITE™ metric combination spanner - 27 mm	4932480203
MAXBITE™ metric combination spanner - 28 mm	4932480204
MAXBITE™ metric combination spanner - 29 mm	4932480205
MAXBITE™ metric combination spanner - 30 mm	4932480206
MAXBITE™ metric combination spanner - 32 mm	4932480207
MAXBITE™ metric combination spanner - 36 mm	4932480208

ROUNDED I-BEAM HANDLE

Comfortable in high torque applications

15° OFFSET BOX & 12 POINT BOX END

Improved accessibility in tight spaces

MAXBITE™ OPEN END

Up to 25% more torque

INK FILLED SIZE LABELS

Quick and easy size identification



CHROME FINISH

Professional look, easy cleaning

## MAXBITE™ COMBINATION RATCHETING SPANNERS

Description	Art.#
MAXBITE™ ratcheting metric combination spanner - 6 mm	4932480209
MAXBITE™ ratcheting metric combination spanner - 7 mm	4932480210
MAXBITE™ ratcheting metric combination spanner - 24 mm	4932480211
MAXBITE™ ratcheting metric combination spanner - 25 mm	4932480212
MAXBITE™ ratcheting metric combination spanner - 27 mm	4932480213
MAXBITE™ ratcheting metric combination spanner - 30 mm	4932480214
MAXBITE™ ratcheting metric combination spanner - 32 mm	4932480215

ROUNDED I-BEAM HANDLE

Comfortable in high torque applications

DOUBLE STACKED PAWLS

Durable mechanism for longest ratchet life

MAXBITE™ OPEN END

Up to 25% more torque

144 TOOTH COUNT - 2.5° OF ARC SWING

More rotation, higher productivity



CHROME FINISH

Professional look, easy cleaning

INK FILLED SIZE LABELS

Quick and easy size identification

## MAXBITE™ FLEXHEAD RATCHETING SPANNERS

Description	Art.#
MAXBITE™ flexhead ratcheting metric spanner - 8 mm	4932480181
MAXBITE™ flexhead ratcheting metric spanner - 9 mm	4932480182
MAXBITE™ flexhead ratcheting metric spanner - 10 mm	4932480183
MAXBITE™ flexhead ratcheting metric spanner - 11 mm	4932480184
MAXBITE™ flexhead ratcheting metric spanner - 12 mm	4932480185
MAXBITE™ flexhead ratcheting metric spanner - 13 mm	4932480186
MAXBITE™ flexhead ratcheting metric spanner - 14 mm	4932480187
MAXBITE™ flexhead ratcheting metric spanner - 15 mm	4932480188
MAXBITE™ flexhead ratcheting metric spanner - 16 mm	4932480189
MAXBITE™ flexhead ratcheting metric spanner - 17 mm	4932480190
MAXBITE™ flexhead ratcheting metric spanner - 18 mm	4932480191
MAXBITE™ flexhead ratcheting metric spanner - 19 mm	4932480192
MAXBITE™ flexhead ratcheting metric spanner - 20 mm	4932480193
MAXBITE™ flexhead ratcheting metric spanner - 21 mm	4932480194
MAXBITE™ flexhead ratcheting metric spanner - 22 mm	4932480195

ROUNDED I-BEAM HANDLE

Comfortable in high torque applications

DOUBLE STACKED PAWLS

Durable mechanism for longest ratchet life

MAXBITE™ OPEN END


Up to 25% more torque

ADJUSTABLE SET SCREW

For preferred flex head tension

144 TOOTH COUNT - 2.5° OF ARC SWING

More rotation, higher productivity



CHROME FINISH

Professional look, easy cleaning

INK FILLED SIZE LABELS

Quick and easy size identification

ART.# 48229215  
**HOOK & PICK SET**

FEATURES:

- All-metal core for long-lasting durability and rust protection
- Chrome-plated shanks reduce corrosion and provide rust protection

ALSO AVAILABLE

Description	ART.#
Heavy Duty Hook & Pick Set (4 pc)	4932480568
8pc pick set	4932480569
Hose pick - flat tip	4932480570
Hose pick - hook	4932480571
Hose pick - bent 90 degrees	4932480572
Hose pick - bent 45 degrees	4932480573



ART.# 48229214  
**PRY BAR SET**

FEATURES:

- Curved claw design reduces damage when pulling nails
- I-Beam design for added durability
- Hammer-ready strike cap improves leverage when working in tight and tricky spaces
- Comfortable Tri-Lobe handles for better grip
- All-chrome shafts for increased durability
- All-metal core for improved durability
- Includes: 200 mm - 300 mm - 450 mm - 600 mm






# REPAIRS

M18 FDGRB-0 | ART.# 4933480952

## M18 FUEL BRAKING DIE GRINDER GEN II



**RECOMMENDED PPE**

**IMPACT CUT GLOVES - 9/L**

4932479571

**REDLITHIUM™**

**NEW** M18 FSAGV115XPDB-0 | ART.# 4933478774

## M18 FUEL 115 MM VARIABLE SPEED & BRAKING ANGLE GRINDER



**Milwaukee PERFECTMATCH**

**FLAP DISCS CERA TURBO™**

4932472229

**METAL GRINDING DISCS PRO+**

4932451502

**REDLITHIUM™**

M12 FBFL10-0 | ART.# 4933480958

## M12 FUEL BANDFILE 10 MM

- TOOL- FREE BELT CHANGE
- 360° TOOL-FREE HEAD ADJUSTMENT
- LED LIGHTS
- REVERSE MODE FUNCTIONALITY
- TRIGGER LOCK
- 7200-14.500 RPM & VARIABLE SPEED TRIGGER



### BAND FILE ACCESSORIES

Size 10 x 330 mm	Grit	Pack Size	ART.#
Ceramic sanding belts	60	10	4932492874
Ceramic sanding belts	80	10	4932492875
Ceramic sanding belts	120	10	4932492876
Fleece belts	Coarse	5	4932492877
Fleece belts	Medium	5	4932492878
Fleece belts	Fine	5	4932492879
Polishing belt	Super Fine	3	4932492880

**RECOMMENDED PPE**

**PACK HI-DEX CUT C GLOVES - 9/L - 12 PC**

4932480513



**REDLITHIUM™**

M12 FBFL13-402B | ART.# 4933480962 (Also available as 0-version)

## M12 FUEL BANDFILE 13 MM

- TOOL- FREE BELT CHANGE
- 360° TOOL-FREE HEAD ADJUSTMENT
- LED LIGHTS
- REVERSE MODE FUNCTIONALITY
- TRIGGER LOCK
- 7200-14.500 RPM & VARIABLE SPEED TRIGGER



### BAND FILE ACCESSORIES

Size 10 x 330 mm	Grit	Pack Size	ART.#
Ceramic sanding belts	60	10	4932492881
Ceramic sanding belts	80	10	4932492882
Ceramic sanding belts	120	10	4932492883
Fleece belts	Coarse	5	4932492884
Fleece belts	Medium	5	4932492885
Fleece belts	Fine	5	4932492886
Polishing belt	Super Fine	3	4932492887

**RECOMMENDED PPE**

**FFP2 RESPIRATOR W/ VALVE - 10 PC**

4932478548



**REDLITHIUM™**

REPAIRS

TRANSPORT EDITION

REPAIRS

M18 FPD3-502X | ART.# 240v: 4933479861

**M18 FUEL PERCUSSION DRILL**

**FEATURES:**

- Higher power efficiency under load with outstanding torque of 158 Nm
- Extremely compact design of 175 mm length for access into tight spaces
- AUTOSTOP™ control mode offers enhanced safety for the operator by preventing over-rotation in a bind-up
- 13 mm metal chuck for quick bit changes and bit retention
- Fastest drilling and driving applications under load



OUTSTANDING TORQUE OF **158 Nm**

**REDLITHIUM™**

**KIT INCLUDES:**



M18 FID3-502X | ART.# 240v: 4933479866

**M18 FUEL 1/4" HEX IMPACT DRIVER**

**FEATURES:**

- Higher power efficiency under load with outstanding torque of 226 Nm
- Faster driving speed vs. previous model, up to 3900 rpm and 4400 ipm
- Extremely compact design, total length of just 113 mm for access into tight spaces
- DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility



**REDLITHIUM™**

**KIT INCLUDES:**



**STEP DRILLS**



Description	Shank diameter (mm)	Overall length (mm)	No. of steps	ART.#
4-12 mm/1	6	65	9	48899302
4-20 mm	8	65	9	48899320
6-35 mm	10	90	14	48899335
6-40.5 mm	10	90	17	48899340
① Step drill set (3 pc)				48899399
Includes 3 step drill bits: 4 - 12 mm/1, 4 - 20 mm, 6 - 35 mm				
② Step & drill bit combo set (10 pc)				48899350
Includes 2 x step drill bits: 4 - 12 mm/1, 4 - 20 mm. THUNDERWEB™ metal drill bits: 2 x 2 mm, 2 x 3 mm, 2 x 4 mm, 1 x 5 mm, 1 x 6 mm				

**THUNDERWEB™ SETS**



ART.#	
① THUNDERWEB™ HSS-G set (19 pc)	
4932352374	
Ø 1/1.5/2/2.5/3/3.5/4/4.5/5/5.5/6/6.5/7/7.5/8/8.5/9/9.5/10 mm	
② THUNDERWEB™ HSS-G set (25 pc)	
4932352376	
Ø 1/1.5/2/2.5/3/3.5/4/4.5/5/5.5/6/6.5/7/7.5/8/8.5/9/9.5/10/10.5/11/11.5/12/12.5/13 mm	

M12 FDD2-602X | ART.# 4933479970

**M12 FUEL SUB COMPACT DRILL DRIVER**

**FEATURES:**

- Most compact 12V hammer drill on the market
- Lightweight weighing less than 950g
- Shortest OAL with only 151mm (17mm shorter than the current generation)
- 45Nm of torque
- 13 settings for covering a range from 1.1Nm to 6.8Nm



**KIT INCLUDES:**



**REDLITHIUM™**

M18 FMDP-502C | ART.# 4933451013

**M18 FUEL MAGNETIC DRILLING PRESS WITH PERMANENT MAGNET**

**FEATURES:**

- AUTOSTOP™ lift-off detection: Detects excess rotation and automatically cuts power to the drill for best user protection
- Self-powered permanent magnet with 8,890 N of holding force
- Maximum drilling capacity of 38 mm with use of annual cutters and 13 mm straight shank twist drill bits
- Keyless 19 mm Weldon reception



**KIT INCLUDES:**



**REDLITHIUM™**

**SHOCKWAVE™ STEP DRILLS**

**FEATURES:**

- Designed to deliver best-in-class performance in impact drivers and also the versatility to be used in drill drivers
- The 1/4" Hex shank with an optimised SHOCKZONE™ ensures maximum durability by preventing early shank breaks
- New Titanium Aluminium Nitride coating helps to reduce heat generation
- RAPID STRIKE TIP™: Accurate start without walking and fast drilling without the need to pre-drill the material



Description	Shank diameter (mm)	Overall length (mm)	No. of steps	ART.#
4-12 mm/1"	1/4" Hex	83	9	48899261
4-12 mm/2"			5	48899262
4-20 mm			9	48899263
4-30 mm			12	48899265
SHOCKWAVE™ Impact Duty step drill set (3 pc)				48899266
Includes 3 SHOCKWAVE™ step drill bits: 4-12 mm/1, 4-20 mm, 4-30 mm				

**SHOCKWAVE™ IMPACT DUTY SETS**

Description	Contents	ART.#
SHOCKWAVE™ IMPACT DUTY drill/drive set (48 pc)	SHOCKWAVE™ screwdriving bits: 32 x 25 mm length: 2 x PH1/2 x PH2/1 x PH3, 2 x PZ1/3 x PZ2/1 x PZ3, 3 x TX10/3 x TX15/3 x TX20/3 x TX25/3 x TX30/1 x TX40, 1 x Hex 4 mm/1 x Hex 5 mm, 1 x SL 0.6 x 4.5/1 x SL 0.8 x 5.5/1 x SL 1.2 x 6.5, 8 x 50 mm length 1 x PH1/1 x PH2, 1 x PZ2, 1 x TX10/1 x TX15/1 x TX20/1 x TX25/1 x TX30, 3 x 90 mm length 1 x PZ2, 1 x TX20/1 x TX25, 1 x SHOCKWAVE™ magnetic bit holder 60 mm length, 4 x SHOCKWAVE™ 1/4" Hex drill bits: Ø 3/4/5/6 mm	4932472057
SHOCKWAVE™ IMPACT DUTY bit set (32 pc)	SHOCKWAVE™ screwdriving bits: 31 x 25 mm length: 1 x PH1/2 x PH2/1 x PH3, 1 x PZ1/2 x PZ2/1 x PZ3, 2 x TX10/2 x TX15/3 x TX20/2 x TX25/2 x TX30/1 x TX40, 1 x TX B07/1 x TX B08/1 x TX B09/1 x TX B010/1 x TX B015/1 x TX B020/1 x TX B025, 1 x Hex 3 mm/1 x Hex 4 mm/1 x Hex 5 mm/1 x Hex 6 mm, 1 x SHOCKWAVE™ locking bit holder 1/4" Hex reception 73 mm long	4932464240
SHOCKWAVE™ IMPACT DUTY bit set (40 pc)	SHOCKWAVE™ screwdriving bits: 25 x 25 mm length: 1 x PH1/2 x PH2, 1 x PZ1/3 x PZ2, 2 x TX10/2 x TX15/3 x TX20/2 x TX25/2 x TX30/1 x TX40/1 x TX50, 1 x Hex 4 mm/1 x Hex 5 mm, 1 x SL 0.6 x 4.5/1 x SL 0.8 x 5.5/1 x SL 1.2 x 6.5, 8 x 50 mm length 1 x PH2, 1 x PZ1/1 x PZ2, 1 x TX10/1 x TX15/1 x TX20/1 x TX25/1 x TX30, SHOCKWAVE™ magnetic bit holder: 1 x 60 mm length, 1 x 152 mm length, 3 x SHOCKWAVE™ 1/4" Hex drill bits: Ø 3/4/5 mm, 2 x SHOCKWAVE™ magnetic nut drivers: 48 mm length 1 x Hex 8 mm/1 x Hex 10 mm	4932430908

ART.# 4932471274

**SHOCKWAVE™ RIGHT ANGLE ATTACHMENT**

**FEATURES:**

- Very compact design: only 36 mm in height and a true 90° angle to allow access into confined spaces
- Impact rated: suitable to use with latest 18 V impact drivers as well as cordless drill drivers
- For all 1/4" Hex driving and drilling accessories



Includes  
10 x screwdriving bits: PH2/ PZ1/ PZ2 x 2/ PZ3/ TX10/ TX15/ TX20/ TX25/ TX30,  
1 x Right Angle Attachment

ART.# 4932459781

**SHOCKWAVE™ KNUCKLE™ OFFSET ATTACHMENT**

**FEATURES:**

- Offset attachment for heavy duty impact applications
- Impact rated: Can be used with both cordless and impact drills
- Very compact offset attachment
- Ideally suited to working in confined and limited spaces
- Solid metal construction to absorb impact action



Includes  
10 x screwdriving bits: PH1/ PH2 x 2/ PZ1/ PZ2 x 2/ PZ3/ TX15/ TX20/ TX25,  
1 x Knuckle™

M18 FSZ-501X | ART.# 4933478292

**M18 FUEL SAWZALL™**

**FEATURES:**

- Brushless POWERSTATE™ motor for up to 5x longer motor life and up to 30% faster cutting comparing to previous brushed model
- Patented gear protecting clutch - extends gear and motor life by absorbing high impact forces caused by sudden blade lock-ups
- Wear resistant lever actuated FIXTEC™ blade clamp provides fast and easy blade changes
- Metal reinforced battery connection provides improved durability and battery retention over life
- Durable metal rafter hang hook for work space management and safety
- Built-in LED light illuminates the work surface while cutting
- Adjustable shoe for optimised use of saw blades

**KIT INCLUDES:**



THE EXTREMELY DURABLE SAWZALL™

**REDLITHIUM™**

M18 FHZ-502X | ART.# 4933459886  
(Also available as 0-version)

**M18 FUEL HACKZALL™**



- 22 mm stroke length
- No load stroke rate of 3000 spm

**KIT INCLUDES:**



M12 CHZ-602X | ART.# 4933451908  
(Also available as 0-version)

**M12 FUEL SUB COMPACT HACKZALL™**



- 15.9 mm stroke length
- No load stroke rate of 3000 spm

**KIT INCLUDES:**



C12 HZ-202C | ART.# 4933441198  
(Also available as 0-version)

**M12 SUB COMPACT HACKZALL™**



- 13 mm stroke length
- No load stroke rate of 3000 spm

**KIT INCLUDES:**



**REDLITHIUM™**

**METAL: HEAVY DUTY TORCH™ CARBIDE TEETH**



- Carbide teeth provide for long life in thick metals.
- Up to 50x more life compared to Bi-Metal blades

LENGTH	PACK QTY	ART.#
150 mm	1	48005201
230 mm	1	48005202
300 mm	1	48005203

**METAL: HEAVY DUTY TORCH™ DEMOLITION BLADES**

- Bi Metal, shatter resistant 1.06 mm thick blade for precise cuts in sheet metal and pipes

LENGTH	TPI	PACK QTY	ART.#
150 mm	18	5	48005784
Ice Edge 150 mm	18	5	48004784
230 mm	18	5	48005788
Ice Edge 230 mm	18	5	48004788
150 mm	14	5	48005782
Ice Edge 150 mm	14	5	48004782
230 mm	14	5	48005787
Ice Edge 230 mm	14	5	48004787

**THE TORCH™**



**HACKZALL™ BLADES**



**HACKZALL™**

- Especially engineered blades for exclusive use on 12 V HACKZALL™

10PC HACKZALL™ SET  
ART.# 49220220



CHECK OUT THE **MULTI-TOOL RANGE**



	M18 FMT-522X	M18 BMT-421C	M12 FMT-422X	C12 MT-402B
Motor technology	FUEL™	Brushed	FUEL™	Brushed
Oscillation angle left/right (°)	2.1	1.7	1.8	1.5
No load speed (rpm)	10,000-20,000	12,000-18,000	10,000-20,000	5,000-20,000
Weight with battery pack (kg)	1.9	1.7	1.2	1.2
Kit included	1 x M18 B5, 1 X M18 B2 Battery packs, M12-18 FC Charger, HD Box	1 x M18 B4, 1 x M18 B2 Battery packs, M12-18 C Charger, Kitbox	1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, HD Box	2 x M12 B4 Battery packs, C12 C Charger, Bag
ART.#	4933478493	4933446272	4933472240	4933441708

**REDLITHIUM™**

WOOD WITH NAILS 20 MM NARROW PLUNGE CUT BI-METAL BLADE FOR LONG-LIFE  
ART.# 48906000

MULTI MATERIAL 28 MM PLUNGE CUT BI-METAL BLADE FOR LONG-LIFE  
ART.# 48906031

MULTI MATERIAL 35 MM PLUNGE CUT CARBIDE TOOTHED BLADE FOR EXTRA LONG-LIFE  
ART.# 48906040

MULTI MATERIAL 85 MM DIAMETER SEGMENTED FLUSH CUT BLADE  
ART.# 48906038

WOOD WITH NAILS 65 MM PLUNGE CUT BI-METAL BLADE FOR LONG-LIFE  
ART.# 48906027

WOOD WITH NAILS 35 MM PLUNGE CUT BI-METAL BLADE FOR LONG-LIFE  
ART.# 48906021

MULTI MATERIAL 43 MM PLUNGE CUT BI-METAL BLADE FOR LONG-LIFE  
ART.# 48906035

MULTI MATERIAL 100 MM DIAMETER SEGMENTED FLUSH CUT BI-METAL BLADE FOR LONG-LIFE  
ART.# 48906039

M12 BLROT-0 | ART.# 4933493591

**M12 BRUSHLESS ROTARY TOOL**

12 speed settings

3.2 mm collet

Soft grip and low vibration



5000 rpm to 27,500 rpm

0.36 KG



**REDLITHIUM™**

REPAIRS

TRANSPORT EDITION

REPAIRS

REPAIRS



## AUTO GLASS INSTALLATION



**REMOTE SPEED DIAL AND VARIABLE SPEED TRIGGER**

6 speed settings

**QUICK CHANGE COLLAR, INTERCHANGEABLE TUBE HOLDERS**

End-users selection between 4 different versions

**HIGH POWER**

Up to 4500 N of force

C18 PCG/400T-201B | ART.# 4933441814

### M18 CAULK GUN WITH 400 ML TUBE



4500 N

KIT INCLUDES:




M12 PCG/600A-201B | ART.# 4933448764

### M12 SUB COMPACT CAULK GUN WITH 600 ML TUBE



1780 N

KIT INCLUDES:



C18 PCG/600T-201B | ART.# 4933441810

### M18 CAULK GUN WITH 600 ML TUBE



4500 N

KIT INCLUDES:



Also available with aluminium tube:

C18 PCG/600A-201B | ART.# 4933448758



4500 N

KIT INCLUDES:



M12 PCG/400A-201B | ART.# 4933451225

### M12 SUB COMPACT CAULK GUN WITH 400 ML TUBE



1780 N

KIT INCLUDES:



**REDLITHIUM™**

TRANSPORT EDITION

M12 FTB-0 | ART.# 4933472215 (Available as 0-version only)

### M12 FUEL TYRE BUFFER

#### FEATURES:

- Two speed mode selector for reaming (1200 RPM) & buffing applications (2500 RPM)
- Ability to complete around 10 tyre patch repairs with one M12 B2 battery charge
- Optimal speed settings in order to avoid burning or damaging the tyre
- Variable speed trigger provides outstanding control of the tool
- Trigger lock-off extends the life of the tool and battery
- Pneumatic performance with cordless convenience for better accessibility and manoeuvrability in tight spaces

KIT INCLUDES:



**SUSTAINED POWER WITHOUT BOGGING DOWN**

**REDLITHIUM™**

# BODYWORK

M18 FROP15-502X | ART.# 4933479823 (Also available as 0-version)

### M18 FUEL RANDOM ORBITAL POLISHER WITH 15 MM STROKE

IDEAL FOR REMOVING SWIRLS AND LIGHT SCRATCHES

**IMPROVED BATTERY POSITIONING**

Battery 90° rotated to prevent the battery touching the paint during polishing

**LARGE ERGONOMIC FRONT GRIP AREA WITH OVERMOLD**



**125 MM BACKING PAD**

**VARIABLE SPEED 2 FINGER TRIGGER**

with locking function

**REMOVABLE DUST SCREEN**

KIT INCLUDES:



STAY SAFE. STAY PRODUCTIVE.

RESPIRATORY PROTECTION SEE PAGE 37



AVAILABLE WITH 21 MM STROKE

FROP21-0X

ART.# 4933478836



**REDLITHIUM™**

M18 FAP180-502X | ART.# 4933451551

### M18 FUEL POLISHER

EFFECTIVE AT TAKING OUT HEAVY SCRATCHES AND RESTORING A GREAT FINISH

**RUBBER OVER MOLD**



**SIDE AND 3 POSITION BAIL HANDLE**

**REMOVABLE DUST SCREEN**

**8 POSITION VARIABLE SPEED DIAL**

360 - 2200 rpm

**VARIABLE SPEED 2 FINGER TRIGGER**

with locking function

KIT INCLUDES:



#### POLISHING PADS

Supplied with M18 FAP180-502X

**LAMBSWOOL POLISHING DISC**



ART.# 4932430395

**POLISHING SPONGE HARD**



ART.# 4932430396

**POLISHING SPONGE SOFT**



ART.# 4932430397



**REDLITHIUM™**

BODYWORK

M12 BPS-421X | ART.# 4933447802 (Also available as 0-version)

**M12 SUB COMPACT POLISHER / SANDER**

FOR ACCESSING SMALL AREAS WHERE A LARGER PAD WILL NOT FIT WELL

**FEATURES:**

- Compact design with only 130 mm allows access to hard areas
- Variable 2 speed selection (0-2800/0-8300 RPM)
- Large capacity of 76 mm polishing sponge and 50 mm sanding pad size

**KIT INCLUDES:**



**SUPPLIED WITH M12 BPS-421X**

**POLISHING / SANDING BACKING PAD**

Thread: M9 x 0.75. Hook and loop fixation. For use with polishing sponges and abrasive paper  
ART.# 4932430488

**FIBRE DISC BACKING PAD**

Thread: M9 x 0.75 to affix to tool. Knurled thread to fix coated abrasives and surface finishing products for coarse sanding applications, such as rust removal  
ART.# 4932430492

**POLISHING SPONGE HARD (YELLOW)**

Hard sponge for use with aggressive polish for removal of deep scratches. Hook and loop fixation. For use with polishing / sanding backing pad  
ART.# 4932430489

**POLISHING SPONGE SOFT (WHITE)**

Soft sponge for use with light polish for removal of small scratches. Hook and loop fixation. For use with polishing / sanding backing pad  
ART.# 4932430490

**LAMBSWOOL POLISHING PAD**

Hook and loop fixation. For use with polishing / sanding backing pad  
ART.# 4932430838



**REDLITHIUM™**

**MICROFIBRE CLOTH**

ART.# 4932430398

**M-CUT 1500**

Cutting coarse  
ART.# 4932430475

**M-WAX 6000**

Polishing / Finishing  
ART.# 4932430476

**SUITABLE FOR ALL POLISHERS**

CLOTH / POLISHING COMPOUNDS

M12 CML-401 | ART.# 4933479367

**M12 LED COLOUR MATCHING LIGHT**

**FEATURES:**

- High definition lighting with up to 1000 lumens
- 98+ colour rendering index for use to identify accurate and reliable colour recognition
- Featuring 5 different colour temperatures, for end users to replicate real sunlight requirements
- Up to 14 hours of run time on M12™ 4.0 Ah battery pack
- IP54 rated for water and dust resistant and 2 m impact resistant
- Magnetic attachment for hands-free use

**1000 LUMENS**

**IP54**

**KIT INCLUDES:**



27	35	45	55	65
<b>COLOUR</b>				
High	1000 Lumens	4 hr		
Medium	600 Lumens	6 hr		
Low	300 Lumens	12 hr		



**REDLITHIUM™**

M18 BHG-502C | ART.# 4933459773 (Also available as 0-version)

**M18 HEAT GUN**

REACHES OPERATIONAL TEMPERATURE OF 470° IN LESS THAN 7 SECONDS

- Supplied with 2x nozzles: 1x reduction nozzle for heat intensity on a specific area, 1x reflector nozzle to apply heat around an object, such as pipes



**KIT INCLUDES:**



**SMALL THIN WALL HEAT SHRINK**



Damaged wire repair, bundling wires

Common Sizes: 6 mm, 9 mm, 12 mm

**HEAT SHRINK CONNECTORS**



Damaged wire repair

Common sizes: 16GA - 14GA (Blue)

**REMOVING DECALS**



Remove existing decals from vehicles

**REDLITHIUM™**

M18 ONEFPRT-202X | ART.# 4933478603

**M18 FUEL RIVET TOOL WITH ONE-KEY™**

**ONE-KEY™**

UNLOCKING THE DIGITAL JOBSITE.

**PREMIUM STEEL ALLOY JAWS**

**ALL METAL GEARCASE**

**LANYARD RING**

**SEMI-CLEAR MANDREL COLLECTOR**

**RETENTION NOSE PIECES**

Holds blind rivet in tool, in any orientation, after insertion

**LED LIGHT**

**ON-BOARD NOSE PIECE & WRENCH STORAGE**

**PREMIUM RUBBER OVERMOLD**

Protection against corrosive materials

**BELT CLIP**

**KIT INCLUDES:**



RETENTION NOSE PIECES SET FOR M18 FUEL™ RIVET TOOL WITH ONE-KEY™  
ART.# 4932478961



**ALSO AVAILABLE:**

M12 BPRT-201X  
ART.# 4933464406



**REDLITHIUM™**

# VACUUM CLEANERS

Available as 0-version only

M18 FPOVL-0 | ART.# 4933478187

**M18 FUEL PACKOUT™ WET/ DRY VACUUM**



**FEATURES:**

- Max. air flow of 1416 l/min & 117 mbar
- Usable on and off the PACKOUT™ stack
- The DEK 26 power tool connector allows for efficient dust extraction from power tools
- HEPA filter

Available as 0-version only

M18 FCVL-0 | ART.# 4933478185

**M18 FUEL COMPACT VACUUM L-CLASS**



**FEATURES:**

- Max. air flow of 764 l/min & 184 mbar
- Dual cyclonic debris separation for larger jobsite debris
- HEPA filter

Available as 0-version only

M12 FVCL-0 | ART.# 4933478186

**M12 FUEL WET/ DRY VACUUM**



**FEATURES:**

- Max. air flow of 1275 l/min & 105 mbar
- The DEK 26 power tool connector allows for efficient dust extraction from power tools
- HEPA filter

Available as 0-version only

M12 AUN-0 | ART.# 4932479461

**M12 AIR-TIP™ UTILITY NOZZLE**



**FEATURES:**

- The universal reception fits to all MILWAUKEE® M12™ and M18™ cordless vacs and covers most common hose sizes (Ø 31.8 mm, 47.6 mm and 63.5 mm)

**REDLITHIUM™**

M12 SI-201C | ART.# 4933459762

**M12 SUB COMPACT SOLDERING IRON**

**OUTSTANDING ACCESS, 3-STOP PIVOTING HEAD**

**TOOL FREE TIP CHANGE**

**HEATS QUICKLY & MAINTAINS OPTIMISED TEMPERATURE**  
Ready to use in 20-30 seconds




**KIT INCLUDES:**



**PEN STYLE - 0°**

**INNOVATIVE 45° SETTING**

**GUN STYLE - 90°**



Delivers user ability to choose the orientation of the tool depending on the application without the hassle of cords or butane exhaust.

**REDLITHIUM™**

# GREASE GUNS

**FEATURES:**

- Extreme long run time - dispenses up to 7 cartridges per charge
- Strong handle balance and ergonomics - only 355 mm long and 3.2 kg
- Air bleeder valve - priming mechanism for quick flow
- Integrated hose storage and shoulder strap loop - added user convenience and reducing down time
- Three way loading - bulk, cartridge and suction capable
- Grease capacity 400 ml cartridge, 473 ml bulk



M12 GG-0 | ART.# 4933440435

**M12 SUB COMPACT GREASE GUN**



- Supplied with 914 mm x 14.4 mm high pressure flex hose with spring guard and grease coupler



M18 GG-0 | ART.# 4933440493

**M18 GREASE GUN**



- Supplied with 1219 mm high pressure flex hose with spring guard



**REDLITHIUM™**

M18 BI-0 | ART.# 4933478706

**M18 INFLATOR**

OPTIMISED FOR PASSENGER, LIGHT TRUCK, AND OTHER MEDIUM-DUTY TYRES

**FEATURES:**

- Rated to deliver max 10.34 bar pressure, the high efficiency motor top off 285/75R16 light truck tyres in under 1 minute
- TRUEFILL™ technology: auto pressure check feature activates to ensure bar target is achieved, automatic shut-off at selected bar prevents overinflation
- Features 4 bar memory slots, anti-vibration feet, a 920 mm hose with an all-brass schrader chuck, and an on-board hose and nozzle storage

**KIT INCLUDES:**



**ALSO AVAILABLE:**

M12 BI-0  
ART.# 4933464124  
For car, truck and off-road



**REDLITHIUM™**

OTHER

TRANSPORT EDITION

OTHER

# STEEL STORAGE



ART.# 4932478851

## 78 CM (30") STEEL ROLLING CABINET

### RECESSED, SMOOTH ABS WORKTOP

with screwdriver holes and additional storage compartments

### PEG BOARD

with hooks and tool holders

### 30 KG RATED, SOFT-CLOSE DRAWERS

45 kg/90 kg on the bottom

### SHOCK-ABSORBING CORNER BUMPERS

### POWER TOOL ORGANISER



### DEDICATED SPACE FOR MOUNTING ANY MILWAUKEE® M18™/M12™ CHARGER

compatible with all MILWAUKEE® chargers

### MAGNETIC POWER CENTRE

### ANTI-TILT PROTECTION

only 1 drawer can be open at a time

### 125 MM INDUSTRIAL CASTERS

2 x fixed, 2 x swivelling



### ALSO AVAILABLE:

ART.# 4932478850

### 30" STEEL TOP CHEST

#### FEATURES:

- Integrated bottle storage
- Additional storage capacity



## FOAM INSERTS

ART.# 4932479825

### 3/8" RATCHET AND SOCKET FOAM INSERT

#### CONTENTS:

- Standard & deep well sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
- Accessories: 76 and 152 mm extension, 3/8" universal joint



	Pack quantity	ART.#
Trilobe Screwdriver Foam Insert	23	4932479830
1/4" Ratchet and Socket Set Foam Insert	28	4932479824
3/8" Ratchet and Socket Set Foam Insert	32	4932479825
1/2" Ratchet and Socket Set Foam Insert	28	4932479826
MAX BITE™ Combination Spanner Set Foam Insert	15	4932479827
MAX BITE™ Ratcheting Combination Spanner Set Foam Insert	15	4932479828
MAX BITE™ Flex Head Ratcheting Spanner Set Foam Insert	15	4932479829

ART.# 4932478853 + 4932478855

## 117 CM (46") HIGH CAPACITY STEEL CABINET & TOP CHEST

### GLOSSY FINISH

easy to clean

### WORK TOP DRAWER

for using a laptop or making notes

### 45 KG RATED, SOFT-CLOSE DRAWERS

(90 kg for the bottom drawer)

### DURABLE ANGLE FRAME

1360 kg total load capacity

### 150 MM INDUSTRIAL CASTERS

2 x fixed, 2 x swivelling



### PEG BOARD ON THE BACK WALL

allows for an easy access to the most used tools

### SAFETY DRAWER

locked separately for storing personal items, keys, wallet, documents, etc.

### 2X IN-BUILT POWER CENTRE

for charging batteries directly on the cabinet

### POWER TOOL & BATTERY ORGANISER

in bottom two drawers



ART.# 4932478853

### 46" HIGH CAPACITY STEEL CABINET

ART.# 4932478855

### 46" HIGH CAPACITY STEEL TOP CHEST

ART.# 4932478857

## 102 CM (40") STEEL WORK CART

### BUILT-IN STORAGE COMPARTMENTS, SCREWDRIVER HOLDERS, STORAGE CUPS

ensure a good organisation and easy access to most used tools and parts

### MAGNETIC POWER CENTRE

for charging batteries directly on the work cart

### ADJUSTABLE STORAGE BAR

for paper towels, spool wires

### CORNER BUMPERS

### 90 KG RATED SLIDING BOTTOM SHELF

for easier access to bulky items like air compressors or tool boxes



### FOLDABLE REAR SHELF

22 kg weight capacity

### V-GROOVES

to hold material when cutting or measuring

### 45 KG RATED SOFT CLOSE DRAWER

### 2X MOVEABLE SHELVES

for storing bottles, sprays and other equipment

### 125 MM INDUSTRIAL CASTERS

2 x fixed, 2 x swivelling

### DURABLE ANGLE FRAME

315 kg total load capacity

# PACKOUT™ MODULAR STORAGE SYSTEM SHOP STORAGE

OVER 25 POSSIBLE COMBINATIONS

## VERSATILE, DURABLE

The MILWAUKEE® PACKOUT™ modular storage system revolutionises tool transportation, organisation and storage. Designed to provide users with the ability to interchange and interlock a wide assortment of heavy duty tool boxes, organisers and storage totes in multiple different configurations.



TRY OUR NEW  
**PACKOUT™ BUILDER**  
TO CREATE YOUR IDEAL KIT

[packout.milwaukeetool.eu/uk](http://packout.milwaukeetool.eu/uk)

ART.# 4932492892

### PACKOUT™ TRANSPORTATION KIT

**FEATURES:**

- 1 x PACKOUT™ Flat Trolley
- 1 x PACKOUT™ 2 Drawer Tool Box
- 1 x PACKOUT™ 3 Drawer Tool Box
- 1 x PACKOUT™ Customisable Work Surface

NEW

ART.# 4932493620

### PACKOUT™ SHOP STORAGE POWER TOOL STARTER KIT

**INCLUDES:**

- PACKOUT™ XL mounting plate 4932480622
- PACKOUT™ drill storage station 4932480712
- M18™ battery holder 4932480709
- M12™ battery holder 4932480708

NEW

ART.# 4932493190

### PACKOUT™ 2+1 DRAWER TOOL BOX

**FEATURES:**

- Steel ball bearing slides support up to 11 kg of weight per drawer
- Quick-Adjust Dividers in each drawer to fully customise the layout for better organisation
- Locking security bar prevents an unwanted opening of drawers during transit
- Allows to lock the drawers with a padlock for theft protection

<b>NEW</b>  PACKOUT™ Magnetic Bin 10 x 10 cm 4932493380	<b>NEW</b>  PACKOUT™ Magnetic Bin 10 x 20 cm 4932493381	<b>NEW</b>  PACKOUT™ Small Single Straight Hook 4932493383	<b>NEW</b>  PACKOUT™ Small Hook Row 4932493384	<b>NEW</b>  PACKOUT™ Magnetic Rack 4932493378
<b>NEW</b>  PACKOUT™ Wire Basket 4932493379	 PACKOUT™ Straight Utility Hook 4932480700	 PACKOUT™ Curved Utility Hook 4932480701	 PACKOUT™ Large Hook 4932480702	 PACKOUT™ Large S Hook 4932480703
 PACKOUT™ Small Straight Utility Hook 4932480704	 PACKOUT™ Small Curved Utility Hook 4932480705	 PACKOUT™ Cup Holder 4932480706	 PACKOUT™ Paper Towel Holder 4932480707	 PACKOUT™ M12 Battery Holder 4932480708
 PACKOUT™ M18 Battery Holder 4932480709	 PACKOUT™ Pliers Rack 4932480710	 PACKOUT™ Screwdriver Rack 4932480711	 PACKOUT™ Drill Storage Station 4932480712	 PACKOUT™ Small Shelf 4932480713
 PACKOUT™ 10 x 10 cm Nest Bin 4932480698	 PACKOUT™ 10 x 20 cm Nest Bin 4932480699	 PACKOUT™ XL Mounting Plate 4932480622	 PACKOUT™ Compact Mounting Plate 4932480621	 PACKOUT™ Mounting Plate 4932471638

EXPLORE THE FULL  
**PACKOUT™ RANGE**  
ONLINE ▶



PACKOUT™

TRANSPORT EDITION

PACKOUT™





# CORDLESS ESSENTIALS

M18 HOSALC-0 | ART.# 4933478117  
**M18 HIGH OUTPUT STAND AREA LIGHT CHARGER**

MAX RUN TIME:  
10 h with  
M18 HB8



6000 LUMENS  
**IP34**

M18 HOAL-0 | ART.# 4933478119  
**M18 HIGH PERFORMANCE AREA LIGHT**

MAX RUN TIME:  
12 h with M18 B5  
4000 LUMENS



M12 AL-0 | ART.# 4933451394  
**M12 LED AREA LIGHT**

Integrated magnets, clamping mechanism, and key hole for screws provide multiple mounting options.



MAX RUN TIME:  
15 h with M12 B4

1000 LUMENS  
**IP54**

M12 SL-0 | ART.# 4932430178  
**M12 LED STICK LIGHT**

Adjustable metal hook allows for light to be hung in multiple orientations when being used.



MAX RUN TIME:  
11 h with M12 B4

220 LUMENS  
**IP24**

M18 PRCDAB+-0 | ART.# 4933472113  
**M18 PACKOUT™ RADIO-CHARGER**



- DAB+ and AM/FM tuner
- BLUETOOTH® connectivity
- Built in charger

M18 RC-0 | ART.# 4933446647  
**M18 JOBSITE RADIO/CHARGER WITH BLUETOOTH™**



- AC/DC versatility
- Built in charger function

M18 RADDAB+G2-0 | ART.# 4933492345  
**M18 JOBSITE RADIO DAB+™** **NEW**



- DAB+/FM Tuner
- Cordless and AC compatible
- USB-C power outlet

M12 RCDAB+-0 | ART.# 4933472115  
**M12 RADIO CHARGER**

- DAB+ and AM/FM tuner
- BLUETOOTH® connectivity
- Built in charger



M12 JSSP-0 | ART.# 4933448380  
**M12 JOBSITE BLUETOOTH™ SPEAKER**

Bluetooth® wireless range of up to 10 m



M12-18 JSSP-0 | ART.# 4933459275  
**M12 - M18 JOBSITE BLUETOOTH™ SPEAKER**

Bluetooth® wireless range of up to 30 m



REDLITHIUM™

M18 HB12 | ART.# 4932464260  
**M18 HIGH OUTPUT™ 12.0 Ah BATTERY**



REDLITHIUM™  
**HIGH OUTPUT**  
BATTERY TECHNOLOGY

M18 HB8 | ART.# 4932471070  
**M18 HIGH OUTPUT™ 8.0 Ah BATTERY**



REDLITHIUM™  
**HIGH OUTPUT**  
BATTERY TECHNOLOGY

M18 FB6 | ART.# 4932492533  
**M18 FORGE™ 6.0 AH BATTERY** **NEW**



REDLITHIUM™  
**FORGE**

M18 HB5.5 | ART.# 4932464712  
**M18 HIGH OUTPUT™ 5.5 Ah BATTERY**



REDLITHIUM™  
**HIGH OUTPUT**  
BATTERY TECHNOLOGY

M18 HB3 | ART.# 4932471069  
**M18 HIGH OUTPUT™ 3.0 Ah BATTERY**



REDLITHIUM™  
**HIGH OUTPUT**  
BATTERY TECHNOLOGY

M18 B5 | ART.# 4932430483  
**M18 5.0 Ah BATTERY**



M18 B4 | ART.# 4932430063  
**M18 4.0 Ah BATTERY**



M18 B2 | ART.# 4932430062  
**M18 2.0 Ah BATTERY**



M12 B6 | ART.# 4932451395  
**M12 6.0 Ah BATTERY**



M12 B4 | ART.# 4932430065  
**M12 4.0 Ah BATTERY**



M12 B3 | ART.# 4932451388  
**M12 3.0 Ah BATTERY**



M12 B2 | ART.# 4932430064  
**M12 2.0 Ah BATTERY**



L4 B3 | ART.# 4933478311  
**REDLITHIUM™ USB BATTERY**



M12 HB5.0 | ART.# 4932480165  
**M12 HIGH OUTPUT™ 5.0AH BATTERY**



M12 HB2.5 | ART.# 4932480164  
**M12 HIGH OUTPUT™ 2.5AH BATTERY**



M12-18 SC | ART.# 4932471735  
**M12 - M18 SUPER CHARGER**



M12-18 FC | ART.# 4932451080  
**M12 - M18 FAST CHARGER**



M1418C6 | ART.# 4932430087  
**M14 - M18 MULTIBAY CHARGER**



M18 DBSC | ART.# 4932492532  
**M18 DUAL BAY SUPER CHARGER** **NEW**



M12 C4 | ART.# 4932430555  
**M12 4 BAY CHARGER**



C12 C | ART.# 4932352069  
**M12 CHARGER**





# TRADE ESSENTIALS

## INKZALL™ LIQUID PAINT MARKERS

Description	ART.#
INKZALL™ liquid paint marker - white	48223711
INKZALL™ liquid paint marker - yellow	48223721
INKZALL™ liquid paint marker - black	48223731
INKZALL™ liquid paint marker - red	4932492143
INKZALL™ liquid paint marker - blue	4932492144



SCAN TO EXPLORE THE  
**INKZALL™  
RANGE**



## ART.# 4932471359 SLIDING UTILITY KNIFE



## ART.# 4932471357 FASTBACK™ FLIP UTILITY KNIFE



- One handed blade opening - flip open the blade with one hand for easy activation
- Integrated gut hook - make cuts without exposing the blade
- Tool free blade change - less down time in the field for blade changes
- Wire stripper - eliminates the need to look for another tool

SCAN TO EXPLORE THE  
**KNIFE  
RANGE**



## PLIERS



Description	ART.#
PLIERS 200 mm WP Plier - 1 pc Adjustable Water pump plier 180 mm	4932492458
PLIERS 250 mm WP Plier - 1 pc Adjustable Water pump plier 240 mm	4932492459
PLIERS 300 mm WP Plier - 1 pc Adjustable Water pump plier 300 mm	4932492460

## PLIERS



Description	ART.#
PLIERS 160 mm Diagonal C - 1 pc Diagonal cutting plier 160 mm	4932492463
PLIERS 180 mm Diagonal C - 1 pc Heavy Duty Diagonal cutting plier 200 mm	4932492464

## COMBINATIONS PLIERS



Description	ART.#
Combination Plier 165 mm	4932492461
Combination Plier 180 mm	4932492462

## ART.# 48224533 METAL SNIPS SET (3 PC)

**INCLUDES:**  
Left (red),  
Right (green),  
Straight (yellow)  
aviation snips



## DEADBLOW HAMMERS

Description	ART.#
450 g Ball Peen Hammer	4932492346
680 g Ball Peen Hammer	4932492347
450 g Dead Blow Ball Peen Hammer	4932492348
907 g Dead Blow Ball Peen Hammer	4932492349
790 g Dead Blow Hammer	4932492350
1360 g Dead Blow Hammer	4932492351



## NEW CIRCLIP PLIERS



Description	ART.#
Small Circlip Plier - 0° - 0.9 mm tip	4932492487
Small Circlip Plier - 45° - 0.9 mm tip	4932492488
Small Circlip Plier - 90° - 0.9 mm tip	4932492489
Medium Circlip Plier - 0° - 1.2 mm tip	4932492490
Medium Circlip Plier - 45° - 1.2 mm tip	4932492491
Medium Circlip Plier - 90° - 1.2 mm tip	4932492492
Large Circlip Plier - 0° - 1.8 mm tip	4932492493
Large Circlip Plier - 45° - 1.8 mm tip	4932492494
Large Circlip Plier - 90° - 1.8 mm tip	4932492495

## ART.# 4932471871 DEMOLITION DRIVER



- Hardened all metal core giving maximum shank durability
- Multiple striking caps to give user more force when prying and chiselling
- Duct piercing tip allows to pierce through sheet metal

## ADJUSTABLE WRENCHES



Total length (mm)	Jaw opening capacity for pipe (mm)	Jaw thickness (mm)	Tip thickness (mm)	Weight (g)	ART.#
150	24.5	11.5	7.7	186	48227406
200	30	14	8.7	353	48227408
200	40	14	8.1	385	48227508
250	36.5	16	9.9	535	48227410
150 mm (48227406) + 250 mm (48227410)					48227400


## ART.# 4932492399 COMPACT HEX KEY 9 PC SET

Sizes	ART.#
1.5 mm	4932492400
2 mm	4932492401
2.5 mm	4932492402
3 mm	4932492403
4 mm	4932492404
5 mm	4932492405
6 mm	4932492406
8 mm	4932492407
10 mm	4932492408




## TRILOBE SETS

ART.# 4932471806  
TRI-LOBE SCREWDRIVER SET 1 (6 PC)



Content: PZ1 / PZ2 / SL3 / SL4 / SL5.5 / SL6.5

ART.# 4932471807  
TRI-LOBE SCREWDRIVER SET 2 (6 PC)




Content: PH1 / PH2 / SL3 / SL4 / SL5.5 / SL6.5

ART.# 4932471808  
TRI-LOBE SCREWDRIVER SET 3 (10 PC)



Content: PZ1 / PZ2 / PH1 / PH2 / SL3 / SL5.5 / SL6.5 / SL6.5 / SL8

ART.# 4932471809  
TRI-LOBE SCREWDRIVER TORX SET (6 PC)



Content: T10 / T15 / T20 / T25 / T30 / T40

ART.# 4932472003  
TRI-LOBE SCREWDRIVER SET 4 (12 PC)



Content: PZ0 / PZ1 / PZ2 / PH0 / PH1 / PH2 / SL2.5 / SL4 / SL5.5 / SL6.5 / SL6.5 / SL8

**WWLSG  
WARM WEATHER  
LONG SLEEVE  
SHIRT (GREY)**

**SIZES:**  
from S to XXL



**WTLSG  
WORK T-SHIRT  
LONG SLEEVE  
(GREY)**

**SIZES:**  
from S to XXL



**WHB  
WORK HOODIE  
(BLACK)**

**SIZES:**  
from S to XXL



**WWSSG  
WARM WEATHER  
SHORT SLEEVE  
SHIRT (GREY)**

**SIZES:**  
from S to XXL



**WTSSG  
WORK T-SHIRT  
SHORT SLEEVE  
(GREY)**

**SIZES:**  
from S to XXL



**NITRILE  
DISPOSABLE  
GLOVES**



Description	Art. #
Nitrile Disposable Glove Size 7 Small	4932493233
Nitrile Disposable Glove Size 9 Medium	4932493234
Nitrile Disposable Glove Size 9 Large	4932493235
Nitrile Disposable Glove Size 10 X Large	4932493236
Nitrile Disposable Glove Size 11 XXL Large	4932480080

**FULLY DIP CUT A  
GLOVES**



**SIZES:**  
from S to XXL

**HIGH DEXTERITY  
GLOVES**

CUT B GLOVES

CUT C GLOVES

CUT D GLOVES

**SIZES:**  
from S to XXL



**KNEE PADS**



Description	Internal Padding	Straps	ART.#
① Premium non-marking knee pads - 1 pair	Gel	2	4932478584
② Hard knee pads - 1 pair	Gel	2	4932478585
③ Flexible knee pads - 1 pair	Foam	1	4932479936

**L4 HBLB-301  
HEATED BASE  
LAYER**



**SIZES:**  
from S to XXL

SCAN TO  
VIEW OUR  
HEATED  
WORKGEAR  
RANGE



**BANDED EAR PLUGS**

32dB SNR  
ALL-DAY COMFORT  
3 WEARING POSITIONS



Description	ART.#
Banded ear protection - 1pc	4932478135
5 pairs TPR replacement	4932478549
5 pairs foam replacement	4932478550
Reusable corded ear plugs - 3pcs	4932471904
Foam ear plugs 10 pairs	4932480464
Foam ear plugs 200 pairs	4932480465

**CUT RESISTANT SLEEVES**



Description	ART.#
Cut C sleeves - 40 cm	4932478584
Cut C sleeves - 45 cm	4932478585
Cut E sleeves - 40 cm	4932479936
Cut E sleeves - 45 cm	4932479937

**L4 PWL-301 | ART.# 4933479765  
USB  
RECHARGEABLE  
PIVOTING WORK  
LIGHT**



REDLITHIUM  
USB

**MAX RUN  
TIME:** 11.75 h  
with L4 B3

**500  
LUMENS**

**IR FL500 | ART.# 4933478586  
INTERNAL USB  
RECHARGEABLE  
FLASHLIGHT**



RECHARGEABLE

**500  
LUMENS**

**IR HL450 | ART.# 4933478587  
INTERNAL USB  
RECHARGEABLE  
HEADLAMP**



RECHARGEABLE

**450  
LUMENS**

**ART.# 4932471883  
CLEAR SAFETY GLASSES**



Also available with gasket



ART.# 4932471885



**TRANSPORTATION PPE KIT**

**CONTENTS:**

- Enhanced Safety Glasses Clear - 1pc
- Banded Ear Plugs - 1pc
- Hi-vis cut B gloves



Description	ART.#
Transportation PPE Kit - G.9/L	4932492064
Transportation PPE Kit - G.10/XL	4932492065

**L4 HLRP-301 | ART.# 4933479767  
USB  
RECHARGEABLE  
HARD HAT  
HEADLAMP**



REDLITHIUM  
USB

**600  
LUMENS**

**MAX RUN TIME:**  
28h with L4 B3

**IP54**

**L4 FL-301 | ART.# 4933479763  
USB  
RECHARGEABLE  
POCKET FLOOD  
LIGHT**



REDLITHIUM  
USB

**445  
LUMENS**

**MAX RUN TIME:**  
12.5 h with L4 B3

**IP54**

**L4 FFL-301 | ART.# 4933479766  
USB  
RECHARGEABLE  
FOLDING FLOOD  
LIGHT**




REDLITHIUM  
USB

**550  
LUMENS**

**MAX RUN TIME:**  
13.5 with L4 B3

**IP54**

**IPL-LED | ART.# 4933459440  
ALKALINE PEN  
LIGHT**



**100  
LUMENS**

**MAX RUN TIME:**  
3 h

**IP67**

**ART.# 4932471906  
FFP3 RESPIRATOR  
WITH VALVE (10 PC)**



**99%  
FILTERING  
EFFICIENCY**



**ART.# 4932478548  
FFP2 RESPIRATOR  
WITH VALVE (10 PC)**



**94%  
FILTERING  
EFFICIENCY**



**ART.# 4932478801  
FFP2 RESPIRATOR  
FOLDABLE WITH  
VALVE (15 PC)**



**94%  
FILTERING  
EFFICIENCY**




# FIND THE RIGHT TOOLS FOR YOUR TRADE

[www.milwaukeetool.co.uk](http://www.milwaukeetool.co.uk)



## WITH OUR AUTOMOTIVE TRADE ZONE

We work directly with our core trades every day to produce the tools you need to improve the way you work.



### TRANSPORT

 **YouTube** WATCH OUR TRANSPORT TRADE VIDEOS AT  
[youtube.com/milwaukeetool europe](https://youtube.com/milwaukeetool europe)



MILWAUKEE® Tool UK,  
Suite A, Second Floor, Marlow International, Parkway, Marlow, SL7 1YL

Tel: +44(0) 1628 894400  
Fax: +44(0) 1628 894401

[www.milwaukeetool.co.uk](http://www.milwaukeetool.co.uk)

**LIFETIME  
GUARANTEE**  
MILWAUKEE® HANDTOOLS

**2**  
YEAR  
WARRANTY  
RE LITHIUM  
BATTERIES

*Milwaukee*  
**AUTHORISED**  
DISTRIBUTOR

**3**  
YEAR  
WARRANTY  
MILWAUKEE  
POWER TOOLS