



Benchmark Consumer



BOSCH

EFFECTIVE

Q1 2018

TABLE OF CONTENTS

REFRIGERATION	1-1
Built-In	1-1
Accessories	1-4
DISHWASHERS	2-1
RANGES	3-1
Slide-In Ranges	3-1
Accessories	3-3
Over-the-Range Microwave Oven	3-4
OVENS	4-1
Built-In Single Ovens	4-1
Built-in Combination Ovens	
Built-In Speed Ovens	4-4
Built-In Steam Convection Ovens	4-5
Accessories	4-6
COOKTOPS	5-1
Induction	5-1
Electric	
Gas	
Accessories	
VENTILATION	6-1
Chimney Wall Hoods	
•	
INDEX	7-1

Model
Number Description UMRP MSRP

Bottom Freezer

Benchmark® Series Custom Panel Fully-Integrated 30" Bottom-Freezer 16.0 cu.ft. • Tall Door Built-in Refrigeration • Installs True Flush • Sidewall LED Theater Lighting • Dual Compressor and Evaporator • Full Length Cantilever Rack System • Full Width Shelving • Full Extension Drawers • OptiFlex® Hinge • Temperature Controlled Deli Drawer • Carbon Air Filter • Internal Ice Maker • Water Filter • Electronic Controls • SuperCool/SuperFreeze™ • Sabbath/ Economy/Vacation Mode • Gallon Door Bins • Oversized Freezer Basket • ENERGY STAR® Certified

Economy/Vacation Mode • Gallon Door Bins • Oversized Freezer Basket • ENERGY STAR® Certified

Custom Panel 30" Bottom-Freezer



5,799 6,399



B30IB800SP 30" Bottom-Freezer, Custom Panel

B30IB800SP

Stainless Steel

Benchmark® Series Fully-Integrated 30" Bottom-Freezer—Assembled 16.0 cu.ft. • Tall Door Built-in Refrigeration • Installs True Flush Or Framed • Sidewall LED Theater Lighting • Dual Compressor and Evaporator • Full Length Cantilever Rack System • Full Width Shelving • Full Extension Drawers • OptiFlex® Hinge • Temperature Controlled Deli Drawer • Carbon Air Filter • Internal Ice Maker • Water Filter • Electronic Controls • SuperCool/SuperFreeze™ • Sabbath/Economy/Vacation Mode • Gallon Door Bins • Oversized Freezer Basket • ENERGY STAR® Certified

Pre-Assembled Package Includes: Flat Stainless Panels • Bosch Handles

B30BB830SS 30" Bottom-Freezer, Stainless Steel 6,499 7,149



B30BB830SS

BORPLFTR10

NEW B36HNDL800 NEW HEATKITB80 ¹	36" Handle for Single Door Bosch Heater Kit	100 299	109 329	
BORPLFTR10	Replacement Water Filter for B18IF800SP, B30BB830SS, B30IB800SP, B36BT830NS	49	59	

¹ Please make sure to order HEATKITB80 when installation is less than 6" apart but not connected, or for nontraditional side-by-side combinations without freezer column. A HEATKITB80 is recommended for use with any installation in areas that are subject to extreme humidity.

Model
Number Description UMRP MSRP

French Door Bottom-Freezer

6.799 7.499

Benchmark® Series Fully-Integrated 36" French Door Bottom-Freezer —Custom Panel

19.5 cu.ft. • Tall Door Built-in Refrigeration • Installs True Flush Or Framed • Sidewall LED Theater Lighting • Dual Compressor and Evaporator • Full Length Cantilever Rack System • Full Width Shelving • Full Extension Drawers • OptiFlex® Hinge • Temperature Controlled Deli Drawer • Carbon Air Filter • Internal Ice Maker • Water Filter • Electronic Controls • SuperCool/ SuperFreeze™ • Sabbath/Economy/Vacation Mode • Gallon Door Bins • Oversized Freezer Basket • ENERGY STAR® Certified

B36|T800NP 36" Custom Panel French Door

Bottom-Freezer

Custom Panel 36" French Door Bottom-Freezer



B36IT800NP

Benchmark® Series Fully-Integrated 36" French Door Bottom-Freezer —Assembled 19.5 cu.ft. • Tall Door Built-in Refrigeration • Installs True Flush Or Framed • Sidewall LED Theater Lighting • Dual Compressor and Evaporator • Full Length Cantilever Rack System • Full Width Shelving • Full Extension Drawers • OptiFlex® Hinge • Temperature Controlled Deli Drawer • Carbon Air Filter • Internal Ice Maker • Water Filter • Electronic Controls • SuperCool/SuperFreeze™ • Sabbath/Economy/Vacation Mode • Gallon Door Bins • Oversized Freezer Basket • ENERGY STAR® Certified

Pre-Assembled Package Includes: Flat Stainless Panels • Bosch Handles

B36BT830NS 36" French Door Bottom-Freezer, Stainless Steel 7,499 8,249

36" French Door Bottom-Freezer



B36BT830NS

BORPLFTR10

NEW B36HNDL800 NEW HEATKITB801	36" Handle for Single Door Bosch Heater Kit	100 299	109 329	
BORPLFTR10	Replacement Water Filter for B18IF800SP, B30BB830SS, B30IB800SP, B36BT830NS	49	59	

¹ Please make sure to order HEATKITB80 when installation is less than 6" apart but not connected, or for nontraditional side-by-side combinations without freezer column. A HEATKITB80 is recommended for use with any installation in areas that are subject to extreme humidity.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description UMRP MSRP

Single Door

Benchmark® Series Custom Panel Built-In 30" Single Door Refrigerator 17.2 cu.ft. • Tall Door Built-in Refrigeration • Installs True Flush Or Framed • Sidewall LED Theater Lighting • Full Length Cantilever Rack System • Full Width Shelving • Full Extension Drawers • OptiFlex® Hinge • Carbon Air Filter • Electronic Controls • SuperCool • Sabbath/Economy/Vacation Mode • Gallon Door Bins • ENERGY STAR® Certified

B30IR800SP 30" Refrigerator, Custom Panel Single Door

Custom Panel 30" Refrigerator



4,999 5,499

3,799 4,199

B30IR800SP

Benchmark® Series Custom Panel Built-In 18" Single Door Freezer 8.6 cu.ft. • Tall Door Built-in Freezer • Installs True Flush Or Framed • Sidewall LED Theater Lighting • Full Length Cantilever Rack System • Full Width Shelving • OptiFlex® Hinge • Carbon Air Filter • Internal Ice Maker • Water Filter • Electronic Controls • SuperFreeze™ • Sabbath/Economy/Vacation Mode • ENERGY STAR® Certified

B18IF800SP 18" Freezer, Custom Panel Single Door

Custom Panel 18" Freezer



B18IF800SP

NEW BFL18IF800	18" Stainless Steel Flat Panel Freezer Door	450	499	
NEW BFL30IR800	30" Stainless Steel Flat Panel Freezer Door	550	649	
NEW B36HNDL800	36" Handle for Single Door	100	109	
NEW HEATKITB801	Bosch Heater Kit	299	329	
BORPLFTR10	Replacement Water Filter for B18IF800SP, B30BB830SS,	49	59	Budbady -
	B30IB800SP, B36BT830NS			920
				_

¹ Please make sure to order HEATKITB80 when installation is less than 6" apart but not connected, or for nontraditional side-by-side combinations without freezer column. A HEATKITB80 is recommended for use with any installation in areas that are subject to extreme humidity.

BORPLFTR10

Model Number	This price list supersedes all previous price lists. Prices listed herein do r Description	UMRP	MSRP	
Number	Description	CIVITAL	Worti	Accessories
BFL18IF800	18" Stainless Steel Flat Panel Freezer Door	450	499	
BFL30IR800 B36HNDL800	30" Stainless Steel Flat Panel Freezer Door 36" Handle for Single Door	550 100	649 109	
HEATKITB80	Bosch Heater Kit	299	329	
BORPLFTR10	Replacement Water Filter for B18IF800SP, B30BB830SS, B30IB800SP, B36BT830NS	49	59	**************************************
			D/	DRPLFTR10

Please make sure to order HEATKITB80 when installation is less than 6" apart but not connected, or for nontraditional side-by-side combinations without freezer column. A HEATKITB80 is recommended for use with any installation in areas that are subject to extreme humidity.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes Model Number Description **UMRP MSRP**

All dishwashers include the following features: Quiet operation: Multiple layers of sound-absorbing insulation, EcoSilence™ dual brushless motor system, and a solid molded base to absorb noise while minimizing vibration. Design: Integrated control system, flush installation with full size tub, and a self latching door. Quality: 24/7 leak protection system, concealed heating element, ENERGY STAR® certified, and corrugated shaped filter. Quick installation kit included. SHE models do not include InfoLight® or TimeLight®.

Benchmark® Series

Quietness: 38 dBA, InfoLight[®]. Design: TFT Display, Time remaining Display • Racks: 15 place setting capacity, Flexible Third Rack, 3 Step RackMatic®, 6 Flip Tines (Upper Rack), 8 Flip Tines Lower Rack, DoubleFlex Silverware Basket • Quality: Full Stainless Steel Tub, Interior Light, 24/7 AquaStop® Plus, Telescopic Glides on all 3 loading levels, Stainless Steel toekick, Water Softener, Vase Holder and Small Item Clips, Made in Germany • Efficiency: 269 kWh/yr • Performance: Seven Wash Cycles: Auto Wash, Heavy, Normal Wash, Express, Speed60, Glass, Rinse; Seven Options: Sanitize, ExtraDry, Half Load, Delicate, ExtraScrub, SpeedPerfect, 24H Delay Start



SHE89PW75N



SHX89PW75N

NEW SHE89PW75N*	Recessed Handle TFT Display, Stainless Steel	1,999	2,199
NEW SHX89PW75N	Bar Handle TFT Display, Stainless Steel	1,999	2,199
NEW SHV89PW73N**	Fully Integrated TFT Display - Requires Custom Panel	1,999	2,199

O STATE OF THE PARTY OF THE PAR	The state of the s
SHV89PW73N	

Quietness: 39 dBA. InfoLight® • Design: TFT Display. Time Remaining Display • Racks: 16 Place Setting Capacity, MyWay™ 3rd Rack, 3 Step RackMatic®, FlexSpace™ Plus Tines, 4 Flip Tines (Upper Rack), 2 Flip Tines Lower Rack, DoubleFlex™ Silverware Basket. Quality: Deeper Full Stainless Steel Tub, Interior Light, 24/7 AquaStop®, EasyGlide™ Racks on All 3 Loading Levels, Water Softener • Efficiency: 269 KWh/yr • Performance: Seven Wash Cycles: Auto Wash, Heavy, Normal Wash, Express, Speed60, Glass, Rinse. Seven Options: Sanitize, ExtraDry, Half Load, Delicate, ExtraScrub, SpeedPerfect, 24H Delay Start



SHE89PW55N



SHX89PW55N

SHE89PW55N*	Recessed Handle TFT Display, Stainless Steel	1,599	1,799
SHX89PW55N	Bar Handle TFT Display, Stainless Steel	1,599	1,799
SHV89PW53N***	Fully Integrated TFT Display – Requires Custom Panel	1,599	1,799



Quietness: 40 dBA, TimeLight® • Design: Touch Controls, Time Remaining Display • Racks: 16 Place Setting Capacity, MyWay™ 3rd Rack, 3 Step RackMatic®, FlexSpace™ Plus Tines, 4 Flip Tines (Upper Rack), 2 Flip Tines Lower Rack, DoubleFlex™ Silverware Basket • Quality: Deeper Full Stainless Steel Tub, 24/7 AquaStop®, EasyGlide™ Upper and Lower Rack, Water Softener • Efficiency: 269 KWh/yr · Performance: Six Wash Cycles: Auto Wash, Heavy, Normal Wash, Speed60, Glass, Rinse. Six Options: Sanitize, ExtraDry, Half Load, Delicate, ExtraScrub, 24H Delay Start



SHP88PW55N



SHX88PW55N



SHV88PW53N

SHP88PW55N	Pocket Handle, Stainless Steel	1,349	1,499
SHX88PW55N	Bar Handle, Stainless Steel	1,349	1,499
SHV88PW53N	Fully Integrated - Requires Custom Panel	1,349	1,499



No InfoLight®

^{** 39} dBA

^{*** 40} dBA

Model Number Description UMRP MSRP

Benchmark® Series

Quietness: 42 dBA, TimeLight® • Design: Touch Controls, Time Remaining Display • Racks: 16 Place Setting Capacity, MyWay™ 3rd Rack, 3 Step RackMatic®, FlexSpace™ Tines, 2 Flip Tines (Upper Rack), 2 Flip Tines Lower Rack, DoubleFlex™ Silverware Basket • Quality: Deeper Full Stainless Steel Tub, 24/7 AquaStop®, EasyGlide™ Upper Rack • Efficiency: 269 KWh/yr • Performance: Six Wash Cycles: Auto Wash, Heavy, Normal Wash, Speed60, Glass, Rinse. Six Options: Sanitize, ExtraDry, Half Load, Delicate, ExtraScrub, 24H Delay Start



SHP87PW55N



SHX87PW55N

SHP87PW55N	Pocket Handle, Stainless Steel	1,099	1,249
SHX87PW55N	Bar Handle, Stainless Steel	1,099	1,249

Model
Number Description UMRP MSRP

Benchmark® Series

30" Induction Slide-in Range The Bosch Slide-in Range Fits in Any Freestanding Range Cutout • FlexInduction® Cooktop Can Combine Two Cooking Zones Into One Continuous Surface • PowerMove™ • 17 Heat Levels • A 11" Heating Element Offers 3,700 W of Power • Faster Than Gas Or Electric • Easier to Clean and More Efficient • SpeedBoost® • PotSense • Each Element Has an Independent CountDown Timer • PreciseSelect® • ChildLock • SafeStart • QuietClose® Door • A Full-Extension Telescopic Rack • 400 W Warming Drawer • Touch Control for Easier Operation of the Oven • 11 Specialized Cooking Modes • 2,000 W Convection Ring Element • Genuine European Convection • Temperature Conversion for Convection Cooking • 2–4 hr Time-Adjustable Self Clean • Meat Probe • Fast Preheat • Two Oven Lights • Kitchen Timer • Extra Large Door Window • Star-K Certified 100°–450° F • Large Oven Capacity At 4.6 cu.ft • Recessed 8-Pass 3,800 W Broil Element • Powerful 2,400 W 4-Pass Bake Element • Rear Vent Trim Included • Electrical Supply: 40 A



HIIP055U

LR : 8" × 9" @ 2,200 W/3,600 W (SpeedBoost®)	RR: 11" @ 2,600 W/3,700 W (SpeedBoost®)	Full Zone: 16" x 9" @
LF: 8" × 9" @ 2,200 W/3,600 W (SpeedBoost®)	RF: 6" @ 1,400 W/2,200 W (SpeedBoost®)	3,300 W/3,600 W (SpeedBoost®)

NEW HIIP055U

30" Induction Slide-in Range

3,599 3,999

30" Dual Fuel Slide-in Range The Bosch Slide-in Range Fits in Any Freestanding Range Cutout • Powerful 20K BTU Center Dual-Stacked Burner Designed for Faster Boiling and Low Simmer • QuietClose® Door • A Full-Extension Telescopic Rack • 400 W Warming Drawer • Touch Control for Easier Operation of the Oven • Heavy-Duty Metal Knobs • Low-Profile Continuous Grate Design • Stainless Steel Maintop • 11 Specialized Cooking Modes • 2,000 W Convection Ring Element • Genuine European Convection • Temperature Conversion for Convection Cooking • 2–4 hr Time-Adjustable Self Clean • Meat Probe • Fast Preheat • 5 Burners Add Flexibility to Your Cooking • Two Oven Lights • Kitchen Timer • Extra Large Door Window • Star-K Certified 100°–450° F • Large Oven Capacity At 4.6 cu.ft. • Recessed 8-Pass 3,800 W Broil Element • Powerful 2,400 W 4-Pass Bake Element • LP Conversion Kit Included • Rear Vent Trim Included • Electrical Supply: 30 A



HDIP054U

LR: 5,000 BTU (NG)	C: 20,000 BTU (NG)	RR: 5,000 BTU (NG)
LF: 10,000 BTU (NG)	Dual-Stacked	RF: 15,000 BTU (NG)

HDIP054U

30" Dual-Fuel Slide-in Range

2,799 3,099

Model
Number Description UMRP MSRP

Benchmark® Series

30" Gas Slide-in Range The Bosch Slide-in Range Fits in Any Freestanding Range Cutout • Powerful 20K BTU Center Dual-Stacked Burner Designed for Faster Boiling and Low Simmer • QuietClose® Door • A Full-Extension Telescopic Rack • 400 W Warming Drawer • Touch Control for Easier Operation of the Oven • Heavy-Duty Metal Knobs • Low-Profile Continuous Grate Design • Stainless Steel Maintop • 9 Specialized Cooking Modes • Standard Convection • Temperature Conversion for Convection Cooking • 2–4 hr Time-Adjustable Self Clean • Meat Probe • 5 Burners Add Flexibility to Your Cooking • Two Oven Lights • Kitchen Timer • Extra Large Door Window • Star-K Certified 100°–450°F • Large Oven Capacity At 4.8 cu.ft. • 18,000 BTU Bake Burner • 12,500 BTU Broil Burner • LP Conversion Kit Included • Rear Vent Trim Included • Electrical Supply: 15 A



HGIP054UC

LR: 5,000 BTU (NG)	C: 20,000 BTU (NG)	RR: 5,000 BTU (NG)
LF: 10,000 BTU (NG)	Dual-Stacked	RF: 15,000 BTU (NG)

HGIP054UC 30" Gas Slide-in Range

2.699 2.999

30" Electric Slide-in Range The Bosch Slide-in Range Fits in Any Freestanding Range Cutout • Cook With 6", 9" Or 12" Elements • QuietClose® Door • A Full-Extension Telescopic Rack • Touch Control for Easier Operation of the Oven • Heavy-Duty Metal Knobs • 11 Specialized Cooking Modes • 2,000 W Convection Ring Element • Genuine European Convection • **2–4 hr Time-Adjustable Self Clean** • Temperature Conversion for Convection Cooking • 400 W Warming Drawer • Meat Probe • Fast Preheat • Two Oven Lights • Kitchen Timer • Extra Large Door Window • Star-K Certified 100°–450°F • Large Oven Capacity At 4.6 cu.ft. • Recessed 8-Pass 3,800 W Broil Element • Powerful 2,400 W 4-Pass Bake Element • Rear Vent Trim Included • Electrical Supply: 40 A



HEIP054U

LR: 6" @	C: 6" @	RR: 6" @
1,200 W	100 W Warming Element	1,200 W
LF: 6"/9"/12" @ 1,050 W/1,950 W/3,000 W	100 W Walling Lienent	RF: 9.5" @ 3,200 W

<u>HEIP054U</u> 30" Electric Slide-in Range

2,599 2,899

	This price list supersedes all previous price lists. Prices listed herein do not include appl.	icable state	or local taxe	s.
Model Number	Description	UMRP	MSRP	
	n With Aluminum Core Optimized for Cooking With AutoCher ribution • Works With Electric and Induction Technology	f® Elem	ent •	
HEZ390230 HEZ390220 HEZ390210	10" Pan for 8" and 9" Elements 9" Pan for 7" Element 8" Pan for 6" Element	102 92 81	119 109 89	HEZ390230
HEZ298102	Wok Ring—Attaches to Grates Slide-in Range and 36" Gas Cooktops Only	59	69	HEZ298102
HEZGR301	Griddle for on Top of Gas Grates Slide-in Range and 36" Gas Cooktops Only	129	149	HEZGR301
HEZTR301	Gliding Telescopic Rack Slide-in Range Only	259	289	HEZTR301
HEZBS301	4" Low Back Accessory for Electric and Induction Slide-in Ranges	199	219	HEZBS301
HGZBS301	4" Low Back Accessory for Gas Slide-in Ranges	199	219	HGZBS301
HDZBS301	4" Low Back Accessory for Dual-Fuel Slide-in Ranges	199	219	HDZBS301
HGZIT301	Island Trim Accessory for Gas Slide-in Ranges— For Use in Island Applications	199	219	
HDZIT301	Island Trim for Dual-Fuel Slide-in Ranges— For Use in Island Applications	199	219	HGZIT301 HDZIT301
HEZ390512	Teppanyaki	349	389	HEZ390512

Model
Number Description UMRP MSRP

Benchmark® Series

Benchmark® Series Over-the-Range Convection Microwave Design Matched for Use in Combination With Bosch Range Or Cooktop • Exclusive Stainless Steel Handle • Easy-Clean Stainless Steel Vent Cover • Easy to Read White LCD Display • 1.8 cu.ft. Large Oven Capacity • Large 14¾6" Glass Turntable • Easy to Use Touch Control • Side-Hinged Door Allows Full Access to Microwave Cavity • Installation for Recirculation Or Outside Venting • Reheat Setting • Potato Program • Automatic Defrost • Popcorn Program • Timer With Cook Time and Automatic Shut Off Function • Convenient Kitchen Timer • Easily Adds 30 Seconds to Cooking Time • 10 Microwave Power Levels • 8 Sensor Programs • Four-Speed Vent With Up to 385 CFM Power • Two 30 W LED Lights for Bright Cooktop Illumination • Convection Cooking • Full Stainless Steel Cavity • Heavy-Duty Mesh Ventilation Filter • Triple Distribution System • Plugs Into Standard 110 V, 3-Prong Outlet



HMVP053U

HMVP053U Stainless Steel 749 849

Model
Number Description UMRP MSRP

Benchmark® Series

30" Single Wall Oven SideOpening Door High-Resolution TFT User Interface—SideOpening Door Offers Better Ergonomic Access to the Oven Cavity • The Color TFT Control Panel With SteelTouch™ Buttons Is Easy to Use • A Full-Extension Telescopic Rack • Designed to Be Installed Flush With Your Cabinetry • Compatible With Most Competitors' Cut-Outs • 14 Specialized Cooking Modes • Custom Cooking Programs: No-Preheat Frozen Food Mode, Pizza, Pie, Warm and Proof • Genuine European Convection • Temperature Conversion for Convection Cooking • Fast Preheat Reduces Preheat Time • EcoClean® 2-Hour Self-Clean Cycle • EcoChef Mode • AutoProbe • Two Halogen Lights • Timer With Cook Time and Delay Start Function • Extra Large Door Window for Easy Monitoring of Cooking Process • Star-K Certified 100°-450°F • Two Separate Time Intervals Can Be Programmed • Large Capacity At 4.6 cu.ft. • Recessed 8-Pass Broil Element for Increased Capacity and Safety

	72000			۹
ш				1
ш				1
ш				1
1		II NOON	-11	

HBLP451RUC

() MOS

HBLP451LUC

HBLP451RUC30" Stainless Steel Right SideOpening Door2,9993,299HBLP451LUC30" Stainless Steel Left SideOpening Door2,9993,299

30" Single Wall Oven QuietClose® Door • The Color TFT Control Panel With SteelTouch™ Buttons Is Easy to Use • A Full-Extension Telescopic Rack • Designed to Be Installed Flush With Your Cabinetry • Compatible With Most Competitors' Cut-Outs • 14 Specialized Cooking Modes • Custom Cooking Programs: No-Preheat Frozen Food Mode, Pizza, Pie, Warm and Proof • Genuine European Convection • Temperature Conversion for Convection Cooking • Fast Preheat Reduces Preheat Time • EcoClean® 2-Hour Self-Clean Cycle • EcoChef Mode • AutoProbe • Two Halogen Lights • Timer With Cook Time and Delay Start Function • Extra Large Door Window for Easy Monitoring of Cooking Process • Star-K Certified 100°-450°F • Two Separate Time Intervals Can Be Programmed • Large Capacity At 4.6 cu.ft. • Recessed 8-Pass Broil Element for Increased Capacity and Safety



HBLP451UC

<u>HBLP451UC</u> 30" Stainless Steel 2,699 2,999

Model
Number Description UMRP MSRP

Benchmark® Series

30" Double Wall Oven SideOpening Door QuietClose® Door and High-Resolution TFT User Interface—SideOpening Door Offers Better Ergonomic Access to the Oven Cavity • The Color TFT Control Panel With SteelTouch™ Buttons Is Easy to Use • A Full-Extension Telescopic Rack • Designed to Be Installed Flush With Your Cabinetry • Compatible With Most Competitors' Cut-Outs • 14 Specialized Cooking Modes in Both Cavities • Custom Cooking Programs Both Cavities: No-Preheat Frozen Food Mode, Pizza, Pie, Warm and Proof • Genuine European Convection in Both Cavities • Temperature Conversion for Convection Cooking • Fast Preheat Reduces Preheat Time • EcoClean® 2-Hour Self-Clean Cycle • EcoChef Mode (Upper Cavity) • AutoProbe (Upper Cavity) • Two Halogen Lights Per Cavity • Timer With Cook Time and Delay Start Function • Extra Large Door Window for Easy Monitoring of Cooking Process • Star-K Certified 100°-450°F • Two Separate Time Intervals Can Be Programmed • Large Capacity At 4.6 cu.ft. • Recessed 8-Pass Broil Element for Increased Capacity and Safety

HBLP651RUC	30" Stainless Steel Right SideOpening Door	4,599	5,099
HBLP651LUC	30" Stainless Steel Left SideOpening Door	4,599	5,099



HBLP651RUC



HBLP651LUC

30" Double Wall Oven QuietClose® Door and High-Resolution TFT User Interface • The Color TFT Control Panel With SteelTouch™ Buttons Is Easy to Use • A Full-Extension Telescopic Rack • Designed to Be Installed Flush With Your Cabinetry • Compatible With Most Competitors' Cut-Outs • 14 Specialized Cooking Modes in Both Cavities • Custom Cooking Programs Both Cavities: No-Preheat Frozen Food Mode, Pizza, Pie, Warm and Proof • Genuine European Convection in Both Cavities • Temperature Conversion for Convection Cooking • Fast Preheat Reduces Preheat Time • EcoClean® 2-Hour Self-Clean Cycle • EcoChef Mode (Upper Cavity) • AutoProbe (Upper Cavity) • Two Halogen Lights Per Cavity • Timer With Cook Time and Delay Start Function • Extra Large Door Window for Easy Monitoring of Cooking Process • Star-K Certified 100°-450°F • Two Separate Time Intervals Can Be Programmed • Large Capacity At 4.6 cu.ft. • Recessed 8-Pass Broil Element for Increased Capacity and Safety





HBLP651UC

Model
Number Description UMRP MSRP

Benchmark® Series

30" Steam Convection Combination Oven Bosch Combination Oven Featuring a Steam Convection Oven • Wall Oven With QuietClose® Door • The Steam Oven Cooks Meats, Vegetables, Rice, Fish to Perfection • The Color TFT Control Panel With SteelTouch™ Buttons Is Easy to Use • A Full-Extension Telescopic Rack • Designed to Be Installed Flush With Your Cabinetry • Steam Convection Oven: For Additional Details Please Review SKU HSLP451UC (page 4-5) • 14 Specialized Cooking Modes • Custom Cooking Programs: No-Preheat Frozen Food Mode, Pizza, Pie, Warm and Proof • Genuine European Convection • Temperature Conversion for Convection Cooking • EcoClean® 2-Hour Self-Clean Cycle • EcoChef Mode • Two Halogen Lights • Timer With Cook Time and Delay Start Function • Extra Large Door Window for Easy Monitoring of Cooking Process • Star-K Certified 100°-450°F • Two Separate Time Intervals Can Be Programmed • AutoProbe • Large Capacity At 4.6 cu.ft. • Recessed 8-Pass Broil Element for Increased Capacity and Safety



HSLP751UC

HSLP751UC

30" Stainless Steel

5,849 6,449

30" Speed Combination Oven With TFT Display Bosch Combination Oven Featuring a Speed Oven • Wall Oven With a QuietClose® Door • The Bosch Speed Oven Cooks Faster Than a Traditional Oven • Dampened Hinges Softly and Quietly Guide the QuietClose® Door Shut • The Color TFT Control Panel With SteelTouch™ Buttons Is Easy to Use • A Full-Extension Telescopic Rack Offers Safe Access to the Oven Cavity • The Wall Oven Is Designed to Be Installed Flush With Your Cabinetry • *Speed Oven:* For Additional Details Please Review SKU HMCP0252UC (page 4-4) • 14 Specialized Cooking Modes — Gourmet Cooking Made Easy • Custom Cooking Programs: No-Preheat Frozen Food Mode, Pizza, Pie, Warm and Proof • Genuine European Convection • Temperature Conversion for Convection Cooking • Fast Preheat Reduces Preheat Time • EcoClean® 2-Hour Self-Clean Cycle • EcoChef Mode — Remaining Heat in Cavity Finishes Cooking Process • Two Halogen Lights Provide Superior Cavity Illumination • Timer With Cook Time and Delay Start Function • Extra Large Door Window for Easy Monitoring of Cooking Process • Star-K Certified 100°-450°F • Two Separate Time Intervals Can Be Programmed • Large Capacity At 4.6 cu.ft. • Recessed 8-Pass Broil Element for Increased Capacity and Safety



HBLP752UC

HBLP752UC

30" Stainless Steel

4,599 5,099

Model
Number Description UMRP MSRP

Benchmark® Series

30" Speed Oven Touch Control With TFT Display 1.6 cu.ft. Overall Capacity • Nine SpeedChef™ Cooking Cycles • Convection Broil and Convection Bake Modes • Seven Auto Sensor Microwave Cycles • 1,000 W Microwave • 600 W Bake Element • 1,750 W Broil Element • 1,700 W Convection Element • Electrical Connection: 240 V Direct Wire • Electric Load − 16 A • Kitchen Timer and Panel Lock Setting • Stainless Steel Cooking Interior • Cut-Resistant Metal Turntable and Separate Ceramic Cooking Tray • Multi-Use Oven Rack • Wall Or Undercounter Approved Installation • Installs in Horizontal Configuration Paired With 30" Bosch Single Wall Ovens/Steam Oven and Warming/Storage Drawers



HMCP0252UC

<u>HMCP0252UC</u> 30" Stainless Steel 1,949 2,149

BUILT-IN STEAM CONVECTION OVENS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description UMRP MSRP

Benchmark® Series

30" Steam Convection Oven The Only Steam Convection Oven in Its Class That Installs Flush, for a European Kitchen Design • Steam Convection Cooking Cooks Crispy Outside, Tender Inside • Steam Cooking Maintains Your Vegetables' Nutrients, Flavors and Color • Designed to Fit Perfectly Above a Warming Drawer Or Storage Drawer • The Color TFT Control Panel With SteelTouch™ Buttons Is Easy to Use • Installs Horizontally for Perfect Alignment With Speed Or Steam Oven • One Halogen Light • Genuine European Convection • Features Vegetable and Chicken Programs: Oven Automatically Sets Temperature and Humidity • Perfect Reheating • Timer With Cook Time and Delay Start Function • 1 Rack, 2 Perforated and 2 Non-Perforated Pans Are Included • Non-Plumbed for Easy Installation • Steam Assist Clean • 1.4 qt. Water Tank Can Be Used for an Entire Cooking Cycle • Child Lock • Large Capacity At 1.4 cu.ft.



HSLP451UC

HSLP451UC 30" Stainless Steel 3,199 3,549

Model	This price list supersedes all previous price lists. Prices listed herein o	do not include applicable state	or local taxe	rs.
Number	Description	UMRP	MSRP	
		Steam Co	nvecti	on Oven Accessories
HEZ36D453G	Perforated Cooking Pan—Full Size, 15/8" Deep	99	109	HEZ36D453G
HEZ36DR4	Wire Rack for Steam and Convection Oven	49	59	HEZ36DR4
HEZ36D453	Cooking Pan—Full Size, 1 5/4" Deep	99	109	HEZ36D453
HEZ36D452	Baking Tray—Full Size, 11/8" Deep	49	59	
<u>HEZ36D153G</u>	Perforated Cooking Pan—Half Size, 1%" Deep	49	59	HEZ36D452 HEZ36D153G
HEZ36D153	Cooking Pan—Half Size, 1 5%" Deep	49	59	HEZ36D153G

Model Number Description UMRP MSRP

Benchmark® Series

36" Induction Cooktop FlexInduction® Can Combine Two Cooking Zones Into One Continuous Surface • Dual 12" Heating Element With Powerful 3,700 W • Faster Than Gas and Electric • Easier to Clean and More Efficient • SpeedBoost® • PotSense • Each Element Has an Independent CountDown Timer • PreciseSelect® • PowerMove™ • ChildLock • See All Pan Accessories on Page 5-4.

	· ·			
Full Zone: 14"x8" @	Upper: 7"x8" @ 2,200 W/3,600 W (SpeedBoost®)	C: 12"/9" @	Upper: 7"x8" @ 2,200 W/3,600 W (SpeedBoost®)	Full Zone: 14"x8" @3,300
3,300 W / 3,600 W (SpeedBoost®)	Lower: 7"x8" @ 2,200 W/3,600 W (SpeedBoost®)	3,400 W/3,700 W (SpeedBoost®) 2,200 W/3,300 W (SpeedBoost®)	Lower: 7"x8" @ 2,200 W/3,600 W (SpeedBoost®)	3,600 W (SpeedBoost®)



NITP668SUC



NITP668UC

3,099

2,799

2,299

2,549

NITP668SUC 36" Induction Cooktop, Black with Stainless Steel Frame

NITP668UC 36" Induction Cooktop, Black 2,799 3,099

30" Induction Cooktop FlexInduction® Can Combine Two Cooking Zones Into One Continuous Surface • A 11" Heating Element Offers 3,700 W of Power • Faster Than Gas and Electric • Easier to Clean and More Efficient • SpeedBoost® • PotSense • Each Element Has an Independent CountDown Timer • PreciseSelect® • PowerMove™ • 30 A Breaker • ChildLock • See All Pan Accessories on Page 5-4.

Full Zone: 16"x9" @	Upper: 8"x9" @ 2,200 W/3,600 W (SpeedBoost®)	Upper: 11" @ 2,600 W/3,700 W (SpeedBoost®)
3,300 W / 3,600 W (SpeedBoost®)	Lower: 8"x9" @ 2,200 W/3,600 W (SpeedBoost®)	Lower: 6" @ 1,400 W/2,200 W (SpeedBoost®)



NITP068SUC



NITP068UC

NITP068SUC 30" Induction Cooktop, Black with Stainless Steel Frame

NITP068UC 30" Induction Cooktop, Black 2,299 2,549

 Model
 Number
 Description
 UMRP
 MSRP

Benchmark® Series

36" Triple Ring AutoChef® Cooktop AutoChef® • PreciseSelect® • Front and Back Stainless Steel Frame • 3-Zone 11" Heating Element With Powerful 3,080 W Element With AutoChef® • PowerStart® • Bridge Element • Keep Warm Mode • CountDown Timer • CountUp Timer • Clean Lock • 2-Level Heat Indicator • ChildLock • See All Pan Accessories on Page 5-4 • Power/Amps: 240, 60 Hz/40 A



LR: 7" @ 1,800 W (400 W Bridge)	AutoChef® C: 11"/8"/6" @	RR: 6" @ 1,200 W
LF: 7" @ 1,800 W	3,080 W/2,200 W/1,050 W	RF: 8"/5" @ 1,900 W/800 W

NETP668SUC 36" Electric Cooktop, Black with Stainless Steel Frame

30" Five Element Cooktop With AutoChef® AutoChef® • PreciseSelect® • Front and Back Stainless Steel Frame • 2-Zone 9" Heating Element With Powerful 3,600 W Element • Dual Element Left Front With AutoChef® • SpeedBoost® • Keep Warm Mode • CountDown Timer • CountUp Timer • Clean Lock • 2-Level Heat Indicator • ChildLock • See All Pan Accessories on Page 5-4 • Power/Amps: 240, 60 Hz/40 A



NE	1706850	ľ

LR: 6" @ 1,200 W	C: 9"/6" @	RR: 6" @ 1,200 W
AutoChef® LF: 7"/5" @ 2,000 W/800 W	3,600 W/1,400 W (SpeedBoost®)	RF: 6" @ 1,500 W

NETP068SUC 30" Electric Cooktop, Black With Stainless Steel Frame 1,249 1,399

1,349 1,499

Model
Number Description UMRP MSRP

Benchmark® Series

36" Gas Cooktop Stainless Steel • 5 Burners • Dual-Stack Center Burner • OptiSim® Burner • 20K BTU Max • Recessed Burner Areas • Metal Knobs • Front Controls for Easy Operation • Continuous Cast Iron Grates • Automatic Re-Ignition • Red LED Lights Indicate Burners Are On • LP Kit Included • See All Pan Accessories on Page 5-4.



NGMP656UC

LR: 10,000 BTU	C: 20,000 BTU	RR: 5,500 BTU
LF: 12,000 BTU	G: 20,000 BT0	RF: 12,000 BTU

NEW NGMP656UC

36" Gas Cooktop, 5 Burners,

1,449 1,599

Stainless Steel

Available Q1, 2018

36" Gas Cooktop Stainless Steel • 5 Burners • Dual-Stack Center Burner • 20K BTU Max • Recessed Burner Areas • Metal Knobs • Front Controls for Easy Operation • Continuous Cast Iron Grates • Automatic Re-Ignition • Red LED Lights Indicate Burners Are On • LP Kit Included • See All Pan Accessories on Page 5-4.

-0		F • 1
- 1 -		
F .		401
	0.0.0.0.0	

LR: 12,000 BTU	C: 20,000 BTU	RR: 5,500 BTU
LF: 12,000 BTU	G: 20,000 BT0	RF: 12,000 BTU

NGMP655UC

NGMP655UC

36" Gas Cooktop, 5 Burners,

1,399 1,549

Stainless Steel

Discontinued Q1, 2018

30" Gas Cooktop Stainless Steel • 5 Burners • Dual-Stack Center Burner • OptiSim® Burner • 20K BTU Max • Recessed Burner Areas • Metal Knobs • Front Controls for Easy Operation • Continuous Cast Iron Grates • Automatic Re-Ignition • Red LED Lights Indicate Burners Are On • LP Kit Included • See All Pan Accessories on Page 5-4.



LR: 5,500 BTU	C: 20,000 BTU	RR: 10,000 BTU
LF: 10,000 BTU	C. 20,000 B10	RF: 5,500 BTU

NGMP056UC

NEW NGMP056UC

30" Gas Cooktop, 5 Burners,

1,349 1,499

Stainless Steel

Available Q1, 2018

30" Gas Cooktop Stainless Steel • 5 Burners • Dual-Stack Center Burner • 20K BTU Max • Recessed Burner Areas • Metal Knobs • Front Controls for Easy Operation • Continuous Cast Iron Grates • Automatic Re-Ignition • Red LED Lights Indicate Burners Are On • LP Kit Included • See All Pan Accessories on Page 5-4.



IGM	IDA	55	110
I CZ IV	$r_{\rm U}$	\odot	u

LR: 5,500 BTU	C: 20,000 BTU	RR: 9,100 BTU
LF: 9,100 BTU	G: 20,000 BT0	RF: 5,500 BTU

NGMP055UC

30" Gas Cooktop, 5 Burners,

1,299 1,449

Stainless Steel

Discontinued Q1, 2018

	This price list	t supersedes all previous price lists	a. Prices listed herein do not incl	lude applicable state o	r local taxes.
Model					
Number	Description			UMRP	MSRP

Stainless Steel Pan With Aluminum Core Optimized for Cooking With AutoChef® Element • Superior Heat Distribution • Works With Electric and Induction Technology

HEZ390230	10" Pan for 8" and 9" Elements	102	119
HEZ390220	9" Pan for 7" Element	92	109
HEZ390210	8" Pan for 6" Element	81	89



HEZ390230

HEZGR301

 $\textbf{Teppanyaki} \ \text{Works on Electric and Induction Cooking Surfaces} \ \bullet \ \text{Optimized for Cooking on Induction Cooktops}$

3
1

HEZ390512	Teppanyaki	349	389	HEZ390512
HEZ298102	Wok Ring—Attaches to Grates Slide-in Range and 36" Gas Cooktops Only	59	69	HEZ298102
HEZGR301	Griddle for on Top of Gas Grates Slide-in Range and 36" Gas Cooktops Only	129	149	

 Model
 Number
 Description
 UMRP
 MSRP

Benchmark® Series

Glass Canopy Chimney Hood 600 CFM • Four Speed Electronic Control With White and Red LCD Display • Kitchen Timer • Clean Filter Reminder • Auto On/Heat Sensor • Two 40 W Halogen Lights • Anodized Aluminum Mesh Filter With Stainless Steel Bosch Design Cover and Metal Latch • Vertical Discharge With 8" Round Duct • Backdraft Damper and Transition Included • Recirculation Kit Available As an Accessory • Extension Kit for Ceilings Between 9'–11.5' Available As an Accessory



HCG56651UC 36" Glass Canopy Chimney Hood, 600 CFM

1,649 1,849 _{HCG56651UC}

Chimney Wall Accessories

Chimney Wall Hood Extension Kits That Fit Ceilings From 9' to 11' 6" High. Stainless Steel Flue Extensions.

HCGEXT5UC Glass Canopy Chimney Hood

Extension Kit

299 329



HCPEXT5UC

HCREC5UC Box/Pyramid/Glass Canopy

Chimney Hood Recirculation Kit

99 109



HCREC5UC

HCIFILTUC Box/Pyramid/Glass Canopy

Chimney Hood Filter Kit

99 109



INDEX

Bosch Home Appliances

North America Corporate Office 1.800.944.2904

www.bosch-home.com/us

