TCB

GRANT OF EQUIPMENT AUTHORIZATION

TCB

Certification

Issued Under the Authority of the Federal Communications Commission

By:

PHOENIX TESTLAB GmbH Koenigswinkel 10 32825 Blomberg, Germany

Date of Grant: 11/21/2022

Application Dated: 11/21/2022

Linkplay Technology Inc. 8F-8036, Qianren Building, No.7, Yingcui Road, Jiangning District Nanjing, 211100 China

Attention: cunxue wang, HW Manager

NOT TRANSFERABLE

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

FCC IDENTIFIER: 2ANOG-ASR002

Name of Grantee: Linkplay Technology Inc.

Equipment Class: Part 15 Spread Spectrum Transmitter

Notes: WiiM Pro Hi-Res Audio Streamer with WiFi and

Bluetooth

Frequency Output Frequency Emission

Grant Notes FCC Rule Parts Range (MHZ) Watts Tolerance Designator

CC 15C 2402.0 - 2480.0 0.006

Output power is maximum peak conducted.

This device has integrated DSS, DTS and NII transmitters certified under the same FCC ID.

This device must be installed and operated to provide a separation distance of at least 20 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter. Endusers must be provided with the transmitter operating conditions for satisfying RF exposure compliance.

CC: This device is certified pursuant to two different Part 15 rules sections

TCB

GRANT OF EQUIPMENT AUTHORIZATION

TCB

Certification

Issued Under the Authority of the Federal Communications Commission

By:

PHOENIX TESTLAB GmbH Koenigswinkel 10 32825 Blomberg, Germany

Date of Grant: 11/21/2022

Application Dated: 11/21/2022

Linkplay Technology Inc. 8F-8036, Qianren Building, No.7, Yingcui Road, Jiangning District Nanjing, 211100 China

Attention: cunxue wang, HW Manager

NOT TRANSFERABLE

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

FCC IDENTIFIER: 2ANOG-ASR002

Name of Grantee: Linkplay Technology Inc.

Equipment Class: Digital Transmission System

Notes: WiiM Pro Hi-Res Audio Streamer with WiFi and

Bluetooth

		Frequency	Output	Frequency	Emission
Grant Notes	FCC Rule Parts	Range (MHZ)	<u>Watts</u>	<u>Tolerance</u>	<u>Designator</u>
CC	15C	2402.0 - 2480.0	0.0056	M	
CC	15C	2412 0 - 2462 0	0 244	11/1	

Output power is maximum peak conducted.

This device supports IEEE 802.11 b/g/n20 MHz channel bandwidths.

This device has integrated DSS, DTS and NII transmitters certified under the same FCC ID.

This device must be installed and operated to provide a separation distance of at least 20 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter. Endusers must be provided with the transmitter operating conditions for satisfying RF exposure compliance.

CC: This device is certified pursuant to two different Part 15 rules sections

TCB

GRANT OF EQUIPMENT AUTHORIZATION

TCB

Certification

Issued Under the Authority of the Federal Communications Commission

By:

PHOENIX TESTLAB GmbH Koenigswinkel 10 32825 Blomberg, Germany

Date of Grant: 11/21/2022

Application Dated: 11/21/2022

Linkplay Technology Inc. 8F-8036, Qianren Building, No.7, Yingcui Road, Jiangning District Nanjing, 211100 China

Attention: cunxue wang, HW Manager

NOT TRANSFERABLE

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

FCC IDENTIFIER: 2ANOG-ASR002

Name of Grantee: Linkplay Technology Inc.

Equipment Class: Unlicensed National Information Infrastructure TX Notes: WiiM Pro Hi-Res Audio Streamer with WiFi and

Bluetooth

Grant Notes	FCC Rule Parts	Frequency <u>Range (MHZ)</u>	Output <u>Watts</u>	Frequency Tolerance	Emission <u>Designator</u>
CC	15E	5180.0 - 5240.0	0.025	M	
CC	15E	5260.0 - 5320.0	0.03	a VA	
CC	15E	5500.0 - 5720.0	0.026	The state of the s	
CC	15E	5745.0 - 5825.0	0.015	O VA	

Output power is maximum average conducted.

This device supports IEEE 802.11 a/n/ac 20, 40 and 80 MHz channel bandwidths. This device has integrated DSS, DTS and NII transmitters certified under the same FCC ID.

This device must be installed and operated to provide a separation distance of at least 20 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter. Endusers must be provided with the transmitter operating conditions for satisfying RF exposure compliance.

CC: This device is certified pursuant to two different Part 15 rules sections