

Annex B2 - Product environmental attributes Computers and computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	HP	Logo		
Company name *	HP			
Contact information *	HP Sustainability and Compliance Center			
e-mail address	sustainability@hp.com			
Internet site *	http://www.hp.com/hpinfo/globalcitizenship/environment/			
Additional information				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration. Type of product * Notebook HP ZBook Firefly 14 inch G9 Mobile Workstation PC Commercial name * Model number 14 G9 Issue date * 03/04/2022 Intended market * 🔀 Global 🔀 Europe Asia, Pacific & Japan Americas Other Additional information

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *	14 G9	Logo	
Issue date *	03/04/2022		

Product	Product environmental attributes - Legal requirements						
Item		Yes	No n.a.				
P1	Hazardous substances and preparations						
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes					
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes					
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.						
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes					
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in t chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	he 🔀					
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm ² /wee (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.	ek 🔀					
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): REACH Article 33 Declarations (hp.com)	\boxtimes					
P2	Batteries						
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)	\boxtimes					
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See leg reference)	al 🔀					
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\boxtimes					
P2.4*	Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference						
P2.5*	When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional user", the related text is present and legible on the external packaging (see legal reference)						
P3	Conformity verification & Eco design (ErP)						
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address):						
D0.0t	http://www8.hp.com/uk/en/certifications/technical/regulations-certificates.html sustainability@hp.com						
P3.2*	The product complies with the applicable Eco design requirements for energy-related products, (see legal reference).						
	Required information is; i given in item P15 or added to this document, available at (add URL):						
P5	Product packaging						
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and						
	hexavalent chromium by weight of these together.						
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material used (see legal reference).	(s) 🔀					
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.						
P6	Treatment information						
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		14 G9	Logo				
Issue date *		03/04/2022					
Produc	- Enviro	mental attributes - Market requirements (See General NOTE GN below onmental conscious design	v)	R	equire	ment	met
Item		tory to fill in. Additional information regarding each item may be found under P14.			Yes	No	n.a.
P7	Design	mbly recycling					
P7.1*		mbly, recycling t have to be treated separately are easily separable			\square		
P7.2*		naterials in covers/housing have no surface coating.					╞
P7.3*		arts > 100 g consist of one material or of easily separable materials.			<u>+</u> -		
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.				⊢⊢	
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	wailahla t			<u> </u>	+
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).					<u> </u>	╞
F7.0	Product						
P7.7*		ig can be done e.g. with processor, memory, cards or drives					
P7.8*		ig can be done using commonly available tools				┢	╘
P7.9	10	arts are available after end of production for: 5 years					<u> </u>
P7.10	• •	s available after end of production for: 5 years					++-
F7.10							
P7.11*		and substance requirements					
		type: <i>aluminium</i> Material type: <i>magnesium</i> Material	al type:				
P7.12		n materials of external electrical cables are PVC free.				\square	
P7.13	Insulatio	n materials of internal electrical cables are PVC free.				Ē	Ħ
P7.14	weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bro 000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame re chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine og more than 25% post-consumer recycled content.	etardants,				
P7.15		ircuit boards, PCBs (without components) are low halogen: all \Box PCBs > 25 g \boxtimes	are low		\boxtimes		
		as defined in IEC 61249-2-21. (See 5 NOTE B2)					
P7.16	Flame re	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: >PC+ABS-TD15 FR(40)<			\square		
P7.17	<u>Alt. 1: </u> Cł	nemical specifications of flame retardants in printed circuit boards > 25 g (without co	omponent , CAS #:	s):			
	accordin	nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: <i>FR40</i>		-	\boxtimes		
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substances/ ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	preparatio	ons in			
	TD15 FI	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043 R(40)<					
P7.19	In plastic assigned <i>lasting</i> The sour	parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; R53 and Hazard statements: H413 - May cau harmful effects to aquatic life ree(s) for these classifications is/are found at (add URL(s)): <u>ha.europa.eu/web/guest/information-on-chemicals/cl-inventory-database</u> (Sec	ise long	j -			

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>.

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	14 G9	Logo	
Issue date *	03/04/2022		

Product	t environmental at	tributes - Market	requirements (con	tinued)		Requ	ireme	nt me
ltem						Yes	No	n.a.
	Material and subs	stance requirements	s (continued)					
P7.20*	Postconsumer recy	cled plastic material	content is used in the	product (See NOTE B	6):	\boxtimes		
	If YES; at least one	e of the two alternativ	es below shall be answ	wered;				
				cycled plastic material	content (calculated as a	I		
	or percentage of	total plastic by weig	nt) is 60.5% .					
	b) The weight of	recycled material is	g.					
P7.21*	Biobased plastic m	aterial content is use	ed in the product (See	NOTE B7):			\boxtimes	
	If YES: at least one	e of the two alternativ	ves below shall be answ	wered:				
	 a) Of total plasti 	c parts' weight > 25	g, the biobased plastic		culated as a percentage)		
	of total plastic or	by weight) is	%.					
		the biobased plastic	material is q.					
P7.22*	Light sources are free from mercury, i.e. less than 0,1 mg/lamp. If mercury is used specify: Number of lamps: N/A and maximum mercury content per lamp: 0 mg-					\boxtimes		
P7.23*			amps: N/A and maximu he total mercury conte					
	· ·	an integral display, t	ne total mercury conte	nt in the integrated dis	play. Ving			
P8 P8.1*	Batteries	omposition: lithium/n	anganese dioxide					
P9	Battery chemical composition: lithium/manganese dioxide							
P9.1			els or energy consump	tions are reported:				
Energy m		Power level at	Power level at	Power level at	Reference/Standard	for ener	av	
Energy in		100 V AC	115 V AC	230 V AC	modes and test meth		93	
EPS No-I		21mW	25.8mW	36mW	EPS Energy Test R	eport		
	power supply / plugged in the wall							
	t disconnected from							
the produ	uct.)							
PTEC *		W	W	W	EnergyStar@ Progr			\boxtimes
<u>Typical E</u> ETEC *	nergy Consumption	21.57 kWh/year	21.16 kWh/year	22.67 kWh/year	Requirements for C EnergyStar@ Progr		er	
	nergy Consumption	21.57 KWII/year	21.10 KWI/year		Requirements for C	ann Compute	er	
External	Power Supply Efficien	cy Level (Internation	al Efficiency Marking F	Protocol) * : VI	EnergyStar@ Progr			
					Requirements for C		er	
Display r	esolution * : 1920x10	80 megapixels			EnergyStar@ Progr Requirements for C		er	
Default time to enter energy save mode: minutes EnergyStar@ Progra Requirements for Co					am Compute	er		
P9.2*	Information about t	he energy save func	tion is provided with th	e product.		Ň		
P9.3	Energy efficiency of	lass (monitors only):						
	5, ,	()/						

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	14 G9	Logo	
Issue date *	03/04/2022		

Product	environmental	attributes - Market requirem	nents (continued)		remen	t me
Item				Yes	No	n.a
P10	Emissions					
	Noise emission	- Declared according to ISO 929	96 (See NOTE B9)			
P10.1	Mode	Mode description	Statistical upp L _{WA,c} (B)	per limit A-weighted sound power leve	el,	
	Idle	* Fans on	* 2.9			
	Operation	* Fans on, HDD spinning	* 3.6			
	Other mode					
	Measured accor	ding to: 🔀 ISO 7779 🔀 ECMA Other (only if	-74 not covered by ECMA-74)			
	Electromagneti					
P10.4	program(s):	y meets the requirement for low f	requency electromagnetic field	Is of the following voluntary		
P12	Ergonomics for	computing products				
P12.1*		ts the ergonomic requirements of				
P12.2*	The physical inp	ut device meets the requirements	s of ISO 9995 and ISO 9241-4	10.		
P13	Packaging and					
P13.1*	Product packagi Product packagi	ng material type(s): PAPER/Corr ng material type(s): PAPER/Molo ng material type(s): PLASTIC/Po ng material type(s): PAPER/Pape	ded Pulp blyethylene low density - LDP	weight (kg): 0.269 weight (kg): 0.108 %E weight (kg): 0.013 weight (kg): 0.003		
P13.2*		rimary packaging is free from PV				
P13.3*		ary corrugated fiberboard packag ered fiber content: 59 %	ging, specify the contained per	centage of minimum post-		
P13.4*	Specify media for	r user and product documentatio aper, Other	n (tick box):			
P13.5		nplete this item if paper documen t documentation on paper media recify:				
	Totally chlorine-f	ree		\square		
	Elemental chlori	ne-free				
	Processed chlor	ne-free		Ē		
P14	Voluntary prog					
P14.1	The product mee	ets the requirements of the follow	ing voluntary program(s):			
	ENERGY STAR Eco-label: <i>EPEA</i> Eco-label: <i>TCO</i>		EE 1680.1 Date: 03/04/2022	Product category: Commercial No	otebook	k
P15		mation (See NOTE B10)				
P9		nption of computer products; d				
All Sections		ernal standards referenced in t		l as of the date the declaration is p avalidate some information contain		

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Product Upgradability and Reparability P7

The following table is provided in accordance with IEEE 1680.1-2018⁶ criterion 4.4.2.5.

feature	Available [1]	Repairable [2]	Replaceable [3]	Upgradeable [4]
processor	Y	Y	N	Ν
main memory	Y	Y	Y	Y
mass storage (internal)	Y	Y	Y	Y
wireless networking	Y	Y	Y	Ν
integrated graphics	Y	Y	Y*	Ν
discrete graphics	Y	Y	Y*	Ν
display panel	Y	Y	Y	Y
integrated keyboard	Y	Y	Y	Y
batteries	Y	Y	Y	Y
power supply	Y	Y	Y	Y
fan assemblies	Y	Y	Y	Ν
speaker(s) (internal)	Y	Y	Y	Ν
camera	Y	Y	Y	Y
touchpad	Y	Y	Y	Y
I/O connectors and external power connector	Y	Y	Y	Ν
readers [5]	Y	Y	Y	Ν

 Table notes:

 [1] Y* = feature is available, but may not be included in every configuration

 [2] Product can be repaired (returned to fully functional state) if feature fails.

[3] Feature can be replaced using only commonly available tools without soldering or de-soldering. Y* = replacement may require replacing an assembly to which the feature is attached.

[4] Base feature may be upgraded by replacing it with a higher performance module or by expanding capacity through use of expansion slots. NOTE: This evaluation does not

account for situations in which the initial configuration purchased is already maximized. Contact HP Sales or an HP authorized reseller to determine the availability of upgrade parts and method to obtain them in your geography. [5] This feature category includes readers such as fingerprint readers, smart card readers, and other read-only devices, but

excludes read/write devices.

P9	1. European U	Inion Commission Regulation 1	275/2008- Ener	gy Efficiency Information:				
	Mode / Condi	ition	Power Consu Input Voltage	imption in Watts at 230 VAC	Default Time to Mode / Cond (if applicable)			
	Off Mode (if a	Off Mode (if applicable)			Not Applicable			
	Standby Mod	le (if applicable)	Not Applicable	9	Not Applicable			
	all wired netw	Network Standby / Sleep / Long Idle Mode if all wired network ports are connected and all wireless network ports are activated (if applicable)			N/A			
	Network Standby / Sleep / Long Idle Mode (if applicable)		N/A		N/A			
	2.European Union Commission Regulation 1275/2008- Wireless Network Instructions: Where applicable, activate and deactivate a wireless network using the instructions provided in the product user gui operating system. Information is also available at www.hp.com/support.							
P10	Sound Pressu			<u></u>				
	Noise emissio	n – Declared according to ISO 92	296 (See NOTE	^{B9})				
P10.1	Mode	Mode description		Statistical upper limit A-weighter $L_{\rho A,m}$ (dB)	d sound pressure level,			
	Idle	* Fans on	* 21.6					
	Operation	* Fans on, HDD spinning		* 28.5				
	Other mode							
	Measured acco	Measured according to: 🛛 ISO 7779 🔀 ECMA-74						

Other (only if not covered by ECMA-74)

⁶ IEEE Standard for Environmental and Social Responsibility Assessment of Computers and Displays

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)* * Specific exemptions apply for certain products and applications.	P1.1, P3.1
Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	P2.4, P2.5, P3.1, P3.2, P7.23, P9.1
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	