

 Hero

Go **BIG** **GO XOOM**



NEW HERO

XOOM

PRESENTING THE NEW HERO

XOM

*Discover adventure, excitement and thrill with
bigger-wider tyres[^], corner bending lights[#]
and fastest acceleration*.*



BIG ***ON LIGHTS***

With its industry 1st Corner Bending Lights[#], see corners in a new light. And as you navigate tricky turns and sharp bends, you'll feel the thrill in your journey.



SIGNATURE H SHAPED POSITION LAMPS
ADVANCED PROJECTOR LED HEADLAMPS

CORNER BENDING
LIGHTS[#]

1ST IN THE
INDUSTRY



BIG **ON RIDES**

*With its 1st in segment bigger and wider tyre[^],
own every road. Rough. Smooth. And everything in between.
And its fastest acceleration* will let you take on the steep
roads with confidence.*



DISC BRAKE

**0-60
km/hr in
9.35 sec**

**FASTEST
ACCELERATION***

**BIGGER &
WIDER TYRE[^]**

**1ST IN THE
SEGMENT**



BIG ON TECH

Its Bluetooth connectivity and fully digital speedometer enable you to check calls or SMS, on the go. So, go out anywhere. Stay connected everywhere.



**REVOLUTIONARY
i35 TECHNOLOGY**


CALLER ID

REAL TIME MILEAGE INDICATOR

LOW FUEL INDICATOR

SMS ALERT

**BLUETOOTH
CONNECTIVITY**



BIG ON STYLE

When you set out, you stand out. Its projector LED front and rear headlamps in the signature H-shape and aerodynamic design will turn heads at every turn.



**AERODYNAMIC
DESIGN**



**SPORTY
MUFFLER**



**DIAMOND CUT
ALLOY WHEELS**



BIG **ON COLOURS**

*Hit the road. Grab everyone's attention.
Introducing the new Hero XOOM in
alluring and glamorous colours.*



*Sports Red**



Polestar Blue⁺⁺⁺



Black⁺⁺



Matt Abrax Orange⁺



Pearl Silver White^{^^}

TECHNICAL SPECIFICATIONS

ENGINE

Type	Air-cooled, 4-stroke, SI engine
Displacement	110.9cc
Max Power	6.0kW (8.05 bhp) @ 7250 Revolution Per Minute (rpm)
Max Torque	8.70 Nm @ 5750 Revolution Per Minute (rpm)
Fuel System	Fuel Injection (FI)
Ignition	Electronic Control Unit (ECU)

TRANSMISSION

Clutch	Dry, Centrifugal
Gear Box	Variomatic Drive

SUSPENSION

Front	Telescopic Hydraulic Shock Absorbers
Rear	Unit Swing with Spring Loaded Hydraulic Damper

TYRES

Front Tyre	90/90-12 54J
Rear Tyre LX	90/90-12 54J
Rear Tyre VX & ZX	100/80-12 56L

BRAKES

Front	Disc Brake 190mm Drum Brake 130mm
Rear	Drum Brake 130mm

DIMENSIONS

Length	1881 mm
Width	Drum 717/Disc 731 mm
Height	1118 mm
Wheelbase	1300 mm
Seat Height	770 mm
Ground Clearance	155 mm

ELECTRICALS


Battery	12 V - 4 Ah ETZ5 (MF Battery)
Starting System	Electric-Start / Kick-Start


WEIGHT

Kerb Weight	ZX 109 kg (LX & VX) 108 kg
Fuel Tank Capacity	5.2 Litres

AVAILABLE IN 3 VARIANTS

FEATURE	ZX	VX	LX
Wheel Type	Cast Disc	Cast Drum	Sheet Metal
Advanced Projector LED Headlamps	✓	✓	✓
Signature H shaped Position Lamp	✓	✓	✓
Signature H shaped LED Tail Lamp	✓	✓	✓
Speedometer	Fully digital with Blue LCD	Fully digital with Amber LCD	Digi Analogue
Real time Mileage indicator (RTMI)	✓	✓	✓
Low Fuel Indicator	✓	✓	✓
Revolutionary i3S~ Technology	✓	✓	
Wider Rear Tyre 100/80	✓	✓	
Front USB Charger with Glove Box	✓	✓	Accessory
Boot light	✓	✓	Accessory
Corner Bending Lights [#]	✓		
Bluetooth connectivity	✓		
Diamond cut alloy wheels	✓		
Front Disc Brake	✓		
Colour Options	4	3	2

 HeroMotoCorp.com

 TheHeroMotoCorp

 HeroMotoCorpLimited

 HeroMotoCorp

 HeroMotoCorpIndia



TRUST OF HERO



It is our endeavour to improve our product. This could lead to changes in product specifications without notice. Accessories and features shown may not be a part of the standard fitment. Always wear a helmet while riding a two-wheeler. i3s technology - stops when scooter is in idle. Restarts with press of brake lever and slight throttle (Refer i3s related owner manual pages for more information). +only available in ZX. ++only available in VX & ZX. +++available in ZX, VX & LX. ^^only available in VX and LX. **As per the cumulative global production volume till 21st January 2021. ^{ss}Based on offers from empanelled dealers on Wheels of Trust platform. For further information, contact nearest Hero MotoCorp authorised outlet (s) or call Toll Free No. 1800-266-0018 or visit website www.heromotocorp.com. ^{###}as per internal assessment of the respective data available in public domain.

^{*1st} IN SCOOTER INDUSTRY | ^{**1st} IN SCOOTER 110cc SEGMENT | [^]BASED ON UNIQUE COMBINATION OF FRONT & REAR TYRE DIMENSION COMPARED TO ALL SCOOTER MODELS IN 110cc SEGMENT | [^]FASTEST COMPARED TO ALL SCOOTER MODELS IN 110cc SEGMENT AS PER INTERNAL TESTING