

Tripp Lite 1111 West 35th Street Chicago, IL 60609 USA Telephone: +(773) 869 1234

E-mail: saleshelp@tripplite.com

Model #: U344-001-R

USB 3.0 to DVI or VGA Adapter



Highlights

- Add an additional DVI or VGA monitor through a single USB 3.0 port
- Supports video resolutions up to 2048 x 1152 (60Hz), 1080p (60Hz)
- Supports Aero themes in Windows
- Windows XP, Vista, 7, and 8 compatible

Description

Tripp Lite's U344-001-R, USB 3.0 to DVI / VGA Display Adapter, allows you to connect an additional monitor or projector to a computer/laptop USB 3.0 port. Up to six U344-001-R adapters can be used simultaneously, allowing the user to connect up to six additional monitors to a single computer. Once the installation is done, the computer screen appears on the add-on monitor(s) without the hassle of function keys to swap to a second monitor. The U344-001-R chip-set supports video resolutions up to 2048 x 1152 (60Hz), 1080p (60Hz). The U344-001-R is compatible with Windows XP, Vista, 7, and 8.

Applications

Office workstation

- View large spreadsheets across multiple screens
- Multitask more effectively without overlapping windows
- Edit on one screen while surfing the Internet for information on the other

On the road

- Do multiple screen presentations without bringing another computer
- Easily provide multiple screen exhibitions in a trade show

Graphics workstation

- Use second display for palettes/tools
- · Get a panoramic view of large documents

Editing workstation

- Type documents on one screen while viewing reference material on the other
- Compare two documents simultaneously across two screens

Financial analysis

- Have one monitor per data stream
- · View charts and live data at the same time

Entertainment

- View videos/TV on one screen and reviews on the other
- · Get additional perspectives when playing games

System Requirements

- Windows XP, Vista, 7, and 8
- Supports Surface Pro tablets running Windows 8 Pro and Surface Pro 2 tablets running Windows 8.1 Pro
- USB 2.0 or 3.0 port; USB 3.0 port required for USB 3.0 speeds
- VGA, DVI or HDMI monitor

Computer requirements when using 1-2 display adapters:

- 1.2GHz Single Core CPU
- 512MB memory

Computer requirements when using 3 display adapters:

- 1.6GHz Single Core CPU
- 1GB memory

Computer requirements when using 4 – 6 display adapters:

- 1.8GHz Core Duo CPU
- 1GB memory

Package Includes

- (1) U344-001-R
- (1) Driver CD
- (1) USB 3.0 Cable
- (1) Owner's Manual
- (1) DVI to VGA Adapter

Features

- Add an additional DVI or VGA monitor through a single USB 3.0 port
- Hot pluggable; add or remove a monitor without the need for a system reboot
- Use up to six adapters simultaneously, adding up to six additional monitors to a single computer
- View large spreadsheets across multiple screens by extending video amongst all monitors
- Play video on one monitor while working on another
- Do multiple screen presentations from a laptop computer
- Bus powered...no external power adapter needed
- Features 512MB DDR2 SDRAM of memory
- Supports video resolutions up to 2048 x 1152 (60Hz), 1080p (60Hz)
- Supports Aero themes in Windows
- Compatible with Windows XP, Vista, 7, and 8
- Supports Surface Pro tablets running Windows 8 Pro and Surface Pro 2 tablets running Windows 8.1 Pro

Specifications

OVERVIEW			
Display Style	Adapter		
CONNECTIONS			
Connector A	USB MINI-B 5-PIN (FEMALE)		
Connector B	DVI-I (FEMALE)		

Related Items

Optional Products

Related Model	Description	Qty.
P561-006	6-ft. DVI Single Link TMDS Cable (DVI-D M/M)	1
P561-010	10-ft. DVI Single Link TMDS Cable (DVI-D M/M)	1
P502-006	6-ft. SVGA/VGA Monitor Cable with RGB Coax (HD15 M/M)	1
P502-010	10-ft. SVGA/VGA Monitor Cable with RGB Coax (HD15 M/M)	1
U344-001-HDMI-R	USB 3.0 to HDMI Adapter	1

More information, including related products, owner's manuals, and additional technical specifications, can be found online at www.tripplite.com/en/products/model.cfm?txtModelID=5232.

Copyright © 2013 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.