

ENERGY STAR Commercial Refrigerator Qualified Product List

List Current as of August 23, 2013

Below are currently qualified ENERGY STAR models available for sale in the U.S.

*Additional model number variations represent aesthetic differences that do not affect the performance of the equipment.

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (kW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Admiral Craft Equipment Corp.	ADCRAFT	FZ-1D	FZ-1D		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	20.6	2.44	0	82.5	29	32.2	6.3	R-404A	1/20/2011	10/19/2012
Admiral Craft Equipment Corp.	ADCRAFT	FZ-2D	FZ-2D		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	41.33	2.26	0	82.5	54	32.2	11.06	R-404A	1/20/2011	10/19/2012
Admiral Craft Equipment Corp.	ADCRAFT	FZS-2D	FZS-2D		Glass Door Refrigerator Cabinet	Vertical	Merchandise	Automatic	2	0	Hinged	28	2.33	0	80	48	26	16.93	R-404A	1/20/2011	11/19/2012
Admiral Craft Equipment Corp.	ADCRAFT	RF-1D	RF-1D		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	20.6	2.44	0	82.5	29	32.2	2.24	R-134A	1/20/2011	10/19/2012
Admiral Craft Equipment Corp.	ADCRAFT	RF-2D	RF-2D		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	41.33	2.26	0	82.5	54	32.2	2.57	R-134A	1/20/2011	10/19/2012
Admiral Craft Equipment Corp.	ADCRAFT	RF-3D	RF-3D		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	3	Hinged	66.46	0	66.46	82.48	80.87	32.2	3.58	R-134A	4/30/2011	9/21/2012
Admiral Craft Equipment Corp.	ADCRAFT	RF-3D	RF-3D		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	3	Hinged	66.46	2.26	0	82.5	81	32.2	3.58	R-134A	1/20/2011	10/19/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Admiral Craft Equipment Corp.	ADCRAFT	RFS-1D	RFS-1D		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	1	0	Hinged	22.99	1.98		79	28	32	3.4	R-134A	1/20/2011	10/19/2012
Admiral Craft Equipment Corp.	ADCRAFT	RFS-2D	RFS-2D		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	2	0	Sliding	42.5	1.77		79	53	32	4.92	R-134A	1/20/2011	10/19/2012
Asbury Foodservice	MAXX-COLD	MCR-23FD	MCR-23FD		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	19.3	0	19.3	76.9	26.8	30	2.58	R-134A	1/5/2002	9/21/2012
Asbury Foodservice	MAXX-COLD	MCR-49FD	MCR-49FD		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	42.7	0	42.7	76.9	53.9	31	3.36	R-134A	1/5/2002	9/21/2012
Asbury Foodservice	MAXX-COLD	MCRT-23FD	MCRT-23FD		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	19.39	0	19.39	76.9	31	26.8	2.53	R-134A	1/13/2011	9/21/2012
Asbury Foodservice	MAXX-COLD	MCRT-49FD	MCRT-49FD		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	43.64	0	43.64	76.9	31	31	3.96	R-134A	1/3/2011	9/21/2012
Beverage-Air Corp.	Beverage-Air	BB68G-1	BB68G-1		Glass Door Refrigerator Cabinet	Vertical	Back Bar Cooler	Automatic	2	0	Hinged	28.3	28.3	0	37.25	69	28.18	4.01	R-134A	12/20/2002	9/10/2012
Beverage-Air Corp.	Beverage-Air	BM23	BM23		Solid Door Refrigerator Cabinet	Vertical	Direct Draw Unit	Automatic	0	1	Hinged	7.8	0	7.8	39	24	29.5	1.85	R-134A	7/15/1993	9/10/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (kW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Beverage-Air Corp.	Beverage-Air	Horizon	HR1-1G		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	22.3	22.3	0	78.5	26	32	4.11	R-134A	7/17/2009	9/10/2012
Beverage-Air Corp.	Beverage-Air	Horizon	HR1-1S		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	21.7	0	21.7	78.5	26	32	2.94	R-134A	7/17/2009	9/10/2012
Beverage-Air Corp.	Beverage-Air	Horizon	HR1W-1G		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	31.3	31.3	0	78.5	35	32	4.9	R-134A	7/20/2010	9/10/2012
Beverage-Air Corp.	Beverage-Air	Horizon	HR1W-1S		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	30.6	0	30.6	78.5	35	32	3.2	R-134A	7/20/2010	9/10/2012
Beverage-Air Corp.	Beverage-Air	Horizon	HR2-1G		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	0	Hinged	48	48	0	78.5	52	32	5.8	R-134A	7/17/2009	11/8/2012
Beverage-Air Corp.	Beverage-Air	Horizon	HR2-1HG	HRPS2-1HG,HRPS2-1HG.; HRPS2-1HG-003,HRPS2-1HG-003.; HRPS2-1HG-044,HRPS2-1HG-044.; HRPS2-1HG-18,HRPS2-1HG-18.; HRPS2-1HG-B8105,HRPS2-1HG-B8105.; HRS2-1HG,HRS2-1HG.; HRS2-1HG-001,HRS2-1HG-001.	Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	4	0	Hinged	48.2	48.2	0	78.75	52	33.75	5.59	R-134A	11/4/2009	9/10/2012
Beverage-Air Corp.	Beverage-Air	Horizon	HR2-1HS	HRPS2-1HS,HRPS2-1HS.; HR2-1HS-018,HR2-1HS-018.; HRP2-1HS,HRP2-1HS.; HRP2-1HS,HRPS2-1HS.; HRP2-1HS-005,HRPS2-1HS-005.; HRP2-1HS-B8338,HRPS2-1HS-B8338.; HRS2-1HS,HRS2-1HS.; HRS2-1HS-001,HRS2-1HS-001.	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	4	Hinged	48.2	0	48.2	78.75	52	33.75	3.56	R-134A	11/4/2009	9/10/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Beverage-Air Corp.	Beverage-Air	Horizon	HR2-1HS		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	4 Hinged		48.2	0	48.2	78.75	52	33.75	3.56 R-134A		11/4/2009	9/10/2012
Beverage-Air Corp.	Beverage-Air	Horizon	HR2-1S		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		46.9	0	46.9	78.5	52	32	3.5 R-134A		7/17/2009	11/8/2012
Beverage-Air Corp.	Beverage-Air	Horizon	HR3-1G		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	3	0 Hinged		73.6	73.6	0	78.5	78	32	6.9 R-134A		1/18/2010	9/10/2012
Beverage-Air Corp.	Beverage-Air	Horizon	HR3-1S		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	3 Hinged		72	0	72	78.5	78	32	4.1 R-134A		1/18/2010	9/10/2012
Beverage-Air Corp.	Beverage-Air	Lumavue	LV38-1		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	2	0 Sliding		35.37	35.37	0	78	43.5	32	5.17 R-134A		2/17/2009	9/10/2012
Beverage-Air Corp.	Beverage-Air	Lumavue	LV45-1		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	2	0 Sliding		42.98	42.98	0	78	52	32	5.92 R-134A		4/7/2009	9/10/2012
Beverage-Air Corp.	Beverage-Air	Lumavue	LV49-1		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	2	0 Hinged		45.42	45.42	0	78	52	32	5.82 R-134A		4/1/2009	9/10/2012
Beverage-Air Corp.	Beverage-Air	Lumavue	LV66Y-1		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	3	0 Sliding		64.7	64.7	0	78	75	32	7.68 R-134A		10/9/2009	9/10/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Beverage-Air Corp.	Beverage-Air	Lumavue	LV72Y-1		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	3	0	Hinged	70.16	70.16	0	78	75	32	7.68	R-134A	9/10/2009	9/10/2012
Beverage-Air Corp.	Beverage-Air	LumaVue	LV27-1		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	1	0	Hinged	26.17	26.17	0	78	30	32	4.13	R-134A	1/16/2009	9/10/2012
Beverage-Air Corp.	Beverage-Air	Reach-In	RI18-HS	.RI18-HS-26/; RI18-HS-26/RI18-HS-26/	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	16.8	0	16.8	69.25	26.5	27.5	2.08	R-134A	4/9/2011	9/10/2012
Beverage-Air Corp.	Beverage-Air	RI Series	RI18-HGS	.RI18-HGS-26/; .RI18-HGS-26/; .RI18-HGS-26/-18/; .RI18-HGS/; RI18-HGS-26/RI18-HGS-26/; RI18-HGS-26/RI18-HGS-26/; RI18-HGS-26/; RI18-HGS-26/-18/RI18-HGS-26/; RI18-HGS-26/-18/RI18-HGS/RI18-HGS/;	Mixed Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	1	Hinged	16.9	7.94	8.95	69	27.25	25.5	4.2	R-134A	7/20/1993	9/10/2012
Beverage-Air Corp.	Beverage-Air	SM34N	SM34N		Solid Door Refrigerator Cabinet	Vertical	Other	Automatic	0	1	Hinged	12.83	0	12.83	39.5	34.5	31	2	R-404A	7/11/1993	9/10/2012
Beverage-Air Corp.	Beverage-Air	SM-49N	SM-49N		Solid Door Refrigerator Cabinet	Vertical	Other	Automatic	0	1	Hinged	18.5	0	18.5	39.5	49.5	31	1.83	R-404A	7/12/1993	9/10/2012
Beverage-Air Corp.	Beverage-Air	SM 58N	SM 58N		Solid Door Refrigerator Cabinet	Vertical	Other	Automatic	0	1	Hinged	24.5	0	24.5	39.5	58.5	31	2.25	R-404A	7/14/1993	9/10/2012
Beverage-Air Corp.	Beverage-Air	SMF34	SMF34		Solid Door Refrigerator Cabinet	Vertical	Other	Automatic	0	1	Hinged	13.35	0	13.35	47	34	33.25	2.5	R-134A	7/21/2008	9/10/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (kW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Beverage-Air Corp.	Beverage-Air	SMF49Y	SMF49Y		Solid Door Refrigerator Cabinet	Vertical	Other	Automatic	0	1 Hinged		17.28	0	17.28	47.13	49	33.5	2.18	R-134A	7/21/2008	9/10/2012
Beverage-Air Corp.	Beverage-Air	ST 34N	ST 34N		Solid Door Refrigerator Cabinet	Vertical	Other	Automatic	0	2 Hinged		13.1	0	13.1	39.5	34	31.5	1.85	R-404A	7/11/1993	9/10/2012
Beverage-Air Corp.	Beverage-Air	ST 49N	ST 49N		Solid Door Refrigerator Cabinet	Vertical	Other	Automatic	0	2 Hinged		19.2	0	19.2	39.5	49	31.5	2.2	R-404A	7/12/1993	9/10/2012
Beverage-Air Corp.	Beverage-Air	Undercounter	UCR27A	UCR27A-07, UCR27A-09, UCR27A-09-001, UCR27A-09-001, UCR27A-09-23, UCR27A-16, UCR27A-16, UCR27A-17, UCR27A-17, UCR27A-23, UCR27A-23, UCR27A-24, UCR27A-24	Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	1 Hinged		6.2	0	6.2	28.5	27	29.5	1.76	R-134A	9/10/1998	9/10/2012
Beverage-Air Corp.	Beverage-Air	Work Top	WTR27A	WTR27A-001, WTR27A-001, WTR27A-07, WTR27A-07, WTR27A-09, WTR27A-09, WTR27A-16, WTR27A-16, WTR27A-17, WTR27A-17, WTR27A-23, WTR27A-23, WTR27A-24, WTR27A-24	Solid Door Refrigerator Cabinet	Vertical	Other	Automatic	0	1 Hinged		6.2	0	6.2	33.5	27	29.5	1.76	R-134A	9/10/1998	9/10/2012
Beverage-Air Corp.	Beverage-Air	WTR 48A	WTR 48A		Solid Door Refrigerator Cabinet	Vertical	Other	Automatic	0	2 Hinged		11.6	0	11.6	35.5	48	30.75	2.37	R-134A	9/7/1998	9/10/2012
Beverage-Air Corp.	Beverage-Air	WTR67A	WTR67A		Solid Door Refrigerator Cabinet	Vertical	Other	Automatic	0	2 Hinged		19.21	0	19.21	39.63	67	35.87	2.56	R-134A	11/1/1998	9/10/2012
Blue Air Commercial Refrigeration, Inc	Blue Air	BASR1	BASR1		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		20.5	0	20.93	83.8	212.7	31.25	2.26	R-134A	12/1/2011	11/16/2011

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Blue Air Commercial Refrigeration, Inc	Blue Air	BASR2	BASR2		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	44.2	43.11	83.8	212.7	31.25	3.31	R-134A	12/1/2011	11/16/2011	
Blue Air Commercial Refrigeration, Inc	Blue Air	BASR3	BASR3		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	3	Hinged	66.58	66.58	84.5	214.63	31.25	5.36	R-134A	9/15/2010	3/23/2011	
Blue Air Commercial Refrigeration, Inc	Blue Air	BAUR1	BAUR1		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	1	Hinged	6.81	6.81	35.87	91.12	30	1.16	R-134A	12/1/2010	3/23/2011	
Blue Air Commercial Refrigeration, Inc	Blue Air	BAUR2	BAUR2		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	2	Hinged	13.05	13.05	35.87	91.12	30	1.68	R-134A	12/1/2010	3/23/2011	
Blue Air Commercial Refrigeration, Inc	Blue Air	BAUR3	BAUR3		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	3	Hinged	19.51	19.51	35.87	91.12	30	2.33	R-134A	12/1/2010	3/23/2011	
Blue Air Commercial Refrigeration, Inc	Blue Air	BAUR60	BAUR60		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	2	Hinged	16.18	16.18	35.87	91.12	30	2.05	R-134A	12/1/2010	3/23/2011	
Broich Enterprises, Inc.	Arctic Air	Commercial storage refrigerator	AR23E		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	18.1		82.7	210	32.7	2.75	R-134A	10/30/2012	10/16/2012	
Broich Enterprises, Inc.	Arctic Air	Commercial storage refrigerator	AR49E		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	41.8		82.7	210	32.7	3.7	R-134A	10/30/2012	10/16/2012	

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Broich Enterprises, Inc.	Arctic Air	Commercial storage refrigerator	ARTM23E		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		18.1			82.7	210	32.7	2.75	R-134A	10/30/2012	10/16/2012
Broich Enterprises, Inc.	Arctic Air	Commercial storage refrigerator	ARTM49E		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		43			82.7	210	32.7	3.7	R-134A	10/30/2012	10/30/2012
BuSung America Corporation (DBA Everest Refrigeration)	Everest	EBB59	EBB59		Solid Door Refrigerator Cabinet	Vertical	Back Bar Cooler	Manual	0	2 Hinged		18.82		18.82	37.1	57.7	27	2.47	R-134A	1/13/2011	10/19/2012
BuSung America Corporation (DBA Everest Refrigeration)	Everest	EBB69G	EBB69G		Glass Door Refrigerator Cabinet	Vertical	Back Bar Cooler	Manual	2	0 Hinged		24.14	24.14	24.14	37.1	68	27	3.19	R-134A	12/7/2010	10/19/2012
BuSung America Corporation (DBA Everest Refrigeration)	Everest	EMGR24	EMGR24		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Manual	1	0 Hinged		24	24	24	79.25	28.5	33.5	3.85	R-134A	12/30/2010	10/19/2012
BuSung America Corporation (DBA Everest Refrigeration)	Everest	ESR1	ESR1		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		18.23		18.12	79.2	29.1	31.6	2.02	R-134A	12/10/2010	10/19/2012
BuSung America Corporation (DBA Everest Refrigeration)	Everest	ESWR2	ESWR2		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		43.07		43.07	79.2	59	31.6	2.15	R-134A	10/10/2010	10/19/2012
BuSung America Corporation (DBA Everest Refrigeration)	Everest	ETBR2	ETBR2		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	2 Hinged		11.85		11.85	34	47.2	31.5	2.2	R-134A	1/13/2011	10/19/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
BuSung America Corporation (DBA Everest Refrigeration)	Everest	ETBWR2	ETBWR2		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	2 Hinged		15.08	15.08		34	59	315	2.06	R-134A	12/30/2010	10/19/2012
BuSung America Corporation (DBA Everest Refrigeration)	Everest	ETR1	ETR1		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	1 Hinged		7.81	7.81		34	35.5	31.5	1.27	R-134A	12/10/2010	10/19/2012
BuSung America Corporation (DBA Everest Refrigeration)	Everest	ETR3	ETR3		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	3 Hinged		20.61	20.61		34	70.9	31.5	2.02	R-134A	12/10/2010	10/19/2012
Continental Refrigerator	Continental	1R	1R	1R-SA,1R-SA.; 1R-SS,1R-SS.	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		18.87	0	18.87	82.3	26	35.5	2.59	R-134A	1/1/2010	7/11/2013
Continental Refrigerator	Continental	1RE	1RE	1RE-SA,1RE-SA.; 1RE-SS,1RE-SS.	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		20.68	0	20.68	82.3	28.5	35.5	2.89	R-134A	1/1/2010	7/11/2013
Continental Refrigerator	Continental	1RE-HD	1RE-HD	1RE-SA-HD,1RE-SA-HD.; 1RE-SA-HD, 1RE-SA-HD.; 1RE-SS-HD,1RE-SS-HD.; 1RE-SS-HD,1RE-SS-HD.	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		20.63	0	20.63	82.3	28.5	35.5	2.89	R-134A	1/1/2010	7/15/2013
Continental Refrigerator	Continental	1RE-HD	1RE-HD		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		20.63	0	20.63	82.3	28.5	35.5	2.89	R-134A	1/1/2010	10/17/2012
Continental Refrigerator	Continental	1RE-PT	1RE-PT	1RE-SA-PT, 1RE-SA-PT.; 1RE-SA-PT, 1RE-SA-PT.; 1RE-SS-PT,1RE-SS-PT.; 1RE-SS-PT,1RE-SS-PT.	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		23.14	0	23.14	82.3	28.5	35.5	3.05	R-134A	1/1/2010	7/10/2013

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Continental Refrigerator	Continental	1RE-PT-HD	1RE-PT-HD	1RE-SA-PT-HD,1RE-SA-PT-HD, 1RE-SA-PT-HD,1RE-SA-PT-HD, 1RE-SS-PT-HD, 1RE-SS-PT-HD, 1RE-SS-PT-HD,1RE-SS-PT-HD,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	4	Hinged	23.04	0	23.04	82.3	28.5	35.5	3.05	R-134A	1/1/2010	7/10/2013
Continental Refrigerator	Continental	1R-HD	1R-HD	1R-SA-HD,1R-SA-HD, 1R-SA-HD,1R-SA-HD, 1R-SS-HD, 1R-SS-HD, 1R-SS-HD,1R-SS-HD,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	18.69	0	18.69	82.3	26	35.5	2.59	R-134A	1/1/2010	7/10/2013
Continental Refrigerator	Continental	1R-PT	1R-PT	1R-SA-PT,1R-SA-PT, 1R-SA-PT,1R-SA-PT, 1R-SS-PT, 1R-SS-PT, 1R-SS-PT,1R-SS-PT,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	21.57	0	21.57	82.3	26	35.5	2.98	R-134A	1/1/2010	7/10/2013
Continental Refrigerator	Continental	1R-PT-HD	1R-PT-HD	1R-SA-PT-HD,1R-SA-PT-HD, 1R-SA-PT-HD,1R-SA-PT-HD, 1R-SS-PT-HD, 1R-SS-PT-HD, 1R-SS-PT-HD,1R-SS-PT-HD,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	4	Hinged	21.47	0	21.47	82.3	26	35.5	2.98	R-134A	1/1/2010	7/10/2013
Continental Refrigerator	Continental	1RS	1RS	1RS-SA,1RS-SA, 1RS-SA,1RS-SA, 1RS-SS,1RS-SS, 1RS-SS,1RS-SS,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	16.21	0	16.21	82.3	26	30.5	2.69	R-134A	1/1/2010	7/10/2013
Continental Refrigerator	Continental	1RS-HD	1RS-HD	1RS-SA-HD,1RS-SA-HD, 1RS-SA-HD,1RS-SA-HD, 1RS-SS-HD, 1RS-SS-HD, 1RS-SS-HD,1RS-SS-HD,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	16.16	0	16.16	82.3	26	30.5	2.69	R-134A	1/1/2010	7/10/2013
Continental Refrigerator	Continental	1RXS	1RXS	1RXS-SA, 1RXS-SA, 1RXS-SA, 1RXS-SA, 1RXS-SS, 1RXS-SS, 1RXS-SS, 1RXS-SS,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	22.6	0	22.6	82.3	36.3	30.5	3.01	R-134A	1/1/2010	7/10/2013
Continental Refrigerator	Continental	1RXS-HD	1RXS-HD	1RXS-SA-HD,1RXS-SA-HD, 1RXS-SA-HD,1RXS-SA-HD, 1RXS-SS-HD,1RXS-SS-HD, 1RXS-SS-HD,1RXS-SS-HD,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	22.55	0	22.55	82.3	36.3	30.5	3.01	R-134A	1/1/2010	7/10/2013

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Continental Refrigerator	Continental	2R	2R	2R-SA,2R-SA.; 2R-SS,2R-SS.	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged	46.61	0	46.61	82.3	52	35.5	4.16	R-134A	1/1/2010	7/11/2013	
Continental Refrigerator	Continental	2RE	2RE	2RE-SA,2RE-SA.; 2RE-SS,2RE-SS.	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged	50	0	50	82.3	57	35.5	4.25	R-134A	1/1/2010	7/10/2013	
Continental Refrigerator	Continental	2RE-HD	2RE-HD	2RE-SA-HD,2RE-SA-HD.; 2RE-SS-HD, 2RE-SS-HD.	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	4 Hinged	49.9	0	49.9	82.3	57	35.5	4.25	R-134A	1/1/2010	7/10/2013	
Continental Refrigerator	Continental	2RE-PT	2RE-PT	2RE-SA-PT,2RE-SA-PT.; 2RE-SS-PT, 2RE-SS-PT.	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	4 Hinged	50	0	50	82.3	57	35.5	4.25	R-134A	1/1/2010	7/10/2013	
Continental Refrigerator	Continental	2RE-PT-HD	2RE-PT-HD	2RE-SA-PT-HD,2RE-SA-PT-HD.; 2RE-SS-PT-HD,2RE-SS-PT-HD.	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	8 Hinged	49.8	0	49.8	82.3	57	35.5	4.25	R-134A	1/1/2010	7/10/2013	
Continental Refrigerator	Continental	2R-HD	2R-HD	2R-SA-HD,2R-SA-HD.; 2R-SS-HD,2R-SS-HD.	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	4 Hinged	46.51	0	46.51	82.3	52	35.5	4.16	R-134A	1/1/2010	7/10/2013	
Continental Refrigerator	Continental	2R-PT	2R-PT	2R-SA-PT,2R-SA-PT.; 2R-SS-PT,2R-SS-PT.	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	4 Hinged	46.61	0	46.61	82.3	52	35.5	4.16	R-134A	1/1/2010	7/10/2013	
Continental Refrigerator	Continental	2R-PT-HD	2R-PT-HD	2R-SA-PT-HD,2R-SA-PT-HD.; 2R-SS-PT-HD,2R-SS-PT-HD.	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	8 Hinged	46.41	0	46.41	82.3	52	35.5	4.16	R-134A	1/1/2010	7/10/2013	

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Continental Refrigerator	Continental	3R	3R	3R-SA,3R-SA, 3R-SS,3R-SS,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	3 Hinged		68.38	0	68.38	82.3	78	35.5	5.01	R-134A	1/1/2010	7/10/2013
Continental Refrigerator	Continental	3RE	3RE	3RE-SA,3RE-SA, 3RE-SS,3RE-SS,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	3 Hinged		75.76	0	75.76	82.3	85.5	35.5	5.23	R-134A	1/1/2010	7/11/2013
Continental Refrigerator	Continental	3RE-HD	3RE-HD	3RE-SA-HD,3RE-SA-HD, 3RE-SS-HD, 3RE-SS-HD,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	6 Hinged		75.61	0	75.61	82.3	85.5	35.5	5.23	R-134A	1/1/2010	7/10/2013
Continental Refrigerator	Continental	3RE-PT	3RE-PT	3RE-SA-PT,3RE-SA-PT, 3RE-SS-PT, 3RE-SS-PT,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	6 Hinged		80.2	0	80.2	82.3	85.5	35.5	6	R-134A	1/1/2010	7/10/2013
Continental Refrigerator	Continental	3RE-PT-HD	3RE-PT-HD	3RE-SA-PT-HD,3RE-SA-PT-HD, 3RE-SS-PT-HD,3RE-SS-PT-HD,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	12 Hinged		79.9	0	79.9	82.3	85.5	35.5	6	R-134A	1/1/2010	7/10/2013
Continental Refrigerator	Continental	3R-HD	3R-HD	3R-SA-HD,3R-SA-HD, 3R-SS-HD,3R-SS-HD,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	6 Hinged		68.2	0	68.2	82.3	78	35.5	5.01	R-134A	1/1/2010	7/10/2013
Continental Refrigerator	Continental	3R-PT	3R-PT	3R-SA-PT,3R-SA-PT, 3R-SS-PT,3R-SS-PT,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	6 Hinged		73.16	0	73.16	82.3	78	35.5	5.75	R-134A	1/1/2010	7/10/2013
Continental Refrigerator	Continental	3R-PT-HD	3R-PT-HD	3R-SA-PT-HD,3R-SA-PT-HD, 3R-SS-PT-HD,3R-SS-PT-HD,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	12 Hinged		72.86	0	72.86	82.3	78	35.5	5.75	R-134A	1/1/2010	7/10/2013

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Continental Refrigerator	Continental	DL1R	DL1R	DL1R-SA,DL1R-SA; DL1R-SS,DL1R-SS,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	21.57	0	21.57	83.3	26	35.5	2.98	R-134A	1/1/2010	7/10/2013
Continental Refrigerator	Continental	DL1RE	DL1RE	DL1RE-SA,DL1RE-SA; DL1RE-SS,DL1RE-SS,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	23.14	0	23.14	83.3	28.5	35.5	3.05	R-134A	1/1/2010	7/10/2013
Continental Refrigerator	Continental	DL1RE-HD	DL1RE-HD	DL1RE-SA-HD,DL1RE-SA-HD; DL1RE-SS-HD,DL1RE-SS-HD,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	23.09	0	23.09	83.3	28.5	35.5	3.05	R-134A	1/1/2010	7/10/2013
Continental Refrigerator	Continental	DL1RE-PT	DL1RE-PT	DL1RE-SA-PT,DL1RE-SA-PT; DL1RE-SS-PT,DL1RE-SS-PT,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	23.14	0	23.14	83.3	28.5	35.5	3.05	R-134A	1/1/2010	7/10/2013
Continental Refrigerator	Continental	DL1RE-PT-HD	DL1RE-PT-HD	DL1RE-SA-PT-HD,DL1RE-SA-PT-HD; DL1RE-SS-PT-HD,DL1RE-SS-PT-HD,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	4	Hinged	23.09	0	23.09	83.3	28.5	35.5	3.05	R-134A	1/1/2010	7/10/2013
Continental Refrigerator	Continental	DL1RES	DL1RES	DL1RES-SA,DL1RES-SA; DL1RES-SS,DL1RES-SS,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	17.6	0	17.6	83.3	28.5	28.5	2.81	R-134A	1/1/2010	7/10/2013
Continental Refrigerator	Continental	DL1RES-HD	DL1RES-HD	DL1RES-SA-HD,DL1RES-SA-HD; DL1RES-SS-HD,DL1RES-SS-HD,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	17.55	0	17.55	83.3	28.5	30.5	2.81	R-134A	1/1/2010	7/10/2013
Continental Refrigerator	Continental	DL1RES-PT	DL1RES-PT	DL1RES-SA-PT,DL1RES-SA-PT; DL1RES-SS-PT,DL1RES-SS-PT,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	17.6	0	17.6	83.3	28.5	28.5	2.81	R-134A	1/1/2010	7/10/2013

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Continental Refrigerator	Continental	DL1RES-PT-HD	DL1RES-PT-HD	DL1RES-SA-PT-HD,DL1RES-SA-PT-HD, DL1RES-SS-PT-HD,DL1RES-SS-PT-HD,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	4	Hinged	17.5	0	17.5	83.3	28.5	30.5	2.81	R-134A	1/1/2010	7/10/2013
Continental Refrigerator	Continental	DL1R-HD	DL1R-HD	DL1R-SA-HD,DL1R-SA-HD, DL1R-SS-HD,DL1R-SS-HD,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	21.52	0	21.52	83.3	26	35.5	2.98	R-134A	1/1/2010	7/10/2013
Continental Refrigerator	Continental	DL1R-PT	DL1R-PT	DL1R-SA-PT,DL1R-SA-PT, DL1R-SS-PT,DL1R-SS-PT,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	21.57	0	21.57	82.3	26	35.5	2.98	R-134A	1/1/2010	7/10/2013
Continental Refrigerator	Continental	DL1R-PT-HD	DL1R-PT-HD	DL1R-SA-PT-HD,DL1R-SA-PT-HD, DL1R-SS-PT-HD,DL1R-SS-PT-HD,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	4	Hinged	21.47	0	21.47	83.3	26	35.5	2.98	R-134A	1/1/2010	7/10/2013
Continental Refrigerator	Continental	DL1RS	DL1RS	DL1RS-SA,DL1RS-SA, DL1RS-SS,DL1RS-SS,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	17.38	0	17.38	83.3	26	30.5	2.51	R-134A	1/1/2010	7/10/2013
Continental Refrigerator	Continental	DL1RS-HD	DL1RS-HD	DL1RS-SA-HD,DL1RS-SA-HD, DL1RS-SS-HD,DL1RS-SS-HD,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	17.33	0	17.33	83.3	26	30.5	2.51	R-134A	1/1/2010	7/10/2013
Continental Refrigerator	Continental	DL1RS-PT	DL1RS-PT	DL1RS-SA-PT,DL1RS-SA-PT, DL1RS-SS-PT,DL1RS-SS-PT,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	17.38	0	17.38	83.3	26	30.5	2.51	R-134A	1/1/2010	7/10/2013
Continental Refrigerator	Continental	DL1RS-PT-HD	DL1RS-PT-HD	DL1RS-SA-PT-HD,DL1RS-SA-PT-HD, DL1RS-SS-PT-HD,DL1RS-SS-PT-HD,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	4	Hinged	17.28	0	17.28	83.3	26	30.5	2.51	R-134A	1/1/2010	7/10/2013

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Continental Refrigerator	Continental	DL1RXS	DL1RXS	DL1RXS-SA,DL1RXS-SA,DL1RXS-SS,DL1RXS-SS	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	24.26	0	24.26	83.3	36.3	30.5	3.01	R-134A	1/1/2010	7/10/2013
Continental Refrigerator	Continental	DL1RXS-HD	DL1RXS-HD	DL1RXS-SA-HD,DL1RXS-SA-HD,DL1RXS-SS-HD,DL1RXS-SS-HD	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	24.21	0	24.21	83.3	36.3	30.5	3.01	R-134A	1/1/2010	7/10/2013
Continental Refrigerator	Continental	DL1RXS-PT	DL1RXS-PT	DL1RXS-SA-PT,DL1RXS-SA-PT,DL1RXS-SS-PT,DL1RXS-SS-PT	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	24.26	0	24.26	83.3	36.3	30.5	3.01	R-134A	1/1/2010	7/10/2013
Continental Refrigerator	Continental	DL1RXS-PT-HD	DL1RXS-PT-HD	DL1RXS-SA-PT-HD,DL1RXS-SA-PT-HD,DL1RXS-SS-PT-HD,DL1RXS-SS-PT-HD	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	4	Hinged	24.16	0	24.16	83.3	36.3	30.5	3.01	R-134A	1/1/2010	7/10/2013
Continental Refrigerator	Continental	DL2R	DL2R	DL2R-SA,DL2R-SA,DL2R-SS,DL2R-SS	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	49.54	0	49.54	83.3	52	35.5	4.36	R-134A	1/1/2010	7/10/2013
Continental Refrigerator	Continental	DL2RE-**/ES	DL2RE-**/ES		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	49.07	0	49.07	51	59.25	26.5	4.2	R-134a	9/1/2012	3/7/2013
Continental Refrigerator	Continental	DL2RE-**-HD/ES	DL2RE-**-HD/ES		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	48.86	0	48.86	51	59.25	26.5	4.29	R-134a	9/1/2012	3/7/2013
Continental Refrigerator	Continental	DL2R-HD	DL2R-HD	DL2R-SA-HD,DL2R-SA-HD,DL2R-SS-HD,DL2R-SS-HD	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	4	Hinged	49.44	0	49.44	83.3	52	35.5	4.36	R-134A	1/1/2010	7/10/2013

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Continental Refrigerator	Continental	DL3R	DL3R	DL3R-SA,DL3R-SA,DL3R-SS,DL3R-SS,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	3 Hinged		73.16	0	73.16	83.3	78	35.5	5.75	R-134A	1/1/2010	7/10/2013
Continental Refrigerator	Continental	DL3RE	DL3RE	DL3RE-SA,DL3RE-SA,DL3RE-SS,DL3RE-SS,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	3 Hinged		80.2	0	80.2	83.3	85.5	35.5	6	R-134A	1/1/2010	7/10/2013
Continental Refrigerator	Continental	DL3RE-HD	DL3RE-HD	DL3RE-SA-HD,DL3RE-SA-HD,DL3RE-SS-HD,DL3RE-SS-HD,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	6 Hinged		80.05	0	80.05	83.3	85.5	35.5	6	R-134A	1/1/2010	7/10/2013
Continental Refrigerator	Continental	DL3RE-PT	DL3RE-PT	DL3RE-SA-PT,DL3RE-SA-PT,DL3RE-SS-PT,DL3RE-SS-PT,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	6 Hinged		80.2	0	80.2	83.3	85.5	35.5	6	R-134A	1/1/2010	7/10/2013
Continental Refrigerator	Continental	DL3RE-PT-HD	DL3RE-PT-HD	DL3RE-SA-PT-HD,DL3RE-SA-PT-HD,DL3RE-SS-PT-HD,DL3RE-SS-PT-HD,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	12 Hinged		79.9	0	79.9	83.3	85.5	35.5	6	R-134A	1/1/2010	7/10/2013
Continental Refrigerator	Continental	DL3R-HD	DL3R-HD	DL3R-SA-HD,DL3R-SA-HD,DL3R-SS-HD,DL3R-SS-HD,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	6 Hinged		73.01	0	73.01	83.3	78	35.5	5.75	R-134A	1/1/2010	7/10/2013
Continental Refrigerator	Continental	DL3R-PT	DL3R-PT	DL3R-SA-PT,DL3R-SA-PT,DL3R-SS-PT,DL3R-SS-PT,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	6 Hinged		73.16	0	73.16	83.3	78	35.5	5.75	R-134A	1/1/2010	7/10/2013
Continental Refrigerator	Continental	DL3R-PT-HD	DL3R-PT-HD	DL3R-SA-PT-HD,DL3R-SA-PT-HD,DL3R-SS-PT-HD,DL3R-SS-PT-HD,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	12 Hinged		72.89	0	72.89	83.3	78	35.5	5.75	R-134A	1/1/2010	7/10/2013

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Continental Refrigerator	Continental	MC3-DCW	MC3-DCW	MC3-SS-DCW,MC3-SS-DCW,	Solid Door Refrigerator Cabinet	Vertical	Other	Automatic	0	2 Hinged		13.21	0	13.21	41.5	34	33	2.19	R-134A	1/1/2010	7/10/2013
Continental Refrigerator	Continental	MC3-SCW	MC3-SCW	MC3-SS-SCW,MC3-SS-SCW,	Solid Door Refrigerator Cabinet	Vertical	Other	Automatic	0	1 Hinged		13.21	0	13.21	41.5	34	33	2.48	R-134A	1/1/2010	7/10/2013
Continental Refrigerator	Continental	MC4-DCW	MC4-DCW	MC4-SS-DCW,MC4-SS-DCW,	Solid Door Refrigerator Cabinet	Vertical	Other	Automatic	0	2 Hinged		19.79	0	19.79	41.5	49	33	2.1	R-134A	1/1/2010	7/10/2013
Continental Refrigerator	Continental	MC4-SCW	MC4-SCW	MC4-SS-SCW,MC4-SS-SCW,	Solid Door Refrigerator Cabinet	Vertical	Other	Automatic	0	1 Hinged		19.79	0	19.79	41.5	49	33	2.84	R-134A	1/1/2010	7/10/2013
Continental Refrigerator	Continental	MC5-DCW	MC5-DCW	MC5-SS-DCW,MC5-SS-DCW,	Solid Door Refrigerator Cabinet	Vertical	Other	Automatic	0	2 Hinged		23.74	0	23.74	41.5	58	33	2.64	R-134A	1/1/2010	7/10/2013
Continental Refrigerator	Continental	MC5-SCW	MC5-SCW	MC5-SS-SCW,MC5-SS-SCW,; MC5-SS-SCW,MC5-SS-SCW,	Solid Door Refrigerator Cabinet	Vertical	Other	Automatic	0	1 Hinged		23.74	0	23.74	41.5	58	33	2.97	R-134A	1/1/2010	7/23/2013
Daeyeong E&B Co., Ltd.	DAEYEONG E & B	DY-1220RNM	DY-1220RNM		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		42.7	0	42.7	76.9	53.9	31	3.36	R-134A	1/5/2002	9/21/2012
Daeyeong E&B Co., Ltd.	DAEYEONG E & B	DY-610RNM	DY-610RNM		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		19.3	0	19.3	76.9	26.8	30	2.58	R-134A	1/5/2002	9/21/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Daeyeong E&B Co., Ltd.	Lassele	LRT-23S	LRT-23S		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		19.39	0	19.39	76.9	31	26.8	2.53	R-134A	1/13/2011	9/21/2012
Daeyeong E&B Co., Ltd.	Lassele	LRT-49D	LRT-49D		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		43.64	0	43.64	76.9	31	31	3.96	R-134A	1/3/2011	9/21/2012
Danby Products Inc.	ColdTech	CRR229-1	CRR229-1		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		20.6	0	20.6	82.5	28.98	32.2	2.24	R-134A	3/25/2011	1/21/2013
Danby Products Inc.	ColdTech	CRR466-2	CRR466-2		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		41.33	0	41.33	82.48	53.98	32.2	2.57	R-134A	3/25/2011	1/22/2013
Danby Products Inc.	ColdTech	CRR720-3	CRR720-3		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	3 Hinged		66.46	0	66.46	82.48	80.87	32.2	3.58	R-134A	3/25/2011	1/22/2013
Danby Products Inc.	ColdTech	CUR063-27	CUR063-27		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	1 Hinged		5.51	0	5.51	35.63	27.17	29.72	1	R-134A	3/25/2011	1/23/2013
Danby Products Inc.	ColdTech	CUR119-47	CUR119-47		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	2 Hinged		11.2	0	11.2	35.63	47.24	29.72	1.59	R-134A	3/25/2011	1/23/2013
Danby Products Inc.	Danby	CRR229-1	CRR229-1		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		20.6	0	20.6	82.5	28.98	32.2	2.24	R-134A	3/25/2011	2/7/2013

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Danby Products Inc.	Danby	CRR466-2	CRR466-2		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	41.33	0	41.33	82.48	53.98	32.2	2.57	R-134A	3/25/2011	2/7/2013
Danby Products Inc.	Danby	CRR720-3	CRR720-3		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	3	Hinged	66.46	0	66.46	82.48	80.87	32.2	3.58	R-134A	3/25/2011	2/7/2013
Danby Products Inc.	Danby	CUR063-27	CUR063-27		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	1	Hinged	5.51	0	5.51	35.63	27.17	29.72	1	R-134A	3/25/2011	2/7/2013
Danby Products Inc.	Danby	CUR119-47	CUR119-47		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	2	Hinged	11.2	0	11.2	35.63	47.24	29.72	1.59	R-134A	3/25/2011	2/7/2013
Duke Manufacturing Co.	Backcounter	RBC	RBC 60		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	12.4	0	12.4	36	91.4	29.5	1.93	R-134A	5/11/2004	4/7/2011
Duke Manufacturing Co.	Backcounter	RUF	RUF 48 M		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	17	0	17	36	91.4	29.5	2.78	R-134A	1/6/1995	4/7/2011
Electrolux Home Products	Arctic Air	Arctic Air	GDR22CWLF		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	20	20	0	70.6	32	29	3	R-134A	4/1/1999	2/18/2011
Electrolux Home Products	Arctic Air	Arctic Air	GDR22CWRF		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	20	20	0	70.6	32	29	3	R-134A	4/1/1999	2/18/2011

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Electrolux Home Products	Arctic Air	Arctic Air	R22CWF		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		18	0	18	70.6	32	29	1 R-134A	1/1/1996	2/18/2011	
Electrolux Home Products	Frigidaire	Frigidaire	FCGM201RFB		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0 Hinged		20	20	0	70.6	32	29	3 R-134A	5/1/2012	2/18/2011	
Electrolux Home Products	Frigidaire	Frigidaire	FCRS201LFB		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		19	0	19	70.6	32	29	1 R-134A	5/1/2006	2/18/2011	
Electrolux Home Products	Frigidaire	Frigidaire	FCRS201RFB		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		19	0	19	70.6	32	29	1 R-134A	5/1/2006	2/18/2011	
Electrolux Home Products	Gibson	Gibson	RR18R		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		18		18	70.6	32	29	1 R-134A	9/4/2012	9/4/2012	
Electrolux Home Products	Kelvinator	Kelvinator	KGM220RHY		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0 Hinged		20	20	0	70.6	32	29	3 R-134A	12/1/2008	2/18/2011	
Electrolux Home Products	Kelvinator	Kelvinator	KRS220RHY		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		19	0	19	70.6	32	29	1 R-134A	12/1/2008	2/18/2011	
Electrolux Home Products	Kelvinator	Kelvinator	KRS221LHY		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		19	0	19	70.6	32	29	1 R-134A	12/1/2008	2/18/2011	

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Everest Import Distribution	GLOBAL 1ST PRODUCTS	GDC-1-22NRJ	GDC-1-22NRJ		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	8.55	8.55	0	67.72	21.65	23.07	1.98	R-134A	4/30/2011	9/21/2012
Everest Import Distribution	GLOBAL 1ST PRODUCTS	GDC-1-26NRJ	GDC-1-26NRJ		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	13.28	13.28	0	83.27	25.59	24.41	2.23	R-134A	4/30/2011	9/21/2012
Everest Import Distribution	GLOBAL 1ST PRODUCTS	GDC-1-27NRJ	GDC-1-27NRJ		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	22.9	22.9	0	83.27	28.35	31.89	3.4	R-134A	4/30/2011	9/21/2012
Everest Import Distribution	GLOBAL 1ST PRODUCTS	GDC-2-53NRJ	GDC-2-53NRJ		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	0	Sliding	42.5	42.5	0	83.27	53.15	31.89	4.92	R-134A	4/30/2011	9/21/2012
Everest Import Distribution	GLOBAL 1ST PRODUCTS	SDC-1-29NRJ	SDC-1-29NRJ		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	20.6	0	20.6	82.5	28.98	32.2	2.24	R-134A	4/30/2011	9/21/2012
Everest Import Distribution	GLOBAL 1ST PRODUCTS	SDC-2-54NRJ	SDC-2-54NRJ		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	41.33	0	41.33	82.48	53.98	32.2	2.57	R-134A	4/30/2011	9/21/2012
Everest Import Distribution	GLOBAL 1ST PRODUCTS	SDC-3-81NRJ	SDC-3-81NRJ		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	3	Hinged	66.46	0	66.46	82.48	80.87	32.2	3.58	R-134A	4/30/2011	9/21/2012
Excellence Industries	Excellence	EMM-2S	EMM-2S	EMM-2SD,EMM-2SD,	Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	1	0	Hinged	1.78	1.78	0	19.69	17.2	19.69	1.11	R-134A	4/1/2012	12/19/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Excellence Industries	Excellence	EMM-3S	EMM-3S	EMM-3SD,EMM-3SD,	Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	1	0	Hinged	2.52	2.52	0	27.17	17.24	20	1.17	R-134A	4/1/2012	12/19/2012
Excellence Industries	Excellence	EMM-4S	EMM-4S	EMM-4SD,EMM-4SD,	Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	1	0	Hinged	3.41	3.41	0	32.87	18.9	18.9	1.52	R-134A	4/1/2012	12/19/2012
Excellence Industries	Excellence Commercial Products	CC-7-BEV	CTM-7		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	5.94			37.8	96	25	2.08	R-134A	7/13/2009	12/22/2011
Excellence Industries	Excellence Commercial Products	VR-10-G	VR-10-G		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	8.49			54	137.16	22.8	2.19	R-134A	4/19/2009	12/22/2011
Excellence Industries	Excellence Commercial Products	VR-12-G	VR-12-G		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	10.38			62	157.48	22.8	2.1	R-134A	4/19/2009	12/22/2011
Excellence Industries	Excellence Commercial Products	VR-26-G	VR-26-G		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	22.06			78	198.1	29.5	3.32	R-134A	6/14/2009	12/22/2011
Excellence Industries	Excellence Commercial Products	VR-45-SLD	VR-45-SLD		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	2	0	Sliding	38.6			55.44	140.8	29.5	5.77	R-134A	8/6/2011	12/22/2011
Fagor Commercial	Fagor,EDESA,A SBER	FBC-50	FBC-50	ADBC-50,ADBC-50,; ADBC-50S,ADBC-50 S,; EBC50,EBC50,; EBC50S,EBC50S,; FBC-50S,FBC-50S,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Manual	0	2	Sliding	14.4	0	14.4	26	35.6	23.2	2.93	R-134a	11/1/2011	6/28/2013

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Fagor Commercial	Fagor, EDESA; ASBER	FBC-69	FBC-69	ADBC-68, ADBC-68; ADBC-69S, ADBC-69 S.; EBC68, EBC68S.; EBC68S, EBC68S.; FBC-69S, FBC-69S.	Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Manual	0	2	Sliding	21	0	21	26	54.52	23.2	3.25	R-134a	11/1/2011	6/28/2013
Fagor Commercial	Fagor, EDESA; ASBER	FDD-59	FDD-59	ADDC-58, ABBC-58, ABBC-58; EBB58 S.; EBB58 S.; EBB58, EBB58.; EDD58 S, EDD58 S.; EDD58, EDD58.; FBB-59 S, FBB-59 S.; FBB-59, FBB-59.; FDD-59 S, FDD-59 S.	Solid Door Refrigerator Cabinet	Vertical	Back Bar Cooler	Manual	0	2	Hinged	19.4	0	19.4	32.3	44.6	23.2	3.77	R-134a	12/1/2011	6/28/2013
Fagor Commercial	Fagor, EDESA; ASBER	FDD-79	FDD-79	ABBC-78, ABBC-78.; ADDC-78, ADDC-78.; EBB78 S, EBB78 S.; EBB78, EBB78.; EDD78 S, EDD78 S.; EDD78, EDD78.; FBB-79 S, FBB-79 S.; FBB-79, FBB-79.; FDD-79 S, FDD-79 S.	Solid Door Refrigerator Cabinet	Vertical	Direct Draw Unit	Manual	0	3	Hinged	28.2	0	28.2	32.3	64.9	23.2	4.58	R-134a	2/1/2012	7/9/2013
Fagor Commercial	Fagor, EDESA; ASBER;	FDD-24	FDD-24	ABBC-23, ABBC-23.; ADDC-23, ADDC-23.; EBB23 S, EBB23 S.; EBB23, EBB23.; EDD23 S, EDD23 S.; EDD23 S, EDD23 S.; FBB-24 S, FBB-24 S.; FBB-24, FBB-24.; FDD-24 S, FDD-24 S.	Solid Door Refrigerator Cabinet	Vertical	Direct Draw Unit	Manual	0	1	Hinged	7.3	0	7.3	32.3	20.8	18.7	2.44	R-134a	12/1/2010	7/9/2013
Fogel de Centroamerica S.A.	Fogel	CC-7-BEV	CC-7-BEV		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	5.94			37.8	96	25	2.08	R-134A	7/13/2009	4/7/2011
Fogel de Centroamerica S.A.	Fogel	DECK-10	DECK-10		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	8.12			54	137.16	22.8	1.82	R-134A	9/17/2009	4/7/2011
Fogel de Centroamerica S.A.	Fogel	DECK-12	DECK-12		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	9.97			62	157.48	22.8	1.85	R-134A	1/10/2009	4/7/2011
Fogel de Centroamerica S.A.	Fogel	DECK-26	DECK-26		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	22.1			77.3	196.2	29.6	4.01	R-134A	11/15/2010	4/7/2011

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Fogel de Centroamerica S.A.	Fogel	HC-12-US	HC-12		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	10.38			62	157.48	22.8	2.09	Other	12/18/2009	4/7/2011
Fogel de Centroamerica S.A.	Fogel	VR-10-BEV	VR-10-BEV		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	8.49			54	137.16	22.8	2.19	R-134A	4/19/2009	4/7/2011
Fogel de Centroamerica S.A.	Fogel	VR-12-BEV	VR-12-BEV		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	10.38			62	157.48	22.8	2.1	R-134A	4/19/2009	4/7/2011
Fogel de Centroamerica S.A.	Fogel	VR-26-BEV	VR-26-BEV		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	22.06			78	198.1	29.5	3.32	R-134A	6/14/2009	4/7/2011
Fogel de Centroamerica S.A.	Fogel	VR-45-SD	VR-45-SD		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	2	0	Sliding	38.61			55.44	140.8	29.5	5.77	R-134A	8/6/2011	6/16/2011
Frigoglass North America	Frigoglass	Miracool	MC260-CC-CO2-E		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	1	0	Hinged	9.38	9.38		54	24.5	26	1.97	Other	3/15/2012	9/20/2012
Frigoglass North America	Frigoglass	Miracool	MC260-CC-CO2-S		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	1	0	Hinged	9.38	9.38		54	24.5	26	2.24	Other	3/15/2012	9/20/2012
Frigoglass North America	Frigoglass	Miracool	MC300-CC-CO2-E		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	1	0	Hinged	11.94	11.94		62	24.5	26	2.18	Other	3/15/2012	9/20/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Frigoglass North America	Frigoglass	Miracool	MC300-CC-CO2-S		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	1	0	Hinged	11.94	11.94		62	24.5	26	2.4	Other	3/15/2012	9/20/2012
Frigoglass North America	Frigoglass	Miracool	MC750-CC-CO2-E		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	1	0	Hinged	25.74	25.74		78	30	32	3.9	Other	3/15/2012	9/20/2012
Frigoglass North America	Frigoglass	Miracool	MC750-CC-CO2-S		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	1	0	Hinged	25.74	25.74		78	30	32	4.14	Other	3/15/2012	9/20/2012
Frigoglass North America	MiraCool by Frigoglass	MC1100S-1-B	MC1100S-1-B		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	2	0	Sliding	38.82	38.82		78	43.5	32	4.68	R-134A	2/8/2010	10/19/2012
Frigoglass North America	MiraCool by Frigoglass	MC1100S-V2	MC1100S-V2		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	2	0	Sliding	38.82	38.82		78	43.5	32	5.45	R-134A	6/7/2011	9/20/2012
Frigoglass North America	MiraCool by Frigoglass	MC1300H	MC1300H		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	2	0	Hinged	47.72	47.72		78	52	32	6.78	R-134A	9/23/2010	10/19/2012
Frigoglass North America	MiraCool by Frigoglass	MC1300H-V2	MC1300H-V2		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	2	0	Hinged	47.72	47.72		78	52	32	6.38	R-134A	1/31/2011	10/19/2012
Frigoglass North America	MiraCool by Frigoglass	MC1300S	MC1300S		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	2	0	Sliding	46.96	46.96		78	52	32	6.46	R-134A	9/23/2010	10/19/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Frigoglass North America	MiraCool by Frigoglass	MC1300S-V2	MC1300S-V2		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	2	0	Sliding	46.96	46.96		78	52	32	5.93	R-134A	6/7/2011	9/20/2012
Frigoglass North America	MiraCool by Frigoglass	MC2000H-1-B	MC2000H-1-B		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	3	0	Hinged	69.2	69.2		78	78	32	6.86	R-134A	9/23/2010	10/19/2012
Frigoglass North America	MiraCool by Frigoglass	MC2000S	MC2000S		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	3	0	Sliding	64.96	64.96		78	78	32	8.63	R-134A	9/23/2010	10/19/2012
Frigoglass North America	MiraCool by Frigoglass	MC260-1-B	MC260-1-B		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	1	0	Hinged	9.08	9.08		54	24.5	24	2.15	R-134A	2/8/2010	10/19/2012
Frigoglass North America	MiraCool by Frigoglass	MC260-CC	MC260-CC		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	1	0	Hinged	9.38	9.38		54	24.5	25.5	1.98	R-134A	1/20/2011	10/19/2012
Frigoglass North America	MiraCool by Frigoglass	MC260-V2	MC260-V2		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	1	0	Hinged	9.38	9.38		54	24.5	25.5	2.41	R-134A	1/20/2011	10/19/2012
Frigoglass North America	MiraCool by Frigoglass	MC260-V2-HC	MC260-V2-HC		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	1	0	Hinged	9.38			54	24.5	26	2.18	R290	6/15/2012	5/7/2013
Frigoglass North America	MiraCool by Frigoglass	MC300-1-B	MC300-1-B		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	1	0	Hinged	11.12	11.12		62	24.5	24	2.47	R-134A	2/8/2010	10/19/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Frigoglass North America	MiraCool by Frigoglass	MC300-CC	MC300-CC		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	1	0	Hinged	11.94	11.94		62	24.5	25.5	2.34	R-134A	1/20/2011	10/19/2012
Frigoglass North America	MiraCool by Frigoglass	MC300-V2	MC300-V2		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	1	0	Hinged	11.9	11.9		62	24.5	25.5	2.4	R-134A	1/20/2011	10/19/2012
Frigoglass North America	MiraCool by Frigoglass	MC300-V2-HC	MC300-V2-HC		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	1	0	Hinged	11.94			62	24.5	26	2.33	R290	5/31/2012	5/7/2013
Frigoglass North America	MiraCool by Frigoglass	MC750-1-B	MC750-1-B		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	1	0	Hinged	25.74	25.74		78	30	32	4.1	R-134A	2/8/2010	10/19/2012
Frigoglass North America	MiraCool by Frigoglass	MC750-CC	MC750-CC		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	1	0	Hinged	25.74	25.74		78	30	32	3.14	R-134A	1/20/2011	10/19/2012
Frigoglass North America	MiraCool by Frigoglass	MC750-V2	MC750-V2		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	1	0	Hinged	25.74	25.74		78	30	32	3.99	R-134A	1/20/2011	10/19/2012
Frigoglass North America	MiraCool by Frigoglass	MC750-V2-HC	MC750-V2-HC		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	1	0	Hinged	25.74			78	30	32	3.61	R290	5/31/2012	5/7/2013
Frigoglass North America	MiraCool by Frigoglass	Retro US	Retro US		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	1	0	Hinged	9.38	9.38		74.4	19.5	26	2.47	R-134A	1/13/2011	10/19/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Frigoglass North America	MiraCool by Frigoglass	UR30-CC	UR30-CC		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	1	0	Hinged	6.14			36.5	20.3	24.3	1.64	R-134A	3/14/2011	6/18/2013
Frigoglass North America	MiraCool by Frigoglass	UR30-ST	UR30-ST		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	1	0	Hinged	6.14			36.5	20.3	26.63	1.77	R-134A	3/14/2011	11/21/2012
Frigoglass North America	MiraCool by Frigoglass	UR30-V2	UR30-V2		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	1	0	Hinged	6.14	6.14		36.5	20.3	24.3	1.87	R-134A	3/14/2011	11/21/2012
Frigoglass North America	Mircool by Frigoglass	MC260-C02	MC260-C02		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	9.38			35.5	90.17	22.5	2.17	R744	1/24/2013	1/24/2013
Frigoglass North America	Mircool by Frigoglass	MC300-C02	MC300-C02		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	11.94			43.5	110.49	23.25	2.51	R744	1/24/2013	1/24/2013
Frigoglass North America	Mircool by Frigoglass	RERTO 400-C02	RETRO 400-C02		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	13.7			53.56	136.04	20.31	2.78	R744	1/24/2013	1/24/2013
Guangdong Xingxing Refrigeration Equipment Co.,Ltd	Xingxing	CFD-1RR	CFD-1RR		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	20.6	0	18.4	82.48	28.98	32.2	2.03	R134a	10/1/2012	1/15/2013
Guangdong Xingxing Refrigeration Equipment Co.,Ltd	Xingxing	CFD-2RR	CFD-2RR		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	41.33	0	29.29	82.48	5.4	32.2	3.2	R134a	10/1/2012	1/15/2013

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (kW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Guangdong Xingxing Refrigeration Equipment Co.,Ltd	Xingxing	G1.2YBM2F	G1.2YBM2F		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	0	Sliding	42.5	42.5	0	83.27	53.15	31.89	4.88	R134a	11/14/2012	1/15/2013
Guangdong Xingxing Refrigeration Equipment Co.,Ltd	Xingxing	G258BMF	G258BMF		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	8.55	8.55	0	67.72	21.65	23.07	2.23	R134a	9/25/2012	1/15/2013
Guangdong Xingxing Refrigeration Equipment Co.,Ltd	Xingxing	G648BMF	G648BMF		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	22.99	22.99	0	83.27	28.35	31.89	3.81	R134a	11/1/2012	1/15/2013
H&K International Inc.	H&K International	HCPPT-01**	HCPPT-01**		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	8	0	0.57	18.5	43.25	34	1.86	R-134A	8/1/2012	4/25/2013
H&K International Inc.	H&K International	HCPPT-02*	HCPPT-02*		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	8	0	0.57	18.5	43.25	34	2.02	R-134A	8/1/2012	4/25/2013
HMC Enterprises LLC	Howard-McCray	GR102BM-S	GR102BM-S	GR102BM-LH, GR102BM-LH.; GR102BM-SB, GR102BM-SB.; GR102BM-SE, GR102BM-SE.; GR102BM-SI, GR102BM-SI.; GR102BM-SP, GR102BM-SP.; GR102BM-W, GR102BM-W.; GR102BM-WE, GR102BM-WE.; GR102BM-WI, GR102BM-WI.	Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	4	0	Hinged	99.28	99.28	0	83	103.75	36	12.26	R134a	2/9/2013	2/1/2013
HMC Enterprises LLC	Howard-McCray	GR48BM-S	GR48BM-S	GR48BM-LH, GR48BM-LH.; GR48BM-SB, GR48BM-SB.; GR48BM-SE, GR48BM-SE.; GR48BM-SI, GR48BM-SI.; GR48BM-SP, GR48BM-SP.; GR48BM-W, GR48BM-W.; GR48BM-WE, GR48BM-WE.; GR48BM-WI, GR48BM-WI.	Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	2	0	Hinged	48.35	48.35	0	82.25	52.25	33.88	6.87	R134a	2/9/2013	2/6/2013
HMC Enterprises LLC	Howard-McCray	SR48-S	SR48-S	SR48-BE, SR48-BE.; SR48-BI, SR48-BI.; SR48-CS, SR48-CS.; SR48-H, SR48-H.; SR48-L, SR48-L.; SR48-LED, SR48-LED.; SR48-LH, SR48-LH.; SR48-SB, SR48-SB.; SR48-SE, SR48-SE.; SR48-SI, SR48-SI.; SR48-SP, SR48-SP.; SR48-W, SR48-W.; SR48-WE, SR48-WE.; SR48-WI, SR48-WI.	Solid Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	0	2	Hinged	47.42	0	47.42	83	52.25	35.67	4.01	R134a	2/9/2013	2/6/2013

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Hoshizaki America, Inc.	Hoshizaki	CR1B-FG	CR1B-FG		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	20.94			75.61	192	33.58	3.12	R-134A	7/15/2011	2/27/2012
Hoshizaki America, Inc.	Hoshizaki	CR1B-FS	CR1B-FS		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	20.94			75.61	192	33.58	2.52	R-134A	2/1/2011	2/27/2012
Hoshizaki America, Inc.	Hoshizaki	CR1B-FSL	CR1B-FSL		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	20.94	0	20.94	75.61	192	33.58	2.52	r134a	5/25/2012	9/7/2012
Hoshizaki America, Inc.	Hoshizaki	CR1B-HS	CR1B-HS		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	20.84			75.61	192	33.58	2.28	R-134A	2/1/2011	2/27/2012
Hoshizaki America, Inc.	Hoshizaki	CR1B-HSL	CR1B-HSL		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	20.84	0	20.84	75.61	192	33.58	2.28	r134a	5/25/2012	9/7/2012
Hoshizaki America, Inc.	Hoshizaki	CR2B-FG	CR2B-FG		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	0	Hinged	47.24			75.61	192	33.58	4.97	R-134A	8/15/2011	2/27/2012
Hoshizaki America, Inc.	Hoshizaki	CR2B-FS	CR2B-FS		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	47.24			75.61	192	33.58	3.05	R-134A	2/1/2011	2/27/2012
Hoshizaki America, Inc.	Hoshizaki	CR2B-HS	CR2B-HS		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	4	Hinged	47.03			75.61	192	33.58	3.52	R-134A	2/1/2011	2/27/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Hoshizaki America, Inc.	Hoshizaki	CR3B-FG	CR3B-FG		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	3	0	Hinged	68.18			79.6	202.18	33.6	8.65	R-134a	8/1/2013	8/15/2013
Hoshizaki America, Inc.	Hoshizaki	CR3B-FS	CR3B-FS		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	3	Hinged	68.18			75.61	192	33.58	5.05	R-134A	2/1/2011	2/27/2012
Hoshizaki America, Inc.	Hoshizaki	CR3B-HS	CR3B-HS		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	6	Hinged	67.9			75.61	192	33.58	5.48	R-134A	2/1/2011	2/27/2012
Hoshizaki America, Inc.	Hoshizaki	CRMR27	CRMR27		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	1	Hinged	6.22			30	76	30	0.64	R-134A	7/15/2011	2/27/2012
Hoshizaki America, Inc.	Hoshizaki	CRMR27-01	CRMR27-01		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	1	Hinged	6.22	0	6.22	30	76	30	0.64	r134a	7/15/2011	12/18/2012
Hoshizaki America, Inc.	Hoshizaki	CRMR27-W	CRMR27-W		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	1	Hinged	6.22			30	76	30	0.64	R-134A	7/15/2011	2/27/2012
Hoshizaki America, Inc.	Hoshizaki	CRMR27-W01	CRMR27-W01		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	1	Hinged	6.22	0	6.22	30	76	30	0.64	r134a	7/15/2011	12/18/2012
Hoshizaki America, Inc.	Hoshizaki	CRMR48	CRMR48		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	2	Hinged	11.95			30	76	30	1.44	R-134A	7/15/2011	2/27/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Hoshizaki America, Inc.	Hoshizaki	CRMR48-01	CRMR48-01		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	2 Hinged		11.95	0	11.95	30	76	30	1.44	r134a	7/15/2011	12/18/2012
Hoshizaki America, Inc.	Hoshizaki	CRMR48-W	CRMR48-W		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	2 Hinged		11.95			30	76	30	1.44	R-134A	7/15/2011	2/27/2012
Hoshizaki America, Inc.	Hoshizaki	CRMR48-W01	CRMR48-W01		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	2 Hinged		11.95	0	11.95	30	76	30	1.44	r134a	7/15/2011	12/18/2012
Hoshizaki America, Inc.	Hoshizaki	CRMR60	CRMR60		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		16.58	0	16.58	30	76	30	2.15	r134a	6/8/2012	9/7/2012
Hoshizaki America, Inc.	Hoshizaki	CRMR60-W	CRMR60-W		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		16.58	0	16.58	30	76	30	2.15	r134a	6/8/2012	9/7/2012
Hoshizaki America, Inc.	Hoshizaki	CRMR72	CRMR72		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	3 Hinged		19.68	0	19.68	30	76	30	2.84	r134a	5/25/2012	9/7/2012
Hoshizaki America, Inc.	Hoshizaki	CRMR72-W	CRMR72-W		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	3 Hinged		19.68	0	19.68	30	76	30	2.84	r134a	5/25/2012	9/7/2012
Hoshizaki America, Inc.	Hoshizaki	HR24A	HR24A		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	1 Hinged		3.7			32.68	83	25.2	0.38	R-134A	8/15/2011	2/27/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Hoshizaki America, Inc.	Hoshizaki	RH1-SSE-FG	RH1-SSE-FG		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	20.85			84.5	215	33.6	2.99	R-134A	3/1/2009	2/27/2012
Hoshizaki America, Inc.	Hoshizaki	RH1-SSE-FS	RH1-SSE-FS		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	21.9			84.5	215	33.6	3	R-134A	12/1/2009	2/27/2012
Hoshizaki America, Inc.	Hoshizaki	RH1-SSE-HG	RH1-SSE-HG		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	0	Hinged	20.85			84.5	215	33.6	2.99	R-134A	6/1/2009	2/27/2012
Hoshizaki America, Inc.	Hoshizaki	RH1-SSE-HS	RH1-SSE-HS		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	21.9			84.5	215	33.6	1.93	R-134A	5/1/2010	2/27/2012
Hoshizaki America, Inc.	Hoshizaki	RH2-SSE-FG	RH2-SSE-FG		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	0	Hinged	45.9			84.5	215	33.6	3.88	R-134A	12/1/2009	2/27/2012
Hoshizaki America, Inc.	Hoshizaki	RH2-SSE-FS	RH2-SSE-FS		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	45.9			84.5	215	33.6	3.36	R-134A	1/1/2010	2/27/2012
Hoshizaki America, Inc.	Hoshizaki	RH2-SSE-HG	RH2-SSE-HG		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	4	0	Hinged	45.9			84.5	215	33.6	3.88	R-134A	1/1/2011	2/27/2012
Hoshizaki America, Inc.	Hoshizaki	RH2-SSE-HS	RH2-SSE-HS		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	4	Hinged	45.9			84.5	215	33.6	3.9	R-134A	11/1/2009	2/27/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Hoshizaki America, Inc.	Hoshizaki	RH3-SSB-FG	RH3-SSB-FG		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	3	0	Hinged	74.1			84.5	215	33.6	7.25	R-404A	3/1/2011	2/27/2012
Hoshizaki America, Inc.	Hoshizaki	RH3-SSB-HG	RH3-SSB-HG		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	6	0	Hinged	73.61			84.5	215	33.6	8.17	R-404A	3/1/2011	2/27/2012
Hoshizaki America, Inc.	Hoshizaki	RH3-SSE-FS	RH3-SSE-FS		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	3	Hinged	72.25			84.5	215	33.6	4.26	R-134A	1/1/2011	2/27/2012
Hoshizaki America, Inc.	Hoshizaki	RH3-SSE-HS	RH3-SSE-HS		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	6	Hinged	72.25			84.5	215	33.6	4.26	R-134A	2/1/2011	2/27/2012
Imbera S.A. de C.V.	Imbera	G313	G313		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	1	0	Hinged	12.81			58.7	149	23.6	2.89	R-134A	1/1/2010	4/7/2011
Imbera S.A. de C.V.	Imbera	G319	G319		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	1	0	Hinged	19.2			80	203.2	26	3.04	R-134A	1/1/2010	4/7/2011
Imbera S.A. de C.V.	Imbera	G319 C02	G319 C02		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	19.2			81.7	207.52	23.6	3.09	R744	7/15/2013	7/10/2013
Imbera S.A. de C.V.	Imbera	G342	G342		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	2	0	Hinged	41			81.5	207.01	26	6.21	R-134A	1/1/2010	4/7/2011

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Imbera S.A. de C.V.	Imbera	VR04	VR04		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	1	0	Hinged	3.92			39.2	99.56	21.6	1.21	R-134A	1/4/2011	4/28/2011
Imbera S.A. de C.V.	Imbera	VR06	VR06		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	1	0	Hinged	5.1			36	91.44	25.5	1.74	R-134A	1/1/2010	4/7/2011
Imbera S.A. de C.V.	Imbera	VR08	VR08		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	1	0	Hinged	7.77			69.29	176	18.11	2.12	R-134A	1/1/2010	4/7/2011
Imbera S.A. de C.V.	Imbera	VR08 C02	VR08 C02		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	7.69			69.3	176.02	18.11	2.24	R744	7/15/2013	7/10/2013
Imbera S.A. de C.V.	Imbera	VR10	VR10		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	1	0	Hinged	8.95			52.44	133.2	24.84	1.74	R-134A	1/1/2010	4/7/2011
Imbera S.A. de C.V.	Imbera	VR10 C02	VR10 C02		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	8.95			52.44	133.2	24.84	2.44	R744	7/15/2013	7/10/2013
Imbera S.A. de C.V.	Imbera	VR12	VR12		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	1	0	Hinged	11.59			63	160.02	22.75	2.39	R-134A	1/1/2010	4/7/2011
Imbera S.A. de C.V.	Imbera	VR12 C02	VR102 C02		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	11.59			62.36	158.39	24.84	2.24	R744	7/15/2013	7/10/2013

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Imbera S.A. de C.V.	Imbera	VR1.5	VR1.5		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	1	0	Hinged	1.59			30.3	76.96	18.1	1.07	R-134A	1/4/2011	4/28/2011
Imbera S.A. de C.V.	Imbera	VRD21	VRD21		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	2	0	Hinged	16.8			58.46	148.5	23.81	2.9	R-134A	1/4/2011	4/28/2011
Imbera S.A. de C.V.	Imbera	VRD37	VRD37		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	2	0	Hinged	37.42			79.72	202.5	29.92	5.17	R-134A	1/4/2011	4/28/2011
Imbera S.A. de C.V.	Imbera	VRD37	VRD37		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	0	Sliding	39.03			79.72	202.5	29.92	5.3	R134A	7/15/2013	7/2/2013
Imbera S.A. de C.V.	Imbera	VRD37 C02	VRD37 C02		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	0	Hinged	27.97			79.72	202.5	29.92	5.59	R744	7/15/2013	7/4/2013
Imbera S.A. de C.V.	Imbera	VRD43	VRD43		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	2	0	Hinged	41.66			80.9	205.5	29.33	5.55	R-134A	1/4/2011	4/28/2011
Imbera S.A. de C.V.	Imbera	VRD43	VRD43		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	0	Sliding	39.91			80.91	205.5	29.33	5.26	R134A	7/15/2013	7/2/2013
Imbera S.A. de C.V.	Imbera S A DE C V	VLD311	VLD311		Solid Door Refrigerator Cabinet	Chest	Reach-in	Manual	0	1	Hinged	11.5			25.08	63.7	27.52	1.44	R134A	1/24/2013	1/24/2013

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (kW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Innovative DisplayWorks, Inc.	IDW	G-10	G-10	G-10C,G-10C., G-10D,G-10D,	Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	1	0	Hinged	8.66	8.66		54	25	26	2.12	R-134A	4/10/2011	9/21/2012
Innovative DisplayWorks, Inc.	IDW	G-10S	G-10S		Glass Door Refrigerator Cabinet	Vertical	Other	Automatic	1	0	Hinged	8.45	0.47		54.5	25	23.3	1.58	R-134A	2/9/2011	10/23/2012
Innovative DisplayWorks, Inc.	IDW	G-12S	G-12S		Glass Door Refrigerator Cabinet	Vertical	Other	Automatic	1	0	Hinged	10.5	0.58		63.3	25	23.3	1.6	R-134A	2/9/2011	10/23/2012
Innovative DisplayWorks, Inc.	IDW	G-12Sc	G-12Sc		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	1	0	Hinged	10.73	0.57	0	63.13	24.75	24	1.9	R-744	1/1/2013	12/5/2012
Innovative DisplayWorks, Inc.	IDW	G-26C,G-26CB, G-26-C13EB,G-26-CB13EB	G-26C,G-26CB, G-26-C13EB,G-26-CB13EB		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	22.97	22.97	0	78.54	30.28	30.16	4.26	R134a	4/1/2013	5/9/2013
Innovative DisplayWorks, Inc.	IDW	G-2C	G-2C		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	1	0	Hinged	2.01	2.01		31	20	18	1.41	R-134A	7/10/2011	9/21/2012
Innovative DisplayWorks, Inc.	IDW	G-60e	G-60e		Glass Door Refrigerator Cabinet	Chest	Reach-in	Manual	1	0	Hinged	5	5		37	32	19	1.08	R-134A	6/10/2011	9/21/2012
Innovative DisplayWorks, Inc.	IDW	G-6C	G-6C	G-6CB,G-6CB,	Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	1	0	Hinged	3.71	3.71		36	23	22	1.44	R-134A	6/10/2011	9/21/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Innovative DisplayWorks, Inc.	IDW	G-80L	G-80L		Glass Door Refrigerator Cabinet	Chest	Other	Manual	1	0	Hinged	2.61	0	0	39.8	17.8	17.8	0.74	R-134A	6/1/2012	10/12/2012
Innovative DisplayWorks, Inc.	IDW	G-9, G-9B, G-9-B13EB, G-9-N13EB	G-9, G-9B, G-9-B13EB, G-9-N13EB		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	7.19	7.19	0	41.85	20.04	21.02	1.81	R134a	4/1/2013	5/9/2013
Innovative DisplayWorks, Inc.	IDW	GCG-10	GCG-10		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	1	0	Hinged	9.02	9.02	0	54	26	26	2.19	R-134A	7/20/2011	9/21/2012
Innovative DisplayWorks, Inc.	IDW	GCG-12	GCG-12		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	1	0	Hinged	10.87	0.49	0	63.25	25	24.75	2.34	R-134A	12/1/2012	10/9/2012
Innovative DisplayWorks, Inc.	IDW	GCG-12	GCG-12		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	1	0	Hinged	11.9	0.49	0	63.25	25	24.75	2.34	R-134A	12/1/2012	1/14/2013
Innovative DisplayWorks, Inc.	IDW	GCG-26C, GCG-26CB, GCG-26-C13EB, GCG-26-CB13EB	GCG-26C, GCG-26CB, GCG-26-C13EB, GCG-26-CB13EB		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	22.97	22.97	0	78.54	30.28	30.16	4.26	R134a	4/1/2013	5/9/2013
Innovative DisplayWorks, Inc.	IDW	GCG-6C	GCG-6C		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	1	0	Hinged	3.82	0.23	0	36.25	22	18.63	1.24	R-134A	7/1/2012	10/23/2012
Innovative DisplayWorks, Inc.	IDW	GCG-9, GCG-9B, GCG-9-N13EB, GCG-9-B13EB	GCG-9, GCG-9B, GCG-9-N13EB, GCG-9-B13EB		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	7.19	7.19	0	41.85	20.04	21.02	1.81	R134a	4/1/2013	5/9/2013

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Innovative DisplayWorks, Inc.	IDW	GCG-Baby	GCG-Baby		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	1	0	Hinged	2	0	0	24.25	13.16	16.63	1.28	R-134A	7/1/2012	10/23/2012
Innovative DisplayWorks, Inc.	IDW	GS-1.5	GS-1.5		Glass Door Refrigerator Cabinet	Vertical	Other	Automatic	1	0	Hinged	0.97	0	0	17	11.13	9.75	1.16	R-134A	6/14/2011	10/29/2012
Innovative DisplayWorks, Inc.	IDW	GS2.5	GS2.5		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	1	0	Hinged	2.45	0	0	27.5	19.53	18.19	1.46	R-134A	12/1/2012	10/9/2012
Innovative DisplayWorks, Inc.	IDW	RCM-77	RCM-77		Glass Door Refrigerator Cabinet	Chest	Other	Manual	1	0	Hinged	2.15	0.01	0	30.25	22.25	22.25	0.74	R-134A	3/28/2012	10/29/2012
Innovative DisplayWorks, Inc.	Innovative Display Work	G-77	G-77		Glass Door Refrigerator Cabinet	Chest	Reach-in	Manual	1	0	Hinged	2.77	2.77	0	29.5	11.2	11.2	0.53	R-134A	10/1/2010	10/26/2012
Innovative DisplayWorks, Inc.	Innovative Display Work	G-7s	G-7s		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	1	0	Hinged	4.86	4.86	0	36.1	20.7	25.2	1.74	R-134A	12/1/2010	10/26/2012
Innovative DisplayWorks, Inc.	Innovative Display Work	G-80	G-80		Glass Door Refrigerator Cabinet	Chest	Reach-in	Manual	1	0	Hinged	2.62	2.62	0	42.1	9	9	0.62	R-134A	10/1/2010	10/26/2012
Innovative DisplayWorks, Inc.	Innovative Display Work	GS1.5	GS1.5		Glass Door Refrigerator Cabinet	Vertical	Other	Automatic	1	0	Hinged	0.97	0	0	17	11.13	9.75	1.16	R-134A	6/14/2011	9/20/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Innovative DisplayWorks, Inc.	Recharge Cold Merchandiser	RCM 77	RCM 77		Glass Door Refrigerator Cabinet	Chest	Other	Manual	1	0	Hinged	2.15	0.01	0	30.25	22.25	22.25	0.74	R-134A	3/28/2012	10/8/2012
Jiangsu Baixue Electric Appliances Co.,Ltd.	AHT	CTB 100	CTB 100		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	1	0	Hinged	3	3		31.9	18.8	20.5	1.63	R-134A	11/1/2010	10/26/2012
Jiangsu Baixue Electric Appliances Co.,Ltd.	AHT	CTB 200	CTB 200		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	1	0	Hinged	1.84	1.84		27.9	17.3	17.3	1.13	R-134A	11/1/2010	10/26/2012
Jiangsu Baixue Electric Appliances Co.,Ltd.	AHT	CTB 50	CTB 50		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	1	0	Hinged	0.59	0.59		21.9	11.7	14.8	1.01	R-134A	11/1/2010	10/26/2012
Jiangsu Baixue Electric Appliances Co.,Ltd.	AHT	CTB 50 LED	CTB 50 LED		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	1	0	Hinged	0.59	0.59		21.9	11.7	14.8	0.83	R-134A	11/1/2010	10/26/2012
Jiangsu Baixue Electric Appliances Co.,Ltd.	BAIXUE	CTB 100	CTB 100		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	1	0	Hinged	3	3		31.9	18.8	20.5	1.63	R-134A	11/1/2010	10/26/2012
Jiangsu Baixue Electric Appliances Co.,Ltd.	BAIXUE	CTB 200	CTB 200		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	1	0	Hinged	1.84	1.84		27.9	17.3	17.3	1.13	R-134A	11/1/2010	10/26/2012
Jiangsu Baixue Electric Appliances Co.,Ltd.	BAIXUE	CTB 50	CTB 50		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	1	0	Hinged	0.59	0.59		21.9	11.7	14.8	1.01	R-134A	11/1/2010	10/26/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Jiangsu Baikue Electric Appliances Co.,Ltd.	BAIXUE	CTB 50 LED	CTB 50 LED		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	1	0	Hinged	0.59	0.59		21.9	11.7	14.8	0.83	R-134A	11/1/2010	10/26/2012
Jiangsu Baikue Electric Appliances Co.,Ltd.	Red Bull	RB-GDCT LED	RB-GDCT LED		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	1	0	Hinged	2.51	2.51		33	20	21	1.41	R-134A	5/1/2012	9/21/2012
KoolStar	Kool Star	KSCB53	KSCB53		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	2	Sliding	9.03	0	9.03	25.5	53	31	2.08	R134A	4/1/2013	7/24/2013
KoolStar	Kool Star	KSCB72	KSCB72		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	4	Sliding	13.15	0	13.15	25.5	72	31	2.24	R134A	4/1/2013	7/24/2013
KoolStar	Kool Star	KSCB84	KSCB84		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	4	Sliding	15.9	0	15.9	25.5	84	31	2.73	R134A	4/1/2013	7/24/2013
KoolStar	Kool Star	KSCB96	KSCB96		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	4	Sliding	19.11	0	19.11	25.5	96.1	31	2.79	R134A	4/1/2013	7/24/2013
KoolStar	Kool Star	KSCTM7	KSCTM7	KSCTM7,KSCTM7,All White; KSCTM7-B,KSCTM7-B,	Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	1	0	Hinged	6.14			36.5	20.3	24.3	1.64	R-134A	3/14/2011	6/18/2013
KoolStar	Kool Star	R23-S	R23-S	KSR23-S,KSR23-S.; KSR23-S,KSR23-S.	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	20.5			83.8	212.7	33	2.26	R-134A	2/13/2013	11/16/2011

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
KoolStar	Kool Star	R49-S	R49-S	KSR49-S, KSR49-S.; KSR49-S, KSR49-S.	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	44.2			83.8	212.7	33	3.31	R-134A	2/13/2013	11/16/2011
KoolStar	KoolStar	KSDOMC-084-A	KSDOMC-084-A		Solid Door Refrigerator Cabinet	Chest	Reach-in	Manual	0	2	Hinged	12.15			43.5	110.49	32	0.98	R134a	3/1/2013	5/17/2013
KoolStar	KoolStar	KSDOMC-084S S-A	KSDOMC-084S S-A		Solid Door Refrigerator Cabinet	Chest	Reach-in	Manual	0	2	Hinged	12.15			43.5	110.49	32	0.98	R134a	3/1/2013	5/17/2013
KoolStar	KoolStar	KSDOMC-122-A	KSDOMC-124-A		Solid Door Refrigerator Cabinet	Chest	Reach-in	Manual	0	2	Hinged	17.82			43.5	110.49	32	1.16	R134a	3/1/2013	5/17/2013
KoolStar	KoolStar	KSDOMC-122S S-A	KSDOMC-124S S-A		Solid Door Refrigerator Cabinet	Chest	Reach-in	Manual	0	2	Hinged	17.82			43.5	110.49	32	1.16	R134a	3/1/2013	5/17/2013
KoolStar	KoolStar	KSDOMC-164-A	KSDOMC-164-A		Solid Door Refrigerator Cabinet	Chest	Reach-in	Manual	0	2	Hinged	23.5			43.5	110.49	32	1.32	R134a	3/1/2013	5/17/2013
KoolStar	KoolStar	KSDOMC-164S-A	KSDOMC-164S-A		Solid Door Refrigerator Cabinet	Chest	Reach-in	Manual	0	2	Hinged	23.5			43.5	110.49	32	1.32	R134a	3/1/2013	5/17/2013
KoolStar	KoolStar	KSOMC-082-A	KSOMC-082-A		Solid Door Refrigerator Cabinet	Chest	Reach-in	Manual	0	2	Hinged	12.15			43.5	110.49	32	0.89	R134a	3/1/2013	5/17/2013

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
KoolStar	KoolStar	KSOMC-082SS-A	KSOMC-082SS-A		Solid Door Refrigerator Cabinet	Chest	Reach-in	Manual	0	2 Hinged	12.15			43.5	110.49	32	0.89	R134a	3/1/2013	5/17/2013	
KoolStar	KoolStar	KSOMC-122-A	KSOMC-122-A		Solid Door Refrigerator Cabinet	Chest	Reach-in	Manual	0	2 Hinged	17.82			43.5	110.49	32	1.19	R134a	3/1/2013	5/17/2013	
KoolStar	KoolStar	KSOMC-122SS-A	KSOMC-122SS-A		Solid Door Refrigerator Cabinet	Chest	Reach-in	Manual	0	2 Hinged	17.82			43.5	110.49	32	1.19	R134a	3/1/2013	5/17/2013	
KoolStar	KoolStar	KSOMC-162-A	KSOMC-162-A		Solid Door Refrigerator Cabinet	Chest	Reach-in	Manual	0	2 Hinged	23.5			43.5	110.49	32	1.25	R134a	3/1/2013	5/17/2013	
KoolStar	KoolStar	KSOMC-162SS-A	KSOMC-162SS-A		Solid Door Refrigerator Cabinet	Chest	Reach-in	Manual	0	2 Hinged	23.5			43.5	110.49	32	1.25	R134a	3/1/2013	5/17/2013	
KoolStar	KoolStar	R72-S	R72-S	KSR72-S, R72-S, KSR72-S, R72-S, KSR72-S, R72-S, KSR72-S, R72-S	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	3 Hinged	66.6		66.6	83.8	212.7	33	5.36	R134a	2/13/2013	11/16/2011	
KoolStar	KoolStar	UR27	UR27	KSUR27, UR27, KSUR27, UR27	Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	1 Hinged	6.8		6.8	35.9	91.1	30	1.15	R134a	2/13/2013	2/13/2013	
KoolStar	KoolStar	UR36	UR36	KSUR36, UR36, KSUR36, UR36	Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	2 Hinged	8.54		8.54	35.88	91.1	30	2.05	R-134A	2/13/2013	2/13/2013	

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
KoolStar	KoolStar	UR48	UR48	KSUR48, UR48, KSUR48, UR48,	Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	2	Hinged	13.1	13.1	35.9	91.1	30	1.66	R134a	2/13/2013	2/13/2013	
KoolStar	KoolStar	UR60	UR60	KSUR60, UR60, KSUR60, UR60,	Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	2	Hinged	16.2	16.2	35.9	91.1	30	2.03	R134a	2/13/2013	2/13/2013	
KoolStar	KoolStar	UR72	UR72	KSUR72, UR72, KSUR72, UR72,	Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	3	Hinged	19.5	19.5	35.9	91.1	30	2.34	R134a	2/13/2013	2/13/2013	
Master-Bilt Products	Fusion Plus	MBGRP23-HG	MBGRP23-HG		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	20.74		62	157.48	23.5	3.26	R134A	6/17/2013	6/11/2013	
Master-Bilt Products	Fusion Plus	MBGRP27-HG	MBGRP27-HG		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	23.54		62	157.48	26.5	3.73	R134A	6/17/2013	6/11/2013	
Master-Bilt Products	Fusion Plus	MBGRP48-HG	MBGRP48-HG		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	0	Hinged	43.34		62	157.48	48.5	5.25	R134A	6/17/2013	6/11/2013	
Master-Bilt Products	Fusion Plus	MBGRP48-SL	MBGRP48-SL		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	0	Sliding	43.34		62	157.48	48.5	5.81	R134A	6/17/2013	6/11/2013	
Master-Bilt Products	Fusion Plus	MBGRP74-HG	MBGRP74-HG		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	3	0	Hinged	66.98		62	157.48	74.5	7.83	R134A	6/17/2013	6/11/2013	

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Master-Bilt Products	Fusion Plus	MBGRP74-SL	MBGRP74-SL		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	3	0 Sliding		66.98			62	157.48	74.5	7.74	R134A	6/17/2013	6/11/2013
Master-Bilt Products	KoolStar	R23-S	R23-S	KSR23-S,KSR23-S,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		20.5		20.9	83.8	212.7	33	2.26	R-134A	2/13/2013	2/13/2013
Master-Bilt Products	KoolStar	R49-S	R49-S	KSR49-S,KSR49-S,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		44.2		43.1	83.8	212.7	33	3.31	R-134A	2/13/2013	2/13/2013
Master-Bilt Products	KoolStar	R72-S	R72-S	KSR72-S,KSR72-S,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	3 Hinged		66.6		66.6	83.8	212.7	33	5.36	R-134A	2/13/2013	2/13/2013
Master-Bilt Products	KoolStar	UR27	UR27	KSUR27,KSUR27,	Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	1 Hinged		6.8		6.8	35.9	91.1	30	1.15	R134a	2/13/2013	2/13/2013
Master-Bilt Products	KoolStar	UR36	UR36	KSUR36,KSUR36,	Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	2 Hinged		8.54		8.54	35.9	91.1	30	2.17	R134a	2/13/2013	2/13/2013
Master-Bilt Products	KoolStar	UR48	UR48	KSUR48,KSUR48,	Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	2 Hinged		13.1		13.1	35.9	91.1	30	1.66	R134a	2/13/2013	2/13/2013
Master-Bilt Products	KoolStar	UR60	UR60	KSUR60,KSUR60,	Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	2 Hinged		16.2		16.2	35.9	91.1	30	2.03	R134a	2/13/2013	2/13/2013

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Master-Bilt Products	KoolStar	UR72	UR72	KSUR72.KSUR72.	Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	3 Hinged		19.5	19.5		35.9	91.1	30	2.34	R134a	2/13/2013	2/13/2013
Master-Bilt Products	Mastebilt	MBUR36	MBUR36		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	2 Hinged		8.54	8.54		35.88	91.1	30	2.05	R-134A	1/7/2012	1/7/2012
Master-Bilt Products	Mastebilt	UR36	UR36		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	2 Hinged		8.54	8.54		35.88	91.1	30	2.05	R-134A	1/7/2012	1/7/2012
Master-Bilt Products	Master-Bilt	BMG-23P	BMG-23P		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	1	0 Hinged		20.8	20.8		79	200.7	36.8	3.51	R-134A	3/25/2011	3/25/2011
Master-Bilt Products	Master-Bilt	BMG-27	BMG-27		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	1	0 Hinged		24.4	24.4		79	200.7	36.8	4.02	R-134A	3/25/2011	3/25/2011
Master-Bilt Products	Master-Bilt	BMG-48	BMG-48		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	2	0 Hinged		43.5	43.5		79	200.7	36.8	5.91	R-134A	3/25/2011	3/25/2011
Master-Bilt Products	Master-Bilt	BMG-52	BMG-52		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	2	0 Hinged		46	46		79	200.7	36.8	6.08	R-134A	3/25/2011	3/25/2011
Master-Bilt Products	Master-Bilt	BMG-74	BMG-74		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	3	0 Hinged		66.8	66.8		79	200.7	36.8	8.56	R-134A	3/25/2011	3/25/2011

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Master-Bilt Products	Master-Bilt	BMG-80	BMG-80		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	3	0	Hinged	73.1	73.1		79	200.7	36.8	9.24	R-134A	3/25/2011	3/25/2011
Master-Bilt Products	Master-Bilt	BSD-24SRA	BSD-24SRA		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Manual	0	1	Hinged	19.5	19.5		82.5	209.6	34	2.47	R-134A	3/25/2011	3/25/2011
Master-Bilt Products	Master-Bilt	BSD-52DRA	BSD-52DRA		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Manual	0	2	Hinged	46.4	46.4		82.5	209.6	34	3.16	R-134A	3/25/2011	3/25/2011
Master-Bilt Products	Master-Bilt	BSD-80TRA	BSD-80TRA		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Manual	0	3	Hinged	70.6	70.6		82.5	209.6	34	5.54	R-134A	3/25/2011	3/25/2011
Master-Bilt Products	Master-Bilt	BSG-48	BSG-48		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	2	0	Sliding	43.5	43.5		79	200.7	36.8	6.09	R-134A	3/25/2011	3/25/2011
Master-Bilt Products	Master-Bilt	BSG-74	BSG-74		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	3	0	Sliding	66.8	66.8		79	200.7	36.8	8.69	R-134A	3/25/2011	3/25/2011
Master-Bilt Products	Master-Bilt	MBCB53	MBCB53		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	2	Sliding	9.03	0	9.03	25.5	53	31	2.08	R134A	4/1/2013	7/24/2013
Master-Bilt Products	Master-Bilt	MBCB72	MBCB72		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	4	Sliding	13.15	0	13.15	25.5	72	31	2.24	R134A	4/1/2013	7/24/2013

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Master-Bilt Products	Master-Bilt	MBCB84	MBCB84		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	4 Sliding		15.9	0	15.9	25.5	84	31	2.73	R134A	4/1/2013	7/24/2013
Master-Bilt Products	Master-Bilt	MBCB96	MBCB96		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	4 Sliding		19.11	0	19.11	25.5	96.1	31	2.79	R134A	4/1/2013	7/24/2013
Master-Bilt Products	Master-Bilt	MBCTM7	MBCTM7	MBCTM7, MBCTM7.A II White; MBCTM7-B, MBCTM7-B.	Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	1	0 Hinged		6.14			36.5	20.3	24.3	1.64	R-134A	3/14/2011	6/18/2013
Master-Bilt Products	Master-Bilt	MNR241SSS/0	MNR241SSS/0		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		23.27	0	23.27	81.5	207	35.1	2.96	R134A	3/23/2011	9/19/2012
Master-Bilt Products	Master-Bilt	MNR241SSS/0X	MNR241SSS/0X		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		23.3	0	23.3	81.5	207	35.1	2.61	R134A	3/23/2011	9/19/2012
Master-Bilt Products	Master-Bilt	MNR242SSS/0	MNR242SSS/0		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		23.3		23.3	81.5	207	35.1	2.96	R134A	3/23/2011	9/19/2012
Master-Bilt Products	Master-Bilt	MNR242SSS/0X	MNR242SSS/0X		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		23.3		23.3	81.5	207	35.1	2.58	R134A	3/23/2011	9/19/2012
Master-Bilt Products	Master-Bilt	MNR522SSS/0	MNR522SSS/0		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		50.5		50.5	81.5	207	35.1	4.11	R134A	3/23/2011	9/19/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Master-Bilt Products	Master-Bilt	MNR522SSS/OX	MNR522SSS/OX		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		50.5		50.5	81.5	207	35.1	4.23 R134A	3/23/2011	9/19/2012	
Master-Bilt Products	Master-Bilt	MNR524SSS/OX	MNR524SSS/OX		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	4 Hinged		50.5		50.5	81.5	207	35.1	4.4 R134A	3/23/2011	9/19/2012	
Master-Bilt Products	Master-Bilt	MNR803SSG/O	MNR803SSG/O		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	3	0 Hinged		77.7	77.7		81.5	207	35.1	8.34 R134A	3/23/2011	9/19/2012	
Master-Bilt Products	Master-Bilt	MNR803SSG/OX	MNR803SSG/OX		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	3	0 Hinged		77.7	77.7		81.5	207	35.1	5.75 R134A	3/23/2011	9/19/2012	
Master-Bilt Products	Master-Bilt	MNR803SSS/O	MNR803SSS/O		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	3 Hinged		77.73		77.73	81.5	207	35.1	4.51 R134A	3/23/2011	9/19/2012	
Master-Bilt Products	Master-Bilt	MNR803SSS/OX	MNR803SSS/OX		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	3 Hinged		77.7		77.7	81.5	207	35.1	3.56 R134A	3/23/2011	9/19/2012	
Master-Bilt Products	Master-Bilt	MNR806SSS/O	MNR806SSS/O		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	6 Hinged		77.7		77.7	81.5	207	35.1	4.84 R134A	3/23/2011	9/19/2012	
Master-Bilt Products	Master-Bilt	MNR806SSS/OX	MNR806SSS/OX		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	6 Hinged		77.7		77.7	81.5	207	35.1	3.98 R134A	3/23/2011	9/19/2012	

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Master-Bilt Products	Master-Bilt	R23-S	R23-S	MBR23-S,MBR23-S,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		20.5		20.9	83.8	212.7	33	2.26	R-134A	12/1/2011	11/16/2011
Master-Bilt Products	Master-Bilt	R49-S	R49-S	MBR49-S,MBR49-S,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		44.2		43.1	83.8	212.7	33	3.31	R-134A	12/1/2011	11/16/2011
Master-Bilt Products	Master-Bilt	R72-S	R72-S	MBR72-S,MBR72-S,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	3 Hinged		66.6		66.6	83.8	212.7	33	5.36	R134A	3/25/2011	3/25/2011
Master-Bilt Products	Master-Bilt	UR27	UR27	MBUR27,MBUR27,	Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	1 Hinged		6.8		6.8	35.9	91.1	30	1.15	R134A	3/25/2011	3/25/2011
Master-Bilt Products	Master-Bilt	UR48	UR48	MBUR48,MBUR48,	Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	2 Hinged		13.1		13.1	35.9	91.1	30	1.66	R134A	3/25/2011	3/25/2011
Master-Bilt Products	Master-Bilt	UR60	UR60	MBUR60,MBUR60,	Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	2 Hinged		16.2		16.2	35.9	91.1	30	2.03	R134A	3/25/2011	3/25/2011
Master-Bilt Products	Master-Bilt	UR72	UR72	MBUR72,MBUR72,	Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	3 Hinged		19.5		19.5	35.9	91.1	30	2.34	R134A	3/25/2011	3/25/2011
Master-Bilt Products	Master-Bilt Products	DOMC-084-A	DOMC-084-A		Solid Door Refrigerator Cabinet	Chest	Reach-in	Manual	0	2 Hinged		12.15			43.5	110.49	32	0.98	R134a	3/1/2013	5/17/2013

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (kW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Master-Bilt Products	Master-Bilt Products	DOMC-084SS-A	DOMC-084SS-A		Solid Door Refrigerator Cabinet	Chest	Reach-in	Manual	0	2 Hinged	12.15			43.5	110.49	32	0.98	R134a	3/1/2013	5/17/2013	
Master-Bilt Products	Master-Bilt Products	DOMC-124-A	DOMC-124-A		Solid Door Refrigerator Cabinet	Chest	Reach-in	Manual	0	2 Hinged	17.82			43.5	110.49	32	1.16	R134a	3/1/2013	5/17/2013	
Master-Bilt Products	Master-Bilt Products	DOMC-124SS-A	DOMC-124SS-A		Solid Door Refrigerator Cabinet	Chest	Reach-in	Manual	0	2 Hinged	17.82			43.5	110.49	32	1.16	R134a	3/1/2013	5/17/2013	
Master-Bilt Products	Master-Bilt Products	DOMC-164-A	DOMC-164-A		Solid Door Refrigerator Cabinet	Chest	Reach-in	Manual	0	2 Hinged	23.5			43.5	110.49	32	1.32	R134a	3/1/2013	5/17/2013	
Master-Bilt Products	Master-Bilt Products	DOMC-164SS-A	DOMC-164SS-A		Solid Door Refrigerator Cabinet	Chest	Reach-in	Manual	0	2 Hinged	23.5			43.5	110.49	32	1.32	R134a	3/1/2013	5/17/2013	
Master-Bilt Products	Master-Bilt Products	MNR241SSG/0	MNR241SSG/0		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0 Hinged	23.3			81.5	207	35.1	3.45	R134a	6/1/2013	5/17/2013	
Master-Bilt Products	Master-Bilt Products	MNR241SSG/0X	MNR241SSG/0X		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0 Hinged	23.3			81.5	207	35.1	3.08	R134a	6/1/2013	5/17/2013	
Master-Bilt Products	Master-Bilt Products	MNR522SSG/0X	MNR522SSG/0X		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	0 Hinged	50.5			81.5	207	35.1	6.71	R134a	6/1/2013	5/17/2013	

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Master-Bilt Products	Master-Bilt Products	OMC-082-A	OMC-082-A		Solid Door Refrigerator Cabinet	Chest	Reach-in	Manual	0	2 Hinged	12.15			43.5	110.49	32	0.89	R134a	3/1/2013	5/17/2013	
Master-Bilt Products	Master-Bilt Products	OMC-082SS-A	OMC-082SS-A		Solid Door Refrigerator Cabinet	Chest	Reach-in	Manual	0	2 Hinged	12.15			43.5	110.49	32	0.89	R134a	3/1/2013	5/17/2013	
Master-Bilt Products	Master-Bilt Products	OMC-122-A	OMC-122-A		Solid Door Refrigerator Cabinet	Chest	Reach-in	Manual	0	2 Hinged	17.82			43.5	110.49	32	1.19	R134a	3/1/2013	5/17/2013	
Master-Bilt Products	Master-Bilt Products	OMC-122SS-A	OMC-122SS-A		Solid Door Refrigerator Cabinet	Chest	Reach-in	Manual	0	2 Hinged	17.82			43.5	110.49	32	1.19	R134a	3/1/2013	5/17/2013	
Master-Bilt Products	Master-Bilt Products	OMC-162-A	OMC-162-A		Solid Door Refrigerator Cabinet	Chest	Reach-in	Manual	0	2 Hinged	23.5			43.5	110.49	32	1.25	R134a	3/1/2013	5/17/2013	
Master-Bilt Products	Master-Bilt Products	OMC-162SS-A	OMC-162SS-A		Solid Door Refrigerator Cabinet	Chest	Reach-in	Manual	0	2 Hinged	23.5			43.5	110.49	32	1.25	R134a	3/1/2013	5/17/2013	
MetalFrio Solutions, Inc.	Caravell	C-23	C-23		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged	20.6	0	18.4	82.48	28.98	32.2	2.03	R134a	10/1/2012	7/24/2013	
MetalFrio Solutions, Inc.	Caravell	C-48	C-48		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged	41.33	0	29.29	82.48	5.4	32.2	3.2	R134a	10/1/2012	7/24/2013	

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
MetalFrio Solutions, Inc.	Caravell	C-72	C-72		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	3	Hinged	66.46	0	66.46	82.48	80.87	32.2	3.58	R134a	5/29/2013	7/24/2013
MetalFrio Solutions, Inc.	MetalFrio	M-23	M-23		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	20.6	0	18.4	82.48	28.98	32.2	2.03	R134a	5/1/2013	5/23/2013
MetalFrio Solutions, Inc.	MetalFrio	M-48	M-48		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	41.33	0	29.29	82.48	5.4	32.2	3.2	R134a	5/1/2013	5/23/2013
MetalFrio Solutions, Inc.	MetalFrio Solutions, Inc.	CFD	CFD-1RR		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	20.6	0	18.4	82.5	29	32.2	2.24	R-134A	2/7/2011	2/7/2011
MetalFrio Solutions, Inc.	MetalFrio Solutions, Inc.	CFD	CFD-2RR		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	41.33	0	29.29	82.5	54	32.2	2.57	R-134A	2/7/2011	2/7/2011
MVP Group Corp.	KOOL-IT	KBSR-1	KBSR-1		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	19.3	0	19.3	76.9	26.8	30	2.58	R-134A	1/5/2002	9/21/2012
MVP Group Corp.	KOOL-IT	KBSR-2	KBSR-2		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	42.7	0	42.7	76.9	53.9	31	3.36	R-134A	1/5/2002	9/21/2012
MVP Group Corp.	KOOL-IT	KTSR-1	KTSR-1		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	19.39	0	19.39	76.9	31	26.8	2.53	R-134A	1/13/2011	9/21/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
MVP Group Corp.	KOOL-IT	KTSR-2	KTSR-2		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	43.64	0	43.64	76.9	31	31	3.96	R-134A	1/3/2011	9/21/2012
Nor-Lake Incorporated	Noriake	AR082SSS/0	AR082SSS/0		Solid Door Refrigerator Cabinet	Chest	Other	Manual	0	2	Hinged	12.15	0	12.15	44	111.76	34	1.85	R134A	3/23/2011	3/24/2011
Nor-Lake Incorporated	Noriake	AR082SSS/0-A	AR082SSS/0-A		Solid Door Refrigerator Cabinet	Chest	Reach-in	Manual	0	2	Hinged	12.15	0	12.15	43.5	110.49	32	0.89	R134a	3/1/2013	1/23/2013
Nor-Lake Incorporated	Noriake	AR082WVS/0-A	AR082WVS/0-A		Solid Door Refrigerator Cabinet	Chest	Reach-in	Manual	0	2	Hinged	12.15	0	12.15	43.5	110.49	32	0.89	R134a	3/1/2013	1/23/2013
Nor-Lake Incorporated	Noriake	AR084SSS/0	AR084SSS/0		Solid Door Refrigerator Cabinet	Chest	Other	Manual	0	4	Hinged	12.15	0	12.15	44.38	112.71	35	1.29	R134A	3/23/2011	3/24/2011
Nor-Lake Incorporated	Noriake	AR084SSS/0-A	AR084SSS/0-A		Solid Door Refrigerator Cabinet	Chest	Reach-in	Manual	0	2	Hinged	12.15	0	12.15	43.5	110.49	32	0.98	R134a	3/1/2013	1/23/2013
Nor-Lake Incorporated	Noriake	AR084WVS/0-A	AR084WVS/0-A		Solid Door Refrigerator Cabinet	Chest	Reach-in	Manual	0	2	Hinged	12.15	0	12.15	43.5	110.49	32	0.98	R134a	3/1/2013	1/23/2013
Nor-Lake Incorporated	Noriake	AR122SSS/0	AR122SSS/0		Solid Door Refrigerator Cabinet	Chest	Other	Manual	0	2	Hinged	17.79	0	17.79	44	111.76	34	2.52	R134A	3/23/2011	3/24/2011

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Nor-Lake Incorporated	Norlake	AR122SSS/0-A	AR122SSS/0-A		Solid Door Refrigerator Cabinet	Chest	Reach-in	Manual	0	2	Hinged	17.82			43.5	110.49	32	1.19	R134a	3/1/2013	1/23/2013
Nor-Lake Incorporated	Norlake	AR122WVS/0-A	AR122WVS/0-A		Solid Door Refrigerator Cabinet	Chest	Reach-in	Manual	0	2	Hinged	17.82			43.5	110.49	32	1.19	R134a	3/1/2013	1/23/2013
Nor-Lake Incorporated	Norlake	AR124SSS/0	AR124SSS/0		Solid Door Refrigerator Cabinet	Chest	Other	Manual	0	4	Hinged	17.82	0	17.82	44.38	112.71	35	1.93	R134A	3/23/2011	3/24/2011
Nor-Lake Incorporated	Norlake	AR124SSS/0-A	AR124SSS/0-A		Solid Door Refrigerator Cabinet	Chest	Reach-in	Manual	0	2	Hinged	17.82			43.5	110.49	32	1.16	R134a	3/1/2013	1/23/2013
Nor-Lake Incorporated	Norlake	AR124WVS/0-A	AR124WVS/0-A		Solid Door Refrigerator Cabinet	Chest	Reach-in	Manual	0	2	Hinged	17.82			43.5	110.49	32	1.16	R134a	3/1/2013	1/23/2013
Nor-Lake Incorporated	Norlake	AR162SSS/0	AR162SSS/0		Solid Door Refrigerator Cabinet	Chest	Other	Manual	0	2	Hinged	23.4	0	23.4	44	111.76	34	2.24	R134A	3/23/2011	3/24/2011
Nor-Lake Incorporated	Norlake	AR162SSS/0-A	AR162SSS/0-A		Solid Door Refrigerator Cabinet	Chest	Reach-in	Manual	0	2	Hinged	23.5			43.5	110.49	32	1.25	R134a	3/1/2013	1/23/2013
Nor-Lake Incorporated	Norlake	AR162WVS/0-A	AR162WVS/0-A		Solid Door Refrigerator Cabinet	Chest	Reach-in	Manual	0	2	Hinged	23.5			43.5	110.49	32	1.25	R134a	3/1/2013	1/23/2013

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Nor-Lake Incorporated	Norlake	AR164SSS/0	AR164SSS/0		Solid Door Refrigerator Cabinet	Chest	Other	Manual	0	4 Hinged	23.49	0	23.49	44.38	112.71	35	1.64	R134A	3/23/2011	3/24/2011	
Nor-Lake Incorporated	Norlake	AR164SSS/0-A	AR164SSS/0-A		Solid Door Refrigerator Cabinet	Chest	Reach-in	Manual	0	2 Hinged	23.5			43.5	110.49	32	1.32	R134a	3/1/2013	1/23/2013	
Nor-Lake Incorporated	Norlake	AR164WVS/0-A	AR164WVS/0-A		Solid Door Refrigerator Cabinet	Chest	Reach-in	Manual	0	2 Hinged	23.5			43.5	110.49	32	1.32	R134a	3/1/2013	1/23/2013	
Nor-Lake Incorporated	Norlake	NLCTM7	NLCTM7	NLCTM7,NLCTM7,All White; NLCTM7-B,NLCTM7-B,	Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Automatic	1	0 Hinged	6.14			36.5	20.3	24.3	1.64	R-134A	3/14/2011	6/18/2013	
Nor-Lake Incorporated	Norlake	NLUR36	NLUR36		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	2 Hinged	8.54		8.54	35.88	91.1	30	2.05	R-134A	1/7/2012	1/7/2012	
Nor-Lake Incorporated	Norlake	NR241SSG/0	NR241SSG/0		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0 Hinged	23.3	23.3		81.5	207	35.1	3.45	R134A	3/23/2011	3/24/2011	
Nor-Lake Incorporated	Norlake	NR241SSG/0X	NR241SSG/0X		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0 Hinged	23.3	23.3		81.5	207	35.1	3.08	R134A	3/23/2011	3/24/2011	
Nor-Lake Incorporated	Norlake	NR241SSS/0	NR241SSS/0		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged	23.27	0	23.27	81.5	207	35.1	2.96	R134A	3/23/2011	3/24/2011	

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Nor-Lake Incorporated	Norlake	NR241SSS/0X	NR241SSS/0X		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		23.3	0	23.3	81.5	207	35.1	2.61	R134A	3/23/2011	3/24/2011
Nor-Lake Incorporated	Norlake	NR242SSS/0	NR242SSS/0		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		23.3		23.3	81.5	207	35.1	2.96	R134A	3/23/2011	3/24/2011
Nor-Lake Incorporated	Norlake	NR242SSS/0X	NR242SSS/0X		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		23.3		23.3	81.5	207	35.1	2.58	R134A	3/23/2011	3/24/2011
Nor-Lake Incorporated	Norlake	NR522SSG/0X	NR522SSG/0X		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	0 Hinged		50.5	50.5		81.5	207	35.1	6.71	R134A	3/23/2011	3/24/2011
Nor-Lake Incorporated	Norlake	NR522SSS/0	NR522SSS/0		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		50.5		50.5	81.5	207	35.1	4.11	R134A	3/23/2011	3/24/2011
Nor-Lake Incorporated	Norlake	NR522SSS/0X	NR522SSS/0X		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		50.5		50.5	81.5	207	35.1	4.23	R134A	3/23/2011	3/24/2011
Nor-Lake Incorporated	Norlake	NR524SSS/0X	NR524SSS/0X		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	4 Hinged		50.5		50.5	81.5	207	35.1	4.4	R134A	3/23/2011	3/24/2011
Nor-Lake Incorporated	Norlake	NR803SSG/0	NR803SSG/0		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	3	0 Hinged		77.7	77.7		81.5	207	35.1	8.34	R134A	3/23/2011	3/24/2011

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Nor-Lake Incorporated	Norlake	NR803SSG/0X	NR803SSG/0X		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	3	0	Hinged	77.7	77.7		81.5	207	35.1	5.75	R134A	3/23/2011	3/24/2011
Nor-Lake Incorporated	Norlake	NR803SSS/0	NR803SSS/0		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	3	Hinged	77.73	77.73		81.5	207	35.1	4.51	R134A	3/23/2011	3/24/2011
Nor-Lake Incorporated	Norlake	NR803SSS/0X	NR803SSS/0X		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	3	Hinged	77.7	77.7		81.5	207	35.1	3.56	R134A	3/23/2011	3/24/2011
Nor-Lake Incorporated	Norlake	NR806SSS/0	NR806SSS/0		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	6	Hinged	77.7	77.7		81.5	207	35.1	4.84	R134A	3/23/2011	3/24/2011
Nor-Lake Incorporated	Norlake	NR806SSS/0X	NR806SSS/0X		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	6	Hinged	77.7	77.7		81.5	207	35.1	3.98	R134A	3/23/2011	3/24/2011
Nor-Lake Incorporated	Norlake	R23-S	R23-S		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	20.5	20.9		83.8	212.7	33	2.26	R-134A	12/1/2011	11/16/2011
Nor-Lake Incorporated	Norlake	R49-S	R49-S		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	44.2	43.1		83.8	212.7	33	3.31	R-134A	12/1/2011	11/16/2011
Nor-Lake Incorporated	Norlake	R72-S	R72-S		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	3	Hinged	66.6	66.6		83.8	212.7	33	5.36	R134A	3/23/2011	3/24/2011

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Nor-Lake Incorporated	Norlake	UR27	UR27		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	1 Hinged	6.8		6.8	35.9	91.1	30	1.15	R134A	3/23/2011	3/24/2011	
Nor-Lake Incorporated	Norlake	UR36	UR36		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	2 Hinged	8.54		8.54	35.88	91.1	30	2.05	R-134A	1/7/2012	1/7/2012	
Nor-Lake Incorporated	Norlake	UR48	UR48		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	2 Hinged	13.1		13.1	35.9	91.1	30	1.66	R134A	3/23/2011	3/24/2011	
Nor-Lake Incorporated	Norlake	UR60	UR60		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	2 Hinged	16.2		16.2	35.9	91.1	30	2.03	R134A	3/23/2011	3/24/2011	
Nor-Lake Incorporated	Norlake	UR72	UR72		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	3 Hinged	19.5		19.5	35.9	91.1	30	2.34	R134A	3/23/2011	3/24/2011	
Nor-Lake Incorporated	Nor-Lake	CB53	CB53		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	2 Sliding	9.03	0	9.03	25.5	53	31	2.08	R134A	4/1/2013	7/24/2013	
Nor-Lake Incorporated	Nor-Lake	CB72	CB72		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	4 Sliding	13.15	0	13.15	25.5	72	31	2.24	R134A	4/1/2013	7/24/2013	
Nor-Lake Incorporated	Nor-Lake	CB84	CB84		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	4 Sliding	15.9	0	15.9	25.5	84	31	2.73	R134A	4/1/2013	7/24/2013	

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Nor-Lake Incorporated	Nor-Lake	CB96	CB96		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	4	Sliding	19.11	0	19.11	25.5	96.1	31	2.79	R134A	4/1/2013	7/24/2013
Patriot Foodservice Equipment	Patriot	P23R	P23R		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	19.3	0	19.3	76.9	26.8	30	2.58	R-134A	1/5/2002	9/21/2012
Patriot Foodservice Equipment	Patriot	P49R	P49R		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	42.7	0	42.7	76.9	53.9	31	3.36	R-134A	1/5/2002	9/21/2012
Patriot Foodservice Equipment	Patriot	STM23R	STM23R		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	19.39	0	19.39	76.9	31	26.8	2.53	R-134A	1/13/2011	9/21/2012
Patriot Foodservice Equipment	Patriot	STM49R	STM49R		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	43.64	0	43.64	76.9	31	31	3.96	R-134A	1/3/2011	9/21/2012
Perlick Corporation	Perlick	HC24RS	HC24RS		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	1	Hinged	5.3	0	5.3	34	86.36	24	1.69	R-134A	2/1/2009	3/14/2011
Perlick Corporation	Perlick	HC24RS	HC24RS - Glass door		Glass Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	1	0	Hinged	5.3	0	5.3	34	86.36	24	1.93	R-134A	2/1/2009	3/14/2011
Primoris Inc., Saturn Equipment	Saturn	S23R	S23R		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	19.3	0	19.3	76.9	26.8	30	2.58	R-134A	1/5/2002	9/21/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Primoris Inc., Saturn Equipment	Saturn	S49R	S49R		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		42.7	0	42.7	76.9	53.9	31	3.36	R-134A	1/5/2002	9/21/2012
Primoris Inc., Saturn Equipment	Saturn	STM23R	STM23R		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		19.39	0	19.39	76.9	31	26.8	2.53	R-134A	1/13/2011	9/21/2012
Primoris Inc., Saturn Equipment	Saturn	STM49R	STM49R		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		43.64	0	43.64	76.9	31	31	3.96	R-134A	1/3/2011	9/21/2012
Proud Inc.	Proud	PS-R23	PS-R23		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		19.3	0	19.3	76.9	26.8	30	2.58	R-134A	1/5/2002	9/21/2012
Proud Inc.	Proud	PS-R49	PS-R49		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		42.7	0	42.7	76.9	53.9	31	3.36	R-134A	1/5/2002	9/21/2012
Proud Inc.	Proud	PS-RT23	PS-RT23		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		19.39	0	19.39	76.9	31	26.8	2.53	R-134A	1/13/2011	9/21/2012
Proud Inc.	Proud	PS-RT49	PS-RT49		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		43.64	0	43.64	76.9	31	31	3.96	R-134A	1/3/2011	9/21/2012
QBD Cooling Systems Inc.	QBD	CD34S	CD34S		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	0 Sliding		29.1	29.1	0	78.13	29.5	40.38	4.89	R-134A	5/10/2012	9/20/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
QBD Cooling Systems Inc.	QBD	CD39H	CD39H		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	0	Hinged	34.78	34.78	0	78.13	29.5	44.38	5.09	R-134a	8/31/2012	9/7/2012
QBD Cooling Systems Inc.	QBD	DC7HG	DC7HG		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	6.27	6.27	0	38.25	21.38	24.88	1.92	R-134A	5/28/2012	9/20/2012
QBD Cooling Systems Inc.	QBD	PC8H	PC8H		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	9.42	9.42	0	74.25	19.63	25.38	2.48	R-134A	4/10/2012	9/20/2012
QBD Cooling Systems Inc.	QBD Cooling Systems	CD10H	CD10H		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	9.22	9.22	0	55	26	25	2.19	R-134A	8/23/2007	10/26/2012
QBD Cooling Systems Inc.	QBD Cooling Systems	CD12H	CD12H		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	11.27	11.27	0	63	26	25	2.19	R-134A	8/23/2007	10/26/2012
QBD Cooling Systems Inc.	QBD Cooling Systems	CD14H	CD14H		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	0	Hinged	14.33	14.33	0	56	36	24.5	2.82	R-134A	5/1/2007	10/26/2012
QBD Cooling Systems Inc.	QBD Cooling Systems	CD26-L1T5	CD26-L1T5		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	23.13	23.13	0	78.38	30.63	29.75	3.79	R-134A	10/31/2008	10/26/2012
QBD Cooling Systems Inc.	QBD Cooling Systems	CD38S	CD38S		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	0	Sliding	31.75	31.75	0	78.13	44.38	29.75	5.25	R-134A	12/28/2010	10/19/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
QBD Cooling Systems Inc.	QBD Cooling Systems	CD40S	CD40S		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	0	Sliding	35.18	35.18		78.13	48	29.75	5.26	R-134A	12/28/2010	10/19/2012
QBD Cooling Systems Inc.	QBD Cooling Systems	CD4148S	CD4148S		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	0	Sliding	14.64	14.64		47.63	48	24.5	2.48	R-134A	8/23/2007	10/26/2012
QBD Cooling Systems Inc.	QBD Cooling Systems	CD4154SL	CD4154SL		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	0	Sliding	14.31	14.31		53.88	47	21	2.9	R-134A	10/15/2008	10/26/2012
QBD Cooling Systems Inc.	QBD Cooling Systems	CD4156SL	CD4156SL		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	0	Sliding	15.09	15.09		55.88	47	21	3.05	R-134A	10/15/2008	10/26/2012
QBD Cooling Systems Inc.	QBD Cooling Systems	CD4160SL	CD4160SL		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	0	Sliding	16.54	16.54		59.63	47	21	3.05	R-134A	10/15/2008	10/26/2012
QBD Cooling Systems Inc.	QBD Cooling Systems	CD45S	CD45S		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	0	Sliding	37.13	37.13		78.38	52	29.5	5.78	R-134A	12/15/2008	10/26/2012
QBD Cooling Systems Inc.	QBD Cooling Systems	CD47HB	CD47HB		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	0	Hinged	39.98	39.98		78.38	52	29.75	5.74	R-134A	12/15/2008	10/26/2012
QBD Cooling Systems Inc.	QBD Cooling Systems	DC10PT	DC10PT		Glass Door Refrigerator Cabinet	Vertical	Pass Through	Automatic	2	0	Hinged	10.03	10.03		54	24.88	23.88	2.38	R-134A	12/20/2010	10/19/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
QBD Cooling Systems Inc.	QBD Cooling Systems	DC6H	DC6H		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	4.8	4.8		34.25	20.38	24.88	1.93	R-134A	12/15/2010	10/19/2012
QBD Cooling Systems Inc.	QBD Cooling Systems	DC7H	DC7H		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	6.27	6.27		38	21.5	25	1.87	R-134A	12/15/2010	10/19/2012
QBD Cooling Systems Inc.	QBD Cooling Systems	SL10H	SL10H		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	6.63	6.63		54	25.25	18	1.77	R-134A	5/29/2008	10/19/2012
QBD Cooling Systems Inc.	QBD Modular Systems Inc.	CD26RL	CD26RL		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	1	Hinged	23.27	23.27	0	78.1	30.6	31.5	3.89	R-134A	8/20/2011	9/20/2012
Qingdao Haier Special Icebox Co.,Ltd.	Haier	Beverage Cooler	SC138		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Manual	1	0	Hinged	4.94			36.2	92	24.6	1.96	R134A	7/20/2010	4/7/2011
Qingdao Haier Special Icebox Co.,Ltd.	Haier	Beverage Cooler	SC258AN(E)		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Manual	1	0	Hinged	8.33			54.3	137.9	23.62	2.13	R134A	7/20/2010	4/7/2011
Qingdao Haier Special Icebox Co.,Ltd.	Haier	SC-138	SC-138		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	1	0	Hinged	4.94	4.94		36.2	20.5	24.6	1.96	R-134A	1/1/2010	10/26/2012
Qingdao Haier Special Icebox Co.,Ltd.	Haier	SC-258AN	E		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	1	0	Hinged	8.33	8.33		54.3	24.8	23.6	2.13	R-134A	5/1/2010	10/26/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Qingdao Haier Special Icebox Co.,Ltd.	Haier	SC-328AN	EMS		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	1	0	Hinged	10.4	10.4		63.8	24.8	24.8	2.12	R-134A	1/1/2010	10/26/2012
Royal Vendors, Inc.	Royal Vendors	RVC-010	RVC-010		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	1	0	Hinged	9.18	9.18		54	25	24	2.43	R134a	2/15/2012	6/17/2013
Royal Vendors, Inc.	Royal Vendors	RVC-012	RVC-012		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	1	0	Hinged	11.24	11.24		62	25	24	2.26	R134a	2/15/2012	6/17/2013
Royal Vendors, Inc.	Royal Vendors	RVC-027	RVC-027		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	1	0	Hinged	25.44	25.44		78	30	32	4.5	R134a	2/15/2012	6/17/2013
Royal Vendors, Inc.	Royal Vendors	RVCF-027	RVCF-027		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	1	0	Hinged	25.44	25.44		78	30	32	4.1	R134a	2/15/2012	6/17/2013
Royal Vendors, Inc.	Royal Vendors	RVCF-027-2-3	RVCF-027-2-3		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Manual	0	1	Hinged	25.44	0	25.44	78	30	32	2.96	R134a	6/15/2013	6/17/2013
Royal Vendors, Inc.	Royal Vendors	RVCFH-027	RVCFH-027		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	1	0	Hinged	25.44	25.44	0	78	30	32	4.1	R134a	2/15/2012	6/17/2013
Royal Vendors, Inc.	Royal Vendors	RVCH-027	RVCH-027		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	1	0	Hinged	25.44	25.44	0	78	30	32	4.5	R134a	2/15/2012	6/17/2013

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
SG Beverage Solutions Inc.	SG Beverage	CT-06	CT-06		Glass Door Refrigerator Cabinet	Vertical	Other	Automatic	1	0	Hinged	5.96	0	0	32	18.75	19.75	1.87	R-134A	6/6/2011	9/12/2012
SG Beverage Solutions Inc.	SG Beverage	CT-3	CT-3		Glass Door Refrigerator Cabinet	Vertical	Other	Automatic	1	0	Hinged	3	0.12	0	36.2	19.12	21.31	1.1	R-134A	1/13/2011	9/12/2012
SG Beverage Solutions Inc.	SG Beverage	SD-10	SD-10		Glass Door Refrigerator Cabinet	Vertical	Other	Automatic	1	0	Hinged	8.13	0	0	40.93	19.95	20.42	2.14	R-134A	1/13/2011	9/12/2012
SG Beverage Solutions Inc.	SG Beverage	SD-12	SD-12		Solid Door Refrigerator Cabinet	Vertical	Other	Automatic	1	0	Hinged	9.96	0	0	48.71	19.95	20.42	2.16	R-134A	1/13/2011	9/12/2012
Shandong Hongtai Electrical Appliance Co., Ltd	Centaur Plus	Commercial storage refrigerator	CSD-1DR-BAL-ES		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	0	Hinged	18.1	0	0	82.7	210	32.7	2.75	R-134A	5/30/2012	5/19/2012
Shandong Hongtai Electrical Appliance Co., Ltd	Centaur Plus	Commercial storage refrigerator	CSD-1DR-TSI-ES		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	0	Hinged	18.1	0	0	82.7	210	32.7	2.75	R-134A	5/30/2012	5/19/2012
Shandong Hongtai Electrical Appliance Co., Ltd	Centaur Plus	Commercial storage refrigerator	CSD-2DR-BAL-ES		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	0	Hinged	41.8	0	0	82.7	210	32.7	3.7	R-134A	5/30/2012	5/19/2012
Shandong Hongtai Electrical Appliance Co., Ltd	Centaur Plus	Commercial storage refrigerator	CSD-2DR-TSI-ES		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	0	Hinged	43	0	0	82.7	210	32.7	3.7	R-134A	5/30/2012	5/19/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (kW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Shandong Hongtai Electrical Appliance Co., Ltd	Centaur Plus	Glass Door Merchandiser	CGD-1DR-23		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	0	Hinged	18.9			79.5	201.9	31.9	3.5	R-134A	5/30/2012	5/19/2012
Shandong Hongtai Electrical Appliance Co., Ltd	Centaur Plus	Glass Door Merchandiser	CGD-2DR-48		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	0	Hinged	43.4			79.5	201.9	31.9	5.95	R-134A	5/30/2012	5/19/2012
Shandong Hongtai Electrical Appliance Co., Ltd	COOLMAN	Glass Door Merchandiser	CTN-27PG		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	0	Hinged	18.9			79.5	201.9	31.9	3.5	R-134A	5/30/2012	5/19/2012
Shandong Hongtai Electrical Appliance Co., Ltd	COOLMAN	Glass Door Merchandiser	CTN-54PG		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	0	Hinged	43.4			79.5	201.9	31.9	5.95	R-134A	5/30/2012	5/19/2012
Shandong Hongtai Electrical Appliance Co., Ltd	Entr@e, Better Built, California Cooking	Commercial storage refrigerator	CR1-ES		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	0	Hinged	18.1			82.7	210	32.7	2.75	R-134A	5/30/2012	5/19/2012
Shandong Hongtai Electrical Appliance Co., Ltd	Entr@e, Better Built, California Cooking	Commercial storage refrigerator	CR1-TS-ES		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	0	Hinged	18.1			82.7	210	32.7	2.75	R-134A	5/30/2012	5/19/2012
Shandong Hongtai Electrical Appliance Co., Ltd	Entr@e, Better Built, California Cooking	Commercial storage refrigerator	CR2-ES		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	0	Hinged	41.8			82.7	210	32.7	3.7	R-134A	5/30/2012	5/19/2012
Shandong Hongtai Electrical Appliance Co., Ltd	Entr@e, Better Built, California Cooking	Commercial storage refrigerator	CR2-TS-ES		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	0	Hinged	43			82.7	210	32.7	3.7	R-134A	5/30/2012	5/19/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (kW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Shandong Hongtai Electrical Appliance Co., Ltd	Entr@e, Better Bilt, California Cooking	Glass Door Merchandiser	EGD-1DR-23		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	0	Hinged	18.9			79.5	201.9	31.9	3.5	R-134A	5/30/2012	5/19/2012
Shandong Hongtai Electrical Appliance Co., Ltd	Entr@e, Victory, California Cooking	Glass Door Merchandiser	EGD-2DR-48		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	0	Hinged	43.4			79.5	201.9	31.9	5.95	R-134A	5/30/2012	5/19/2012
Shandong Hongtai Electrical Appliance Co., Ltd	FIRSCOOL	Commercial storage refrigerator	27RES		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	0	Hinged	18.1			82.7	210	32.7	2.75	R-134A	5/30/2012	5/19/2012
Shandong Hongtai Electrical Appliance Co., Ltd	FIRSCOOL	Commercial storage refrigerator	28RES		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	0	Hinged	18.1			82.7	210	32.7	2.75	R-134A	5/30/2012	5/19/2012
Shandong Hongtai Electrical Appliance Co., Ltd	FIRSCOOL	Commercial storage refrigerator	54RES		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	0	Hinged	41.8			82.7	210	32.7	3.7	R-134A	5/30/2012	5/19/2012
Shandong Hongtai Electrical Appliance Co., Ltd	FIRSCOOL	Commercial storage refrigerator	56RES		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	0	Hinged	43			82.7	210	32.7	3.7	R-134A	5/30/2012	5/19/2012
Shandong Hongtai Electrical Appliance Co., Ltd	FIRSCOOL	Glass Door Merchandiser	HGD-23R		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	0	Hinged	18.9			79.5	201.9	31.9	3.5	R-134A	5/30/2012	5/19/2012
Shandong Hongtai Electrical Appliance Co., Ltd	FIRSCOOL	Glass Door Merchandiser	HGD-48R		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	0	Hinged	43.4			79.5	201.9	31.9	5.95	R-134A	5/30/2012	5/19/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Shandong Hongtai Electrical Appliance Co., Ltd	ICB	Commercial storage refrigerator	ICBR-27ES		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	0	Hinged	18.1			82.7	210	32.7	2.75	R-134A	5/30/2012	5/19/2012
Shandong Hongtai Electrical Appliance Co., Ltd	ICB	Commercial storage refrigerator	ICBR-28ES		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	0	Hinged	18.1			82.7	210	32.7	2.75	R-134A	5/30/2012	5/19/2012
Shandong Hongtai Electrical Appliance Co., Ltd	ICB	Commercial storage refrigerator	ICBR-54ES		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	0	Hinged	41.8			82.7	210	32.7	3.7	R-134A	5/30/2012	5/19/2012
Shandong Hongtai Electrical Appliance Co., Ltd	ICB	Commercial storage refrigerator	ICBR-56ES		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	0	Hinged	43			82.7	210	32.7	3.7	R-134A	5/30/2012	5/19/2012
Shandong Hongtai Electrical Appliance Co., Ltd	ICB	Glass Door Merchandiser	ICBGR-23		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	0	Hinged	18.9			79.5	201.9	31.9	3.5	R-134A	5/30/2012	5/19/2012
Shandong Hongtai Electrical Appliance Co., Ltd	ICB	Glass Door Merchandiser	ICBGR-48		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	0	Hinged	43.4			79.5	201.9	31.9	5.95	R-134A	5/30/2012	5/19/2012
Shandong Hongtai Electrical Appliance Co., Ltd	Maxx Cold	Commercial storage refrigerator	MXCR-23FD		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	0	Hinged	18.1			82.7	210	32.7	2.75	R-134A	5/30/2012	5/19/2012
Shandong Hongtai Electrical Appliance Co., Ltd	Maxx Cold	Commercial storage refrigerator	MXCR-49FD		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	0	Hinged	43			82.7	210	32.7	3.7	R-134A	5/30/2012	5/19/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (kW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Shandong Hongtai Electrical Appliance Co., Ltd	Maxx Cold	Commercial storage refrigerator	MXCRB-23FD		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	0	Hinged	18.1			82.7	210	32.7	2.75	R-134A	5/30/2012	5/19/2012
Shandong Hongtai Electrical Appliance Co., Ltd	Maxx Cold	Commercial storage refrigerator	MXCRB-23FDR E		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	0	Hinged	18.1			82.7	210	32.7	2.75	R-134A	5/30/2012	5/19/2012
Shandong Hongtai Electrical Appliance Co., Ltd	Maxx Cold	Commercial storage refrigerator	MXCRB-49FD		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	0	Hinged	41.8			82.7	210	32.7	3.7	R-134A	5/30/2012	5/19/2012
Shandong Hongtai Electrical Appliance Co., Ltd	Maxx Cold	Commercial storage refrigerator	MXCRB-49FDR E		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	0	Hinged	41.8			82.7	210	32.7	3.7	R-134A	5/30/2012	5/19/2012
Shandong Hongtai Electrical Appliance Co., Ltd	Maxx Cold	Glass Door Merchandiser	MXM1-23R		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	0	Hinged	18.9			79.5	201.9	31.9	3.5	R-134A	5/30/2012	5/19/2012
Shandong Hongtai Electrical Appliance Co., Ltd	Maxx Cold	Glass Door Merchandiser	MXM1-23RRE		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	0	Hinged	18.9			79.5	201.9	31.9	3.5	R-134A	5/30/2012	5/19/2012
Shandong Hongtai Electrical Appliance Co., Ltd	Maxx Cold	Glass Door Merchandiser	MXM2-48R		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	0	Hinged	43.4			79.5	201.9	31.9	5.95	R-134A	5/30/2012	5/19/2012
Shandong Hongtai Electrical Appliance Co., Ltd	Maxx Cold	Glass Door Merchandiser	MXM2-48RRE		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	0	Hinged	43.4			79.5	201.9	31.9	5.95	R-134A	5/30/2012	5/19/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Shandong Hongtai Electrical Appliance Co., Ltd	Polar	Commercial storage refrigerator	GE001		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	0	Hinged	18.1			82.7	210	32.7	2.75	R-134A	5/30/2012	5/19/2012
Shandong Hongtai Electrical Appliance Co., Ltd	Polar	Commercial storage refrigerator	GE002		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	0	Hinged	41.8			82.7	210	32.7	3.7	R-134A	5/30/2012	5/19/2012
Shandong Hongtai Electrical Appliance Co., Ltd	Polar	Glass Door Merchandiser	GE019		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	0	Hinged	43.4			79.5	201.9	31.9	5.95	R-134A	5/30/2012	5/19/2012
Shandong Hongtai Electrical Appliance Co., Ltd	Polar	Glass Door Merchandiser	GE022		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	0	Hinged	18.9			79.5	201.9	31.9	3.5	R-134A	5/30/2012	5/19/2012
Shandong Hongtai Electrical Appliance Co., Ltd	SERV-WARE	Commercial storage refrigerator	GR-23		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	18.9			79.5	201.9	31.9	3.5	R-134A	10/30/2012	10/16/2012
Shandong Hongtai Electrical Appliance Co., Ltd	SERV-WARE	Commercial storage refrigerator	GR-48		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	0	Hinged	43.4			79.5	201.9	31.9	5.95	R-134A	10/30/2012	10/16/2012
Shandong Hongtai Electrical Appliance Co., Ltd	SERV-WARE	Commercial storage refrigerator	RR-1		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	18.1			82.7	210	32.7	2.75	R-134A	10/30/2012	10/16/2012
Shandong Hongtai Electrical Appliance Co., Ltd	SERV-WARE	Commercial storage refrigerator	RR-2		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	41.8			82.7	210	32.7	3.7	R-134A	10/30/2012	10/16/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Shandong Hongtai Electrical Appliance Co., Ltd	US	Commercial storage refrigerator	USPCB-27R		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	0	Hinged	18.1			82.7	210	32.7	2.75	R-134A	5/30/2012	5/19/2012
Shandong Hongtai Electrical Appliance Co., Ltd	US	Commercial storage refrigerator	USPCB-54R		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	0	Hinged	41.8			82.7	210	32.7	3.7	R-134A	5/30/2012	5/19/2012
Shandong Hongtai Electrical Appliance Co., Ltd	US	Commercial storage refrigerator	USPCT-28R		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	0	Hinged	18.1			82.7	210	32.7	2.75	R-134A	5/30/2012	5/19/2012
Shandong Hongtai Electrical Appliance Co., Ltd	US	Commercial storage refrigerator	USPCT-56R		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	0	Hinged	43			82.7	210	32.7	3.7	R-134A	5/30/2012	5/19/2012
Shandong Hongtai Electrical Appliance Co., Ltd	US	Glass Door Merchandiser	USA-24R		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	0	Hinged	18.9			79.5	201.9	31.9	3.5	R-134A	5/30/2012	5/19/2012
Shandong Hongtai Electrical Appliance Co., Ltd	US	Glass Door Merchandiser	USA-48R		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	0	Hinged	43.4			79.5	201.9	31.9	5.95	R-134A	5/30/2012	5/19/2012
Spartan Refrigeration	XINGX	CFD-1RR	CFD-1RR		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	20.6	0	20.6	82.48	28.98	32.2	2.03	R134A	1/3/2011	3/11/2013
Spartan Refrigeration	XINGX	CFD-2RR	CFD-2RR		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	41.33	0	41.33	82.48	53.98	32.2	3.2	R134A	1/3/2011	3/11/2013

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (kW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
The Defield Company (A division of Manitowoc Foodservice)	Defield	186114BUCM	186114BUCM	186114BSTM, 186114BSTM,	Solid Door Refrigerator Cabinet	Vertical	Other	Automatic	0	3	Hinged	37.24			36	114	31.5	3.36	R-404A	5/11/2011	9/19/2012
The Defield Company (A division of Manitowoc Foodservice)	Defield	18648BUCM	18648BUCM	18648BSTM, 18648BSTM,	Solid Door Refrigerator Cabinet	Vertical	Other	Automatic	0	1	Hinged	10.23			36	48	31.5	1.83	R-404A	5/11/2011	9/12/2012
The Defield Company (A division of Manitowoc Foodservice)	Defield	18660BUCM	18660BUCM	18660BSTM, 18660BSTM, 18WC60, 18WC60, F18WC60, F18WC60,	Solid Door Refrigerator Cabinet	Vertical	Other	Automatic	0	2	Hinged	15.12			36	48	31.5	1.94	R-404A	5/11/2011	12/3/2012
The Defield Company (A division of Manitowoc Foodservice)	Defield	18672BUCM, 18672BSTM	18672BUCM, 18672BSTM		Solid Door Refrigerator Cabinet	Vertical	Other	Automatic	0	2	Hinged	18.1			36	48	31.5	2.09	R-404A	5/11/2011	9/19/2012
The Defield Company (A division of Manitowoc Foodservice)	Defield	18691BUCM	18691BUCM	18691BSTM, 18691BSTM,	Solid Door Refrigerator Cabinet	Vertical	Other	Automatic	0	3	Hinged	24.48			36	91	31.5	2.92	R-404A	5/11/2011	9/19/2012
The Defield Company (A division of Manitowoc Foodservice)	Defield	18699BUCM	18699BUCM	18699BSTM, 18699BSTM,	Solid Door Refrigerator Cabinet	Vertical	Other	Automatic	0	3	Hinged	27.46			36	99	31.5	2.98	R-404A	5/11/2011	9/19/2012
The Defield Company (A division of Manitowoc Foodservice)	Defield	406CA	406CA	A2, 406CA-DHL-A2, 406CA-DHL-A3, 406CA-DHL-A5, 406CA-DHL-DD1, 406CA-DHL-DD2, 406CA-DHL-DD3, 406CA-DHL-KFC1, 406CA-M327, 406MD2-CP5, 406MD5, 406MD6, 406CA-A3, 406CA-A7, 406CA-DHL-A3, 406CA-DHL-GC1, 406CA-GC1, 406CA-M261, 406CA-M261,	Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	1	Hinged	5.7	0	5.7	33.25	27.25	27.75	1.88	R-404A	5/16/2011	12/3/2012
The Defield Company (A division of Manitowoc Foodservice)	Defield	406-DHL-MD1	406-DHL-MD1		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	1	Hinged	5.7		5.7	33.3	27.3	27.8	1.8	R-404A	5/16/2011	12/3/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (kW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
The Defield Company (A division of Manitowoc Foodservice)	Defield	4432N	4432N	4432N-A107,4432N-A107.; 4432N-A121,4432N-A121.; 4432N-A37,4432N-A37.; 4432N-A8,4432N-A8.; 4432N-DHL,4432N-DHL.; 4432N-M319,4432N-M319.; 4432N-M331,4432N-M331.; 4432N-MD1,4432N-MD1.	Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	1 Hinged		10.1		10.1	36	32	31.5	2.3	R-404A	1/1/2005	12/3/2012
The Defield Company (A division of Manitowoc Foodservice)	Defield	4448N	4448N	4448N-A109,4448N-A109.; 4448N-A225,4448N-A225.; 4448N-A362,4448N-A362.; 4448N-A43,4448N-A43.; 4448N-A61,4448N-A61.; 4448N-A68,4448N-A68.; 4448N-A8,4448N-A8.; 4448N-D13,4448N-D13.; 4448N-M191,4448N-M191.	Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	1 Hinged		16		16	36	48	31.5	2.61	R-404A	1/1/2005	12/3/2012
The Defield Company (A division of Manitowoc Foodservice)	Defield	4460N	4460N	4460N-A107,4460N-A107.; 4460N-A109,4460N-A109.; 4460N-A225,4460N-A225.; 4460N-A8,4460N-A8.	Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	2 Hinged		20.2		20.2	36	60	31.5	2.75	R-404A	12/20/2008	12/3/2012
The Defield Company (A division of Manitowoc Foodservice)	Defield	4464N	4464N	4464N-A361,4464N-A361.; 4464N-A8,4464N-A8.	Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	2 Hinged		21.6		21.6	36	64	31.5	2.83	R-404A	2/12/2010	12/3/2012
The Defield Company (A division of Manitowoc Foodservice)	Defield	4472N	4472N	A341,UC4472N-A341,UC4472N-A361,UC4472N-A361.; UC4472N-A590,UC4472N-A590.; UC4472N-A8,UC4472N-A8.; UC4472N-D15,UC4472N-D15.; UC4472N-D2,UC4472N-D2.; UC4472N-D2-A361,UC4472N-D2-A8,UC4472N-D2-A8.	Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	3 Hinged		24.8		24.8	36	72	31.5	3.11	R-404A	3/3/2010	12/3/2012
The Defield Company (A division of Manitowoc Foodservice)	Defield	6025XL-G	6025XL-G	WH1.; 6025XL-G-WH2,6025XL-G-WH2.; 6025XL-G-WH6,6025XL-G-WH6.; 6025XL-G3,6025XL-G3.; 6025XL-G3-18,6025XL-G3-18.; 6025XL-G3-33,6025XL-G3-33.; 6025XL-G3-47,6025XL-G3-47.; 6025XL-G3-53,6025XL-G3-53.	Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0 Hinged		19.5	19.5	0	79.5	25.5	32.8	3.68	R-404A	6/1/2011	12/3/2012
The Defield Company (A division of Manitowoc Foodservice)	Defield	6025XL-GH	6025XL-GH	GH-47.; 6025XL-GH-HH1,6025XL-GH-HH1.; 6025XL-GH-HH2,6025XL-GH-HH2.; 6025XL-GH-MD1,6025XL-GH-MD1.; 6025XL-GH12,6025XL-GH12.; 6025XL-GH12-33,6025XL-GH12-33.; 6025XL-GH12-47,6025XL-GH12-47.; 6025XL-GH12-48,6025XL-GH12-48.	Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	0 Hinged		19.4	19.4	0	79.5	25.5	32.8	3.62	R-404A	6/1/2011	12/3/2012
The Defield Company (A division of Manitowoc Foodservice)	Defield	6025XL-S	6025XL-S	S4-18.; 6025XL-S4-20,6025XL-S4-20.; 6025XL-S4-48,6025XL-S4-48.; 6025XL-S4-51,6025XL-S4-51.; 6025XL-S4-53,6025XL-S4-53.; 6025XL-S4-M227,6025XL-S4-M227.; 6025XL-S4-M324,6025XL-S4-M324.; 6025XL-S4-WAG1,6025XL-S4-WAG1.	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		20.4	0	20.4	79.5	25.5	32.8	2.48	R-404A	6/1/2011	12/3/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (kW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
The Defield Company (A division of Manitowoc Foodservice)	Defield	6025XL-SH	6025XL-SH	HH2, 6025XL-SH-MD1, 6025XL-SH-MD1, 6025XL-SH-RB1, 6025XL-SH-RB1, 6025XL-SH-RB2, 6025XL-SH-RB2, 6025XL-SH-WAG1, 6025XL-SH-WAG1, 6025XL-SH1, 6025XL-SH1, 6025XL-SH1-18, 6025XL-SH1-18, 6025XL-SH1-40, 6025XL-SH1-40,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		20.3	0	20.3	79.5	25.5	32.8	2.7 R-404A	6/1/2011	12/3/2012	
The Defield Company (A division of Manitowoc Foodservice)	Defield	6025XL-SH-MD1	6025XL-SH-MD1	6025XL-SH1-MD1, 6025XL-SH1-MD1,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		20.3	0	20.3	79.5	25.5	32.8	2.63 R-404A	6/1/2011	12/3/2012	
The Defield Company (A division of Manitowoc Foodservice)	Defield	6051XL-G	6051XL-G	6051XL-G-47, 6051XL-G-47, 6051XL-G-48, 6051XL-G-48, 6051XL-G-48, 6051XL-G-48, 6051XL-G-RB1, 6051XL-G-RB1, 6051XL-G21, 6051XL-G21, 6051XL-G21-47, 6051XL-G21-47, 6051XL-G42, 6051XL-G42, 6051XL-G42-47, 6051XL-G42-47, 6051XL-G90, 6051XL-G90,	Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	0 Hinged		43.26	43.26	0	79.5	51	32.8	6.18 R-404A	6/1/2011	12/3/2012	
The Defield Company (A division of Manitowoc Foodservice)	Defield	6051XL-GH	6051XL-GH	6051XL-GH-32, 6051XL-GH-32, 6051XL-GH-39, 6051XL-GH-39, 6051XL-GH-47, 6051XL-GH-47, 6051XL-GH32-39, 6051XL-GH32-39,	Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	4	0 Hinged		43.05	43.05	0	79.5	51	32.8	6.21 R-404A	6/1/2011	12/3/2012	
The Defield Company (A division of Manitowoc Foodservice)	Defield	6051XL-S	6051XL-S	S15-18, 6051XL-S16, 6051XL-S16, 6051XL-S16-51, 6051XL-S16-51, 6051XL-S5, 6051XL-S5, 6051XL-S5, 6051XL-S5-M341, 6051XL-S5-M341, 6051XL-S50, 6051XL-S50, 6051XL-S55, 6051XL-S55, 6051XL-S63, 6051XL-S63, 6051XL-S97, 6051XL-S97,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		42.13	0	42.13	79.5	51	32.8	3.61 R-404A	6/1/2011	12/3/2012	
The Defield Company (A division of Manitowoc Foodservice)	Defield	6051XL-SH	6051XL-SH	SH-18, 6051XL-SH-18, 6051XL-SH-34, 6051XL-SH-34, 6051XL-SH-34, 6051XL-SH-48, 6051XL-SH-48, 6051XL-SH-MD1, 6051XL-SH-MD1, 6051XL-SH33, 6051XL-SH33, 6051XL-SH33-19, 6051XL-SH33-19, 6051XL-SH41, 6051XL-SH41, 6051XL-SH71, 6051XL-SH71,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	4 Hinged		41.94	0	41.94	79.5	51	32.8	3.74 R-404A	6/1/2011	12/3/2012	
The Defield Company (A division of Manitowoc Foodservice)	Defield	6051XL-S-WH1	6051XL-S-WH1	6051XL-S-WH2, 6051XL-S-WH2, 6051XL-S-WH5, 6051XL-S-WH5, 6051XL-S-WH6, 6051XL-S-WH6,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		42.13	0	42.13	79.5	51	32.8	3.65 R-404A	6/1/2011	12/3/2012	
The Defield Company (A division of Manitowoc Foodservice)	Defield	F18WC39	F18WC39	18WC39, 18WC39,	Solid Door Refrigerator Cabinet	Vertical	Other	Automatic	0	1 Hinged		7.56			36	39	31.5	1.65 R-404A	5/1/2011	9/19/2012	

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (kW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
The Defield Company (A division of Manitowoc Foodservice)	Defield	F18WC47	F18WC47	18WC47,18WC47,	Solid Door Refrigerator Cabinet	Vertical	Other	Automatic	0	1 Hinged		10.23			36	47	31.5	1.9 R-404A	5/11/2011	9/19/2012	
The Defield Company (A division of Manitowoc Foodservice)	Defield	F18WC52	F18WC52	18WC52,18WC52,	Solid Door Refrigerator Cabinet	Vertical	Other	Automatic	0	2 Hinged		12.14			36	52	31.5	1.9 R-404A	5/11/2011	9/19/2012	
The Defield Company (A division of Manitowoc Foodservice)	Defield	F18WC68	F18WC68	18WC68,18WC68,	Solid Door Refrigerator Cabinet	Vertical	Other	Automatic	0	2 Hinged		18.1			36	68	31.5	1.71 R-404A	5/11/2011	9/19/2012	
The Defield Company (A division of Manitowoc Foodservice)	Defield	F18WC78	F18WC78	18WC78,18WC78,	Solid Door Refrigerator Cabinet	Vertical	Other	Automatic	0	2 Hinged		21.23			36	78	31.5	2.2 R-404A	5/11/2011	9/19/2012	
The Defield Company (A division of Manitowoc Foodservice)	Defield	F18WC87	F18WC87	18WC87,18WC87,	Solid Door Refrigerator Cabinet	Vertical	Other	Automatic	0	3 Hinged		24.48			36	87	31.5	2.72 R-404A	5/11/2011	9/19/2012	
The Defield Company (A division of Manitowoc Foodservice)	Defield	F18WC95	F18WC95	18WC95,18WC95,	Solid Door Refrigerator Cabinet	Vertical	Other	Automatic	0	3 Hinged		27.46			36	95	31.5	2.9 R-404A	5/11/2011	9/19/2012	
The Defield Company (A division of Manitowoc Foodservice)	Defield	SSR1-G	SSR1-G	G-203,SMR1-G-203,; SMR1-G40,SMR1-G40,; SSR1-G-168,SSR1-G-168,; SSR1-G-203,SSR1-G-203,; SSR1-G-208,SSR1-G-208,; SSR1-G-24,SSR1-G-24,; SSR1-G40,SSR1-G40,; SSR1-G40-203,SSR1-G40-203,; SSR1-G40-303,SSR1-G40-303,;	Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0 Hinged		25.35	25.35	0	82	29	34	3.98 R-404A	6/6/2011	12/3/2012	
The Defield Company (A division of Manitowoc Foodservice)	Defield	SSR1-GH	SSR1-GH	GH-203,; SSR1-GH-207,; SSR1-GH-207,; SSR1-GH-24,SSR1-GH-24,; SSR1-GH-M293,SSR1-GH-M293,; SSR1-GH-M310,SSR1-GH-M310,; SSR1-GH57,SSR1-GH57,; SSR1-GH57-203,SSR1-GH57-203,; SSR1-GH57-24,SSR1-GH57-24,;	Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	0 Hinged		25.27	25.27	0	82	29	34	3.93 R-404A	6/6/2011	12/3/2012	

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
The Defield Company (A division of Manitowoc Foodservice)	Defield	SSR1-S	SSR1-S	SAR1-S-38, SSR1-S-39, SSR1-S-39, SSR1-S-5, SSR1-S-5, SSR1-S-70, SSR1-S-70, SSR1-S-83, SSR1-S-83, SSR1-S-CB1, SSR1-S-CB1, SSR1-S3, SSR1-S3, SSR1-S3-207, SSR1-S3-207, SSR1-S3-24, SSR1-S3-24, SSR1-S3-28, SSR1-S3-32, SSR1-S3-32,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		24.53	0	24.53	82	29	34	2.38	R-404A	6/6/2011	12/3/2012
The Defield Company (A division of Manitowoc Foodservice)	Defield	SSR1-SH	SSR1-SH	OTB2, SSR1-SH13, SSR1-SH13, SSR1-SH13-12, SSR1-SH13-12, SSR1-SH13-205, SSR1-SH13-205, SSR1-SH13-207, SSR1-SH13-207, SSR1-SH13-219, SSR1-SH13-219, SSR1-SH13-24, SSR1-SH13-24, SSR1-SH13-28, SSR1-SH13-28,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		24.46	0	24.46	82	29	34	2.63	R-404A	6/6/2011	12/3/2012
The Defield Company (A division of Manitowoc Foodservice)	Defield	SSR2-G	SSR2-G	SAR2-G, SAR2-G, SAR2-G-24, SAR2-G-24, SAR2-G113-168, SAR2-G113-168, SAR2-G, SMR2-G, SMR2-G-203, SMR2-G-203, SSR2-G-203, SSR2-G-203, SSR2-G-232, SSR2-G-232, SSR2-G-24, SSR2-G-24, SSR2-G113, SSR2-G113, SSR2-G114, SSR2-G114,	Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	0 Hinged		51.42	51.42	0	82	56	34	5.51	R-404A	6/6/2011	12/3/2012
The Defield Company (A division of Manitowoc Foodservice)	Defield	SSR2-GH	SSR2-GH	SAR2-GH, SAR2-GH, SMR2-GH, SMR2-GH, SSR2-GH-168, SSR2-GH-168, SSR2-GH-172, SSR2-GH-172, SSR2-GH-225, SSR2-GH-225, SSR2-GH-46, SSR2-GH-46, SSR2-GH171, SSR2-GH171,	Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	4	0 Hinged		51.19	51.19	0	82	56	34	6.22	R-404A	6/6/2011	12/3/2012
The Defield Company (A division of Manitowoc Foodservice)	Defield	SSR2-S	SSR2-S	SSR2-S-32, SSR2-S-32, SSR2-S-36, SSR2-S-36, SSR2-S-46, SSR2-S-46, SSR2-S-CB1, SSR2-S-CB1, SSR2-S17, SSR2-S17, SSR2-S17-11, SSR2-S17-11, SSR2-S24, SSR2-S24, SSR2-S24-24, SSR2-S24-24, SSR2-S24-28, SSR2-S24-28,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		50.35	0	50.35	82	56	34	3.92	R-404A	6/6/2011	12/3/2012
The Defield Company (A division of Manitowoc Foodservice)	Defield	SSR2-SH	SSR2-SH	SSR2-SH-28, SSR2-SH-28, SSR2-SH-32, SSR2-SH-32, SSR2-SH25, SSR2-SH25, SSR2-SH25-207, SSR2-SH25-207, SSR2-SH25-24, SSR2-SH25-24, SSR2-SH53, SSR2-SH53, SSR2-SH53-207, SSR2-SH53-207, SSR2-SH53-219, SSR2-SH53-219,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	4 Hinged		50.22	0	50.22	82	56	34	4.25	R-404A	6/6/2011	12/3/2012
The Defield Company (A division of Manitowoc Foodservice)	Defield	SSR3-G	SSR3-G	SAR3-G, SAR3-G, SMR3-G, SMR3-G, SSR3-G-203, SSR3-G-203, SSR3-G-225, SSR3-G-225, SSR3-G276-168, SSR3-G276-168,	Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	3	0 Hinged		78.36	78.36	0	82	83	34	8.44	R-404A	6/6/2011	12/3/2012
The Defield Company (A division of Manitowoc Foodservice)	Defield	SSR3-GH	SSR3-GH	SAR3-GH, SAR3-GH, SMR3-GH, SMR3-GH,	Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	6	0 Hinged		78.01	78.01	0	82	83	34	9.37	R-404A	6/6/2011	12/3/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (kW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
The Defield Company (A division of Manitowoc Foodservice)	Defield	SSR3-S	SSR3-S	SAR3-S,SAR3-S1; SAR3-S31,SAR3-S69; SAR3-S69,SAR3-S69; SMR3-S,SMR3-S; SMR3-S-207,SMR3-S-207; SMR3-S269-190,SMR3-S269-190; SMR3-S31,SMR3-S31; SSR3-S-11,SSR3-S-11; SSR3-S-24,SSR3-S-24; SSR3-S31,SSR3-S31.	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	3 Hinged		76.75	0	76.75	82	83	34	5.2	R-404A	6/6/2011	12/3/2012
The Defield Company (A division of Manitowoc Foodservice)	Defield	SSR3-SH	SSR3-SH	SAR3-SH,SAR3-SH; SMR3-SH,SMR3-SH; SSR3-SH-11,SSR3-SH-11; SSR3-SH38,SSR3-SH38.	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	6 Hinged		76.55	0	76.55	82	83	34	5.3	R-404A	6/6/2011	12/3/2012
The Defield Company (A division of Manitowoc Foodservice)	Defield	ST4048-MD1	ST4048-MD1	ST4048-A3,ST4048-A3; ST4048-MD2,ST4048-MD2; ST4048-MD3,ST4048-MD3; UC4048-A3,UC4048-A3; UC4048-A7,UC4048-A7.	Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	2 Hinged		10.8		10.8	35.5	48	28.5	2.2	R-404A	5/16/2011	12/3/2012
The Defield Company (A division of Manitowoc Foodservice)	Defield	ST4432N	ST4432N	ST4432N-A121,ST4432N-A121; ST4432N-A37,ST4432N-A37; ST4432N-A8,ST4432N-A8; ST4432N-DHL,ST4432N-DHL; ST4432N-DHL-A121,ST4432N-DHL-A121.	Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	1 Hinged		10.1		10.1	36	32	31.5	2.3	R-404A	1/1/2005	12/3/2012
The Defield Company (A division of Manitowoc Foodservice)	Defield	ST4448N	ST4448N	A623,ST4448N-A623; ST4448N-A692,ST4448N-A692; ST4448N-A8,ST4448N-A8; ST4448N-A827,ST4448N-A827; ST4448N-D11,ST4448N-D11; ST4448N-D13,ST4448N-D13; ST4448N-D13-A8,ST4448N-D13-A8; ST4448N-TS5,ST4448N-TS5.	Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	2 Hinged		16		16	36	48	31.5	2.61	R-404A	12/1/2008	12/3/2012
The Defield Company (A division of Manitowoc Foodservice)	Defield	ST4460N	ST4460N	ST4460N-A563,ST4460N-A563; ST4460N-A61,ST4460N-A61; ST4460N-A8,ST4460N-A8.	Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	2 Hinged		20.2		20.2	36	60	31.5	2.75	R-404A	12/20/2008	12/3/2012
The Defield Company (A division of Manitowoc Foodservice)	Defield	ST4472N	ST4472N	A777,ST4472N-A777; ST4472N-A8,ST4472N-A8; ST4472N-D2-A362,ST4472N-D2-A362; ST4472N-D2-A679,ST4472N-D2-A679; ST4472N-D2-A8,ST4472N-D2-A8; ST4472N-D2-D2,ST4472N-D2-D2; ST4472N-D22,ST4472N-D22.	Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	3 Hinged		24.8		24.8	36	72	31.5	3.11	R-404A	3/3/2010	12/3/2012
The Defield Company (A division of Manitowoc Foodservice)	Defield	UC4048	UC4048	A2,UC4048-D2-A2; UC4048-D3,UC4048-D3; UC4048-JIB1,UC4048-JIB1; UC4048-KK1,UC4048-KK1; UC4048-M336,UC4048-M336; UC4048-STAR,UC4048-STAR; UC4048-STAR1,UC4048-STAR1; UC4048-STAR2,UC4048-STAR2.	Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	2 Hinged		10.8	0	10.8	35.5	48	28.5	2.04	R-404A	5/16/2011	12/3/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
The Defield Company (A division of Manitowoc Foodservice)	Defield	UC4427N	UC4427N	DHL-A6, UC4427N-DHL-A6.; UC4427N-DHL-A8, UC4427N-DHL-A8.; UC4427N-DHL-M250, UC4427N-DHL-M250.; UC4427N-DHL-M3, UC4427N-DHL-M3.; UC4427N-M250, UC4427N-M250.; UC4427N-M3, UC4427N-M3.; UC4427N-STAR1, UC4427N-STAR1.	Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	1 Hinged		8.2		8.2	33.6	27.1	31.5	1.99	R-404A	1/1/2005	12/3/2012
The Defield Company (A division of Manitowoc Foodservice)	Defield	UC4427N-DHL-A244	UC4427N-DHL-A244	UC4427N-A244, UC4427N-A244.; UC4427N-A379, UC4427N-A379.; UC4427N-CH1, UC4427N-CH1.; UC4427N-DHL-A244, UC4427N-DHL-A244.; UC4427N-DHL-A379, UC4427N-DHL-A379.; UC4427N-CH1, UC4427N-CH1.	Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	1 Hinged		8.2		8.2	33.6	27.1	31.5	2.11	R-404A	1/1/2005	12/3/2012
The Defield Company (A division of Manitowoc Foodservice)	Defield	UC4432N	UC4432N	UC4432N-A362, UC4432N-A362.; UC4432N-A8, UC4432N-A8.; UC4432N-DHL, UC4432N-DHL.; UC4432N-DHL-A362, UC4432N-DHL-A362.; UC4432N-DHL-A8, UC4432N-DHL-A8.; UC4432N-DHL-M77, UC4432N-DHL-M77.; UC4432N-M77, UC4432N-M77.	Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	1 Hinged		10.1		10.1	34.3	32	31.5	2.3	R-404A	1/1/2005	12/3/2012
The Defield Company (A division of Manitowoc Foodservice)	Defield	UC4448N	UC4448N	A6, UC4448N-A6.; UC4448N-A8, UC4448N-A8.; UC4448N-BH1, UC4448N-BH1.; UC4448N-D12, UC4448N-D12.; UC4448N-D13, UC4448N-D13.; UC4448N-M250, UC4448N-M250.; UC4448N-M265, UC4448N-M265.; UC4448N-RB3, UC4448N-RB3.	Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	2 Hinged		16		16	34.3	48	31.5	2.61	R-404A	12/1/2008	12/3/2012
The Defield Company (A division of Manitowoc Foodservice)	Defield	UC4460N	UC4460N	A362, UC4460N-A37, UC4460N-A37.; UC4460N-A553, UC4460N-A553.; UC4460N-A589, UC4460N-A589.; UC4460N-A8, UC4460N-A8.; UC4460N-D39, UC4460N-D39.; UC4460N-M265, UC4460N-M265.; UC4460N-MD1-CP, UC4460N-MD1-CP.	Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	2 Hinged		20.2		20.2	34.3	60	31.5	2.75	R-404A	12/20/2008	12/3/2012
The Defield Company (A division of Manitowoc Foodservice)	Defield	UC4464N	UC4464N	UC4464N-A361, UC4464N-A361.; UC4464N-A362, UC4464N-A362.; UC4464N-A8, UC4464N-A8.	Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	2 Hinged		21.6		21.6	34.3	64	31.5	2.83	R-404A	2/12/2010	12/3/2012
The Defield Company (A division of Manitowoc Foodservice)	Defield	UC4472N	UC4472N	A341, UC4472N-A341.; UC4472N-A361, UC4472N-A361.; UC4472N-A590, UC4472N-A590.; UC4472N-A8, UC4472N-A8.; UC4472N-D15, UC4472N-D15.; UC4472N-D2, UC4472N-D2.; UC4472N-D2-A361, UC4472N-D2-A361.; UC4472N-D2-A8, UC4472N-D2-A8.	Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	3 Hinged		24.8		24.8	34.3	72	31.5	3.11	R-404A	3/3/2010	12/3/2012
The Defield Company (A division of Manitowoc Foodservice)	McCall	MCCRT27	MCCRT27	MCCRT27-I1, MCCRT27-I1.	Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	1 Hinged		8.2		8.2	33.6	27.1	31.5	1.99	R-404A	1/1/2005	12/3/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (kW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
The Defield Company (A division of Manitowoc Foodservice)	The Defield Company	402	402		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	1	Hinged	5.7		5.7	33.3	27.3	27.8	1.88	R-404A	1/1/2005	10/19/2012
The Defield Company (A division of Manitowoc Foodservice)	The Defield Company	406	406		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	1	Hinged	5.7		5.7	33.3	27.3	27.8	1.88	R-404A	1/1/2005	10/19/2012
The Defield Company (A division of Manitowoc Foodservice)	The Defield Company	406-CA	406-CA		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	1	Hinged	5.7		5.7	33.3	27.3	27.8	1.88	R-404A	1/1/2005	10/19/2012
The Defield Company (A division of Manitowoc Foodservice)	The Defield Company	4432N	4432N		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	1	Hinged	10.1		10.1	36	32	31.5	2.3	R-404A	1/1/2005	10/19/2012
The Defield Company (A division of Manitowoc Foodservice)	The Defield Company	4448N	4448N		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	1	Hinged	16		16	36	48	31.5	2.61	R-404A	1/1/2005	10/19/2012
The Defield Company (A division of Manitowoc Foodservice)	The Defield Company	4460N	4460N		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	2	Hinged	20.2		20.2	36	60	31.5	2.75	R-404A	1/1/2005	10/19/2012
The Defield Company (A division of Manitowoc Foodservice)	The Defield Company	4464N	4464N		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	2	Hinged	21.6		21.6	36	64	31.5	2.83	R-404A	1/1/2005	10/19/2012
The Defield Company (A division of Manitowoc Foodservice)	The Defield Company	4472N	4472N		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	3	Hinged	24.8		24.8	36	72	31.5	3.11	R-404A	1/1/2005	10/19/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
The Delfield Company (A division of Manitowoc Foodservice)	The Delfield Company	ST4048	ST4048		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	2 Hinged		10.8		10.8	35.5	48	28.5	2.04	R-404A	1/1/2005	10/19/2012
The Delfield Company (A division of Manitowoc Foodservice)	The Delfield Company	ST4432N	ST4432N		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	1 Hinged		10.1		10.1	36	32	31.5	2.3	R-404A	1/1/2005	10/19/2012
The Delfield Company (A division of Manitowoc Foodservice)	The Delfield Company	ST4448N	ST4448N		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	2 Hinged		16		16	36	48	31.5	2.61	R-404A	1/1/2005	10/19/2012
The Delfield Company (A division of Manitowoc Foodservice)	The Delfield Company	ST4460N	ST4460N		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	2 Hinged		20.2		20.2	36	60	31.5	2.75	R-404A	1/1/2005	10/19/2012
The Delfield Company (A division of Manitowoc Foodservice)	The Delfield Company	ST4464N	ST4464N		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	2 Hinged		21.6		21.6	36	64	31.5	2.83	R-404A	1/1/2005	10/19/2012
The Delfield Company (A division of Manitowoc Foodservice)	The Delfield Company	ST4472N	ST4472N		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	3 Hinged		24.8		24.8	36	72	31.5	3.11	R-404A	1/1/2005	10/19/2012
The Delfield Company (A division of Manitowoc Foodservice)	The Delfield Company	UC4048	UC4048		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	2 Hinged		10.8		10.8	35.5	48	28.5	2.04	R-404A	1/1/2005	10/19/2012
The Delfield Company (A division of Manitowoc Foodservice)	The Delfield Company	UC4432N	UC4432N		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	1 Hinged		10.1		10.1	34.25	32	31.5	2.3	R-404A	1/1/2005	10/19/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (kW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
The Delfield Company (A division of Manitowoc Foodservice)	The Delfield Company	UC4448N	UC4448N		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	2 Hinged		16		16	34.3	48	31.5	2.61	R-404A	1/1/2005	10/19/2012
The Delfield Company (A division of Manitowoc Foodservice)	The Delfield Company	UC4460N	UC4460N		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	2 Hinged		20.2		20.2	34.3	60	31.5	2.75	R-404A	1/1/2005	10/19/2012
The Delfield Company (A division of Manitowoc Foodservice)	The Delfield Company	UC4464N	UC4464N		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	2 Hinged		21.6		21.6	34.3	64	31.5	2.83	R-404A	1/1/2005	10/19/2012
The Delfield Company (A division of Manitowoc Foodservice)	The Delfield Company	UC4472N	UC4472N		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	3 Hinged		24.8		24.8	34.3	72	31.5	3.11	R-404A	1/1/2005	10/19/2012
Traulsen (A division of ITW Food Equipment Group)	Traulsen	AHT132DUT-FHS	AHT132DUT-FHS		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		19.99			58.88	149.5	27	2.06	R-134a	4/1/2013	4/12/2013
Traulsen (A division of ITW Food Equipment Group)	Traulsen	AHT132DUT-HHS	AHT132DUT-HHS		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		19.99			58.88	149.5	27	2.06	R-134a	4/1/2013	4/12/2013
Traulsen (A division of ITW Food Equipment Group)	Traulsen	AHT132NPUT-FHS	AHT132NPUT-FHS		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		22.35			58.88	149.5	27	2.05	R-134a	4/1/2013	4/12/2013
Traulsen (A division of ITW Food Equipment Group)	Traulsen	AHT132NPUT-HHS	AHT132NPUT-HHS		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		22.35			58.88	149.5	27	2.05	R-134a	4/1/2013	4/12/2013

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Traulsen (A division of ITW Food Equipment Group)	Traulsen	AHT132NUT-FHS	AHT132NUT-FHS		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		22.35			58.88	149.5	27	2.05	R-134a	4/1/2013	4/12/2013
Traulsen (A division of ITW Food Equipment Group)	Traulsen	AHT132NUT-HHS	AHT132NUT-HHS		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		22.35			58.88	149.5	27	2.05	R-134a	4/1/2013	4/12/2013
Traulsen (A division of ITW Food Equipment Group)	Traulsen	ARI132LPUT-FHS	ARI132LPUT-FHS		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		41.95			73.63	187	28	3.82	R-134a	4/1/2013	4/12/2013
Traulsen (A division of ITW Food Equipment Group)	Traulsen	ARI232LPUT-FHS	ARI232LPUT-FHS		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	4 Hinged		86.87			73.63	187	28	5.51	R-134a	4/1/2013	4/12/2013
Traulsen (A division of ITW Food Equipment Group)	Traulsen	G10000	G10000	.G10001.	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		24.2			83.25	211.46	35	2.29	R-134A	1/1/2010	4/7/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	G10004P	G10004P	.G10002P.; G10002P.; G10003P.; G10003P.; G10005P.; G10005P.	Solid Door Refrigerator Cabinet	Vertical	Pass Through	Automatic	0	4 Hinged		25.6			83.25	211.46	37.94	3.1	R-134A	1/1/2010	4/7/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	G10010	G10010	.G10011.	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		24.2			83.25	211.46	35	2.32	R-134A	1/1/2010	4/7/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	G10014P	G10014P	.G10012P.; G10013P.; G10015P.	Solid Door Refrigerator Cabinet	Vertical	Other	Automatic	0	2 Hinged		25.6			83.25	211.46	37.94	3.13	R-134A	1/1/2011	4/7/2011

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (kW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Traulsen (A division of ITW Food Equipment Group)	Traulsen	G11000	G11000	.G11001.	Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	0	Hinged	24.2			83.25	211.46	35	4.43	R-134A	1/1/2010	4/7/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	G11010	G11010	.G11011.	Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	24.2			83.25	211.46	35	4.38	R-134A	1/1/2010	4/7/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	G20000	G20000	.G20001.; .G20002.; .G20003.	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	4	Hinged	46			83.25	211.46	35	3.62	R-134A	1/1/2010	4/7/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	G20004P	G20004P	.G20005P.; .G20006P.; .G20007P.	Solid Door Refrigerator Cabinet	Vertical	Pass Through	Automatic	0	8	Hinged	48.8			83.25	211.46	37.94	4.3	R-134A	1/1/2010	4/7/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	G20010	G20010	.G20011.; .G20012.; .G20013.	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	46			83.25	211.46	35	3.6	R-134A	1/1/2010	4/7/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	G20014P	G20014P	.G20015P.; .G20016P.; .G20017P.	Solid Door Refrigerator Cabinet	Vertical	Pass Through	Automatic	0	4	Hinged	48.8			83.25	211.46	37.94	4.28	R-134A	1/1/2010	4/7/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	G21000	G21000	.G21001.; .G21002.; .G21003.	Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	4	0	Hinged	46			83.25	211.46	35	6	R-134A	1/1/2010	4/7/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	G21010	G21010	.G21011.; .G21012.; .G21013.	Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	0	Hinged	46			83.25	211.46	35	6	R-134A	1/1/2010	4/7/2011

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Traulsen (A division of ITW Food Equipment Group)	Traulsen	G30000	G30000	,G30001.; ,G30002.; ,G30003;	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	6 Hinged		69.1			83.25	211.46	35	4.66	R-134A	1/1/2010	4/7/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	G30010	G30010	,G30011.; ,G30012.; ,G30013.; ,G30311.; ,G30312.; ,G30313	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	3 Hinged		69.1			83.25	211.46	35	4.68	R-134A	1/1/2010	4/7/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RHT132DUT-FHS	RHT132DUT-FHS		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		19.99			58.88	149.5	27	2.06	R-134a	4/1/2013	4/12/2013
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RHT132DUT-HHS	RHT132DUT-HHS		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		19.99			58.88	149.5	27	2.06	R-134a	4/1/2013	4/12/2013
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RHT132NPUT-FHS	RHT132NPUT-FHS		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		22.35			58.88	149.5	27	2.05	R-134a	4/1/2013	4/12/2013
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RHT132NPUT-HHS	RHT132NPUT-HHS		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		22.35			58.88	149.5	27	2.05	R-134a	4/1/2013	4/12/2013
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RHT132NUT-FHS	RHT132NUT-FHS		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		22.35			58.88	149.5	27	2.05	R-134a	4/1/2013	4/12/2013
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RHT132NUT-HHS	RHT132NUT-HHS		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		22.35			58.88	149.5	27	2.05	R-134a	4/1/2013	4/12/2013

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (kW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RHT132WPUT-FHS	RHT132WPUT-FHS	.AHT132WPUT-FHS,	Solid Door Refrigerator Cabinet	Vertical	Pass Through	Automatic	0	2 Hinged		25.6			83.25	211.46	37.94	2.69 R-134A	1/1/2010	4/7/2011	
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RHT132WPUT-HHS	RHT132WPUT-HHS	.AHT132WPUT-HHS,	Solid Door Refrigerator Cabinet	Vertical	Pass Through	Automatic	0	4 Hinged		25.6			83.25	211.46	37.94	2.83 R-134A	1/1/2010	4/7/2011	
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RHT132WUT-FHG	RHT132WUT-FHG	.AHT132WUT-FHG,	Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0 Hinged		24.2			83.25	211.46	35	4.35 R-134A	1/1/2010	4/7/2011	
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RHT132WUT-FHS	RHT132WUT-FHS	.AHT132WUT-FHS,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		24.2			83.25	211.46	35	2.33 R-134A	1/1/2010	4/7/2011	
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RHT132WUT-HHG	RHT132WUT-HHG	.AHT132WUT-HHG,	Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	0 Hinged		24.2			83.25	211.46	35	4.39 R-134A	1/1/2010	4/7/2011	
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RHT132WUT-HHS	RHT132WUT-HHS	.AHT132WUT-HHS,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		24.2			83.25	211.46	35	2.44 R-134A	1/1/2010	4/7/2011	
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RHT232NPUT-FHS	RHT232NPUT-FHS	.AHT232NPUT-FHS,	Solid Door Refrigerator Cabinet	Vertical	Pass Through	Automatic	0	4 Hinged		48.8			83.25	211.46	37.94	4.19 R-134A	1/1/2010	4/7/2011	
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RHT232NPUT-HHS	RHT232NPUT-HHS	.AHT232NPUT-HHS,	Solid Door Refrigerator Cabinet	Vertical	Pass Through	Automatic	0	8 Hinged		48.8			83.25	211.46	37.94	4.24 R-134A	1/1/2010	4/7/2011	

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (kW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RHT232NUT-FHG	RHT232NUT-FHG	.AHT232NUT-FHG,	Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	0	Hinged	46			83.25	211.46	35	5.5	R-134A	1/1/2010	4/7/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RHT232NUT-FHS	RHT232NUT-FHS	.AHT232NUT-FHS,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	46			83.25	211.46	35	2.7	R-134A	1/1/2010	4/7/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RHT232NUT-HHG	RHT232NUT-HHG	.AHT232NUT-HHG,	Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	4	0	Hinged	46			83.25	211.46	35	5.78	R-134A	1/1/2010	4/7/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RHT232NUT-HHS	RHT232NUT-HHS	.AHT232NUT-HHS,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	4	Hinged	46			83.25	211.46	35	2.84	R-134A	1/1/2010	4/7/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RHT232WPUT-FHS	RHT232WPUT-FHS	.AHT232WPUT-FHS,	Solid Door Refrigerator Cabinet	Vertical	Pass Through	Automatic	0	4	Hinged	54.4			83.25	211.46	37.94	4.3	R-134A	1/1/2010	4/7/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RHT232WPUT-HHS	RHT232WPUT-HHS	.AHT232WPUT-HHS,	Solid Door Refrigerator Cabinet	Vertical	Pass Through	Automatic	0	8	Hinged	54.4			83.25	211.46	37.94	4.36	R-134A	1/1/2010	4/7/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RHT232WUT-FHG	RHT232WUT-FHG	.AHT232WUT-FHG,	Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	0	Hinged	51.6			83.25	211.46	35	6.05	R-134A	1/1/2010	4/7/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RHT232WUT-FHS	RHT232WUT-FHS	.AHT232WUT-FHS,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	51.6			83.25	211.46	35	2.97	R-134A	1/1/2010	4/7/2011

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RHT232WUT-HHG	RHT232WUT-HHG	.AHT232WUT-HHG,	Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	4	0	Hinged	51.6			83.25	211.46	35	6.33	R-134A	1/1/2010	4/7/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RHT232WUT-HHS	RHT232WUT-HHS	.AHT232WUT-HHS,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	4	Hinged	51.6			83.25	211.46	35	3.11	R-134A	1/1/2010	4/7/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RRI132HUT-FHS	RRI132HUT-FHS	.ARI132HUT-FHS,	Solid Door Refrigerator Cabinet	Vertical	Roll-in	Automatic	0	1	Hinged	39.6			89.12	226.36	35.56	3.13	R-134A	1/1/2010	4/7/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RRI132LPUT-FHS	RRI132LPUT-FHS		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	41.95			73.63	187	28	3.82	R-134a	4/1/2013	4/12/2013
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RRI132LUT-FHS	RRI132LUT-FHS	.ARI132LUT-FHS,	Solid Door Refrigerator Cabinet	Vertical	Roll-in	Automatic	0	1	Hinged	36.2			83.25	211.46	35.56	2.74	R-134A	1/1/2010	4/7/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RRI232HUT-FHS	RRI232HUT-FHS	.ARI232HUT-FHS,	Solid Door Refrigerator Cabinet	Vertical	Roll-in	Automatic	0	2	Hinged	81.7			89.12	226.36	35.56	4.99	R-134A	1/1/2010	4/7/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RRI232LPUT-FHS	RRI232LPUT-FHS		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	4	Hinged	86.87			73.63	187	28	5.51	R-134a	4/1/2013	4/12/2013
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RRI232LUT-FHS	RRI232LUT-FHS	.ARI232LUT-FHS,	Solid Door Refrigerator Cabinet	Vertical	Roll-in	Automatic	0	2	Hinged	73.5			83.25	211.46	35.56	4.54	R-134A	1/1/2010	4/7/2011

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Traulsen (A division of ITW Food Equipment Group)	Traulsen	TU044HT	TU044HT		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	1 Hinged		9.8			34	86.36	34	1.85	R-404A	1/1/2010	4/7/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	TU072HT	TU072HT		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	2 Hinged		20			34	86.36	34	2.35	R-404A	1/1/2010	4/7/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	TU100HT	TU100HT		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	3 Hinged		32.3			34	86.36	34	3	R-404A	1/1/2010	4/7/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	UHT27	UHT27		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	1 Hinged		7.1			35.5	197.98	30.69	1.77	R-134A	1/4/2010	3/26/2012
Traulsen (A division of ITW Food Equipment Group)	Traulsen	UHT32	UHT32		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	1 Hinged		8.8			35.5	197.98	30.69	1.96	R-134A	1/13/2012	3/26/2012
Traulsen (A division of ITW Food Equipment Group)	Traulsen	UHT48	UHT48		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	2 Hinged		13.1			35.5	197.98	30.69	1.88	R-134A	1/4/2010	3/26/2012
Traulsen (A division of ITW Food Equipment Group)	Traulsen	UHT60	UHT60		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Automatic	0	2 Hinged		16.7			35.5	197.98	30.69	2.02	R-134A	1/4/2010	3/26/2012
True Manufacturing (True Food Service Equipment)	TRUE	GDM-37	GDM-37		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	2	0 Sliding		32.7	32.7	0	79	44	30	4.86	R-134A	10/19/2009	9/20/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
True Manufacturing (True Food Service Equipment)	TRUE	GDM-41	GDM-41		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	2	0	Sliding	36.5	36.5	0	79	47	30	4.83	R-134A	10/19/2009	9/20/2012
True Manufacturing (True Food Service Equipment)	True Refrigeration	GDM-10	GDM-10		Glass Door Refrigerator Cabinet	Vertical	Merchandise	Manual	1	0	Hinged	9.23	9.23	0	53.44	135.74	23.03	1.84	R-134A	6/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	GDM-10-58	GDM-10-58		Glass Door Refrigerator Cabinet	Vertical	Merchandise	Manual	1	0	Hinged	9.8	9.8	0	58	147	23	2.36	R-134A	5/22/2009	3/25/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	GDM-10-HC-LD	GDM-10-HC-LD		Glass Door Refrigerator Cabinet	Vertical	Merchandise	Manual	1	0	Hinged	9.2	9.2	0	53.5	136	23.12	1.39	R-290 (Propane)	5/1/2012	5/24/2012
True Manufacturing (True Food Service Equipment)	True Refrigeration	GDM-10-LD	GDM-10-LD		Glass Door Refrigerator Cabinet	Vertical	Merchandise	Manual	1	0	Hinged	9.23	9.23	0	53.44	135.74	23.03	1.71	R-134A	6/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	GDM-10RF	GDM-10RF		Glass Door Refrigerator Cabinet	Vertical	Merchandise	Manual	1	0	Hinged	8.4	8.4	0	54	137.16	23	2.08	R-134A	6/5/2009	3/25/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	GDM-10SSL	GDM-10SSL		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	1	0	Hinged	6.4	6.4	0	53.5	135.89	18	1.68	R-134A	1/1/2012	2/8/2012
True Manufacturing (True Food Service Equipment)	True Refrigeration	GDM-11SD	GDM-11SD		Glass Door Refrigerator Cabinet	Vertical	Merchandise	Manual	2	0	Sliding	9.3	9.3	0	54	137	24	2.47	R-134A	1/27/2009	3/25/2011

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (kW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
True Manufacturing (True Food Service Equipment)	True Refrigeration	GDM-12	GDM-12		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Manual	1	0	Hinged	11.47	11.47	0	62.38	158.43	23.13	2.01	R-134A	6/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	GDM-12FC	GDM-12FC		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Manual	1	0	Hinged	10.1	10.1	0	62	157.48	23	2.49	R-134A	4/16/2009	3/25/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	GDM-12-HC-LD	GDM-12-HC-LD		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Manual	1	0	Hinged	11.44	11.44	0	62.38	158.43	23.13	1.74	R-290	6/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	GDM-12-LD	GDM-12-LD		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Manual	1	0	Hinged	11.44	11.44	0	62.38	158.43	23.13	1.99	R-134A	6/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	GDM-12RF	GDM-12RF		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Manual	1	0	Hinged	10.1	10.1	0	62	157.48	23	2.49	R-134A	4/16/2009	3/25/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	GDM-14RF	GDM-14RF		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	2	0	Hinged	15.34	15.34	0	58	147.32	29.25	2.92	R-134A	1/1/2012	2/8/2012
True Manufacturing (True Food Service Equipment)	True Refrigeration	GDM-23	GDM-23		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Manual	1	0	Hinged	20.8	20.8	0	78	198.12	30	3.2	R-134A	10/30/2009	3/25/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	GDM-23FC	GDM-23FC		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Manual	1	0	Hinged	20.8	20.8	0	78	198.12	30	3.2	R-134A	10/30/2009	3/25/2011

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (kW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
True Manufacturing (True Food Service Equipment)	True Refrigeration	GDM-23FC-RF	GDM-23FC-RF		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Manual	1	0	Hinged	20.8	20.8	0	78	198.12	30	3.2	R-134A	10/30/2009	3/25/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	GDM-23RF	GDM-23RF		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Manual	1	0	Hinged	20.8	20.8	0	78	198.12	30	3.2	R-134A	10/30/2009	3/25/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	GDM-23W	GDM-23W		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Manual	1	0	Hinged	20.8	20.8	0	78	198.12	30	3.2	R-134A	10/30/2009	3/25/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	GDM-23W-RF	GDM-23W-RF		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Manual	1	0	Hinged	20.8	20.8	0	78	198.12	30	3.2	R-134A	10/30/2009	3/25/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	GDM-26	GDM-26		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	1	0	Hinged	23	23	0	78.6	30	29.9	3.27	R-134A	1/1/2010	9/20/2012
True Manufacturing (True Food Service Equipment)	True Refrigeration	GDM-26-HC-LD	GDM-26-HC-LD		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Manual	1	0	Hinged	22.68	22.68	0	78.63	199.71	29.88	2.22	R-290	11/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	GDM-33	GDM-33		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Manual	2	0	Sliding	28.9	28.9	0	79	200.66	30	4.78	R-134A	11/13/2009	3/25/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	GDM-35	GDM-35		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Manual	2	0	Hinged	30.9	30.9	0	79	200.66	30	5.21	R-134A	2/17/2009	3/25/2011

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
True Manufacturing (True Food Service Equipment)	True Refrigeration	GDM-35SL-RF	GDM-35SL-RF		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Manual	2	0	Hinged	16.4	16.4	0	58.13	147.64	24.25	3.08	R-134A	3/11/2010	3/25/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	GDM-41SL-54	GDM-41SL-54		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Manual	2	0	Sliding	15	15	0	54.13	137.48	21	2.85	R-134A	3/26/2010	3/25/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	GDM-41SL-60	GDM-41SL-60		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Manual	2	0	Sliding	17.01	17.01	0	59.88	152.1	21	3.36	R-134A	1/1/2013	3/27/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	GDM-43	GDM-43		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Manual	2	0	Hinged	37.3	37.3	0	79	200.66	30	5.3	R-134A	3/8/2006	3/25/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	GDM-45	GDM-45		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	2	0	Sliding	38.9	38.9	0	78.63	199.71	29.62	5.73	R-134A	1/1/2012	2/8/2012
True Manufacturing (True Food Service Equipment)	True Refrigeration	GDM-47	GDM-47		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Manual	2	0	Sliding	44.2	44.2	0	78	198.12	30	6.15	R-134A	1/27/2009	3/25/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	GDM-47FC	GDM-47FC		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Manual	2	0	Sliding	44.2	44.2	0	78	198.12	30	6.15	R-134A	1/27/2009	3/25/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	GDM-49	GDM-49		Glass Door Refrigerator Cabinet	Vertical	Merchandiser	Manual	2	0	Hinged	45.2	45.2	0	79	200.66	30	5.96	R-134A	1/15/2010	3/25/2011

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (kW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
True Manufacturing (True Food Service Equipment)	True Refrigeration	GDM-49FC	GDM-49FC		Glass Door Refrigerator Cabinet	Vertical	Merchandise	Manual	2	0	Hinged	45.2	45.2	0	79	200.66	30	5.96	R-134A	1/15/2010	3/25/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	GDM-49RF	GDM-49RF		Glass Door Refrigerator Cabinet	Vertical	Merchandise	Manual	2	0	Hinged	45.2	45.2	0	79	200.66	30	5.96	R-134A	1/15/2010	3/25/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	GDM-49W-RF	GDM-49W-RF		Glass Door Refrigerator Cabinet	Vertical	Merchandise	Manual	2	0	Hinged	45.2	45.2	0	79	200.66	30	5.96	R-134A	1/15/2010	3/25/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	GDM-69	GDM-69		Glass Door Refrigerator Cabinet	Vertical	Merchandise	Manual	3	0	Sliding	61.3	61.3	0	79.4	201.7	29.6	8.2	R-134A	5/2/2010	3/25/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	GDM-6-LD	GDM-6-LD		Glass Door Refrigerator Cabinet	Vertical	Merchandise	Manual	1	0	Hinged	5.96	5.96	0	36	91.44	26.5	2.05	R-134A	1/1/2013	3/27/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	GDM-72	GDM-72		Glass Door Refrigerator Cabinet	Vertical	Merchandise	Manual	3	0	Hinged	66.5	66.5	0	79.38	201.61	29.88	8.42	R-134A	4/24/2010	3/25/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	GDM-72FC	GDM-72FC		Glass Door Refrigerator Cabinet	Vertical	Merchandise	Manual	3	0	Hinged	66.5	66.5	0	79.38	201.61	29.88	8.42	R-134A	4/24/2010	3/25/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	STA1R-1G	STA1R-1G		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	21.95	21.95	0	77.75	198	33.75	2.21	R-134A	5/11/2011	5/24/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (kW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
True Manufacturing (True Food Service Equipment)	True Refrigeration	STA1R-1S	STA1R-1S		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		21.95	0	21.95	77.75	198	33.75	1.92	R-134A	5/11/2011	5/24/2012
True Manufacturing (True Food Service Equipment)	True Refrigeration	STA1R-2HG	STA1R-2HG		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	0 Hinged		21.95	21.95	0	77.75	197.49	33.75	2.11	R-134A	3/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	STA1R-2HS	STA1R-2HS		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		21.95	0	21.95	77.75	197.49	33.75	2.08	R-134A	3/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	STA1RPT-1G-1G	STA1RPT-1G-1G		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	0 Hinged		21.95	21.95	0	77.75	197.49	33.75	2.87	R-134A	3/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	STA1RPT-1G-1S	STA1RPT-1G-1S		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	1 Hinged		21.95	21.95	0	77.75	197.49	33.75	2.87	R-134A	3/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	STA1RPT-1HG/1HS-1G	STA1RPT-1HG/1HS-1G		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	1 Hinged		21.95	21.95	0	77.75	197.49	33.75	2.87	R-134A	3/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	STA1RPT-1HG/1HS-1S	STA1RPT-1HG/1HS-1S		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	2 Hinged		21.95	0	21.95	77.75	197.49	33.75	2.87	R-134A	3/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	STA1RPT-1S-1S	STA1RPT-1S-1S		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		21.95	0	21.95	77.75	197.49	33.75	2.87	R-134A	3/1/2012	1/15/2013

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (kW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
True Manufacturing (True Food Service Equipment)	True Refrigeration	STA1RPT-2HG-1G	STA1RPT-2HG-1G		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	3	0	Hinged	21.95	21.95	0	77.75	197.49	33.75	2.87	R-134A	3/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	STA1RPT-2HG-1S	STA1RPT-2HG-1S		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	1	Hinged	21.95	21.95	0	77.75	197.49	33.75	2.87	R-134A	3/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	STA1RPT-2HG-2HG	STA1RPT-2HG-2HG		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	4	0	Hinged	21.95	21.95	0	77.75	197.49	33.75	2.87	R-134A	3/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	STA1RPT-2HS-1G	STA1RPT-2HS-1G		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	3	0	Hinged	21.95	21.95	0	77.75	197.49	33.75	2.87	R-134A	3/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	STA1RPT-2HS-1S	STA1RPT-2HS-1S		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	3	Hinged	21.95	0	21.95	77.75	197.49	33.75	2.87	R-134A	3/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	STA1RPT-2HS-2HS	STA1RPT-2HS-2HS		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	4	Hinged	21.95	0	21.95	77.75	197.49	33.75	2.87	R-134A	3/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	STA2R-2G	STA2R-2G		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	0	Hinged	47.1	47.1	0	77.75	198	33.75	4.29	R-134A	5/1/2011	5/24/2012
True Manufacturing (True Food Service Equipment)	True Refrigeration	STA2R-2S	STA2R-2S		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	47.1	0	47.1	77.75	198	33.75	3.99	R-134A	5/1/2011	5/24/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (kW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
True Manufacturing (True Food Service Equipment)	True Refrigeration	STA2R-4HG	STA2R-4HG		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	4	0	Hinged	47.1	47.1	0	77.75	197.49	33.75	4.79	R-134A	3/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	STA2R-4HS	STA2R-4HS		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	4	Hinged	47.1	0	47.1	77.75	197.49	33.75	4.13	R-134A	3/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	STA3R-3S	STA3R-3S		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	3	Hinged	70.09	0	70.09	77.75	197.49	33.75	4.89	R-134A	11/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	STA3R-6HS	STA3R-6HS		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	6	Hinged	70.09	0	70.09	77.75	197.49	33.75	4.89	R-134A	11/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	STG1R-1G	STG1R-1G		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	21.95	21.95	0	77.75	198	33.75	2.21	R-134A	5/11/2011	5/24/2012
True Manufacturing (True Food Service Equipment)	True Refrigeration	STG1R-1S	STG1R-1S		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	21.95	0	21.95	77.75	198	33.75	1.92	R-134A	5/11/2011	5/24/2012
True Manufacturing (True Food Service Equipment)	True Refrigeration	STG1R-2HG	STG1R-2HG		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	0	Hinged	21.95	21.95	0	77.75	197.49	33.75	2.11	R-134A	3/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	STG1R-2HS	STG1R-2HS		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	21.95	0	21.95	77.75	197.49	33.75	2.08	R-134A	3/1/2012	1/15/2013

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (kW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
True Manufacturing (True Food Service Equipment)	True Refrigeration	STG1RPT-1G-1G	STG1RPT-1G-1G		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	0	Hinged	21.95	21.95	0	77.75	197.49	33.75	2.87	R-134A	3/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	STG1RPT-1G-1S	STG1RPT-1G-1S		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	1	Hinged	21.95	21.95	0	77.75	197.49	33.75	2.87	R-134A	3/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	STG1RPT-1HG/1HS-1G	STG1RPT-1HG/1HS-1G		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	1	Hinged	21.95	21.95	0	77.75	197.49	33.75	2.87	R-134A	3/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	STG1RPT-1HG/1HS-1S	STG1RPT-1HG/1HS-1S		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	2	Hinged	21.95	0	21.95	77.75	197.49	33.75	2.87	R-134A	3/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	STG1RPT-1S-1S	STG1RPT-1S-1S		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	21.95	0	21.95	77.75	197.49	33.75	2.87	R-134A	3/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	STG1RPT-2HG-1G	STG1RPT-2HG-1G		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	3	0	Hinged	21.95	21.95	0	77.75	197.49	33.75	2.87	R-134A	3/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	STG1RPT-2HG-1S	STG1RPT-2HG-1S		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	1	Hinged	21.95	21.95	0	77.75	197.49	33.75	2.87	R-134A	3/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	STG1RPT-2HG-2HG	STG1RPT-2HG-2HG		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	4	0	Hinged	21.95	21.95	0	77.75	197.49	33.75	2.87	R-134A	3/1/2012	1/15/2013

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (kW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
True Manufacturing (True Food Service Equipment)	True Refrigeration	STG1RPT-2HS-1G	STG1RPT-2HS-1G		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	3	0	Hinged	21.95	21.95	0	77.75	197.49	33.75	2.87	R-134A	3/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	STG1RPT-2HS-1S	STG1RPT-2HS-1S		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	3	Hinged	21.95	0	21.95	77.75	197.49	33.75	2.87	R-134A	3/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	STG1RPT-2HS-2HS	STG1RPT-2HS-2HS		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	4	Hinged	21.95	0	21.95	77.75	197.49	33.75	2.87	R-134A	3/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	STG2R-2G	STG2R-2G		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	0	Hinged	47.1	47.1	0	77.75	198	33.75	4.29	R-134A	5/1/2011	5/24/2012
True Manufacturing (True Food Service Equipment)	True Refrigeration	STG2R-2S	STG2R-2S		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	47.1	0	47.1	77.75	198	33.75	3.99	R-134A	5/1/2011	5/24/2012
True Manufacturing (True Food Service Equipment)	True Refrigeration	STG2R-4HG	STG2R-4HG		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	4	0	Hinged	47.1	47.1	0	77.75	197.49	33.75	4.79	R-134A	3/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	STG2R-4HS	STG2R-4HS		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	4	Hinged	47.1	0	47.1	77.75	197.49	33.75	4.13	R-134A	3/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	STG3R-3S	STG3R-3S		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	3	Hinged	70.09	0	70.09	77.75	197.49	33.75	4.89	R-134A	11/1/2012	1/15/2013

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (kW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
True Manufacturing (True Food Service Equipment)	True Refrigeration	STG3R-6HS	STG3R-6HS		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	6 Hinged		70.09	0	70.09	77.75	197.49	33.75	4.89	R-134A	11/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	STR1R-1G	STR1R-1G		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0 Hinged		21.95	21.95	0	77.75	198	33.75	2.21	R-134A	5/1/2011	5/24/2012
True Manufacturing (True Food Service Equipment)	True Refrigeration	STR1R-1S	STR1R-1S		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		21.95	0	21.95	77.75	198	33.75	1.92	R-134A	5/1/2011	5/24/2012
True Manufacturing (True Food Service Equipment)	True Refrigeration	STR1R-2HG	STR1R-2HG		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	0 Hinged		21.95	21.95	0	77.75	197.49	33.75	2.11	R-134A	3/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	STR1R-2HS	STR1R-2HS		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		21.95	0	21.95	77.75	197.49	33.75	2.08	R-134A	3/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	STR1RPT-1G-1G	STR1RPT-1G-1G		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	0 Hinged		21.95	21.95	0	77.75	197.49	33.75	2.87	R-134A	3/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	STR1RPT-1G-1S	STR1RPT-1G-1S		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	1 Hinged		21.95	21.95	0	77.75	197.49	33.75	2.87	R-134A	3/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	STR1RPT-1HG/1HS-1G	STR1RPT-1HG/1HS-1G		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	1 Hinged		21.95	21.95	0	77.75	197.49	33.75	2.87	R-134A	3/1/2012	1/15/2013

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (kW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
True Manufacturing (True Food Service Equipment)	True Refrigeration	STR1RPT-1HG/1HS-1S	STR1RPT-1HG/1HS-1S		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	2 Hinged		21.95	0	21.95	77.75	197.49	33.75	2.87	R-134A	3/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	STR1RPT-1S-1S	STR1RPT-1S-1S		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		21.95	0	21.95	77.75	197.49	33.75	2.87	R-134A	3/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	STR1RPT-2HG-1G	STR1RPT-2HG-1G		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	3	0 Hinged		21.95	21.95	0	77.75	197.49	33.75	2.87	R-134A	3/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	STR1RPT-2HG-1S	STR1RPT-2HG-1S		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	1 Hinged		21.95	21.95	0	77.75	197.49	33.75	2.87	R-134A	3/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	STR1RPT-2HG-2HG	STR1RPT-2HG-2HG		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	4	0 Hinged		21.95	21.95	0	77.75	197.49	33.75	2.87	R-134A	3/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	STR1RPT-2HS-1G	STR1RPT-2HS-1G		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	3	0 Hinged		21.95	21.95	0	77.75	197.49	33.75	2.87	R-134A	3/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	STR1RPT-2HS-1S	STR1RPT-2HS-1S		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	3 Hinged		21.95	0	21.95	77.75	197.49	33.75	2.87	R-134A	3/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	STR1RPT-2HS-2HS	STR1RPT-2HS-2HS		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	4 Hinged		21.95	0	21.95	77.75	197.49	33.75	2.87	R-134A	3/1/2012	1/15/2013

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (kW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
True Manufacturing (True Food Service Equipment)	True Refrigeration	STR2R-2G	STR2R-2G		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	0	Hinged	47.1	47.1	0	77.75	198	33.75	4.29	R-134A	5/1/2011	5/24/2012
True Manufacturing (True Food Service Equipment)	True Refrigeration	STR2R-2S	STR2R-2S		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	47.1	0	47.1	77.75	198	33.75	3.99	R-134A	5/1/2011	5/24/2012
True Manufacturing (True Food Service Equipment)	True Refrigeration	STR2R-4HG	STR2R-4HG		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	4	0	Hinged	47.1	47.1	0	77.75	197.49	33.75	4.79	R-134A	3/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	STR2R-4HS	STR2R-4HS		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	4	Hinged	47.1	0	47.1	77.75	197.49	33.75	4.13	R-134A	3/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	STR3R-3S	STR3R-3S		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	3	Hinged	70.09	0	70.09	77.75	197.49	33.75	4.89	R-134A	11/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	STR3R-6HS	STR3R-6HS		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	6	Hinged	70.09	0	70.09	77.75	197.49	33.75	4.89	R-134A	11/1/2012	1/15/2013
True Manufacturing (True Food Service Equipment)	True Refrigeration	T-23	T-23		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Manual	0	1	Hinged	20.5	20.5	0	78	198.12	30	2.43	R-134A	8/3/2005	3/25/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	T-35	T-35		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Manual	0	2	Hinged	31.2	31.2	0	78	198.12	30	2.89	R-134A	12/2/2010	3/25/2011

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
True Manufacturing (True Food Service Equipment)	True Refrigeration	T-49	T-49		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Manual	0	2	Hinged	43.5	43.5	0	78	198.12	30	3.5	R-134A	5/12/2010	3/25/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	T-49-4	T-49-4		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Manual	0	4	Hinged	43.5	43.5	0	78.63	199.71	29.5	4.01	R-134A	1/1/2012	2/8/2012
True Manufacturing (True Food Service Equipment)	True Refrigeration	T-49G	T-49G		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	2	0	Hinged	44.1	44.1	0	78	198.12	30	6.28	R-134A	10/3/2008	3/25/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	T-72	T-72		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Manual	0	3	Hinged	65.8	65.8	0	79	200.66	30	4.98	R-134A	9/5/2008	3/25/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	TA1R-1S	TA1R-1S		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Manual	0	1	Hinged	27.64	27.64	0	61	154.94	30.5	3.04	R-134A	3/28/2011	10/21/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	TA2R-2S	TA2R-2S		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Manual	0	2	Hinged	51.42	51.42	0	61	154.94	30.5	4.38	R-134A	7/5/2011	10/21/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	TG1R-1S	TG1R-1S		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Manual	0	1	Hinged	27.64	27.64	0	61	154.94	30.5	3.03	R-134A	3/28/2011	10/21/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	TG2R-2S	TG2R-2S		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Manual	0	2	Hinged	51.42	51.42	0	61	154.94	30.5	4.38	R-134A	7/5/2011	10/21/2011

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
True Manufacturing (True Food Service Equipment)	True Refrigeration	TR1R-1S	TR1R-1S		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Manual	0	1 Hinged		27.64			61	154.94	30.5	3.04 R-134A	3/28/2011	10/21/2011	
True Manufacturing (True Food Service Equipment)	True Refrigeration	TR2R-2S	TR2R-2S		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Manual	0	2 Hinged		51.42			61	154.94	30.5	4.38 R-134A	7/5/2011	10/21/2011	
True Manufacturing (True Food Service Equipment)	True Refrigeration	TS-23	TS-23		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Manual	0	1 Hinged		20.5	20.5	0	78	198.12	30	2.43 R-134A	8/3/2005	3/25/2011	
True Manufacturing (True Food Service Equipment)	True Refrigeration	TS-35	TS-35		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Manual	0	2 Hinged		31.2	31.2	0	78	198.12	30	2.89 R-134A	12/2/2010	3/25/2011	
True Manufacturing (True Food Service Equipment)	True Refrigeration	TS-49	TS-49		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Manual	0	2 Hinged		43.5	43.5	0	78	198.12	30	3.5 R-134A	5/12/2010	3/25/2011	
True Manufacturing (True Food Service Equipment)	True Refrigeration	TS-49-4	TS-49-4		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Manual	0	4 Hinged		43.5		43.5	78.63	199.71	29.5	4.01 R-134A	1/1/2012	2/8/2012	
True Manufacturing (True Food Service Equipment)	True Refrigeration	TS-49G	TS-49G		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	2	0 Hinged		44.1	44.1	0	78	198.12	30	6.28 R-134A	10/4/2008	3/26/2011	
True Manufacturing (True Food Service Equipment)	True Refrigeration	TSD-47G	TSD-47G		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	2	0 Sliding		43	43	0	78	198.12	30	5.15 R-134A	12/19/2009	3/25/2011	

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
True Manufacturing (True Food Service Equipment)	True Refrigeration	TST-ADA	TST-ADA		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Manual	0	1 Hinged		6.64	6.64	0	30	76.2	30	1.89	R-134A	5/23/2007	3/25/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	TUC-24	TUC-24		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Manual	0	1 Hinged		5	5	0	33	83.82	25	0.91	R-134A	11/5/2007	3/25/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	TUC-27	TUC-27		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Manual	0	1 Hinged		6.64	6.64	0	30	76.2	30	1.89	R-134A	5/23/2007	3/25/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	TUC-27-ADA	TUC-27-ADA		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Manual	0	1 Hinged		6.64	6.64	0	30	76.2	30	1.89	R-134A	5/23/2007	3/25/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	TUC-27-LP	TUC-27-LP		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Manual	0	1 Hinged		6.64	6.64	0	30	76.2	30	1.89	R-134A	5/23/2007	3/25/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	TUC-36	TUC-36		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Manual	0	2 Hinged		8.94	8.94	0	30	76.2	30	2.08	R-134A	9/25/2004	3/25/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	TUC-36-ADA	TUC-36-ADA		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Manual	0	2 Hinged		8.94	8.94	0	30	76.2	30	2.08	R-134A	9/25/2004	3/25/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	TUC-36-LP	TUC-36-LP		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Manual	0	2 Hinged		8.94	8.94	0	30	76.2	30	2.08	R-134A	9/25/2004	3/25/2011

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (kW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
True Manufacturing (True Food Service Equipment)	True Refrigeration	TUC-44	TUC-44		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Manual	0	1	Hinged	10.18	10.18	0	30	76.2	32	2.11	R-134A	9/30/2004	3/25/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	TUC-48	TUC-48		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Manual	0	3	Hinged	18.72	18.72	0	30	76.2	30	2.73	R-134A	8/17/2004	3/25/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	TUC-48-ADA	TUC-48-ADA		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Manual	0	3	Hinged	18.72	18.72	0	30	76.2	30	2.73	R-134A	8/17/2004	3/25/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	TUC-48-LP	TUC-48-LP		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Manual	0	3	Hinged	18.72	18.72	0	30	76.2	30	2.73	R-134A	8/17/2004	3/25/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	TUC-60	TUC-60		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Manual	0	2	Hinged	15.57	15.57	0	33	83.82	30	2.37	R-134A	8/27/2004	3/25/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	TUC-60-32	TUC-60-32		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Manual	0	2	Hinged	15.5	15.5	0	30	76.2	32	2.33	R-134A	3/29/2005	3/25/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	TUC-60-ADA	TUC-60-ADA		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Manual	0	2	Hinged	15.57	15.57	0	33	83.82	30	2.37	R-134A	8/27/2004	3/25/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	TUC-60-LP	TUC-60-LP		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Manual	0	2	Hinged	15.57	15.57	0	33	83.82	30	2.37	R-134A	8/27/2004	3/25/2011

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (kW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
True Manufacturing (True Food Service Equipment)	True Refrigeration	TUC-67	TUC-67		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Manual	0	2	Hinged	23.13	23.13	0	33	83.82	32	2.7	R-134A	9/30/2004	3/26/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	TUC-72	TUC-72		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Manual	0	3	Hinged	18.72	18.72	0	30	76.2	30	2.73	R-134A	8/17/2004	3/25/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	TUC-72-ADA	TUC-72-ADA		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Manual	0	3	Hinged	18.72	18.72	0	30	76.2	30	2.73	R-134A	8/17/2004	3/25/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	TWT-27	TWT-27		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Manual	0	1	Hinged	6.64	6.64	0	30	76.2	30	1.89	R-134A	5/23/2007	3/25/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	TWT-36	TWT-36		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Manual	0	2	Hinged	8.94	8.94	0	30	76.2	30	2.08	R-134A	9/25/2004	3/25/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	TWT-36-ADA	TWT-36-ADA		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Manual	0	2	Hinged	8.94	8.94	0	30	76.2	30	2.08	R-134A	9/25/2004	3/25/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	TWT-44	TWT-44		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Manual	0	1	Hinged	10.18	10.18	0	30	76.2	32	2.11	R-134A	10/1/2004	3/26/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	TWT-48	TWT-48		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Manual	0	1	Hinged	12.31	12.31	0	33	83.82	30	2.16	R-134A	5/7/2009	3/25/2011

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
True Manufacturing (True Food Service Equipment)	True Refrigeration	TWT-48-ADA	TWT-48-ADA		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Manual	0	3 Hinged		18.72	18.72	0	30	76.2	30	2.73	R-134A	8/17/2004	3/25/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	TWT-60	TWT-60		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Manual	0	2 Hinged		15.57	15.57	0	33	83.82	30	2.37	R-134A	8/27/2004	3/25/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	TWT-60-32	TWT-60-32		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Manual	0	2 Hinged		15.5	15.5	0	30	76.2	32	2.33	R-134A	3/30/2005	3/26/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	TWT-60-ADA	TWT-60-ADA		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Manual	0	2 Hinged		15.57	15.57	0	33	83.82	30	2.37	R-134A	8/27/2004	3/25/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	TWT-67	TWT-67		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Manual	0	2 Hinged		23.13	23.13	0	33	83.82	32	2.7	R-134A	9/29/2004	3/25/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	TWT-72	TWT-72		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Manual	0	3 Hinged		18.72	18.72	0	30	76.2	30	2.73	R-134A	8/17/2004	3/25/2011
Turbo Air Inc.	Premier Corporation	MSR-23G-1	MSR-23G-1		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0 Hinged		20			78	27	32	3.54	R-134A	12/16/2010	10/19/2012
Turbo Air Inc.	Premier Corporation	MSR-23NM	MSR-23NM		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		19.3			78	27	31	2.52	R-134A	11/15/2010	4/25/2013

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Turbo Air Inc.	Premier Corporation	MSR-49G-2	MSR-49G-2		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	0	Hinged	39			78	54	32	5.22	R-134A	6/30/2010	10/19/2012
Turbo Air Inc.	Premier Corporation	MSR-49NM	MSR-49NM		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	41.1			78	55	31	3.32	R-134A	4/5/2010	4/25/2013
Turbo Air Inc.	Premier Corporation	MSR-72G-3	MSR-72G-3		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	3	0	Hinged	67			77	82	31	7.18	R-134A	12/16/2010	10/19/2012
Turbo Air Inc.	Premier Corporation	TBB-2SB	TBB-2SB		Solid Door Refrigerator Cabinet	Vertical	Back Bar Cooler	Automatic	0	2	Hinged	19			37	59	28	2.53	R-134A	12/23/2010	10/19/2012
Turbo Air Inc.	Premier Corporation	TBB-3SB	TBB-3SB		Solid Door Refrigerator Cabinet	Vertical	Back Bar Cooler	Automatic	0	2	Hinged	23			37	69	28	2.58	R-134A	12/23/2010	10/19/2012
Turbo Air Inc.	Premier Corporation	TBC-50SD	TBC-50SD	TBC-50SB,TBC-50SB	Solid Door Refrigerator Cabinet	Chest	Other	Automatic	0	2	Sliding	13.5			34	50	27	1.64	R-134A	6/30/2010	2/20/2013
Turbo Air Inc.	Premier Corporation	TBC-65SD	TBC-65SD		Solid Door Refrigerator Cabinet	Chest	Other	Automatic	0	2	Sliding	18.5			34	65	27	2.35	R-134A	12/17/2010	10/19/2012
Turbo Air Inc.	Premier Corporation	TBC-95SD	TBC-95SD		Solid Door Refrigerator Cabinet	Chest	Other	Automatic	0	3	Sliding	30.3			34	95	27	3.12	R-134A	12/17/2010	10/19/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Turbo Air Inc.	Premier Corporation	TBD-2SD	TBD-2SD		Solid Door Refrigerator Cabinet	Vertical	Direct Draw Unit	Automatic	0	2 Hinged		20.9			37	59	27	2.56 R-134A		12/17/2010	10/19/2012
Turbo Air Inc.	Premier Corporation	TBD-3SD	TBD-3SD	TBD-3SB,TBD-3SB,	Solid Door Refrigerator Cabinet	Vertical	Direct Draw Unit	Automatic	0	2 Hinged		25.4			37	69	27	2.85 R-134A		12/17/2010	2/20/2013
Turbo Air Inc.	Premier Corporation	TGM-35R	TGM-35R		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	0 Sliding		29.27			79	42	30	5 R-134A		7/30/2010	10/19/2012
Turbo Air Inc.	Premier Corporation	TGM-5R	TGM-5R		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Manual	1	0 Hinged		4.7			34	19	24	1.55 R-134A		12/27/2010	10/19/2012
Turbo Air Inc.	Premier Corporation	TSR-23SD*	TSR-23SD*		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		19.3			78	27	31	2.52 R-134A		11/15/2010	10/19/2012
Turbo Air Inc.	Premier Corporation	TSR-49SD	TSR-49SD		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		41.1			78	55	31	3.32 R-134A		4/5/2010	10/19/2012
Turbo Air Inc.	Premier Corporation	TSR-72SD	TSR-72SD		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	3 Hinged		64.1			78	82	31	4.35 R-134A		4/30/2010	10/19/2012
Turbo Air Inc.	Turbo Air	Commercial storage refrigerator	JUR-36		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Manual	0	1 Hinged		6.7			28.74	73	27.56	1.53 R-134A		10/30/2012	10/18/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Turbo Air Inc.	Turbo Air	Commercial storage refrigerator	JUR-48		Solid Door Refrigerator Cabinet	Vertical	Undercounter Unit	Manual	0	2	Hinged	10.6			28.74	73	27.56	1.98	R-134A	10/30/2012	10/18/2012
Turbo Air Inc.	Turbo Air	Commercial storage refrigerator	M3R19-1		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Manual	0	1	Hinged	18.7			72.05	183	31.5	1.97	R-134A	10/30/2012	10/18/2012
Turbo Air Inc.	Turbo Air	M3R24-1	M3R24-1		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	21.8			78	29	31	2.54	R-134a	6/5/2010	10/19/2012
Turbo Air Inc.	Turbo Air	M3R24-2	M3R24-2		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	21.8			78	29	31	2.72	R-134a	9/15/2010	10/19/2012
Turbo Air Inc.	Turbo Air	M3R47-2	M3R47-2		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	42.2			78	52	31	3.54	R-134a	6/5/2010	10/19/2012
Turbo Air Inc.	Turbo Air	M3R47-4	M3R47-4		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	4	Hinged	42.2			78	52	31	3.23	R-134a	9/1/2010	10/19/2012
Turbo Air Inc.	Turbo Air	M3R72-3	M3R72-3		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	3	Hinged	66.9			78	78	31	4.18	R-134a	6/5/2010	10/19/2012
Turbo Air Inc.	Turbo Air	M3R72-6	M3R72-6		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	6	Hinged	66.9			78	78	31	4.78	R-134a	9/30/2010	10/19/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Turbo Air Inc.	Turbo Air	MUR-36	MUR-36		Solid Door Refrigerator Cabinet	Chest	Undercounter Unit	Automatic	0	2 Hinged	9.7				30	36.3	30	1.3	R-134a	12/10/2010	10/26/2012
Turbo Air Inc.	Turbo Air	PRO-26-2R	PRO-26-2R		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged	26				78	28.7	31.5	2.23	R-134a	12/14/2010	10/19/2012
Turbo Air Inc.	Turbo Air	PRO-26R	PRO-26R		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged	26				78	28.7	31.5	2.12	R-134a	12/14/2010	10/19/2012
Turbo Air Inc.	Turbo Air	PRO-50-4R	PRO-50-4R		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	4 Hinged	50				78	51.7	31.5	2.62	R-134a	12/14/2010	10/19/2012
Turbo Air Inc.	Turbo Air	PRO-50R	PRO-50R		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged	50				78	51.7	31.5	2.48	R-134a	12/12/2010	10/19/2012
Turbo Air Inc.	Turbo Air	PRO-77-6R	PRO-77-6R		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	6 Hinged	76.82				78	77.18	31.5	4.83	R-134a	12/30/2010	10/19/2012
Turbo Air Inc.	Turbo Air	PRO-77R	PRO-77R		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged	77.18				78	77.18	31.5	4.77	R-134a	12/13/2010	10/19/2012
Turbo Air Inc.	Turbo Air	TGM-10SDB	TGM-10SDB	TGM-10SDV,TGM-10SDV,; TGM-10SDW,TGM-10SDW.	Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0 Hinged	8.12	8.12	0		63	26	21	1.71	R-134A	5/15/2012	9/21/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Turbo Air Inc.	Turbo Air	TGM-11RV	TGM-11RV		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	10	10	0	61	24	25	1.99	R-134A	5/1/2012	9/21/2012
Turbo Air Inc.	Turbo Air	TGM-12SDB	TGM-12SDB	TGM-12SDV,TGM-12SDV,; TGM-12SDW,TGM-12SDW,	Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	10.19	10.19	0	63	26	21	1.76	R-134A	5/15/2012	9/21/2012
Turbo Air Inc.	Turbo Air	TGM-14RV	TGM-14RV		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	12.2	12.2	0	74	24	26	2.57	R-134A	5/1/2012	9/21/2012
Turbo Air Inc.	Turbo Air	TGM-15SDB	TGM-15SDB	TGM-15SDV,TGM-15SDV,; TGM-15SDW,TGM-15SDW,	Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	14.43	14.43	0	76	27	23	2.99	R-134A	5/15/2012	9/21/2012
Turbo Air Inc.	Turbo Air	TGM-20SDB	TGM-20SDB	TGM-20SDV,TGM-20SDV,; TGM-20SDW,TGM-20SDW,	Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	16.01	16.01	0	78	27	24	3.16	R-134A	5/15/2012	9/21/2012
Turbo Air Inc.	Turbo Air	TGM-22RV	TGM-22RV	TGM-22RVB,TGM-22RVB,	Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	20.3	20.3	0	80	29	30	3.35	R-134A	5/1/2012	9/21/2012
Turbo Air Inc.	Turbo Air	TGM-23SDB	TGM-23SDB	TGM-23SDV,TGM-23SDV,; TGM-23SDW,TGM-23SDW,	Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	19.4	19.4	0	78	27	28	2.96	R-134A	5/15/2012	9/21/2012
Turbo Air Inc.	Turbo Air	TGM-35SDW	TGM-35SDW	TGM-35SDB,TGM-35SDB,; TGM-35SDV,TGM-35SDV,	Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	0	Hinged	29.06	29.06	0	78	42	30	4.45	R-134A	4/12/2013	7/3/2013

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Turbo Air Inc.	Turbo Air	TGM-47SDW	TGM-47SDW	TGM-47SDB,TGM-47 SDB.; TGM-47SDB,TGM-47 SDB.; TGM-47SDV,TGM-47 SDV.; TGM-47SDV,TGM-47 SDV.	Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	0	Hinged	41.11	41.11	0	78	55	28	5.49	R-134A	7/30/2012	1/24/2013
Turbo Air Inc.	Turbo Air	TGM-48R	TGM-48R		Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	2	0	Sliding	44	44	0	78.5	56	30	5.85	R-134A	8/1/2012	11/21/2012
Turbo Air Inc.	Turbo Air	TGM-55DB	TGM-55DB	TGM-55DV,TGM-55 DV.; TGM-55DW,TGM-55 DW.	Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	4.45	4.45	0	31	25	21	1.31	R-134A	5/15/2012	9/21/2012
Turbo Air Inc.	Turbo Air	TGM-72SDW	TGM-72SDW	TGM-72SDB,TGM-72 SDB.; TGM-72SDV,TGM-72 SDV.	Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	3	0	Hinged	65.24	65.24	0	78	82	28	7.68	R-134A	9/27/2012	1/7/2013
Turbo Air Inc.	Turbo Air	TGM-75DB	TGM-75DB	TGM-75DV,TGM-75 DV.; TGM-75DW,TGM-75 DW.	Glass Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	6.2	6.2	0	39	25	21	1.45	R-134A	5/15/2012	9/21/2012
Turbo Air Inc.	Turbo Air	TSR-35SD	TSR-35SD		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	30.3			77	39.5	30	2.7	R-134a	9/30/2010	10/19/2012
Turbo Air Inc.	Turbo Air	TUR-28SD*	TUR-28SD*	MUR-28,MUR-28.; TWR-28D,TWR-28D.	Solid Door Refrigerator Cabinet	Chest	Undercounter Unit	Automatic	0	1	Hinged	7.15			31	28	31	1.22	R-134a	7/20/2010	2/20/2013
Turbo Air Inc.	Turbo Air	TUR-36SD	TUR-36SD		Solid Door Refrigerator Cabinet	Chest	Undercounter Unit	Automatic	0	2	Hinged	9.7			30	36.3	30	1.28	R-134a	8/20/2010	10/26/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Turbo Air Inc.	Turbo Air	TUR-48SD	TUR-48SD		Solid Door Refrigerator Cabinet	Chest	Undercounter Unit	Automatic	0	2 Hinged		13.2			31	48.2	30	2.51 R-134a	6/20/2010	10/26/2012	
Turbo Air Inc.	Turbo Air	TUR-60SD	TUR-60SD	CUR-60,CUR-60.; MUR-60,MUR-60,	Solid Door Refrigerator Cabinet	Chest	Undercounter Unit	Automatic	0	2 Hinged		17.2			31	60.3	30	2.42 R-134a	6/20/2010	2/20/2013	
Turbo Air Inc.	Turbo Air	TUR-72SD	TUR-72SD	CUR-72,CUR-72.; MUR-72,MUR-72,	Solid Door Refrigerator Cabinet	Chest	Undercounter Unit	Automatic	0	3 Hinged		18.9			31	72.6	31	2.77 R-134a	6/20/2010	2/20/2013	
Turbo Air Inc.	Turbo Air	TWR-48SD	TWR-48SD		Solid Door Refrigerator Cabinet	Chest	Undercounter Unit	Automatic	0	2 Hinged		13.2			31	48	30	1.29 R-134a	12/15/2010	10/26/2012	
Turbo Air Inc.	Turbo Air	TWR-60SD	TWR-60SD		Solid Door Refrigerator Cabinet	Chest	Undercounter Unit	Automatic	0	2 Hinged		17.2			31	60.3	30	1.52 R-134a	12/15/2010	10/26/2012	
Turbo Air Inc.	Turbo Air	TWR-72SD	TWR-72SD		Solid Door Refrigerator Cabinet	Chest	Undercounter Unit	Automatic	0	2 Hinged		18.9			31	72.6	30	1.65 R-134a	12/15/2010	10/26/2012	
US Inc.	US REFRIGERATION	UM-24	UM-24		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		19.3	0	19.3	76.9	26.8	30	2.58 R-134A	1/5/2002	9/21/2012	
US Inc.	US REFRIGERATION	UM-48	UM-48		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		42.7	0	42.7	76.9	53.9	31	3.36 R-134A	1/5/2002	9/21/2012	

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (kW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
US Inc.	US REFRIGERATION	UMT-24	UMT-24		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		19.39	0	19.39	76.9	31	26.8	2.53	R-134A	1/13/2011	9/21/2012
US Inc.	US REFRIGERATION	UMT-48	UMT-48		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		43.64	0	43.64	76.9	31	31	3.96	R-134A	1/13/2011	9/21/2012
Victory Refrigeration	Victory	RA-1D-S7	RA-1D-S7	RA-1D-S1,RA-1D-S1.; RS-1D-S1,RS-1D-S1.; RS-1D-S7,RS-1D-S7.; RSA-1D-S1, RSA-1D-S1.; RSA-1D-S7,RSA-1D-S7.	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		20.9			84	213.36	34.5	1.93	R-404A	4/19/2010	4/5/2012
Victory Refrigeration	Victory	RA-2D-S7	RA-2D-S7	RA-2D-S1,RA-2D-S1.; RS-2D-S1,RS-2D-S1.; RS-2D-S7,RS-2D-S7.; RSA-2D-S1, RSA-2D-S1.; RSA-2D-S7,RSA-2D-S7.	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		44.9			84	213.36	34.5	3.04	R-404A	4/19/2010	4/5/2012
Victory Refrigeration	Victory	RA-3D-S7	RA-3D-S7	RA-3D-S1,RA-3D-S1.; RS-3D-S1,RS-3D-S1.; RS-3D-S7,RS-3D-S7.; RSA-3D-S1, RSA-3D-S1.; RSA-3D-S7,RSA-3D-S7.	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	3 Hinged		68.7			84	213.36	34.5	3.96	R-134A	5/7/2010	4/5/2012
Victory Refrigeration	Victory	RS-1D-S7-EW	RS-1D-S7-EW	RA-1D-S1-EW,RA-1D-S1-EW.; RS-1D-S1-EW,RS-1D-S1-EW.; RSA-1D-S1-EW, RSA-1D-S1-EW.; RSA-1D-S7-EW, RSA-1D-S7-EW.	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		23.7			84	213.36	35.88	1.91	R-134A	12/1/2010	4/5/2012
Victory Refrigeration	Victory	V-Series Refrigerators	VR-1	V-Series Refrigerators,VR-SA-1D.; V-Series Refrigerators,VSR-1.	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		20.9			84	213.36	33.25	1.97	R-134A	4/19/2010	2/14/2012
Victory Refrigeration	Victory	V-Series Refrigerators	VR-2	V-Series Refrigerators,VR-SA-2D.; V-Series Refrigerators,VSR-2.	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		44.9			84	213.36	33.25	3.1	R-134A	4/19/2010	2/14/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Victory Refrigeration	Victory	V-Series Refrigerators	VR-3	V-Series Refrigerators, VR-SA-3D; V-Series Refrigerators, VSR-3,	Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	3 Hinged		68.7			84	213.36	33.25	3.98	R-134A	5/7/2010	2/14/2012
Yindu Kitchen Equipment Co., LTD	ATOSA	MBF8004	MBF8004		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		21.6	21.6		83.9	28.8	33.5	2.88	R-134A	1/16/2012	9/21/2012
Yindu Kitchen Equipment Co., LTD	ATOSA	MBF8005	MBF8005		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		43.16	43.16		83.66	54.33	31.89	3.98	R-134A	1/18/2013	2/26/2013
Yindu Kitchen Equipment Co., LTD	ATOSA	MBF8006	MBF8006		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	3 Hinged		64.88	64.88		83.9	77.8	33.3	4.84	R-134A	1/18/2013	2/26/2013
Yindu Kitchen Equipment Co., LTD	ATOSA	MBF8010	MBF8010		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		21.1	21.1		83.9	28.8	33.5	2.88	R-134A	3/19/2012	9/21/2012
Yindu Kitchen Equipment Co., LTD	ATOSA	MBF8011	MBF8011		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	4 Hinged		42.97	42.97		83.66	54.33	31.89	3.98	R-134A	1/18/2013	2/26/2013
Yindu Kitchen Equipment Co., LTD	ATOSA	MBF8012	MBF8012		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	6 Hinged		64.54	64.54		83.9	77.8	33.3	4.84	R-134A	1/18/2013	2/26/2013
Yindu Kitchen Equipment Co., LTD	ATOSA	MBF8505	MBF8505		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		20.3	20.3		84.3	27.1	32.1	2.54	R-134A	2/11/2012	9/21/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Yindu Kitchen Equipment Co., LTD	ATOSA	MBF8507	MBF8507		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	44.77		44.77	83.66	54.33	31.89	3.98	R-134A	1/18/2013	2/26/2013
Yindu Kitchen Equipment Co., LTD	ATOSA	MBF8508	MBF8508		Solid Door Refrigerator Cabinet	Vertical	Reach-in	Automatic	0	3	Hinged	67.99		67.99	84	81.9	315	4.84	R-134A	1/18/2013	2/26/2013
Yindu Kitchen Equipment Co., LTD	ATOSA	MGF8401	MGF8401		Solid Door Refrigerator Cabinet	Chest	Undercounter Unit	Manual	0	1	Hinged	7.74		7.74	35.63	27.56	30.12	2.07	R-134A	8/8/2012	9/27/2012
Yindu Kitchen Equipment Co., LTD	ATOSA	MGF8402	MGF8402		Solid Door Refrigerator Cabinet	Chest	Undercounter Unit	Manual	0	2	Hinged	15.88		15.88	35.83	48.23	30.12	2.6	R-134A	8/8/2012	9/27/2012
Yindu Kitchen Equipment Co., LTD	ATOSA	MGF8403	MGF8403		Solid Door Refrigerator Cabinet	Chest	Undercounter Unit	Manual	0	2	Hinged	20.46		20.46	35.83	60.24	30.12	2.61	R-134A	8/8/2012	9/27/2012
Yindu Kitchen Equipment Co., LTD	ATOSA	MGF8404	MGF8404		Solid Door Refrigerator Cabinet	Chest	Undercounter Unit	Manual	0	3	Hinged	23.47		23.47	35.83	72.64	30.12	2.73	R-134A	8/8/2012	9/27/2012
Yindu Kitchen Equipment Co., LTD	ATOSA	MGF8408	MGF8408		Solid Door Refrigerator Cabinet	Chest	Undercounter Unit	Manual	0	1	Hinged	7.74		7.74	40.16	27.56	30.12	2.06	R-134A	8/8/2012	9/27/2012
Yindu Kitchen Equipment Co., LTD	ATOSA	MGF8409	MGF8409		Solid Door Refrigerator Cabinet	Chest	Undercounter Unit	Manual	0	2	Hinged	15.88		15.88	40.16	48.23	30.12	2.6	R-134A	8/8/2012	9/27/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet		Height (in)	Width (in)	Depth (in)	Daily Energy Consumption (KW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)							
Yindu Kitchen Equipment Co., LTD	ATOSA	MGF8410	MGF8410		Solid Door Refrigerator Cabinet	Chest	Undercounter Unit	Manual	0	2	Hinged	20.46		20.46	40.16	60.24	30.12	2.61	R-134A	8/8/2012	9/27/2012
Yindu Kitchen Equipment Co., LTD	ATOSA	MGF8411	MGF8411		Solid Door Refrigerator Cabinet	Chest	Undercounter Unit	Manual	0	3	Hinged	23.47		23.47	40.16	72.64	30.12	2.92	R-134A	8/8/2012	9/27/2012

ENERGY STAR Commercial Freezer Qualified Product List

List Current as of August 23, 2013

Below are currently qualified ENERGY STAR models available for sale in the U.S.

*Additional model number variations represent aesthetic differences that do not affect the performance of the equipment.

ENERGY STAR Partners	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet			Daily Energy Consumption (kW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified	
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)	Height (in)					Width (in)
Admiral Craft Equipment Corp.	ADCRAFT	FZS-2D/W	FZS-2D/W	FZS-2D/ B,FZS-2D/B.	Glass Door Freezer Cabinet	Vertical	Reach-in	Automatic	2	0	Hinged	28	28	0	83.27	49.21	26.18	16.93 R-404A	4/30/2011	9/21/2012
Asbury Foodservice	MAXX-COLD	MCF-23FD	MCF-23FD		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	19.3	0	19.3	76.9	26.8	31	6.26 R-134A	1/5/2002	9/21/2012
Asbury Foodservice	MAXX-COLD	MCF-49FD	MCF-49FD		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	42.4	0	42.4	76.9	53.9	31	11.65 R-404A	1/5/2002	9/21/2012
Asbury Foodservice	MAXX-COLD	MCF-72FD	MCF-72FD		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	3	Hinged	66.8	0	66.8	82.6	81.1	31	16.02 R-404A	12/20/2011	9/21/2012
Asbury Foodservice	MAXX-COLD	MCFT-23FD	MCFT-23FD		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	19.39	0	19.39	76.9	31	26.8	5.92 R-404A	1/13/2011	9/21/2012
Asbury Foodservice	MAXX-COLD	MCFT-49FD	MCFT-49FD		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	43.3	0	43.3	76.9	31	31	12.3 R-404A	1/13/2011	9/21/2012
Asbury Foodservice	MAXX-COLD	MCFT-72FD	MCFT-72FD		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	3	Hinged	67.3	0	67.3	81.8	81.1	31	15.84 R-404A	12/20/2011	9/21/2012
Beverage-Air Corp.	Beverage-Air	Horizon	HF1-1G		Glass Door Freezer Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	21.8	21.8	0	78.5	26	32	13.48 R-404A	6/7/2010	9/10/2012
Beverage-Air Corp.	Beverage-Air	Horizon	HF1-1HS	HFP1-1HS-18,H FP1-1HS-18.; HFPS1-1HS,HF PS1-1HS.; HFS1-1HS,HFS 1-1HS.	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	21.7	0	21.7	78.75	26	33.75	7.61 R-404A	11/11/2009	9/10/2012
Beverage-Air Corp.	Beverage-Air	Horizon	HF1-1S		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	21.8	0	21.8	78.5	26	32	7.59 R-404A	8/19/2009	9/10/2012
Beverage-Air Corp.	Beverage-Air	Horizon	HF1W-1S		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	30.6	0	30.6	78.5	35	32	9.49 R-404A	10/2/2009	9/10/2012
Beverage-Air Corp.	Beverage-Air	Horizon	HF2-1G		Glass Door Freezer Cabinet	Vertical	Reach-in	Automatic	2	0	Hinged	46.9	46.9	0	78.5	52	32	23.3 R-404A	6/8/2010	9/10/2012
Beverage-Air Corp.	Beverage-Air	Horizon	HF2-1HS	HFP2-1HS-18,H FP2-1HS-18.; HFPS2-1HS,HF PS2-1HS.; HFS2-1HS,HFS 2-1HS.	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	4	Hinged	48.2	0	48.2	78.75	52	33.75	11.9 R-404A	11/7/2009	9/10/2012
Beverage-Air Corp.	Beverage-Air	Horizon	HF2-1S		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	46.9	0	46.9	78.5	52	32	11.8 R-404A	8/19/2009	9/10/2012
Beverage-Air Corp.	Beverage-Air	Horizon	HF3-5G		Glass Door Freezer Cabinet	Vertical	Reach-in	Automatic	3	0	Hinged	72	72	0	78.5	78	32	33.3 R-404A	8/16/2010	9/10/2012
Beverage-Air Corp.	Beverage-Air	Horizon	HF3-5S		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	3	Hinged	72	0	72	78.5	78	32	17.06 R-404A	2/25/2010	9/10/2012
Beverage-Air Corp.	Beverage-Air	LumaVue	LSF23-1	,HBF23-1.; HBF23-1,HBF23 -1.	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	22.4	0	22.4	78.25	27.38	32	6.31 R-404A	11/20/2010	9/10/2012
Beverage-Air Corp.	Beverage-Air	LumaVue	LSF49-1	,HBF49-1.; HBF49-1,HBF49 -1.	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	46.1	0	46.1	78.25	52	32	10.9 R-404A	11/19/2010	9/10/2012
Beverage-Air Corp.	Beverage-Air	LumaVue	LSF72-1	,HBF72-1.; HBF72-1,HBF72 -1.	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	3	Hinged	68.5	0	68.5	78.25	75.25	32.25	14.2 R-404A	11/24/2010	9/10/2012
Beverage-Air Corp.	Beverage-Air	LumaVue	LVF23-1	MMF23-1- W-02,MMF23-1 -W-02.; MMF23-1-W- LED,MMF23-1- W-LED.	Glass Door Freezer Cabinet	Vertical	Merchandiser	Automatic	1	0	Hinged	22.4	22.4	0	78.25	27.38	32	7.91 R-404A	8/1/2010	9/10/2012

ENERGY STAR Partners	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet			Daily Energy Consumption (kW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified	
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)	Height (in)					Width (in)
Beverage-Air Corp.	Beverage-Air	LumaVue	LVF49-1	MMF49-1-W-002,MMF49-1-W-002,MMF49-1-W-LED,MMF49-1-W-LED,MMF72-1-W-002,MMF72-1-W-002,MMF72-1-W-LED,MMF72-1-W-LED,	Glass Door Freezer Cabinet	Vertical	Merchandiser	Automatic	2	0	Hinged	45.7	45.7	0	78.25	52	32	24.04 R-404A	7/31/2010	9/10/2012
Beverage-Air Corp.	Beverage-Air	LumaVue	LVF72-5	MMF49-1-W-002,MMF49-1-W-LED,MMF72-1-W-002,MMF72-1-W-LED,MMF72-1-W-LED,	Glass Door Freezer Cabinet	Vertical	Merchandiser	Automatic	3	0	Hinged	68	68	0	78.25	75.25	32.25	31.8 R-404A	6/1/2011	9/10/2012
Blue Air Commercial Refrigeration, Inc	Blue Air	BASF1	BASF1		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	20.93		20.93	84.5	214.63	31.25	7.28 R-404A	3/15/2010	3/23/2011
Blue Air Commercial Refrigeration, Inc	Blue Air	BASF2	BASF2		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	43.11		43.11	84.5	214.63	31.25	10.93 R-134A	3/15/2010	3/23/2011
Blue Air Commercial Refrigeration, Inc	Blue Air	BASF3	BASF3		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	3	Hinged	66.58		66.58	84.5	214.63	31.25	15.18 R-134A	3/15/2010	3/23/2011
Continental Refrigerator	Continental	1F	1F	1F-SA,1F-SA,1F-SS,1F-SS,	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	18.9	0	18.9	82.3	26	35.5	6.51 R-404A	12/20/2010	7/10/2013
Continental Refrigerator	Continental	1F-GD	1F-GD	1F-SA-GD,1F-SA-GD,1F-SS-GD,1F-SS-GD,	Glass Door Freezer Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	18.9	18.9	0	82.3	26	35.5	12.03 R-404A	11/1/2010	7/10/2013
Continental Refrigerator	Continental	1FX	1FX	1FX-SA,1FX-SA,1FX-SS,1FX-SS,	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	30.32	0	30.32	82.3	36.3	35.5	11.02 R-404A	1/1/2010	7/10/2013
Continental Refrigerator	Continental	1FX-HD	1FX-HD	1FX-SA-HD,1FX-SA-HD,1FX-SS-HD,1FX-SS-HD,	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	30.27	0	30.27	82.3	36.3	35.5	11.02 R-404A	1/1/2010	7/10/2013
Continental Refrigerator	Continental	2F	2F	2F-SA,2F-SA,2F-SS,2F-SS,	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	45.61	0	45.61	82.3	52	35.5	12.9 R-404A	1/1/2010	7/10/2013
Continental Refrigerator	Continental	2FE	2FE	2FE-SA,2FE-SA,2FE-SS,2FE-SS,	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	50	0	50	82.3	57	35.5	13.11 R-404A	1/1/2010	7/11/2013
Continental Refrigerator	Continental	2FE-GD	2FE-GD	2FE-SA-GD,2FE-SA-GD,2FE-SS-GD,2FE-SS-GD,	Glass Door Freezer Cabinet	Vertical	Reach-in	Automatic	2	0	Hinged	48.2	48.2	0	85.8	57	35.5	21.28 R-404A	11/1/2010	7/10/2013
Continental Refrigerator	Continental	2FE-HD	2FE-HD	2FE-SA-HD,2FE-SA-HD,2FE-SS-HD,2FE-SS-HD,	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	4	Hinged	49.9	0	49.9	82.3	57	35.5	13.11 R-404A	1/1/2010	7/11/2013
Continental Refrigerator	Continental	2FE-PT	2FE-PT	2FE-SA-PT,2FE-SA-PT,2FE-SS-PT,2FE-SS-PT,	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	4	Hinged	52.01	0	52.01	82.3	57	35.5	14.1 R-404A	1/1/2010	7/11/2013
Continental Refrigerator	Continental	2FE-PT-HD	2FE-PT-HD	2FE-SA-PT-HD,2FE-SA-PT-HD,2FE-SS-PT-HD,2FE-SS-PT-HD,	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	8	Hinged	51.81	0	51.81	82.3	57	35.5	14.1 R-404A	1/1/2010	7/11/2013
Continental Refrigerator	Continental	2F-HD	2F-HD	2F-SA-HD,2F-SA-HD,2F-SS-HD,2F-SS-HD,	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	4	Hinged	45.51	0	45.51	82.3	52	35.5	12.9 R-404A	1/1/2010	7/11/2013
Continental Refrigerator	Continental	2F-PT	2F-PT	2F-SA-PT,2F-SA-PT,2F-SS-PT,2F-SS-PT,	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	4	Hinged	49.54	0	49.54	82.3	52	35.5	13.75 R-404A	1/1/2010	7/11/2013
Continental Refrigerator	Continental	2F-PT-HD	2F-PT-HD	2F-SA-PT-HD,2F-SA-PT-HD,2F-SS-PT-HD,2F-SS-PT-HD,	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	8	Hinged	49.34	0	49.34	82.3	52	35.5	13.75 R-404A	1/1/2010	7/11/2013
Continental Refrigerator	Continental	2FS	2FS	2FS-SA,2FS-SA,2FS-SS,2FS-SS,	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	39.19	0	39.19	82.3	52	30.5	11.88 R-404A	1/1/2010	7/11/2013
Continental Refrigerator	Continental	2FSE	2FSE	2FSE-SA,2FSE-SA,2FSE-SS,2FSE-SS,	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	31.8	0	31.8	82.3	36.3	35.5	11.02 R-404A	1/1/2010	7/11/2013
Continental Refrigerator	Continental	2FSE-HD	2FSE-HD	2FSE-SA-HD,2FSE-SA-HD,2FSE-SS-HD,2FSE-SS-HD,	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	4	Hinged	31.75	0	31.75	82.3	36.3	35.5	11.02 R-404A	1/1/2010	7/11/2013
Continental Refrigerator	Continental	2FS-HD	2FS-HD	2FS-SA-HD,2FS-SA-HD,2FS-SS-HD,2FS-SS-HD,	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	4	Hinged	39.09	0	39.09	82.3	52	30.5	11.88 R-404A	1/1/2010	7/11/2013

ENERGY STAR Partners	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/ Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet			Daily Energy Consumption (kW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified	
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)	Height (in)					Width (in)
Continental Refrigerator	Continental	DL1F	DL1F	DL1F-SA,DL1F-SA; DL1F-SS,DL1F-SS,	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		19.7	0	19.7	83.3	26	35.5	6.73 R-404A	12/20/2010	7/11/2013
Continental Refrigerator	Continental	DL2F	DL2F	DL2F-SA,DL2F-SA; DL2F-SS,DL2F-SS,	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		49.54	0	49.54	83.3	52	35.5	13.75 R-404A	1/1/2010	7/11/2013
Continental Refrigerator	Continental	DL2FE	DL2FE	DL2FE-SA,DL2FE-SA; DL2FE-SS,DL2FE-SS,	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		52.01	0	52.01	83.3	57	35.5	14.1 R-404A	1/1/2010	7/11/2013
Continental Refrigerator	Continental	DL2FE-HD	DL2FE-HD	DL2FE-SA-HD,DL2FE-SA-HD; DL2FE-SS-HD,DL2FE-SS-HD,	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	4 Hinged		51.91	0	51.91	83.3	57	35.5	14.1 R-404A	1/1/2010	7/11/2013
Continental Refrigerator	Continental	DL2FE-PT	DL2FE-PT	DL2FE-SA-PT,DL2FE-SA-PT; DL2FE-SS-PT,DL2FE-SS-PT,	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	4 Hinged		52.01	0	52.01	83.3	57	35.5	14.1 R-404A	1/1/2010	7/11/2013
Continental Refrigerator	Continental	DL2FE-PT-HD	DL2FE-PT-HD	DL2FE-SA-PT-HD,DL2FE-SA-PT-HD; DL2FE-SS-PT-HD,DL2FE-SS-PT-HD,	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	8 Hinged		51.81	0	51.81	83.3	57	35.5	14.1 R-404A	1/1/2010	7/11/2013
Continental Refrigerator	Continental	DL2F-HD	DL2F-HD	DL2F-SA-HD,DL2F-SA-HD; DL2F-SS-HD,DL2F-SS-HD,	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	4 Hinged		49.44	0	49.44	83.3	52	35.5	13.75 R-404A	1/1/2010	7/11/2013
Continental Refrigerator	Continental	DL2F-PT	DL2F-PT	DL2F-SA-PT,DL2F-SA-PT; DL2F-SS-PT,DL2F-SS-PT,	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	4 Hinged		49.54	0	49.54	83.3	52	35.5	13.75 R-404A	1/1/2010	7/11/2013
Continental Refrigerator	Continental	DL2F-PT-HD	DL2F-PT-HD	DL2F-SA-PT-HD,DL2F-SA-PT-HD; DL2F-SS-PT-HD,DL2F-SS-PT-HD,	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	8 Hinged		49.37	0	49.37	83.3	52	35.5	13.75 R-404A	1/1/2010	7/11/2013
Daeyeong E&B Co., Ltd.	DAEYEONG E & B	DY-1220FNM	DY-1220FNM		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		42.4	0	42.4	76.9	53.9	31	11.65 R-404A	1/5/2002	9/21/2012
Daeyeong E&B Co., Ltd.	DAEYEONG E & B	DY-610FNM	DY-610FNM		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		19.3	0	19.3	76.9	26.8	31	6.26 R-134A	1/5/2002	9/21/2012
Daeyeong E&B Co., Ltd.	Lassele	LFB-72T	LFB-72T		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	3 Hinged		66.8	0	66.8	82.6	81.1	31	16.02 R-404A	12/20/2011	9/21/2012
Daeyeong E&B Co., Ltd.	Lassele	LFT-23S	LFT-23S		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		19.39	0	19.39	76.9	31	26.8	5.92 R-404A	1/13/2011	9/21/2012
Daeyeong E&B Co., Ltd.	Lassele	LFT-49D	LFT-49D		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		43.3	0	43.3	76.9	31	31	12.3 R-404A	1/13/2011	9/21/2012
Daeyeong E&B Co., Ltd.	Lassele	LFT-72T	LFT-72T		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	3 Hinged		67.3	0	67.3	81.8	81.1	31	15.84 R-404A	12/20/2011	9/21/2012
Danby Products Inc.	ColdTech	CRF229-1	CRF229-1		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		20.6	0	20.6	82.48	28.98	32.2	6.3 R-134A	3/25/2011	1/22/2013
Danby Products Inc.	ColdTech	CRF466-2	CRF466-2		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		41.33	0	41.33	82.48	53.98	32.2	11.06 R-404A	3/25/2011	1/22/2013
Danby Products Inc.	ColdTech	CRF720-3	CRF720-3		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		66.46	0	66.46	82.48	80.87	32.2	13.62 R-404A	3/25/2011	1/23/2013
Danby Products Inc.	Danby	CRF229-1	CRF229-1		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		20.6	0	20.6	82.48	28.98	32.2	6.3 R-134A	3/25/2011	2/7/2013
Danby Products Inc.	Danby	CRF466-2	CRF466-2		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		41.33	0	41.33	82.48	53.98	32.2	11.06 R-404A	3/25/2011	2/7/2013
Danby Products Inc.	Danby	CRF720-3	CRF720-3		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		66.46	0	66.46	82.48	80.87	32.2	13.62 R-404A	3/25/2011	2/20/2013
Electrolux Home Products	Arctic Air	Arctic Air	CF05		Solid Door Freezer Cabinet	Chest	Reach-in	Manual	0	1 Hinged		5	0	5	34.2	27	22	1 R-134A	9/1/1999	2/18/2011

ENERGY STAR Partners	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet			Daily Energy Consumption (kW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified	
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)	Height (in)					Width (in)
Electrolux Home Products	Arctic Air	Arctic Air	CF07		Solid Door Freezer Cabinet	Chest	Reach-in	Manual	0	1 Hinged		7	0	7	34.2	35	22	1 R-134A	9/1/1999	2/18/2011
Electrolux Home Products	Arctic Air	Arctic Air	CF13		Solid Door Freezer Cabinet	Chest	Reach-in	Manual	0	1 Hinged		13	0	13	35	43	28	1 R-134A	9/1/1999	2/18/2011
Electrolux Home Products	Arctic Air	Arctic Air	CF15		Solid Door Freezer Cabinet	Chest	Reach-in	Manual	0	1 Hinged		15	0	15	35	48	28	1 R-134A	9/1/1999	2/18/2011
Electrolux Home Products	Arctic Air	Arctic Air	CF20		Solid Door Freezer Cabinet	Chest	Reach-in	Manual	0	1 Hinged		20	0	20	35	61	28	2 R-134A	1/1/2005	2/18/2011
Electrolux Home Products	Arctic Air	Arctic Air	F22CWF		Solid Door Freezer Cabinet	Vertical	Reach-in	Manual	0	1 Hinged		18	0	18	70.6	32	29	3 R-134A	4/15/1995	2/18/2011
Electrolux Home Products	Arctic Air	Arctic Air	ST05G		Glass Door Freezer Cabinet	Chest	Reach-in	Manual	2	0 Sliding		5	5	0	34.2	27	22	1 R-134A	2/1/2005	2/18/2011
Electrolux Home Products	Arctic Air	Arctic Air	ST07G		Glass Door Freezer Cabinet	Chest	Reach-in	Manual	2	0 Sliding		7	7	0	34.2	35	22	1 R-134A	2/1/2005	2/18/2011
Electrolux Home Products	Arctic Air	Arctic Air	ST09G		Glass Door Freezer Cabinet	Chest	Reach-in	Manual	2	0 Sliding		9	9	0	34.2	41	22	1 R-134A	2/1/2005	2/18/2011
Electrolux Home Products	Arctic Air	Arctic Air	ST15G		Glass Door Freezer Cabinet	Chest	Reach-in	Manual	2	0 Sliding		15	15	0	35	48	28	2 R-134A	2/1/2005	2/18/2011
Electrolux Home Products	Arctic Air	Arctic Air	ST20G		Glass Door Freezer Cabinet	Chest	Reach-in	Manual	2	0 Sliding		20	20	0	35	61	28	2 R-134A	2/1/2005	2/18/2011
Electrolux Home Products	Frigidaire	Frigidaire	FCCG071FW		Glass Door Freezer Cabinet	Chest	Reach-in	Manual	2	0 Sliding		7	7	0	34.2	35	22	1 R-134A	10/1/2006	2/18/2011
Electrolux Home Products	Frigidaire	Frigidaire	FCCG151FW		Glass Door Freezer Cabinet	Chest	Reach-in	Manual	2	0 Sliding		15	15	0	35	48	28	2 R-134A	10/1/2006	2/18/2011
Electrolux Home Products	Frigidaire	Frigidaire	FCCG201FW		Glass Door Freezer Cabinet	Chest	Reach-in	Manual	2	0 Sliding		20	20	0	35	61	28	2 R-134A	10/1/2006	2/18/2011
Electrolux Home Products	Frigidaire	Frigidaire	FCCS071FW		Solid Door Freezer Cabinet	Chest	Reach-in	Manual	0	1 Hinged		7	0	7	34.2	35	22	1 R-134A	5/1/2006	2/18/2011
Electrolux Home Products	Frigidaire	Frigidaire	FCCS151FW		Solid Door Freezer Cabinet	Chest	Reach-in	Manual	0	1 Hinged		15	0	15	35	48	28	1 R-134A	5/1/2006	2/18/2011
Electrolux Home Products	Frigidaire	Frigidaire	FCCS201FW		Solid Door Freezer Cabinet	Chest	Reach-in	Manual	0	1 Hinged		20	0	20	35	61	28	2 R-134A	5/1/2006	2/18/2011
Electrolux Home Products	Frigidaire	Frigidaire	FCFS201LFB		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		19	0	19	70.6	32	29	3 R-134A	5/1/2006	2/18/2011
Electrolux Home Products	Gibson	Gibson	RR18F		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		18		18	70.6	32	29	3 R-134A	9/4/2012	9/4/2012
Electrolux Home Products	Kelvinator	Kelvinator	KCG050LW		Glass Door Freezer Cabinet	Chest	Reach-in	Automatic	2	0 Sliding		5	5	0	34.2	27	22	1 R-134A	1/1/2010	2/18/2011
Electrolux Home Products	Kelvinator	Kelvinator	KCG070GW		Glass Door Freezer Cabinet	Chest	Reach-in	Manual	2	0 Sliding		7	7	0	34.2	35	22	1 R-134A	6/1/2007	2/18/2011
Electrolux Home Products	Kelvinator	Kelvinator	KCG090LW		Glass Door Freezer Cabinet	Chest	Reach-in	Manual	2	0 Sliding		9	9	0	34.2	41	22	1 R-134A	1/1/2010	2/18/2011
Electrolux Home Products	Kelvinator	Kelvinator	KCG130GW		Glass Door Freezer Cabinet	Chest	Reach-in	Manual	2	0 Sliding		13	13	0	35	43	28	2 R-134A	3/1/2007	2/18/2011

ENERGY STAR Partners	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet			Daily Energy Consumption (kW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified	
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)	Height (in)					Width (in)
Electrolux Home Products	Kelvinator	Kelvinator	KCG150LW		Glass Door Freezer Cabinet	Chest	Reach-in	Manual	2	0	Sliding	15	15	0	35	48	28	2 R-134A	3/1/2010	2/18/2011
Electrolux Home Products	Kelvinator	Kelvinator	KCG200GW		Glass Door Freezer Cabinet	Chest	Reach-in	Manual	2	0	Sliding	20	20	0	35	61	28	2 R-134A	3/1/2007	2/18/2011
Electrolux Home Products	Kelvinator	Kelvinator	KCS050LW		Solid Door Freezer Cabinet	Chest	Reach-in	Manual	0	1	Hinged	5	0	5	34.2	27	22	1 R-134A	3/1/2010	2/18/2011
Electrolux Home Products	Kelvinator	Kelvinator	KCS070GW		Solid Door Freezer Cabinet	Chest	Reach-in	Manual	0	1	Hinged	7	0	7	34.2	35	22	1 R-134A	2/1/2007	2/18/2011
Electrolux Home Products	Kelvinator	Kelvinator	KCS130GW		Solid Door Freezer Cabinet	Chest	Reach-in	Manual	0	1	Hinged	13	0	13	35	43	28	1 R-134A	2/1/2007	2/18/2011
Electrolux Home Products	Kelvinator	Kelvinator	KCS150LW		Solid Door Freezer Cabinet	Chest	Reach-in	Manual	0	1	Hinged	15	0	15	35	48	28	1 R-134A	2/1/2010	2/18/2011
Electrolux Home Products	Kelvinator	Kelvinator	KCS200GW		Solid Door Freezer Cabinet	Chest	Reach-in	Manual	0	1	Hinged	20	0	20	35	61	28	2 R-134A	2/1/2007	2/18/2011
Electrolux Home Products	Kelvinator	Kelvinator	KFS220RHY		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	19	0	19	70.6	32	29	3 R-134A	12/1/2008	2/18/2011
Electrolux Home Products	Kelvinator	Kelvinator	KFS221LHY		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	19	0	19	70.6	32	29	3 R-134A	12/1/2008	2/18/2011
Everest Import Distribution	GLOBAL 1ST PROI	GDF-2-50NRJ	GDF-2-50NRJ		Glass Door Freezer Cabinet	Vertical	Reach-in	Automatic	2	0	Hinged	28	28	0	83.27	49.21	26.18	16.93 R-404A	4/30/2011	9/21/2012
Everest Import Distribution	GLOBAL 1ST PROI	SDF-2-54NRJ	SDF-2-54NRJ		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	41.33	0	41.33	82.48	53.98	32.2	11.06 R-404A	4/30/2011	9/21/2012
Everest Import Distribution	GLOBAL 1ST PROI	SDF-3-81NRJ	SDF-3-81NRJ		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	3	Hinged	66.46	0	66.46	82.48	80.87	32.2	13.62 R-404A	4/30/2011	9/21/2012
Excellence Industries	Excellence	SPOT-4	SPOT-4		Glass Door Freezer Cabinet	Chest	Reach-in	Manual	1	0	Sliding	7.85	7.85	0	37.4	32.68	32.99	1.78 R-134a	11/1/2012	12/19/2012
Excellence Industries	Excellence	SPOT-6	SPOT-6		Glass Door Freezer Cabinet	Chest	Reach-in	Manual	1	0	Sliding	11.06	11.06	0	37.4	44.29	32.68	1.61 R-134a	11/1/2012	12/19/2012
Fagor Commercial	Fagor; Edesa; Arbe	QF-1	QF-1	ARF-23,ARF-23.; EDF-1,EDF-1.; G3-1 F,G3-1 F.; QVF-1,QVF-1,	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	21.03	0	21.03	78.88	27.5	31	6.4 R-404A	2/1/2007	6/5/2013
Guangdong Xingxing Refrigeration Equipment Co.,Ltd	Xingxing	CFD-1FF	CFD-1FF		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	20.6	0	18.4	82.48	28.98	32.2	6.4 R404a	10/1/2012	1/15/2013
Guangdong Xingxing Refrigeration Equipment Co.,Ltd	Xingxing	CFD-2FF	CFD-2FF		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	41.33	0	29.29	82.48	5.4	32.2	11.31 R404a	10/1/2012	1/15/2013
Guangdong Xingxing Refrigeration Equipment Co.,Ltd	Xingxing	D768BM2F	D768BM2F		Glass Door Freezer Cabinet	Vertical	Reach-in	Automatic	2	0	Hinged	28	28	0	83.27	49.21	26.18	17.09 R404a	11/22/2012	1/7/2013
HMC Enterprises LLC	Howard McCray	GF48	GF48		Glass Door Freezer Cabinet	Vertical	Other	Automatic	1	0	Hinged	47.49	47.5	0	60.25	47.5	29.5	24.47 R-404A	6/28/2011	2/1/2013
Hoshizaki America, Inc.	Hoshizaki	CF1B-FG	CF1B-FG		Glass Door Freezer Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	20.91			75.61	192	33.58	8.68 R-404A	11/11/2011	2/27/2012
Hoshizaki America, Inc.	Hoshizaki	CF1B-FS	CF1B-FS		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	20.94			75.61	192	33.58	6.31 R-134A	2/1/2011	2/27/2012
Hoshizaki America, Inc.	Hoshizaki	CF1B-FSL	CF1B-FSL		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	20.94	0	20.94	75.61	192	33.58	6.31 r134a	5/25/2012	9/7/2012

ENERGY STAR Partners	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet			Daily Energy Consumption (kW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified		
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)	Height (in)					Width (in)	Depth (in)
Hoshizaki America, Inc.	Hoshizaki	CF1B-HS	CF1B-HS		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		20.84				75.61	192	33.58	6.42 R-134A	2/1/2011	2/27/2012
Hoshizaki America, Inc.	Hoshizaki	CF1B-HSL	CF1B-HSL		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		20.84	0	20.84	75.61	192	33.58	6.42 r134a	5/25/2012	9/7/2012	
Hoshizaki America, Inc.	Hoshizaki	CF2B-FG	CF2B-FG		Glass Door Freezer Cabinet	Vertical	Reach-in	Automatic	2	0 Hinged		47.24	47.24	0	75.61	192	33.58	15.87 R-404A	4/18/2012	9/7/2012	
Hoshizaki America, Inc.	Hoshizaki	CF2B-FS	CF2B-FS		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		47.24			75.61	55	33.58	11.46 R-134A	2/1/2011	2/27/2012	
Hoshizaki America, Inc.	Hoshizaki	CF2B-HS	CF2B-HS		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	4 Hinged		47.03			75.61	55	33.58	11.81 R-134A	2/1/2011	2/27/2012	
Hoshizaki America, Inc.	Hoshizaki	CRMF27	CRMF27		Solid Door Freezer Cabinet	Vertical	Undercounter Unit	Automatic	0	1 Hinged		6.22			30	27	30	2.66 R-134A	7/15/2011	2/27/2012	
Hoshizaki America, Inc.	Hoshizaki	CRMF27-01	CRMF27-01		Solid Door Freezer Cabinet	Vertical	Undercounter Unit	Automatic	0	1 Hinged		6.22	0	6.22	30	76	30	2.66 r134a	7/15/2011	12/18/2012	
Hoshizaki America, Inc.	Hoshizaki	CRMF27-W	CRMF27-W		Solid Door Freezer Cabinet	Vertical	Undercounter Unit	Automatic	0	1 Hinged		6.22			30	27	30	2.66 R-134A	7/15/2011	2/27/2012	
Hoshizaki America, Inc.	Hoshizaki	CRMF27-W01	CRMF27-W01		Solid Door Freezer Cabinet	Vertical	Undercounter Unit	Automatic	0	1 Hinged		6.22	0	6.22	30	76	30	2.66 r134a	7/15/2011	12/18/2012	
Hoshizaki America, Inc.	Hoshizaki	CRMF60	CRMF60		Solid Door Freezer Cabinet	Vertical	Undercounter Unit	Automatic	0	2 Hinged		16.58	0	16.58	30	76	30	4.87 r134a	10/18/2012	12/18/2012	
Hoshizaki America, Inc.	Hoshizaki	CRMF60-W	CRMF60-W		Solid Door Freezer Cabinet	Vertical	Undercounter Unit	Automatic	0	2 Hinged		16.58	0	16.58	30	76	30	4.87 r134a	10/18/2012	12/18/2012	
Hoshizaki America, Inc.	Hoshizaki	FH2-SSB	FH2-SSB		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	4 Hinged		48.29			84.5	214.63	33.6	13.65 R404a	4/1/2013	3/22/2013	
Imbera S.A. de C.V.	Imbera S A DE C V	VFS24	VFS24		Glass Door Freezer Cabinet	Vertical	Reach-in	Automatic	1	0 Hinged		22.56			77.55	196.98	27.48	10.51 R404A	4/15/2013	3/26/2013	
KoolStar	KoolStar	F23-S	F23-S	KSF23-S, F23-S, KSF23-S, F23-S,	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		20.9			20.9	83.8	212.7	33	6.81 R404a	2/13/2013	2/13/2013
KoolStar	KoolStar	F49-S	F49-S	KSF49-S, F49-S, KSF49-S, F49-S,	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		43.1			43.1	83.8	212.7	33	10.93 R404a	2/13/2013	2/13/2013
KoolStar	KoolStar	F72-S	F72-S	KSF72-S, F72-S, KSF72-S, F72-S,	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	3 Hinged		66.6			66.6	83.8	212.7	33	15.18 R404a	2/13/2013	2/13/2013
Master-Bilt Products	Fusion Plus	MBGFP23-HG	MBGFP23-HG		Glass Door Freezer Cabinet	Vertical	Reach-in	Automatic	1	0 Hinged		20.74			62	157.48	23.5	13.3 R404A	6/17/2013	6/11/2013	
Master-Bilt Products	Fusion Plus	MBGFP27-HG	MBGFP27-HG		Glass Door Freezer Cabinet	Vertical	Reach-in	Automatic	1	0 Hinged		23.54			62	157.48	26.5	14.93 R404A	6/17/2013	6/11/2013	
Master-Bilt Products	Fusion Plus	MBGFP48-HG	MBGFP48-HG		Glass Door Freezer Cabinet	Vertical	Reach-in	Automatic	2	0 Hinged		42.86			62	157.48	48.5	23.3 R404A	6/17/2013	6/11/2013	
Master-Bilt Products	Fusion Plus	MBGFP74-HG	MBGFP74-HG		Glass Door Freezer Cabinet	Vertical	Reach-in	Automatic	3	0 Hinged		65.89			62	157.48	14.5	32.84 R404A	6/17/2013	6/11/2013	
Master-Bilt Products	KoolStar	F23-S	F23-S	KSF23-S, KSF23-S, KSF23-S, KSF23-S,	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		20.9			20.9	83.8	27.5	33	6.81 R404A	2/13/2013	2/13/2013
Master-Bilt Products	KoolStar	F49-S	F49-S	KSF49-S, KSF49-S,	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		43.1			43.1	83.8	55.3	33	10.93 R404A	2/13/2013	2/13/2013

ENERGY STAR Partners	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet			Daily Energy Consumption (kW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified	
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)	Height (in)					Width (in)
Master-Bilt Products	KoolStar	F72-S	F72-S	KSF72-S,KSF72-S,	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	3 Hinged		66.6		66.6	83.8	78	33	15.18 R404A	2/13/2013	2/13/2013
Master-Bilt Products	Master-Bilt	BLG-27HD	BLG-27HD		Glass Door Freezer Cabinet	Vertical	Reach-in	Automatic	1	0 Hinged		24.4	24.4		79	200.7	36.8	15.56 R404A	3/25/2011	3/25/2011
Master-Bilt Products	Master-Bilt	BLG-48HD	BLG-48HD		Glass Door Freezer Cabinet	Vertical	Reach-in	Automatic	2	0 Hinged		43.5	43.5		79	200.7	36.8	23.14 R404A	3/25/2011	3/25/2011
Master-Bilt Products	Master-Bilt	BLG-52HD	BLG-52HD		Glass Door Freezer Cabinet	Vertical	Reach-in	Automatic	2	0 Hinged		46	46		79	200.7	36.8	23.73 R404A	3/25/2011	3/25/2011
Master-Bilt Products	Master-Bilt	BLG-74HD	BLG-74HD		Glass Door Freezer Cabinet	Vertical	Reach-in	Automatic	3	0 Hinged		66.8	66.8		79	200.7	36.8	29.95 R404A	3/25/2011	3/25/2011
Master-Bilt Products	Master-Bilt	BLG-80HD	BLG-80HD		Glass Door Freezer Cabinet	Vertical	Reach-in	Automatic	3	0 Hinged		73.1	73.1		79	200.7	36.8	32.49 R404A	3/25/2011	3/25/2011
Master-Bilt Products	Master-Bilt	BSD-24SFA	BSD-24SFA		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		19.5		19.5	82.5	209.6	34	6.24 R404A	3/25/2011	3/25/2011
Master-Bilt Products	Master-Bilt	BSD-52DFA	BSD-52DFA		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		46.4		46.4	82.5	209.6	34	11.62 R404A	3/25/2011	3/25/2011
Master-Bilt Products	Master-Bilt	BSD-80TFA	BSD-80TFA		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	3 Hinged		70.6		70.6	82.5	209.6	34	16.88 R404A	3/25/2011	3/25/2011
Master-Bilt Products	Master-Bilt	F23-S	F23-S	MBF23-S,MBF23-S,	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		20.9		20.9	83.8	212.7	33	6.81 R404A	3/25/2011	3/25/2011
Master-Bilt Products	Master-Bilt	F49-S	F49-S	MBF49-S,MBF49-S,	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		43.1		43.1	83.8	212.7	33	10.93 R404A	3/25/2011	3/25/2011
Master-Bilt Products	Master-Bilt	F72-S	F72-S	MBF72-S,MBF72-S,	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	3 Hinged		66.6		66.6	83.8	212.7	33	15.18 R404A	3/25/2011	3/25/2011
Master-Bilt Products	Master-Bilt	MNF241SSS/0	MNF241SSS/0		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		23.27		23.27	81.5	207	35.1	7.98 R404A	3/23/2011	9/19/2012
Master-Bilt Products	Master-Bilt	MNF522SSS/0	MNF522SSS/0		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		50.5		50.5	81.5	207	35.1	13.79 R404A	3/23/2011	9/19/2012
Master-Bilt Products	Master-Bilt	MNF803SSS/0	MNF803SSS/0		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	3 Hinged		77.73		77.73	81.5	207	35.1	17.8 R404A	3/23/2011	9/19/2012
MetalFrio Solutions, Inc.	Caravell	C-23F	C-23F		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		20.6	0	18.4	82.48	28.98	32.2	6.4 R404a	10/1/2012	7/24/2013
MetalFrio Solutions, Inc.	Caravell	C-48F	C-48F		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		41.33	0	29.29	82.48	5.4	32.2	11.31 R404a	10/1/2012	7/24/2013
MetalFrio Solutions, Inc.	Caravell	C-72F	C-72F		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	3 Hinged		66.46	0	66.46	82.48	80.87	32.2	13.62 R404a	5/29/2013	7/24/2013
MetalFrio Solutions, Inc.	MetalFrio	M-23F	M-23F		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		20.6	0	18.4	82.48	28.98	32.2	6.4 R404a	5/1/2013	5/23/2013
MetalFrio Solutions, Inc.	MetalFrio	M-48F	M-48F		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		41.33	0	29.29	82.48	5.4	32.2	11.31 R404a	5/1/2013	5/23/2013
MetalFrio Solutions, Inc.	MetalFrio Solutions, CFD		CFD-1FF		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		20.6	0	18.4	82.5	29	32.2	6.27 R-404A	2/7/2011	2/7/2011
MetalFrio Solutions, Inc.	MetalFrio Solutions, CFD		CFD-2FF		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		41.33	0	29.29	82.5	54	32.2	11.06 R-404A	2/7/2011	2/7/2011

ENERGY STAR Partners	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet			Daily Energy Consumption (kW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified		
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)	Height (in)					Width (in)	Depth (in)
MIMET SA	Mimet	VV-16BTFN	VV-16BTFN		Glass Door Freezer Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	15.65	15.65	0	77.5	26.75	25.75	9.42	R404A	5/1/2013	8/16/2013
MVP Group Corp.	KOOL-IT	KBSF-1	KBSF-1		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	19.3	0	19.3	76.9	26.8	31	6.26	R-134A	1/5/2002	9/21/2012
MVP Group Corp.	KOOL-IT	KBSF-2	KBSF-2		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	42.4	0	42.4	76.9	53.9	31	11.65	R-404A	1/5/2002	9/21/2012
MVP Group Corp.	KOOL-IT	KBSF-3	KBSF-3		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	3	Hinged	66.8	0	66.8	82.6	81.1	31	16.02	R-404A	12/20/2011	9/21/2012
MVP Group Corp.	KOOL-IT	KTSF-1	KTSF-1		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	19.39	0	19.39	76.9	31	26.8	5.92	R-404A	1/13/2011	9/21/2012
MVP Group Corp.	KOOL-IT	KTSF-2	KTSF-2		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	43.3	0	43.3	76.9	31	31	12.3	R-404A	1/13/2011	9/21/2012
MVP Group Corp.	KOOL-IT	KTSF-3	KTSF-3		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	3	Hinged	67.3	0	67.3	81.8	81.1	31	15.84	R-404A	12/20/2011	9/21/2012
Nor-Lake Incorporated	Noriake	F23-S	F23-S		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	20.9	0	20.9	83.8	212.7	33	6.81	R404A	3/23/2011	3/24/2011
Nor-Lake Incorporated	Noriake	F49-S	F49-S		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	43.1	0	43.1	83.8	212.7	33	10.93	R404A	3/23/2011	3/24/2011
Nor-Lake Incorporated	Noriake	F72-S	F72-S		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	3	Hinged	66.6	0	66.6	83.8	212.7	33	15.18	R404A	3/23/2011	3/24/2011
Nor-Lake Incorporated	Noriake	NF241SSS/0	NF241SSS/0		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	23.27	0	23.27	81.5	207	35.1	7.98	R404A	3/23/2011	3/24/2011
Nor-Lake Incorporated	Noriake	NF522SSS/0	NF522SSS/0		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	50.5	0	50.5	81.5	207	35.1	13.79	R404A	3/23/2011	3/24/2011
Nor-Lake Incorporated	Noriake	NF803SSS/0	NF803SSS/0		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	3	Hinged	77.73	0	77.73	81.5	207	35.1	17.8	R404A	3/23/2011	3/24/2011
Patriot Foodservice Equipment	Patriot	P23F	P23F		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	19.3	0	19.3	76.9	26.8	31	6.26	R-134A	1/5/2002	9/21/2012
Patriot Foodservice Equipment	Patriot	P49F	P49F		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	42.4	0	42.4	76.9	53.9	31	11.65	R-404A	1/5/2002	9/21/2012
Patriot Foodservice Equipment	Patriot	P72F	P72F		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	3	Hinged	66.8	0	66.8	82.6	81.1	31	16.02	R-404A	12/20/2011	9/21/2012
Patriot Foodservice Equipment	Patriot	STM23F	STM23F		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	19.39	0	19.39	76.9	31	26.8	5.92	R-404A	1/13/2011	9/21/2012
Patriot Foodservice Equipment	Patriot	STM49F	STM49F		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	43.3	0	43.3	76.9	31	31	12.3	R-404A	1/13/2011	9/21/2012
Patriot Foodservice Equipment	Patriot	STM72F	STM72F		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	3	Hinged	67.3	0	67.3	81.8	81.1	31	15.84	R-404A	12/20/2011	9/21/2012
Primoris Inc., Saturn Equipment	Saturn	S23F	S23F		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	19.3	0	19.3	76.9	26.8	31	6.26	R-134A	1/5/2002	9/21/2012
Primoris Inc., Saturn Equipment	Saturn	S49F	S49F		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	42.4	0	42.4	76.9	53.9	31	11.65	R-404A	1/5/2002	9/21/2012
Primoris Inc., Saturn Equipment	Saturn	S72F	S72F		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	3	Hinged	66.8	0	66.8	82.6	81.1	31	16.02	R-404A	12/20/2011	9/21/2012

ENERGY STAR Partners	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet			Daily Energy Consumption (kW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified	
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)	Height (in)					Width (in)
Primoris Inc., Saturn Equipment	Saturn	STM23F	STM23F		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		19.39	0	19.39	76.9	31	26.8	5.92 R-404A	1/13/2011	9/21/2012
Primoris Inc., Saturn Equipment	Saturn	STM49F	STM49F		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		43.3	0	43.3	76.9	31	31	12.3 R-404A	1/13/2011	9/21/2012
Primoris Inc., Saturn Equipment	Saturn	STM72F	STM72F		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	3 Hinged		67.3	0	67.3	81.8	81.1	31	15.84 R-404A	12/20/2011	9/21/2012
Proud Inc.	Proud	PS-F23	PS-F23		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		19.3	0	19.3	76.9	26.8	31	6.26 R-134A	1/5/2002	9/21/2012
Proud Inc.	Proud	PS-F49	PS-F49		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		42.4	0	42.4	76.9	53.9	31	11.65 R-404A	1/5/2002	9/21/2012
Proud Inc.	Proud	PS-F72	PS-F72		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	3 Hinged		66.8	0	66.8	82.6	81.1	31	16.02 R-404A	12/20/2011	9/21/2012
Proud Inc.	Proud	PS-FT23	PS-FT23		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		19.39	0	19.39	76.9	31	26.8	5.92 R-404A	1/13/2011	9/21/2012
Proud Inc.	Proud	PS-FT49	PS-FT49		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		43.3	0	43.3	76.9	31	31	12.3 R-404A	1/13/2011	9/21/2012
Proud Inc.	Proud	PS-FT72	PS-FT72		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	3 Hinged		67.3	0	67.3	81.8	81.1	31	15.84 R-404A	12/20/2011	9/21/2012
Qingdao Hiron Electric Appliance Co., Ltd.	MONT BLANC	SD-360	SD-360		Glass Door Freezer Cabinet	Chest	Reach-in	Manual	2	0 Sliding		11.42	11.42		34	49	28	2.2 R-134A	7/10/2011	9/21/2012
Spartan Refrigeration	XINGX	CFD-1FF	CFD-1FF		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		20.6	0	20.6	82.48	28.98	32.2	6.4 R404A	1/3/2011	3/8/2013
Spartan Refrigeration	XINGX	CFD-2FF	CFD-2FF		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		41.33	0	41.33	82.48	53.98	32.2	11.31 R404A	1/3/2011	3/11/2013
The Defield Company (A division of Manitowoc Foodservice)	Defield	407	407	407CA-M327, 407CA-M327, 407CA-TB1, 407CA-TB2, 407CA-TB2, 407CA-TB2.	Solid Door Freezer Cabinet	Vertical	Undercounter Unit	Automatic	0	1 Hinged		5.7		5.7	33.3	27.3	27.8	2.53 R-404A	5/16/2011	12/3/2012
The Defield Company (A division of Manitowoc Foodservice)	Defield	407, 403-WS1, 403	407, 403-WS1, 403	407CA-M261, 407CA-M261, 407CD-DHL, M261, 407CD-DHL-M261, S4-M324, 6125XL-S4-WAG1, 6125XL-S4-WAG1, SH1, 6125XL-SH1-18, 6125XL-SH1-18, 6125XL-SH1-48, 6125XL-SH1-48.	Solid Door Freezer Cabinet	Vertical	Undercounter Unit	Automatic	0	1 Hinged		5.7		5.7	33.3	27.3	27.8	2.53 R-404A	5/16/2011	3/11/2013
The Defield Company (A division of Manitowoc Foodservice)	Defield	407-MD1	407-MD1	407CA-M261, 407CA-M261, 407CD-DHL, M261, 407CD-DHL-M261, S4-M324, 6125XL-S4-WAG1, 6125XL-S4-WAG1, SH1, 6125XL-SH1-18, 6125XL-SH1-18, 6125XL-SH1-48, 6125XL-SH1-48.	Solid Door Freezer Cabinet	Vertical	Undercounter Unit	Automatic	0	1 Hinged		5.7		5.7	33.3	27.3	27.8	2.56 R-404A	5/16/2001	12/3/2012
The Defield Company (A division of Manitowoc Foodservice)	Defield	6125XL-S	6125XL-S	6125XL-S4-M324, 6125XL-S4-WAG1, 6125XL-S4-WAG1, SH1, 6125XL-SH1-18, 6125XL-SH1-18, 6125XL-SH1-48, 6125XL-SH1-48.	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		20.4	0	20.4	79.5	25.5	32.8	6.69 R-404A	6/1/2011	12/3/2012
The Defield Company (A division of Manitowoc Foodservice)	Defield	6125XL-SH	6125XL-SH	6125XL-S4-M324, 6125XL-S4-WAG1, 6125XL-S4-WAG1, SH1, 6125XL-SH1-18, 6125XL-SH1-18, 6125XL-SH1-48, 6125XL-SH1-48.	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		20.3	0	20.3	79.5	25.5	32.8	7.05 R-404A	6/1/2011	12/3/2012
The Defield Company (A division of Manitowoc Foodservice)	Defield	6125XL-SH-MD1	6125XL-SH-MD1	6125XL-S4-M324, 6125XL-S4-WAG1, 6125XL-S4-WAG1, SH1, 6125XL-SH1-18, 6125XL-SH1-18, 6125XL-SH1-48, 6125XL-SH1-48.	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		20.3	0	20.3	79.5	25.5	32.8	7.04 R-404A	6/1/2011	12/3/2012
The Defield Company (A division of Manitowoc Foodservice)	Defield	6151XL-S	6151XL-S	6151XL-S50, 6151XL-S57, 6151XL-S57, SH-WAG1, 6151XL-SH33, 6151XL-SH33, 6151XL-SH41, 6151XL-SH41.	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		42.13	0	42.13	79.5	51	32.8	11.03 R-404A	6/1/2011	12/3/2012
The Defield Company (A division of Manitowoc Foodservice)	Defield	6151XL-SH	6151XL-SH	6151XL-S50, 6151XL-S57, 6151XL-S57, SH-WAG1, 6151XL-SH33, 6151XL-SH33, 6151XL-SH41, 6151XL-SH41.	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	4 Hinged		41.94	0	41.94	79.5	51	32.8	12.55 R-404A	6/1/2011	12/3/2012
The Defield Company (A division of Manitowoc Foodservice)	Defield	F18FC43	F18FC43	18FC43, 18FC43	Solid Door Freezer Cabinet	Vertical	Other	Automatic	0	1 Hinged		8.65		8.65	36	43	31.5	3.18 R-404A	5/11/2011	9/19/2012
The Defield Company (A division of Manitowoc Foodservice)	Defield	F18FC70	F18FC70	18FC70, 18FC70	Solid Door Freezer Cabinet	Vertical	Other	Automatic	0	2 Hinged		17.21		17.21	36	70	31.5	5.73 R-404A	5/11/2011	9/19/2012

ENERGY STAR Partners	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/ Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet			Daily Energy Consumption (kW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified	
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)	Height (in)					Width (in)
The Defield Company (A division of Manitowoc Foodservice)	Defield	F18FC78	F18FC78	18FC78,18FC78	Solid Door Freezer Cabinet	Vertical	Other	Automatic	0	2 Hinged		20.19		20.19	36	78	31.5	6.4 R-404A	5/11/2011	9/19/2012
The Defield Company (A division of Manitowoc Foodservice)	Defield	F18FC88	F18FC88	18FC88,18FC88	Solid Door Freezer Cabinet	Vertical	Other	Automatic	0	2 Hinged		23.92		23.92	36	78	31.5	7.67 R-404A	5/11/2011	9/19/2012
The Defield Company (A division of Manitowoc Foodservice)	Defield	SSF1-G	SSF1-G	G.; SMF1-G40,SMF1-G40.; SSF1-G,SSF1-G40-303,SSF1-G40-303, GH,SMF1-GH.; SSF1-GH-24,SSF1-GH-24.; SSF1-GH57,SSF1-GH57, S3-205,SSF1-S3-205.; SSF1-S3-207,SSF1-S3-207.; SSF1-S3-24,SSF1-S3-24, SSF1-SH13-207,SSF1-SH13-207.; SSF1-SH13-24,SSF1-SH13-24, S123-172.; SSF2-S24,SSF2-S24.; SSF2-S24-28,SSF2-S24-28, SH25-209.; SSF2-SH53,SSF2-SH53.; SSF2-SH53,SSF2-SH53, S-24.; SMF3-S31-24,SMF3-S31-24.; SSF3-S-24,SSF3-S-24.; SSF3-S31,SSF3-S31,	Glass Door Freezer Cabinet	Vertical	Reach-in	Automatic	1	0 Hinged		25.35	25.35	0	82	29	34	12.68 R-404A	6/20/2011	12/3/2012
The Defield Company (A division of Manitowoc Foodservice)	Defield	SSF1-GH	SSF1-GH		Glass Door Freezer Cabinet	Vertical	Reach-in	Automatic	2	0 Hinged		25.27	25.27	0	82	29	34	11.76 R-404A	6/20/2011	12/3/2012
The Defield Company (A division of Manitowoc Foodservice)	Defield	SSF1-S	SSF1-S		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		24.96	0	24.96	82	29	34	8.14 R-404A	6/6/2011	12/3/2012
The Defield Company (A division of Manitowoc Foodservice)	Defield	SSF1-SH	SSF1-SH		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		24.92	0	24.92	82	29	34	8.75 R-404A	6/6/2011	12/3/2012
The Defield Company (A division of Manitowoc Foodservice)	Defield	SSF2-S	SSF2-S		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		50.35	0	50.35	82	56	34	13.29 R-404A	6/6/2011	12/3/2012
The Defield Company (A division of Manitowoc Foodservice)	Defield	SSF2-SH	SSF2-SH		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	4 Hinged		50.22	0	50.22	82	56	34	14.02 R-404A	6/6/2011	4/25/2013
The Defield Company (A division of Manitowoc Foodservice)	Defield	SSF3-S	SSF3-S		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	3 Hinged		76.75	0	76.75	82	83	34	17.93 R-404A	6/6/2011	12/3/2012
The Defield Company (A division of Manitowoc Foodservice)	The Defield Compa	SAF1-G	SAF1-G		Glass Door Freezer Cabinet	Vertical	Reach-in	Automatic	1	0 Hinged		25.4	25.4		82	29	34	11.54 R-404A	1/1/2005	10/19/2012
The Defield Company (A division of Manitowoc Foodservice)	The Defield Compa	SAF1-GH	SAF1-GH		Glass Door Freezer Cabinet	Vertical	Reach-in	Automatic	2	0 Hinged		25.7	25.7		82	29	34	12.38 R-404A	1/1/2005	10/19/2012
The Defield Company (A division of Manitowoc Foodservice)	The Defield Compa	SMF1-G	SMF1-G		Glass Door Freezer Cabinet	Vertical	Reach-in	Automatic	1	0 Hinged		25.4	25.4		82	29	34	11.54 R-404A	1/1/2005	10/19/2012
The Defield Company (A division of Manitowoc Foodservice)	The Defield Compa	SMF1-GH	SMF1-GH		Glass Door Freezer Cabinet	Vertical	Reach-in	Automatic	2	0 Hinged		25.7	25.7		82	29	34	12.38 R-404A	1/1/2005	10/19/2012
The Defield Company (A division of Manitowoc Foodservice)	The Defield Compa	SSF1-G	SSF1-G		Glass Door Freezer Cabinet	Vertical	Reach-in	Automatic	1	0 Hinged		25.4	25.4		82	29	34	11.54 R-404A	1/1/2005	10/19/2012
The Defield Company (A division of Manitowoc Foodservice)	The Defield Compa	SSF1-GH	SSF1-GH		Glass Door Freezer Cabinet	Vertical	Reach-in	Automatic	2	0 Hinged		25.7	25.7		82	29	34	12.38 R-404A	1/1/2005	10/19/2012
Traulsen (A division of ITW Food Equipment Group)	Traulsen	G12000	G12000	,G12001,	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		24.2			83.25	211.46	35	8.61 R-404A	1/1/2010	4/7/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	G12010	G12010	,G12011,	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		24.2			83.25	211.46	35	8.65 R-404A	1/1/2010	4/7/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	G22000	G22000	,G22001., G22002., ,G22003,	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	4 Hinged		46			83.25	211.46	35	12.42 R-404A	1/1/2010	4/7/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	G22010	G22010	,G22011., G22012., G22013., ,G30312., ,G30313,	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		46			83.25	211.46	35	12.48 R-404A	1/1/2010	4/7/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	G31010	G31010		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	3 Hinged		71.99			58.88	149.5	27	17.06 R-404a	4/1/2013	4/12/2013
Traulsen (A division of ITW Food Equipment Group)	Traulsen	G31011	G31011		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	3 Hinged		71.99			58.88	149.5	27	17.06 R-404a	4/1/2013	4/12/2013
Traulsen (A division of ITW Food Equipment Group)	Traulsen	G31012	G31012		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	3 Hinged		71.99			58.88	149.5	27	17.06 R-404a	4/1/2013	4/12/2013

ENERGY STAR Partners	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet			Daily Energy Consumption (kW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified		
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)	Height (in)					Width (in)	Depth (in)
Traulsen (A division of ITW Food Equipment Group)	Traulsen	G31013	G31013		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	3 Hinged		71.99				58.88	149.5	27	17.06 R-404a	4/1/2013	4/12/2013
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RIF132HUT-FHS	RIF132HUT-FHS	,AIF132HUT-FHS,	Solid Door Freezer Cabinet	Vertical	Roll-in	Automatic	0	1 Hinged		39.6				89.12	226.36	35.56	12 R-404A	1/1/2010	4/7/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RIF132LUT-FHS	RIF132LUT-FHS	,AIF132LUT-FHS,	Solid Door Freezer Cabinet	Vertical	Roll-in	Automatic	0	1 Hinged		36.2				83.25	211.46	35.56	11.88 R-404A	1/1/2010	4/7/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RLT132WUT-FHS	RLT132WUT-FHS	,ALT132WUT-FHS,	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		24.2				83.25	211.46	35	8.1 R-404A	1/1/2010	4/7/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RLT132WUT-HHS	RLT132WUT-HHS	,ALT132WUT-HHS,	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		24.2				83.25	211.46	35	8.51 R-404A	1/1/2010	4/7/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RLT232NUT-FHS	RLT232NUT-FHS	,ALT232NUT-FHS,	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		46				83.25	211.46	35	10.51 R-404A	1/1/2010	4/7/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RLT232NUT-HHS	RLT232NUT-HHS	,ALT232NUT-HHS,	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	4 Hinged		46				83.25	211.46	35	11.03 R-404A	1/1/2010	4/7/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RLT232WUT-FHS	RLT232WUT-FHS	,ALT232WUT-FHS,	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		51.6				83.25	211.46	35	11.56 R-404A	1/1/2010	4/7/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RLT232WUT-HHS	RLT232WUT-HHS	,ALT232WUT-HHS,	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	4 Hinged		51.6				83.25	211.46	35	12.09 R-404A	1/1/2010	4/7/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	TU044LT	TU044LT		Solid Door Freezer Cabinet	Vertical	Undercounter Unit	Automatic	0	1 Hinged		9.8				34	86.36	34	3.65 R-404A	1/1/2010	4/7/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	TU072LT	TU072LT		Solid Door Freezer Cabinet	Vertical	Undercounter Unit	Automatic	0	2 Hinged		20				34	86.36	34	5.82 R-404A	1/1/2010	4/7/2011
True Manufacturing (True Food Service Equipment)	TRUE	T-72F	T-72F		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	3 Hinged		63.2	0	63.2	79	78	30	15.21 R-404A	11/14/2009	9/20/2012	
True Manufacturing (True Food Service Equipment)	True Refrigeration	GDM-23F	GDM-23F		Glass Door Freezer Cabinet	Vertical	Merchandiser	Automatic	1	0 Hinged		19.6	19.6		78.63	199.72	29.88	12.28 R-404a	1/1/2013	3/27/2013	
True Manufacturing (True Food Service Equipment)	True Refrigeration	GDM-26F	GDM-26F		Glass Door Freezer Cabinet	Vertical	Merchandiser	Automatic	1	0 Hinged		22.1	22.1		78.63	199.72	29.88	12.77 R-404a	1/1/2013	3/27/2013	
True Manufacturing (True Food Service Equipment)	True Refrigeration	GDM-49F	GDM-49F		Glass Door Freezer Cabinet	Vertical	Reach-in	Automatic	2	0 Hinged		40.7	40.7	0	78.5	54.1	29.7	22.74 R-404A	12/6/2010	9/20/2012	
True Manufacturing (True Food Service Equipment)	True Refrigeration	GDM-49F-LD	GDM-49F-LD		Glass Door Freezer Cabinet	Vertical	Reach-in	Automatic	2	0 Hinged		40.7	40.7	0	78.5	54.1	29.7	21.59 R-404A	12/6/2010	9/20/2012	
True Manufacturing (True Food Service Equipment)	True Refrigeration	STA2F-2S	STA2F-2S		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		47.1	0	47.1	77.75	198	33.75	13.23 R-404A	5/1/2011	5/24/2012	
True Manufacturing (True Food Service Equipment)	True Refrigeration	STG2F-2S	STG2F-2S		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		47.1	0	47.1	77.75	198	33.75	13.23 R-404A	5/1/2011	5/24/2012	
True Manufacturing (True Food Service Equipment)	True Refrigeration	STR2F-2S	STR2F-2S		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		47.1	0	47.1	77.75	198	33.75	13.23 R-404A	5/1/2011	5/24/2012	
True Manufacturing (True Food Service Equipment)	True Refrigeration	T-23F	T-23F		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		19.5	19.5	0	78	198.12	30	6.38 R-404A	6/4/2008	3/25/2011	
True Manufacturing (True Food Service Equipment)	True Refrigeration	T-49F	T-49F		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		42.1	42.1	0	78	198.12	30	12.71 R-404A	5/18/2010	3/25/2011	
True Manufacturing (True Food Service Equipment)	True Refrigeration	TA1F-1S	TA1F-1S		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		27.64	0	27.64	78.25	199	34.63	9.18 R-404A	3/1/2012	9/12/2012	

ENERGY STAR Partners	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet			Daily Energy Consumption (kW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified	
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)	Height (in)					Width (in)
True Manufacturing (True Food Service Equipment)	True Refrigeration	TA2F-2S	TA2F-2S		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		51.42	0	51.42	78.25	199	34.63	12.47 R-404A	8/1/2012	9/12/2012
True Manufacturing (True Food Service Equipment)	True Refrigeration	TG1F-1S	TG1F-1S		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		27.64	0	27.64	78.25	199	34.63	9.18 R-404A	3/1/2012	9/12/2012
True Manufacturing (True Food Service Equipment)	True Refrigeration	TG2F-2S	TG2F-2S		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		51.42	0	51.42	78.25	199	34.63	12.47 R-404A	8/1/2012	9/12/2012
True Manufacturing (True Food Service Equipment)	True Refrigeration	TR1F-1S	TR1F-1S		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		27.64	0	27.64	78.25	199	34.63	9.18 R-404A	3/1/2012	9/12/2012
True Manufacturing (True Food Service Equipment)	True Refrigeration	TR2F-2S	TR2F-2S		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		51.42	0	51.42	78.25	199	34.63	12.47 R-404A	8/1/2012	9/12/2012
True Manufacturing (True Food Service Equipment)	True Refrigeration	TS-23F	TS-23F		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		19.5	19.5	0	78	198.12	30	6.38 R-404A	6/4/2008	3/25/2011
True Manufacturing (True Food Service Equipment)	True Refrigeration	TS-49F	TS-49F		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		42.1	42.1	0	78	198.12	30	12.71 R-404A	5/18/2010	3/25/2011
Turbo Air Inc.	Premier Corporation	MSF-23NM	MSF-23NM		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		19.03			78	27	31	6.26 R-404A	5/14/2010	4/25/2013
Turbo Air Inc.	Premier Corporation	MSF-49NM	MSF-49NM		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		39.9			78	55	31	11.74 R-404A	4/23/2010	4/25/2013
Turbo Air Inc.	Premier Corporation	TSF-23SD	TSF-23SD		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		19.03			78	27	31	6.26 R-404A	5/14/2010	10/19/2012
Turbo Air Inc.	Premier Corporation	TSF-49SD	TSF-49SD		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		39.9			78	55	31	11.74 R-404A	4/23/2010	10/19/2012
Turbo Air Inc.	Premier Corporation	TSF-72SD	TSF-72SD		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	3 Hinged		63.8			78	82	31	14.84 R-404A	5/15/2010	10/19/2012
Turbo Air Inc.	Turbo Air	Commercial storage	M3F19-1		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		18.7			72.05	183	31.5	5.95 R-404A	10/30/2012	10/18/2012
Turbo Air Inc.	Turbo Air	M3F24-1	M3F24-1		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		21.8			78	29	31	6.79 R-404A	6/5/2010	10/19/2012
Turbo Air Inc.	Turbo Air	M3F24-2	M3F24-2		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		21.8			78	29	31	7.02 R-404A	9/1/2010	10/19/2012
Turbo Air Inc.	Turbo Air	M3F47-2	M3F47-2		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		42.2			78	52	31	11.4 R-404A	7/20/2010	10/19/2012
Turbo Air Inc.	Turbo Air	M3F47-4	M3F47-4		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	4 Hinged		42.2			78	52	31	11.79 R-404A	9/1/2010	10/19/2012
Turbo Air Inc.	Turbo Air	M3F72-3	M3F72-3		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	3 Hinged		66.9			78	78	31	14.85 R-404A	6/5/2010	10/19/2012
Turbo Air Inc.	Turbo Air	M3F72-6	M3F72-6		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	6 Hinged		72			78	78	31	15.17 R-404A	12/24/2010	10/19/2012
Turbo Air Inc.	Turbo Air	PRO-26-F	PRO-26-F		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		26			78	28.7	31.5	7.33 R-404A	12/30/2010	10/19/2012
Turbo Air Inc.	Turbo Air	PRO-26F	PRO-26F		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		26.14			78	28.7	31.5	7.29 R-404A	12/30/2010	10/19/2012
Turbo Air Inc.	Turbo Air	PRO-50-4F	PRO-50-4F		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		49.82			78	51.7	31.5	12.34 R-404A	12/30/2010	10/19/2012

ENERGY STAR Partners	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet			Daily Energy Consumption (kW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified		
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)	Height (in)					Width (in)	Depth (in)
Turbo Air Inc.	Turbo Air	PRO-50F	PRO-50F		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		50.6				78	51.7	31.5	11.46 R-404A	12/30/2010	10/19/2012
Turbo Air Inc.	Turbo Air	PRO-77-6F	PRO-77-6F		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	6 Hinged		76.82				78	77.8	31.5	16.13 R-404A	1/5/2011	10/19/2012
Turbo Air Inc.	Turbo Air	PRO-77F	PRO-77F		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		77.18				78	77.8	31.5	15.89 R-404A	12/30/2010	10/19/2012
Turbo Air Inc.	Turbo Air	TGF-23F	TGF-23F	TGF-23FB,TGF-23FB,	Glass Door Freezer Cabinet	Vertical	Reach-in	Automatic	1	0 Hinged		17.7	17.7	0	84	27	31	11.18 R-404A	5/1/2012	9/21/2012	
Turbo Air Inc.	Turbo Air	TGF-23SDB	TGF-23SDB	TGF-23SDV,TG F-23SDV.; TGF-23SDW,TG F-23SDW,	Glass Door Freezer Cabinet	Vertical	Reach-in	Automatic	1	0 Hinged		17.99	17.99	0	78	27	28	11.72 R-404A	7/27/2012	10/17/2012	
Turbo Air Inc.	Turbo Air	TGF-47SDW	TGF-47SDW	TGF-47SDB,TG F-47SDB.; TGF-47SDV,TG F-47SDV,	Glass Door Freezer Cabinet	Vertical	Reach-in	Automatic	2	0 Hinged		39	39	0	78	55	28	20.58 R-404A	7/27/2012	1/24/2013	
Turbo Air Inc.	Turbo Air	TGF-72SDB	TGF-72SDB	TGF-72SDV,TG F-72SDV.; TGF-72SDW,TG F-72SDW,	Glass Door Freezer Cabinet	Vertical	Reach-in	Automatic	3	0 Hinged		60.43	60.43	0	78	82	28	28.25 R-404A	8/30/2012	10/17/2012	
Turbo Air Inc.	Turbo Air	TSF-35SD	TSF-35SD		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		30.3				77	39.5	30.3	10.37 R-404A	8/20/2010	10/19/2012
US Inc.	US REFRIGERATI	UM-24F	UM-24F		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		19.3	0	19.3	76.9	26.8	31	6.26 R-134A	1/5/2002	9/21/2012	
US Inc.	US REFRIGERATI	UM-48F	UM-48F		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		42.4	0	42.4	76.9	53.9	31	11.65 R-404A	1/5/2002	9/21/2012	
US Inc.	US REFRIGERATI	UM-72F	UM-72F		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	3 Hinged		66.8	0	66.8	82.6	81.1	31	16.02 R-404A	12/20/2011	9/21/2012	
US Inc.	US REFRIGERATI	UMT-24F	UMT-24F		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		19.39	0	19.39	76.9	31	26.8	5.92 R-404A	1/13/2011	9/21/2012	
US Inc.	US REFRIGERATI	UMT-48F	UMT-48F		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		43.3	0	43.3	76.9	31	31	12.3 R-404A	1/13/2011	9/21/2012	
US Inc.	US REFRIGERATI	UMT-72F	UMT-72F		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	3 Hinged		67.3	0	67.3	81.8	81.1	31	15.84 R-404A	12/20/2011	9/21/2012	
Victory Refrigeration	Victory	FA-1D-S7	FA-1D-S7	FS-1D-S7,FS-1D-S7.; FSA-1D-S1,FSA-1D-S1.; FSA-1D-S7,FSA-1D-S7,	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		20.9				84	213.36	34.5	7.13 R-404A	6/1/2010	4/5/2012
Victory Refrigeration	Victory	FA-2D-S7	FA-2D-S7	FS-2D-S7,FS-2D-S7.; FSA-2D-S1,FSA-2D-S1.; FSA-2D-S7,FSA-2D-S7,EW.; FSA-1D-S1-EW,FSA-1D-S1-EW.; FSA-1D-S7-EW,FSA-1D-S7-EW,	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		44.9				84	213.36	34.5	12.43 R-404A	6/1/2010	4/5/2012
Victory Refrigeration	Victory	V-Series Freezers	VF-1	V-Series Freezers,VF-SA-1D.; V-Series Freezers,VSF-1,	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		20.9				84	213.4	33.3	7.14 R-404A	6/1/2010	2/14/2012
Victory Refrigeration	Victory	V-Series Freezers	VF-2	V-Series Freezers,VF-SA-2D.; V-Series Freezers,VSF-2,	Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		44.9				84	213.4	33.3	12.48 R-404A	6/1/2010	2/14/2012
Victory Refrigeration	Victory	V-Series Refrigerat	VF-SA-1D		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		20.9				84	213.4	33.3	7.14 R-404A	6/1/2010	11/1/2012
Victory Refrigeration	Victory	V-Series Refrigerat	VF-SA-2D		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2 Hinged		44.9				84	213.4	33.3	12.48 R-404A	6/1/2010	11/1/2012
Yindu Kitchen Equipment Co., LTD	ATOSA	MBF8001	MBF8001		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1 Hinged		20.2	20.2	82.9	28.9	33		7.01 R-404A	3/19/2012	9/21/2012	

ENERGY STAR Partners	Brand	Model Name	Model Number	Additional Model Information	Product Type	Product Orientation (Vertical/Chest)	Product Description	Defrost Type	Number of Glass Doors	Number of Solid Doors	Door Opening Orientation (Hinged/Sliding)	Total Volume (cu. ft.)	Mixed Door Cabinet			Daily Energy Consumption (kW hours/day)	Refrigerant Type	Date Available On Market	Date Qualified		
													Glass Door Volume (cu. ft.)	Solid Door Volume (cu. ft.)	Height (in)					Width (in)	Depth (in)
Yindu Kitchen Equipment Co., LTD	ATOSA	MBF8002	MBF8002		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	43.16		43.16	83.66	54.33	31.89	13.06	R-404A	3/19/2012	9/21/2012
Yindu Kitchen Equipment Co., LTD	ATOSA	MBF8003	MBF8003		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	3	Hinged	64.88		64.88	83.9	77.8	33.3	15.89	R-404A	1/18/2013	2/26/2013
Yindu Kitchen Equipment Co., LTD	ATOSA	MBF8007	MBF8007		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	21.1		21.1	83.9	28.8	33.5	7.4	R-404A	3/19/2012	9/21/2012
Yindu Kitchen Equipment Co., LTD	ATOSA	MBF8008	MBF8008		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	4	Hinged	42.97		42.97	83.66	54.33	31.89	13.06	R-404A	3/19/2012	9/21/2012
Yindu Kitchen Equipment Co., LTD	ATOSA	MBF8009	MBF8009		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	6	Hinged	64.54		64.54	83.9	77.8	33.3	15.89	R-404A	1/18/2013	2/26/2013
Yindu Kitchen Equipment Co., LTD	ATOSA	MBF8501	MBF8501		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	1	Hinged	20.3		20.3	84.3	27.1	32.1	7.01	R-404A	3/19/2012	9/21/2012
Yindu Kitchen Equipment Co., LTD	ATOSA	MBF8503	MBF8503		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	2	Hinged	44.77		44.77	83.66	54.33	31.89	13.06	R-404A	3/19/2012	9/21/2012
Yindu Kitchen Equipment Co., LTD	ATOSA	MBF8504	MBF8504		Solid Door Freezer Cabinet	Vertical	Reach-in	Automatic	0	3	Hinged	67.99		67.99	84	81.9	31.5	15.89	R-404A	1/18/2013	2/26/2013

Definitions for Commercial Refrigerators and Freezers Product Listin

Column Header	Definition
ENERGY STAR Partner	An organization that signed a Partnership Agreement with EPA to manufacture or private label ENERGY STAR qualified products.
Brand	An identifier assigned by the manufacturer or private labeler to a product or family/series of products for sales and marketing purposes.
Model Name	An identifier assigned by the manufacturer or private labeler to a product or family/series of products for sales and marketing purposes.
Model Number	A distinguishing identifier, usually alphanumeric, assigned to a product by the manufacturer or private labeler.
Additional Model Information	This column includes for the qualified model or family, family members, additional model names, model numbers and other identifying information associated with a product or family/series of products for sales and marketing purposes. Other identifying information includes, but is not limited to, SKUs, UPC codes, retail numbers, and/or descriptions of models included/not included in the reported Model Family.
Product Type	Commercial refrigerator and freezer product types eligible for ENERGY STAR certification include: <ul style="list-style-type: none"> -Solid Door Refrigerator Cabinet -Glass Door Refrigerator Cabinet -Mixed Door Refrigerator Cabinet -Solid Door Freezer Cabinet -Glass Door Freezer Cabinet -Mixed Door Freezer Cabinet
Product Orientation (Vertical/Chest)	The configuration of the cabinet through which access is gained (i.e., through a top-opening door or side-opening door).
Product Description	This is the product type the model is marketed as. Drawer cabinets, prep tables, deli cases, open air units, dual-temperature and laboratory-grade refrigeration models are not eligible for ENERGY STAR.
Defrost Type	This includes automatic and manual defrost types.
Number of Glass Doors	For glass and mix door models, the total number of glass doors on the unit.
Number of Solid Doors	For solid and mix door models, the total number of solid doors on the unit.
Door Opening Orientation (Hinged/Sliding)	The type of doors used to access the interior of the cabinet.

g Column Headers

Column Header	Definition
Total Volume (cu. ft.)	The interior volume of a refrigerator or freezer as calculated by AHAM Standard Household Refrigerators/Household Freezers (ANSI/AHAM HRF-1-2004).
Glass Door Volume (cu. ft.)	For mixed door models, the volume of the glass door compartment measured in cubic feet.
Solid Door Volume (cu. ft.)	For mixed door models, the volume of the solid door compartment measured in cubic feet.
Height (in)	The height of the unit measured in inches.
Width (in)	The width of the unit measured in inches.
Depth (in)	The depth of the unit measured in inches.
Daily Energy Consumption kW-h/Day	The amount of energy, measured in kW-h, used by the unit daily.
Refrigerant Type	Indicates the refrigerant type used (i.e., R-134A, R-22, R-401A, R-404A, CO2).
Date Available on Market	The date that the model is available for purchase.
Date Qualified	The date of which the product was confirmed to meet the ENERGY STAR specification.

Key Efficiency Criteria

Qualified models meet all ENERGY STAR requirements as listed in the Version 2.1 ENERGY STAR Program Requirements for Commercial Refrigerators and Freezers that are effective as of January 1, 2010.

Maximum Daily Energy Consumption (MDEC) Requirements (kW-h/Day)		
Product Volume (in cubic feet)	Refrigerator	Freezer
Vertical Configuration		
<i>Solid Door Cabinets</i>		
$0 < V < 15$	$\leq 0.089V + 1.411$	$\leq 0.250V + 1.250$
$15 \leq V < 30$	$\leq 0.037V + 2.200$	$\leq 0.400V - 1.000$
$30 \leq V < 50$	$\leq 0.056V + 1.635$	$\leq 0.163V + 6.125$
$50 \leq V$	$\leq 0.060V + 1.416$	$\leq 0.158V + 6.333$
<i>Glass Door Cabinets</i>		
$0 < V < 15$	$\leq 0.118V + 1.382$	$\leq 0.607V + 0.893$
$15 \leq V < 30$	$\leq 0.140V + 1.050$	$\leq 0.733V - 1.000$
$30 \leq V < 50$	$\leq 0.088V + 2.625$	$\leq 0.250V + 13.500$
$50 \leq V$	$\leq 0.110V + 1.500$	$\leq 0.450V + 3.500$
Chest Configuration		
<i>Solid or Glass Door Cabinets</i>	$\leq 0.125V + 0.475$	$\leq 0.270V + 0.130$

Note: V = AHAM volume, as defined in Section 1, in cubic feet (ft³).

Mixed Solid/Glass Door Cabinets

For mixed solid/glass door cabinets designed with two or more compartments contained in a single cabinet, with different exterior door types (i.e., one is glass and one is solid) on the same side of the cabinet, the MDEC shall be the sum of all individual compartment MDEC values.