

1 OCTOBER - 31 DECEMBER 2022 · ALL PRICES INCLUDE GST · WHILE STOCKS LAST





Professional Circuit Tester 302193 Multi-function 12-24V

- Large high resolution screen for easy readout
- Supplies power and ground for functional component testing
- Suitable for voltage and polarity testing, continuity testing, activating componen or out of the vehicle
- Retains min/max values
- Bright LED torch feature for use in low light situations



Fuel & Additive

- **Funnels** Essential tool for emergency refuelling with the use of a jerry can
- Suitable for adding fuel additive into fuel tank with ease
- Designed to hold open the internal valve of the fuel filter neck to avoid damage
- Manufactured from polypropylene

Part No.	Outlet Diameter	Туре	PRICE
305403	21mm	Petrol	\$7.95
305404	24.5mm	Diesel	EACH
FAMOUS TOLED EXCELLENCE BY OIL Sandh		TOLEDO	10

305166 1 Litre

- Effective way of removing contaminants on hard surfaces such as rust, paint and lacquer or to smooth or roughen surfaces
- Supplied with adjustable steel nozzle to control output flow rate

LAST

KNIPEX Power Pack

Pin Punch Set KBP104

- Punch set



BONUS

PARALLEL PIN PUNCH SET 425170

Contains

- 6 x 150mm Parallel Pin Punches
- Sizes: 3, 4, 5, 6, 8 and 10mm Made in Germany



Cooling System Pressure Tester & Vacuum Purge Kit 308500 Master 36 Piece

- Comprehensive master kit for cooling system pressure testing, radiator cap pressure testing and cooling system purge and refill



MATSON

Battery/System Tester

BT2100 with printer

- 6V & 12V professional battery testing Bluetooth connection to smart devices
- to send digital results • 12V & 24V starting and charging system (alternator) testing
- Tests internal resistance (milli-Ohms)
- Inbuilt printer with customisable fields Suits most lead-acid battery types, including Stop-Start







NEW PRODUCT

Sykes-Pickavant。

Industrial Torque Wrench 802500 3/4" Sq. Drive

- New Generation Mortorq 2-piece split torque head and handle design
- Unique profiled cam and reaction plate, provides a clear torque signal and the large break angle greatly reduces the possibility of over
- New comfort handle
- Supplied in heavy-duty storage case
- **Manufactured in England**









KNIPEX Power Pack with BONUS KNIPEX CutiX® **Universal Knife**

KBP103

- Three piece KNIPEX set includes popular pliers and cutters with
- comfort grip ● BONUS KNIPEX CutiX® Universal
- · Essential tools, long service life • Made in Germany
- **BONUS**





Cooling System Pressure Test Kit 308370 Universal Ø 30.3 - 44.0mm

- Use for diagnosing overheating issues, head
- gasket leakage, loss of coolant, heating and cooling faults
- For radiators with bayonet style filler necks and screw on cap expansion tank style
- Hand pump provides a maximum of 35psi of pressure
- $\bullet~$ Thermometer range: -50 to +150 °C / -50 to 300 °F





TOLEGO













MEGATOOL SALE MEGATO

ALL PRICES INCLUDE GST

FAMOUS


EXCELLENCE BY DESIGN



Gasket Scraper 301007 280mm







Heat Range: 450°C



302145 6-24V

• Professional quality circuit testing to

• Lead Length: 700-2500mm • Probe Length: 80mm

Soldering Aid Tool 302120 250mm

• For holding wires together so they can be soldered

Desoldering Pump / Solder Sucker

Used for the safe and easy removal of molten solder during

Universal Funnel

of fluids into engines, containers, drums







Part No.	Capacity	Spout Size Rigid	Spout Size Flexible	PRICE
305257	200ml	125mm	-	\$11.95
305260	700ml	175mm	200mm	\$16.95
305261	125ml	100mm	125mm	\$9.95

TOLEDO TOOL SPECIALS · TOLEDO TOOL SPECIALS

Oil Measuring Container

• Suitable for use with non-corrosive liquids · Detachable flexible spout and cover lid for easy



Watering Can 305095 10L

Ideal for under the bonnet level refilling e.g. radiator,



Automotive Fluid Extractor

305167 Pneumatic 6 Litre

- Specifically designed to extract automotive fluids including brake fluid, coolant engine oil, transmission oil and hydraulic oil
- Includes brake caliper bleeding port adaptor with 1 metre clear hose and 1.1m fluid suction hose
- · Conical spout for non-spill discharge of waste fluid
- Adjustable flow rate
- Heavy duty polyethylene



- cases and differentials Lip seal provides maximum suction
- No priming required
- Suitable for use with non-corrosive liquids
- Comes with 300mm (12") flexible vinyl hose

Clear Canister Grease Guns

- Enables easy grease identification Easily identify both contents and amount
- High tolerance aluminium die cast head
- Extra strong polycarbonate tube with die cast aluminium adaptors

Part No.	Includes	Type	Capacity	PRICE
305100	150mm steel extension & 4 Jaw coupler	Lever	450g	\$112.95
305101	100mm steel extension, 300mm flexible hose & 4 Jaw coupler	Pistol	450g	\$131.95
305140	150mm steel extension & 4 Jaw coupler	Lever	400g	\$122.95

Lever Action **Grease Gun**

For general purpose lubrication in auto.

agricultural, industrial and DIY applications

• Soft rubber grip on lever handle for comfortable operation Durable powder coated finish

Includes	Thread	Output
150mm steel extension & 4 Jaw coupler	1/8" BSPT	1g per stroke

Mini Lever Grease Gun 305444 85g

- Output: 0.55g per stroke (1oz per 52 strokes)
- Pressure: 41000 kPa (6000 PSI, 413 BAR) Comes with 150mm steel extension & 4 iaw coupler
- · Coupler nut & sleeve can be adjusted for variation in grease
- Bulk capacity: 120cm³

A/C Fuel Line **Disconnect Tool**

Set 307010 Master Set 27 Piece

 Covers all common uses and applications includin fuel line couplings, air conditioning line



Infrared Thermometer 321500 -30°C to 500°C

Portable and easy to use tool designed for point

Laser sighting for simple one hand operation, backlit LCD display, auto-hold function and auto



Portable Bearing Packer 305150 95mm

- Simply insert bearing in the bearing packer, connect grease gun to nipple and old grease is forced out and evenly replaced with fresh grease Bearing range: Ø 50 - 95mm O.D
- Bearing height (Min.): 20mm



Bearing Packer 305161 Heavy Duty 170mm

- Suitable for heavy vehicle and industrial applications
- Unique design allows for mess free operation
- Suits bearings with an outside diameter of 120 170mm
- Weight: 5.8kg



TOLEDO

Brake Bleeder Pump Kit Vacuum 310012

-30 to 60psi (-1 to 4bar)

- Designed to test and service a number of automotive system functions including one-man brake bleeding, vacuum testing and pressure testing fuel systems
- Includes various adaptors





Brake Bleeder Kit 310261 One Man

For carrying out one man brake bleeding operation on passenge cars, light commercials and

Powerful magnet to secure bottle hands free, three nylon adaptors to fit all brakes and plastic bottle for discharged fluid collection

SAE single and double

flares



Brake Fluid Tester 310009 Digital

- Measures the boiling point
- LCD display provides brake fluid condition Includes syringe and testing



Brake & Tyre Measuring Tool 310019

- Measures brake disc and brake pad thickness including tyre tread wear
- Suitable for passenger, 4WD and light trucks
- Stoppers to record readings

Manufactured from high grade aluminium for long service life



Measuring Caliper 310021 Diameter 200-400mm

- Saves time and accurately measures disc brake diameter without removing wheels For most passenger and light commercial vehicles
- Large knurled locking screw with sliding compensating adaptors
- High grade aluminium with robust steel body





310375 Pneumatic

 Pneumatic operation allows for easy wind back to return brake caliper piston to the resting position

Includes various adaptor

\$69.95


Drum Brake Spring Washer

- Plier 310254 180mm Remove and refit drum brake spring washers
- Universal application suitable for most drum brakes
- Manufactured from HRC 43-46 steel

Brake Adjusting Tool 310255 175mm

- Designed for adjusting brake lining on drum brakes and park brake shoes on disc brakes
- Specifically shaped to provide maximum leverage in confined area

Oil Seal Remover 301042 310mm



Includes replacement hook tip and screws



306218 Universal Align clutch kits on front wheel drive vehicles • Includes three locating adaptors





 Suitable for removing and installing viscous fan hubs, water pump pulleys and fan belt accessories on BMW, Mercedes-Benz, Ford and late model vehicles





TOLEDO TOOL SPECIALS · TOLEDO TOOL SPECIALS

Viscous Fan Hub Spanners Remove and install

viscous fan hubs PRICE Part No. 308235 \$34.95 32mm Ford 6 cylinde 308236 GM, Ford 8 cylinder \$34.95



- Diagnose cylinder head and gasket leaks by detecting the presence of combustion gases in the cooling system universal cone adaptor suitable for most vehicles
- Includes 250ml detector fluid

Compression Tester Kit

Petrol Dual Calibrated

- Professional compression tester for diagnosis of compression related problem on petrol engines 1
- automotive, motorcycle and small engine work



Cylinder Bore Gauge

304998 50-160mm

- Professional tool for measuring internal diameter of cylinder bores
- Essential for engine rebuilding and modifications
- Check for taper, out of round and oversize measurements • Includes dial gauge, extension grip, shims and various
- size anvils Hardened steel needles with hardness 62-64HRC and
- chrome hardened steel probe with hardness HV1000
- Increments: 0.01mm • Depth: 150mm





Cylinder Leak Down Tester

304012 Petrol

- Identifies and detects a number of engine faults including: worn piston rings, worn valves, cracks in cylinder walls and blown head gaskets
- Suitable for 14mm or 18mm spark plug hole
- Working pressure: 35ps



Camshaft Holding Tool 304195 380mm

- Assists with camshaft timing belt aligning Suits Ford Mondeo Zeta/Zetec engines
- 5.95

Fuel & Vacuum

Pump Pressure Tester 307233

- Suitable for testing mechanical fuel pumps and vacuum systems
- Extra long heavy duty 750mm rubber hose and adaptors included
- Vacuum: 0-30 Hg (0-70 cmHg)
- Pressure: 0-14.7 PSI (0-1.1 kg/cm2)



- Collet sizes: 19-24mm, 19.2-25.5mm, 9.2-26mm, 27.5-33.5mm

Valve Spring Compressor 304039 Puller Type

- Enables servicing or repairs without cylinder head removal
- For use on a wide range of OHV, OHC and CVH engines Offset jaws easily grip and
- compress valve springs



Nut Splitter Set 301285 9-27mm

- For the removal of rusted seized or stubborn nuts safely and without damage to the stud or bolt
- Flat round head design to allow operation in areas where working space is limited

Exhaust & Tailpipe Cutters 312295 Plier Type

- Cut exhaust tubing easily without the need to exert pressure
- · Chain with in-built roller cutters slice into the



Exhaust Pipe Tailpipe Service Kit 321003

- Professional exhaust pipe service kit for expanding, cutting, remove/refit hangers and splitting nuts
- Expander size: 38-64mm and
- Nut splitter: 16-22mm



Sensor Socket Set

301148 1/2" & 3/8 7 Piece

- For use in automotive engine management applications
- Contains speciality sockets for removing oil pressure, vacuum and oxygen sensors as well as one for diesel injector socket



Diesel Injector Seat Cutter Set 304048

- Ideal for cleaning and/or refacing of the diesel injector seat within the
- Removes built up debris and provides a clean seating surface for the injector, which can eliminate blow by
- Suitable for standard and common rail diesel applications

Diesel Injector Wrench Set 304049 3/8 Sq. Dr 6 Piece

- Flex head removes stubbor and difficult diesel injector
- Suitable for use on Bosch and Delphi die injectors
- Type: Flare
- Size: 12, 14, 16, 17, 18 and 19m

Auto Flexing Line Socket Set 304599

6 Piece 3/8" Sq. Dr.

- Specialty tool for loosening tightening fuel line nuts
- Universal sockets suitable for hydraulic, fuel, air lines etc.
- Double joint design allows flexible angle of 45
- Multi hex design socket combined with flexing feature allows to be
- used in hard to reach areas



Fuel Pressure Tester Kit

307004 Diesel Injector return flow common rail Diesel

- Designed for testing the return flow pressure on common rail diesels including Bosch VDO/ Siemens and Delphi systems
- Features a transparent body to check for diesel fuel condition and air

Fuel Return Flow Tester Common Rail 307007 Diesel

- Designed to measure the flow from the return side of common rail diesel injectors
- Kit includes measuring blocks with hoses, reduction pipes and adaptors for common rail diesels including Bosch, Delphi, Denso and Siemens injectors
- Measures up to 6 injectors simultaneously



Diesel Injector Cap Nut Set 307351 12 Piece

- Seals fuel lines and components from debris and contamination during
- service or repairs
- Suitable for high pressure pumps, fuel lines, injectors, fuel rails etc Suitable for blocking fuel rail with engine running
- Contents: 6 x M12 x 1.50 and 6 x M14 x 1.50



- Includes adaptors, hoses and fittings to test fuel injection systems Kit includes fuel bolt with seal, single ended reusable hose end, double ended reusable hose end, GM Schrader hose, extra long drain hose, Ford Schrader hose and pressure gauge (0-150 PSI, 0-1000 kPa)

Fuel Tank Retaining Ring Remover 307001

- Universal three legged fuel tank retaining ring remover suitable for the removal of in-tank fuel pumps and fuel sender units Fully adjustable with 24mm hex drive
- Working size range of 75-160mm

FAMOUS EXCELLENCE BY DESIGN

Injector Fuel Rain Puller 307011 Holden (GM)

- For removing injector fuel rails Special design puller avoids damaging injectors, injector bores and cylinder head during removal
- Both hooks reach under fuel rail to gently remove injectors evenly
- Suitable for V6 3.6L SIDI and 2.0L **ECOTEC** engines
- Manufactured from heavy duty steel to OEM specifications

Hose Clamp Pliers

- 301709 3 Piece Multihead Quick and easy interchangeable heads to suit various style hose
- Flexible cable allows extra reach for
- difficult and hard to reach application Includes three different hose clamp



Plastic Oil Plug Driver Set 305997 5 Piece

- Designed for removing and installing
- plastic type sump plugs Suitable for VW, Audi, BMW, Peugeot, Citroën and Force
- Square drive T-handle: 3/8'
- Supplied in plastic hard case with foam inlay



- Suitable for automotive fluids such as engine oil coolant, brake fluid, transmission oil, petrol and diesel fuel, etc
- Suitable height for work under motorcycles and ATV's
- Recessed castors provide easy mobility and transportation

Dimensions: 850 x 600 x 125mm



Portable Oil Drain Pans

- Storage and evacuation
- Capacity \$43.95 17 Litre \$60.95 305091

FAMOUS

EXCELLENCE BY DESIGN

Wheel Bearing Lock Nut Wrench Set

- 311014 Adjustable Locking mechanism ensures jaws are rigid to prevent slipping on narrow lock nuts
- Universal tool great for Australia's 4WDs



Universal Bearing & Bush Hydraulic Press Frame Kit 311022 Flexible Head 180°

- For the removal and installation of bearings, bushes and ball joints
- The unique press frame design allows for complete portability Contains 22 press sleeves that are suitable for most passenger, 4WD and light commercial vehicles
- The 10T hydraulic ram is strong enough to remove the most stubborn
- Supplied in a heavy duty blow mould case with castor wheels
- Inside diameter range: 18-60mm
- Outside diameter range: 26-68mm




Inner Tie Rod Tool Set 311287

- Specialty kit designed for inner tie rods which are inaccessible to adjust Sizes include: 14, 17, 33.6 (mm) and 13/16", 1 ¼", 15/16", 17/16"



Tyre Valve Remover & Installer 309000 Flexible Head 180°

 Rubber bumper protects rim edge from damage during removal and





Tool 309242 Professional



Tyre Valve Remover Set

309246 2 Piece

- Used for the removal and installation of tyre valve cores
- Moulded plastic handles allow for a secure grip
- Regular reach unit for passenger vehicles and motorcycles 110mm
- Long reach unit ideal for trucks 155mm long



- Damage free removal of trim and clips
- Fully hardened specialty steel with ergonomic acetate handle
- 5 7mm and 6 9mm
- Made in Japan

TOLEDO TOOL SPECIALS · TOLEDO TOOL SPECIALS

Universal Lock Nut Removal Kit Designed for removing wheel lock nuts on

most factory and aftermarket wheels without causing damage

- Conical shaped design allows sockets to fit
- Heavy duty construction for strength and durability
- Size range from (conical socket): Ø19.4, 20.4, 21.4, 22.4, 23.4, 24.4, 25.4,



Hinge Pin Extractor Kit 313298

- Essential tool set used for safe and accurate installation and removal
- Includes 3 different size hinge pins 3 x 110, 5 x 110, 5.5 x 110 (mm)

Circlip Plier Set Ouick Conversion

10 Piece Comprehensive set for

- removal and installation of internal and external circlins
- Thumb screw quick
- Includes pick and hook tools



Circlip Plier Tool Roll TCPR01 4 Piece

- Four piece set includes external
- and internal straight circlip pliers Supplied in heavy duty tool roll
- External Straight Tip 130mm (5") External Straight Tip 230mm (9")
- Internal Straight Tip 130mm (5")
 Internal Straight Tip 230mm (9")



CV Boot Clamp Pliers 311009 240mm

- For fastening of clamps on CV boots and double ear clamps
- Features 1/2" square drive for torque wrench attachment when specific torque setting



Hose Clamp Plier Set 301171 Constant Tension **Universal 2 Piece**


- Includes cross slotted jaw plier and wide flat band hose clamp jaw plier to service For use with Tridon
- CTC Series clamps
- Overall length: 215mm Jaw opening: 0-64mm



Wheel Weight Plier

309243 Standard Wheels

- For fitting wheel weights on to steel rims when balancing wheels Suitable for removing, cutting and installing ${\it clip-on}$ wheel
- weights Drop forged, heat treated steel with PVC dipped handles



Plier & Cutter Set

- Professional trade quality plier set includes combination, diagonal cutter, long nose and multi-grip pliers
- Chrome molybdenum with black phosphate
- High grade EVA foam tray



Plier & Cutter Set TPSA02 4 Piece

- Professional trade quality plier set includes combination, diagonal cutter, long nose and multi-grip pliers
- Manufactured from
- Supplied in heavy duty tool roll



chrome molybdenum with black phosphate finish



Slide Hammer Diesel Injector Puller and Adaptor Kit

304042 Heavy Duty

- For the removal of the most stubborn and difficult diesel injectors
- Suitable for use on Bosch, Delphi, Denso and Siemens diesel injectors
- Supplied in heavy duty storage case
- Application list included



Adaptor Set 304042A 21 Piece Suitable for removing stubborn and difficult injectors Applicable for most common rail diesel engines

Timing Tool Kit 304710 Holden (GM)

- Holden 1.8L DOHC 16V Timing Tool Kit Suitable for 1.8L Z18XER and F18D DOHC 16V
- petrol applications For the locking and alignment of the camshafts, crankshaft and tensioner during the removal and installation

engine servicing and repairs





Timing Tool Kit 304732 Holden (GM) Suitable for Holden DOHC 24V petrol engir

• For the locking of the camshafts during engine servicing and repairs Note: Not suitable for SIDI engine applications

Timing Tool Kit 304743 Holden (GM-SIDI

- Suitable for 3.0L and 3.6L (V6) DOHC 24V SIDI petrol engine applications
- For the locking of the camshafts during engine servicing and repairs



Camshaft Locking Kit 304749 Holden (GM) Contains camshaft locking tools used in both early LWH (132kW)

and later LWN (147kw) Colorado applications For the locking and alignment of the camshafts and crankshaft during the removal and installation of the engine timing belt and other engine servicing and repairs





- Designed for reassembling and aligning camshafts in cylinder head during service and repairs
- Suitable for popular Volkswagen, Audi, Skoda and Porsche models covering from 1.6 - 4.2 TDI engines
- Equivalent to OEM: T40094, T40095, T40096



- equipment etc. Maximum air output with
- Ergonomic design for extended
- use without fatigue Inbuilt adjustable airflow control

Part No.	Nozzle	Nozzle Width	Inlet	PRICE
321100	100mm	8mm	1/4" NPT	\$19.95
321101	355mm	8mm	1/4" NPT	\$24.95
321102	60mm	8mm	1/4" NPT	\$19.95
321103	120mm with Rubber Tin	6-16mm	1/4" NPT	¢18 05

Outs



Fluid Extractor 305164 10 Litre Manual & Pneumatic • For extracting fluids easily and efficiently


- Handy for the extraction of engine oil via the dipstick Suitable for engine oil, transmission fluid,
- differential, brake fluid and hydraulic oils etc. Includes 4 various suction tube sizes

















TOLEDO TOOL SPECIALS · TOLEDO TOOL SPECIALS

Torque Multiplier Nut Cracking Set 309055 3200Nm 1" Sq.Drive Heavy duty tool for removing stubborn wheel nuts on heav vehicles, light commercial trucks, buses and vans Uses reduction gears to create a multiplication · Provides progressive build of fo instead of shock impact

- Ergonomic rotation handle provides great comfort and stability
- Features seven deep 75mm six point 1" square drive impact sockets,



- 321009 1500Nm
- Designed for use in applications where a higher than otherwise achievable torque rating is required
- Ideal for breaking difficult or frozen fastener applications

Steel Bristles Cleaning Brush

- Set 301001 2 Piece Two piece steel brush set includes straight and curved heads
- Sturdy, compact and simple tools for cleaning confined spaces
- Suitable for rust, scale, ingrained dirt removal

Cleaning Brush

Set 301003 3 Piece

 Multi-purpose three piece brush set comprising one brush each of nylon, brass and steel





- Durable non-scratch soft bristle




Wooden Handle 321077 235mm

- Suitable for removing rust, corrosion, scale and ingrained dirt Bristles are hardened and tempered for strength and durability
- Oil resistant ergonomic wooden handle prevents slippage when in use

Fuse Saver Digital 302199

• Designed for the protection of on board computers and modules from current overloading during







- High quality steel for strength, durability and accuracy
- $\bullet \;\;$ Designed for measurement of small gaps, ideal for use in engineering and automotive applications

	The state of the s				
Part No.	Description	Size Range	PRICE		
301155	35 steel blades and 3 brass blades	0.038 (0.0015") - 0.889mm (0.035")	\$13.95		
301157	26 cranked (45°) steel blades	0.127mm-0.762mm/0.005"-0.030"	\$14.95		



- Hollowed cylindrical heads containing steel pellets offering a dead
- blow and significant impact with the rise and fall of the hammer
- Non sparking and marring
- Manufactured from oil resistant SBR material with a moulded rubber handle for superior comfort and grip

Part No.	Face Diameter	Face Length	Overall Length	Weight	PRICE
301079	35mm	90mm	280mm	14oz (0.4kg)	\$26.95
301080	45mm	90mm	300mm	20oz (0.6kg)	\$32.95
301081	55mm	110mm	350mm	37oz (1.0kg)	\$44.95
301082	65mm	130mm	375mm	54oz (1.5kg)	\$63.95





- Narrow and long probe gives access to confined spaces
- Flexible stainless steel probe bends and holds in all positions
- Magnet capacity: 500g
- Overall Length: 510mm



Manufactured from durable stainless steel					
Part No.	Telescopic Range	Magnet Size	Magnet Size	PRICE	
301014	150 - 670mm	Ø 6mm	200g	\$10.95	
301019	125 - 640mm	Ø 13mm	2.5kg	\$16.95	
301298	170 - 760mm	Ø 7mm	700g	\$19.95	
301299	170 - 760mm	Ø 13mm	3.6kg	\$22.95	



Flaring Tool Kit 310008 Master

- For creating single, double lap and bubble flares on copper, brass, mild steel and aluminium tubing in metric and imperial sizes
- Flaring adaptors: 4.75, 6, 8, 10mm & 3/16", 1/4", 5/16", 3/8", 1/2"



Pry Bar Set

301083 Standard 4 Piece

- Workshop essential set of pry bars manufactured from high quality alloy steel with black phosphate finish for strength and durability with ergonomic plastic handles
- Length: 200, 300, 450, 600mm



Ideal for scraping, scribing, marking, picking and seal removal

Seal & O Ring

Removal Set 321800 4 Piece

- Remove O-rings and seals without damaging surface
- Combination spoon and contoured tips allow controlled manoeuvring
- Ergonomic non-slip handles provide stability
- High grade steel finished in black phosphate

Silicone Remover 301557

- Professional tool to easily remove and clean cured silicone
- Suitable for all types of surfaces including glass windows, tiles





Multi-Bit 301095 1/2" Sq. Drive 5 Piece

Delivers strong rotational force and

- forward thrust with a strike of a hammer Suitable for removing large screws or bolts that are seized or over torqued
- Applicable for right or left hand threads • Philips: P#2 & P#3



Clamping Washer Tool 321802 Ford & VAG

- Specialty tool for removing and
- installing clamping washers on underbody heat shields Suitable for use with 1/4" drive drills or drivers
- Applicable for Audi, VW, Skoda and Ford

Extension Bars

- Extensions with unique male end offer 15° of adjustment for the
- Spring loaded ball bearing holds attachment securely
- EEST 301938

E-3:11 HW.REEL

Part No.	Sq. Dr	Extension Lengths	PRICE
321044	1/4"	50, 75, 150, 250, 450mm	\$38.95
301938	3/8"	45, 75, 150, 250, 450mm	\$46.95
301937	1/2"	50, 125, 250, 500mm	\$61.95

E-Star Socket



- Used in auto applications, popular in European vehicle makes Supplied with a reusable socket rail

FAMOUS EXCELLENCE BY DESIGN



Crowfoot Wrench Set 301191

3/8" Metric (10 - 26mm)

Straight jav



3/8" SAE (3/8" - 1*) Straight jaw



Crowfoot Flex Socket Wrench Set 321265

- 12 Piece 3/8" Sq. Dr Flexible crowfoot sockets with
- 90° joint suitable for minimal spa Chrome vanadium
- Sizes: 8, 9, 10, 11, 12, 13, 14, 15, 16 17, 18, 19mn



Number Punch Set 301616 5mm (3/16")

- Suitable for most metal surfaces including wood and plastic
- Contains numerical punches from 0-9
- Hardened chrome vanadium steel with special sand blasting finish



Screw Extractor Drill and Guide Set

- Designed for the removal of stubborn broken studs and screws using a drill
- Ideal kit for auto, building, engineering plumbing and electrician trades



- **Twist Socket Set** 321067 Single Twist 21 Piece
- Remove rounded out nuts or bolts • 1/2" Sq. Dr. with 21mm hex

6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17,

Manufactured from heavy duty



70mm x 4.4mm & 80mm x 5.9mm

21

Restoring Tap & Die Set High Speed Steel (HSS)

321075 Metric 20 Piece

- $\bullet \quad \text{Rapid ratcheting handle with rubber grips suitable for working in } \\$
- Pass through style die holder usable for longer threads Includes metric thread pitch gauge

• Ideal for automotive, industrial and engineering applications



Bolt Pitch Gauge

321108 Metric

- · Easily identify bolt size and pitch • 18 different pitch and thread sizes
- Magnetic rear backing and hanghole ensures safe and easy storage

MEGATOOL SALE MEGATO

FAMOUS


EXCELLENCE BY DESIGN

Spanner Rack Organiser 301108

15 Piece 300mm

- Suitable for offset and open end or combination spanner
- · High impact plastic with inbuilt eyelet for wall mount Neatly store open end, ring or combination spanners

Magnetic **Storage Tray**



• Useful storage trays with strong in-built magne Ideal for storing and holding small parts, nuts, bolts and screws neatly

Torque Extension Bar Set

309500 10 Piece • 1/2" square drive with colour coding for easy

identification and precise torque Torque settings: 90, 100, 110, 120, 135, 150, 160, 175, 190, 200Nm



Torque Wrench 301349 3/4" Sq.Dr

- Click-stop design with heavy duty cam for superior strength and durability
- Micrometer style adjuster enables precise torque setting
- Reversable thumb switch with 24 tooth ratchet head Supplied with calibration certificate and storage case
- Dual Scale: 68 406 Nm/50 300Ft. Lbs.

Bolt Cutters Centre Cut

- Suitable for general purpose use with soft and medium metal applications only Slim head centre cut jaw design enables
- close surface cutting
- Jaws can be adjusted by loosening nuts and rotating cam bolts
- Ideal for mining, industrial and hardware
- Robust steel structure with chrome-molybdenum steel jaws





\$46.95



Compact Hand Cable Cutter CC60A 230mm

- Curved blade design delivers a clean cut without causing distortion of the cable or frayed ends
- For use on copper and aluminium cables up to 70mm Not suitable for steel wire or wire ropes
- Drop forged alloy steel for superior strength and durability
- Handle: PVC dipped • Cutting range (max): 70mm²

TOLEDO TOOL SPECIALS · TOLEDO TOOL SPECIALS



Cutting, Crimping & Swaging Tools

 Features swaging jaws, cutter and crimper head design to enable complete crimp and cut operation

Part No.	Head	Length	PRICE
316007	3 Hole	350mm	\$74.95
316008	5 Hole	600mm	\$124.95

Pocket Cutter 316006 200mm Centre Cut Suitable for general purpose use with mild and hard metal applications Slim head centre cut

 Manufactured from metal construction with hardened and tempered jaws for superior strength and durability


D-Sub Deutsch

close surface cutting

4 Way Indent Crimpers

Crimps round barrel contacts, pins or socketsBuilt in locator

Doub No.	31	DDICE	
Part No.	AWG	mm²	PRICE
321024	26 - 20	0.14 - 0.5	\$52.95
321025	20 - 12	0.5 - 4.0	\$56.95
321094	20 - 22	0.5 - 0.3	\$62.95



Crimper, Cutter & Stripper

WS665 205mm

- Very popular multi-application tool provides outstanding quality work
- Insulated crimping range: 0.5–6mm², 22–10 AWG
- Non-Insulated crimping range: 0.5-2.5mm and 4-6mm², 12-10/22-14
- Wire stripping range: 0.2-6mm², 24-10 AWG Auto ignition terminals: 7-8mm

Combination **Fencing Pliers** Combination plier including three specially designed wire cutters Serrated gripping zones for flat and round *FP10H supplied with handy belt holster **PRICE** FP10H* 0-52mm 13mm \$31.95

14mm

Parrot Beak Fencing

0-60mm

Pliers HP10 270mm

FP12

 Designed for cutting, crimping, swaging, hammering and gripping wire and staples commonly used in fenci farming applications

Features two specially designed wire cutters, parrot lever assembly, $serrated\ hammer\ and\ gripping\ zone,\ swager\ and\ crimper$



Lock Grip Pliers

VG250 Curved Jaw 250mm

- Curved jaws for better contact on bolt heads, nuts and round work
- Applies extra pressure across four points of contact on any style nut/

Concrete Nippers EN8 200mm

- Precision cutting edges for cutting and twisting steel fixing wire
- Suitable for most soft and hard wire up to 3mm in diameter
- Jaw opening: 0-14mm Jaw width: 31mm




Long Nose Plier Set TPSA03 Extra Long 3 Piece

- Premium trade quality set features three different tip styles including straight, 45° bent and 90° bent
- Chrome molybdenum with PVC dipped handles
- High grade EVA foam tray
- Overall lengths: 280mm







Ball Pein Hammers

- · Perfect hammers for a multitude of striking applications
- Durable alloy steel head

Part No.	Handle	Weight	PRICE
321054	Hickory Handle	16oz	\$25.95
321051	Carbon Fibre Handle	16oz	\$28.95
321052	Carbon Fibre Handle	24oz	\$37.95
321053	Carbon Fibre Handle	32oz	\$42.95





Club Hammer

321056 3lb

• Made from carbon steel with a fibreglass and rubber handle







Part No Size		Description	PRICE
нкм	2.5,3,4,5,6,8,10mm	7 Piece Metric	\$20.95
HKAF	3/32",1/8",5/32",3/16",1/4",5/16",3/8"	7 Piece AF	\$20.95
	НКМ	HKM 2.5,3,4,5,6,8,10mm	HKM 2.5,3,4,5,6,8,10mm 7 Piece Metric



• Ergonomic dual piece handle

- Inner plastic core permanently locks with blade
- Comfortable rubber handle is moulded to fit the hand
- Non-roll handles to prevent tool loss and minimise downtime

\$32.95

300mm

Part No.	Туре	Blade Length	Overall Length	PRICE
321940	Phillips #1	75mm	175mm	\$13.95
321941	Phillips #2	100mm	230mm	\$15.95
321942	Phillips #2	150mm	280mm	\$15.95
321943	Phillips #2	200mm	330mm	\$17.95
321944	Phillips #3	150mm	280mm	\$18.95
321945	Slotted 5.5mm	75mm	175mm	\$14.95
321946	Slotted 6mm	100mm	230mm	\$15.95
321947	Slotted 6mm	150mm	230mm	\$15.95
321948	Slotted 6mm	200mm	330mm	\$19.95
321949	Slotted 8mm	150mm	280mm	\$18.95

Master Screwdriver Set 321980 12 Piece


- For heavy duty professional use Phillips and slotted, standard and stubby screwdrivers
- Made in Japan



\$116^{.95}

Essentials Screwdriver

Set 321982 **Slotted and Phillips** 8 piece



Made in Japan

Ergo-Line Screwdriver Set

- Phillips and slotted standard Slotted 5.5, 6 and 8mm, Phillips #1, #2 and #3
- Ergonomic, non-roll rubber handles for maximum torque transfer
- Includes gearless stubby with clip on bit set Made in Japan




Strike-Thru Screwdriver Set 321984

 Phillips and slotted. strike thru and stubby

Strike-Thru Screwdriver Set 321985 5 piece Contains Slotted 5.5 x 75mm, 6 x 100mn

- 6 x 150mm and PH2 x 100mm and PH2 x 150mm Shatterproof impact steel cap with
- Made in Japan



Tamperproof TORX Screwdriver Set

321987 8 piece

- Set contains eight tamperproof Torx screwdrivers ranging from T9 – T40
- Features a custom moulded foam inlay with identification markings and precision cut outs for firm tool retention
- Made in Japan



Strike-Line Screwdrivers

- High-grip bulb handles
- Unique design enables grea
- Dual piece handles for strength and comfort Non-roll handles to prevent tool loss and minimise downtime
- Shatterproof impact steel cap with strike-thru blade
- Made in Japan

Part No.	Туре	Blade Length	Overall Length	PRICE
321950	Slotted 5.5mm	75mm	155mm	\$13.95
321951	Slotted 6mm	100mm	200mm	\$18.95
321952	Slotted 6mm	150mm	240mm	\$23.95
321954	Phillips #2	100mm	200mm	\$18.95
321955	Phillips #2	150mm	240mm	\$23.95

1 OCTOBER - 31 DECEMBER 2022 · ALL PRICES INCLUDE GST · WHILE STOCKS LAST

TOLEDO TOOL SPECIALS · TOLEDO TOOL SPECIALS

Stub-Line Screwdrivers


- For hard to reach applications where access is limited
- · Wide mini handles for extra comfort and $\operatorname{\mathsf{grip}}$
- Ergonomic dual piece handle
- Dimpled to provide additional finger grip and prevent rolling
- Maximum strength, grip and torque
- Made in Japan

Part No.	Туре	Blade Length	Overall Length
321971	Phillips #2	30mm	76mm
321972	Slotted 6mm	30mm	76mm

CLEARANCE

Digital Laser Distance Measurer 322053 70m

- Professional distance measurer for simple, quick and precise distance reading with the push of a button
- Calculates volume/area, tracking and indirect height





Mini Magnetic

Level 322013 100mm • Small-lightweight and durable

- magnetic level perfect for a wide range of applications Shockproof solid acrylic vial
- provides a quick and accurate reading
- fits easily into any tool belt or pocket



\$Q.95

Mini Magnetic Cross Level 322014

- Handy pocket size magnetic cross level
- Suitable for horizontal and vertical applications
- Pre-cast hoses for permanent





322011 5 Piece Sizes: ½", ¾", 1", 1¼", 1½" and



Exacta Post Level 322012 Magnetic

- Folds closed and opens flat with a click-lock every 15° Inbuilt adjustable elastic strap
- for all non-magnetic surfaces Length: 130mm
- Width: 190mm
- Thickness: 30mm



Magnetic Torpedo Level 322010 250mm

- Handy magnetic level suitable for minor and major tasks
- Features horizontal and vertical shockproof acrylic vials Precision milled flat surface with an accuracy of <0.5mm/m (0.0005





Magnetic Digital Box Levels

- Digital magnetic box level with degree, percentage and pitch mode.
- Tilted backlit LCD screen swivels for upright read out Hold function with up to 9 memory store and recall space
- Audible buzzer at buzzer at 0°, 45°, 90°

Part No.	Length	PRICE
322050	600mm	\$161.95
322051	1200mm	\$216.95

Measuring Tape Steel

Heavy duty design with ABS and TPE shock-

proof casing

graduations

\$4.95

Pocket Size

Tape Measure 321922 2m Metric Single sided

Ergonomic design with

handy keychain ring

\$18^{.95}

Single sided metric

322018 30m Single Sided Metric

CLEARANCE

Stainless Steel Rule Set TRS01 2 Piece

 Double sided metric and imperial with upper and lower graduation





Precision Measuring Set

321903 3 Piece Stainless Steel

- Professional stainless steel three piece rule set includes mini square, 150mm rule and taper gauge
- Satin chrome finish with photographically etched markings
- Supplied in custom high grade EVA







Precision Measuring Set

321904 6 Piece Stainless Steel Satin chrome finish with

photographically etched markings





Mini Square Metric - 300 x 150mm, Protractor 180°, Scriber - Pen Style with Pocket Clip, Spring Divider - Solid Nut 150mm, Stainless Stee Single Sided Rule Metric - 300mm, Taper Gauge - with Hanger Hole 1-15mm



Combination Square Set 322210 30mm

- Versatile and useful multi-application set for a wide range of measuring and lay out jobs Suitable for use as a rule, spirit level, plumb level, 45°
- level, try square (internal and external), height/depth gauge, marking gauge and scriber
- Supplied in high grade EVA foam storage tray Common applications include jobs in woodwo
- metal working and stonemasonry





Mitre Squares Stainless Steel

Suitable for use as inner or outside try square, mitre square,

- horizontal, 45° marking gauge and rule Graduated blade with metric and
- imperial markings

Made in Japan

3

2

2


2

2

0

Part No.	Length	Graduations	PRICE
MS150	150mm	Upper Edge: 1mm Lower Edge: 16/1"	\$33.95
MS200	200mm	Upper Edge: 1mm Lower Edge: 16/1"	\$34.95
MS250	250mm	Upper Edge: 1mm Lower Edge: 16/1"	\$36.95
MS300	300mm	Upper Edge: 1mm Lower Edge: 16/1"	\$39.95

Measuring Wheel



Large backlit LCD displays metric and

imperial m • Wheel design allows manoeuvring through



FAMOUS



Adjustable Combination Square

CS30012 Metric & Imperial 300mm/12"

- For use as inner or outside try square, mitre square, horizontal, 45° and plumb level, depth and marking gauge and rule
- Detachable ruled blade
- Spirit level for checking level and plumb





T-Bevel 322016 180mm with level

- Heavy duty design for various industrial applications Double sided, etched
- with metric and imperial graduations Easy to read vial in handle



40 50 40 11 41 50 100 11 12 130 141 150 00

Stainless Steel Double Sided Rules Metric & Imperial

• Upper and lower graduations

- No quiet space complete rule is graduated
- Manufactured from stainless steel Made in Japan

Part No.	Length	Width	Thickness	PRICE
150B6	150mm	15mm	1.0mm	\$8.95
30012	300mm	28mm	1.0mm	\$17.95
60024	600mm	30mm	1.2mm	\$40.95
100036	1000mm	35mm	1.5mm	\$72.95

40 50 40 70 40 90 100110120 130 140 150160 170 180 190 200 210 220

Stainless Steel Rules Metric

- High grade stainless steel Made in Japan

Part No.	Length	Width	Thickness	PRICE
150BM	150mm	15mm	0.5mm	\$7.95
300M	300mm	25mm	1.0mm	\$15.95
600M	600mm	30mm	1.2mm	\$29.95
1000M	1000mm	35mm	1.5mm	\$59.95

FAMOUS

EXCELLENCE BY DESIGN



Articulated design allows you to clear any obstruction in engine bay during removal

Part No	Suitable	Engine	Size
305915	Ford, Citroën, Peugeot and Jaguar	2.0 - 2.2L diesel engines	Bi-hex: 27mm, 1/2" Sq. Dr.
305916	Holden / GM	2.0 - 2.2L petrol engines with A and Z codes	Bi-hex: 32mm, 1/2" Sq. Dr.



- Curve blade design suitable for cutting up to 11mm
 Features additional SK5 carbon steel stripping knife in handle with adjusting knob design for longitudinal stripping
- EACH **Aviation Snips** Serrated cutting blades are heat treated for easy cutting, superior strength, toughness and durability Cuts up to 1.2mm cold rolled steel or 0.7mm AISI-304
- stainless steel Chromium molybdenum
- Part No. Left Cut (Red) 301121 Straight Cut (Yellow) 250mm (10") 301122 Right Cut (Green) 250mm (10")



Self-Adjusting Clutch Alignment Kit

- Easy and damage free removal and installation of self adjusting
- For dismounting and mounting of 6 and 8 hole self-adjusting clutch
- Enables efficient adjustment and resetting of the automatic adjuster



Ball Joint Separator 311273 300mm Fork

- Separates hall joints with a strike of a hammer 24mm fork opening suitable for passenger vehicles and
- commercial vehicles • Manufactured from drop forged steel

TOLEDO TOOL SPECIALS · TOLEDO TOOL SPECIALS

Oil Filter Cup **Wrench Set**

- 305004 15 Piece Professional oil filter cup wrench set suitable for passenger and light commercial vehicles
- Includes 1/2" to 3/81 reducer adaptor Various sizes ranges from 65-100mm





\$**71.**95

Adjustable Spark Tester 302167 Flexible Lead

- Flexible lead type spark
- plug tester Test for non-start conditions and for spark strength
- Simulates spark plug under compression load
- Standard ignition minimum spark plug gap indicated by 'S'
- Electronic ignition minimum gap (10mm) indicated by 'E



Caulking Gun

301655 350mm

- Suitable for dispensing sealant, silicone, grease and adhesives in standard size cartridge
- Manufactured from solid metal



T Square 322216 900mm

- Ideal tool for all measuring and technical drawings
- Aluminium construction with special UV resistant ink printed
- Upper and lower graduations
- Width: 38mm
- Thickness: 1.2mm



Double side graduations

322453 600 x 400mm

Fibreglass Measuring Tape Metric & Imperial 322220 50m

Reinforced, double coated fibreglass tape with double

Digital with 1.2m Tripod

Tripod: 1.2m Laser Type: Class II

• Tape width: 13mm



\$189.95 **Cross Laser** 322055 Self Levelling



Ratchet Wrench Set Fixed Head

301483 SAE 4 Piece

- Fixed head combination ring/open end design • Features 72 (5°) tooth ratchet head
- Supplied in workshop mountable tool holde
- Size contents: 13/16", 7/8", 15/16", 1"



- Ideal for chamfering sharp edges on pipes, tubes, rods and repair threads on fasteners bolts, studs and threaded rods etc
- Range: Ø3 to 35mm



Prying & Smoothing Tool Kit

313313 Mini Light Duty

- Suitable for light duty prying of small covers, interior bezels,



Bricklayer **Line Pins**

301631 2 Piece

 Suitable for use with hardened morta Length: 150mm







Syringe for Fuel Filling / Extraction 305156 1.5L

- Designed for Petrol and Diesel fuel filling and extraction
- Manufactured from fuel resistant materials
- Easy to dismantle for cleaning
- Supplied with guick release connectors to suit most vehicles
- Open/close twist valve is easy to use and prevents overfilling and



Razor Style Long Reach Scraper

301247 6 Piece 280mm Special tool designed for scraping windows and glass

- Also ideal for scraping paint from mirrors, tiles and other flat surfaces



Stainless steel blades are sharp and durable Blade width: 40mm

Razor Blades

301249 Plastic 100 Pack

- Suitable for all Toledo
- razor scrapers
- Plastic razors are ideal for damage free removal in applications
- Blade width: 40mm



OBDII EOBD & CAN

Code Reader

- Updated with the latest software version to suit most popular vehicles
- data and vehicle identification number readout (VIN)





\$41.95

Harmonic Balancer Master Puller Set 254230 46 Piece

- Comprehensive multi-purpose puller set designed for the removal of harmonic balancers, timing gears and pulleys where access to 2 or 3 $\,$
- Drop forged 4 slot flange with a range of capped bolts
- NOTE: Not recommended to be used with impact wrench

Disc Brake Pad Spreader

return the brake caliper piston to the resting position during removal, installation or service repairs to the disc brakes

- Threaded T-bar handle operation



Fuel & Vacuum Pump Pressure Tester

- Suitable for testing mechanical fuel pumps and vacuum systems
- Extra long heavy duty 750mm rubber hose and adaptors included
- Vacuum: 0-30 Hg (0-70 cmHg)

TOLEDO TOOL SPECIALS · TOLEDO TOOL SPECIALS

Pick-Up Tool

301697 Clam Style 700mm


- Flexible shaft with spring loaded extendable retrieval claw function
- Head Ø: 15mm
- Claw Opening (Max.): 25mm



Twin Leg Puller 222060 Mechanical 150mm

- Suitable for external and internal applications
- Suitable for pulling gears, bearings and sprockets etc in automotive and industrial applications
- Spread (min/max): 65 150mm
- Capacity: 5 Tonnes
- Reach: 150mm





- kit ideal for small bearing applicati Manufactured from drop forged chrome vanadium alloy stee
- Supplied moulded hard case
- Capacity: 20-40mm

Automatic Self Grip Puller Twin & Triple Leg 225070 7"

- Unique quick change head design allows for 2 or 3 jaw external or internal pulling v Supplied in custom
- moulded high grade EVA foam tray for safe and secure storage

Twin Pull Puller Kit 227020 21 Piece Heavy Duty

reducing resistance

\$202.95

Slide Hammer Puller

Set Front & Rear Hub

seal bushes and flange type axles $% \left\{ 1,2,\ldots ,n\right\}$

245300 Mechanical

Spread: 56-220mm

Suitable for Heavy-duty applications

Adapter Sizes: 15, 17.4, 20, 25.2, 30, 36.4mm

Special pullers for the removal of blind housing bearings without the

need to dismantle machinery or remove the running shaft

Stabilizers reduce sideways movement and self center puller

• Positive seating allows even tension on inner and outer bearings,

Bearing Ranges: 6021 - 6032, 6212 - 6230, 6309 - 6321, 6406 - 6417

• Multi-purpose design for removal of front and rear hubs, bearing oil

 Includes slide hammer with multiple attachments including 2 and 3. jaw internal and external puller, front and rear hub pullers and va

Reach: 135mm







Triple Leg Pullers

223100

223120

- Manufactured from drop forged chrome vanadium alloy steel

250mm

300mm

bearing	ed for easy removal s, pulley, gears and e for internal and ex tions	sprockets	
Part No.	Spread	Reach	PRICE
223040	100mm	70mm	\$56.95
223060	150mm	120mm	\$80.95
223080	200mm	200mm	\$198.95

250mm

300mm


\$308.95

\$413.95



- Range of metric and imperial sized bolts and adaptors provide a wide coverage
- Heavy duty ¾" diameter forcing screw is internally threaded to fit
- Supplied with eight adaptors which maintain a common thread on one end to fit into the forcing screw
- Includes three each of the following bolts M8 x 1.25, M10 x 1.00, M10 $\,$









Micro Adjustable 🧀 Bearing Puller 246600

- For the rapid easy removal of small bearings and similar assemblies
- Self centre under load and can be used with the
- attached "T" bar or 13mm hexagon drive Securing collar tightens under load
- for positive, non-slip pulling action Supplied in blow mould storage case
- Spread: 19-45mm
- Reach: 73mm

265022 22 Tonne Hydraulic

- Triple leg puller kit suitable for
- For extra heavy duty
- Spread: 270-570mm
- Reach: 300mm





Puller & Bearing Separator Master Kit

265030 Mechanical & Hydraulic

Separator: 75-150mm Spread: 180mm

Reach: 425mm

- Contains forcing screw and convertor to provide quick and easy conversion from hydraulic operation to mechanical
- Complete with components to construct varying two and three leg puller assemblies as well as a rear access bearing separator set up









Puller Kit Mechanical

269000

• Includes two 100mm internal triple leg pullers (15-30mm & 30-80mm) and one 100mm external triple leg puller (15-80mm) Slide hammer: 1.1Kgs



Stock Knife 2BKZ Twin Blade 160mm

- Double fold out precision cut stainless steel industrial applications
- Ergonomic wooden handle on stainless steel frame Clip point and spey point blades



Stock Knife

SK3 Triple Blade 180mm

 Stainless steel triple blade stock knife with wooden handle

Suitable for various applications



Stock Knife SK4 Single Blade with Leather Pouch 110mm


- Stainless steel triple blade stock knife with wooden handle





Stock Knife SK5 Single Blade with Leather Pouch 225mm

High grade stainless steel







 Comprehensive multi function chisel and punch set complete w an assortment of attachments

Cape Chisel	Tapered Punch	Flat Chisel	Pin Punch	Tape Dri
6mm	3, 5mm	14, 17, 20, 23, 26mm	5, 6mm	3, 6n

FAMOUS

Spring Dividers

- Spring calipers and dividers designed for reliable, quick and accurate measurements during layout procedures and
- Made in Japan

Part No.	Туре	Length	Jaw	PRICE
50100	Solid Nut	100mm	100mm	\$26.95
50200	Solid Nut	200mm	200mm	\$30.95
50300	Solid Nut	300mm	300mm	\$43.95

Inside Calipers

- Designed for reliable, quick and accurate
- measurements during layout procedures and jobs Manufactured in Japan to strict standards to
- · ensure accuracy and precision
- Legs pivot on a roller and are tensioned via bow spring Stainless steel and feature a spring joint via a solid screw nut
- · Solid nut requires progressive twisting to wind in and out via the threaded tension bar
- Made in Japan

Part No.	Туре	Length	Jaw	PRICE
51100	Solid Nut	100mm	100mm	\$26.95
51200	Solid Nut	200mm	200mm	\$30.95
51300	Solid Nut	300mm	300mm	\$43.95

Outside Calipers

- Outside caliper with solid screw nut designed for reliable, quick and accurate measurement during layout
- Made in Japar

Part No.	Type	Length	Jaw	PRICE
52100	Solid Nut	100mm	100mm	\$26.95
52200	Solid Nut	200mm	200mm	\$30.95
52300	Solid Nut	300mm	300mm	\$43.95


Inside Calipers



Firm Joint Calipers

- Precision measuring tool for obtaining quick and accurate measurements during layout procedures and jobs
- Firm joint allows for quick and efficient measuring
- Firm joint is stable and stiff to hold measurements
- Manufactured from hardened Japanese carbon steel Made in Japan

Part No.	Туре	Range	Length	Width	PRICE
321070	Inside	0-150mm	165mm	20mm	\$34.95
321071	Inside	0-200mm	210mm	12mm	\$45.95
321072	Outside	0-150mm	160mm	100mm	\$34.95
321073	Outside	0-200mm	210mm	120mm	\$45.95



Double Blade 180°

- Stainless steel double blade etched with bold, easy to read graduations
- Essential measuring tool for industrial, automotive, manufacturing, engineering and aerospace work Features convenient centre lock nut to secure measurement
- Double blade maintains stability and firmly contours shape at any

Made in Japan

Part No.	Size	Thickness	Angle Pitch	Length	PRICE
321110	210mm	2.0mm	0.5°	385mm	\$413.95
321111	320mm	2.0mm	0.5°	650mm	\$723.95
321112	320mm	2.0mm	0.5°	1050mm	\$897.95

\$1398^{.95}

Heavy Duty Puller Kit

- internal and external application
- force is required







MEGATOOL SALE MEGATO

ALL PRICES INCLUDE GST

SYKES-PICKAVANT SPECIALS · SYKES-PICKAVANT SPECIALS

Sp Sykes-Pickavant \$299.95

Twin & Triple Leg Puller Kit 082705

- For quick and safe removal of gears, races, bearings, pulleys and sprockets
- Makes four different puller combinations Spread 0 - 150mm,





Multi Puller Pack 094003

- Makes 5 different mechanical puller/separator combinations Consists of a thin jaw puller (ideal where there is limited clearance), reversible leg puller and separator
- Highest quality, ideal combination for light applications
- Puller reach: 89mm, Spread: 0 140mm/External Spread 55mm
- **Made in England**

Slide Hammer Puller Kit 085403 Combi Pull & Split Collett Extractor

- 3 straight legs, 3 cranked reversible legs for internal and external pulling
- 4 split collet internal extractors
- Adjustable cone ensures positive location, minimising risk of slippage
- Straight leg: external spread 66-105mm, internal spread 23-83mm, reach 75mm • Cranked leg: external spread 66-105mm,
- internal spread 33-70mm, reach 65mm Internal Spread Split Collets: 10.5-30mr
- **Made in England**

\$941.95

Hydraulic Puller & Separator Kit 193103 Thin Jaw

- Combination pack consisting of a medium duty hydraulic thin jaw puller and bearing separator
- Spread: 50 105mm
- Reach: 876mm
- 50, 100 & 150mm
- Made in England



Thread File Set 015605 4 Piece

- For the restoration of damaged or
- For both left and right hand thread BSW/BSF, SAE/UNF, Metric and BSP





Professional Slimline LED Headlight

300607 Rechargeable Lightweight and easy to use LED headlamp easily lights up dark areas

- while keeping your hands free Features three lighting modes: eco, normal and sense mode
- Sense mode allows for a truly hands free operation by just swiping your hand in front on the motion sensor to either quickly turn on or off



\$19.95 FROM

Parts Trays

Collapsible Magnetic

Unique design allows the parts

on sensitive surfaces

Round

680002

Slimlight

300606 Rechargeable

Handy foldable pocket pen light

for quick and easy illumination

Features three lighting modes:

front fold out flood light with

normal and eco modes, rear

flood light and direct beam

tray to close fully flat for easy storage

Suitable for safely storing small parts, nuts, bolts and screws

Strong rubber covered magnetic base prevents scratching

135mm

225mm

200 x 280mm

Professional Foldable LED

10-80mm

10-115mm

180°

1 x 50mm

1 x 85mm

Height adjustable to suit different

Sticks to any ferrous surface with ease



Impact Driver Set

loosen stubborn screws and nuts

Inbuilt stand and child safety latch

Telescopic Pick-Up

 Features telescopic shaft to allow extension of 135mm - 490mm and

Magnet 670006

in built pocket clip Extension range: 135mm - 490mm

Solid metal construction

Supplied with a range of interchangeable bits

Ideal for removal of brake drum screws and door hinge brackets

• Three features in one kit: Soldering Iron, Hot Torch and Hot Blower • Piezo ignition with adjustable flow and constant flame capability

This is kit is not supplied or filled with butane gas

040101 15 Piece

Butane

Soldering Iron Kit

680005 9 Piece

For use with a medium

Motorg Professional Torque Wrenches

- Soft feel ergonomic handle that provides exceptional grip even in oily conditions Large easy to read dual scale for improved visibility, precise torque setting adjusts 40% faster
- Push/pull torque adjustment knob that allows for rapid and accurate torque settings
- Unique Timestrip® feature that provides a visual indication of when the torque wrench is due for re-calibration
- Features the renowned Sykes-Pickavant mechanism with push-thru ratchet head that has been engineered for strength and durability while operating in both clockwise and anti-clockwise directions
- All Sykes-Pickavant torque wrenches are manufactured in England to ISO9000:2000 standard and are supplied with a UKAS accredited calibration

PRICE

\$19.95

\$46.95

Part No.	Lemath	Ratchet		Scale Increments		Square	DDICE
Part No.	Length	Diameter	Nm	1 Lbf. ft Teet		Drive	PRICE
800101	387mm	45mm	1.00	1.00	72	1/2"	\$299.95
800200	470mm	45mm	2.00	2.00	72	1/2"	\$349.95
800300	593mm	51mm	2.00	2.00	60	1/2"	\$395.95



Zipcut Spot

Weld Remover 040011

 Adjustable, auto-centring tool for removal of spot welds 5/16" hex shank for use with drill chucks of 3/8" capacity



Stubby Spot Weld Drill 040201 8mm

- High speed cobalt steel drills, removes spot welds without distortion

Air Operated Caliper Piston Wind Back Tool Kit 036140

- Handheld pneumatic ram of brake caliper pistons
- Air operated ram applies pressure to the caliner piston, the handle is rotated by hand
- Reversible works on both RH and LH applications
- Applications inc; General Hyundai, Volkswagen enault, Audi, Peugeot,







Thread Restoring Files

- Designed for the restoration of damaged or worn threads
- Suitable for left or right hand threads

\$165^{.95}

& Extractor 012000

Powerful stud extractor

used to remove rusted,

threaded or seized studs

High strength, eccentric knurled wheel design

provides increasing grip and force to affected stud ensuring superior grip

with minimal effort

1/2" square drive

Stud capacity: 6 - 19mr

and set new ones

Stud Setter

- Ideal for where conventional dies cannot be used

Part No.	Thread	Pitch	PRICE
015600	BSW/BSF	11, 12, 14, 16, 18, 20, 22, 26	\$50.95
015601	SAE/UNF	12, 13, 14, 16, 18, 20, 24, 28	\$50.95
015602	Metric	0.75, 1, 1.25, 1.5, 1.75, 2, 2.5, 3	\$50.95

Professional Twinbeam Pocket Worklight 300608 Rechargeable

- Multifunctional worklight contains both a spot light and flood light
- Versatile pocket size Features four lighting modes: direct
- full power flood light modes 180° flexible handle with inbuilt

Inteliprobe 6-24 Volt

Ideal for locating bad earths,

breaks in continuity and

Simply hook up the battery

clips to the vehicle batter and the tool is ready for use

Continuity Test On & Off Vehicle Component Test

Tester 300426

Sonoscope

and other driven auxiliar

• Hose length: 550mm

super strong magnet






Air Blow Gun 027600

- Used for cleaning carburettor jets, fuel lines, brake pipes etc, the gun has an infinitely variable air flow with fingertip control and is also suitable for the dispensing of some low viscosity fluids
- High velocity 100mm nozzle, cranked for easy access High impact resistant body
- Body threaded 1/4" BSP to accept a quick coupler if required

Hook, Pick









Professional Diamond Tipped Mini Engraver

- Handy pocket engraver easily marks glass, ceramic, plastic and hardened metals
- Long lasting diamond tip Suitable for personalising toys, sport equipment, tools. appliances, gifts and trophy's
- Supplied with 2 x AAA batteries





Adjustable Body Blade Holder 057100 complete with 97TPI blade

- Adjustable blade holder, suitable for forming
- and shaping fillers and metal during body repair work Made from aluminium with steel adjuster and base plate
- Range of blades available in single blades and boxes of 10





noise to assist in the diagnosis of noisy water pumps, wheel bearings.

1 OCTOBER - 31 DECEMBER 2022 · ALL PRICES INCLUDE GST · WHILE STOCKS LAST

10

KNIPEX

KNIPEX QUALITY · MADE IN GERMANY · KNIPEX QUALITY

NEW PRODUCT

Stripping Tool 12 85 110 for fibre optics cable

- To remove primary coating of fibre ontics with Ø 0 125mm
- Blade Ø 0.16mm, hole for cable
- feed Ø 0.35mm • Adjustable length stop for 5-45mm
- · Housing: plastic, impact-proof








NEW PRODUCT



Crimping Pliers

for RJ45 Western Plugs 97 51 13

- All-in-one tool for cable cutting, stripping of round cable and crimping of common RJ45 plugs
- Reliably crimps shielded and unshielded RJ45 Western plugs (8P8C) With adjustable retaining bracket, for all common RJ45 plugs with closed and non-closed housings
- Exact crimping process due to parallel crimp and self-releasing mechanism
- Dual crimping points for equal and balanced crimping pressure
- Quick cutting and stripping of CAT-cables with the high-quality blade
- With ergonomic multi-component handles
- For current and future Western connection technology in the network $\slash\hspace{-0.4em}/$ Ethernet area and Western modular plugs with 8P8C pin assignment













KNIPEX Cobra®

- Slim head shape for improved access
- Self gripping jaw geometry for securely gripping flat round and • Time-tested push button adjustment directly on the workpiece

Part No.	Length mm	O] mm	⇔] mm	Adjustment Positions	PRICE
87 01 180	180	42	36	18	\$74.40
87 01 250	250	50	46	25	\$79.00
87 01 300	300	70	60	30	\$107.00

NEW PRODUCT

KNIPEX DP50 Pipe

Cutter 90 23 01 BK

- Cut and chamfer all common domestic plastic drain pipes up to Ø 50mm in a single operation
- Reversible high-quality ball-bearing steel blade, can be easily replaced without tools
- Clean cut: no readjusting or deburring required, reducing potential blockages or damages of the seals
- Cuts high temperature and other plastic pipes with Ø 32, 40 or 50mm and wall

KNIPEX WireStripper

Multifunction Electrician Pliers

compared to standard wire strippers

20-10

20-10

• Superior 7-in-1 multifunctional tool for electrical installation

Innovative cutting edge geometry, particularly powerful cutting edges: 50% higher cutting capacity and 25% less cutting effort

Strip faster: precise positioning of the wire thanks to location ridges

Cutting Capacities

Ø 15mm / ½"

Ø 15mm / 1/2"

PRICE

\$211.50

\$220.60

American Style 200mm

Plastic

Comfort

KNIPEX TwinKey®

of locking systems from the areas of facilities engineering, heating and sanitation, air conditioning, electro technology, gas and water supply and shut-off-systems Two 4-way spider keys connected in a space-saving way using magnets

• 10 profiles, two crosses and one key

95 16 200 🛕 **1000 V** 🕸 🗲

95 12 200

• For cutting copper and aluminium cables

Precision ground, hardened blades

 Easy cutting with one-hand operation Guard prevents operators' fingers being pinched

13 71 8

13 72 8

00 11 01



NEW PRODUCT

\$266.50

KNIPEX TubiX® XL Pipe Cutter 90 31 03 BK

- Spring-loaded QuickLock mechanism holds the tool on the
- pipe once locked in place Precise and quick: exact positioning of the cutting wheel on the pipe
- High-quality needle-bearings enable the cutting wheel and four guide rollers to cut with ease
- Cuts pipes from Ø 6-76mm (1/4" 3") and a wall thickness up to 2mm









VDE Tool Kit

00 20 13 5 Piece 🛧 1000 V 🕸 🗲

- Contains: 200mm Snipe Nose Side Cutting Pliers, 160mm Diagonal Cutters, Slotted screwdriver x 2, Phillins screwdrive
- Individually tested for live work to 1000V



Circlip Plier Set

00 20 03 V02 4 Piece • Contains popular circlip pliers for internal and

external circlips

Name	Size of Bore	Style	Qty
Internal	12-25 Ømm	Straight	1
Internal	19-60 Ømm	Straight	1
External	10-25 Ømm	Straight	1
External	19-60 Ømm	Straight	1





Spring Hose Clamp Pliers

- Rotatable, universal grip inserts for reliably
- gripping the clamps in all positions
- Good leverage allows clamps to be opened easily







KNIPEX Cobolt® XL **Compact Bolt Cutters 250mm**

- Precision cutting edges for soft and hard
- wire as well as piano wire
- Cuts bolts, nails, rivets, etc. up to 5.6 mm dia
- Most efficient joint design ensures exceptional cutting performance *71 31 250 with recess in blade to cut thicker wires and gripping surface below joint to

Plastic

pull wires

71 31 250*

Part No. \$133.70 71 01 250 Plastic 250 5.6 4.0 3.8

5.6

4.0 3.8

250



\$138.80

Combination Plier Set 00 20 01 V08 4 Piece · 4 piece Knipex plier set in foam tray

\$284.00

Combination Plier (03 02 200) 200mm Long Nose Pliers (26 12 200) 200mm High Leverage Diagonal Cutter (74 02 200) 200mm



KNIPEX Cobra® (87 01 250)

250mm

KNIPEX Cobra® ES 87 51 250 250mm

- Good access to the workpiece due to very slim construction of head and joint area Firm grip also on flat material due to
- three-point rest Push the button for adjustment on the
- Extra slim design, ideal for automotive applications



Long Nose Cutting Pliers 200mm

- Suitable for gripping, adjustment and assembly work Half-round, long tapered jaws
- · With cutting edges for soft, medium-hard and hard wire

Part No.	Style	Handles	Cutting Cap	acity mm	PRICE
rart No.			Med Hard	Hard	PRICE
26 11 200	Straight	Plastic	3.2	2.2	\$64.80
26 12 200	Straight	Comfort	3.2	2.2	\$72.30
26 21 200	Bent 40º	Plastic	3.2	2.2	\$73.00
26 22 200	Bent 40º	Comfort	3.2	2.2	\$79.50



Diagonal Cutters

- The indispensable diagonal cutter for all-round use
- High-quality material and precise workmanship for long service life Precision cutting edges for soft and hard wire
- Narrow head style for use in confined areas

Part No.	Length	Cutt	DDICE		
rait No.	mm	Soft	Med Hard	Hard	PRICE
70 02 125	125	3.0	2.3	1.5	\$60.45
70 02 140	140	4.0	2.5	1.8	\$61.40
70 02 160	160	4.0	3.0	2.0	\$63.00
70 02 180	180	4.0	3.0	2.5	\$67.00

Long Nose Assembly Pliers

- · Long assembly pliers with wave profile
- For gripping, adjustment and assembly work in hard to reach areas thanks to slim, • Deep parts can be easily reached using the slim, half-round tips
- Careful yet reliable gripping, holding and guiding of small copper pipes, screws and
- cables as well as other round parts thanks to milled grooves with smooth surfaces





Ø 20mm/70mm²

\$136.70

Cable Shears with twin cutting edge 200mm

Not suitable for steel wire and hard drawn copper conductors

Clean and smooth cut without crushing and deformation



MOTORCYCLE SERVICE TOOLS. MOTORCYCLE SERVICE TOOLS

@ Bikeservice



- Dual-head spoke wrench enables tightening
- and removal of spokes in one piece Spoke torque tensioner applies correct and equal tension to the spokes
- Spoke remover releases damaged or rusted spokes easily
- Torque pre-set at: 4 ft.lbs
- Sizes: 5.0, 5.6, 5.8, 6.0, 6.2, 6.3, 6.5, 6.7, 6.8, 7.1mm and Spline



Spoke Torque Wrench Set

BS70009 Steel 12 Piece

- Enables tightening and removal of spokes in one piece
- Applies correct and equal tension to the spokes
- Spoke remover releases damaged or rusted spokes easily • Simply tighten the spoke until you hear and feel a click which indicates
- Takes all the guesswork out of wheel and spoke assembly and maintenance
- Adjustable Torque Wrench 2-10 Nm
- Sizes: 5.0, 5.6, 5.8, 6.0, 6.2, 6.3, 6.5, 6.7, 6.9, 7.1, 7.4mm & Spline drive






Valve Stem Removal Tool BSE00470

- An essential tool which offers a safe, powerful approach in removal or installation of the tyre valve.
- Ideal for difficult to reach valves on scooter or motorcycle wheels.
- Adjustable supporting point suits various rim widths.
- Protective coating added on supporting point to prevent rim from



deflation



Dual pressure analogue display, kPa

\$100 95

Fork Seal Driver

BSD00356 Universal

- Specifically designed for the replacement fork seals and dust covers
- Manufactured from Glass-Filled Nylon to avoid damaging the fork surface
- Unique design with spring loaded fingers that lock securely around the
- · Suitable for fork diameters of
- Quick and easy to use



Tyre Pressure Dial Gauge BS80086

- Professional tyre pressure gauge with protective rubber bumper
- Incorporates thread depth measuring tool Includes braided steel hose, swivel chuck and pressure release button.
- Working pressure to 5 Bar (70 PSI)



Thin Wall Spark Plug Sockets

• Extra thin wall deep socket designed to access narrow spark plug holes found on many motorcycles

Part No.	Size		PRICE
BS9132	14mm	¾" Sq dr. and Hex dr.	\$16.95
BS9133	16mm	¾" Sq dr. and Hex dr.	\$16.95
BS9134	18mm	%" Sq dr. and Hex dr.	\$18.95
BS9135	21mm	%" Sq dr. and Hex dr.	\$18.95

Crankcase **Separator Tool**

BSB02300 8 Piece

- Simple and effective puller set to suit most two and four stroke engines that have a vertically split crankcase
- Adjustable puller legs allow for a multitude of bolt patterns
- Spread: 50-240mm



Pick & Hook Sets 4 Piece

- Durable soft grip pick and hook set ideal for removal of o-rings, seals and bushes
- Contains straight, 45° and 90° picks plus hook tool
- Stainless steel construction



rt No.	Description	Shaft Length mm	Length mm	PRICE
1234	Standard	76	162	\$19.95

Wheel Impact Nut Socket ктм

BS70012 60mm

 Prevents damage to lock nuts and wheel spindle threads due to over tightening



\$24.95

1290 Super Duke R (2014 - 2016), Super Duke GT (2016), Supe 60mm 6 Point

Wheel Impact Nut Socket DUCATI

BSE05551 30/55mm Prevents damage to lock nuts and wheel spindle threads due to over

280-320Nm



Carbon. Can be used with air tools

Chain Breaking & Riveting Master Kit BS35101

- Forged hardened alloy steel body with three suitable for left and right hand use
- Supplied with press plates, punches and anvils
- Suits: Chain sizes: #415, 420 630 and 632




Magneto Flywheel Puller Set BS30014

- Features external threaded pullers
- Chrome alloy steel ball tip on shaft to reduce friction stress during



1/2" Sq. Dr 14 Piece

- designed for fixed-point type magneto flywheels





6 in 1 Magneto Fly Wheel Puller BS9950 Specially designed tool for

- the standard AC flywheel wheel ring Six sizes to fit most
- magneto flywheel threads
- Since some flywheels are the taper lock style, they can only be disengaged using this specialist tool
- Use with soft face hammer for quick removal from tapered shafts • Sizes: M10 x 1.25 RH, M14 x 1.5 RH, M16 x 1.5 RH, M18 x 1.5 RH, M24 x 1.0 RH, M27 x 1.0 LH
- Threads: External







Fork Oil Level Gauge BS41500 60ml Capacity

- Tool for checking and adjusting the oil level on conventional and single chamber cartridge forks
- Graduated steel tube with adjustable level setting ring measures oil level from



Fork Spring Compressor BSD00355

- Fork spring compressor with innovative locking mechanism
- Consists of fork spring compressor and dampe rod holding plate
- Applicable size: 10, 12, 14mm Essential tool for servicing or changing springs in upside down forks.



Bearing Installer Tool Kit BS50017

- Simple and safe approach to steering tube bearing installation Includes installation drift and five adaptors
- Ideal solution to reduce risk of damaging
- Extension rod 290mm Adaptor sizes: 24, 26, 28 and 30mm
- Extension rod BSD09894 also available
- · Enables an additional 500mm of travel







Bearing Packer

- Professional quality tyre lever manufactured from hardened and
- tempered drop forged chrome vanadium steel Designed for motorcycle tyre replacement

Part No.	Size	PRICE
BC0023	280mm	\$28.05



Carburetor Adjusting Tool Set BS0058 9 Piece

- Designed for those hard-to-reach air/fuel mixture screws on most multicylinder motorcycles
- Special angled drive design assists in aligning the bit with the carburetor adjustment screw
- Includes Flat, Phillips, PH#2 and D-type bits



Bearing Installer Kit BSD98940

- Improved design to correctly install stee head bearings Features new quick acting nut, conical plate
- and tapered step ring for fast and accurate use Suits: bearing diameter sizes: 41-55mm



Chain Breaking, Riveting & Repair Master Kit BS70002

- Comprehensive tool kit for drive chain replacement and repair Provides the ability to break, rivet and press drive chain master links
- Suits: Chain sizes: #415, 420, 428, 520, 525, #30 (50), 532, 630 and 632
- Includes: BS35101 Chain Breaking and Riveting Set BS3500 Chain Extractor BS3506 Chain Link Pliers
- BS1164 Chain Tensioner Tool



TRIDON SPECIALS · TRIDON SPECIALS · TRIDON SPECIALS



Hose Clamp Workshop Pack


MH/HS Perforated Band, **Part Stainless Steel**

- 150 clamps in a carry case
- Clearly marked with size range All popular sizes



CV Boot Combo Kit CV Boot Comb

CVCP10 Combo CV Boot







NEW PRODUCT

Hose Clamp Workshop Pack CWP150SS MAH/HAS Perforated Band,

- All Stainless Steel Full stainless steel for corrosion protection
- 150 clamps in a carry case Clearly marked with size range
- All popular sizes

Sump Plug Washer

TPP005 130 washers

Designed to seal and retain oil

Manufactured from high quality

in modern sump applications

Master Pack





- For pipes, cables, hoses, etc Removable rubber lining
- Covers sizes 3.2 17.5mm



\$17.95





TRIDON >

Nylon Cable Tie Combo Pack CTCP1000 1000 Cable Ties

 Contains 1000 assorted cable ties in popular sizes and colours







Black UV Stabilised						
Size mm	Qty	PRICE				
4 x 150	100	\$3.95				
8 x 300	25	\$5.50				
8 x 400	100	\$6.95				
9 x 550	25	\$14.95				
9 x 750	25	\$24.95				
	Size mm 4 x 150 8 x 300 8 x 400 9 x 550	Size mm Qty 4 x 150 100 8 x 300 25 8 x 400 100 9 x 550 25				



HIT TOOLS · MADE IN JAPAN · HIT TOOLS · MADE IN JAPAN ·

Banding Cutter

Heavy Duty Wire Rope Cutters

HITHWC09 335mm

- Heavy duty design for cutting wire rope, piano wire, steel wire, ACSR cable and aircraft cable
- Forged lightweight aluminium handles with comfortable rubber grips are ideal for overhead work
- Shear-cut jaws provide a clean sharp cut with minimal distortion

Length	Wire Rope mm	Piano Wire	ASCR
mm		mm	mm
335	9	4	25



Hand Wire Rope Cutter

HITHWC06 190mm

- Designed for cutting all soft and hard steel cable and wire
- · Compact and lightweight, allows for access into restricted areas



2.5mm

2.4mm

6.0mm

Aluminium Pipe Wrenches

- · Lightweight construction for greater portability
- Floating forged steel jaws for fast ratcheting action Toughened steel, drop forged

rait No.	Length	Capacity IIIII	FRICE
HITALP250S	250mm	48	\$82.20
HITALP300S	300mm	60	\$86.80
HITALP350S	350mm	72	\$105.00
HITALP450S	450mm	86	\$146.15
HITALP600S	600mm	105	\$196.40
HITALP900S	900mm	150	\$347.00



Wire Rope Cutter

- Designed for cutting soft and hard cable, wire rope, ACSR cable
- Extra-long handles provide enough leverage to cut through wire rope
- Shear-cut jaws provide a clean sharp cut with minimal distortion to
- Ergonomic and comfortable rubber grips

Length	Copper/Alum	Wire Rope	ASCR
mm	mm	mm	mm
710	250	16	120



4.8 x 300

100

CTP31



Pocket Cutters

Special heat treated and tempered drop forged alloy steel blades

• Comfort grip with spring action permitting one hand operation

Length	Capacity mm			
mm	Hard	Mild		
200	2	4		

\$719.20



Concrete Mesh Cutter HITRCA800 800mm

- Specially designed for cutting extra hard steel concrete mesh
- Comfortable rubber handles ensure a firm and safe grip

800	8		10
4			Sans.
	1		
		-	





Swaging/Crimping Tools

- Designed for swaging / crimping copper or aluminium swages
- Produces a tight, clean compression of copper and aluminium

Part No.	Description	Length mm	Crimping Capacity mm	PRICE
HITCT350/3C	Swaging/Crimping & Wire Rope Cutter	350	1.5, 2.5 and 3mm	\$168.95
HITCT600/5	Swaging/Crimping	600	1.5, 2.5, 3, 4 and 5mm	\$178.00
HITCT600/5C	Swaging/Crimping & Wire Rope Cutter	600	1.5, 2.5, 3, 4 and 5mm	\$214.65



MATSON SPECIALS · MATSON SPECIALS · MATSON SPECIALS

MATSON



Lithium Jump Starter MA35000 12V/24V

- Automatic Voltage Sensing • Peak Current 1200A (12V)
- 35000mAh Capacity
- Back-up power for portable devices
- Powerful 3W/250 Lumen torch function
- Full safety protections



MATSON

HOT PRICE!

Battery/System Tester

BT2100 with printer

- 6V & 12V professional battery testing
- Bluetooth connection to smart devices to send digital results
- 12V & 24V starting and charging system (alternator) testing
- Tests internal resistance (milli-Ohms) Inbuilt printer with customisable
- Suits most lead-acid battery types including Stop-Start









- 12V 200A starting current
- 10W Wireless device charging
- 10000mAh capacity (37Wh) Back-up power for portable devices
- Powerful torch function



12V Lithium Jump Starter MA21000

- 12V 550A starting current
- 21000mAh capacity (77.7Wh) Back-up power for portable devices
- Powerful torch function
- Starts up to 7.5L diesel engines



CLEARANCE! Power Inverter MAI1100 1100 Watt Modified Sine

- Converts 12VDC to 240AC
- Modified Sine Wave Output 1100 Watt Continuous, 2200 Watt Peak
- Dual USB Charging

12V Battery

Monitor

LCD Display shows battery voltage and real-time wattage consumption







•	Fast, accurate and reliable
•	Water and dust proof to IP6

\$14.95 FROM

Accessory Cables



50A connector to 2 x 50A connectors Split cable for wider applications Max current 12V, 50A

50A connector to 2 x 50A connectors

\$33.95

\$15.95



\$30.95

Stacked connectors



50A connector to 50A clamp Max current 12V, 50A



PRICE 50A connector to 8mm eyelets Max current 12V, 50A



\$19.95 50A connector to cig plug Max current 12V, 10A

PRICE



50A connector to cig socket Max current 12V, 10A PRICE \$14.95 50A connector to py plug & socket



Max current 12V, 50A PRICE 50A connector to 8mm eyelets Max current 12V, 50A

PRICE



50A connector to waeco plug 3 metre length PRICE

> 50A connector to engel plug 3 metre length



MAC1012





3 Pin Engel Plug to Cig Plug 16 AWG 3 Metre Length PRICE

\$269.95 FROM

Power Inverters

- Converts 12VDC power from a battery into clean 240VAC power to run 240VAC
- Pure Sine Wave output produces stable power the same as 240VAC mains connection to power sensitive electronic devices without interference to audio displays or sensitive electronics

Part No.	Output Power	Surge Power	PRICE
MAI601P	600W (240VAC) & 2.1A (5VDC)	1200W	\$269.95
MAI1001P	1000W (240VAC) & 2.1A (5VDC)	2000W	\$412.95
MAI1501P	1500W (240VAC) & 2.1A (5VDC)	3000W	\$479.95
MAI2001P	2000W (240VAC) & 2.1A (5VDC)	4000W	\$715.95
MAI3001P	3000W (240VAC) & 2.1A (5VDC)	6000W	\$949.95

	WATT	600W	1000W	1500W	2000W	3000W
Digital Camera	10	~	~	~	~	~
Mobile Charger	10	~	~	~	~	~
Laptop Computer 14"	90	~	~	~	~	~
Hand Mixer	100	V	~	~	~	~
Electric Cooler	160	~	~	~	~	~
LED TV	200	V	~	~	~	~
Video Game Console	250	V	~	~	~	~
12" Electric Fan	300	V	~	~	~	~
Electric Blender	450	V	~	~	~	~
Electric Drill	500	V	~	~	~	~
Refrigerator	650		~	~	~	~
Food Processor	900		~	~	~	~
Small Microwave	1000		~	~	~	~
Microwave	1300			~	~	~
Window Air Conditioner	1350			~	~	V
Toaster	1400			~	~	V
Vacuum Cleaner	1500			~	~	~











OBD Solar Maintenance Charger MA1106

- Integrated panel regulator for charging 12V batteries
- Charge 5V USB devices
- High quality PET lamination for long service life Lightweight and compact
- Connect to car via OBD plug (included) or alligator clips
- Includes suction hangers x 4 • Dimensions: 171 x 246mm









IR61224

- Selectable Amp and Voltages
- Electronic touch button control
- Chemistry selectable: GEL, Flooded(SLA, Deep Cycle, AGM), Calcium



40AMP DC-DC Charger

MA40DCS with solar input

- 40 Amp Charging
- Chemistry Selectable MPPT Charging Profile
- Dual Input Alternator/Solar
- IP65 Under-Ronnet Suitable Suits Smart and Conventional Alternators





Waterproof Battery Chargers

- One step operation
- Fully automatic charging
- Maintains optimum battery condition

Part No.	AMP	Output	Qty	PRICE
AE120E-6	1.2 AMP	12VDC	6	\$319.95
AE500E	5 AMP	12VDC	1	\$119.95
AE1000E	10 AMP	12VDC	1	\$238.95



DOL SALE MEGATOOL SALE



ALL PRICES INCLUDE GST

RENNSTEIG SPECIALS · RENNSTEIG SPECIALS · RENNSTEIG

\$269^{.40} Automatic **Self Adjusting Insulation Stripper** • Fully automatic adjustment to all single, multi and fine stranded cables with PVC insulation

- Recessed wire cutter
- Made from lightweight fibreglass reinforced plastic for superior durability
- · Replacement cutting blades and length stops available



80 0750 003 135mm

- $\bullet \;\;$ Designed for stripping glass fibre optic cables 125/230 μm
- A fixed stop defines the stripping depth
- Two stripping locations permit removal of primary and secondary

Parallel Pin Punch Set 457 102 With guide sleeve 8 Piece

- Set of parallel pin punches with guide sleeve in plastic storage case
- Size range: 0.9, 1.4, 1.8, 2.4, 2.8, 3.4, 3.9 & 5.9mm



Chisel, Pin & Taper **Punch Tool Roll**



• Contains 3 flat cold chisels (150, 200 & 250mm), 7 parallel pin punches (2-10mm) and 1 taper punch (3mm) Hardened chrome vanadium steel to resist hard working stress

METRINCH

Chisel & Punch Foam Tray Set REN03 8 Piece

• Set of eight chisels and punches in EVA foam tray

Contents						
Description	10					

Description	Size mm	Description	Size mm
Flat Cold Chisel	200	Pin Punch	4
Flat Cold Chisel	300	Pin Punch	6
Centre Punch	6	Pin Punch	8
Pin Punch	3	Pin Punch	10






- Ideal for chasing, cutting and slitting
- Straight and bent (25° for easy access underneath objects)

Part No.	Tip	Length mm	Shaft Size mm	Blade Length mm	PRICE
380 240C	Straight	240	26 x 7	26	\$26.00
380 241C	Bent 25º	240	26 x 7	26	\$62.80

- flagstones, sandstone blocks and pavers
- Conical shape prevents chisel from sticking
- Hardened chrome vanadium steel
- Chisel blades are lacquered to protect against corrosion
- Blade Length: 26mm Length: 250mm



Piece set

174

Piece set

888

Mason's Chisel 340 250C

- Used to cut masonry products including bricks, concrete blocks,

- Shaft Size 20 x 12mm

Pointed Chisel 330 250C

- For demolition and general chisel work on brick and concrete
- Chisel blades are lacquered to protect against corrosion
- Shanks dip coated in gold lacquer
- Length: 250mm
- Shaft Size 16mm



Jointing Chisel 385 060C

- Tapered blade for cutting out mortar joints in old work without
- Blade Length: 60
- Length 250mm
- Shaft Size: 26 x 13



Electrician's Slitting Chisel 366 250C

- Used to cut masonry products including bricks, concrete blocks, flagstones, sandstone blocks and pavers
- For cutting through old electrical components, plaster and brickwork
- Blade Length: 33mm
- Length: 250mm

Flat Cold Chisel Set


RCC3 3 Piece

- Flat cold chisels in durable fabric wallet · Forged from highest quality hardened steel
- Contains sizes: 150, 200 and 250mm chisels



MADE IN GERMANY

Taper & Parallel Pin Punch Set RTP8 8 Piece



Taper punch 3mm and parallel pin punches 2,3,4,5,6,8 and 10mm



Podger Bars

- Heavy duty forged steel construction
- Rustproof red powder-coated finish
- Wrecking Bars Flat oval design, twice as strong (compared to hexagonal) Two work ends (taper point for aligning holes and pry bar tip for

Part No.	Туре	Length mm	Shaft mm	PRICE
273 400	Podger Bar	400	16 Hex	\$59.50
273 500	Podger Bar	500	20 Hex	\$61.00
273 600	Podger Bar	600	20 Hex	\$63.00



Screw Extractor Set 471906 Dual Edged 5 Piece

- Sizes 1-5 in durable pouch
- Right & left hand threads Screw removal M3-M18
 With Centre punch point



The 3 in 1 tool that tightens and removes nuts and bolts













Spanner Set MET-0125 14 Piece



Standard & Deep Wall Socket Set

MET-0210 1/4"Sq. Drive 24 Piece • This 24 piece set equals a 50 piece conventional set

- Accessories: Quick Release Reversible Ratchet, 150mm (6") Extension
- Bar, Fingertip Ratchet, Universal Joint

One size.



Fits all.



Metric



Inch



Damaged

MET-0610 ¼", ¾", & ½" Sq. Drive 71 Piece

Socket & Spanner Set

000000

1 OCTOBER - 31 DECEMBER 2022 · ALL PRICES INCLUDE GST · WHILE STOCKS LAST

PRICE \$97.95

\$102.95

PRICE

\$103.95

\$42.95

\$131.95

PRICE

\$42.95

\$42.95

\$42.95

4, 5, 5.5, 7, 8, 9, 10, 11, 12mm

3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8",

7/16", 1/2"

3,4,5,6,7,8 and 10mm

T20, T25, T27, T30, T45, T50

3.4.5.6.7.8 and 10mm

1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"

5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4" \$52.95

T20, T25, T27, T30, T45, T50

1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"



Alloy Wheels 309244 For the quick installation, removal, trim and

tightening of wheel weights

Makes wheel balance weight work simple and quick





Nut Driver Sets

· Features ergonomic

with slip resistant

chrome plated finish

321007

inserts to allow greater torq

Chrome vanadium steel with

• Size: 4, 5, 5.5, 7, 8, 9, 10, 11, 12mm

Metric 9 Piece

SAE 9 Piece

Metric Hex

Bit Socket Sets

Extension Bar

Ratchet Adaptor

301177

301178

301179

301820

½" Sq. Drive 10 Piece

Metric Hex

SAE Hex

Dual Head Ratchet

Four in one ratchets feature dual

• Features 72 (5°) tooth ratchet head assembly Tempered forged alloy steel with polished mirror chrom-

sized ratcheting reversible heads

SAE 2 Piece

Wrench Sets

Bit Socket Sets

3/8" Sq. Drive 10 Piece

Extension Bar

301174

301175

301176

Sliding T-Handle Ratchet Adaptor

- Lightweight construction for greater portability
- Floating forged steel jaws for fast ratcheting action
- · Wide and smooth teeth are ideal for vinyl coated pipes
- Hook jaw with spring suspension for quick grip and release

Part No.	Size	Square Drive	PRICE
309401	3/4"	1/2"	\$19.95
309402	13/16"	1/2"	\$18.95
309403	7/8"	1/2"	\$19.95
309405	1 1/16"	1/2"	\$21.95



- Analogue 150mm/6' For inside and outside measurements in both metric and imperial







Brake Bleeder &

simplifies bleeding of brake

Fluid Extractor

310005 1 Litre Air operated brake bleeder









\$79.95

@ Bikeservice

T-Handle Socket Wrench Set BSBP003 8 Piece

- Sizes: 6, 8, 10, 12, 13, 14, 17, 19mm



Ratchet Wrench Set Flexible Head 301404

Metric 7 Piece (8-18mm)

- Flexible head combination ring/open end design
- 72 (5°) tooth ratchet head assembly
- Supplied in workshop mountable
- Size contents: 8, 10, 12, 13, 14, 15,



- Includes PH2 x 100mm and Slotted 5 x 100mm
- Insulated screwdriver solution for live electrical work
- Tested up to 1000V for professionals working with dangerous live electrical applications
- Made in Japan





(5/16" - 9/16")

- Flexible head stubby combination ring/open end design
- Features 72 (5°) tooth ratchet head assemble
- Supplied in workshop mountable tool holder Size contents: 5/16", 3/8", 7/16", 1/2", 9/16"



Minimises slippage and provides additional leverage when removing stubborn nuts and bolts

- Features 1/2" square drive adaptor for increased leverage
- Made in Germany

Part No.	Length	PRICE
321045	340mm	\$105.95
321047	600mm	\$277.95
	-0-	





Sledge Hammer 321057 10lb 910mm

Durable hardened carbon steel head, ideal for repeated high impact



without causing damage



Ring Podgers SAE

- Manufactured from premium quality drop-forged chrome molybdenum steel
- Conform to ISO 9001:2000 quality standards

Part No.	Size	Length	Depth	Height	PRICE
RP750	3/4"	324mm	28mm	10.4mm	\$38.95
RP1000	1″	380mm	40mm	12.9mm	\$38.95
RP1687	1 ¹¹ ⁄16″	490mm	62.5mm	18.3mm	\$42.95
RP1812	1 ¹³ ⁄16″	519mm	68mm	19.9mm	\$102.95
RP1875	17/8"	594mm	78mm	24.4mm	\$128.95
RP2062	21/16"	594mm	78mm	24.4mm	\$64.95
RP2187	23/16"	616mm	92mm	29mm	\$128.95



0484-22. Prices valid 1 October to 31 December 2022. Prices include GST, Please refer to the relevant Tridon catalogues for more comprehensive product information. As participating stores are independant businesses, they reserve the right to set their own selling prices. Pricing throughout this publication is the recommended trade price and may vary from store to store. Every effort has been made to ensure stocks are available at the time of printing. Should any item not be in stock on placement of orders, stores will endeavour to procure those published items. Product images are for illustration purposes only. Produced by Tridon Australia Pty Ltd ACN 001 398 698 ABN 90 001 398 698